

**Oracle® Database**

Error Messages

11g Release 1 (11.1)

**B28278-01**

July 2007

Copyright © 2007, Oracle. All rights reserved.

The Programs (which include both the software and documentation) contain proprietary information; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs, except to the extent required to obtain interoperability with other independently created software or as specified by law, is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. This document is not warranted to be error-free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose.

If the Programs are delivered to the United States Government or anyone licensing or using the Programs on behalf of the United States Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the Programs, including documentation and technical data, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement, and, to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and we disclaim liability for any damages caused by such use of the Programs.

Oracle, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

The Programs may provide links to Web sites and access to content, products, and services from third parties. Oracle is not responsible for the availability of, or any content provided on, third-party Web sites. You bear all risks associated with the use of such content. If you choose to purchase any products or services from a third party, the relationship is directly between you and the third party. Oracle is not responsible for: (a) the quality of third-party products or services; or (b) fulfilling any of the terms of the agreement with the third party, including delivery of products or services and warranty obligations related to purchased products or services. Oracle is not responsible for any loss or damage of any sort that you may incur from dealing with any third party.

---

---

# Contents

<b>Preface</b> .....	ix
Audience .....	ix
Documentation Accessibility .....	ix
Related Documents .....	x
Conventions .....	x
<b>1 Using Messages</b>	
<b>Locating Message Documentation</b> .....	1-1
Oracle Database Messages .....	1-1
Product Specific Messages .....	1-1
Operating System-Specific Messages .....	1-1
<b>Accuracy of Messages</b> .....	1-2
<b>Message Format</b> .....	1-2
<b>Recognizing Variable Text in Messages</b> .....	1-2
<b>Message Stacks</b> .....	1-2
<b>Contacting Oracle Support Services</b> .....	1-3
<b>Oracle Exception Messages</b> .....	1-3
<b>Trace Files</b> .....	1-4
<b>The Alert File</b> .....	1-4

- 2 ORA-00000 to ORA-00847
- 3 ORA-00910 to ORA-01497
- 4 ORA-01500 to ORA-02098
- 5 ORA-02140 to ORA-04099
- 6 ORA-04930 to ORA-07499
- 7 ORA-07500 to ORA-09859
- 8 ORA-09870 to ORA-12100
- 9 ORA-12150 to ORA-12236
- 10 ORA-12315 to ORA-12354
- 11 ORA-12400 to ORA-12497
- 12 ORA-12500 to ORA-12699
- 13 ORA-12700 to ORA-19400
- 14 ORA-19500 to ORA-19960
- 15 ORA-19999 to ORA-24279
- 16 ORA-24280 to ORA-28674
- 17 NZE-28750 to NZE-29249
- 18 ORA-29250 to ORA-32775
- 19 ORA-32800 to ORA-32857
- 20 ORA-33000 to ORA-37999
- 21 ORA-38029 to ORA-39962
- 22 ORA-40001 to ORA-40361
- 23 ORA-41001 to ORA-42399

- 24 NZE-43000 to NZE-43021
- 25 ORA-43750 to ORA-44913
- 26 ORA-46000 to ORA-46108
- 27 ORA-47000 to ORA-47999
- 28 DIA-48001 to DIA-51316
- 29 ' ORA-53000 to ORA-54036
- 30 ORA-54500 to ORA-56974
- 31 ORA-57000 to ORA-57000
- 32 ORA-60001 to ORA-60025
- 33 EXP-00000 to EXP-00113
- 34 IMP-00000 to IMP-00401
- 35 SQL\*Loader-00100 to SQL\*Loader-03120
- 36 KUP-00552 to KUP-11021
- 37 UDE-00001 to UDE-00053
- 38 UDI-00001 to UDI-00053
- 39 DBV-00200 to DBV-00201
- 40 NID-00001 to NID-00604
- 41 DGM-16900 to DGM-17009
- 42 LCD-00100 to LCD-00219
- 43 OCI-00601 to OCI-31199
- 44 QSM-00501 to QSM-03120
- 45 RMAN-00550 to RMAN-20512

- 46 LRM-00100 to LRM-00123
- 47 LFI-00002 to LFI-01523
- 48 PLS-00049 to PLS-01916
- 49 PLW-05000 to PLW-07206
- 50 AMD-00100 to AMD-00160
- 51 CLSR-00001 to CLSR-06507
- 52 CLSS-00001 to CLSS-03202
- 53 CRS-00184 to CRS-02292
- 54 EVM-00001 to EVM-00901
- 55 CLST-01101 to CLST-03203
- 56 CLSD-01001 to CLSD-02009
- 57 PROC-00001 to PROC-00106
- 58 PROT-00001 to PROT-00807
- 59 TNS-00000 to TNS-12699
- 60 NNC-00001 to NNC-00501
- 61 NNO-00050 to NNO-00854
- 62>NNL-00001 to>NNL-01078
- 63 NPL-00100 to NPL-00420
- 64 NNF-00001 to NNF-04009
- 65 NMP-00001 to NMP-00011
- 66 NCR-00001 to NCR-04028
- 67 O2F-00301 to O2F-00341

- 68 O2I-00101 to O2I-00133
- 69 O2U-00200 to O2U-00212
- 70 PCB-00001 to PCB-00903
- 71 PCC-00001 to PCC-01515
- 72 PCC-02010 to PCC-02460
- 73 SQL-01075 to SQL-02158
- 74 AUD-00611 to AUD-00809
- 75 IMG-00001 to IMG-02014
- 76 VID-00611 to VID-00721
- 77 DRG-10000 to DRG-52305
- 78 LPX-00000 to LPX-01093
- 79 LSX-00001 to LSX-00344
- 80 PGA-20900 to PGA-22014
- 81 PGU-00100 to PGU-50101

**Index**



---

---

# Preface

This manual describes error messages that may appear while using products that are part of the Oracle Database. Each message listing in the manual contains the message statement, an explanation of the probable causes of the message, and a recommended action. If the message is a warning or indicates that an error occurred, the message listing indicates a corrective action.

## Audience

Oracle Database Error Messages is intended for all Oracle users.

## Documentation Accessibility

Our goal is to make Oracle products, services, and supporting documentation accessible, with good usability, to the disabled community. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Accessibility standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers. For more information, visit the Oracle Accessibility Program Web site at

<http://www.oracle.com/accessibility/>

### Accessibility of Code Examples in Documentation

Screen readers may not always correctly read the code examples in this document. The conventions for writing code require that closing braces should appear on an otherwise empty line; however, some screen readers may not always read a line of text that consists solely of a bracket or brace.

### Accessibility of Links to External Web Sites in Documentation

This documentation may contain links to Web sites of other companies or organizations that Oracle does not own or control. Oracle neither evaluates nor makes any representations regarding the accessibility of these Web sites.

### TTY Access to Oracle Support Services

Oracle provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week. For TTY support, call 800.446.2398.

## Related Documents

For more information, see the Oracle Database documentation shipped with this release. Or, for information specific to the Oracle Database working on your host operating system, see your operating system-specific Oracle documentation (specific book titles vary by operating system) and system release bulletins, if available.

Many of the examples in this book use the sample schemas, which are installed by default when you select the Basic Installation option with an Oracle Database installation. Refer to *Oracle Database Sample Schemas* for information on how these schemas were created and how you can use them yourself.

Oracle error message documentation is available in HTML and PDF.

## Conventions

The following text conventions are used in this document:

<b>Convention</b>	<b>Meaning</b>
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

---

# Using Messages

This chapter gives you general information and helpful tips about error messages. This chapter covers the following topics:

- Locating Message Documentation
- Accuracy of Messages
- Message Format
- Recognizing Variable Text in Messages
- Message Stacks
- Contacting Oracle Support Services
- Oracle Exception Messages
- Trace Files
- The Alert File

## Locating Message Documentation

This section describes how to locate message documentation when given an error message.

Oracle error message documentation is available in HTML and PDF.

## Oracle Database Messages

These messages are generated by the Oracle Database when running any Oracle program. This manual documents messages that are common across Oracle products and tools.

## Product Specific Messages

These messages are specific to one product and are documented in manuals for that product. For example, if you are working with Oracle Enterprise Manager, you would need to refer to the messages contained in the *Oracle Enterprise Manager Messages Manual*.

## Operating System-Specific Messages

These messages are specific to one operating system. A range of message code numbers are reserved for each operating system. For example, the range ORA-07500 to

ORA-07999 is reserved for DEC VAX/VMS messages; these messages are listed in the appropriate operating system-specific documentation.

The prefix of the message indicates where to find information about the message. For example, some messages in this manual have the prefix "ORA". If you encounter a message without a prefix, first check the manuals for the release of Oracle you are using, then check this manual.

## Accuracy of Messages

The accuracy of the messages in this manual is our primary concern. Occasionally, an enhancement to a message is not incorporated into the Oracle software. Should you encounter a message generated on your system that differs from the message in this book, be assured the improved message text is usually incorporated in the next release of the software. If you should encounter a discrepancy, then please contact us using the information contained in the Reader Comment Form at the front of this manual.

## Message Format

All messages displayed are prefixed by text that indicates which program issued the message. For example, the prefix "ORA" shows that the message was generated by the Oracle products. The location of messages in this book depends on the prefix of the message.

All messages are listed in order by the message code number. To look up a message, use the message code number.

## Recognizing Variable Text in Messages

To help you find and fix errors, Oracle embeds object names, numbers, and character strings in some messages. These embedded variables are represented by *string*, *number*, or *character*, as appropriate. For example:

```
ORA-00020: maximum number of processes (number) exceeded
```

The preceding message might actually appear as follows:

```
ORA-00020: maximum number of processes (50) exceeded
```

## Message Stacks

Occasionally, you may see a **message stack**. This is simply a series of related messages issued at different levels of Oracle.

The following message stack is a generic example:

```
ORA-06502: PL/SQL: numeric or value error  
ORA-06512: at "SCOTT.VALUE_ERR", line 1  
ORA-06512: at line 1
```

The following message stack is a VAX/VMS example:

```
ORA-01034: Oracle not available  
ORA-07625: smsget: $MGBLSC failure  
%SYSTEM-W-NOSUCHSEC, no such (global) section
```

In this example, notice that the message at the bottom of the stack is issued by the VMS operating system. Seeing the messages at each level in the system may help you trace the originating event. For example, in this case, Oracle may not be available simply because it has not been started, and consequently there is no system global area (SGA). If you need the help of Oracle Support Services, then be sure to report all the messages in the stack.

## Contacting Oracle Support Services

Some messages recommend contacting Oracle Support Services to report a problem. When you contact Oracle Support Services, please have the following information available:

- The hardware, operating system, and release number of the operating system on which Oracle is running
- The complete release number of the Oracle Database (for example, release 9.2.0.1.0 or release 9.0.1.1.2)
- All Oracle programs (with version numbers) in use when the error occurred. For example, SQL\*Net V2.0 or SQL\*Forms V3.0
- If you encountered one or more error codes or messages, then the exact code numbers and message text, in the order they appeared
- The problem severity, according to the following codes:
  - 1 = Program not usable. Critical impact on operations.
  - 2 = Program usable. Operations severely restricted.
  - 3 = Program usable with limited functions. Not critical to overall operations.
  - 4 = Problem circumvented by customer. Minimal effect, if any, on operations.

You will also be expected to provide the following:

- Your name
- The name of your organization
- Your Oracle Support ID Number
- Your telephone number

## Oracle Exception Messages

Oracle's extensive self-checking helps detect internal errors. Oracle uses the following catchall message for Oracle internal exceptions:

```
ORA-00600: internal error code, arguments: [number], [number], [], [], [], []
```

An actual message might appear as follows:

```
ORA-00600: internal error code, arguments: [1042], [3], [upilam], [], [], []
```

The message text can be followed by up to six arguments, which indicate the origin and attributes of the error. The first argument is the internal error number. Other arguments are various numbers, names, and character strings. Empty brackets may be ignored.

In addition to being returned to the user, internal errors are also written to the Alert file along with additional information about the event causing the message. The Alert

file also lists any trace files that may have been generated because of an internal error. See the following sections for descriptions of the trace and alert files.

If you receive an ORA-00600 message, report it to Oracle Support Services.

## Trace Files

A trace file is created each time an Oracle instance starts or an unexpected event occurs in a user process or background process. The name of the trace file includes the instance name, the process name, and the Oracle process number. The file extension or file type is usually TRC, and, if different, is noted in your operating system-specific Oracle documentation. The contents of the trace file may include dumps of the system global area, process global area, supervisor stack, and registers.

Two initialization parameters are used to specify the location of the trace files.

- The `BACKGROUND_DUMP_DEST` initialization parameter specifies the location of trace files created by the Oracle background processes PMON, DBWR, LGWR, and SMON.
- The `USER_DUMP_DEST` initialization parameter specifies the location of trace files created by user processes such as SQL\*Loader or Pro\*C.

The Alert file also describes the location of trace files generated when internal errors occur. See the next section for a description of the Alert file.

You may need to format the trace file before using it to diagnose problems. To format a trace file, use the `DUMPFMT` utility, which is available on most systems and is described in your operating system-specific Oracle documentation. Oracle Support Services may ask you for a formatted trace file to help solve a problem.

**See Also:** *Oracle Database Administrator's Guide* for more information about trace files

## The Alert File

The Alert file is a log file that records information about internal errors and administrative activities, such as backups. When an internal error occurs, the message is sent to the terminal screen as well as written to the Alert file. Oracle also writes additional information about internal errors to the Alert file, such as the location and name of any trace files generated because of the error.

The name of the Alert file is operating system-specific. The location of the Alert file is the same as the location of the background process trace files. This location is specified by the `BACKGROUND_DUMP_DEST` initialization parameter. For more information, see your Oracle operating system-specific documentation.

If your system uses an operator's console, some messages from Oracle may appear on the console. All important messages are written to the Alert file as well as the operator's console. Because non-Oracle messages also appear on this console, the Alert file is a better record for tracing all Oracle administrative activity and errors than the console log.

The Alert file also records information about administrative activities, such as backups and archiving online redo log files.

**See Also:** *Oracle Database Administrator's Guide* for more information about the Alert file

---

---

## ORA-00000 to ORA-00847

**ORA-00000: normal, successful completion**

**Cause:** Normal exit.

**Action:** None

**ORA-00001: unique constraint (*string.string*) violated**

**Cause:** An UPDATE or INSERT statement attempted to insert a duplicate key. For Trusted Oracle configured in DBMS MAC mode, you may see this message if a duplicate entry exists at a different level.

**Action:** Either remove the unique restriction or do not insert the key.

**ORA-00017: session requested to set trace event**

**Cause:** The current session was requested to set a trace event by another session.

**Action:** This is used internally; no action is required.

**ORA-00018: maximum number of sessions exceeded**

**Cause:** All session state objects are in use.

**Action:** Increase the value of the SESSIONS initialization parameter.

**ORA-00019: maximum number of session licenses exceeded**

**Cause:** All licenses are in use.

**Action:** Increase the value of the LICENSE MAX SESSIONS initialization parameter.

**ORA-00020: maximum number of processes (*string*) exceeded**

**Cause:** All process state objects are in use.

**Action:** Increase the value of the PROCESSES initialization parameter.

**ORA-00021: session attached to some other process; cannot switch session**

**Cause:** The user session is currently used by others.

**Action:** Do not switch to a session attached to some other process.

**ORA-00022: invalid session ID; access denied**

**Cause:** Either the session specified does not exist or the caller does not have the privilege to access it.

**Action:** Specify a valid session ID that you have privilege to access, that is either you own it or you have the CHANGE\_USER privilege.

**ORA-00023: session references process private memory; cannot detach session**

---

**Cause:** An attempt was made to detach the current session when it contains references to process private memory.

**Action:** A session may contain references to process memory (PGA) if it has an open network connection, a very large context area, or operating system privileges. To allow the detach, it may be necessary to close the session's database links and/or cursors. Detaching a session with operating system privileges is always disallowed.

**ORA-00024: logins from more than one process not allowed in single-process mode**

**Cause:** Trying to login more than once from different processes for ORACLE started in single-process mode.

**Action:** Logoff from the other process.

**ORA-00025: failed to allocate *string***

**Cause:** Out of memory.

**Action:** Restart with larger sga heap.

**ORA-00026: missing or invalid session ID**

**Cause:** Missing or invalid session ID string for ALTER SYSTEM KILL SESSION.

**Action:** Retry with a valid session ID.

**ORA-00027: cannot kill current session**

**Cause:** Attempted to use ALTER SYSTEM KILL SESSION to kill the current session.

**Action:** None

**ORA-00028: your session has been killed**

**Cause:** A privileged user has killed your session and you are no longer logged on to the database.

**Action:** Login again if you wish to continue working.

**ORA-00029: session is not a user session**

**Cause:** The session ID specified in an ALTER SYSTEM KILL SESSION command was not a user session (for example, recursive, etc.).

**Action:** Retry with a user session ID.

**ORA-00030: User session ID does not exist.**

**Cause:** The user session ID no longer exists, probably because the session was logged out.

**Action:** Use a valid session ID.

**ORA-00031: session marked for kill**

**Cause:** The session specified in an ALTER SYSTEM KILL SESSION command cannot be killed immediately (because it is rolling back or blocked on a network operation), but it has been marked for kill. This means it will be killed as soon as possible after its current uninterruptable operation is done.

**Action:** No action is required for the session to be killed, but further executions of the ALTER SYSTEM KILL SESSION command on this session may cause the session to be killed sooner.

**ORA-00032: invalid session migration password**

---

**Cause:** The session migration password specified in a session creation call was invalid (probably too long).

**Action:** Retry with a valid password (less than 30 chars).

**ORA-00033: current session has empty migration password**

**Cause:** An attempt was made to detach or clone the current session and it has an empty migration password. This is not allowed.

**Action:** Create the session with a non-empty migration password.

**ORA-00034: cannot *string* in current PL/SQL session**

**Cause:** An attempt was made to issue a commit or rollback from a PL/SQL object (procedure, function, package) in a session that has this disabled (by "alter session disable commit in procedure")

**Action:** Enable commits from PL/SQL in this session, or do not attempt to use commit or rollback in PL/SQL when they are disabled in the current session.

**ORA-00036: maximum number of recursive SQL levels (*string*) exceeded**

**Cause:** An attempt was made to go more than the specified number of recursive SQL levels.

**Action:** Remove the recursive SQL, possibly a recursive trigger.

**ORA-00037: cannot switch to a session belonging to a different server group**

**Cause:** An attempt was made to switch to a session in a different server group. This is not allowed.

**Action:** Make sure the server switches to a session that belongs to its server group.

**ORA-00038: Cannot create session: server group belongs to another user**

**Cause:** An attempt was made to create a non-migratable session in a server group that is owned by a different user.

**Action:** A server group is owned by the first user who logs into a server in the server group in non-migratable mode. All subsequent non-migratable mode logins must be made by the user who owns the server group. To have a different user login in non-migratable mode, the ownership of the server group will have to be changed. This can be done by logging off all current sessions and detaching from all existing servers in the server group and then having the new user login to become the new owner.

**ORA-00039: error during periodic action**

**Cause:** An unexpected error occurred while executing a periodically invoked

**Action:** Check the error stack for detailed error information.

**ORA-00040: active time limit exceeded - call aborted**

**Cause:** The Resource Manager SWITCH\_TIME limit was exceeded.

**Action:** Reduce the complexity of the update or query, or contact your database administrator for more information.

**ORA-00041: active time limit exceeded - session terminated**

**Cause:** The Resource Manager SWITCH\_TIME limit was exceeded.

**Action:** Reduce the complexity of the update or query, or contact your database administrator for more information.

---

**ORA-00042: Unknown Service name *string***

**Cause:** An attempt was made to use an invalid application service.

**Action:** Use a valid service name from SERVICES\$ or add a new service using the DBMS\_SERVICE package.

**ORA-00043: remote operation failed**

**Cause:** Execution of the inter-instance operation failed.

**Action:** Check the status of the target instance. The operation may have partially executed. Verify the result of the intended operation.

**ORA-00050: operating system error occurred while obtaining an enqueue**

**Cause:** Could not obtain the operating system resources necessary to cover an oracle enqueue. This is normally the result of an operating system user quota that is too low.

**Action:** Look up the operating system error in your system documentation and perform the needed action.

**ORA-00051: timeout occurred while waiting for a resource**

**Cause:** Usually due to a dead instance.

**Action:** Check for any dead, unrecovered instances and recover them.

**ORA-00052: maximum number of enqueue resources (*string*) exceeded**

**Cause:** Ran out of enqueue resources.

**Action:** Increase the value of the ENQUEUE\_RESOURCES initialization parameter.

**ORA-00053: maximum number of enqueues exceeded**

**Cause:** Ran out of enqueue state objects.

**Action:** Increase the value of the ENQUEUEES initialization parameter.

**ORA-00054: resource busy and acquire with NOWAIT specified or timeout expired**

**Cause:** Interested resource is busy.

**Action:** Retry if necessary or increase timeout.

**ORA-00055: maximum number of DML locks exceeded**

**Cause:** Ran out of DML lock state objects.

**Action:** Increase the value of the DML\_LOCKS initialization parameter and warm start.

**ORA-00056: DDL lock on object "*string.string*" is already held in an incompatible mode**

**Cause:** An attempt was made to acquire a DDL lock that is already locked.

**Action:** This happens if you attempt to drop a table that has parse locks on it.

**ORA-00057: maximum number of temporary table locks exceeded**

**Cause:** The number of temporary tables equals or exceeds the number of temporary table locks. Temporary tables are often created by large sorts.

**Action:** Increase the value of the TEMPORARY\_TABLE\_LOCKS initialization parameter and warm start.

**ORA-00058: DB\_BLOCK\_SIZE must be *string* to mount this database (not *string*)**

---

**Cause:** DB\_BLOCK\_SIZE initialization parameter is wrong for the database being mounted. It does not match the value used to create the database.

**Action:** Fix the value of the DB\_BLOCK\_SIZE parameter or mount a database that matches the value.

**ORA-00059: maximum number of DB\_FILES exceeded**

**Cause:** The value of the DB\_FILES initialization parameter was exceeded.

**Action:** Increase the value of the DB\_FILES parameter and warm start.

**ORA-00060: deadlock detected while waiting for resource**

**Cause:** Transactions deadlocked one another while waiting for resources.

**Action:** Look at the trace file to see the transactions and resources involved. Retry if necessary.

**ORA-00061: another instance has a different DML\_LOCKS setting**

**Cause:** The shared instance being started is using DML locks, and the running instances are not, or vice-versa.

**Action:** Ensure that all instances' INIT.ORA files specify the DML\_LOCKS parameter as 0 or all as non-zero.

**ORA-00062: DML full-table lock cannot be acquired; DML\_LOCKS is 0**

**Cause:** The instance was started with DML\_LOCKS = 0, and the statement being executed needs a full-table lock (S, X, or SSX).

**Action:** Restart the instance with DML\_LOCKS not equal to zero, and reexecute the statement.

**ORA-00063: maximum number of log files exceeded *string***

**Cause:** The number of log files specified exceeded the maximum number of log files supported in this release.

**Action:** Re-create the control file with the highest number of log files no greater than the maximum supported in this release.

**ORA-00064: object is too large to allocate on this O/S (*string,string,string*)**

**Cause:** An initialization parameter was set to a value that required allocating more contiguous space than can be allocated on this operating system.

**Action:** Reduce the value of the initialization parameter.

**ORA-00065: initialization of FIXED\_DATE failed**

**Cause:** The FIXED\_DATE string was not in date format yyyy-mm-dd:hh24:mi:ss.

**Action:** Make sure the initialization parameter is in the correct date format.

**ORA-00067: invalid value *string* for parameter *string*; must be at least *string***

**Cause:** The value for the initialization parameter is invalid.

**Action:** Choose a value as indicated by the message.

**ORA-00068: invalid value *string* for parameter *string*, must be between *string* and *string***

**Cause:** The value for the initialization parameter is invalid.

**Action:** Choose a value as indicated by the message.

**ORA-00069: cannot acquire lock -- table locks disabled for *string***

---

**Cause:** A command was issued that tried to lock the table indicated in the message. Examples of commands that can lock tables are: LOCK TABLE, ALTER TABLE ... ADD (...), and so on.

**Action:** Use the ALTER TABLE ... ENABLE TABLE LOCK command, and retry the command.

**ORA-00070: command *string* is not valid**

**Cause:** An invalid debugger command was specified.

**Action:** Type HELP to see the list of available commands.

**ORA-00071: process number must be between 1 and *string***

**Cause:** An invalid process number was specified.

**Action:** Specify a valid process number.

**ORA-00072: process "*string*" is not active**

**Cause:** An invalid process was specified.

**Action:** Specify a valid process.

**ORA-00073: command *string* takes between *string* and *string* argument(s)**

**Cause:** An incorrect number of arguments was specified.

**Action:** Specify the correct number of arguments. Type HELP to see the list of commands and their syntax.

**ORA-00074: no process has been specified**

**Cause:** No debug process has been specified.

**Action:** Specify a valid process.

**ORA-00075: process "*string*" not found in this instance**

**Cause:** The specified process was not logged on to the current instance.

**Action:** Specify a valid process.

**ORA-00076: dump *string* not found**

**Cause:** An attempt was made to invoke a dump that does not exist.

**Action:** Type DUMPLIST to see the list of available dumps.

**ORA-00077: dump *string* is not valid**

**Cause:** An attempt was made to invoke an invalid dump.

**Action:** Try another dump.

**ORA-00078: cannot dump variables by name**

**Cause:** An attempt was made to dump a variable by name on a system that does not support this feature.

**Action:** Try the PEEK command.

**ORA-00079: variable *string* not found**

**Cause:** An attempt was made to dump a variable that does not exist.

**Action:** Use a valid variable name.

**ORA-00080: invalid global area specified by level *string***

**Cause:** An attempt was made to dump an invalid global area.

---

**Action:** Use level 1 for the PGA, 2 for the SGA, and 3 for the UGA. Use <extra + level> to dump global area <level> as well as <extra> bytes for every pointer; <extra> must be a multiple of 4.

**ORA-00081: address range [*string*, *string*] is not readable**

**Cause:** An attempt was made to read/write an invalid memory address range.

**Action:** Try another address or length.

**ORA-00082: memory size of *string* is not in valid set of [1], [2], [4]*stringstringstringstringstring***

**Cause:** An invalid length was specified for the POKE command.

**Action:** Use a valid length (either 1, 2, 4, or possibly 8).

**ORA-00083: warning: possibly corrupt SGA mapped**

**Cause:** Even though there may be SGA corruptions, the SGA was mapped.

**Action:** Use the DUMPSGA command to dump the SGA.

**ORA-00084: global area must be PGA, SGA, or UGA**

**Cause:** An attempt was made to dump an invalid global area.

**Action:** Specify either PGA, SGA, or UGA.

**ORA-00085: current call does not exist**

**Cause:** An invalid attempt was made to dump the current call heap.

**Action:** Wait until the process starts a call.

**ORA-00086: user call does not exist**

**Cause:** An invalid attempt was made to dump the user call heap.

**Action:** Wait until the process starts a call.

**ORA-00087: command cannot be executed on remote instance**

**Cause:** Cluster database command issued for non cluster database ORADEBUG command.

**Action:** Issue the command without the cluster database syntax.

**ORA-00088: command cannot be executed by shared server**

**Cause:** Debug command issued on shared server.

**Action:** Reissue the command using a dedicated server.

**ORA-00089: invalid instance number in ORADEBUG command**

**Cause:** An invalid instance number was specified in a cluster database ORADEBUG command.

**Action:** Reissue the command with valid instance numbers.

**ORA-00090: failed to allocate memory for cluster database ORADEBUG command**

**Cause:** Could not allocate memory needed to execute cluster database oradebug.

**Action:** Reissue the command on each instance with single-instance oradebug.

**ORA-00091: LARGE\_POOL\_SIZE must be at least *string***

**Cause:** The value of LARGE\_POOL\_SIZE is below the minimum size.

**Action:** Increase the value of LARGE\_POOL\_SIZE past the minimum size.

- 
- ORA-00092: LARGE\_POOL\_SIZE must be greater than LARGE\_POOL\_MIN\_ALLOC**  
**Cause:** The value of LARGE\_POOL\_SIZE is less than the value of LARGE\_POOL\_MIN\_ALLOC.  
**Action:** Increase the value of LARGE\_POOL\_SIZE past the value of LARGE\_POOL\_MIN\_ALLOC.
- ORA-00093: *string* must be between *string* and *string***  
**Cause:** The parameter value is not in a valid range.  
**Action:** Modify the parameter value to be within the specified range.
- ORA-00094: *string* requires an integer value**  
**Cause:** The parameter value is not an integer.  
**Action:** Modify the parameter value to be an integer.
- ORA-00096: invalid value *string* for parameter *string*, must be from among *string***  
**Cause:** The value for the initialization parameter is invalid.  
**Action:** Choose a value as indicated by the message.
- ORA-00097: use of Oracle SQL feature not in SQL92 *string* Level**  
**Cause:** Usage of Oracle's SQL extensions.  
**Action:** None
- ORA-00098: creating or mounting the database requires a parameter file**  
**Cause:** An attempt was made to create or mount the database when the instance was started without a parameter file.  
**Action:** Restart the instance with a parameter file.
- ORA-00099: warning: no parameter file was specified**  
**Cause:** Even though no parameter file was specified, the instance was started.  
**Action:** None
- ORA-00100: no data found**  
**Cause:** An application made reference to unknown or inaccessible data.  
**Action:** Handle this condition within the application or make appropriate modifications to the application code. NOTE: If the application uses Oracle-mode SQL instead of ANSI-mode SQL, ORA-01403 will be generated instead of ORA-00100.
- ORA-00101: invalid specification for system parameter DISPATCHERS**  
**Cause:** The syntax for the DISPATCHERS parameter is incorrect.  
**Action:** Refer to the manual for correct syntax.
- ORA-00102: network protocol *string* cannot be used by dispatchers**  
**Cause:** The network specified in DISPATCHERS does not have the functionality required by the dispatchers.  
**Action:** Refer to the manual on network protocols supported by the dispatchers.
- ORA-00103: invalid network protocol; reserved for use by dispatchers**  
**Cause:** The network specified in the SQL\*Net connect string is reserved for use by the dispatchers.

---

**Action:** Specify other network protocols in the connection string.

**ORA-00104: deadlock detected; all public servers blocked waiting for resources**

**Cause:** All available public servers are servicing requests that require resources locked by a client which is unable to get a public server to release the resources.

**Action:** Increase the limit for the system parameter `MAX_SHARED_SERVERS` as the system will automatically start up new servers to break the deadlock until the number of servers reaches the value specified in `MAX_SHARED_SERVERS`.

**ORA-00105: too many dispatcher configurations**

**Cause:** Too many dispatcher configurations have been specified. No more can be added.

**Action:** Consolidate the dispatcher configurations if possible.

**ORA-00106: cannot startup/shutdown database when connected to a dispatcher**

**Cause:** An attempt was made to startup/shutdown database when connected to a shared server via a dispatcher.

**Action:** Re-connect as user `INTERNAL` without going through the dispatcher. For most cases, this can be done by connect to `INTERNAL` without specifying a network connect string.

**ORA-00107: failed to connect to ORACLE listener process**

**Cause:** Most likely due to the fact that ORACLE listener has not been started.

**Action:** Start ORACLE listener if it has not been started. Or else contact your ORACLE representative.

**ORA-00108: failed to set up dispatcher to accept connection asynchronously**

**Cause:** Most likely due to the fact that the network protocol used by the the dispatcher does not support asynchronous operations.

**Action:** Contact your ORACLE representative.

**ORA-00109: invalid value for attribute *string*: *string***

**Cause:** The value specified for the attribute was incorrect.

**Action:** Refer to the manual for the proper values.

**ORA-00110: invalid value *string* for attribute *string*, must be between *string* and *string***

**Cause:** The value specified for the attribute was incorrect.

**Action:** Specify a value within the range allowed.

**ORA-00111: invalid attribute *string***

**Cause:** The specified attribute was not recognized.

**Action:** Refer to the manual for the proper keyword to use to specify a dispatcher attribute.

**ORA-00112: value of *string* is null**

**Cause:** The attribute was specified with no value.

**Action:** Specify a non-null value.

**ORA-00113: protocol name *string* is too long**

**Cause:** A protocol name specified in the `DISPATCHERS` system parameter is too long.

---

**Action:** Use a valid protocol name for the DISPATCHERS value.

**ORA-00114: missing value for system parameter SERVICE\_NAMES**

**Cause:** No value was specified for the SERVICE\_NAMES system parameter, nor for the DB\_NAME parameter.

**Action:** Add an SERVICE\_NAMES or DB\_NAME definition to the INIT.ORA file. By default, SERVICE\_NAMES is the value of DB\_NAME unless SERVICE\_NAMES is explicitly specified.

**ORA-00115: connection refused; dispatcher connection table is full**

**Cause:** A connection request was refused by a dispatcher because the dispatcher cannot support any more connections.

**Action:** Connect to a different dispatcher, or use a dedicated server.

**ORA-00116: SERVICE\_NAMES name is too long**

**Cause:** A service name specified in the SERVICE\_NAMES system parameter is too long.

**Action:** Use a shorter name in the SERVICE\_NAMES value (<= 255 chars).

**ORA-00117: PROTOCOL, ADDRESS or DESCRIPTION must be specified**

**Cause:** PROTOCOL, ADDRESS or DESCRIPTION was not specified.

**Action:** Use one of the attributes: PROTOCOL, ADDRESS or DESCRIPTION to specify the listening address for dispatchers.

**ORA-00118: Only one of PROTOCOL, ADDRESS or DESCRIPTION may be specified**

**Cause:** More than one of PROTOCOL, ADDRESS or DESCRIPTION was specified.

**Action:** Use only one of the attributes: PROTOCOL, ADDRESS or DESCRIPTION to specify the listening address for dispatchers.

**ORA-00119: invalid specification for system parameter *string***

**Cause:** The syntax for the specified parameter is incorrect.

**Action:** Refer to the Oracle Reference Manual for the correct syntax.

**ORA-00122: cannot initialize network configuration**

**Cause:** ORACLE could not initialize SQL\*Net version 2.

**Action:** Check the error stack for detailed information.

**ORA-00123: idle public server terminating**

**Cause:** Too many idle servers were waiting on the common queue.

**Action:** This error is used internally, no action is required.

**ORA-00125: connection refused; invalid presentation**

**Cause:** The PRESENTATION in the CONNECT\_DATA of the TNS address DESCRIPTION is not correct or is not supported.

**Action:** Correct the PRESENTATION specified in the TNS address.

**ORA-00126: connection refused; invalid duplicity**

**Cause:** The DUPLICITY in the CONNECT\_DATA of the TNS address DESCRIPTION is not correct or is not supported.

**Action:** Correct the DUPLICITY specified in the TNS address.

---

**ORA-00127: dispatcher *string* does not exist**

**Cause:** There is currently no dispatcher running with the specified name.

**Action:** Retry with a name of the form "D###" denoting an existing dispatcher process.

**ORA-00128: this command requires a dispatcher name**

**Cause:** Wrong syntax for ALTER SYSTEM SHUTDOWN

**Action:** Use correct syntax: ALTER SYSTEM SHUTDOWN [ IMMEDIATE ] "dispatcher name"

**ORA-00129: listener address validation failed "*string*"**

**Cause:** An error was encountered while validating the listener address.

**Action:** Resolve error or contact your ORACLE representative.

**ORA-00130: invalid listener address "*string*"**

**Cause:** The listener address specification is not valid.

**Action:** Make sure that all fields in the listener address (protocol, port, host, key, ...) are correct.

**ORA-00131: network protocol does not support registration "*string*"**

**Cause:** The specified protocol does not support async notification.

**Action:** Refer to the manual for information on supported network protocols.

**ORA-00132: syntax error or unresolved network name "*string*"**

**Cause:** Listener address has syntax error or cannot be resolved.

**Action:** If a network name is specified, check that it corresponds to an entry in TNSNAMES.ORA or other address repository as configured for your system. Make sure that the entry is syntactically correct.

**ORA-00133: value of *string* is too long**

**Cause:** The value specified for the attribute was too long.

**Action:** Use shorter names and keywords or remove unneeded blanks.

**ORA-00134: invalid DISPATCHERS specification #*string***

**Cause:** The syntax for the n-th DISPATCHERS specification was incorrect.

**Action:** Refer to the Oracle Reference Manual for the correct syntax.

**ORA-00150: duplicate transaction ID**

**Cause:** Attempted to start a new transaction with an ID already in use by an existing transaction.

**Action:** Check your application.

**ORA-00151: invalid transaction ID**

**Cause:** The specified transaction ID does not correspond to an existing valid transaction.

**Action:** Check your application.

**ORA-00152: current session does not match requested session**

**Cause:** The current session is not the same as the session that was passed into a upixado() call.

**Action:** Check your application.

---

**ORA-00153: internal error in XA library**

**Cause:** The XA library could not access thread-specific pointers.

**Action:** Contact customer support.

**ORA-00154: protocol error in transaction monitor**

**Cause:** The transaction monitor returned TMJOIN on an AX\_REG call but the transaction was locally suspended.

**Action:** Contact the transaction monitor customer support.

**ORA-00155: cannot perform work outside of global transaction**

**Cause:** The application tried to perform some work on either an Oracle 7.3 server or an Oracle8 server with local transactions disabled while outside of a global transaction.

**Action:** Check if the application is connected to an Oracle 7.3 server. The Transaction monitor must not return a NULL XID on an AX\_REG call when the resource manager is Oracle 7.3. If the application is connected to an Oracle8 server, either set nolocal=f in the xa\_open string or start a global transaction prior to attempting the work.

**ORA-00160: global transaction length *string* is greater than maximum (*string*)**

**Cause:** An external global transaction ID with a too large length field was passed in.

**Action:** Report the problem to your external transaction coordinator vendor.

**ORA-00161: transaction branch length *string* is illegal (maximum allowed *string*)**

**Cause:** An external transaction branch ID with a length either too large or 0 was passed in.

**Action:** Report the problem to your external transaction coordinator vendor.

**ORA-00162: external dbid length *string* is greater than maximum (*string*)**

**Cause:** An external database name with too large a length field was passed in.

**Action:** Report the problem to your external transaction coordinator vendor.

**ORA-00163: internal database name length *string* is greater than maximum (*string*)**

**Cause:** An internal database name with a too large length field was passed in.

**Action:** Report the problem to your external transaction coordinator vendor.

**ORA-00164: distributed autonomous transaction disallowed within migratable distributed transaction**

**Cause:** A request was made by the application to start a distributed autonomous transaction when the application was in a migratable distributed transaction.

**Action:** Roll back or commit the current distributed transaction first.

**ORA-00165: migratable distributed autonomous transaction with remote operation is not allowed**

**Cause:** A request was made by the application to start a migratable distributed autonomous transaction with remote operation.

**Action:** None

**ORA-00166: remote/local nesting level is too deep**

**Cause:** Too many remote table operations required a reverse trip back to the local site, for example to execute a local function on a remote table.

---

**Action:** Rearrange the query or co-locate the functions with the tables.

**ORA-00200: control file could not be created**

**Cause:** It was not possible to create the control file.

**Action:** Check that there is sufficient disk space and no conflicts in filenames and try to create the control file again.

**ORA-00201: control file version *string* incompatible with ORACLE version *string***

**Cause:** The control file was created by incompatible software.

**Action:** Either restart with a compatible software release or use CREATE CONTROLFILE to create a new control file that is compatible with this release.

**ORA-00202: control file: "*string*"**

**Cause:** This message reports the name file involved in other messages.

**Action:** See associated error messages for a description of the problem.

**ORA-00203: using the wrong control files**

**Cause:** The mount ID in the control file is not the same as the mount ID in the control file used by the first instance to mount this database. The control files are for the same database but they are not the same files. Most likely one instance is using a backup control file.

**Action:** Check that the correct control files were specified.

**ORA-00204: error in reading (block *string*, # blocks *string*) of control file**

**Cause:** A disk I/O failure was detected on reading the control file.

**Action:** Check if the disk is online, if it is not, bring it online and try a warm start again. If it is online, then you need to recover the disk.

**ORA-00205: error in identifying control file, check alert log for more info**

**Cause:** The system could not find a control file of the specified name and size.

**Action:** Check that ALL control files are online and that they are the same files that the system created at cold start time.

**ORA-00206: error in writing (block *string*, # blocks *string*) of control file**

**Cause:** A disk I/O failure was detected on writing the control file.

**Action:** Check if the disk is online, if it is not, bring it online and try a warm start again. If it is online, then you need to recover the disk.

**ORA-00207: control files are not for the same database**

**Cause:** The database ID in the control file is not the same as the database ID in the control file used by the first instance to mount this database. Most likely one of the mounts used the wrong control file or there are two databases with the same name.

**Action:** Check that the control file is for the correct database and is not an old version.

**ORA-00208: number of control file names exceeds limit of *string***

**Cause:** An attempt was made to use more control files than Oracle supports.

**Action:** Shut down Oracle. Reduce the number of control files specified in the CONTROL\_FILES parameter in the initialization parameter file, and restart Oracle. Delete unused files.

---

**ORA-00209: control file blocksize mismatch, check alert log for more info**

**Cause:** The block size in the control file header does not match the size specified in the DB\_BLOCK\_SIZE parameter.

**Action:** Look at the alert log for more information.

**ORA-00210: cannot open the specified control file**

**Cause:** Cannot open the control file.

**Action:** Check to make sure the control file exists and is not locked by some other program.

**ORA-00211: control file does not match previous control files**

**Cause:** A control file was specified that belongs to another database.

**Action:** Find and install the correct control file.

**ORA-00212: block size *string* below minimum required size of *string* bytes**

**Cause:** The block size specified was too small. Space for the system overhead is required.

**Action:** Specify a larger block size and retry the operation.

**ORA-00213: cannot reuse control file; old file size *string*, *string* required**

**Cause:** To reuse a control file, it must be the same size as the one previously used.

**Action:** Either do not specify REUSE, or specify a matching combination of MAXDATAFILES, MAXLOGFILES, MAXLOGMEMBERS, MAXLOGHISTORY, and MAXINSTANCES clauses in the CREATE DATABASE or CREATE CONTROLFILE statement.

**ORA-00214: control file "*string*" version *string* inconsistent with file "*string*" version *string***

**Cause:** An inconsistent set of control files, datafiles/logfiles, and redo files was used.

**Action:** Use a consistent set of control files, datafiles/logfiles, and redo log files. That is, all the files must be for the same database and from the same time period.

**ORA-00215: must be at least one control file**

**Cause:** No control file is specified or the control file specified does not exist.

**Action:** Specify at least one valid control file and retry the operation.

**ORA-00216: control file could not be resized for migration from 8.0.2**

**Cause:** The control file created by release 8.0.2 was missing some record types. These record types are automatically added by resizing the control file during mount. The resize has failed.

**Action:** Look in the alert log for the reason that the resize has failed. If indicated in the alert log, give the control file more space. Otherwise, use the CREATE CONTROLFILE script dumped to the trace file to create a new control file.

**ORA-00217: control file could not be resized for new record types**

**Cause:** The control file was missing some new record types supported by this release. These record types are automatically added by resizing the control file during mount. The resize has failed.

**Action:** Look in the alert log for the reason that the resize has failed. If indicated in the alert log, give the control file more space. Otherwise, use the CREATE CONTROLFILE script dumped to the trace file to create a new control file.

---

**ORA-00218: block size *string* of control file "*string*" does not match DB\_BLOCK\_SIZE (*string*)**

**Cause:** The block size as stored in the control file header is different from the value of the initialization parameter DB\_BLOCK\_SIZE. This might be due to an incorrect setting of DB\_BLOCK\_SIZE, or else might indicate that the control file has either been corrupted or belongs to a different database.

**Action:** Restore a good copy of the control file. If the control file is known to be clean set the DB\_BLOCK\_SIZE to match control file headers block size value.

**ORA-00219: required control file size (*string* logical blocks) exceeds maximum allowable size (*string* logical blocks)**

**Cause:** An invocation of CREATE DATABASE or CREATE CONTROLFILE was executed specifying a combination of parameters that would require the control file size in blocks to exceed the maximum allowable value.

**Action:** In the case of CREATE DATABASE or CREATE CONTROLFILE, use a different combination of MAXDATAFILES, MAXLOGFILES, MAXLOGMEMBERS, MAXLOGHISTORY, and MAXINSTANCES clauses.

**ORA-00220: control file not mounted by first instance, check alert log for more info**

**Cause:** The specified control file has a different mount ID than the other control files that are being mounted. This means that the first instance to mount the database did not use this control file.

**Action:** Find and install the correct control file.

**ORA-00221: error on write to control file**

**Cause:** An error occurred when writing to one or more of the control files.

**Action:** See accompanying messages.

**ORA-00222: operation would reuse name of a currently mounted control file**

**Cause:** The filename supplied as a parameter to the ALTER DATABASE BACKUP CONTROLFILE command or to cfileSetSnapshotName matches the name of the specified currently mounted control file.

**Action:** Retry the operation with a different filename.

**ORA-00223: convert file is invalid or incorrect version**

**Cause:** An Oracle7 to Oracle8 convert file contains invalid data or was created with an different version of the migration utility. This error can also be caused by incorrect ORACLE\_HOME environment variable when ALTER DATABASE CONVERT command is issued.

**Action:** Use a correct version of the convert file or regenerate it with the migration utility. Make sure that the migration utility is the same version as the Oracle8 RDBMS executable and that the ORACLE\_HOME environment variable is properly set.

**ORA-00224: control file resize attempted with illegal record type (*string*)**

**Cause:** An attempt was made to expand or shrink the control file by calling cfileResizeSection using an invalid value for the RECORD\_TYPE parameter.

**Action:** Use a value for the RECORD\_TYPE parameter that specifies a valid record type other than type 0 (valid range is 1-16).

**ORA-00225: expected size *string* of control file differs from actual size *string***

---

**Cause:** The expected size of the control file as stored in its header was different than the actual operating system file size. This usually indicates that the control file was corrupted.

**Action:** Restore a good copy of the control file.

**ORA-00226: operation disallowed while alternate control file open**

**Cause:** The attempted operation could not be executed at this time because this process had an alternate control file open for fixed table access.

**Action:** Retry the operation after calling `cfileUseCurrent`.

**ORA-00227: corrupt block detected in control file: (block *string*, # blocks *string*)**

**Cause:** A block header corruption or checksum error was detected on reading the control file.

**Action:** Use the `CREATE CONTROLFILE` or `RECOVER DATABASE USING BACKUP CONTROLFILE` command.

**ORA-00228: length of alternate control file name exceeds maximum of *string***

**Cause:** The specified filename, which was supplied as a parameter to `cfileSetSnapshotName` or `cfileUseCopy`, exceeds the maximum filename length for this operating system.

**Action:** Retry the operation with a shorter filename.

**ORA-00229: operation disallowed: already hold snapshot control file enqueue**

**Cause:** The attempted operation cannot be executed at this time because this process currently holds the snapshot control file enqueue.

**Action:** Retry the operation after calling `cfileUseCurrent` to release the snapshot control file enqueue.

**ORA-00230: operation disallowed: snapshot control file enqueue unavailable**

**Cause:** The attempted operation cannot be executed at this time because another process currently holds the snapshot control file enqueue.

**Action:** Retry the operation after the concurrent operation that is holding the snapshot control file enqueue terminates.

**ORA-00231: snapshot control file has not been named**

**Cause:** During an invocation of `cfileMakeAndUseSnapshot` or `cfileUseSnapshot` it was detected that no filename for the snapshot control file had previously been specified.

**Action:** Specify a name for the snapshot control file by calling `cfileSetSnapshotName`.

**ORA-00232: snapshot control file is nonexistent, corrupt, or unreadable**

**Cause:** The snapshot control file was found to be nonexistent, corrupt, or unreadable during an invocation of `cfileUseSnapshot`.

**Action:** Call `cfileMakeAndUseSnapshot` again (or for the first time).

**ORA-00233: copy control file is corrupt or unreadable**

**Cause:** The specified copy control file was found to be corrupt or unreadable during an invocation of `cfileUseCopy`.

**Action:** Before retrying `cfileUseCopy`, use the `ALTER DATABASE BACKUP CONTROLFILE` command and specify the same filename that was specified for `cfileUseCopy`.

---

**ORA-00234: error in identifying or opening snapshot or copy control file**

**Cause:** A snapshot or copy control file of the specified name could not be found or opened during an invocation of `cfileUseSnapshot`, `cfileMakeAndUseSnapshot`, or `cfileUseCopy`.

**Action:** Re-create the snapshot or copy control file using `cfileMakeAndUseSnapshot` or `ALTER DATABASE BACKUP CONTROLFILE`, respectively.

**ORA-00235: control file fixed table inconsistent due to concurrent update**

**Cause:** Concurrent update activity on a control file caused a query on a control file fixed table to read inconsistent information.

**Action:** Retry the operation.

**ORA-00236: snapshot operation disallowed: mounted control file is a backup**

**Cause:** Attempting to invoke `cfileSetSnapshotName`, `cfileMakeAndUseSnapshot`, or `cfileUseSnapshot` when the currently mounted control file is a backup control file.

**Action:** Mount a current control file and retry the operation.

**ORA-00237: snapshot operation disallowed: control file newly created**

**Cause:** An attempt to invoke `cfileMakeAndUseSnapshot` with a currently mounted control file that was newly created with `CREATE CONTROLFILE` was made.

**Action:** Mount a current control file and retry the operation.

**ORA-00238: operation would reuse a filename that is part of the database**

**Cause:** The filename supplied as a parameter to the `ALTER DATABASE BACKUP CONTROLFILE` command or to `cfileSetSnapshotName` matches the name of a file that is currently part of the database.

**Action:** Retry the operation with a different filename.

**ORA-00250: archiver not started**

**Cause:** An attempt was made to stop automatic archiving, but the archiver process was not running.

**Action:** No action required.

**ORA-00251: LOG\_ARCHIVE\_DUPLEX\_DEST cannot be the same destination as string *string***

**Cause:** The destination specified by the `LOG_ARCHIVE_DUPLEX_DEST` parameter is the same as the destination specified by an `ALTER SYSTEM ARCHIVE LOG START TO` command.

**Action:** Specify a different destination for parameter `LOG_ARCHIVE_DUPLEX_DEST`, or specify a different destination with the `ALTER SYSTEM` command.

**ORA-00252: log *string* of thread *string* is empty, cannot archive**

**Cause:** A log must be used for redo generation before it can be archived. The specified redo log was not been used since it was introduced to the database. However it is possible that instance death during a log switch left the log empty.

**Action:** Empty logs do not need to be archived. Do not attempt to archive the redo log file.

**ORA-00253: character limit *string* exceeded by archive destination string *string***

---

**Cause:** The destination specified by an ALTER SYSTEM ARCHIVE LOG START TO command was too long.

**Action:** Retry the ALTER SYSTEM command using a string shorter than the limit specified in the error message.

**ORA-00254: error in archive control string "*string*"**

**Cause:** The specified archive log location is invalid in the archive command or the LOG\_ARCHIVE\_DEST initialization parameter.

**Action:** Check the archive string used to make sure it refers to a valid online device.

**ORA-00255: error archiving log *string* of thread *string*, sequence # *string***

**Cause:** An error occurred during archiving.

**Action:** Check the accompanying message stack for more detailed information. If the online log is corrupted, then the log can be cleared using the UNARCHIVED option. This will make any existing backups useless for recovery to any time after the log was created, but will allow the database to generate redo.

**ORA-00256: cannot translate archive destination string *string***

**Cause:** The destination specified by an ALTER SYSTEM ARCHIVE LOG START TO command could not be translated.

**Action:** Check the accompanying message stack for more detailed information. Then, retry the ALTER SYSTEM command using a different string.

**ORA-00257: archiver error. Connect internal only, until freed.**

**Cause:** The archiver process received an error while trying to archive a redo log. If the problem is not resolved soon, the database will stop executing transactions. The most likely cause of this message is the destination device is out of space to store the redo log file.

**Action:** Check archiver trace file for a detailed description of the problem. Also verify that the device specified in the initialization parameter ARCHIVE\_LOG\_DEST is set up properly for archiving.

**ORA-00258: manual archiving in NOARCHIVELOG mode must identify log**

**Cause:** The database is in NOARCHIVELOG mode and a command to manually archive a log did not specify the log explicitly by sequence number, group number or filename.

**Action:** Specify log by filename, by group number or by thread and sequence number.

**ORA-00259: log *string* of open instance *string* (thread *string*) is the current log, cannot archive**

**Cause:** An attempt was made to archive the current log of an open thread. This is not allowed because the redo log file may still be in use for the generation of redo entries.

**Action:** Force a log switch in the instance where the thread is open. If no instances are open, open the database so that instance recovery can recover the thread.

**ORA-00260: cannot find online log sequence *string* for thread *string***

**Cause:** The log sequence number supplied to the archival command does not match any of the online logs for the thread. The log might have been reused for another sequence number, it might have been dropped, the sequence number

---

might be greater than the current log sequence number, or the thread might not have any logs.

**Action:** Check the ARCHIVE statement, then specify a valid log sequence number. Specify a valid log sequence number.

**ORA-00261: log *string* of thread *string* is being archived or modified**

**Cause:** The log is either being archived by another process or an administrative command is modifying the log. Operations that modify the log include clearing, adding a member, dropping a member, renaming a member, and dropping the log.

**Action:** Wait for the current operation to complete and try again.

**ORA-00262: current log *string* of closed thread *string* cannot switch**

**Cause:** The log cannot be cleared or manually archived because it is the current log of a closed thread, and it is not possible to switch logs so another log is current. All other logs for the thread need to be archived, or cleared, and cannot be reused.

**Action:** Archive another log in the same thread first, or complete the clearing. See attached errors for the reason the switch cannot be completed.

**ORA-00263: there are no logs that need archiving for thread *string***

**Cause:** An attempt was made to manually archive the unarchived logs in this thread but no logs needed archiving.

**Action:** No action required.

**ORA-00264: no recovery required**

**Cause:** An attempt was made to perform media recovery on files that do not // need any type of recovery.

**Action:** Do not attempt to perform media recovery on the selected files. Check to see that the filenames were entered properly. If not, retry the command with the proper filenames.

**ORA-00265: instance recovery required, cannot set ARCHIVELOG mode**

**Cause:** The database either crashed or was shutdown with the ABORT option. Media recovery cannot be enabled because the online logs may not be sufficient to recover the current datafiles.

**Action:** Open the database and then enter the SHUTDOWN command with the NORMAL or IMMEDIATE option.

**ORA-00266: name of archived log file needed**

**Cause:** During media recovery, the name of an archived redo log file was requested, but no name was entered.

**Action:** Mount the correct redo log file and enter its name when it is requested.

**ORA-00267: name of archived log file not needed**

**Cause:** During media recovery, the name of an archived redo log file was entered, but no name was requested.

**Action:** Continue media recovery, but do not enter a new log name.

**ORA-00268: specified log file does not exist "*string*"**

**Cause:** The given redo log file does not exist.

**Action:** Check the spelling and capitalization of the filename and retry the command.

---

**ORA-00269: specified log file is part of thread *string* not *string***

**Cause:** The given redo log file is not part of the given thread

**Action:** Check that the thread of the redo log file matches the thread on the command line. If not, use a redo log file from the appropriate thread. Retry the command after correcting the error.

**ORA-00270: error creating archive log *string***

**Cause:** An error was encountered when either creating or opening the destination file for archiving.

**Action:** Check that the archive destination is valid and that there is sufficient space on the destination device.

**ORA-00271: there are no logs that need archiving**

**Cause:** An attempt was made to archive the unarchived redo log files manually, but there are no files that need to be archived.

**Action:** No action required.

**ORA-00272: error writing archive log *string***

**Cause:** An I/O error occurred while archiving a redo log file.

**Action:** Check that the output device is still available and correct any device errors that may have occurred. Also, make certain that sufficient space for archiving is available on the output device.

**ORA-00273: media recovery of direct load data that was not logged**

**Cause:** A media recovery session encountered a table that was loaded by the direct loader without logging any redo information. Some or all of the blocks in this table are now marked as corrupt.

**Action:** The table must be dropped or truncated so that the corrupted blocks can be reused. If a more recent backup of the file is available, try to recover this file to eliminate this error.

**ORA-00274: illegal recovery option *string***

**Cause:** An illegal option was specified for a recovery command.

**Action:** Correct the syntax and retry the command.

**ORA-00275: media recovery has already been started**

**Cause:** An attempt was made to start a second media recovery operation in the same session.

**Action:** Complete or cancel the first media recovery session or start another session to perform media recovery.

**ORA-00276: CHANGE keyword specified but no change number given**

**Cause:** The CHANGE keyword was specified on the command line, but no change number was given.

**Action:** Retry the command using a valid change number after the CHANGE keyword.

**ORA-00277: illegal option to the UNTIL recovery flag *string***

**Cause:** Only CANCEL, CHANGE and TIME can be used with the UNTIL keyword.

**Action:** Correct the syntax.

---

**ORA-00278: log file "*string*" no longer needed for this recovery**

**Cause:** The specified redo log file is no longer needed for the current recovery.

**Action:** No action required. The archived redo log file may be removed from its current location to conserve disk space, if needed. However, the redo log file may still be required for another recovery session in the future.

**ORA-00279: change *string* generated at *string* needed for thread *string***

**Cause:** The requested log is required to proceed with recovery.

**Action:** Please supply the requested log with "ALTER DATABASE RECOVER LOGFILE <file\_name>" or cancel recovery with "ALTER DATABASE RECOVER CANCEL".

**ORA-00280: change *string* for thread *string* is in sequence #*string***

**Cause:** This message helps to locate the redo log file with the specified change number requested by other messages.

**Action:** Use the information provided in this message to specify the required archived redo log files for other errors.

**ORA-00281: media recovery may not be performed using dispatcher**

**Cause:** An attempt was made to use a dispatcher process for media recovery. Memory requirements disallow this recovery method.

**Action:** Connect to the instance via a dedicated server process to perform media recovery.

**ORA-00282: UPI *string* call not supported, use ALTER DATABASE RECOVER**

**Cause:** The given UPI call is no longer supported.

**Action:** Use the ALTER DATABASE RECOVER command for all recovery actions.

**ORA-00283: recovery session canceled due to errors**

**Cause:** An error during recovery was determined to be fatal enough to end the current recovery session.

**Action:** More specific messages will accompany this message. Refer to the other messages for the appropriate action.

**ORA-00284: recovery session still in progress**

**Cause:** An error during recovery was determined to be minor enough to allow the current recovery session to continue.

**Action:** More specific messages will accompany this message. Refer to the other messages for the appropriate action.

**ORA-00285: TIME not given as a string constant**

**Cause:** UNTIL TIME was not followed by a string constant for the time.

**Action:** Enter the time enclosed in single quotation marks.

**ORA-00286: no members available, or no member contains valid data**

**Cause:** None of the members of a redo log file group are available, or the available members do not contain complete data.

**Action:** If a member is temporarily offline, attempt to make it available. Make sure that the correct filenames are being used, especially if the redo log file is being accessed from a remote location.

**ORA-00287: specified change number *string* not found in thread *string***

---

**Cause:** The given change number does not appear in any of the online redo logs for the given thread.

**Action:** Check the statement to make certain a valid change number is given. Perhaps try to use the NEXT option for archiving logs.

**ORA-00288: to continue recovery type ALTER DATABASE RECOVER CONTINUE**

**Cause:** During media recovery, a new log is not required but the continuation command is necessary to do a checkpoint and report errors.

**Action:** Type ALTER DATABASE RECOVER CONTINUE and recovery will resume.

**ORA-00289: suggestion : *string***

**Cause:** This message reports the next redo log filename that is needed, according to the initialization parameters LOG\_ARCHIVE\_DEST and LOG\_ARCHIVE\_FORMAT. This message assumes that LOG\_ARCHIVE\_DEST and LOG\_ARCHIVE\_FORMAT are the same now as when the required redo log file was archived.

**Action:** Consider using this filename for the next log needed for recovery.

**ORA-00290: operating system archival error occurred. See error below**

**Cause:** While attempting to archive to a redo log file, the server encountered an unexpected operating system error.

**Action:** Correct the operating system error given in the messages and retry the operation. See also your operating system-specific Oracle documentation.

**ORA-00291: numeric value required for PARALLEL option**

**Cause:** A recovery command was specified incorrectly. The PARALLEL option must be followed by a numeric argument that specifies the degree of parallelism.

**Action:** Re-enter the command with a numeric argument specifying the degree of parallelism desired.

**ORA-00292: parallel recovery feature not installed**

**Cause:** A parallel recovery was requested when the parallel recovery option is not installed.

**Action:** Delete the PARALLEL clause from the RECOVER command. Also, delete the RECOVERY\_PARALLELISM parameter in the initialization file.

**ORA-00293: control file out of sync with redo log**

**Cause:** The redo log file and control file are out of sync because a non-current control file was specified when the instance was started.

**Action:** Retry the RECOVER command using the current control file, or retry the RECOVER command using the USING BACKUP CONTROLFILE clause.

**ORA-00294: invalid archivelog format specifier "*string*"**

**Cause:** An invalid format specifier was found in the LOG\_ARCHIVE\_FORMAT initialization parameter. The only characters permitted following the % symbol are s, S, t, and T.

**Action:** Correct the initialization file and re-start the instance.

**ORA-00295: datafile/tempfile number *string* is invalid, must be between 1 and *string***

**Cause:** An invalid file number was specified.

**Action:** Specify a valid datafile or tempfile number and retry the operation.

---

**ORA-00296: maximum number of files (*string*) exceeded for RECOVER DATAFILE LIST**

**Cause:** The RECOVER DATAFILE LIST command specified more datafiles than are allowed by the DB\_FILES initialization parameter. This error occurs when doing recovery with Recovery Manager, and the instance has been started with a DB\_FILES parameter specifying fewer datafiles than recovery manager needs to recover to satisfy the user's RECOVER command.

**Action:** Re-start the instance with a higher value for DB\_FILES.

**ORA-00297: must specify RECOVER DATAFILE LIST before RECOVER DATAFILE START**

**Cause:** The RECOVER DATAFILE START command was issued, but no RECOVER DATAFILE LIST commands had been issued. This only happens when doing recovery with Recovery Manager, and is an internal error in Recovery Manager, because Recovery Manager should always issue RECOVER DATAFILE LIST before RECOVER DATAFILE START.

**Action:** Contact customer support

**ORA-00298: Missing or invalid attribute value**

**Cause:** A non-zero integer value is required when the following keyword attributes are specified: TIMEOUT, EXPIRE, DELAY, NEXT

**Action:** Correct the syntax and retry the command.

**ORA-00299: must use file-level media recovery on data file *string***

**Cause:** The control file does not contain an entry for this file, so block media recovery cannot be done.

**Action:** Restore the data file and perform file-level media recovery.

**ORA-00300: illegal redo log block size *string* specified - exceeds limit of *string***

**Cause:** The specified block size of the redo log is greater than the maximum block size for the operating system.

**Action:** Create the redo log on a device with a smaller block size

**ORA-00301: error in adding log file "*string*" - file cannot be created**

**Cause:** The creation of the redo log file failed

**Action:** Check: 1) there is enough storage space on the device 2) the name of the file is valid 3) the device is online 4) an IO error occurred Also, it is possible REUSE was specified on the command line and a file of the incorrect size exists. Either do not specify REUSE or use a file of the correct size.

**ORA-00302: limit of *string* logs exceeded**

**Cause:** The maximum number of redo log files has been exceeded.

**Action:** Use the CREATE CONTROLFILE command with a larger value for MAXLOGFILES if the compatibility is lower than 10.2.0. Otherwise, allocate more storage space for the control file.

**ORA-00303: cannot process Parallel Redo**

**Cause:** A redo log containing Parallel Redo has been detected. The current Oracle release cannot process this format of redo.

**Action:** Use a later release that supports Parallel Redo. to process this log.

**ORA-00304: requested INSTANCE\_NUMBER is busy**

---

**Cause:** An instance tried to start by using a value of the initialization parameter `INSTANCE_NUMBER` that is already in use.

**Action:** Either a) specify another `INSTANCE_NUMBER`, b) shut down the running instance with this number c) wait for instance recovery to complete on the instance with this number.

**ORA-00305: log *string* of thread *string* inconsistent; belongs to another database**

**Cause:** The database ID in the redo log file does not match the database ID in the control file. This redo log file is not from the current database.

**Action:** Specify the correct redo log file, then retry the operation.

**ORA-00306: limit of *string* instances in this database**

**Cause:** Starting this instance would exceed the maximum number of instances allowed for this database. This message occurs only with `STARTUP` shared and multiple instances.

**Action:** You cannot start more than the lower of a) port-specific limit as to the number of instances b) the number of instances specified at create-database time

**ORA-00307: requested `INSTANCE_NUMBER` out of range, maximum is *string***

**Cause:** The initialization parameter `INSTANCE_NUMBER` specified a number that was out of range.

**Action:** Change `INSTANCE_NUMBER` to a valid range and restart the instance. The minimum value is one and the maximum value is the lower of the operating system-specific maximum or the `MAXINSTANCES` option specified in the `CREATE DATABASE` statement. See also your operating system-specific Oracle documentation.

**ORA-00308: cannot open archived log "*string*"**

**Cause:** The system cannot access a required archived redo log file.

**Action:** Check that the off line log exists, the storage device is online, and the archived file is in the correct location. Then attempt to continue recovery or restart the recovery session.

**ORA-00309: log belongs to wrong database**

**Cause:** The system cannot access the archived redo log because it belongs to another database.

**Action:** Specify the correct redo log file, then retry the operation.

**ORA-00310: archived log contains sequence *string*; sequence *string* required**

**Cause:** The archived log is out of sequence, probably because it is corrupted or the wrong redo log filename was specified

**Action:** Specify the correct redo log file; then retry the operation.

**ORA-00311: cannot read header from archived log**

**Cause:** An I/O error occurred when attempting to read the log file header from the specified archived redo log file.

**Action:** Other messages will accompany this message. See the associated messages for the appropriate action to take.

**ORA-00312: online log *string* thread *string*: "*string*"**

**Cause:** This message reports the filename for details of another message.

---

**Action:** Other messages will accompany this message. See the associated messages for the appropriate action to take.

**ORA-00313: open failed for members of log group *string* of thread *string***

**Cause:** The online log cannot be opened. May not be able to find file.

**Action:** See accompanying errors and make log available.

**ORA-00314: log *string* of thread *string*, expected sequence# *string* doesn't match *string***

**Cause:** The online log is corrupted or is an old version.

**Action:** Find and install correct version of log or reset logs.

**ORA-00315: log *string* of thread *string*, wrong thread # *string* in header**

**Cause:** The online log is corrupted or is an old version.

**Action:** Find and install correct version of log or reset logs.

**ORA-00316: log *string* of thread *string*, type *string* in header is not log file**

**Cause:** The online log is corrupted or is an old version.

**Action:** Find and install correct version of log or reset logs.

**ORA-00317: file type *string* in header is not log file**

**Cause:** This is not an archived log file.

**Action:** Find the correct file and try again.

**ORA-00318: log *string* of thread *string*, expected file size *string* doesn't match *string***

**Cause:** On header read the file size indicated in the control file did not match the file size contained in the log file.

**Action:** Restore correct file or reset logs.

**ORA-00319: log *string* of thread *string* has incorrect log reset status**

**Cause:** Check of log file header at database open found that an online log has log reset data that is different from the control file. The log is probably an incorrectly restored backup.

**Action:** Restore correct file or reset logs.

**ORA-00320: cannot read file header from log *string* of thread *string***

**Cause:** The file is not available.

**Action:** Restore the log file.

**ORA-00321: log *string* of thread *string*, cannot update log file header**

**Cause:** Cannot write to the log file.

**Action:** Restore the access to the file.

**ORA-00322: log *string* of thread *string* is not current copy**

**Cause:** Check of log file header at database open found that an online log appears to be an incorrectly restored backup.

**Action:** Restore correct file or reset logs.

**ORA-00323: Current log of thread *string* not useable and all others need archiving**

**Cause:** Attempt to open thread failed because it is necessary to switch redo generation to another online log, but all the other logs need to be archived before they can be used.

---

**Action:** Archive the logs for the thread then retry open.

**ORA-00324: log file "*string*" translated name "*string*" too long, *string* characters exceeds *string* limit**

**Cause:** the translated name for a log file is too long.

**Action:** Choose a untranslated name that yields a shorter translated name.

**ORA-00325: archived log for thread *string*, wrong thread # *string* in header**

**Cause:** The archived log is corrupted or for another thread. Can not use the log for applying redo.

**Action:** Find correct archived log.

**ORA-00326: log begins at change *string*, need earlier change *string***

**Cause:** The archived log supplied for recovery was generated after the log that is needed. Can not yet use the log for applying redo.

**Action:** Find correct archived log.

**ORA-00327: log *string* of thread *string*, physical size *string* less than needed *string***

**Cause:** A log file has shrunk in size. This is likely to have been caused by operator or operating system error.

**Action:** Restore the log file from backup. If backup is not available, drop this log and re-create. If the database was shut down cleanly, no further action should be required; otherwise incomplete recovery may be required.

**ORA-00328: archived log ends at change *string*, need later change *string***

**Cause:** The archived log supplied for recovery was generated before the log that is needed. Can not use the log for applying redo.

**Action:** Find correct archived log.

**ORA-00329: archived log begins at change *string*, need change *string***

**Cause:** The archived log is not the correct log. An earlier log is needed.

**Action:** Restore the correct log file.

**ORA-00330: archived log ends at change *string*, need change *string***

**Cause:** The archived log is not the correct log. A later log is needed.

**Action:** Restore the correct log file.

**ORA-00331: log version *string* incompatible with ORACLE version *string***

**Cause:** The log was written by incompatible version of Oracle.

**Action:** Recover the database with the compatible software, shut it down cleanly, then restart with current software.

**ORA-00332: archived log is too small - may be incompletely archived**

**Cause:** The log is smaller than the space allocated in it. May be the result of a shutdown abort while it was being written by the archiver.

**Action:** Get a complete version of this log and use it for recovery. There should either be an online version of it or a copy that was successfully archived.

**ORA-00333: redo log read error block *string* count *string***

**Cause:** An IO error occurred while reading the log described in the accompanying error.

**Action:** Restore accessibility to file, or get another copy of the file.

---

**ORA-00334: archived log: "*string*"**

**Cause:** Reporting filename for details of another error

**Action:** See associated error messages

**ORA-00335: online log *string*: No log with this number, log does not exist**

**Cause:** Reporting filename for details of another error

**Action:** See associated error messages

**ORA-00336: log file size *string* blocks is less than minimum *string* blocks**

**Cause:** The log file size as specified in create database is too small.

**Action:** Increase the log file size.

**ORA-00337: log file "*string*" does not exist and no size specified**

**Cause:** An attempt to add a log found neither an existing file nor a size for creating the file.

**Action:** Specify a size for the log file.

**ORA-00338: log *string* of thread *string* is more recent than control file**

**Cause:** The control file change sequence number in the log file is greater than the number in the control file. This implies that the wrong control file is being used. Note that repeatedly causing this error can make it stop happening without correcting the real problem. Every attempt to open the database will advance the control file change sequence number until it is great enough.

**Action:** Use the current control file or do backup control file recovery to make the control file current. Be sure to follow all restrictions on doing a backup control file recovery.

**ORA-00339: archived log does not contain any redo**

**Cause:** The archived log is not the correct log. It is a copy of a log file that has never been used for redo generation, or was an online log being prepared to be the current log.

**Action:** Restore the correct log file.

**ORA-00340: IO error processing online log *string* of thread *string***

**Cause:** An IO error occurred on the named online log.

**Action:** Restore accessibility to file, or restore file from backup.

**ORA-00341: log *string* of thread *string*, wrong log # *string* in header**

**Cause:** The internal information in an online log file does not match the control file.

**Action:** Restore correct file or reset logs.

**ORA-00342: archived log does not have expected resetlogs SCN *string***

**Cause:** Recovery was given a log that does not belong to current incarnation or one of the parent incarnation. There should be another log that contains the correct redo.

**Action:** Supply the correct log file.

**ORA-00344: unable to re-create online log "*string*"**

**Cause:** An I/O failure occurred when attempting to re-create an online as part of either ALTER DATABASE OPEN RESETLOGS or ALTER DATABASE CLEAR LOGFILE command.

---

**Action:** Correct the file/device as indicated by accompanying errors.

**ORA-00345: redo log write error block *string* count *string***

**Cause:** An IO error has occurred while writing the log

**Action:** Correct the cause of the error, and then restart the system. If the log is lost, apply media/incomplete recovery.

**ORA-00346: log member marked as STALE and closed**

**Cause:** A log file member was no longer complete.

**Action:** Correct the underlying problem by referring to the other error messages found with this one.

**ORA-00347: log *string* of thread *string*, expected block size *string* doesn't match *string***

**Cause:** On header read the blocksize indicated in the control file did not match the blocksize contained in the log file.

**Action:** Restore correct file or reset logs.

**ORA-00348: single-process redo failure. Must abort instance**

**Cause:** A failure occurred during a critical portion of the log code during single process operation. This error does not occur during normal multi-process operation.

**Action:** Shutdown abort and warmstart the database.

**ORA-00349: failure obtaining block size for "*string*"**

**Cause:** The operating system was unable to determine the blocksize for the given filename.

**Action:** Consult the accompanying error message, and correct the device or specify another filename.

**ORA-00350: log *string* of instance *string* (thread *string*) needs to be archived**

**Cause:** The command cannot be done because the log has not been archived, and media recovery has been enabled.

**Action:** Archive the log or disable media recovery. If the command supports an UNARCHIVED option then it can be used. However this may result in making backups unuseable, and forcing the drop of some offline files.

**ORA-00351: recover-to time invalid**

**Cause:** The time specified in a recover-until statement must be after January 1st 1988.

**Action:** Specify a time after January 1st 1988.

**ORA-00352: all logs for thread *string* need to be archived - cannot enable**

**Cause:** Attempting to enable a thread with all logs needing to be archived, and media recovery has been enabled. There is no log that can be made the new current log for the thread.

**Action:** Archive a log for the thread or disable media recovery.

**ORA-00353: log corruption near block *string* change *string* time *string***

**Cause:** Some type of redo log corruption has been discovered. This error describes the location of the corruption. Accompanying errors describe the type of corruption.

---

**Action:** Do recovery with a good version of the log or do incomplete recovery up to the indicated change or time.

**ORA-00354: corrupt redo log block header**

**Cause:** The block header on the redo block indicated by the accompanying error, is not reasonable.

**Action:** Do recovery with a good version of the log or do time based recovery up to the indicated time. If this happens when archiving, archiving of the problem log can be skipped by clearing the log with the UNARCHIVED option. This must be followed by a backup of every datafile to insure recoverability of the database.

**ORA-00355: change numbers out of order**

**Cause:** A change number found in the redo log is lower than a previously encountered change number. The log is corrupted in some way. The corruption may be at the earlier change or at this one.

**Action:** Do recovery with a good version of the log or do time based recovery up to the indicated time.

**ORA-00356: inconsistent lengths in change description**

**Cause:** A change record in the redo log contains lengths that do not add up to a consistent value. The log is corrupted in some way.

**Action:** Do recovery with a good version of the log or do time based recovery up to the indicated time.

**ORA-00357: too many members specified for log file, the maximum is *string***

**Cause:** An add logfile or add logfile member command would result in a log with too many members. The number of members is set when the database is created.

**Action:** Use fewer log file members.

**ORA-00358: Too many file members specified, the maximum is *string***

**Cause:** A create or alter statement specified too many members in a parenthesised file list.

**Action:** Specify a number of file members that is within the port-defined limit.

**ORA-00359: logfile group *string* does not exist**

**Cause:** An add logfile member or drop logfile request specified a logfile group number that does not exist.

**Action:** Check the configuration of the log files and reissue the command.

**ORA-00360: not a logfile member: *string***

**Cause:** A filename was given to drop logfile member that is not a part of the database, or which is a data file.

**Action:** Supply a valid logfile member name.

**ORA-00361: cannot remove last log member *string* for group *string***

**Cause:** An attempt has been made to remove the last member of a log file group.

**Action:** If desired, delete the entire log, by using DROP LOGFILE.

**ORA-00362: member is required to form a valid logfile in group *string***

**Cause:** A request to drop a logfile member was denied because it would remove data required to form a complete logfile.

---

**Action:** If desired, delete the entire log (after archiving if required), by using DROP LOGFILE;

**ORA-00363: log is not the archived version**

**Cause:** d by failing to list the current log of an enabled thread in a CREATE CONTROLFILE command.

**Action:** Find the archived version of the log and supply its name. If this is media recovery immediately following a CREATE CONTROLFILE, be sure the current log for this thread was included.

**ORA-00364: cannot write header to new log member**

**Cause:** An i/o error occurred when attempting to write the header to a log member that is being added to an existing group.

**Action:** See accompanying errors. Fix problem or use another file.

**ORA-00365: the specified log is not the correct next log**

**Cause:** The specified log failed to pass checks to ensure it corresponds to the log that was just applied. This is probably the result of using a log that was generated against a cold backup image of the database.

**Action:** Find the log that was generated by this copy of the database and give that filename to recovery.

**ORA-00366: log *string* of thread *string*, checksum error in the file header**

**Cause:** The file header for the redo log contains a checksum that does not match the value calculated from the file header as read from disk. This means the file header is corrupted

**Action:** Find and install correct version of log or reset logs.

**ORA-00367: checksum error in log file header**

**Cause:** The file header for the redo log contains a checksum that does not match the value calculated from the file header as read from disk. This means the file header is corrupted

**Action:** Find the correct file and try again.

**ORA-00368: checksum error in redo log block**

**Cause:** The redo block indicated by the accompanying error, is not valid. It has a checksum that does not match the block contents.

**Action:** Restore correct file or reset logs.

**ORA-00369: Current log of thread *string* not useable and other log being cleared**

**Cause:** Attempt to open thread failed because it is necessary to switch redo generation to another online log, but all the other logs are being cleared or need to be archived before they can be used.

**Action:** If the ALTER DATABASE CLEAR LOGFILE command is still active then wait for it to complete. Otherwise reissue the CLEAR command. If there are other online logs for the thread, that are not being cleared, then archive the logs.

**ORA-00370: potential deadlock during kcbchange operation**

**Cause:** Error code used internally by software. Should never be reported

**Action:** Treat as internal error. See error 600.

**ORA-00371: not enough shared pool memory, should be atleast *string* bytes**

**Cause:** Init.ora parameter shared\_pool\_size is too small

---

**Action:** Increase the parameter value

**ORA-00372: file *string* cannot be modified at this time**

**Cause:** attempting to modify the contents of a file that cannot be modified. The file is most likely part of a read only tablespace but may be in the process of going offline, or the database may be in the process of closing.

**Action:** check the status of the file and its tablespace

**ORA-00373: online log version *string* incompatible with ORACLE version *string***

**Cause:** The online log was written by incompatible version of Oracle. Can occur when the log file was created by either a new or older version of Oracle.

**Action:** Recover the database with the compatible software, shut it down cleanly, then restart with current software.

**ORA-00374: parameter *db\_block\_size* = *string* invalid ; must be a multiple of *string* in the range [*string*..*string*]**

**Cause:** invalid value for *db\_block\_size* parameter

**Action:** adjust parameter and restart

**ORA-00376: file *string* cannot be read at this time**

**Cause:** attempting to read from a file that is not readable. Most likely the file is offline.

**Action:** Check the state of the file. Bring it online

**ORA-00377: Frequent backups of file *string* causing write operation to stall**

**Cause:** Backups are occurring too frequently on this file. Each time a new backup is started for a file, any writes which have been previously issued (but not completed) have to be re-issued. If hot backups are started very, very frequently, it is possible that some writes will be re-issued repeatedly and never complete.

**Action:** Increase the interval between begin hot-backup commands for this file.

**ORA-00378: buffer pools cannot be created as specified**

**Cause:** Either the number of buffers or the number of lru latches is too small to satisfy the specified buffer pool configuration.

**Action:** Either increase the number of buffers and/or number of lru latches or configure smaller buffer pools.

**ORA-00379: no free buffers available in buffer pool *string* for block size *stringK***

**Cause:** All buffers in the specified buffer pool for the specified block size are in use and no free buffers are available.

**Action:** Increase the number of buffers in the specified pool for the specified block size

**ORA-00380: cannot specify *db\_stringk\_cache\_size* since *stringK* is the standard block size**

**Cause:** User specified the parameter *db\_nk\_cache\_size* (where n is one of 2,4,8,16,32), while the standard block size for this database is equal to n Kbytes. This is illegal.

**Action:** Specify the standard block size cache using *db\_cache\_size* (DEFAULT pool) (and *db\_recycle\_cache\_size*, *db\_keep\_cache\_size* if additional buffer pools are required). Do NOT use the corresponding *db\_nk\_cache\_size* parameter for the standard block size.

---

**ORA-00381: cannot use both new and old parameters for buffer cache size specification**

**Cause:** User specified one or more of { `db_cache_size` , `db_recycle_cache_size`, `db_keep_cache_size`, `db_nk_cache_size` (where n is one of 2,4,8,16,32), `db_cache_advice` } AND one or more of { `db_block_buffers`, `buffer_pool_keep` , `buffer_pool_recycle` }. This is illegal.

**Action:** Use EITHER the old (pre-Oracle\_8.2) parameters OR the new ones. Don't specify both. If old size parameters are specified in the parameter file, you may want to replace them with new parameters since the new parameters can be modified dynamically and allow you to configure additional caches for additional block sizes. Cache advisory can only be enabled with the new cache parameters.

**ORA-00382: string not a valid block size, valid range [*string*..*string*]**

**Cause:** User specified a value for `db_nk_cache_size` where n is one of {2, 4, 8, 16, 32}, but nk is not a valid block size for this platform.

**Action:** Remove corresponding parameter from the "init.ora" file and restart the instance.

**ORA-00383: DEFAULT cache for blocksize *string* cannot be reduced to zero**

**Cause:** User attempted to reduce `db_cache_size` to zero, or attempted to to reduce `db_<n>K_cache_size` to zero while there were still online tablespaces with blocksize `<n>K`. Note that since the SYSTEM tablespace cannot be taken offline, it is always illegal to set `db_cache_size` to zero.

**Action:** Offline any tablespaces with the corresponding blocksize and then perform the operation again.

**ORA-00384: Insufficient memory to grow cache**

**Cause:** The system could not allocate sufficient memory to grow the cache to the specified size.

**Action:** Attempt a smaller increase in the value of the parameter.

**ORA-00385: cannot enable Very Large Memory with new buffer cache parameters**

**Cause:** User specified one or more of { `db_cache_size` , `db_recycle_cache_size`, `db_keep_cache_size`, `db_nk_cache_size` (where n is one of 2,4,8,16,32) } AND `use_indirect_data_buffers` is set to TRUE. This is illegal.

**Action:** Very Large Memory can only be enabled with the old (pre-Oracle\_8.2) parameters.

**ORA-00386: use\_indirect\_data\_buffers not supported**

**Cause:** The system could not allocate sufficient memory to grow the cache to the specified size.

**Action:** Attempt a smaller increase in the value of the parameter.

**ORA-00390: log *string* of thread *string* is being cleared, cannot become current log**

**Cause:** An attempt to switch to a new online log for the redo thread failed because no reusable log could be found. This log is being cleared and will be useable when the clearing completes. The command that began the clearing may have terminated without completing the clearing.

**Action:** If the clear command is still executing then wait for its completion. If it terminated then reissue the clear command, or drop the log.

**ORA-00391: All threads must switch to new log format at the same time**

---

**Cause:** An attempt to switch the current log of a single thread is not allowed because the compatibility requirements force a new log format version number. When changing log formats, all threads must switch to the new format at the same time.

**Action:** Open the database to cause the coordinated log switch. If that is not possible then return to the same software version and compatibility setting last used to open the database.

**ORA-00392: log *string* of thread *string* is being cleared, operation not allowed**

**Cause:** An operation encountered this online log in the middle of being cleared. The command that began the clearing may have terminated without completing the clearing.

**Action:** If the clear command is still executing then wait for its completion. If it terminated then reissue the clear command, or drop the log.

**ORA-00393: log *string* of thread *string* is needed for recovery of offline datafiles**

**Cause:** Log cannot be cleared because the redo in it is needed to recover offline datafiles. It has not been archived so there is no other copy available. If the log is cleared the tablespaces containing the files will have to be dropped.

**Action:** Archive the log then repeat the clear command. If archiving is not possible, and dropping the tablespaces is acceptable, then add the clause UNRECOVERABLE DATAFILE at the end of the clear command.

**ORA-00394: online log reused while attempting to archive it**

**Cause:** It has been detected that an online log that is being archived has been reused

**Action:** Cannot archive the logfile anymore since it has been overwritten

**ORA-00395: online logs for the clone database must be renamed**

**Cause:** A clone database open forces logfile renaming to avoid overwriting the primary logfiles

**Action:** Rename the logfiles manually or using the log\_file\_name\_convert initialization parameter

**ORA-00396: error *string* required fallback to single-pass recovery**

**Cause:** The indicated error caused two-pass instance or crash recovery to fail. Recovery was retried with an alternate (slower) method to avoid the error.

**Action:** Correct the cause of the indicated error (also recorded) so that future instance or crash recovery can succeed with the two-pass algorithm. This usually requires making more main memory available to the recovery process.

**ORA-00397: instance recovery process terminated with error**

**Cause:** The foreground process doing instance recovery died.

**Action:** Check the foreground trace file for the cause of recovery failure.

**ORA-00398: abort thread recovery due to reconfiguration**

**Cause:** Global enqueue service reconfiguration occurred during instance/crash recovery.

**Action:** This is used internally, no action is required.

**ORA-00399: corrupt change description in redo log**

**Cause:** A change vector in the redo log failed validation checks.

---

**Action:** Do recovery with a good version of the log or do time based recovery up to the indicated time.

**ORA-00400: invalid release value *string* for parameter *string***

**Cause:** The release level given for the specified init parameter is invalid.

**Action:** Correct the parameter value in the parameter file and retry.

**ORA-00401: the value for parameter *string* is not supported by this release**

**Cause:** The value specified cannot be supported by this release of the software.

**Action:** Choose an appropriate value, or remove the parameter value to use the default value.

**ORA-00402: database changes by release *string* cannot be used by release *string***

**Cause:** Changes have been made to the database that require a newer software release or that violate the compatibility parameters.

**Action:** Use a version of the software that can understand the changes or relax the compatibility requirements in the init file.

**ORA-00403: *string* (*string*) is not the same as other instances (*string*)**

**Cause:** Another instance has set the compatible or compatible no recovery parameters differently than this instance.

**Action:** Change the parameters of the current instance to match other instances already running.

**ORA-00404: Convert file not found: "*string*"**

**Cause:** The file used for converting the database from V7 to V8 could not be found.

**Action:** Verify that the migration process has been started on this database and that the convert filename is accessible.

**ORA-00405: compatibility type "*string*"**

**Cause:** Reporting a type associated with another error.

**Action:** See accompanying error

**ORA-00406: COMPATIBLE parameter needs to be *string* or greater**

**Cause:** The COMPATIBLE initialization parameter is not high enough to allow the operation. Allowing the command would make the database incompatible with the release specified by the current COMPATIBLE parameter.

**Action:** Shutdown and startup with a higher compatibility setting.

**ORA-00407: rolling upgrade from release *string.string* to *string.string* is not allowed**

**Cause:** Another instance executing software at a different point release already has the database mounted.

**Action:** Shutdown all instances then startup with the new software.

**ORA-00408: parameter *string* is set to TRUE**

**Cause:** Reporting the parameter that resulted in the compatibility error.

**Action:** Shutdown and startup with a higher compatibility setting.

**ORA-00409: COMPATIBLE needs to be *string* or higher to use AUTO SEGMENT SPACE MANAGEMENT**

---

**Cause:** This is due to migrating from an older release of Oracle with tablespaces created using AUTO SEGMENT SPACE MANAGEMENT. To open the database, the COMPATIBLE parameter needs to be set to the specified value.

**Action:** Shutdown and startup with the specified compatibility setting.

**ORA-00437: ORACLE feature is not licensed. Contact Oracle Corp. for assistance**

**Cause:** ORACLE feature is not licensed.

**Action:** Contact ORACLE for assistance.

**ORA-00438: *string* Option not installed**

**Cause:** The specified option is not installed.

**Action:** Purchase and install the option.

**ORA-00439: feature not enabled: *string***

**Cause:** The specified feature is not enabled.

**Action:** Do not attempt to use this feature.

**ORA-00443: background process "*string*" did not start**

**Cause:** The specified process did not start.

**Action:** Ensure that the executable image is in the correct place with the correct protections, and that there is enough memory.

**ORA-00444: background process "*string*" failed while starting**

**Cause:** Usually due to a bad (or non-existent) background process image.

**Action:** Get a good background process image.

**ORA-00445: background process "*string*" did not start after *string* seconds**

**Cause:** The specified process did not start after the specified time.

**Action:** Ensure that the background did not die and leave a trace file.

**ORA-00446: background process started when not expected**

**Cause:** The background process specified started up AFTER the RDBMS was already running.

**Action:** If nobody at your site started the process, then this is an internal error.

**ORA-00447: fatal error in background process**

**Cause:** One of the background processes died unexpectedly.

**Action:** Warm start the system.

**ORA-00448: normal completion of background process**

**Cause:** One of the background processes completed normally (i.e. exited). The background process thinks that somebody asked it to exit.

**Action:** Warm start the system.

**ORA-00449: background process "*string*" unexpectedly terminated with error *string***

**Cause:** A foreground process needing service from a background process has discovered the process died.

**Action:** Consult the error code, and the trace file for the process.

**ORA-00450: background process "*string*" did not start**

**Cause:** The specified process did not start.

---

**Action:** Consult the error code, and the trace file for the process.

**ORA-00451: foreground process died unexpectedly**

**Cause:** The foreground process for the new connection did not start.

**Action:** Reconnect to Oracle.

**ORA-00452: foreground process unexpectedly terminated with error *string***

**Cause:** The foreground process for the new connection did not start.

**Action:** Reconnect to Oracle.

**ORA-00453: background process "*string*" is dead**

**Cause:** The background process that was being messaged was dead or its incarnation was invalid.

**Action:** Restart the background process.

**ORA-00469: CKPT process terminated with error**

**Cause:** The checkpoint process died

**Action:** Warm start instance

**ORA-00470: LGWR process terminated with error**

**Cause:** The log writer process died

**Action:** Warm start instance

**ORA-00471: DBWR process terminated with error**

**Cause:** The database writer process died

**Action:** Warm start instance

**ORA-00472: PMON process terminated with error**

**Cause:** The process cleanup process died

**Action:** Warm start instance

**ORA-00473: ARCH process terminated with error**

**Cause:** The archive process died

**Action:** Warm start instance

**ORA-00474: SMON process terminated with error**

**Cause:** The system cleanup process died

**Action:** Warm start instance

**ORA-00475: TRWR process terminated with error**

**Cause:** The system tracing process died

**Action:** Warm start instance

**ORA-00476: RECO process terminated with error**

**Cause:** The distributed transaction (two-phase commit) recovery process died.

**Action:** Warm start instance

**ORA-00477: SNP\* process terminated with error**

**Cause:** A materialized view refresh process died

**Action:** PMON will restart SNP process shortly. If SNP process does not get started, contact Oracle support.

---

**ORA-00478: SMON process terminated due to error *string***

**Cause:** SMON was unable to service the requests due to error in cleanup of resources

**Action:** Warm start instance

**ORA-00479: RVWR process terminated with error *string***

**Cause:** The RVWR process died

**Action:** Warm start instance

**ORA-00480: LCK\* process terminated with error**

**Cause:** A system lock process died

**Action:** Warm start instance

**ORA-00481: LMON process terminated with error**

**Cause:** The global enqueue service monitor process died

**Action:** Warm start instance

**ORA-00482: LMD\* process terminated with error**

**Cause:** A global enqueue service daemon process died

**Action:** Warm start instance

**ORA-00483: During shutdown a process abnormally terminated**

**Cause:** One of the background processes did not exit normally at or near the time of shutdown.

**Action:** Use shutdown abort.

**ORA-00484: LMS\* process terminated with error**

**Cause:** A global cache service process died

**Action:** Warm start instance

**ORA-00485: DIAG process terminated with error *string***

**Cause:** A global diagnostic process died

**Action:** Wait for process to restart

**ORA-00486: ASMB process terminated with error**

**Cause:** An ASM background process died.

**Action:** Warm start instance. Also check that ASM Instance is running.

**ORA-00487: CTWR process terminated with error**

**Cause:** The change tracking process died

**Action:** Warm start instance

**ORA-00488: RBAL process terminated with error**

**Cause:** The ASM rebalance coordinator process died.

**Action:** Warm start instance.

**ORA-00489: ARB\* process terminated with error**

**Cause:** An ASM rebalance worker process died.

**Action:** Wait for process to restart.

**ORA-00490: PSP process terminated with error**

- 
- Cause:** The process spawner died  
**Action:** Warm start instance
- ORA-00491: RMS0 process terminated with error**  
**Cause:** The RAC Management Process died  
**Action:** None
- ORA-00492: GTX\* process terminated with error**  
**Cause:** A global transaction background process died.  
**Action:** Warm start instance
- ORA-00493: GMON process terminated with error**  
**Cause:** The ASM disk group monitor process died  
**Action:** Warm start instance
- ORA-00566: cannot request processor group - NUMA not enabled**  
**Cause:** Cannot start process in a requested processor group when the NUMA feature is disabled.  
**Action:** Start the process without requesting a NUMA processor group.
- ORA-00567: Requested processor group *string* is too large (maximum *string*)**  
**Cause:** The process could not be started in the requested processor group.  
**Action:** Start the process in another processor group.
- ORA-00568: Maximum number of interrupt handlers exceeded**  
**Cause:** User specified too many ^c handlers  
**Action:** Remove some old handlers.
- ORA-00569: Failed to acquire global enqueue.**  
**Cause:** A prior error occurred on one of the instances in the cluster. Typically errors are caused by shared pool resource contention.  
**Action:** Check for and resolve prior errors on all instances in the cluster. If there is shared pool resource contention, increase the SHARED\_POOL\_SIZE, DML\_LOCKS, PROCESSES, TRANSACTIONS, CLUSTER\_DATABASE\_INSTANCES and PARALLEL\_MAX\_SERVERS initialization parameters.
- ORA-00600: internal error code, arguments: [*string*], [*string*], [*string*], [*string*], [*string*], [*string*], [*string*], [*string*]**  
**Cause:** This is the generic internal error number for Oracle program exceptions. This indicated that a process encountered an exceptional condition.  
**Action:** Report as a bug - the first argument is the internal error number.
- ORA-00601: cleanup lock conflict**  
**Cause:** PMON process runs into lock conflict trying to recovery processes  
**Action:** This is trapped internally, no action necessary
- ORA-00602: internal programming exception**  
**Cause:** Internal programming exception  
**Action:** Report as bug
- ORA-00603: ORACLE server session terminated by fatal error**  
**Cause:** An ORACLE server session was in an unrecoverable state.

---

**Action:** Login to ORACLE again so a new server session will be created

**ORA-00604: error occurred at recursive SQL level *string***

**Cause:** An error occurred while processing a recursive SQL statement (a statement applying to internal dictionary tables).

**Action:** If the situation described in the next error on the stack can be corrected, do so; otherwise contact Oracle Support.

**ORA-00606: Internal error code**

**Cause:** A call to deferred upi functions was made in non deferred mode

**Action:** Report as a bug.

**ORA-00607: Internal error occurred while making a change to a data block**

**Cause:** An internal error or memory exception occurred while Oracle was applying redo to a data block.

**Action:** call Oracle Support

**ORA-00608: testing error [*string*] [*string*] [*string*] [*string*] [*string*]**

**Cause:** Internal error reserved for testing.

**Action:** call Oracle Support

**ORA-00609: could not attach to incoming connection**

**Cause:** Oracle process could not answer incoming connection

**Action:** If the situation described in the next error on the stack can be corrected, do so; otherwise contact Oracle Support.

**ORA-00610: Internal error code**

**Cause:** Oracle process started too late

**Action:** This error should never be seen by the customer. Contact Oracle Support

**ORA-00700: soft internal error, arguments: [*string*], [*string*], [*string*], [*string*], [*string*], [*string*], [*string*], [*string*]**

**Cause:** Internal inconsistency that will not crash a process

**Action:** Report as a bug - the first argument is the internal error.

**ORA-00701: object necessary for warmstarting database cannot be altered**

**Cause:** Attempt to alter or drop a database object (table, cluster, or index) which are needed for warmstarting the database.

**Action:** None

**ORA-00702: bootstrap version "*string*" inconsistent with version "*string*"**

**Cause:** The reading version of the bootstrap is incompatible with the current bootstrap version.

**Action:** Restore a version of the software that is compatible with this bootstrap version.

**ORA-00703: maximum number of row cache instance locks exceeded**

**Cause:** There are not enough row cache enqueues.

**Action:** Increase the row cache enqueue parameter and warm start the system.

**ORA-00704: bootstrap process failure**

**Cause:** Failure in processing bootstrap data - see accompanying error.

---

**Action:** Contact your customer support representative.

**ORA-00705: inconsistent state during start up; shut down the instance, then restart it**

**Cause:** A previous attempt to start an instance was terminated.

**Action:** Shut down the instance completely, then restart it.

**ORA-00706: error changing format of file "*string*"**

**Cause:** An attempt to change the block0 format of the specified file failed because the file is read-only or offline.

**Action:** Make the file read-write or bring the file online and set the BLK0\_FMTCHG event.

**ORA-00710: new tablespace name is the same as the old tablespace name**

**Cause:** An attempt to rename a tablespace failed because the new name is the same as the old name.

**Action:** No action required.

**ORA-00711: new tablespace name is invalid**

**Cause:** An attempt to rename a tablespace failed because the new name is invalid.

**Action:** Choose a valid new name and retry the command.

**ORA-00712: cannot rename system tablespace**

**Cause:** An attempt to rename the system tablespace failed.

**Action:** No action required.

**ORA-00720: ALTER DATABASE RESET COMPATIBILITY command has been de-supported**

**Cause:** ALTER DATABASE RESET COMPATIBILITY command has been de-supported since Oracle 10i.

**Action:** No action required.

**ORA-00721: changes by release *string* cannot be used by release *string***

**Cause:** An attempt to import a tablespace failed because the tablespace contains changes that require a newer software release or that violate the compatibility parameters.

**Action:** Use a version of the software that can understand the changes or relax the compatibility requirements in the initialization parameter file.

**ORA-00722: Feature "*string*"**

**Cause:** Reporting name of the feature for details of another error.

**Action:** See associated error message.

**ORA-00723: Initialization parameter COMPATIBLE must be explicitly set**

**Cause:** Oracle detected that the initialization parameter COMPATIBLE was not explicitly specified, and the compatibility of the database is lower than the default value of the COMPATIBLE parameter. In order to use the new compatible setting, the initialization parameter must be explicitly set by the user.

**Action:** Explicitly set the value of COMPATIBLE parameter either in PFILE or SPFILE, whichever is used.

**ORA-00724: ALTER DATABASE CONVERT command has been de-supported**

---

**Cause:** ALTER DATABASE CONVERT command has been de-supported since Oracle 10i.

**Action:** No action required.

**ORA-00725: Desupported ALTER DATABASE SET STANDBY clause specified:**  
*string*

**Cause:** A deprecated ALTER DATABASE SET STANDBY was specified.

**Action:** No action required.

**ORA-00740: datafile size of (*string*) blocks exceeds maximum file size**

**Cause:** The user specified datafile size exceeded maximum file size.

**Action:** Please check REFERENCE for maximum size. Reduce the size and retry.

**ORA-00741: logfile size of (*string*) blocks exceeds maximum logfile size**

**Cause:** The user specified logfile size exceeded maximum logfile size.

**Action:** Please check REFERENCE for maximum size. Reduce the size and retry.

**ORA-00750: database has been previously mounted and dismounted**

**Cause:** The instance has already mounted and dismounted the database, which is only allowed once in its lifetime.

**Action:** Shut down the database.

**ORA-00751: could not obtain resilvering status for file**

**Cause:** An error occurred while obtaining the mirror resilvering status of a file.

**Action:** Refer to other error messages shown for additional details of the problem.

**ORA-00752: recovery detected a lost write of a data block**

**Cause:** A write of a data block to the storage are was lost during normal database operation or on the primary database.

**Action:** Flashback or restore from backup the database as described in the Backup and Recovery Manual.

**ORA-00820: Specified value of sga\_max\_size is too small, needs to be at least**  
*stringM*

**Cause:** The specified value of sga\_max\_size is too small for the SGA to accommodate all of the necessary SGA components such as the log buffer, buffer pools, shared pool, etc.

**Action:** Set sga\_max\_size to the recommended value or reduce the values of any SGA component size parameters you have specified.

**ORA-00821: Specified value of sga\_target *stringM* is too small, needs to be at least**  
*stringM*

**Cause:** The specified value of sga\_target is too small for the SGA to accommodate all of the necessary SGA components such as the log buffer, buffer pools, shared pool, etc.

**Action:** Set sga\_target to the recommended value or reduce the values of any SGA component size parameters you have specified.

**ORA-00822: MMAN process terminated with error**

**Cause:** The Memory Management process died.

**Action:** Warm start instance

- 
- ORA-00823: Specified value of sga\_target greater than sga\_max\_size**  
**Cause:** The specified value of sga\_target is greater than sga\_max\_size.  
**Action:** Increase sga\_max\_size to match up with sga\_target or decrease sga\_target to match up with sga\_maxsize.
- ORA-00824: cannot set SGA\_TARGET or MEMORY\_TARGET due to existing internal settings, see alert log for more information**  
**Cause:** Unable to set SGA\_TARGET or MEMORY\_TARGET due to current parameter settings.  
**Action:** See alert log for more information.
- ORA-00825: cannot set DB\_BLOCK\_BUFFERS if SGA\_TARGET or MEMORY\_TARGET is set**  
**Cause:** SGA\_TARGET or MEMORY\_TARGET set with DB\_BLOCK\_BUFFERS set.  
**Action:** Do not set SGA\_TARGET, MEMORY\_TARGET or use new cache parameters, and do not use DB\_BLOCK\_BUFFERS which is an old cache parameter.
- ORA-00826: cannot set SGA\_TARGET or MEMORY\_TARGET for an ASM instance**  
**Cause:** SGA\_TARGET or MEMORY\_TARGET set for an ASM instance.  
**Action:** Do not set SGA\_TARGET or MEMORY\_TARGET.
- ORA-00827: could not shrink sga\_target to specified value**  
**Cause:** Attempted to shrink the SGA to the specified value but did not succeed because the SGA components could not be shrunk as they were already at their minimum sizes.  
**Action:** Do not set sga\_target to a value below the current value without first shrinking the individual SGA components.
- ORA-00828: specified value of shared\_pool\_reserved\_size inconsistent with internal settings**  
**Cause:** Unable to set shared\_pool\_reserved\_size to specified value if SGA\_TARGET set, either because the specified value is too small, or because it is too large for the current internal size of shared pool. More details can be found in the alert log.  
**Action:** If possible, do not set shared\_pool\_reserved\_size without setting shared\_pool\_size if SGA\_TARGET set. Examine the alert log for information about current internal size of shared pool, and valid range of values for shared\_pool\_reserved\_size.
- ORA-00830: cannot set statistics\_level to BASIC with auto-tune SGA enabled**  
**Cause:** The user attempted to set statistics\_level to BASIC with auto-tune SGA enabled which cannot be done because auto-tune SGA cannot work with statistics\_level set to BASIC.  
**Action:** Disable auto-tune SGA and try setting the statistics\_level to BASIC again.
- ORA-00832: no streams pool created and cannot automatically create one**  
**Cause:** A database feature which needs STREAMS SGA was being used, however, the streams\_pool\_size parameter was not defined and the value of db\_cache\_size was too small to permit an automatic transfer of SGA to the streams pool from the buffer cache.  
**Action:** Please set the parameter streams\_pool\_size or set SGA\_TARGET.

---

**ORA-00837: Specified value of MEMORY\_TARGET greater than MEMORY\_MAX\_TARGET**

**Cause:** The specified value of MEMORY\_TARGET was greater than MEMORY\_MAX\_TARGET.

**Action:** Set MEMORY\_TARGET less than or equal to MEMORY\_MAX\_TARGET.

**ORA-00838: Specified value of MEMORY\_TARGET is too small, needs to be at least stringM**

**Cause:** The specified value of MEMORY\_TARGET was less than the sum of the specified values for SGA\_TARGET and PGA\_AGGREGATE\_TARGET.

**Action:** Set MEMORY\_TARGET to at least the recommended value.

**ORA-00839: SGA\_TARGET cannot be modified to the specified value**

**Cause:** The specified value of SGA\_TARGET was not compatible with current settings of PGA\_AGGREGATE\_TARGET and MEMORY\_TARGET/MEMORY\_MAX\_TARGET.

**Action:** Set SGA\_TARGET to be no more than the difference of MEMORY\_TARGET/MEMORY\_MAX\_TARGET and PGA\_AGGREGATE\_TARGET. Also ensure that the current PGA memory used for non-auto workareas is low.

**ORA-00840: PGA\_AGGREGATE\_TARGET cannot be modified to the specified value**

**Cause:** The specified value of PGA\_AGGREGATE\_TARGET was not compatible with current settings of SGA\_TARGET and MEMORY\_TARGET/MEMORY\_MAX\_TARGET.

**Action:** Set PGA\_AGGREGATE\_TARGET to be no more than the difference of MEMORY\_TARGET/MEMORY\_MAX\_TARGET and SGA\_TARGET.

**ORA-00841: MEMORY\_TARGET not supported on this system**

**Cause:** MEMORY\_TARGET parameter was not supported on this system as shmfs was disabled.

**Action:** Refer to documentation for a list of supported systems.

**ORA-00843: Parameter not taking MEMORY\_MAX\_TARGET into account, see alert log for more information**

**Cause:** The parameter was larger than MEMORY\_MAX\_TARGET.

**Action:** Set the parameter to a lower value than MEMORY\_MAX\_TARGET.

**ORA-00844: Parameter not taking MEMORY\_TARGET into account, see alert log for more information**

**Cause:** The parameter was larger than MEMORY\_TARGET.

**Action:** Set the parameter to a lower value than MEMORY\_TARGET.

**ORA-00845: MEMORY\_TARGET not supported on this system**

**Cause:** The MEMORY\_TARGET parameter was not supported on this operating system or /dev/shm was not sized correctly on Linux.

**Action:** Refer to documentation for a list of supported operating systems. Or, size /dev/shm to be at least the SGA\_MAX\_SIZE on each Oracle instance running on the system.

**ORA-00846: could not shrink MEMORY\_TARGET to specified value**

---

**Cause:** Attempted to shrink MEMORY\_TARGET to the specified value but did not succeed because the PGA and SGA components could not be shrunk.

**Action:** Do not set MEMORY\_TARGET to a value below the current value without first shrinking the individual memory components.

**ORA-00847: MEMORY\_TARGET/MEMORY\_MAX\_TARGET and LOCK\_SGA cannot be set together**

**Cause:** MEMORY\_TARGET/MEMORY\_MAX\_TARGET was set to a non-zero value and LOCK\_SGA was also set

**Action:** Do not set MEMORY\_TARGET or MAX\_MEMORY\_TARGET if LOCK\_SGA is set to TRUE.

---

---

## ORA-00910 to ORA-01497

**ORA-00910: specified length too long for its datatype**

**Cause:** for datatypes CHAR and RAW, the length specified was > 2000; otherwise, the length specified was > 4000.

**Action:** use a shorter length or switch to a datatype permitting a longer length such as a VARCHAR2, LONG CHAR, or LONG RAW

**ORA-00911: invalid character**

**Cause:** identifiers may not start with any ASCII character other than letters and numbers. \$#\_ are also allowed after the first character. Identifiers enclosed by doublequotes may contain any character other than a doublequote. Alternative quotes (q"#...#") cannot use spaces, tabs, or carriage returns as delimiters. For all other contexts, consult the SQL Language Reference Manual.

**Action:** None

**ORA-00912: input parameter too long**

**Cause:** one of your input strings was too long

**Action:** shorten the input parameter length

**ORA-00953: missing or invalid index name**

**Cause:** An index name of the form [ <identifier> . ] <identifier> is expected but not present. If OIDINDEX clause, index name must be <identifier>

**Action:** Enter an appropriate index name.

**ORA-00956: missing or invalid auditing option**

**Cause:** AUDIT or NOAUDIT statement contains an invalid auditing option.

**Action:** Use a valid option.

**ORA-00960: ambiguous column naming in select list**

**Cause:** A column name in the order-by list matches more than one select list columns.

**Action:** Remove duplicate column naming in select list.

**ORA-00962: too many group-by / order-by expressions**

**Cause:** The group-by or order-by column list contain more than 1000 expressions.

**Action:** Use 1000 or less expressions in the group-by or order-by list.

**ORA-00964: table name not in FROM list**

**Cause:** The table name referred in the select list is not specified in the from list.

---

**Action:** Make sure the name is correctly specified and matches one of the names in the from list.

**ORA-00965: column aliases not allowed for "\*"**

**Cause:** The statement is trying to alias the \* expression in the select list which is not legal.

**Action:** Remove the alias.

**ORA-00972: identifier is too long**

**Cause:** An identifier with more than 30 characters was specified.

**Action:** Specify at most 30 characters.

**ORA-00976: LEVEL, PRIOR, or ROWNUM not allowed here**

**Cause:** LEVEL, PRIOR, or ROWNUM is being specified at illegal location.

**Action:** Remove LEVEL, PRIOR, or ROWNUM.

**ORA-00977: duplicate auditing option**

**Cause:** AUDIT or NOAUDIT statement specifies an option more than once

**Action:** Either use ALL with no other auditing options or make sure no option is listed more than once.

**ORA-00980: synonym translation is no longer valid**

**Cause:** A synonym did not translate to a legal target object. This could happen for one of the following reasons:

1. The target schema does not exist.
2. The target object does not exist.
3. The synonym specifies an incorrect database link.
4. The synonym is not versioned but specifies a versioned target object.

**Action:** Change the synonym definition so that the synonym points at a legal target object.

**ORA-00981: cannot mix table and system auditing options**

**Cause:** Table and system-wide auditing options were specified in the same AUDIT or NOAUDIT statement.

**Action:** You must issue table and system options in separate statements.

**ORA-00983: cannot audit or noaudit SYS user actions**

**Cause:** An attempt was made to AUDIT or NOAUDIT SYS user actions.

**Action:** Execute the statement again with a valid user.

**ORA-00991: only MAC privileges may be granted to procedures**

**Cause:** Object privileges or non-MAC system privileges were granted to the procedure.

**Action:** Only grant MAC privileges using the PROCEDURE clause.

**ORA-01002: fetch out of sequence**

**Cause:** This error means that a fetch has been attempted from a cursor which is no longer valid. Note that a PL/SQL cursor loop implicitly does fetches, and thus may also cause this error. There are a number of possible causes for this error, including: 1) Fetching from a cursor after the last row has been retrieved and the ORA-1403 error returned. 2) If the cursor has been opened with the FOR UPDATE

---

clause, fetching after a COMMIT has been issued will return the error. 3) Rebinding any placeholders in the SQL statement, then issuing a fetch before reexecuting the statement.

**Action:** 1) Do not issue a fetch statement after the last row has been retrieved - there are no more rows to fetch. 2) Do not issue a COMMIT inside a fetch loop for a cursor that has been opened FOR UPDATE. 3) Reexecute the statement after rebinding, then attempt to fetch again.

**ORA-01010: invalid OCI operation**

**Cause:** One of the following: 1) You attempted an invalid OCI operation. 2) You are using an Oracle client application linked with version 7.1 (or higher) libraries, the environment variable ORA\_ENCRYPT\_LOGIN is set to TRUE, and you attempted to connect to a version 7.0 (or lower) Oracle Server. 3) You are connected to a version 7.1 (or higher) Oracle Server, the initialization parameter DBLINK\_ENCRYPT\_LOGIN is set to TRUE, and you attempted to use a database link pointing to a version 7.0 (or lower) Oracle Server. 4) You are connected to a version 9.0.2(or higher) Oracle Server and you attempted to use a database link pointing to a version 9.0.1(or lower) Oracle Server for distributed autonomous transaction.

**Action:** For the above causes: 1) Do not use the invalid OCI operation. 2) If you do not wish to use encrypted connect passwords in your distributed database, set ORA\_ENCRYPT\_LOGIN to FALSE. If you wish to use encrypted connect passwords, you must upgrade all Oracle Servers to version 7.1 (or higher). 3) If you do not wish to use encrypted database links in your distributed database, set DBLINK\_ENCRYPT\_LOGIN to FALSE. If you wish to use encrypted database links, you must upgrade all Oracle Servers to version 7.1 (or higher). 4) Do not attempt distributed autonomous transaction on version 9.0.1(or lower) Oracle Server.

**ORA-01016: This function can be called only after a fetch**

**Cause:** Cursor in an invalid state.

**Action:** Make sure that the oci/upi function is called after fetch.

**ORA-01019: unable to allocate memory in the user side**

**Cause:** The user side memory allocator returned error.

**Action:** Increase the processes heap size or switch to the old set of calls.

**ORA-01022: database operation not supported in this configuration**

**Cause:** The attempted database operation does not conform to the user programming interface (UPI) for the two communicating ORACLE servers.

**Action:** You may need to upgrade one or more of your ORACLE servers or re-link your user side application with new libraries. Report the problem to Worldwide Customer Support.

**ORA-01023: Cursor context not found (Invalid cursor number)**

**Cause:** The cursor number is not a valid open cursor.

**Action:** Make sure that the cursor is open.

**ORA-01025: UPI parameter out of range**

**Cause:** An integer parameter to a upi function is out of range.

**Action:** This usually indicates an error in a tool built on top of the oracle dbms. Report the error to your customer support representative.

---

**ORA-01026: multiple buffers of size > 4000 in the bind list**

**Cause:** More than one long buffer in the bind list.

**Action:** Change the buffer size to be less than 4000 for the bind variable bound to a normal column.

**ORA-01027: bind variables not allowed for data definition operations**

**Cause:** An attempt was made to use a bind variable in a SQL data definition operation.

**Action:** Such bind variables are not allowed.

**ORA-01028: internal two task error**

**Cause:** Received send long message but don't have the cursor context.

**Action:** Report as a bug.

**ORA-01029: internal two task error**

**Cause:** Received a request to send the long again when there is no long

**Action:** Report as a bug

**ORA-01030: SELECT ... INTO variable does not exist**

**Cause:** The SELECT... INTO specified in the bind call does not correspond to a variable in the SQL statement.

**Action:** If it is not possible to correct the statement, call customer support.

**ORA-01031: insufficient privileges**

**Cause:** An attempt was made to change the current username or password without the appropriate privilege. This error also occurs if attempting to install a database without the necessary operating system privileges. When Trusted Oracle is configure in DBMS MAC, this error may occur if the user was granted the necessary privilege at a higher label than the current login.

**Action:** Ask the database administrator to perform the operation or grant the required privileges. For Trusted Oracle users getting this error although granted the the appropriate privilege at a higher label, ask the database administrator to regrant the privilege at the appropriate label.

**ORA-01032: no such userid**

**Cause:** This is an internal error message related to Export/Import.

**Action:** Contact customer support.

**ORA-01033: ORACLE initialization or shutdown in progress**

**Cause:** An attempt was made to log on while Oracle is being started up or shutdown.

**Action:** Wait a few minutes. Then retry the operation.

**ORA-01034: ORACLE not available**

**Cause:** Oracle was not started up. Possible causes include the following:

- The SGA requires more space than was allocated for it.
- The operating-system variable pointing to the instance is improperly defined.

**Action:** Refer to accompanying messages for possible causes and correct the problem mentioned in the other messages. If Oracle has been initialized, then on some operating systems, verify that Oracle was linked correctly. See the platform specific Oracle documentation.

---

**ORA-01035: ORACLE only available to users with RESTRICTED SESSION privilege**

**Cause:** Logins are disallowed because an instance started in restricted mode. Only users with RESTRICTED SESSION system privilege can log on.

**Action:** Request that Oracle be restarted without the restricted option or obtain the RESTRICTED SESSION system privilege.

**ORA-01036: illegal variable name/number**

**Cause:** Unable to find bind context on user side

**Action:** Make sure that the variable being bound is in the sql statement.

**ORA-01037: maximum cursor memory exceeded**

**Cause:** Attempting to process a complex sql statement which consumed all available memory of the cursor.

**Action:** Simplify the complex sql statement.

**ORA-01038: cannot write database file version *string* with ORACLE version *string***

**Cause:** Attempting to write datafile headers in an old format. The new format can not be used until after the database has been verified as being compatible with this software version.

**Action:** Open the database to advance to the new file formats, then repeat the operation. If the operation is required before the database can be opened, then use the previous software release to do the operation.

**ORA-01039: insufficient privileges on underlying objects of the view**

**Cause:** Attempting to explain plan on other people's view without the necessary privileges on the underlying objects of the view.

**Action:** Get necessary privileges or do not perform the offending operation.

**ORA-01040: invalid character in password; logon denied**

**Cause:** There are multibyte characters in the password or some characters in the password are not in US7ASCII range.

**Action:** Resubmit password with valid characters.

**ORA-01041: internal error. hostdef extension doesn't exist**

**Cause:** Pointer to hstdef extension in hstdef is null.

**Action:** Report as a bug

**ORA-01042: detaching a session with open cursors not allowed**

**Cause:** An attempt was made to detach a session which had open cursors.

**Action:** Close all the cursors before detaching the session.

**ORA-01043: user side memory corruption [*string*], [*string*], [*string*], [*string*]**

**Cause:** The application code corrupted some of the user memory used by oracle

**Action:** Make sure that the application code is not overwriting memory.

**ORA-01044: size *string* of buffer bound to variable exceeds maximum *string***

**Cause:** An attempt was made to bind a buffer whose total size would exceed the maximum size allowed. Total array size for arrays is calculated as: (element\_size)\*(number of elements)

**Action:** Reduce buffer size.

- 
- ORA-01045: user *string* lacks CREATE SESSION privilege; logon denied**  
**Cause:** A connect was attempted to a userid which does not have create session privilege.  
**Action:** Grant the user CREATE SESSION privilege.
- ORA-01048: Couldn't find the specified procedure in the given context**  
**Cause:** The procedure user specified in deferred RPC doesn't exist.  
**Action:** Check to make sure that the procedure exists and is visible to the replication process.
- ORA-01049: Bind by name is not supported in streamed RPC**  
**Cause:** A newer version of server is talking with this version requesting an operation not supported in this version.  
**Action:** None
- ORA-01051: deferred rpc buffer format invalid**  
**Cause:** The deferred rpc data in sys.def\$\_call is corrupted.  
**Action:** Contact your customer support representative.
- ORA-01052: required destination LOG\_ARCHIVE\_DUPLEX\_DEST is not specified**  
**Cause:** A valid destination for parameter LOG\_ARCHIVE\_DUPLEX\_DEST was not specified when parameter LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST was set to two.  
**Action:** Either specify a value for parameter LOG\_ARCHIVE\_DUPLEX\_DEST, or reduce the value for parameter LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST to one.
- ORA-01055: Object datatypes not supported for bind or define in this mode**  
**Cause:** Bind or Define used for objects with an invalid mode  
**Action:** Change the mode.
- ORA-01058: internal New Upi interface error**  
**Cause:** Attempt to delete non existant hstdef extension.  
**Action:** Report as a bug.
- ORA-01059: parse expected before a bind or execute**  
**Cause:** The client application attempted to bind a variable or execute a cursor opened in a PL/SQL block before the statement was parsed.  
**Action:** Ensure the statement is parsed before a bind or execute.
- ORA-01060: array binds or executes not allowed**  
**Cause:** The client application attempted to bind an array of cursors or attempted to repeatedly execute against a PL/SQL block with a bind variable of type cursor.  
**Action:** Bind a single cursor or execute the PL/SQL block once.
- ORA-01061: cannot start up a V8 server using a V7 client application**  
**Cause:** You are using an Oracle client application linked with version 7 (or lower) libraries and you attempted to start up a V8 (or higher) server.  
**Action:** Use a client application linked with V8 (or higher) libraries.60
- ORA-01062: unable to allocate memory for define buffer**  
**Cause:** Exceeded the maximum buffer size for current platform

- 
- Action:** Use piecewise fetch with a smaller buffer size
- ORA-01070: Using an old version of Oracle for the server**  
**Cause:** Using pre 7.0.10.1 version of oracle for server  
**Action:** Upgrade server to post 7.0.10.1 version
- ORA-01071: cannot perform operation without starting up ORACLE**  
**Cause:** Obvious  
**Action:** None
- ORA-01072: cannot stop ORACLE; ORACLE not running**  
**Cause:** Obvious  
**Action:** None
- ORA-01073: fatal connection error: unrecognized call type**  
**Cause:** An illegal internal operation was attempted.  
**Action:** Contact your customer support representative.
- ORA-01074: cannot shut down ORACLE; inside a login session - log off first**  
**Cause:** Obvious  
**Action:** None
- ORA-01075: you are currently logged on**  
**Cause:** Attempt to login while logged in.  
**Action:** None
- ORA-01076: multiple logons per process not yet supported**  
**Cause:** Obvious  
**Action:** None
- ORA-01077: background process initialization failure**  
**Cause:** Failure during initialization of ORACLE background processes.  
**Action:** Further diagnostic information should be in the error stack or in the trace file.
- ORA-01078: failure in processing system parameters**  
**Cause:** Failure during processing of INIT.ORA parameters during system startup.  
**Action:** Further diagnostic information should be in the error stack.
- ORA-01079: ORACLE database was not properly created, operation aborted**  
**Cause:** There was an error when the database or control file was created.  
**Action:** s to recreate the database or a new control file.
- ORA-01080: error in shutting down ORACLE**  
**Cause:** Failure during system shutdown.  
**Action:** Further diagnostic information should be in the error stack.
- ORA-01081: cannot start already-running ORACLE - shut it down first**  
**Cause:** Obvious  
**Action:** None

---

**ORA-01082: "row\_locking = always" requires the transaction processing option**

**Cause:** "row\_locking = always" is specified in INIT.ORA file. This feature is not supported by ORACLE without the transaction processing option.

**Action:** Remove it from INIT.ORA file or set it to "default" or "intent".

**ORA-01083: value of parameter "string" is inconsistent with that of other instances**

**Cause:** The value of the given parameter is required to be the same for all instances in the cluster database configuration. ROW\_LOCKING and SERIALIZABLE are 2 examples.

**Action:** Change the value of the parameter in INIT.ORA file to match that of other cluster database instances.

**ORA-01084: invalid argument in OCI call**

**Cause:** The failing OCI call contains an argument with an invalid value.

**Action:** Use valid argument values. For more information, see the Programmer's Guide to the Oracle Call Interfaces and the appropriate programming language supplement.

**ORA-01085: preceding errors in deferred rpc to "string.string.string"**

**Cause:** Errors were encountered when the named procedure was executed as a deferred remoted procedure call.

**Action:** Correct the cause of the preceding errors.

**ORA-01086: savepoint "string" never established**

**Cause:** Trying to roll back to a save point that was never established.

**Action:** None

**ORA-01088: cannot shut down ORACLE while active processes exist**

**Cause:** Users are still logged into the instance.

**Action:** Either wait for all users to logoff or use SHUTDOWN IMMEDIATE.

**ORA-01089: immediate shutdown in progress - no operations are permitted**

**Cause:** The SHUTDOWN IMMEDIATE command was used to shut down a running ORACLE instance, so your operations have been terminated.

**Action:** Wait for the instance to be restarted, or contact your DBA.

**ORA-01090: shutdown in progress - connection is not permitted**

**Cause:** The SHUTDOWN command was used to shut down a running ORACLE instance, so you cannot connect to ORACLE.

**Action:** Wait for the instance to be restarted, or contact your DBA.

**ORA-01091: failure during startup force**

**Cause:** Unable to destroy the old SGA.

**Action:** Manually remove the old SGA and reissue the STARTUP command

**ORA-01092: ORACLE instance terminated. Disconnection forced**

**Cause:** The instance this process was connected to was terminated abnormally, probably via a shutdown abort. This process was forced to disconnect from the instance.

**Action:** Examine the alert log for more details. When the instance has been restarted, retry action.

---

**ORA-01093: ALTER DATABASE CLOSE only permitted with no sessions connected**

**Cause:** There is at least one more session other than the current one logged into the instance. ALTER DATABASE CLOSE is not permitted.

**Action:** Find the other sessions and log them out and resubmit the command

**ORA-01095: DML statement processed zero rows**

**Cause:** During a call to OTEXT, an update, delete, or insert statement being executed processed zero rows. The execution of statements by OTEXT was halted at this point.

**Action:** None

**ORA-01096: program version (*string*) incompatible with instance (*string*)**

**Cause:** A program is trying to connect to an instance using a different version of code than the database was started with. This is not allowed.

**Action:** Either relink the program with the same version as the database or restart the database using the old version of code.

**ORA-01097: cannot shutdown while in a transaction - commit or rollback first**

**Cause:** Obvious

**Action:** None

**ORA-01099: cannot mount database in SHARED mode if started in single process mode**

**Cause:** Obvious

**Action:** None

**ORA-01100: database already mounted**

**Cause:** A database is already mounted in this instance.

**Action:** None

**ORA-01101: database being created currently mounted by some other instance**

**Cause:** Some other instance has the database of same name currently mounted and you are trying to create it.

**Action:** Either change the database name or shutdown the other instance.

**ORA-01102: cannot mount database in EXCLUSIVE mode**

**Cause:** Some other instance has the database mounted exclusive or shared.

**Action:** Shutdown other instance or mount in a compatible mode.

**ORA-01103: database name "*string*" in control file is not "*string*"**

**Cause:** The database name in the control file does not match your database name.

**Action:** Either find the correct control file or change your database name.

**ORA-01104: number of control files (*string*) does not equal *string***

**Cause:** The number of control files used by this instance disagrees with the number of control files in an existing instance.

**Action:** Check to make sure that all control files are listed.

**ORA-01105: mount is incompatible with mounts by other instances**

**Cause:** An attempt to mount the database discovered that another instance mounted a database by the same name, but the mount is not compatible. Additional errors are reported explaining why.

---

**Action:** See accompanying errors.

**ORA-01106: database must be closed before dismounting**

**Cause:** Obvious

**Action:** None

**ORA-01107: database must be mounted for media recovery**

**Cause:** An attempt to perform media recovery was made but the database is not mounted.

**Action:** Mount the database.

**ORA-01108: file *string* is in backup or media recovery**

**Cause:** Either media recovery is actively being applied to the file, or it is being backed up while the database is in NOARCHIVELOG mode. It cannot be used for normal database access or crash recovery.

**Action:** Complete or cancel the media recovery session or backup.

**ORA-01109: database not open**

**Cause:** A command was attempted that requires the database to be open.

**Action:** Open the database and try the command again

**ORA-01110: data file *string*: "*string*"**

**Cause:** Reporting file name for details of another error

**Action:** See associated error message

**ORA-01111: name for data file *string* is unknown - rename to correct file**

**Cause:** The data file was missing from a CREATE CONTROLFILE command or backup control file recovery was done with a control file that was saved before the file was created.

**Action:** Rename the MISSING file to the name of the real file.

**ORA-01112: media recovery not started**

**Cause:** An attempt to continue media recovery is being made but media recovery was not started.

**Action:** None

**ORA-01113: file *string* needs media recovery**

**Cause:** An attempt was made to online or open a database with a file that is in need of media recovery.

**Action:** First apply media recovery to the file.

**ORA-01114: IO error writing block to file *string* (block # *string*)**

**Cause:** The device on which the file resides is probably offline. If the file is a temporary file, then it is also possible that the device has run out of space. This could happen because disk space of temporary files is not necessarily allocated at file creation time.

**Action:** Restore access to the device or remove unnecessary files to free up space.

**ORA-01115: IO error reading block from file *string* (block # *string*)**

**Cause:** Device on which the file resides is probably offline

**Action:** Restore access to the device

---

**ORA-01116: error in opening database file *string***

**Cause:** Usually the file is not accessible.

**Action:** Restore the database file.

**ORA-01117: adding file "*string*" with illegal block size: *string*; limit is *string***

**Cause:** An attempt was made to add a database file with a block size that is greater than the maximum block size allowed.

**Action:** Retry the DDL command with a smaller block size.

**ORA-01118: cannot add any more database files: limit of *string* exceeded**

**Cause:** There is no more room in the control file for adding database files.

**Action:** Resize the control file or drop other tablespaces.

**ORA-01119: error in creating database file "*string*"**

**Cause:** Usually due to not having enough space on the device.

**Action:** None

**ORA-01120: cannot remove online database file *string***

**Cause:** Attempting to drop a datafile when it is online

**Action:** Take file offline before dropping.

**ORA-01121: cannot rename database file *string* - file is in use or recovery**

**Cause:** Attempted to use ALTER DATABASE RENAME to rename a datafile that is online in an open instance or is being recovered.

**Action:** Close database in all instances and end all recovery sessions.

**ORA-01122: database file *string* failed verification check**

**Cause:** The information in this file is inconsistent with information from the control file. See accompanying message for reason.

**Action:** Make certain that the db files and control files are the correct files for this database.

**ORA-01123: cannot start online backup; media recovery not enabled**

**Cause:** An attempt to start backup of an on-line tablespace failed because media recovery is not enabled.

**Action:** Enable media recovery and retry this operation.

**ORA-01124: cannot recover data file *string* - file is in use or recovery**

**Cause:** An attempt to do media recovery found that the file was not available for recovery. Either it is online and the database is open in some instance, or another process is currently doing media recovery on the file.

**Action:** Do not do media recovery.

**ORA-01125: cannot disable media recovery - file *string* has online backup set**

**Cause:** An attempt to disable media recovery found that an online backup is still in progress.

**Action:** End the backup of the offending tablespace and retry this command.

**ORA-01126: database must be mounted in this instance and not open in any instance**

**Cause:** Obvious

---

**Action:** None

**ORA-01127: database name "*string*" exceeds size limit of *string* characters**

**Cause:** Obvious

**Action:** None

**ORA-01128: cannot start online backup - file *string* is offline**

**Cause:** An attempt to start an online backup found that one of the files is offline.

**Action:** Bring the offending files online and retry this command or do a cold backup.

**ORA-01129: user's default or temporary tablespace does not exist**

**Cause:** The user's default or temporary tablespace was dropped.

**Action:** Reassign the default or temporary tablespace.

**ORA-01135: file *string* accessed for DML/query is offline**

**Cause:** Attempted to access a data file that is offline

**Action:** Bring the data file back online

**ORA-01136: specified size of file *string* (*string* blocks) is less than original size of *string* blocks**

**Cause:** A file size was specified in the AS clause of ALTER DATABASE CREATE DATAFILE, and the size was smaller than the size needed

**Action:** Create the file with a larger size.

**ORA-01137: data file *string* is still in the middle of going offline**

**Cause:** It was not possible to get the lock for a file that is offline when attempting to bring it online. The most likely cause is that the lock is still held by the instance that is taking it offline.

**Action:** Wait a bit and try to online the file again.

**ORA-01138: database must either be open in this instance or not at all**

**Cause:** The requested operation can not be done when the database is mounted but not open in this instance, and another instance has the database open.

**Action:** Execute the operation in an open instance, open the database in this instance, or close the database in the other instances.

**ORA-01139: RESETLOGS option only valid after an incomplete database recovery**

**Cause:** The RESETLOGS option was given in ALTER DATABASE OPEN, but there has been no incomplete recovery session.

**Action:** Retry the ALTER DATABASE OPEN without specifying RESETLOGS

**ORA-01140: cannot end online backup - all files are offline or readonly**

**Cause:** All the files were found to be offline or readonly when attempting to end an online backup.

**Action:** None. Online backup does not need to be ended for this tablespace.

**ORA-01141: error renaming data file *string* - new file "*string*" not found**

**Cause:** An attempt to change a data file's name in the control file failed because no file was found with the new name.

**Action:** Make sure that the data file has been properly renamed by the operating system and retry.

---

**ORA-01142: cannot end online backup - none of the files are in backup**

**Cause:** None of the files were found to be in online backup when attempting to end an online backup.

**Action:** None. Online backup does not need to be ended for this tablespace.

**ORA-01143: cannot disable media recovery - file *string* needs media recovery**

**Cause:** An attempt to disable media recovery found a file that needs media recovery, thus media recovery cannot be disabled.

**Action:** Recover the offending file or drop the tablespace it belongs to and retry this command.

**ORA-01144: File size (*string* blocks) exceeds maximum of *string* blocks**

**Cause:** Specified file size is larger than maximum allowable size value.

**Action:** Specify a smaller size.

**ORA-01145: offline immediate disallowed unless media recovery enabled**

**Cause:** ALTER TABLESPACE ... OFFLINE IMMEDIATE or ALTER DATABASE DATAFILE ... OFFLINE is only allowed if database is in ARCHIVELOG mode.

**Action:** Take tablespace offline normally or shutdown abort. Reconsider your backup strategy. You could do this if you were archiving your logs.

**ORA-01146: cannot start online backup - file *string* is already in backup**

**Cause:** When starting an online backup it was noticed that an online backup was already started for one of the data files.

**Action:** End the first backup before beginning another.

**ORA-01147: SYSTEM tablespace file *string* is offline**

**Cause:** A file belonging to the SYSTEM tablespace has been marked offline by the DBA. The database cannot be started until all SYSTEM tablespace files are online and openable.

**Action:** Bring the file online.

**ORA-01148: cannot refresh file size for datafile *string***

**Cause:** An operating system or device error occurred when retrieving the file's size. The device on which the file resides may have been offline.

**Action:** Restore access to the device.

**ORA-01149: cannot shutdown - file *string* has online backup set**

**Cause:** An attempt to shutdown normally found that an online backup is still in progress.

**Action:** End the backup of the offending tablespace and retry this command.

**ORA-01150: cannot prevent writes - file *string* has online backup set**

**Cause:** An attempt to make a tablespace read only or offline normal found that an online backup is still in progress. It will be necessary to write the file header to end the backup, but that would not be allowed if this command succeeded.

**Action:** End the backup of the offending tablespace and retry this command.

**ORA-01151: use media recovery to recover block, restore backup if needed**

**Cause:** Error 1172 occurred.

**Action:** This is additional information for error 1172.

---

**ORA-01152: file *string* was not restored from a sufficiently old backup**

**Cause:** An incomplete recovery session was started, but an insufficient number of logs were applied to make the database consistent. This file is still in the future of the last log applied. The most likely cause of this error is forgetting to restore the file from a backup before doing incomplete recovery.

**Action:** Either apply more logs until the database is consistent or restore the database file from an older backup and repeat recovery.

**ORA-01153: an incompatible media recovery is active**

**Cause:** Attempted to start an incompatible media recovery or open resetlogs during media recovery or RMAN backup . Media recovery sessions are incompatible if they attempt to recover the same data file. Incomplete media recovery or open resetlogs is incompatible with any media recovery. Backup or restore by RMAN is incompatible with open resetlogs

**Action:** Complete or cancel the other media recovery session or RMAN backup

**ORA-01154: database busy. Open, close, mount, and dismount not allowed now**

**Cause:** Some operation is in progress that expects the opened/mounted state of this instance to remain the same.

**Action:** Wait for the operation to complete then retry. If attempting to do a shutdown, SHUTDOWN ABORT will work. If this is a shutdown of a standby database that is operating in NO DATA LOSS mode, you must shutdown the primary database first.

**ORA-01155: the database is being opened, closed, mounted or dismounted**

**Cause:** The requested operation needs the instance to be in a particular state but the state is being changed.

**Action:** Wait for the open, close, mount, or dismount to complete then retry the operation. If necessary, a SHUTDOWN ABORT will always work.

**ORA-01156: recovery in progress may need access to files**

**Cause:** Either media recovery or instance recovery is in progress. It may need the files this operation is being applied to.

**Action:** Wait for recovery to complete.

**ORA-01157: cannot identify/lock data file *string* - see DBWR trace file**

**Cause:** The background process was either unable to find one of the data files or failed to lock it because the file was already in use. The database will prohibit access to this file but other files will be unaffected. However the first instance to open the database will need to access all online data files. Accompanying error from the operating system describes why the file could not be identified.

**Action:** Have operating system make file available to database. Then either open the database or do ALTER SYSTEM CHECK DATAFILES.

**ORA-01158: database *string* already mounted**

**Cause:** Another instance has a database by this name mounted.

**Action:** Find which instance is still running. Perhaps you have not lost the control files after all.

**ORA-01159: file is not from same database as previous files - wrong database id**

**Cause:** Not all of the files specified in CREATE CONTROLFILE are from the same database. The database ID of this file does not match that from the first file specified.

---

**Action:** Please double check the list of files provided to the CREATE

**ORA-01160: file is not a *string***

**Cause:** The named file in the DATAFILE or LOGFILE section of the CREATE CONTROLFILE command does not appear to be as stated.

**Action:** Please double check the mentioned file.

**ORA-01161: database name *string* in file header does not match given name of *string***

**Cause:** The database name given at the command line does not match the database name found in the file header.

**Action:** Chance are good that the database name specified at the command line is incorrect. Resolve the discrepancy, and resubmit the command. If you are attempting to change the database name, be sure to use the SET DATABASE option.

**ORA-01162: block size *string* in file header does not match configured block sizes**

**Cause:** CREATE CONTROLFILE discovered that the block size for this file is incompatible with any of the configured cache block sizes in the INIT.ORA file.

**Action:** Configure the appropriate cache for this block size using one of the various (db\_2k\_cache\_size, db\_4k\_cache\_size, db\_8k\_cache\_size, db\_16k\_cache\_size, db\_32K\_cache\_size) parameters.

**ORA-01163: SIZE clause indicates *string* (blocks), but should match header *string***

**Cause:** The size specified in bytes in the SIZE clause of the CREATE CONTROLFILE statement does not equate to the number of blocks recorded in the header.

**Action:** Specify the correct filename and size ( in bytes ).

**ORA-01164: MAXLOGFILES may not exceed *string***

**Cause:** MAXLOGFILES specified on the command line too large.

**Action:** Resubmit the command with a smaller MAXLOGFILES

**ORA-01165: MAXDATAFILES may not exceed *string***

**Cause:** MAXDATAFILES specified on the command line too large.

**Action:** Resubmit the command with a smaller MAXDATAFILES

**ORA-01166: file number *string* is larger than *string* (*string*)**

**Cause:** File mentioned in CREATE CONTROLFILE has a file number which is larger than that specified for MAXDATAFILES or MAXLOGFILES.

**Action:** Increase the maximum specified on the command line.

**ORA-01167: two files are the same file/group number or the same file**

**Cause:** There is an overlap of file numbers in the files specified on the command line or the same file is specified twice. If they are not the exact same file then one is likely to be a backup of the other. If they are two members of the same log they must be specified together in a group file spec. This message will also appear if the same control file appears more than once in the control\_files parameter in the init.ora file. If this happens, check for additional error messages.

**Action:** Confirm that the file mentioned is not a repeat of a file already mentioned in the command. If they are different files then omit the earlier backup. If they are members of the same log, insure they are in the same group file specification. If this message appears because of a duplicate control file, check the control\_files parameter in the init.ora file and see if a file is specified more than once. If all files

---

names appear to be unique, check to make sure that the actual control files themselves are unique. For example, in UNIX check for a symbolic or a hard link to another control file in the list.

**ORA-01168: physical block size *string* does not match size *string* of other members**

**Cause:** The file is located on a device with a different physical block size than the other members in the group

**Action:** Use a physical device with matching block size.

**ORA-01169: DATAFILE number 1 not found. Must be present**

**Cause:** Datafile number 1 was not specified in a CREATE CONTROLFILE command.

**Action:** Locate datafile number 1 and resubmit the CREATE CONTROLFILE command.

**ORA-01170: file not found "*string*"**

**Cause:** ALL datafiles and, if NORESETLOGS, ALL logfiles MUST be accessible by the process for CREATE CONTROLFILE.

**Action:** The file specified probably contains a typing error. Double check command and the existence of all files and then resubmit.

**ORA-01171: datafile *string* going offline due to error advancing checkpoint**

**Cause:** The checkpoint in the file header could not be advanced. See accompanying errors for the reason. The datafile will be taken offline the same as for a write error of a data block.

**Action:** See accompanying errors for details. Restore access to the file, do media recovery, and bring it back online.

**ORA-01172: recovery of thread *string* stuck at block *string* of file *string***

**Cause:** Crash recovery or instance recovery could not apply a change to a block because it was not the next change. This can happen if the block was corrupted and then repaired during recovery.

**Action:** Do a RECOVER DATAFILE for the file containing the block. If this does not resolve the problem then restore the file from a backup and recover it.

**ORA-01173: data dictionary indicates missing data file from system tablespace**

**Cause:** Either the database has been recovered to a point in time in the future of the control file or a datafile from the system tablespace was omitted from the create control file command previously issued.

**Action:** For the former problem you need to recover the database from a more recent control file. For the latter problem, simply recreate the control file checking to be sure that you include all the datafiles in the system tablespace.

**ORA-01174: DB\_FILES is *string* but needs to be *string* to be compatible**

**Cause:** The maximum number of database files supported by this instance is not the same as for the other instances. All instances must be able to open all the files any instance can open.

**Action:** Change the value of the DB\_FILES parameter to be compatible

**ORA-01175: data dictionary has more than the *string* files allowed by the instance**

**Cause:** The data dictionary is found to have more files than that which can be supported by this instance.

**Action:** Shutdown the instance and restart with a larger number of db\_files

---

**ORA-01176: data dictionary has more than the *string* files allowed by the controlfile**

**Cause:** After a CREATE CONTROLFILE, the data dictionary was found to have more datafiles than that supported by the control file.

**Action:** Recreate the control file with a larger MAXDATAFILES.

**ORA-01177: data file does not match dictionary - probably old incarnation**

**Cause:** When comparing the control file with the data dictionary after a CREATE CONTROLFILE or OPEN RESETLOGS, it was noted that this datafile was inconsistent with the dictionary. Most likely the file is a backup of a file that was dropped from the database, and the same file number was reused for a new file. It may also be that an incomplete recovery stopped at a time when this file number was used for another datafile.

**Action:** Do a CREATE CONTROLFILE with the correct file or none at all.

**ORA-01178: file *string* created before last CREATE CONTROLFILE, cannot recreate**

**Cause:** Attempted to use ALTER DATABASE CREATE DATAFILE to recreate a datafile that existed at the last CREATE CONTROLFILE command. The information needed to recreate the file was lost with the control file that existed when the file was added to the database.

**Action:** Find a backup of the file, and recover it. Do incomplete recovery to time before file was originally created.

**ORA-01179: file *string* does not exist**

**Cause:** During datafile recovery, a file was listed which was not part for the database.

**Action:** Recheck the datafile name. Remember to use double quotes at the SQLDBA command line and remember that the file name is translated in the environment of the SQLDBA.

**ORA-01180: can not create datafile 1**

**Cause:** Attempting to create datafile 1 using ALTER DATABASE CREATE DATAFILE.

**Action:** Recover file from a backup or recreate database.

**ORA-01181: file *string* created before last known RESETLOGS, cannot recreate**

**Cause:** Attempted to use ALTER DATABASE CREATE DATAFILE to recreate a datafile that existed before the last known RESETLOGS.

**Action:** Find a backup of the file, and recover it. Do incomplete recovery to time before file was originally created.

**ORA-01182: cannot create database file *string* - file is in use or recovery**

**Cause:** Attempted to use ALTER DATABASE CREATE DATAFILE to recreate a datafile that is online in an open instance or is being recovered.

**Action:** Close database in all instances and end all recovery sessions

**ORA-01183: cannot mount database in SHARED mode**

**Cause:** Some other instance has the database mounted exclusive.

**Action:** Shutdown other instance then mount shared.

**ORA-01184: logfile group *string* already exists**

**Cause:** An ALTER DATABASE ADD LOGFILE command specified a log number for the new log which is already in use.

---

**Action:** Specify a different logfile number, or let the database choose an unused value.

**ORA-01185: logfile group number *string* is invalid**

**Cause:** An ALTER DATABASE ADD LOGFILE command specified a log number for the new log which is too large.

**Action:** Specify a correct logfile number.

**ORA-01186: file *string* failed verification tests**

**Cause:** The data file did not pass the checks to insure it is part of the database. See the accompanying error messages for the reason the verification failed.

**Action:** Make the correct file available to the database. Then, either open the database, or execute ALTER SYSTEM CHECK DATAFILES.

**ORA-01187: cannot read from file *string* because it failed verification tests**

**Cause:** The data file did not pass the checks to insure it is part of the database. Reads are not allowed until it is verified.

**Action:** Make the correct file available to the database. Then, either open the database, or execute ALTER SYSTEM CHECK DATAFILES.

**ORA-01188: Block size *string* in header does not match physical block size *string***

**Cause:** A log file member given to CREATE CONTROLFILE is on a physical device that has a different block size than the device originally used to create the log.

**Action:** Move the file to a device with the correct block size or use the RESETLOGS option to CREATE CONTROLFILE.

**ORA-01189: file is from a different RESETLOGS than previous files**

**Cause:** In a CREATE CONTROLFILE command either this file or all previous files were backups from before the last RESETLOGS. This may also occur if this is a file that is offline and has been offline since before the last RESETLOGS.

**Action:** If the file was taken offline normal before the last RESETLOGS, and is still offline, omit it from the CREATE CONTROLFILE command. Rename and online the file after the database is open. Otherwise find the version of the mentioned file consistent with the rest of the datafiles and resubmit the command.

**ORA-01190: control file or data file *string* is from before the last RESETLOGS**

**Cause:** Attempting to use a data file when the log reset information in the file does not match the control file. Either the data file or the control file is a backup that was made before the most recent ALTER DATABASE OPEN RESETLOGS.

**Action:** Restore file from a more recent backup.

**ORA-01191: file *string* is already offline - cannot do a normal offline**

**Cause:** When attempting to do a normal tablespace offline it was discovered that one of the files in the tablespace was already offline.

**Action:** Either bring the datafile online first, or use another tablespace offline option.

**ORA-01192: must have at least one enabled thread**

**Cause:** You must specify at least two logfiles from at least one thread at the create controlfile command line.

**Action:** Find the missing logfiles and resubmit the command with the newly found logfiles included in the command line.

---

**ORA-01193: file *string* is not the same file seen at start of recovery**

**Cause:** A different copy of the file was accessed the last time media recovery looked at the file header. A backup of the file was restored or the meaning of the file name changed during recovery.

**Action:** Ensure the correct file is available, then retry recovery.

**ORA-01194: file *string* needs more recovery to be consistent**

**Cause:** An incomplete recovery session was started, but an insufficient number of logs were applied to make the file consistent. The reported file was not closed cleanly when it was last opened by the database. It must be recovered to a time when it was not being updated. The most likely cause of this error is forgetting to restore the file from a backup before doing incomplete recovery.

**Action:** Either apply more logs until the file is consistent or restore the file from an older backup and repeat recovery.

**ORA-01195: online backup of file *string* needs more recovery to be consistent**

**Cause:** An incomplete recovery session was started, but an insufficient number of logs were applied to make the file consistent. The reported file is an online backup which must be recovered to the time the backup ended.

**Action:** Either apply more logs until the file is consistent or restore the database files from an older backup and repeat recovery.

**ORA-01196: file *string* is inconsistent due to a failed media recovery session**

**Cause:** The file was being recovered but the recovery did not terminate normally. This left the file in an inconsistent state. No more recovery was successfully completed on this file.

**Action:** Either apply more logs until the file is consistent or restore the backup again and repeat recovery.

**ORA-01197: thread *string* only contains one log**

**Cause:** During CREATE CONTROLFILE all threads represented in the logs must be represented by at least two logs. A "last log" and a second log. The named thread does not contain two such logs.

**Action:** Either find more logs from the named thread. Or use the RESETLOGS option to CREATE CONTROLFILE.

**ORA-01198: must specify size for log file if RESETLOGS**

**Cause:** File sizes must be given for all logfiles if doing a CREATE CONTROLFILE with the RESETLOGS option.

**Action:** Resubmit the command with the appropriate logfile size.

**ORA-01199: file *string* is not in online backup mode**

**Cause:** Attempting to end an online backup for a file that is not in online backup.

**Action:** Do not enter command since it is not needed.

**ORA-01200: actual file size of *string* is smaller than correct size of *string* blocks**

**Cause:** The size of the file as returned by the operating system is smaller than the size of the file as indicated in the file header and the control file. Somehow the file has been truncated. Maybe it is the result of a half completed copy.

**Action:** Restore a good copy of the data file and do recovery as needed.

**ORA-01201: file *string* header failed to write correctly**

---

**Cause:** An I/O error was reported for the file header. The error was trapped and a second attempt will be made.

**Action:** The file probably will require recovery. Further error messages will indicate what is needed.

**ORA-01202: wrong incarnation of this file - wrong creation time**

**Cause:** The creation time in the file header is not the same as the creation time in the control file. This is probably a copy of a file that was dropped.

**Action:** Restore a current copy of the data file and do recovery as needed.

**ORA-01203: wrong incarnation of this file - wrong creation SCN**

**Cause:** The creation SCN in the file header is not the same as the creation SCN in the control file. This is probably a copy of a file that was dropped.

**Action:** Restore a current copy of the data file and do recovery as needed.

**ORA-01204: file number is *string* rather than *string* - wrong file**

**Cause:** The file number in the file header is not correct. This is probably a restored backup of the wrong file, but from the same database.

**Action:** Restore a copy of the correct data file and do recovery as needed.

**ORA-01205: not a data file - type number in header is *string***

**Cause:** The file type in the header is not correct for a data file. This is probably a log file or control file. If the type is not a small non-zero positive number then the header is corrupted.

**Action:** Restore a copy of the correct data file and do recovery as needed.

**ORA-01206: file is not part of this database - wrong database id**

**Cause:** The database ID in the file header does not match the database id in the control file. The file may be from a different database, or it may not be a database file at all. If the database was rebuilt, this may be a file from before the rebuild. Note that if you see this error when the file is supposed to be plugged in from another database via the Transportable Tablespace feature, it means the database ID in the file header does not match the one expected.

**Action:** Restore a copy of the correct data file and do recovery as needed.

**ORA-01207: file is more recent than control file - old control file**

**Cause:** The control file change sequence number in the data file is greater than the number in the control file. This implies that the wrong control file is being used. Note that repeatedly causing this error can make it stop happening without correcting the real problem. Every attempt to open the database will advance the control file change sequence number until it is great enough.

**Action:** Use the current control file or do backup control file recovery to make the control file current. Be sure to follow all restrictions on doing a backup control file recovery.

**ORA-01208: data file is an old version - not accessing current version**

**Cause:** The checkpoint in the file header is less recent than in the control file. If opening a database that is already open by another instance, or if another instance just brought this file online, the file accessed by this instance is probably a different version. Otherwise, a backup of the file probably was restored while the file was in use.

**Action:** Make the correct file available to the database. Then, either open the database, or execute ALTER SYSTEM CHECK DATAFILES.

---

**ORA-01209: data file is from before the last RESETLOGS**

**Cause:** The reset log data in the file header does not match the control file. If the database is closed or the file is offline, the backup is old because it was taken before the last ALTER DATABASE OPEN RESETLOGS command. If opening a database that is open already by another instance, or if another instance just brought this file online, the file accessed by this instance is probably a different version. Otherwise, a backup of the file probably was restored while the file was in use.

**Action:** Make the correct file available to the database. Then, either open the database, or execute ALTER SYSTEM CHECK DATAFILES.

**ORA-01210: data file header is media corrupt**

**Cause:** The file header block is internally inconsistent. The beginning of the block has a header with a checksum and other data for insuring the consistency of the block. It is possible that the last disk write did not operate correctly. The most likely problem is that this is not a datafile for any database.

**Action:** Have operating system make correct file available to database. If the trace file dump indicates that only the checksum is wrong, restore from a backup and do media recovery.

**ORA-01211: Oracle7 data file is not from migration to Oracle8**

**Cause:** The file is not a copy of the file LAST used under Oracle7. This datafile is either a backup taken from before the migration, or the database was opened by Oracle7 after the migration utility was run. When converting a database from Oracle7 to Oracle8, the migration program MUST be the LAST utility to access the database under Oracle7. Only the datafiles that were current when the migration was done may be accessed by Oracle8.

**Action:** Have operating system make correct data file available to database, or repeat the Oracle7 to Oracle8 migration. Make sure that database is NOT opened after migration utility is run.

**ORA-01212: MAXLOGMEMBERS may not exceed *string***

**Cause:** MAXLOGMEMBERS specified on the command line too large.

**Action:** Resubmit the command with a smaller MAXLOGMEMBERS

**ORA-01213: MAXINSTANCES may not exceed *string***

**Cause:** MAXINSTANCES specified on the command line too large.

**Action:** Resubmit the command with a smaller MAXINSTANCES

**ORA-01214: MAXLOGHISTORY may not exceed *string***

**Cause:** MAXLOGHISTORY specified on the command line too large.

**Action:** Resubmit the command with a smaller MAXLOGHISTORY

**ORA-01215: enabled thread *string* is missing after CREATE CONTROLFILE**

**Cause:** A CREATE CONTROLFILE statement was given which did not list all the enabled threads for the database.

**Action:** Reissue the CREATE CONTROLFILE statement, including all enabled threads.

**ORA-01216: thread *string* is expected to be disabled after CREATE CONTROLFILE**

**Cause:** A thread that was given during CREATE CONTROLFILE is enabled, but the datafiles indicate that it should be disabled. This is probably because the logs

---

supplied to the CREATE CONTROLFILE are old (from before the disabling of the thread).

**Action:** This thread is not required to run the database. The CREATE CONTROLFILE statement can be reissued without the problem thread, and, if desired, the thread can be recreated after the database is open.

**ORA-01217: logfile member belongs to a different logfile group**

**Cause:** A member of a multiple-member logfile group specified in a CREATE CONTROLFILE is not part of the same group as previous members.

**Action:** Group together the correct members for the CREATE CONTROLFILE command.

**ORA-01218: logfile member is not from the same point-in-time**

**Cause:** A member of a multiple-member logfile group is from a different point in time. One of the members specified may be an older (backup) copy of the log.

**Action:** Find the correct version of the log, or leave it out of the CREATE CONTROLFILE command.

**ORA-01219: database not open: queries allowed on fixed tables/views only**

**Cause:** A query was issued against an object not recognized as a fixed table or fixed view before the database has been opened.

**Action:** Re-phrase the query to include only fixed objects, or open the database.

**ORA-01220: file based sort illegal before database is open**

**Cause:** A query issued against a fixed table or view required a temporary segment for sorting before the database was open. Only in-memory sorts are supported before the database is open.

**Action:** Re-phrase the query to avoid a large sort, increase the values of the SORT\_AREA\_SIZE and/or SORT\_AREA\_RETAINED\_SIZE initialization parameters to enable the sort to be done in memory.

**ORA-01221: data file *string* is not the same file to a background process**

**Cause:** When the database writer opens the data file, it is accessing a different physical file than the foreground doing the recovery. The timestamp set in the file header by the foreground was not found by the background. It may be that the background process could not read the file at all.

**Action:** Look in the DBWR trace file for the error it received when attempting to read the file header. Reconfigure the operating system as needed to have the file name successfully access the same file when opened by a background process.

**ORA-01222: MAXINSTANCES of *string* requires MAXLOGFILES be at least *string*, not *string***

**Cause:** Attempting to create a database or control file that does not have room for at least two logs per thread of redo. A thread of redo must have two online logs in order to be enabled. It does not make sense to allow more redo threads than can be supported by the logs.

**Action:** Either reduce the MAXINSTANCES argument or increase MAXLOGFILES.

**ORA-01223: RESETLOGS must be specified to set a new database name**

**Cause:** The SET database name option was specified to CREATE CONTROLFILE, but RESETLOGS was not specified. The database name can only be changed when opening the database with RESETLOGS.

---

**Action:** Either add the RESETLOGS option or drop the SET option to CREATE CONTROLFILE.

**ORA-01224: group number in header *string* does not match GROUP *string***

**Cause:** Group number specified at CREATE CONTROLFILE does not match the group number stored in the header. Most likely the specification is wrong.

**Action:** Omit the GROUP option or give the correct one.

**ORA-01225: thread number *string* is greater than MAXINSTANCES *string***

**Cause:** The log is for a thread greater than the MAXINSTANCES argument.

**Action:** Increase the value for MAXINSTANCES and resubmit the command.

**ORA-01226: file header of log member is inconsistent with other members**

**Cause:** The log file member in the accompanying error is for the same group as the previous members, but other fields in the header are different. Either a file header is corrupted, or some file is a member of a deleted log.

**Action:** Find the correct log member or omit this member from the command.

**ORA-01227: log *string* is inconsistent with other logs**

**Cause:** The log file in the accompanying error is inconsistent with the contents of other logs given in the CREATE CONTROLFILE command. Either a file header is corrupted, or some file is an old copy rather than the current version. The problem may not be with the log listed since all that can be detected is that there is an inconsistency. All log files listed in the command must be the current versions of the online logs.

**Action:** Find the correct online logs or use the RESETLOGS option.

**ORA-01228: SET DATABASE option required to install seed database**

**Cause:** The SET DATABASE option was not included in the CREATE CONTROLFILE command when installing a seed database. The database does not have a database ID because it is intended to be installed at multiple sites, and each site needs to be a different database with its own database id. Both the SET DATABASE and RESETLOGS options must be specified to create the control file for this database.

**Action:** Resubmit command with the SET DATABASE and RESETLOGS options.

**ORA-01229: data file *string* is inconsistent with logs**

**Cause:** The data file in the accompanying error is inconsistent with the contents of the logs given in the CREATE CONTROLFILE command. The most likely cause is that one or more of the online logs was missing from the command. It is also possible that one or more of the logs is an old copy rather than the current version. All online log files must be listed in the command and must be the current versions of the online logs.

**Action:** Find the correct online logs or use the RESETLOGS option.

**ORA-01230: cannot make read only - file *string* is offline**

**Cause:** An attempt to make a tablespace read only found that one of its files is offline.

**Action:** Bring the file online and retry this command.

**ORA-01231: cannot make read write - file *string* is offline**

**Cause:** An attempt to make a tablespace read write found that one of its files is offline.

---

**Action:** Bring the file online and retry this command.

**ORA-01232: cannot start online backup - file *string* is being made read-only**

**Cause:** An attempt to start an online backup found that one of the files is in transition to read-only mode.

**Action:** Wait for the transition to complete and then retry the command, if this is an ALTER DATABASE BEGIN BACKUP command, or take the backup without any begin or end commands, if this is an ALTER TABLESPACE BEGIN BACKUP command.

**ORA-01233: file *string* is read only - cannot recover using backup control file**

**Cause:** An attempt to do media recovery using a backup control file found that one of the files is marked read only. Read only files do not normally need to be recovered, but recovery with a backup control file must recover all online files.

**Action:** If the file really is read only, take it offline before the recovery, and bring the read only tablespace online after the database is open. If the file does need recovery use a control file from the time the file was read-write. If the correct control file is not available, use CREATE CONTROLFILE to make one.

**ORA-01234: cannot end backup of file *string* - file is in use or recovery**

**Cause:** Attempted to end an online backup of file when the file is busy. Some operation such as recovery or rename may be active, or there may still be some instance that has the database open with this file online.

**Action:** If there is an instance with the database open then the backup can be ended there by using the ALTER TABLESPACE command. Otherwise wait for the completion of the other operation.

**ORA-01235: END BACKUP failed for *string* file(s) and succeeded for *string***

**Cause:** One or more of the files in an end backup command failed. Some other files given in the same command may have succeeded.

**Action:** See the accompanying error messages for the reason the backups could not be ended. Any files not listed in the error messages were successful.

**ORA-01236: Error *string* occurred during initialization of file header access**

**Cause:** The indicated error occurred while doing initialization processing of file headers.

**Action:** The error indicated should be corrected. An attempt is made to recover from this error by using a slower access algorithm.

**ORA-01237: cannot extend datafile *string***

**Cause:** An operating system error occurred during the resize.

**Action:** Fix the cause of the operating system error and retry the command.

**ORA-01238: cannot shrink datafile *string***

**Cause:** An operating system error occurred during the resize.

**Action:** The error is ignored, operation continues normally.

**ORA-01239: database must be in ARCHIVELOG mode to use external cache**

**Cause:** An online file uses an external cache, but the database is in NOARCHIVELOG mode. Since an external cache may require media recovery this can not be allowed.

**Action:** Change database to be in ARCHIVELOG mode or do not use an external cache.

---

**ORA-01240: too many data files to add in one command**

**Cause:** The command specifies adding more data files than can be done in one command. It is necessary to fit all the file names into one log entry, but that would make the entry too large.

**Action:** If this is a CREATE TABLESPACE command, create with fewer files then add the other files later. If this is an ADD DATAFILE command, break it up into multiple commands.

**ORA-01241: an external cache has died**

**Cause:** The external cache may have been restarted.

**Action:** Take the file mentioned in the error stack offline, perform media recovery, bring the file online, and retry the attempted operation. You may also restart all instances to make sure they access all data files through consistent external caches.

**ORA-01242: data file suffered media failure: database in NOARCHIVELOG mode**

**Cause:** The database is in NOARCHIVELOG mode and a database file was detected as inaccessible due to media failure.

**Action:** Restore accessibility to the file mentioned in the error stack and restart the instance.

**ORA-01243: system tablespace file suffered media failure**

**Cause:** A system tablespace file was detected as inaccessible due to media failure.

**Action:** Restore accessibility to the file mentioned in the error stack and restart the instance.

**ORA-01244: unnamed datafile(s) added to control file by media recovery**

**Cause:** Media recovery with a backup control file or a control file that was rebuilt, encountered the creation of a datafile that was not in the control file. An entry has been added to the control file for the new datafiles, but with the file name UNNAMEDnnnn, where nnnn is the file number. Attached errors describe the file names that were originally used to create the files.

**Action:** Rename the files to valid file names and resume recovery. If necessary the command ALTER DATABASE CREATE DATAFILE may be used to create a file suitable for recovery and do the rename. If the file is not going to be recovered then take it offline with the FOR DROP option.

**ORA-01245: offline file *string* will be lost if RESETLOGS is done**

**Cause:** Attempting to do an OPEN RESETLOGS with a file that will be lost because it is offline. The file was not taken offline with the FOR DROP option.

**Action:** Either bring the file online and recover it, or take it offline with the FOR DROP option.

**ORA-01246: recovering files through TSPITR of tablespace *string***

**Cause:** The files named in the accompanying errors are backups that were made before a tablespace point in time recovery of this tablespace. They cannot be recovered to a time after the point in time recovery.

**Action:** Restore more recent backups and recover them.

**ORA-01247: database recovery through TSPITR of tablespace *string***

**Cause:** Recovery of the whole database encountered redo indicating there was a point in time recovery of the tablespace. The new version of the files in the tablespace should be included in the recovery, but that was not done.

---

**Action:** If the tablespace should not be recovered, take its file offline for drop. If it should be recovered, then restore or rename as needed and restart the recovery.

**ORA-01248: file *string* was created in the future of incomplete recovery**

**Cause:** Attempting to do a RESETLOGS open with a file entry in the control file that was originally created after the UNTIL time of the incomplete recovery. Allowing such an entry may hide the version of the file that is needed at this time. The file number may be in use for a different file which would be lost if the RESETLOGS was allowed.

**Action:** If more recovery is desired then apply redo until the creation time of the file is reached. If the file is not wanted and the same file number is not in use at the stop time of the recovery, then the file can be taken offline with the FOR DROP option. Otherwise a different control file is needed to allow the RESETLOGS. Another backup can be restored and recovered, or a control file can be created via CREATE CONTROLFILE.

**ORA-01249: archiving not allowed in a clone database**

**Cause:** Attempting to archive an online redo log or enable archiving for a clone database.

**Action:** Do not attempt to archive from a clone. The archive log destination could easily be the same as the primary database destroying its archived logs. If archiving is needed then recreate database as not a clone.

**ORA-01250: Error *string* occurred during termination of file header access**

**Cause:** The indicated error occurred while terminating the processing of file headers. The error was other than a write error.

**Action:** The indicated error should be corrected.

**ORA-01251: Unknown File Header Version read for file number *string***

**Cause:** Read of the file header returned a record but its version cannot be identified. Either the header has been corrupted, or the file is not a valid database file.

**Action:** Have the operating system make the correct file available to the database, or recover the file.

**ORA-01252: cannot prevent writes - file *string* in recovery manager backup**

**Cause:** An attempt to make a tablespace read only or offline normal found that a recovery manager proxy backup is in progress. If the file is made offline or read-only, then the file header cannot be updated when the backup is complete.

**Action:** Wait for the Recovery Manager backup to complete and retry this command.

**ORA-01253: cannot start online backup - file *string* in recovery manager backup**

**Cause:** The specified file is being backed up by Recovery Manager.

**Action:** Wait for the Recovery Manager proxy backup to complete before starting another backup.

**ORA-01254: cannot end online backup - file *string* in recovery manager backup**

**Cause:** The specified file is being backed up by Recovery Manager.

**Action:** Wait for the Recovery Manager proxy backup to complete. Recovery Manager backup mode cannot be initiated or terminated manually.

**ORA-01255: cannot shutdown - file *string* in recovery manager backup**

---

**Cause:** An attempt to shutdown normally found that a Recovery Manager backup is still in progress.

**Action:** Wait for the Recovery Manager proxy backup to complete and retry this command.

**ORA-01256: error in locking database file *string***

**Cause:** The file is in use by another database instance.

**Action:** Determine which database instance legitimately owns the file.

**ORA-01257: cannot reuse database file *string*, unknown file size**

**Cause:** The size of the raw partition cannot be determined

**Action:** Add the datafile/logfile by specifying the size parameter.

**ORA-01258: unable to delete temporary file *string***

**Cause:** A DROP TABLESPACE INCLUDING CONTENTS AND DATAFILES or ALTER DATABASE TEMPFILE DROP INCLUDING DATAFILES operation was not able to delete a temporary file in the database.

**Action:** Subsequent errors describe the operating system error that prevented the file deletion. Fix the problem, if possible, and manually purge the file.

**ORA-01259: unable to delete datafile *string***

**Cause:** A DROP TABLESPACE INCLUDING CONTENTS AND DATAFILES operation was not able to delete a datafile in the tablespace.

**Action:** Subsequent errors describe the operating system error that prevented the file deletion. Fix the problem, if possible, and manually purge the file.

**ORA-01260: warning: END BACKUP succeeded but some files found not to be in backup mode**

**Cause:** END BACKUP completed successfully for all files that were in online backup mode. However one or more modifiable files were found not to be in online backup mode. Backup of those files (if it was done) can be invalid and, if restored, can result in an inconsistent database.

**Action:** Check the alert log for a list of the files that were found not to be in backup mode. If there is a possibility that those files have been modified during online backup, then replace their backups with new ones.

**ORA-01261: Parameter *string* destination string cannot be translated**

**Cause:** The value for the specified parameter contained a destination string that could not be translated.

**Action:** Use a valid destination string in the specified parameter.

**ORA-01262: Stat failed on a file destination directory**

**Cause:** Unable to get information about an Oracle managed files destination directory.

**Action:** Check the permissions on the directory or use a different directory name.

**ORA-01263: Name given for file destination directory is invalid**

**Cause:** The name given for an Oracle managed files destination does not correspond to a directory.

**Action:** Use a different name.

**ORA-01264: Unable to create *string* file name**

---

**Cause:** Unable to create an Oracle managed file name.

**Action:** , if possible, and retry the command.

**ORA-01265: Unable to delete *string string***

**Cause:** An error prevented the file from being deleted.

**Action:** See the subsequent error messages that describe the operating system error that prevented the file from being deleted. If possible, fix the problem and manually delete the file.

**ORA-01266: Unable to create unique file name**

**Cause:** Unable to create a unique file name for an Oracle managed file. Oracle tried several names but each file name was already in use in the default destination directory for the file type.

**Action:** Retry the operation. If that fails, also, it may be necessary to change the default destination directory for the file type and then retry.

**ORA-01267: Failure getting date/time**

**Cause:** Could not get date/time when trying to create unique file name.

**Action:** Internal error - contact Oracle Customer Support.

**ORA-01268: invalid TEMPFILE clause for alter of permanent TABLESPACE**

**Cause:** A TEMPFILE clause was specified for an ALTER TABLESPACE for a permanent tablespace.

**Action:** Retry with a DATAFILE clause.

**ORA-01269: Destination parameter string is too long**

**Cause:** The value for DB\_CREATE\_FILE\_DEST, DB\_CREATE\_ONLINE\_LOG\_DEST\_n or DB\_RECOVERY\_FILE\_DEST parameter was too long.

**Action:** Replace the destination value for the specified parameter with a shorter character string.

**ORA-01270: *string* operation is not allowed if STANDBY\_PRESERVES\_NAMES is true**

**Cause:** An operation that renames or adds/drops a file was attempted at a standby database and STANDBY\_PRESERVES\_NAMES is true.

**Action:** Set STANDBY\_PRESERVES\_NAMES false if the operation must be performed.

**ORA-01271: Unable to create new file name for file *string***

**Cause:** During standby database recovery an error occurred when trying to create a new file name for the indicated file.

**Action:** Use the ALTER DATABASE CREATE DATAFILE command with a new unique name and then resume the standby database recovery.

**ORA-01272: REUSE only allowed when a file name is provided.**

**Cause:** The REUSE parameter was specified in a command without a file name.

**Action:** Either supply a file name or remove the REUSE parameter.

**ORA-01273: STANDBY\_FILE\_MANAGEMENT = AUTO needs COMPATIBLE = *string* or higher**

**Cause:** Automated standby file management was disabled, so an added file

**Action:** Restart the instance with COMPATIBLE set to the correct release.

---

**ORA-01274: cannot add datafile "*string*" - file could not be created**

**Cause:** Automated standby file management was disabled, so an added file could not automatically be created on the standby. The error from the creation attempt is displayed in another message. The control file file entry for the file is "UNNAMEDnnnnn".

**Action:** Use the ALTER DATABASE CREATE DATAFILE statement to create the file, or set STANDBY\_FILE\_MANAGEMENT to AUTO and restart standby recovery.

**ORA-01275: Operation *string* is not allowed if standby file management is automatic.**

**Cause:** An operation that renames, adds, or drops a file was attempted at a standby database and STANDBY\_FILE\_MANAGEMENT was set to AUTO.

**Action:** Set STANDBY\_FILE\_MANAGEMENT to MANUAL if the operation must be performed.

**ORA-01276: Cannot add file *string*. File has an Oracle Managed Files file name.**

**Cause:** An attempt was made to add to the database a datafile, log file, control file, snapshot control file, backup control file, datafile copy, control file copy or backuppiece with an Oracle Managed Files file name.

**Action:** Retry the operation with a new file name.

**ORA-01277: file "*string*" already exists**

**Cause:** An ALTER DATABASE BACKUP CONTROLFILE TO TRACE AS "filename" command specified a file name which is already in use.

**Action:** Either specify a different file name, or add the REUSE parameter to the command to overwrite the existing file.

**ORA-01278: error creating file "*string*"**

**Cause:** An operating system error occurred while attempting to create a trace file specified in the command ALTER DATABASE BACKUP CONTROLFILE TO TRACE AS "filename".

**Action:** Check the error stack for more detailed information.

**ORA-01279: db\_files too large**

**Cause:** db\_files has been set too high to be supported by the system.

**Action:** Decrease the number of db\_files.

**ORA-01280: Fatal LogMiner Error.**

**Cause:** An internal error has occurred inside LogMiner.

**Action:** None

**ORA-01281: SCN range specified is invalid**

**Cause:** StartSCN may be greater than EndSCN, or the SCN specified may be invalid.

**Action:** Specify a valid SCN range.

**ORA-01282: date range specified is invalid**

**Cause:** startTime may be greater than endTime. startTime or endTime may be greater than year 2110. startTime may be less than year 1988.

**Action:** Specify a valid date range.

---

**ORA-01283: Options specified is invalid**

**Cause:** The specified options parameter is invalid for the procedure.

**Action:** Specify valid Options parameter.

**ORA-01284: file *string* cannot be opened**

**Cause:** The file or directory may not exist or may be inaccessible. Pathname exceeds 256 characters.

**Action:** Ensure that the file and the directory exist and are accessible.

**ORA-01285: error reading file *string***

**Cause:** The file or directory may not exist or is inaccessible.

**Action:** Specify valid file or directory. Make sure that file and directory are accessible.

**ORA-01286: start interval required**

**Cause:** Options were supplied which require a starting time or starting SCN

**Action:** Specify a starting interval (time or SCN).

**ORA-01287: file *string* is from a different database incarnation**

**Cause:** The logfile is produced by a different incarnation of the database.

**Action:** Add a logfile that is produced by the same incarnation.

**ORA-01288: cannot apply this DDL to the Logminer Dictionary**

**Cause:** A command that is not supported by Logminer was present in a logfile. Commands that change the character set of the database are not supported by Logminer. "ALTER DATABASE SET TIME\_ZONE" is not supported by Logminer.

**Action:** Do not execute unsupported commands when using Streams, Logical Standby, or Logminer. Turn off DDL tracking in order for Logminer to skip unsupported commands.

**ORA-01289: cannot add duplicate logfile *string***

**Cause:** The logfile specified has already been added to the list of logfiles.

**Action:** Specify a different logfile.

**ORA-01290: cannot remove unlisted logfile *string***

**Cause:** The user attempted to remove a logfile that is not present in the list.

**Action:** Specify a valid logfile.

**ORA-01291: missing logfile**

**Cause:** Not all logfiles corresponding to the time or scn range specified have been added to the list.

**Action:** Check the v\$logmnr\_logs view to determine the missing scn range, and add the relevant logfiles.

**ORA-01292: no log file has been specified for the current LogMiner session**

**Cause:** No logfile has been specified for the LogMiner session.

**Action:** Specify atleast one log file.

**ORA-01293: mounted database required for specified LogMiner options**

**Cause:** Options were specified which required the database to be mounted

**Action:** Specify different options or mount the database.

---

**ORA-01294: error occurred while processing information in dictionary file *string*, possible corruption**

**Cause:** The dictionary file is corrupt.

**Action:** Get a new dictionary file.

**ORA-01295: DB\_ID mismatch between dictionary *string* and logfiles**

**Cause:** The dictionary file is produced by a database that is different from that produced the logfiles.

**Action:** Specify a compatible dictionary file.

**ORA-01296: character set mismatch between dictionary *string* and logfiles**

**Cause:** The character set of the database that produced the dictionary file is different from the character set of the database that produced the logfiles.

**Action:** Specify a dictionary file with the same character set.

**ORA-01297: redo version mismatch between dictionary *string* and logfiles**

**Cause:** The redo version of the database generating the dictionary is different from the one generating the logfiles.

**Action:** None

**ORA-01298: conflicting dictionary option**

**Cause:** More than one dictionary source was specified or DDL\_DICT\_TRACKING was specified with DICT\_FROM\_ONLINE\_CATALOG.

**Action:** None

**ORA-01299: dictionary *string* corresponds to a different database incarnation**

**Cause:** The dictionary file was extracted from a different incarnation of the database.

**Action:** Specify a dictionary file extracted from the correct database incarnation.

**ORA-01300: writable database required for specified LogMiner options**

**Cause:** Options were specified which required the database to be writable.

**Action:** Specify different options or open the database for write access.

**ORA-01301: error writing to file during flat file build**

**Cause:** Error writing to file during flat file build

**Action:** None

**ORA-01302: dictionary build options missing or incorrect**

**Cause:** Missing dictionary build options or incorrectly specified options

**Action:** Specify either a build to redo log or to flat file. If build to flat file, specify filename and directory.

**ORA-01303: subordinate process error: *number*. Check alert and trace logs**

**Cause:** A process subordinate to this Logminer process has exited with this error status.

**Action:** Search for this error in the alert log and trace files for additional information.

**ORA-01304: subordinate process error. Check alert and trace logs**

**Cause:** A process subordinate to this Logminer process has exited with an error condition.

---

**Action:** Look in the alert log and trace files for additional information.

**ORA-01306: dbms\_logmnr.start\_logmnr() must be invoked before selecting from v\$logmnr\_contents**

**Cause:** A select was issued from v\$logmnr\_contents without first invoking the dbms\_logmnr.start\_logmnr() procedure.

**Action:** Invoke the dbms\_logmnr.start\_logmnr() procedure before issuing a select from the v\$logmnr\_contents view.

**ORA-01307: no LogMiner session is currently active**

**Cause:** A select was issued from v\$logmnr\_contents without first invoking the dbms\_logmnr.start\_logmnr() procedure. Otherwise, dbms\_logmnr.end\_logmnr() was called without a prior call to dbms\_logmnr.start\_logmnr() or dbms\_logmnr.add\_logfile()

**Action:** Invoke the dbms\_logmnr.start\_logmnr() procedure before issuing a select from the v\$logmnr\_contents view.

**ORA-01308: initialization parameter utl\_file\_dir is not set**

**Cause:** utl\_file\_dir is not set in the initialization file.

**Action:** Set utl\_file\_dir to the appropriate directory.

**ORA-01309: invalid session**

**Cause:** The specified Logminer session ID or session handle is invalid.

**Action:** Use a valid Logminer session ID or session handle.

**ORA-01310: requested return type not supported by the lcr\_mine function**

**Cause:** The return type requested by the user is not supported by lcr\_mine"

**Action:** Pick a return type supported by the lcr\_mine function"

**ORA-01311: Illegal invocation of the mine\_value function**

**Cause:** An attempt was made to use mine\_value function on a column other than redo\_value or undo\_value columns of SYS.X\$LOGMNR\_CONTENTS or SYS.V\$LOGMNR\_CONTENTS fixed table/view.

**Action:** Rewrite the SQL statement with a legal invocation of mine\_value

**ORA-01312: Specified table/column does not exist**

**Cause:** The table/column specified in the lcr\_mine call does not exist at the the specified SCN. The table/column definition has to exist at the start SCN specified for lcr\_mine to be able to identify the table/column correctly.

**Action:** Create a LogMiner session at a start SCN at which the table definition is available.

**ORA-01313: LogMiner dictionary column type different from specified type**

**Cause:** The return type specified for the column in lcr\_mine call is different from the actual type of the column.

**Action:** Rewrite the lcr\_mine invocation with the right return type.

**ORA-01314: Name of the column to be mined should be a string literal**

**Cause:** The fully qualified name of the column to be mined by the LogMiner functions should be string literal.

**Action:** If the fully qualified name of the column to be mined is a.b.c.d, enclose the column name in quotes as in "a.b.c.d".

---

**ORA-01315: Log file has been added or removed during select**

**Cause:** A redo log file has been added or removed while selecting on the v\$logmnr\_logs fixed view.

**Action:** Re-issue the SQL select statement on the v\$logmnr\_logs view.

**ORA-01316: Already attached to a Logminer session**

**Cause:** A Logminer attach session was issued while already attached to a Logminer session.

**Action:** Detach from the current Logminer session and attach to the requested session.

**ORA-01317: Not attached to a Logminer session**

**Cause:** A command or procedure was issued which requires an attached Logminer session.

**Action:** Attach to a Logminer session before issuing the command or procedure.

**ORA-01319: Invalid Logminer session attribute**

**Cause:** A session attribute was supplied which is invalid.

**Action:** Re-issue with valid session attribute.

**ORA-01320: Invalid Logminer dictionary attribute**

**Cause:** A Logminer dictionary attribute was supplied which is invalid.

**Action:** Re-issue with valid dictionary attribute.

**ORA-01321: No Logminer Dictionary for requested start SCN**

**Cause:** The requested session start SCN is less than the SCN of any available Logminer Dictionary build. It is not possible to unwind a Logminer Dictionary to the requested start SCN.

**Action:** Re-issue the start\_logminer request with a start SCN for which a Logminer Dictionary is available.

**ORA-01322: No such table**

**Cause:** An non-existent table was supplied to Logminer include\_src\_tbl() or exclude\_src\_table().

**Action:** Re-issue with valid table name.

**ORA-01323: Invalid state**

**Cause:** A Logminer routine was called from the wrong state.

**Action:** None

**ORA-01324: cannot add file *string* due to DB\_ID mismatch**

**Cause:** The logfile is produced by a different database than other logfiles already added to the list.

**Action:** Specify a logfile produced by the same database.

**ORA-01325: archive log mode must be enabled to build into the logstream**

**Cause:** Database does not have archivelog mode enabled.

**Action:** Mount the database, then issue commands to enable archivelog mode.  
startup pfile=init.ora mount alter database archivelog alter database open

**ORA-01326: compatibility of 9.0 or greater required to build into the logstream**

**Cause:** Compatibility mode set to some value less than 9.0

---

**Action:** Ensure that init.ora parameter establishing a compatibility of 9.0 or greater is set. For example: compatible=9.0.0.0

**ORA-01327: failed to exclusively lock system dictionary as required by build**

**Cause:** Other users are performing DDL operations.

**Action:** None

**ORA-01328: only one build operation may occur at one time**

**Cause:** Another processes is simultaneously attempting to run build();

**Action:** Wait until the other processes completes.

**ORA-01329: unable to truncate required build table**

**Cause:** The table may be missing, or locked by another user.

**Action:** None

**ORA-01332: internal Logminer Dictionary error**

**Cause:** Unexpected error condition

**Action:** Check trace and/or alert logs

**ORA-01333: failed to establish Logminer Dictionary**

**Cause:** No previously established Logminer Dictionary is available and a complete gather of a source system data dictionary was not found in the logstream. build() may not have been run to force the gathering of a source system data dictionary. Or add\_log\_file() may not have been called to add all log files which contain the complete gathered system data dictionary.

**Action:** If build() was not employed prior to this mining session the Logminer Ad Hoc user may elect to employ an alternate dictionary such as the current system catalog or a previously built flat file dictionary. Other Logminer clients must run build() prior to mining. If build() has been run, ensure that all logfiles which comprise the gathered system dictionary have been added. The following query, run on the system which build() was run, can be helpful in identifying the required files. select DICTIONARY\_BEGIN, DICTIONARY\_END, name from v\$archived\_log; Minimally a set of files beginning with one which has DICTIONARY\_BEGIN = "YES" and all following log files through one marked DICTIONARY\_END = "YES" must be added.

**ORA-01334: invalid or missing logminer dictionary processes context**

**Cause:** Unexpected internal error condition

**Action:** None

**ORA-01336: specified dictionary file cannot be opened**

**Cause:** The dictionary file or directory does not exist or is inaccessible.

**Action:** Make sure that the dictionary file and directory exist and are accessible.

**ORA-01337: log file has a different compatibility version**

**Cause:** The logfile has a different compatibility version then the rest of the logfile in the session"

**Action:** Make sure that the logfile has the same compatibility version as the rest of the logfiles in the session.

**ORA-01338: Other process is attached to LogMiner session**

**Cause:** Can not do this when other process is attached to LogMiner session.

---

**Action:** None

**ORA-01339: LogMiner BUILD: Error copying system catalog metadata to LogMiner dictionary**

**Cause:** Unexpected result while accessing system catalog metadata.

**Action:** Check the alert log.

**ORA-01340: NLS error**

**Cause:** Could not load NLS package.

**Action:** None

**ORA-01341: LogMiner out-of-memory**

**Cause:** The LogMiner session requires more system resources than is currently available.

**Action:** Allocate more SGA for LogMiner.

**ORA-01342: LogMiner can not resume session due to inability of staging checkpointed data**

**Cause:** Logmnr can not resume session because there is not enough SGA memory available to read in checkpointed data. Logminer periodically checkpoints data to enable faster crash recovery.

**Action:** Specify a bigger max\_sga for the given LogMiner session and try again.

**ORA-01343: LogMiner encountered corruption in the logstream**

**Cause:** Log file is missing a range of scn values.

**Action:** Verify the contiguity of the scn range represented by the log files added to LogMiner.

**ORA-01344: LogMiner coordinator already attached**

**Cause:** A coordinator process is already attached to the specified logminer context.

**Action:** Detach from the active coordinator session and retry the attach.

**ORA-01345: Must be a LogMiner coordinator process**

**Cause:** A LogMiner client attempted to perform a privileged operation.

**Action:** Issue the operation from the coordinator process.

**ORA-01346: LogMiner processed redo beyond specified reset log scn**

**Cause:** LogMiner has detected a new branch with resetlogs scn information prior to redo already mined.

**Action:** Contact your customer support representative.

**ORA-01347: Supplemental log data no longer found**

**Cause:** The source database instance producing log files for this LogMiner session was altered to no longer log supplemental data.

**Action:** Destroy this Logminer session. Re-enable supplemental log data on the source system and create a new LogMiner session.

**ORA-01350: must specify a tablespace name**

**Cause:** Invocation failed to specify a valid tablespace

**Action:** Reformat invocation of DBMS\_LOGMNR\_D.SET\_TABLESPACE to include the name of a valid tablespace.

---

**ORA-01351: tablespace given for Logminer dictionary does not exist**

**Cause:** The tablespace name given as a parameter to DBMS\_LOGMNR\_D.SET\_TABLESPACE does not exist.

**Action:** Check spelling of the tablespace name. If spelling is correct verify that the named tablespace has already been created. DBMS\_LOGMNR\_D.SET\_TABLESPACE does not create a tablespace.

**ORA-01352: tablespace given for Logminer spill does not exist**

**Cause:** The tablespace name given as the parameter to DBMS\_LOGMNR\_D.SET\_TABLESPACE does not exist.

**Action:** Check spelling of the tablespace name. If spelling is correct verify that the named tablespace has already been created. DBMS\_LOGMNR\_D.SET\_TABLESPACE does not create a tablespace.

**ORA-01353: existing Logminer session**

**Cause:** An attempt was made to execute DBMS\_LOGMNR\_D.SET\_TABLESPACE while a Logminer session(s) was active.

**Action:** First cause all Logminer sessions to be closed. A Logminer session can exist as a result of executing DBMS\_LOGMNR.START\_LOGMNR or as the result of using Oracle features such as Data Guard SQL Apply or Streams which use Logminer. Next, execute DBMS\_LOGMNR\_D.SET\_TABLESPACE.

**ORA-01354: Supplemental log data must be added to run this command**

**Cause:** An attempt was made to perform an operation that required that supplemental log data be enabled.

**Action:** Execute a command such as ALTER DATABASE ADD SUPPLEMENTAL LOG DATA; and then reissue the command that failed with this error.

**ORA-01355: logminer tablespace change in progress**

**Cause:** The tables used by logminer are in the process of being moved to another tablespace.

**Action:** Wait until the move is complete and try again.

**ORA-01356: active logminer sessions found**

**Cause:** Logminer sessions are currently active.

**Action:** End all logminer sessions and retry.

**ORA-01358: LogMiner version is less than mined dictionary version**

**Cause:** An attempt was made to mine a LogMiner dictionary from redo logs. The version of the Oracle database that created the logs was higher than the Oracle database version that attempted to mine the logs.

**Action:** Mine the logs using a newer version of the Oracle database having a version number that is equal to or greater than the dictionary version.

**ORA-01361: global name mismatch**

**Cause:** The database global name where the log file was generated did not match the user-specified global name of the Streams Capture process.

**Action:** Start a new capture process and ensure that the user-specified global name matches that of the database that generated the log file.

**ORA-01370: Specified restart SCN is too old**

**Cause:** specified restart scn is too old, logmnr could not find a proper checkpoint.

---

**Action:** Specify a bigger restart SCN to try again

**ORA-01371: Complete LogMiner dictionary not found**

**Cause:** One or more log files containing the LogMiner dictionary was not found.

**Action:** Add into LogMiner all log files containing the dictionary.

**ORA-01372: Insufficient processes for specified LogMiner operation**

**Cause:** The number of processes requested by the caller can not be allocated

**Action:** Increase number of parallel servers allocated to the instance

**ORA-01373: insufficient memory for staging persistent LogMiner session**

**Cause:** The maximum number of concurrent persistent LogMiner sessions allowed is limited by LOGMNR\_MAX\_PERSISTENT\_SESSIONS parameter. Not enough memory has been set aside at instance startup to allocate the new LogMiner session.

**Action:** Increase LOGMNR\_MAX\_PERSISTENT\_SESSIONS and restart instance.

**ORA-01374: \_log\_parallelism\_max greater than 1 not supported in this release**

**Cause:** LogMiner does not mine redo records generated with \_log\_parallelism\_max set to a value greater than 1.

**Action:** None

**ORA-01375: Corrupt logfile *string* recovered**

**Cause:** A corrupt logfile has been recovered by RFS

**Action:** None. Logical Standby should automatically restart. If logfile is still corrupt, may need to manually copy and reregister the logfile on the standby.

**ORA-01409: NOSORT option may not be used; rows are not in ascending order**

**Cause:** Creation of index with NOSORT option when rows were not ascending. For non-unique indexes the rowid is considered part of the index key. Therefore, if you create an index nosort and two of the rows in the table have the same key and are stored in ascending order, but get split accross two extents where the dba of the first block in the second extent is less than the dba of the last block in the first extent, then the create index nosort may fail.

**Action:** Create the index without the NOSORT option, or ensure table is stored in one extent.

**ORA-01411: cannot store the length of column in the indicator**

**Cause:** Tried to fetch a column of size more than 64K and couldn't store the length of the column in the given indicator of size 2 bytes.

**Action:** Use the new bind type with call backs to fetch the long column.

**ORA-01412: zero length not allowed for this datatype**

**Cause:** The length for type 97 is 0

**Action:** Specify the correct length.

**ORA-01413: illegal value in packed decimal number buffer**

**Cause:** The user buffer bound by the user as packed decimal number contained an illegal value.

**Action:** Use a legal value.

**ORA-01414: invalid array length when trying to bind array**

---

**Cause:** An attempt was made to bind an array without either a current array length pointer or a zero maximum array length.

**Action:** Specify a valid length.

**ORA-01415: too many distinct aggregate functions**

**Cause:** The query contains more distinct aggregates than can be processed. The current limit is 255.

**Action:** Reduce the number of distinct aggregate functions in the query.

**ORA-01417: a table may be outer joined to at most one other table**

**Cause:** a.b (+) = b.b and a.c (+) = c.c is not allowed

**Action:** Check that this is really what you want, then join b and c first in a view.

**ORA-01422: exact fetch returns more than requested number of rows**

**Cause:** The number specified in exact fetch is less than the rows returned.

**Action:** Rewrite the query or change number of rows requested

**ORA-01424: missing or illegal character following the escape character**

**Cause:** The character following the escape character in LIKE pattern is missing or not one of the escape character, "%", or "\_".

**Action:** Remove the escape character or specify the missing character.

**ORA-01425: escape character must be character string of length 1**

**Cause:** Given escape character for LIKE is not a character string of length 1.

**Action:** Change it to a character string of length 1.

**ORA-01426: numeric overflow**

**Cause:** Evaluation of an value expression causes an overflow/underflow.

**Action:** Reduce the operands.

**ORA-01429: Index-Organized Table: no data segment to store overflow row-pieces**

**Cause:** No overflow segment defined.

**Action:** Add overflow segment.

**ORA-01438: value larger than specified precision allowed for this column**

**Cause:** When inserting or updating records, a numeric value was entered that exceeded the precision defined for the column.

**Action:** Enter a value that complies with the numeric column's precision, or use the MODIFY option with the ALTER TABLE command to expand the precision.

**ORA-01451: column to be modified to NULL cannot be modified to NULL**

**Cause:** the column may already allow NULL values, the NOT NULL constraint is part of a primary key or check constraint.

**Action:** if a primary key or check constraint is enforcing the NOT NULL constraint, then drop that constraint.

**ORA-01453: SET TRANSACTION must be first statement of transaction**

**Cause:** self-evident

**Action:** commit (or rollback) transaction, and re-execute

**ORA-01456: may not perform insert/delete/update operation inside a READ ONLY transaction**

---

**Cause:** A non-DDL insert/delete/update or select for update operation was attempted

**Action:** commit (or rollback) transaction, and re-execute

**ORA-01463: cannot modify column datatype with current constraint(s)**

**Cause:** An attempt was made to modify the datatype of column which has referential constraints; or has check constraints which only allows changing the datatype from CHAR to VARCHAR or vice versa.

**Action:** Remove the constraint(s) or do not perform the offending operation.

**ORA-01466: unable to read data - table definition has changed**

**Cause:** Query parsed after tbl (or index) change, and executed w/old snapshot

**Action:** commit (or rollback) transaction, and re-execute

**ORA-01469: PRIOR can only be followed by a column name**

**Cause:** Attempting to specify "PRIOR <something>" where <something> is not a column name.

**Action:** Only a column name can follow PRIOR. Replace with a column name.

**ORA-01470: In-list iteration does not support mixed operators**

**Cause:** Constants of different types are specified in an in-list.

**Action:** Use constants of same type for in-lists.

**ORA-01478: array bind may not include any LONG columns**

**Cause:** User is performing an array bind with a bind variable whose maximum size is greater than 2000 bytes.

**Action:** Such bind variables cannot participate in array binds. Use an ordinary bind operation instead.

**ORA-01479: last character in the buffer is not Null**

**Cause:** A bind variable of type 97 does not contain null at the last position

**Action:** Make the last character null

**ORA-01480: trailing null missing from STR bind value**

**Cause:** A bind variable of type 5 (null-terminated string) does not contain the terminating null in its buffer.

**Action:** Terminate the string with a null character

**ORA-01481: invalid number format model**

**Cause:** The user is attempting to either convert a number to a string via TO\_CHAR or a string to a number via TO\_NUMBER and has supplied an invalid number format model parameter.

**Action:** Consult your manual.

**ORA-01482: unsupported character set**

**Cause:** The character set used to perform the operation, such as the CONVERT function, is not a supported character set.

**Action:** Use one of the supported character sets.

**ORA-01483: invalid length for DATE or NUMBER bind variable**

**Cause:** A bind variable of type DATE or NUMBER is too long.

**Action:** Consult your manual for the maximum allowable length.

---

**ORA-01484: arrays can only be bound to PL/SQL statements**

**Cause:** You tried to bind an array to a non-PL/SQL statement.

**Action:** None

**ORA-01485: compile bind length different from execute bind length**

**Cause:** You bound a buffer of type DTYVCS (VARCHAR with the two byte length in front) and at execute time the length in the first two bytes is more than the maximum buffer length (given in the bind call). The number of elements in the array and the current number of elements in the array cannot be more than the maximum size of the array.

**Action:** None

**ORA-01486: size of array element is too large**

**Cause:** You tried to bind a data value which was either too large for the datatype (for example, NUMBER) or was greater than 4000 bytes (for example, VARCHAR or LONG).

**Action:** None

**ORA-01487: packed decimal number too large for supplied buffer**

**Cause:** An impossible request for decimal to oracle number conversion was made

**Action:** This conversion cannot be performed

**ORA-01488: invalid nibble or byte in the input data**

**Cause:** An impossible request for decimal to oracle number conversion was made

**Action:** This conversion cannot be performed

**ORA-01489: result of string concatenation is too long**

**Cause:** String concatenation result is more than the maximum size.

**Action:** Make sure that the result is less than the maximum size.

**ORA-01490: invalid ANALYZE command**

**Cause:** Incorrect syntax specified

**Action:** Retry the command

**ORA-01491: CASCADE option not valid**

**Cause:** The CASCADE option is only valid for tables or clusters.

**Action:** Do not specify CASCADE

**ORA-01492: LIST option not valid**

**Cause:** The LIST option is only valid for tables or clusters.

**Action:** Do not specify LIST

**ORA-01493: invalid SAMPLE size specified**

**Cause:** The specified SAMPLE size is out of range

**Action:** Specify a value within the proper range.

**ORA-01494: invalid SIZE specified**

**Cause:** The specified histogram SIZE value was out of range.

**Action:** Specify a value within the proper range.

**ORA-01495: specified chain row table not found**

---

**Cause:** The specified table either does not exist or user does not have the proper privileges.

**Action:** Specify the correct table to use.

**ORA-01496: specified chain row table form incorrect**

**Cause:** The specified table does not have the proper field definitions.

**Action:** Specify the correct table to use.

**ORA-01497: illegal option for ANALYZE CLUSTER**

**Cause:** The FOR COLUMNS <column-list> clause may not be used with ANALYZE CLUSTER.

**Action:** Retry with a legal syntax.



---

## ORA-01500 to ORA-02098

**ORA-01500: failure in getting date/time**

**Cause:** During create database or alter tablespace, there was a failure in getting the date and time.

**Action:** Contact your customer support representative.

**ORA-01501: CREATE DATABASE failed**

**Cause:** An error occurred during create database

**Action:** See accompanying errors.

**ORA-01502: index "*string.string*" or partition of such index is in unusable state**

**Cause:** An attempt has been made to access an index or index partition that has been marked unusable by a direct load or by a DDL operation

**Action:** DROP the specified index, or REBUILD the specified index, or REBUILD the unusable index partition

**ORA-01503: CREATE CONTROLFILE failed**

**Cause:** An error occurred during CREATE CONTROLFILE

**Action:** See accompanying errors.

**ORA-01504: database name "*string*" does not match parameter db\_name "*string*"**

**Cause:** The name in a database create or mount does not match the name given in the INIT.ORA parameter db\_name.

**Action:** correct or omit one of the two names.

**ORA-01505: error in adding log files**

**Cause:** During create or alter database, error(s) occurred when adding new log files.

**Action:** Check error stack for detailed error information.

**ORA-01506: missing or illegal database name**

**Cause:** No db\_name INIT.ORA parameter was specified.

**Action:** The database name must be given in the db\_name INIT.ORA parameter.

**ORA-01507: database not mounted**

**Cause:** A command was attempted that requires the database to be mounted.

**Action:** If you are using the ALTER DATABASE statement via the SQLDBA startup command, specify the MOUNT option to startup; else if you are directly doing an ALTER DATABASE DISMOUNT, do nothing; else specify the MOUNT option to ALTER DATABASE. If you are doing a backup or copy, you must first

---

mount the desired database. If you are doing a FLASHBACK DATABASE, you must first mount the desired database.

**ORA-01508: cannot create database; error in file "*string*" at line *string***

**Cause:** CREATE DATABASE was unable to process the specified file.

**Action:** Check the offending line in the specified file.

**ORA-01509: specified name "*string*" does not match actual "*string*"**

**Cause:** The database name specified in ALTER DATABASE does not match the name of the currently mounted database.

**Action:** Correct the database name spelling or DISMOUNT the mounted database.

**ORA-01510: error in deleting log files**

**Cause:** During ALTER DATABASE, an error occurred while dropping log files.

**Action:** Check the error stack for detailed error information.

**ORA-01511: error in renaming log/data files**

**Cause:** An error occurred during the ALTER DATABASE RENAME FILE command.

**Action:** Check the error stack for detailed error information.

**ORA-01512: error renaming log file *string* - new file *string* not found**

**Cause:** An attempt to change a log file's name in the control file failed because no file was found with the new name.

**Action:** Make sure that the log file has been properly renamed by the operating system and retry.

**ORA-01513: invalid current time returned by operating system**

**Cause:** The operating system returned a time that was not between 1988 and 2121.

**Action:** Correct the time kept by the operating system.

**ORA-01514: error in log specification: no such log**

**Cause:** A log file name, or list of member names, did not correspond to an existing log.

**Action:** Specify an existing log file.

**ORA-01515: error dropping log group *string*: no such log**

**Cause:** ALTER DATABASE is attempting to drop a log file which is not known to the database control file.

**Action:** Specify the name of an existing log file.

**ORA-01516: nonexistent log file, datafile, or tempfile "*string*"**

**Cause:** An attempt was made to use ALTER DATABASE to rename a log file, datafile, or tempfile; or to change attributes of a datafile or tempfile (e.g., resize, autoextend, online/offline, etc.); or to re-create a datafile. The attempt failed because the specified file is not known to the database's control file or is not of a type supported by the request.

**Action:** Specify the name or number of an existing file of the correct type, as appropriate. Check the relevant V\$ table for a list of possible files.

**ORA-01517: log member: "*string*"**

---

**Cause:** Used to print member names

**Action:** See top level error for information

**ORA-01518: CREATE DATABASE must specify more than one log file**

**Cause:** Only one log file was specified in the CREATE DATABASE statement.

**Action:** Specify at least two log files.

**ORA-01519: error while processing file "*string*" near line *string***

**Cause:** CREATE DATABASE encountered a problem while processing specified file. The specified file is bad.

**Action:** Retry your system installation procedure or contact your customer support representative.

**ORA-01520: number of data files to add (*string*) exceeds limit of *string***

**Cause:** CREATE TABLESPACE statement specifies more files than is permitted for this database.

**Action:** Use fewer files or re-create the database with a larger value of MAXDATAFILES.

**ORA-01521: error in adding data files**

**Cause:** During CREATE or ALTER TABLESPACE, an error was detected while adding data files.

**Action:** Check the error stack for detailed error information.

**ORA-01522: file "*string*" to be renamed does not exist**

**Cause:** During ALTER TABLESPACE RENAME, a file to be renamed was not found in the database control file.

**Action:** Specify the correct file name.

**ORA-01523: cannot rename data file to "*string*" - file already part of database**

**Cause:** During ALTER DATABASE RENAME or ALTER TABLESPACE RENAME, the new name of a file is already present in the control file.

**Action:** Rename the file to a name not already being used as part of the database.

**ORA-01524: cannot create data file as "*string*" - file already part of database**

**Cause:** During ALTER DATABASE CREATE DATAFILE, the new name of a file is already present in the control file.

**Action:** Create the file as a name not already being used as part of the database.

**ORA-01525: error in renaming data files**

**Cause:** An error occurred when renaming files as part of ALTER TABLESPACE.

**Action:** Check the error stack for detailed information. All files are renamed except for those mentioned in the error stack.

**ORA-01526: error in opening file "*string*"**

**Cause:** CREATE DATABASE was not able to open the specified file. This is probably due to a system installation error.

**Action:** Retry your system installation procedure or contact your customer support representative.

**ORA-01527: error while reading file**

---

**Cause:** CREATE DATABASE was not able to read the specified file. This is probably due to a system installation error.

**Action:** Retry your system installation procedure or contact your customer support representative.

**ORA-01528: EOF while processing SQL statement**

**Cause:** CREATE DATABASE unexpectedly hit EOF while reading the specified file. The sql.bsq file is bad.

**Action:** Retry your system installation procedure or contact your customer support representative.

**ORA-01529: error closing file "*string*"**

**Cause:** CREATE DATABASE was not able to close the specified file.

**Action:** Retry your system installation procedure or contact your customer support representative.

**ORA-01530: a database already mounted by the instance**

**Cause:** During ALTER DATABASE MOUNT, an attempt is being made to mount a database on an instance in which a database is or has previously been mounted.

**Action:** If you wish to mount the database, shutdown the instance and then startup the instance and retry the operation.

**ORA-01531: a database already open by the instance**

**Cause:** During ALTER DATABASE, an attempt was made to open a database on an instance for which there is already an open database.

**Action:** If you wish to open a new database on the instance, first shutdown the instance and then startup the instance and retry the operation.

**ORA-01532: cannot create database; instance being started elsewhere**

**Cause:** During CREATE DATABASE, another user appears to be simultaneously altering the instance.

**Action:** Make sure no one else is simultaneously altering the instance. If no one is, contact your customer support representative; otherwise, retry the operation.

**ORA-01533: cannot rename file "*string*"; file does not belong to tablespace**

**Cause:** During ALTER TABLESPACE RENAME, a file to be renamed was not found in the argument tablespace.

**Action:** Specify the correct file name or the correct tablespace name.

**ORA-01534: rollback segment "*string*" doesn't exist**

**Cause:** During ALTER or DROP ROLLBACK SEGMENT, the specified rollback segment name is unknown.

**Action:** Use the correct rollback segment name.

**ORA-01535: rollback segment "*string*" already exists or given name has prefix \_SYSSMU**

**Cause:** Specified rollback segment already exists or given name starts with \_SYSSMU.

**Action:** Use a different name. Note that \_SYSSMU is an illegal prefix to an RBU segment.

**ORA-01536: space quota exceeded for tablespace "*string*"**

---

**Cause:** The space quota for the segment owner in the tablespace has been exhausted and the operation attempted the creation of a new segment extent in the tablespace.

**Action:** Either drop unnecessary objects in the tablespace to reclaim space or have a privileged user increase the quota on this tablespace for the segment owner.

**ORA-01537: cannot add file "*string*" - file already part of database**

**Cause:** During CREATE or ALTER TABLESPACE, a file being added is already part of the database.

**Action:** Use a different file name.

**ORA-01538: failed to acquire any rollback segment**

**Cause:** Failed to acquire any rollback segment during startup in shared mode

**Action:** Startup in exclusive mode to create one more public segment or specify available private segments in the INIT.ORA parameter `rollback_segments_` required, then startup in shared mode

**ORA-01539: tablespace "*string*" is not online**

**Cause:** Failed to either make a tablespace read only or offline because it is not online. A tablespace must be online before it can become read only or offline normal.

**Action:** Check the status of the tablespace. Use IMMEDIATE or TEMPORARY options to force all files offline. Bring the tablespace online before making it read only.

**ORA-01540: tablespace "*string*" is not offline**

**Cause:** Failed to bring a tablespace online because it is not offline

**Action:** Check the status of the tablespace

**ORA-01541: system tablespace cannot be brought offline; shut down if necessary**

**Cause:** Tried to bring system tablespace offline

**Action:** Shutdown if necessary to do recovery

**ORA-01542: tablespace "*string*" is offline, cannot allocate space in it**

**Cause:** Tried to allocate space in an offline tablespace

**Action:** Bring the tablespace online or create the object in other tablespace

**ORA-01543: tablespace "*string*" already exists**

**Cause:** Tried to create a tablespace which already exists

**Action:** Use a different name for the new tablespace

**ORA-01544: cannot drop system rollback segment**

**Cause:** Tried to drop system rollback segment

**Action:** None

**ORA-01545: rollback segment "*string*" specified not available**

**Cause:** Either: 1) An attempt was made to bring a rollback segment online that is unavailable during startup; for example, the rollback segment is in an offline tablespace. 2) An attempt was made to bring a rollback segment online that is already online. This is because the rollback segment is specified twice in the ROLLBACK\_SEGMENTS parameter in the initialization parameter file or the rollback segment is already online by another instance. 3) An attempt was made to

---

drop a rollback segment that is currently online. 4) An attempt was made to alter a rollback segment that is currently online to use unlimited extents. 5) An attempt was made to online a rollback segment that is corrupted. This is because the rollback is specified in `_corrupted_rollback_segments` parameter in initialization parameter file.

**Action:** Either: 1) Make the rollback segment available; for example, bring an offline tablespace online. 2) Remove the name from the `ROLLBACK_SEGMENTS` parameter if the name is a duplicate or if another instance has already acquired the rollback segment. 3) Bring the rollback segment offline first. This may involve waiting for the active transactions to finish, or, if the rollback segment needs recovery, discover which errors are holding up the rolling back of the transactions and take appropriate actions. 4) Same as 3). 5) Remove the name from the `_corrupted_rollback_segments` parameter.

**ORA-01546: tablespace contains active rollback segment "*string*"**

**Cause:** Tried to make a tablespace that contains active rollback segment(s) offline or read only

**Action:** Shutdown instances that use the active rollback segments in the tablespace and then make the tablespace offline or read only

**ORA-01547: warning: RECOVER succeeded but OPEN RESETLOGS would get error below**

**Cause:** Media recovery with one of the incomplete recovery options ended without error. However, if the `ALTER DATABASE OPEN RESETLOGS` command were attempted now, it would fail with the specified error. The most likely cause of this error is forgetting to restore one or more datafiles from a sufficiently old backup before executing the incomplete recovery.

**Action:** Rerun the incomplete media recovery using different datafile backups, a different control file, or different stop criteria.

**ORA-01548: active rollback segment "*string*" found, terminate dropping tablespace**

**Cause:** Tried to drop a tablespace that contains active rollback segment(s)

**Action:** Shutdown instances that use the active rollback segments in the tablespace and then drop the tablespace

**ORA-01549: tablespace not empty, use INCLUDING CONTENTS option**

**Cause:** Tried to drop a non-empty tablespace

**Action:** To drop all the objects in the tablespace, use the `INCLUDING CONTENTS` option

**ORA-01550: cannot drop system tablespace**

**Cause:** Tried to drop system tablespace

**Action:** None

**ORA-01551: extended rollback segment, pinned blocks released**

**Cause:** Doing recursive extent of rollback segment, trapped internally by the system

**Action:** None

**ORA-01552: cannot use system rollback segment for non-system tablespace "*string*"**

**Cause:** Tried to use the system rollback segment for operations involving non-system tablespace. If this is a clone database then this will happen when

---

attempting any data modification outside of the system tablespace. Only the system rollback segment can be online in a clone database.

**Action:** Create one or more private/public segment(s), shutdown and then startup again. May need to modify the INIT.ORA parameter `rollback_segments` to acquire private rollback segment. If this is a clone database being used for tablespace point in time recovery then this operation is not allowed. If the non-system tablespace has AUTO segment space management, then create an undo tablespace.

**ORA-01553: MAXEXTENTS must be no smaller than the *string* extents currently allocated**

**Cause:** The number of extents allocated is greater than the MAXEXTENTS specified.

**Action:** Specify a larger MAXEXTENTS value.

**ORA-01554: out of transaction slots in transaction tables**

**Cause:** Too many concurrent transactions

**Action:** Shutdown the system, modify the INIT.ORA parameters `transactions`, `rollback_segments` or `rollback_segments_required`, then startup again

**ORA-01555: snapshot too old: rollback segment number *string* with name "*string*" too small**

**Cause:** rollback records needed by a reader for consistent read are overwritten by other writers

**Action:** If in Automatic Undo Management mode, increase `undo_retention` setting. Otherwise, use larger rollback segments

**ORA-01556: MINEXTENTS for rollback segment must be greater than 1**

**Cause:** Specified MINEXTENTS of less than 2 for rollback segment

**Action:** Specify larger MINEXTENTS

**ORA-01557: rollback segment extents must be at least *string* blocks**

**Cause:** Specified extent of less than minimum size for rollback segment

**Action:** Specify larger extents

**ORA-01558: out of transaction ID's in rollback segment *string***

**Cause:** All the available transaction id's have been used

**Action:** Shutdown the instance and restart using other rollback segment(s), then drop the rollback segment that has no more transaction id's.

**ORA-01559: MAXEXTENTS for rollback segment must be greater than 1**

**Cause:** Specified MAXEXTENTS of less than 2 for rollback segment

**Action:** Specify larger MAXEXTENTS

**ORA-01560: LIKE pattern contains partial or illegal character**

**Cause:** like pattern is not formed correctly

**Action:** make sure like pattern is specified correctly

**ORA-01561: failed to remove all objects in the tablespace specified**

**Cause:** Failed to remove all objects when dropping a tablespace

**Action:** Retry the drop tablespace until all objects are dropped

---

**ORA-01562: failed to extend rollback segment number *string***

**Cause:** Failure occurred when trying to extend rollback segment

**Action:** This is normally followed by another error message that caused the failure. You may take the rollback segment offline to perform maintenance. Use the alter rollback segment offline command to take the rollback segment offline.

**ORA-01563: rollback segment is PUBLIC, need to use the keyword PUBLIC**

**Cause:** Did not use the keyword PUBLIC to identified public rollback segment

**Action:** Use the keyword PUBLIC when identifying public rollback segment

**ORA-01564: rollback segment is not PUBLIC**

**Cause:** The rollback segment segment identified is not public

**Action:** Do not use the keyword PUBLIC when identifying private rollback segment

**ORA-01565: error in identifying file "*string*"**

**Cause:** An error occurred while trying to identify a file.

**Action:** Check the error stack for detailed information.

**ORA-01566: file specified more than once in ALTER DATABASE**

**Cause:** The list of files supplied to the command contained at least one duplicate.

**Action:** Remove the duplicate file specification and retry.

**ORA-01567: dropping log *string* would leave less than 2 log files for instance *string* (thread *string*)**

**Cause:** Dropping all the logs specified would leave fewer than the required two log files per enabled thread.

**Action:** Either drop fewer logs or disable the thread before deleting the logs. It may be possible to clear the log rather than drop it.

**ORA-01568: cannot set space quota on PUBLIC**

**Cause:** Trying to set space quota on a tablespace for PUBLIC.

**Action:** If trying to grant system-wide or tablespace-wide space privileges to all users, use GRANT RESOURCE [ON <tablespace>] TO PUBLIC.

**ORA-01569: data file too small for system dictionary tables**

**Cause:** The datafile specified during creation of the database is too small to hold the system dictionary tables.

**Action:** Recreate the database by specifying a larger file or more files.

**ORA-01570: MINEXTENTS must be no larger than the *string* extents currently allocated**

**Cause:** The number of extents allocated is smaller than the MINEXTENTS specified.

**Action:** Specify a smaller MINEXTENTS value.

**ORA-01571: redo version *string* incompatible with ORACLE version *string***

**Cause:** This software version can not read the current redo logs, and either crash recovery is required or there are offline database files that need media recovery. If a file name is listed then it needs media recovery.

**Action:** Shutdown and startup using the compatible software. Do any required media recovery, and open the database. Shutdown and then startup using current

---

software. If the file is going to be dropped then take it offline with the DROP option to skip this check.

**ORA-01572: rollback segment "*string*" cannot be brought online, *string* extents exceeded**

**Cause:** The number of extents in the rollback segment exceeds the hard limit. It cannot be brought online for writing.

**Action:** Drop and recreate the rollback segment.

**ORA-01573: shutting down instance, no further change allowed**

**Cause:** Some process tries to make changes while the db is being shutdown

**Action:** None

**ORA-01574: maximum number of concurrent transactions exceeded**

**Cause:** the limit on the number of concurrent transactions has been hit

**Action:** shutdown the system, increase the INIT.ORA parameter "transactions" , and then restart the system.

**ORA-01575: timeout waiting for space management resource**

**Cause:** failed to acquire necessary resource to do space management.

**Action:** Retry the operation.

**ORA-01576: The instance *string* is not enabled**

**Cause:** The thread associated with instance is not enabled.

**Action:** Enable the thread associated with the instance using ALTER DATABASE ENABLE INSTANCE command.

**ORA-01577: cannot add log file "*string*" - file already part of database**

**Cause:** During CREATE or ALTER DATABASE, a file being added is already part of the database.

**Action:** Use a different file name.

**ORA-01578: ORACLE data block corrupted (file # *string*, block # *string*)**

**Cause:** The data block indicated was corrupted, mostly due to software errors.

**Action:** Try to restore the segment containing the block indicated. This may involve dropping the segment and recreating it. If there is a trace file, report the errors in it to your ORACLE representative.

**ORA-01579: write error occurred during recovery**

**Cause:** A write error occurred during recovery

**Action:** Consult trace files for the nature of the write error, and correct error.

**ORA-01580: error creating control backup file *string***

**Cause:** An operating system error occurred while attempting to create a control file backup.

**Action:** Check the error stack for more detailed information

**ORA-01581: attempt to use rollback segment (*string*) new extent (*string*) which is being allocated**

**Cause:** Undo generated to extend a rollback segment run out of current undo block space and is attempting to write into the new extent which has not been completely allocated.

---

**Action:** The rollback segment extending will be rolled back by the system, no more extension will be possible until the next extent is freed up by rolling back or committing other transactions.

**ORA-01582: unable to open control file for backup**

**Cause:** An operating system error occurred while attempting to open a control file for backup.

**Action:** Check the error stack for more detailed information

**ORA-01583: unable to get block size of control file to be backed up**

**Cause:** An operating system error occurred while attempting to get the block size of a control file for backup.

**Action:** Check the error stack for more detailed information

**ORA-01584: unable to get file size of control file to be backed up**

**Cause:** An operating system error occurred while attempting to get the file size of a control file for backup.

**Action:** Check the error stack for more detailed information

**ORA-01585: error identifying backup file *string***

**Cause:** An operating system error occurred when attempting to identify the file to be used for control file backup.

**Action:** Check the error stack for more detailed information

**ORA-01586: database must be mounted EXCLUSIVE and not open for this operation**

**Cause:** Attempting to DROP DATABASE when the database is not mounted EXCLUSIVE.

**Action:** Mount the database in EXCLUSIVE mode.

**ORA-01588: must use RESETLOGS option for database open**

**Cause:** An earlier attempt to open the database with the RESETLOGS option did not complete, or recovery was done with a control file backup, or a FLASHBACK DATABASE was done.

**Action:** Use the RESETLOGS option when opening the database.

**ORA-01589: must use RESETLOGS or NORESETLOGS option for database open**

**Cause:** Either incomplete or backup control file recovery has been performed. After these types of recovery you must specify either the RESETLOGS option or the NORESETLOGS option to open your database.

**Action:** Specify the appropriate option.

**ORA-01590: number of segment free list (*string*) exceeds maximum of *string***

**Cause:** storage parameter FREELIST GROUPS is too large.

**Action:** Reduce storage parameters FREELIST GROUPS

**ORA-01591: lock held by in-doubt distributed transaction *string***

**Cause:** Trying to access resource that is locked by a dead two-phase commit transaction that is in prepared state.

**Action:** DBA should query the pending\_trans\$ and related tables, and attempt to repair network connection(s) to coordinator and commit point. If timely repair is not possible, DBA should contact DBA at commit point if known or end user for

---

correct outcome, or use heuristic default if given to issue a heuristic commit or abort command to finalize the local portion of the distributed transaction.

**ORA-01592: error converting Version 7 rollback segment (*string*) to Oracle 8 format**

**Cause:** Look at the accompanying internal error; Version 7 database may not have shutdown cleanly.

**Action:** Investigate the internal error; may have to reload the Version 7 database (from backup) and shutdown the database cleanly.

**ORA-01593: rollback segment optimal size (*string* blks) is smaller than the computed initial size (*string* blks)**

**Cause:** Specified OPTIMAL size is smaller than the cumulative size of the initial extents during create rollback segment.

**Action:** Specify a larger OPTIMAL size.

**ORA-01594: attempt to wrap into rollback segment (*string*) extent (*string*) which is being freed**

**Cause:** Undo generated to free a rollback segment extent is attempting to write into the same extent due to small extents and/or too many extents to free

**Action:** The rollback segment shrinking will be rolled back by the system; increase the optimal size of the rollback segment.

**ORA-01595: error freeing extent (*string*) of rollback segment (*string*)**

**Cause:** Some error occurred while freeing inactive rollback segment extents.

**Action:** Investigate the accompanying error.

**ORA-01596: cannot specify system in *string* parameter**

**Cause:** The system rollback segment is specified in the INIT.ORA parameter referred to in the error message

**Action:** change the INIT.ORA parameter

**ORA-01597: cannot alter system rollback segment online or offline**

**Cause:** Tried to online or offline the system rollback segment

**Action:** None

**ORA-01598: rollback segment "*string*" is not online**

**Cause:** Could have been taken offline before by DBA or cleaned up by SMON.

**Action:** Check the status of rollback segment in undo\$ or dba\_rollback\_segs to make sure the rollback segment is actually online.

**ORA-01599: failed to acquire rollback segment (*string*), cache space is full**

**Cause:** the amount statically allocated is not enough based on max\_rollback\_segments parameter.

**Action:** For now take another rollback segment offline or increase the parameter max\_rollback\_segments

**ORA-01600: at most one "*string*" in clause "*string*" of *string***

**Cause:** The INIT.ORA parameter was mis-specified.

**Action:** Correct the INIT.ORA parameter and restart the instance.

**ORA-01601: illegal bucket size in clause "*string*" of *string***

**Cause:** The bucket size was invalid for this parameter.

---

**Action:** Correct the INIT.ORA parameter and restart the instance.

**ORA-01603: illegal grouping size in clause "*string*" of *string***

**Cause:** The grouping size was invalid for this parameter.

**Action:** Correct the INIT.ORA parameter and restart the instance.

**ORA-01604: illegal number range in clause "*string*" of *string***

**Cause:** The number range was invalid for this parameter.

**Action:** Correct the INIT.ORA parameter and restart the instance.

**ORA-01605: missing numbers in clause "*string*" of *string***

**Cause:** The numbers were missing for this parameter.

**Action:** Correct the INIT.ORA parameter and restart the instance.

**ORA-01606: gc\_files\_to\_locks not identical to that of another mounted instance**

**Cause:** The gc\_files\_to\_locks parameters were different on two instances.

**Action:** Modify the INIT.ORA parameter gc\_files\_to\_locks and restart.

**ORA-01607: cannot add logfile to the specified instance**

**Cause:** The limit on the number of instances supported by the control file has been reached.

**Action:** Use an instance name supported by the control file, or resize the thread record and/or checkpoint progress record sections of the control file.

**ORA-01608: cannot bring rollback segment "*string*" online, its status is (*string*)**

**Cause:** Could have been brought online before by DBA or left as a result of process crash.

**Action:** Check the status of rollback segment in undo\$ or dba\_rollback\_segs

**ORA-01609: log *string* is the current log for thread *string* - cannot drop members**

**Cause:** A member of the current log for a thread cannot be dropped.

**Action:** If the thread is opened, request a log switch by the instance that is using it. If it is not open, disable the thread, manually archive the log, or clear it.

**ORA-01610: recovery using the BACKUP CONTROLFILE option must be done**

**Cause:** Either an earlier database recovery session specified BACKUP CONTROLFILE, or the control file was recreated with the RESETLOGS option, or the control file being used is a backup control file. After that only BACKUP CONTROLFILE recovery is allowed and it must be followed by a log reset at the next database open.

**Action:** Perform recovery using the BACKUP CONTROLFILE option.

**ORA-01611: thread number *string* is invalid - must be between 1 and *string***

**Cause:** A thread number in a command is greater than the number of threads supported by the control file.

**Action:** Use a thread number that is valid, or resize the thread record and/or checkpoint progress record sections of the control file.

**ORA-01612: instance *string* (thread *string*) is already enabled**

**Cause:** An attempt was made to enable a thread that is already enabled.

**Action:** Either use this thread or enable another thread.

---

**ORA-01613: instance *string* (thread *string*) only has *string* logs - at least 2 logs required to enable.**

**Cause:** The thread cannot be enabled because it only has two online log files associated with it.

**Action:** Add logs to the thread or pick another thread to enable

**ORA-01614: instance *string* (thread *string*) is busy - cannot enable**

**Cause:** The mount enqueue for the thread could not be acquired when attempting to enable the thread. This probably means that another process has already started enabling this thread.

**Action:** Wait and try again, or find another thread to enable.

**ORA-01615: instance *string* (thread *string*) is mounted - cannot disable**

**Cause:** Some instance, possibly this one, has allocated the thread for its use. The thread can not be disabled while in use.

**Action:** Shut the instance down cleanly using the thread.

**ORA-01616: instance *string* (thread *string*) is open - cannot disable**

**Cause:** The thread is not closed. The last instance to use the thread died leaving the thread open. A thread cannot be disabled until it is closed. It is still required for crash or instance recovery.

**Action:** If the database is open, instance recovery should close the thread soon - wait a few minutes. Otherwise open the database - crash recovery will close the thread.

**ORA-01617: cannot mount: *string* is not a valid thread number**

**Cause:** The INIT.ORA parameter "thread" is not between 1 and the number of threads allowed by the control file.

**Action:** Shut down the instance, change the INIT.ORA parameter and startup, or resize the thread record and/or checkpoint progress record sections of the control file.

**ORA-01618: redo thread *string* is not enabled - cannot mount**

**Cause:** The INIT.ORA parameter "thread" requests a thread that is not enabled. A thread must be enabled before it can be mounted.

**Action:** Shutdown the instance, change the INIT.ORA parameter and startup mounting a different thread. If the database is open in another instance then the thread may be enabled.

**ORA-01619: thread *string* is mounted by another instance**

**Cause:** The INIT.ORA parameter "thread" requests a thread that has been mounted by another instance. Only one instance may use a thread.

**Action:** Shutdown the instance, change the INIT.ORA parameter and startup mounting a different thread.

**ORA-01620: no public threads are available for mounting**

**Cause:** The INIT.ORA parameter "thread" is zero, its default value. There are no threads which have been publicly enabled, and not mounted.

**Action:** Shutdown the instance, change the INIT.ORA parameter to a thread which is privately enabled and not mounted. If the database is open in another instance, then a thread may be publicly enabled.

**ORA-01621: cannot rename member of current log if database is open**

---

**Cause:** This is a rename command for a member of the current log for an open thread. If the database is open anywhere, the log may be in use, so the rename cannot be done.

**Action:** Wait until the log is not current, or mount the database exclusively.

**ORA-01622: thread number must be specified - default not specific**

**Cause:** The thread was not specified when adding a log, and the currently mounted thread was chosen by default at mount time. Since the current thread was not specified explicitly the user cannot know which thread the log will be added to.

**Action:** Explicitly specify the thread number either in the INIT.ORA parameter "thread", or in the add command.

**ORA-01623: log *string* is current log for instance *string* (thread *string*) - cannot drop**

**Cause:** A thread's current log cannot be dropped even if the thread is closed. A disabled thread usually does not have a current log, but a half completed disable may need to be disabled again.

**Action:** If the database is not open then disable the thread. If the database is open and an instance has the thread open, then the instance can be requested to switch logs. If the database is closed the log can be archived or cleared to force a switch.

**ORA-01624: log *string* needed for crash recovery of instance *string* (thread *string*)**

**Cause:** A log cannot be dropped or cleared until the thread's checkpoint has advanced out of the log.

**Action:** If the database is not open, then open it. Crash recovery will advance the checkpoint. If the database is open force a global checkpoint. If the log is corrupted so that the database cannot be opened, it may be necessary to do incomplete recovery until cancel at this log.

**ORA-01625: rollback segment "*string*" does not belong to this instance**

**Cause:** Trying to shrink or take a rollback segment offline that does not belong to this instance.

**Action:** None

**ORA-01626: rollback segment number "*string*" cannot handle more transactions**

**Cause:** Too many transactions in this segment.

**Action:** Choose a different rollback segment, or reduce the number of concurrent transactions.

**ORA-01627: rollback segment number "*string*" is not online**

**Cause:** Could have been taken offline before by DBA or cleaned up by SMON.

**Action:** Check the status of rollback segment in undo\$ or dba\_rollback\_segs to make sure the rollback segment is actually online.

**ORA-01628: max # extents (*string*) reached for rollback segment *string***

**Cause:** An attempt was made to extend a rollback segment that was already at the MAXEXTENTS value.

**Action:** If the value of the MAXEXTENTS storage parameter is less than the maximum allowed by the system, raise this value.

**ORA-01629: max # extents (*string*) reached saving undo for tablespace *string***

**Cause:** Save undo for the offline tablespace at max extents

---

**Action:** Check the storage parameters for the system tablespace. The tablespace needs to be brought back online so the undo can be applied .

**ORA-01630: max # extents (*string*) reached in temp segment in tablespace *string***

**Cause:** A temp segment tried to extend past max extents.

**Action:** If maxextents for the tablespace is less than the the system maximum, you can raise that. Otherwise, raise pctincrease for the tablespace

**ORA-01631: max # extents (*string*) reached in table *string.string***

**Cause:** A table tried to extend past maxextents

**Action:** If maxextents is less than the system maximum, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params

**ORA-01632: max # extents (*string*) reached in index *string.string***

**Cause:** An index tried to extend past maxextents

**Action:** If maxextents is less than the system max, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params.

**ORA-01633: Real Application Clusters Option needed for this operation**

**Cause:** System doesn't have Real Application Clusters configured

**Action:** Obtain Real Application Clusters option

**ORA-01634: rollback segment number "*string*" is about to go offline**

**Cause:** The rollback segment specified was marked to go offline by DBA.

**Action:** Bring the rollback segment online first.

**ORA-01635: rollback segment #*string* specified not available**

**Cause:** (same as 1545)

**Action:** (same as 1545)

**ORA-01636: rollback segment "*string*" is already online**

**Cause:** The instance is trying to online an already online RS

**Action:** None

**ORA-01637: rollback segment "*string*" is being used by another instance (#*string*)**

**Cause:** The instance is trying to online a RS already in use by another instance

**Action:** None

**ORA-01638: parameter *string* does not allow ORACLE version *string* to mount cluster database**

**Cause:** The recovery compatible parameter is set too low to allow this software version to mount in cluster database mode.

**Action:** Either use an earlier software release or advance the recovery\_compatible parameter. If this happens when no recovery\_compatible parameter has been specified then set it to the current software release.

**ORA-01639: instance *string* has no thread assigned to it**

**Cause:** There is no mapping from instance to thread for this instance in the control file.

**Action:** Make sure that this instance has a thread assigned to it by adding logfiles to this instance or by starting the instance with an existing thread which will automatically create a mapping.

---

**ORA-01640: cannot make tablespace read only with active transactions**

**Cause:** Attempting to make a tablespace read only while there are active transactions in the database. All transactions must commit or rollback to insure that there is no undo for a tablespace before it can be made read only. This includes in doubt distributed transactions.

**Action:** Prevent any more transactions from being started. Putting the database in restricted mode usually helps. If there are any in doubt transactions they must also be resolved.

**ORA-01641: tablespace "string" is not online - cannot add data file**

**Cause:** Attempting to add a datafile to a tablespace that has been set to read only or offline.

**Action:** Make the tablespace online and read write then add the datafile.

**ORA-01642: begin backup not needed for read only tablespace "string"**

**Cause:** Attempting to begin or end a backup for a tablespace that has been set to read only.

**Action:** Take the backup without any begin or end commands. The files are not being modified so the backup will be consistent.

**ORA-01643: system tablespace can not be made read only**

**Cause:** Attempting to set the system tablespace to read only. The system tablespace must remain read write for database operation.

**Action:** Leave system tablespace read write.

**ORA-01644: tablespace "string" is already read only**

**Cause:** Attempting to make tablespace read only that is already read only.

**Action:** Leave tablespace read only, or make read write then make read only again.

**ORA-01645: previous attempt to make read write is half complete**

**Cause:** A failure while making the tablespace read write left it read only, but the checkpoint was advanced. The tablespace will not be useable after a resetlogs if its files are offline.

**Action:** Repeat the command to make the tablespace read write.

**ORA-01646: tablespace "string" is not read only - cannot make read write**

**Cause:** Attempting to make a tablespace read write that is not read only. It may be either online or offline.

**Action:** Leave tablespace read write.

**ORA-01647: tablespace "string" is read only, cannot allocate space in it**

**Cause:** Tried to allocate space in a read only tablespace

**Action:** Create the object in another tablespace

**ORA-01648: log string is the current log of disabled instance string (thread string)**

**Cause:** An attempt to enable the thread failed after it was half completed. This log was left as the current log even though the thread is still disabled. Since a log switch cannot be done until the thread is enabled, the log can not be cleared or archived.

**Action:** Complete the thread enable by issuing the enable command again.

---

**ORA-01649: operation not allowed with a backup control file**

**Cause:** An attempt is being made to perform a command that does not make sense when the control file is a restored backup.

**Action:** Wait until after the database has been opened and try again.

**ORA-01650: unable to extend rollback segment *string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for a rollback segment in the tablespace.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01651: unable to extend save undo segment by *string* for tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for saving undo entries for the indicated offline tablespace.

**Action:** Check the storage parameters for the SYSTEM tablespace. The tablespace needs to be brought back online so the undo can be applied.

**ORA-01652: unable to extend temp segment by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for a temporary segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01653: unable to extend table *string.string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for a table segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01654: unable to extend index *string.string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for an index segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01655: unable to extend cluster *string.string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for a cluster segment in tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01656: max # extents (*string*) reached in cluster *string.string***

**Cause:** A cluster tried to extend past maxextents

**Action:** If maxextents is less than the system maximum, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params

**ORA-01657: invalid SHRINK option value**

**Cause:** The specified value must be an integer.

**Action:** Choose an appropriate integer value.

**ORA-01658: unable to create INITIAL extent for segment in tablespace *string***

---

**Cause:** Failed to find sufficient contiguous space to allocate INITIAL extent for segment being created.

**Action:** Use ALTER TABLESPACE ADD DATAFILE to add additional space to the tablespace or retry with a smaller value for INITIAL

**ORA-01659: unable to allocate MINEXTENTS beyond *string* in tablespace *string***

**Cause:** Failed to find sufficient contiguous space to allocate MINEXTENTS for the segment being created.

**Action:** Use ALTER TABLESPACE ADD DATAFILE to add additional space to the tablespace or retry with smaller value for MINEXTENTS, NEXT or PCTINCREASE

**ORA-01660: tablespace "*string*" is already permanent**

**Cause:** Attempting to make tablespace permanent that is already permanent.

**Action:** Leave tablespace permanent.

**ORA-01661: tablespace "*string*" is already temporary**

**Cause:** Attempting to make tablespace temporary that is already temporary.

**Action:** Leave tablespace permanent.

**ORA-01662: tablespace "*string*" is non-empty and cannot be made temporary**

**Cause:** Tried to convert a non-empty tablespace to a temporary tablespace

**Action:** To drop all the objects in the tablespace.

**ORA-01663: the contents of tablespace "*string*" is constantly changing**

**Cause:** The contents of the tablespace is always changing between PERMANENT and TEMPORARY.

**Action:** To decide what the tablespace contents should be and stay with it.

**ORA-01664: Transaction which has expanded the Sort Segment has aborted**

**Cause:** Internal Error.

**Action:** Contact Oracle Support.

**ORA-01665: control file is not a standby control file**

**Cause:** Attempting to mount, recover or activate a standby database without a standby control file.

**Action:** Create a standby control file before attempting to use the database as a standby database.

**ORA-01666: control file is for a standby database**

**Cause:** Attempting to mount, recover, or open a standby database without the appropriate command option to designate a standby database.

**Action:** Use the standby option or appropriate commands, or mount with the primary control file.

**ORA-01667: cannot add any more tablespaces: limit of *string* exceeded**

**Cause:** There is no more room in the control file for adding tablespaces.

**Action:** Resize the control file or drop other tablespaces.

**ORA-01668: standby database requires DROP option for offline of data file**

**Cause:** Attempting to take a datafile offline in a standby database without specifying the DROP option. Files that are offline in a standby database are not

---

recovered, and are likely to be unusable if the standby is activated. Note that specifying DROP does not prevent bringing the file online later.

**Action:** Specify the DROP option or leave the file online.

**ORA-01669: standby database control file not consistent**

**Cause:** Attempting to activate a standby database with a control file that has not been recovered to the same point as the data files. Most likely the control file was just copied from the primary database and has not been used for recovery.

**Action:** Recover the standby database until all the files are consistent.

**ORA-01670: new datafile *string* needed for standby database recovery**

**Cause:** Standby database recovery noticed that a file was added to the primary database, but is not available on the standby.

**Action:** Either copy the file from the primary database or do an ALTER DATABASE CREATE DATAFILE command on the standby to create a file to recover.

**ORA-01671: control file is a backup, cannot make a standby control file**

**Cause:** The currently mounted control file is a backup control file, and attempting to create a control file for a standby database.

**Action:** Complete any needed recovery and open the database with the resetlogs option.

**ORA-01672: control file may be missing files or have extra ones**

**Cause:** Attempting to create a standby control file, but the control file was either recently created via CREATE CONTROLFILE or an incomplete recovery has been done. Thus the datafiles in the control file and the ones in the data dictionary may not match.

**Action:** Open the database, then retry the operation.

**ORA-01673: data file *string* has not been identified**

**Cause:** This data file was not in the control file after an incomplete recovery or CREATE CONTROLFILE. Since information from its header is needed for standby database recovery, we can not create a standby control file.

**Action:** Find the file and bring it online. If desired it may be taken offline again. If you intend to drop this file, then taking it offline with the DROP option will avoid this error.

**ORA-01674: data file *string* is an old incarnation rather than current file**

**Cause:** Recovery encountered redo that indicates this file was dropped from the database and another file was added using the same file number. This implies that a CREATE CONTROLFILE command was given the old file which was dropped rather than the latest file.

**Action:** Rebuild the control file using CREATE CONTROLFILE, and give the correct file.

**ORA-01675: max\_commit\_propagation\_delay inconsistent with other instances**

**Cause:** The max\_commit\_propagation\_delay INIT.ORA parameter is inconsistent with those in other instances.

**Action:** Make sure all instances have the same max\_commit\_propagation\_delay.

**ORA-01676: standby file name convert of "*string*" exceeds maximum length of *string***

---

**Cause:** When the given file name is converted to the name used for the standby database, the converted name is bigger than the maximum allowed file name.

**Action:** Change initialization parameter DB\_FILE\_STANDBY\_NAME\_CONVERT or LOG\_FILE\_STANDBY\_NAME\_CONVERT to convert to a valid file name.

**ORA-01677: standby file name convert parameters differ from other instance**

**Cause:** The DB\_FILE\_STANDBY\_NAME\_CONVERT or LOG\_FILE\_STANDBY\_NAME\_CONVERT initialization parameters are not the same as in other instances that already have the database mounted.

**Action:** Change initialization parameters DB\_FILE\_STANDBY\_NAME\_CONVERT and LOG\_FILE\_STANDBY\_NAME\_CONVERT to match other instances.

**ORA-01678: parameter *string* must be pairs of pattern and replacement strings**

**Cause:** The initialization parameter does not have even number of strings for its value. The odd numbered strings are patterns to be found in file names. The even numbered strings are used to replace the corresponding patterns when found in file names.

**Action:** Specify even number of strings for the parameter, or omit the parameter.

**ORA-01679: database must be mounted EXCLUSIVE and not open to activate**

**Cause:** An attempt to activate a standby database was made when the database was not mounted EXCLUSIVE or was already open.

**Action:** Mount the database EXCLUSIVE and retry the ACTIVATE command.

**ORA-01680: unable to extend LOB segment by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for a LOB segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01681: max # extents (*string*) reached in LOB segment in tablespace *string***

**Cause:** A LOB segment tried to extend past max extents.

**Action:** If maxextents for the tablespace is less than the the system maximum, you can raise that. Otherwise, raise pctincrease for the tablespace

**ORA-01682: read-only DB cannot allocate temporary space in tablespace *string***

**Cause:** Temporary space (usually for sorting) could not be allocated in either main storage or a tempfile. An attempt was made to allocate the space from the tablespace named, but the database is opened read-only. The database open requires a sort work space.

**Action:** Either allow sufficient workspace in main storage (SORT\_AREA\_SIZE initialization parameter), or create a temporary tablespace before making the database read-only. Use ALTER TABLESPACE ADD TEMPFILE statement to add temporary files to the temporary tablespace.

**ORA-01683: unable to extend index *string.string* partition *string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for index segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

---

**ORA-01684: max # extents (*string*) reached in table *string.string* partition *string***

**Cause:** A table tried to extend past maxextents

**Action:** If maxextents is less than the system maximum, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params

**ORA-01685: max # extents (*string*) reached in index *string.string* partition *string***

**Cause:** An index tried to extend past maxextents

**Action:** If maxextents is less than the system max, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params.

**ORA-01686: max # files (*string*) reached for the tablespace *string***

**Cause:** The number of files for a given tablespace has reached its maximum value

**Action:** Resize existing files in the tablespace, or partition the objects among multiple tablespaces, or move some objects to a different tablespace.

**ORA-01687: specified logging attribute for tablespace "*string*" is same as the existing**

**Cause:** Attempting to change the tablespace default logging attribute (LOGGING or NOLOGGING) to be the same as the existing logging attribute

**Action:** Change the specified logging attribute

**ORA-01688: unable to extend table *string.string* partition *string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for table segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01689: syntax error in clause "*string*" of *string***

**Cause:** There was a syntax in the INIT.ORA parameter.

**Action:** Fix the syntax error and restart the instance.

**ORA-01690: sort area size too small**

**Cause:** sort area size too small to fit two records in memory

**Action:** increase sort\_area\_size

**ORA-01691: unable to extend lob segment *string.string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for LOB segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01692: unable to extend lob segment *string.string* partition *string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent of the required number of blocks for LOB segment in the tablespace indicated.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-01693: max # extents (*string*) reached in lob segment *string.string***

**Cause:** A LOB segment tried to extend past maxextents

**Action:** If maxextents is less than the system max, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params.

- 
- ORA-01694: max # extents (*string*) reached in lob segment *string.string* partition *string***  
**Cause:** A LOB segment tried to extend past maxextents  
**Action:** If maxextents is less than the system max, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params.
- ORA-01695: error converting rollback segment *string* to version 8.0.2**  
**Cause:** Version 8.0.1 database may not have shutdown cleanly  
**Action:** May have to reload the 8.0.1 database and shutdown cleanly
- ORA-01696: control file is not a clone control file**  
**Cause:** Attempting to mount, a database as a clone when it is already mounted by another instance not as a clone or attempting to use a current control file for a clone.  
**Action:** Mount without the clone option or use a backup control file and shutdown the other instances before mounting as a clone.
- ORA-01697: control file is for a clone database**  
**Cause:** Attempting to mount a clone database without the appropriate command option to designate a clone database.  
**Action:** Use the clone option or appropriate commands, or mount with the primary control file.
- ORA-01698: a clone database may only have SYSTEM rollback segment online**  
**Cause:** Attempting to online a rollback segment in a clone database.  
**Action:** Do not use this command.
- ORA-01699: tablespace "*string*" is being imported for point in time recovery**  
**Cause:** Attempting to online a tablespace or begin another point in time import while a point in time import is already in progress  
**Action:** Wait until the import completes
- ORA-01702: a view is not appropriate here**  
**Cause:** Among other possible causes, this message will be produced if an attempt was made to define an Editioning View over a view.  
**Action:** An Editioning View may only be created over a base table.
- ORA-01704: string literal too long**  
**Cause:** The string literal is longer than 4000 characters.  
**Action:** Use a string literal of at most 4000 characters. Longer values may only be entered using bind variables.
- ORA-01715: UNIQUE may not be used with a cluster index**  
**Cause:** An attempt was made to create a cluster index with the UNIQUE attribute.  
**Action:** Remove UNIQUE from the CREATE INDEX statement.
- ORA-01716: NOSORT may not be used with a cluster index**  
**Cause:** An attempt was made to create a cluster index using the NOSORT option.  
**Action:** Remove NOSORT from the CREATE INDEX statement.
- ORA-01718: BY ACCESS | SESSION clause not allowed for NOAUDIT**  
**Cause:** Attempt to specify BY ACCESS | SESSION in a NOAUDIT statement.

---

**Action:** Remove BY ACCESS | SESSION.

**ORA-01719: outer join operator (+) not allowed in operand of OR or IN**

**Cause:** An outer join appears in an or clause.

**Action:** If A and B are predicates, to get the effect of (A(+) or B), try (select where (A(+) and not B)) union all (select where (B)).

**ORA-01720: grant option does not exist for "string.string"**

**Cause:** A grant was being performed on a view and the grant option was not present for an underlying object.

**Action:** Obtain the grant option on all underlying objects of the view.

**ORA-01721: USERENV(COMMITSCN) invoked more than once in a transaction**

**Cause:** The USERENV("COMMITSCN") function can only be used once in a transaction.

**Action:** Re-write the transaction to use USERENV("COMMITSCN") only once

**ORA-01724: floating point precision is out of range (1 to 126)**

**Cause:** Self-evident.

**Action:** Self-evident.

**ORA-01725: USERENV("COMMITSCN") not allowed here**

**Cause:** The function USERNEV("COMMMITSCN") is only allowed as a top-level expression in the VALUES clause of an INSERT statements, and on the right hand side of an assignment in an UPDATE statement.

**Action:** Correct the use of the function.

**ORA-01734: illegal parameters - EXTENT MIN higher than EXTENT MAX**

**Cause:** A wrong value is specified for the parameter.

**Action:** Correct the parameter and reissue the statement.

**ORA-01742: comment not terminated properly**

**Cause:** The indicated comment or hint begun with the /\* token did not have the terminating \*/.

**Action:** Properly terminate the comment or hint with a \*/.

**ORA-01743: only pure functions can be indexed**

**Cause:** The indexed function uses SYSDATE or the user environment.

**Action:** PL/SQL functions must be pure (RNDS, RNPS, WNDS, WNPS). SQL expressions must not use SYSDATE, USER, USERENV(), or anything else dependent on the session state. NLS-dependent functions are OK.

**ORA-01751: Invalid dump undo option**

**Cause:** An invalid option is specified in the ALTER DUMP UNDO command.

**Action:** Correct and reissue the command.

**ORA-01752: cannot delete from view without exactly one key-preserved table**

**Cause:** The deleted table had

- no key-preserved tables,
- more than one key-preserved table, or
- the key-preserved table was an unmerged view.

---

**Action:** Redefine the view or delete it from the underlying base tables.

**ORA-01754: a table may contain only one column of type LONG**

**Cause:** An attempt was made to add a LONG column to a table which already had a LONG column. Note that even if the LONG column currently in the table has already been marked unused, another LONG column may not be added until the unused columns are dropped.

**Action:** Remove the LONG column currently in the table by using the ALTER TABLE command.

**ORA-01755: Must specify an extent number or block number**

**Cause:** Expecting an extent or block number but something else was specified.

**Action:** Correct the error and reissue the command.

**ORA-01757: Must specify an object number**

**Cause:** Expecting an object number but something else was specified.

**Action:** Correct the error and reissue the command.

**ORA-01761: DML operation does not map to a unique table in the join**

**Cause:** The primary table is the base table against which the update, insert or delete operation is finally being done. For delete either there is no primary table in the join query or there is more than one. For update or insert the columns specified map to more than one base table.

**Action:** Change the join specification.

**ORA-01763: update or delete involves outer joined table**

**Cause:** For deletes, the table being deleted from is outer joined to some other table. For updates, either the table being updated is outer-joined to some other table, or some table reachable from the primary table is being outer joined to a table not reachable from the primary table.

**Action:** Change the join specification.

**ORA-01764: new update value of join is not guaranteed to be unique**

**Cause:** A row of a join query table is being updated using a row of a table that is not guaranteed to have exactly one value for the row being updated.

**Action:** Change the join specification.

**ORA-01769: duplicate CLUSTER option specifications**

**Cause:** During a CREATE of a clustered table, the user attempted to specify more than one CLUSTER option.

**Action:** Remove the extra CLUSTER option.

**ORA-01771: illegal option for a clustered table**

**Cause:** During a CREATE or ALTER of a clustered table, the user attempted to enter one or more of the following options: INITRANS, MAXTRANS, PCTFREE, PCTUSED, STORAGE, TABLESPACE. These options may only be specified for the cluster itself.

**Action:** Remove the illegal option(s).

**ORA-01772: Must specify a value for LEVEL**

**Cause:** Expecting the value of LEVEL but something else was specified.

**Action:** Correct the error and reissue the command.

---

**ORA-01774: Dump undo option specified more than once**

**Cause:** The same option for ALTER DUMP UNDO was specified twice.

**Action:** Remove the redundant options and reissue the command.

**ORA-01776: cannot modify more than one base table through a join view**

**Cause:** Columns belonging to more than one underlying table were either inserted into or updated.

**Action:** Phrase the statement as two or more separate statements.

**ORA-01779: cannot modify a column which maps to a non key-preserved table**

**Cause:** An attempt was made to insert or update columns of a join view which map to a non-key-preserved table.

**Action:** Modify the underlying base tables directly.

**ORA-01781: UNRECOVERABLE cannot be specified without AS SELECT**

**Cause:** UNRECOVERABLE was specified in a CREATE TABLE statement without also specifying a populating subquery with an AS clause.

**Action:** Do not specify UNRECOVERABLE.

**ORA-01782: UNRECOVERABLE cannot be specified for a cluster or clustered table**

**Cause:** A CREATE CLUSTER, or clustered CREATE TABLE statement specified UNRECOVERABLE.

**Action:** Do not specify UNRECOVERABLE.

**ORA-01783: only one RECOVERABLE or UNRECOVERABLE clause may be specified**

**Cause:** RECOVERABLE was specified more than once, UNRECOVERABLE was specified more than once, or both RECOVERABLE and UNRECOVERABLE were specified in a CREATE TABLE or CREATE INDEX or ALTER INDEX REBUILD statement.

**Action:** Remove all but one of the RECOVERABLE or UNRECOVERABLE clauses and reissue the statement.

**ORA-01784: RECOVERABLE cannot be specified with database media recovery disabled**

**Cause:** A CREATE TABLE or CREATE INDEX statement specified RECOVERABLE when the database was running in NOARCHIVELOG mode. Since logs are not being archived, they will be overwritten and the object being created cannot be recovered from a backup taken before the object was created.

**Action:** Do not specify RECOVERABLE, or restart the database with media recovery enabled.

**ORA-01792: maximum number of columns in a table or view is 1000**

**Cause:** An attempt was made to create a table or view with more than 1000 columns, or to add more columns to a table or view which pushes it over the maximum allowable limit of 1000. Note that unused columns in the table are counted toward the 1000 column limit.

**Action:** If the error is a result of a CREATE command, then reduce the number of columns in the command and resubmit. If the error is a result of an ALTER TABLE command, then there are two options: 1) If the table contained unused columns, remove them by executing ALTER TABLE DROP UNUSED COLUMNS before

---

adding new columns; 2) Reduce the number of columns in the command and resubmit.

**ORA-01799: a column may not be outer-joined to a subquery**

**Cause:** <expression>(+) <relop> (<subquery>) is not allowed.

**Action:** Either remove the (+) or make a view out of the subquery. In V6 and before, the (+) was just ignored in this case.

**ORA-01804: failure to initialize timezone information**

**Cause:** The timezone information file was not properly read.

**Action:** Please contact Oracle Customer Support.

**ORA-01841: (full) year must be between -4713 and +9999, and not be 0**

**Cause:** Illegal year entered

**Action:** Input year in the specified range

**ORA-01854: julian date must be between 1 and 5373484**

**Cause:** An invalid Julian date was entered.

**Action:** Enter a valid Julian date between 1 and 5373484.

**ORA-01858: a non-numeric character was found where a numeric was expected**

**Cause:** The input data to be converted using a date format model was incorrect. The input data did not contain a number where a number was required by the format model.

**Action:** Fix the input data or the date format model to make sure the elements match in number and type. Then retry the operation.

**ORA-01859: a non-alphabetic character was found where an alphabetic was expected**

**Cause:** The input data to be converted using a date format model was incorrect. The input data did not contain a letter where a letter was required by the format model.

**Action:** Fix the input data or the date format model to make sure the elements match in number and type. Then retry the operation.

**ORA-01861: literal does not match format string**

**Cause:** Literals in the input must be the same length as literals in the format string (with the exception of leading whitespace). If the "FX" modifier has been toggled on, the literal must match exactly, with no extra whitespace.

**Action:** Correct the format string to match the literal.

**ORA-01862: the numeric value does not match the length of the format item**

**Cause:** When the FX and FM format codes are specified for an input date, then the number of digits must be exactly the number specified by the format code. For example, 9 will not match the format specifier DD but 09 will.

**Action:** Correct the input date or turn off the FX or FM format specifier in the format string.

**ORA-01863: the year is not supported for the current calendar**

**Cause:** The year is not supported for the current calendar.

**Action:** Please check the documentation to find out what years are supported for the current calendar.

---

**ORA-01864: the date is out of range for the current calendar**

**Cause:** Your calendar doesn't extend to the specified date.

**Action:** Specify a date which is legal for this calendar.

**ORA-01865: not a valid era**

**Cause:** Era input does not match a known era.

**Action:** Provide a valid era on input.

**ORA-01866: the datetime class is invalid**

**Cause:** This is an internal error.

**Action:** Please contact Oracle Worldwide Support.

**ORA-01867: the interval is invalid**

**Cause:** The character string you specified is not a valid interval.

**Action:** Please specify a valid interval.

**ORA-01868: the leading precision of the interval is too small**

**Cause:** The leading precision of the interval is too small to store the specified interval.

**Action:** Increase the leading precision of the interval or specify an interval with a smaller leading precision.

**ORA-01870: the intervals or datetimes are not mutually comparable**

**Cause:** The intervals or datetimes are not mutually comparable.

**Action:** Specify a pair of intervals or datetimes that are mutually comparable.

**ORA-01871: the number of seconds must be less than 60**

**Cause:** The number of seconds specified was greater than 59.

**Action:** Specify a value for seconds that is 59 or smaller.

**ORA-01873: the leading precision of the interval is too small**

**Cause:** The leading precision of the interval is too small to store the specified interval.

**Action:** Increase the leading precision of the interval or specify an interval with a smaller leading precision.

**ORA-01874: time zone hour must be between -12 and 14**

**Cause:** The time zone hour specified was not in the valid range.

**Action:** Specify a time zone hour between -12 and 14.

**ORA-01875: time zone minute must be between -59 and 59**

**Cause:** The time zone minute specified was not in the valid range.

**Action:** Specify a time zone minute between -59 and 59.

**ORA-01876: year must be at least -4713**

**Cause:** The specified year was not in range.

**Action:** Specify a year that is greater than or equal to -4713.

**ORA-01877: string is too long for internal buffer**

**Cause:** This is an internal error.

**Action:** Please contact Oracle Worldwide Support.

- 
- ORA-01878: specified field not found in datetime or interval**  
**Cause:** The specified field was not found in the datetime or interval.  
**Action:** Make sure that the specified field is in the datetime or interval.
- ORA-01879: the hh25 field must be between 0 and 24**  
**Cause:** The specified hh25 field was not in the valid range.  
**Action:** Specify an hh25 field between 0 and 24.
- ORA-01880: the fractional seconds must be between 0 and 999999999**  
**Cause:** The specified fractional seconds were not in the valid range.  
**Action:** Specify a value for fractional seconds between 0 and 999999999.
- ORA-01881: timezone region id *number* is invalid**  
**Cause:** The region id referenced an invalid region.  
**Action:** Please contact Oracle Customer Support.
- ORA-01882: timezone region *string* not found**  
**Cause:** The specified region name was not found.  
**Action:** Please contact Oracle Customer Support.
- ORA-01883: overlap was disabled during a region transition**  
**Cause:** The region was changing state and the overlap flag was disabled.  
**Action:** Please contact Oracle Customer Support.
- ORA-01890: NLS error detected**  
**Cause:** An NLS error was detected.  
**Action:** Look for additional error messages and take appropriate action. If there are no additional errors, call Oracle Worldwide Support.
- ORA-01891: Datetime/Interval internal error**  
**Cause:** Internal error.  
**Action:** Please contact Oracle Worldwide Support.
- ORA-01898: too many precision specifiers**  
**Cause:** While trying to truncate or round dates, extra data was found in the date format picture  
**Action:** Check the syntax of the date format picture and retry.
- ORA-01900: LOGFILE keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01901: ROLLBACK keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01902: SEGMENT keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01903: EVENTS keyword expected**

- 
- Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01904: DATAFILE keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01905: STORAGE keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01906: BACKUP keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01907: TABLESPACE keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01908: EXISTS keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01909: REUSE keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01910: TABLES keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01911: CONTENTS keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01912: ROW keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01913: EXCLUSIVE keyword expected**  
**Cause:** keyword missing  
**Action:** supply missing keyword
- ORA-01914: invalid auditing option for sequence numbers**  
**Cause:** AUDIT or NOAUDIT on a sequence number specifies an auditing option that is not legal for sequence numbers.  
**Action:** The following options may not be used for sequence numbers and should be removed: COMMENT, DELETE, INDEX, INSERT, LOCK, RENAME, UPDATE, REFERENCES, EXECUTE
- ORA-01915: invalid auditing option for views**

---

**Cause:** AUDIT or NOAUDIT on a view specifies an auditing option that is not legal for views.

**Action:** The following options may not be used for views and should be removed: ALTER, INDEX, REFERENCES, EXECUTE

**ORA-01916: keyword ONLINE, OFFLINE, RESIZE, AUTOEXTEND or END/DROP expected**

**Cause:** An expected keyword was not used for datafile/tempfile clause

**Action:** Use correct syntax.

**ORA-01917: user or role "*string*" does not exist**

**Cause:** There is not a user or role by that name.

**Action:** Re-specify the name.

**ORA-01918: user "*string*" does not exist**

**Cause:** User does not exist in the system.

**Action:** Verify the user name is correct.

**ORA-01919: role "*string*" does not exist**

**Cause:** Role by that name does not exist.

**Action:** Verify you are using the correct role name.

**ORA-01920: user name "*string*" conflicts with another user or role name**

**Cause:** There is already a user or role with that name.

**Action:** Specify a different user name.

**ORA-01921: role name "*string*" conflicts with another user or role name**

**Cause:** There is already a user or role with that name.

**Action:** Specify a different role name.

**ORA-01922: CASCADE must be specified to drop "*string*"**

**Cause:** Cascade is required to remove this user from the system. The user own's object which will need to be dropped.

**Action:** Specify cascade.

**ORA-01923: CASCADE aborted, objects locked by another user**

**Cause:** Cannot drop the user's objects; someone has them locked.

**Action:** Use the lock monitor to determine who has the objects locked.

**ORA-01924: role "*string*" not granted or does not exist**

**Cause:** Set role can only be performed with roles granted directly to your account. (e.g. a sub-role cannot be enabled)

**Action:** Don't try to set the role.

**ORA-01925: maximum of *string* enabled roles exceeded**

**Cause:** The INIT.ORA parameter "max\_enabled\_roles" has been exceeded.

**Action:** Increase max\_enabled\_roles and warm start the database.

**ORA-01926: cannot GRANT to a role WITH GRANT OPTION**

**Cause:** Role cannot have a privilege with the grant option.

**Action:** Perform the grant without the grant option.

---

**ORA-01927: cannot REVOKE privileges you did not grant**

**Cause:** You can only revoke privileges you granted.

**Action:** Don't revoke these privileges.

**ORA-01928: GRANT option not granted for all privileges**

**Cause:** In order to grant a privilege, you must first have the privilege with the grant option.

**Action:** Obtain the privilege with the grant option and try again.

**ORA-01929: no privileges to GRANT**

**Cause:** "ALL" was specified but the user doesn't have any privileges with the grant option.

**Action:** Don't grant privileges on that object.

**ORA-01930: auditing the object is not supported**

**Cause:** AUDIT or NOAUDIT was specified for an object that cannot be audited.

**Action:** Don't attempt to AUDIT the object.

**ORA-01931: cannot grant *string* to a role**

**Cause:** UNLIMITED TABLESPACE, REFERENCES, INDEX, SYSDBA or SYSOPER privilege cannot be granted to a role.

**Action:** Grant privilege directly to the user.

**ORA-01932: ADMIN option not granted for role "*string*"**

**Cause:** The operation requires the admin option on the role.

**Action:** Obtain the grant option and re-try.

**ORA-01933: cannot create a stored object using privileges from a role**

**Cause:** An attempt was made to create a stored object using privileges from a role. Stored objects cannot use privileges from roles.

**Action:** Grant the privileges required to the user directly.

**ORA-01934: circular role grant detected**

**Cause:** Roles cannot be granted circularly. Also, a role cannot be granted to itself.

**Action:** Do not perform the grant.

**ORA-01935: missing user or role name**

**Cause:** A user or role name was expected.

**Action:** Specify a user or role name.

**ORA-01936: cannot specify owner when creating users or roles**

**Cause:** Users and roles do not have owners.

**Action:** Don't specify an owner.

**ORA-01937: missing or invalid role name**

**Cause:** A valid role name was expected.

**Action:** Specify a valid role name.

**ORA-01938: IDENTIFIED BY must be specified for CREATE USER**

**Cause:** Cannot create a user without specifying a password or "IDENTIFIED EXTERNALLY".

---

**Action:** Specify one of the password clauses.

**ORA-01939: only the ADMIN OPTION can be specified**

**Cause:** System privileges and Roles can only be granted with the admin option. The grant option cannot be used with these privileges.

**Action:** Specify the admin option.

**ORA-01940: cannot drop a user that is currently connected**

**Cause:** Attempt was made to drop a user that is currently logged in.

**Action:** Make sure user is logged off, then repeat command.

**ORA-01941: SEQUENCE keyword expected**

**Cause:** keyword missing

**Action:** supply missing keyword

**ORA-01942: IDENTIFIED BY and EXTERNALLY cannot both be specified**

**Cause:** A user cannot be specified to have and not have a password.

**Action:** Specify only one of the options.

**ORA-01943: IDENTIFIED BY already specified**

**Cause:** The identified clause has been given twice.

**Action:** Use only one identified by clause.

**ORA-01944: IDENTIFIED EXTERNALLY already specified**

**Cause:** The identified externaly clause has been given twice.

**Action:** Use only one identified clause.

**ORA-01945: DEFAULT ROLE[S] already specified**

**Cause:** The default roles clause has been given twice.

**Action:** Use only on default role clause.

**ORA-01946: DEFAULT TABLESPACE already specified**

**Cause:** The default tablespace clause has been given twice.

**Action:** Use only one default tablespace clause.

**ORA-01947: TEMPORARY TABLESPACE already specified**

**Cause:** The temporary tablespace clause has been given twice.

**Action:** Use only one temporary tablespace clause.

**ORA-01948: identifier's name length (*string*) exceeds maximum (*string*)**

**Cause:** A name has been specified that is too long. For example, dbms\_session.is\_role\_enabled() specifies a role name that is too long.

**Action:** Change the application or command to use a correct identifier.

**ORA-01949: ROLE keyword expected**

**Cause:** The role keyword is required here.

**Action:** Specify the role keyword.

**ORA-01950: no privileges on tablespace "*string*"**

**Cause:** User does not have privileges to allocate an extent in the specified tablespace.

---

**Action:** Grant the user the appropriate system privileges or grant the user space resource on the tablespace.

**ORA-01951: ROLE "*string*" not granted to "*string*"**

**Cause:** The role you tried to revoke was not granted to the user.

**Action:** Don't try to revoke a privilege which is not granted.

**ORA-01952: system privileges not granted to "*string*"**

**Cause:** A system privilege you tried to revoke was not granted to the user.

**Action:** Make sure the privileges you are trying to revoke are granted.

**ORA-01953: command no longer valid, see ALTER USER**

**Cause:** The syntax for assigning quotas on tablespaces has changed. The ALTER USER command is now used to perform the functionality

**Action:** Use the alter user command instead.

**ORA-01954: DEFAULT ROLE clause not valid for CREATE USER**

**Cause:** Default roles cannot be specified for create user.

**Action:** Grant and alter the user's default roles after creating the user.

**ORA-01955: DEFAULT ROLE "*string*" not granted to user**

**Cause:** The user being altered does not have the specified role granted directly to the user. Note, sub-roles cannot be used in the default role clause.

**Action:** Grant the role to the user.

**ORA-01956: invalid command when OS\_ROLES are being used**

**Cause:** This command cannot be used when the INIT.ORA parameter OS\_ROLES is TRUE.

**Action:** Grant the role to the user in the operating system.

**ORA-01967: invalid option for CREATE CONTROLFILE**

**Cause:** An invalid CREATE CONTROLFILE option is present.

**Action:** Specify only valid CREATE CONTROLFILE options.

**ORA-01968: Only specify RESETLOGS or NORESETLOGS once**

**Cause:** The keyword RESETLOGS or NORESETLOGS has appeared more than once

**Action:** Be sure to specify RESETLOGS or NORESETLOGS exactly once.

**ORA-01969: You must specify RESETLOGS or NORESETLOGS**

**Cause:** Missing a RESETLOGS or a NORESETLOGS

**Action:** Be sure to specify RESETLOGS or NORESETLOGS exactly once.

**ORA-01970: You must specify a database name for CREATE CONTROLFILE**

**Cause:** Missing a database name

**Action:** Retype CREATE CONTROLFILE command with the DATABASE keyword.

**ORA-01973: Missing change number**

**Cause:** Keyword "CHANGE" found but change number not specified.

**Action:** Fix command line and resubmit

---

**ORA-01974: Illegal archive option**

**Cause:** Not a valid option to the "ALTER SYSTEM ARCHIVE" command

**Action:** None

**ORA-01977: Missing thread number**

**Cause:** Keyword "THREAD" found but thread number not specified.

**Action:** Fix command line and resubmit

**ORA-01978: Missing sequence number**

**Cause:** Keyword "SEQUENCE" found but sequence number not specified.

**Action:** Fix command line and resubmit

**ORA-01979: missing or invalid password for role "string"**

**Cause:** An attempt was made to enable a role without giving

**Action:** Use the "identified by" clause in set role to specify the correct password.

**ORA-01980: error during OS ROLE initialization**

**Cause:** An OS error occurred while loading a users OS ROLES.

**Action:** Check the OS error.

**ORA-01981: CASCADE CONSTRAINTS must be specified to perform this revoke**

**Cause:** During this revoke some foreign key constraints will be removed. In order to perform this automatically, CASCADE CONSTRAINTS must be specified.

**Action:** Remove the constraints or specify CASCADE CONSTRAINTS.

**ORA-01982: invalid auditing option for tables**

**Cause:** AUDIT or NOAUDIT on a table specifies an auditing option that is not legal for tables.

**Action:** The following options may not be used for tables and should be removed: REFERENCES, EXECUTE

**ORA-01983: invalid auditing option for DEFAULT**

**Cause:** AUDIT or NOAUDIT on a DEFAULT specifies an auditing option that is not legal for DEFAULT.

**Action:** The following options may not be used for DEFAULT and should be removed: REFERENCES

**ORA-01984: invalid auditing option for procedures/packages/functions**

**Cause:** AUDIT or NOAUDIT on a DEFAULT specifies an auditing option that is not legal for procedures, packages, or functions.

**Action:** The following options may not be used for procedures, packages, and functions and should be removed: all but EXECUTE

**ORA-01985: cannot create user as LICENSE\_MAX\_USERS parameter exceeded**

**Cause:** Maximum users in the database license limit exceeded.

**Action:** Increase license limit.

**ORA-01986: OPTIMIZER\_GOAL is obsolete**

**Cause:** An obsolete parameter, OPTIMIZER\_GOAL, was referenced.

**Action:** Use the OPTIMIZER\_MODE parameter.

**ORA-01987: client os username is too long**

---

**Cause:** A client's os username is too long for the os logon to succeed.

**Action:** Use a shorter os username.

**ORA-01988: remote os logon is not allowed**

**Cause:** Remote os login attempted when not allowed.

**Action:** Use a local client, or use the remote\_os\_authent system parameter to turn on remote os logon.

**ORA-01989: role "string" not authorized by operating system**

**Cause:** The os role does not exist, is not granted to you, or you did not provide the correct password.

**Action:** Re-attempt the SET ROLE with a valid os role and password, if necessary.

**ORA-01994: GRANT failed: password file missing or disabled**

**Cause:** The operation failed either because the INIT.ORA parameter REMOTE\_LOGIN\_PASSWORDFILE was set to NONE or else because the password file was missing.

**Action:** Create the password file using the orapwd tool and set the INIT.ORA parameter REMOTE\_LOGIN\_PASSWORDFILE to EXCLUSIVE.

**ORA-01999: password file cannot be updated in SHARED mode**

**Cause:** The operation failed because the INIT.ORA parameter REMOTE\_LOGIN\_PASSWORDFILE was set to SHARED.

**Action:** Set the INIT.ORA parameter to EXCLUSIVE.

**ORA-02001: user SYS is not permitted to create indexes with freelist groups**

**Cause:** user tried to create an index while running with sys authorization.

**Action:** None

**ORA-02004: security violation**

**Cause:** This error code is never returned to a user. It is used as a value for column, audit\_trail.returncode, to signal that a security violation occurred.

**Action:** None

**ORA-02007: can't use ALLOCATE or DEALLOCATE options with REBUILD**

**Cause:** Allocate or deallocate storage and rebuild index are not compatible.

**Action:** Choose one or the other.

**ORA-02009: the size specified for a file must not be zero**

**Cause:** A value of zero was specified in a SIZE or RESIZE clause of a file specification.

**Action:** Use correct syntax, or, if allowed, omit the SIZE or RESIZE clause.

**ORA-02020: too many database links in use**

**Cause:** The current session has exceeded the INIT.ORA open\_links maximum.

**Action:** Increase the open\_links limit, or free up some open links by committing or rolling back the transaction and canceling open cursors that reference remote databases.

**ORA-02021: DDL operations are not allowed on a remote database**

**Cause:** An attempt was made to use a DDL operation on a remote database. For example, "CREATE TABLE tablename@remotedbname ...".

---

**Action:** To alter the remote database structure, you must connect to the remote database with the appropriate privileges.

**ORA-02022: remote statement has unoptimized view with remote object**

**Cause:** The local view is unoptimized and contains references to objects at the remote database and the statement must be executed at the remote database.

**Action:** Create a similar view on the remote database and modify the violating view in the SQL statement with the new view@remote.

**ORA-02024: database link not found**

**Cause:** Database link to be dropped is not found in dictionary

**Action:** Correct the database link name

**ORA-02025: all tables in the SQL statement must be at the remote database**

**Cause:** The user's SQL statement references tables from multiple databases. The remote database is not Oracle V7 or above, and can perform updates only if it can reference all tables in the SQL statement.

**Action:** None

**ORA-02026: missing LINK keyword**

**Cause:** keyword missing

**Action:** supply missing keyword

**ORA-02027: multi-row UPDATE of LONG column is not supported**

**Cause:** A bind variable with length greater than 4000 bytes is being used to update a column, and the update statement updates more than one row.

**Action:** You may only update a single row with such a bind variable.

**ORA-02028: fetching an exact number of rows is not supported by the server**

**Cause:** The server does not support UPIALL, so the fetch of an exact number of rows cannot be emulated on the user side.

**Action:** Connect to a valid server or do not use an exact fetch.

**ORA-02029: missing FILE keyword**

**Cause:** keyword missing

**Action:** supply missing keyword

**ORA-02030: can only select from fixed tables/views**

**Cause:** An attempt is being made to perform an operation other than a retrieval from a fixed table/view.

**Action:** You may only select rows from fixed tables/views.

**ORA-02031: no ROWID for fixed tables or for external-organized tables**

**Cause:** An attempt is being made to access rowid from a fixed table or from an external-organized table.

**Action:** Do not access ROWID from a fixed table or from an external-organized table.

**ORA-02032: clustered tables cannot be used before the cluster index is built**

**Cause:** User attempted to perform a DML statement on a clustered table for which no cluster index has yet been created.

**Action:** Create the cluster index.

---

**ORA-02033: a cluster index for this cluster already exists**

**Cause:** A cluster index already exists for the cluster.

**Action:** None

**ORA-02034: speed bind not permitted**

**Cause:** Speed bind not allowed with supplied bind variables. Trapped internally by the system.

**Action:** None

**ORA-02035: illegal bundled operation combination**

**Cause:** User requested that the UPI bundled execution call perform an illegal combination of operations.

**Action:** See documentation for legal operation combinations.

**ORA-02036: too many variables to describe with automatic cursor open**

**Cause:** User requested that the UPI bundled execution call perform automatic cursor open and close on a describe operation. There were too many select-list items or bind variables to do this.

**Action:** open and close cursor explicitly

**ORA-02037: uninitialized speed bind storage**

**Cause:** User attempted a UPI bundled execution call containing a standalone execute operation without first performing a UPI bundled execution call containing a bind operation.

**Action:** perform a UPI bundled execution call with bind before performing a bundled execution call with execute

**ORA-02038: define is not allowed for array type**

**Cause:** User attempted to define a select list variable of type "array". Arrays may only serve as host bind variables.

**Action:** None

**ORA-02039: bind by value is not allowed for array type**

**Cause:** User attempted to bind an array host variable by value. Arrays may only be bound by reference.

**Action:** None

**ORA-02040: remote database *string* does not support two-phase commit**

**Cause:** the database was potentially updated but does not support prepare to commit (as determined by its logon transaction traits). The transaction was rolled back.

**Action:** Do not attempt to update the remote database unless it is the only database updated in one transaction.

**ORA-02041: client database did not begin a transaction**

**Cause:** internal error

**Action:** contact support

**ORA-02042: too many distributed transactions**

**Cause:** the distributed transaction table was full because too many distributed transactions were active.

---

**Action:** Run fewer transactions. If you are sure you don't have too many concurrent distributed transactions, this indicates an internal error and support should be notified. Instance shutdown/restart would be a work-around.

**ORA-02043: must end current transaction before executing *string***

**Cause:** a transaction is in progress and one of the following commands is issued: COMMIT FORCE, ROLLBACK FORCE, or ALTER SYSTEM ENABLE DISTRIBUTED RECOVERY in single process mode.

**Action:** COMMIT or ROLLBACK the current transaction and resubmit command.

**ORA-02044: transaction manager login denied: transaction in progress**

**Cause:** a remote transaction manager tried to log in while a distributed transaction is in progress.

**Action:** end the current transaction (this is a protocol error from a remote transaction manager)

**ORA-02045: too many local sessions participating in global transaction**

**Cause:** too many sessions at this site for this transaction.

**Action:** use an existing link so another session need not be created.

**ORA-02046: distributed transaction already begun**

**Cause:** internal error or error in external transaction manager. A server session received a begin\_tran RPC before finishing with a previous distributed tran.

**Action:** None

**ORA-02047: cannot join the distributed transaction in progress**

**Cause:** Either a transaction is in progress against a remote database that does not fully support two phase commit, and an update is attempted on another database, or updates are pending and an attempt is made to update a different database that does not fully support two phase commit.

**Action:** complete the current transaction and then resubmit the update request.

**ORA-02048: attempt to begin distributed transaction without logging on**

**Cause:** client program must issue a distributed transaction login.

**Action:** contact support.

**ORA-02049: timeout: distributed transaction waiting for lock**

**Cause:** exceeded INIT.ORA distributed\_lock\_timeout seconds waiting for lock.

**Action:** treat as a deadlock

**ORA-02050: transaction *string* rolled back, some remote DBs may be in-doubt**

**Cause:** network or remote failure in 2PC.

**Action:** Notify operations; remote DBs will automatically re-sync when the failure is repaired.

**ORA-02051: another session in same transaction failed**

**Cause:** a session at the same site with same global transaction ID failed; It can also be caused by application error if an attempt was made to update database while another tightly coupled transaction branch with same global transaction ID has been finalized.

---

**Action:** none necessary, transaction automatically recovered. In case of application error, make sure no more updates to database once transaction manager has started two-phase commit for tightly coupled distributed transaction.

**ORA-02052: remote transaction failure at *string***

**Cause:** error in remote transaction at given DBLINK

**Action:** retry

**ORA-02053: transaction *string* committed, some remote DBs may be in-doubt**

**Cause:** network or remote failure in 2PC.

**Action:** Notify operations; remote DBs will automatically re-sync when the failure is repaired.

**ORA-02054: transaction *string* in-doubt**

**Cause:** network or remote failure in 2PC.

**Action:** Notify operations; DBs will automatically re-sync when the failure is repaired. Monitor pending\_trans\$ for final outcome.

**ORA-02055: distributed update operation failed; rollback required**

**Cause:** a failure during distributed update operation may not have rolled back all effects of the operation. Since some sites may be inconsistent, the transaction must roll back to a savepoint or entirely

**Action:** rollback to a savepoint or rollback transaction and resubmit

**ORA-02056: 2PC: *string*: bad two-phase command number *string* from *string***

**Cause:** two-phase commit protocol error.

**Action:** recovery of transaction attempted. Monitor pending\_trans\$ table to ensure correct resolution. Contact support.

**ORA-02057: 2PC: *string*: bad two-phase recovery state number *string* from *string***

**Cause:** internal error in two-phase recovery protocol

**Action:** contact support

**ORA-02058: no prepared transaction found with ID *string***

**Cause:** no transaction with local\_tran\_id or global\_tran\_id found in the pending\_trans\$ table in prepared state.

**Action:** check the pending\_trans\$ table.

**ORA-02059: ORA-2PC-CRASH-TEST-*string* in commit comment**

**Cause:** This is a special comment used to test the two phase commit.

**Action:** Don't use this special comment (%s a number 1-10)

**ORA-02060: select for update specified a join of distributed tables**

**Cause:** tables in a join with the for update clause must reside at the same DB.

**Action:** None

**ORA-02061: lock table specified list of distributed tables**

**Cause:** tables in a lock table statement must reside at the same DB.

**Action:** issue multiple lock table commands.

**ORA-02062: distributed recovery received DBID *string*, expected *string***

---

**Cause:** a database link at a coordinator no longer points to the expected database. Link may have been redefined, or a different DB mounted.

**Action:** restore link definition or remote database.

**ORA-02063: preceding *stringstring* from *stringstring***

**Cause:** an Oracle error was received from a remote database link.

**Action:** refer to the preceding error message(s)

**ORA-02064: distributed operation not supported**

**Cause:** One of the following unsupported operations was attempted:

1. array execute of a remote update with a subquery that references a dblink, or
2. an update of a long column with bind variable and an update of a second column with a subquery that both references a dblink and a bind variable, or
3. a commit is issued in a coordinated session from an RPC procedure call with OUT parameters or function call.

**Action:** simplify remote update statement

**ORA-02065: illegal option for ALTER SYSTEM**

**Cause:** The option specified for ALTER SYSTEM is not supported

**Action:** refer to the user manual for option supported

**ORA-02066: missing or invalid DISPATCHERS text**

**Cause:** A character string literal was expected, but not found, following ALTER SYSTEM SET DISPATCHERS

**Action:** place the string literal containing the dispatcher"s specification after ALTER SYSTEM SET DISPATCHERS

**ORA-02067: transaction or savepoint rollback required**

**Cause:** A failure (typically a trigger or stored procedure with multiple remote updates) occurred such that the all-or-nothing execution of a previous Oracle call cannot be guaranteed.

**Action:** rollback to a previous savepoint or rollback the transaction and resubmit.

**ORA-02068: following severe error from *stringstring***

**Cause:** A severe error (disconnect, fatal Oracle error) received from the indicated database link. See following error text.

**Action:** Contact the remote system administrator.

**ORA-02069: global\_names parameter must be set to TRUE for this operation**

**Cause:** A remote mapping of the statement is required but cannot be achieved because global\_names should be set to TRUE for it to be achieved

**Action:** Issue alter session set global\_names = true if possible

**ORA-02070: database *stringstring* does not support *string* in this context**

**Cause:** The remote database does not support the named capability in the context in which it is used.

**Action:** Simplify the SQL statement.

**ORA-02071: error initializing capabilities for remote database *string***

**Cause:** Could not load a remote-specified capability table.

---

**Action:** Contact support for the remote SQL\*Connect product.

**ORA-02072: distributed database network protocol mismatch**

**Cause:** This should never happen between different PRODUCTION releases of ORACLE, but may happen between alpha and beta releases, for example.

**Action:** Upgrade the older release.

**ORA-02073: sequence numbers not supported in remote updates**

**Cause:** Sequence numbers may not be used in INSERTS, UPDATES, or DELETES on remote tables.

**Action:** None

**ORA-02074: cannot *string* in a distributed transaction**

**Cause:** A commit or rollback was attempted from session other than the parent of a distributed transaction.

**Action:** Only commit or rollback from the parent session.

**ORA-02075: another instance changed state of transaction *string***

**Cause:** A commit force or rollback force was issued from a session in another instance.

**Action:** Check if another Oracle instance is performing recovery of pending transactions. Query DBA\_2PC\_PENDING to determine the new state of the transaction.

**ORA-02076: sequence not co-located with updated table or long column**

**Cause:** all referenced sequences must be co-located with the table with the long column.

**Action:** None

**ORA-02077: selects of long columns must be from co-located tables**

**Cause:** if a select returns long columns from multiple tables, all the tables must be co-located

**Action:** None

**ORA-02079: cannot join a committing distributed transaction**

**Cause:** Once a transaction branch is prepared, no more new transaction branches are allowed to start, nor is the prepared transaction branch allowed to be joined.

**Action:** Check the application code as this is an XA protocol violation.

**ORA-02080: database link is in use**

**Cause:** a transaction is active or a cursor is open on the database link given in the alter session close database link <link> command.

**Action:** commit or rollback, and close all cursors

**ORA-02081: database link is not open**

**Cause:** dblink given is not currently open.

**Action:** None

**ORA-02082: a loopback database link must have a connection qualifier**

**Cause:** attempt to create a database link with the same name as the current database.

---

**Action:** a loopback database link needs a trailing qualifier, e.g. MYDB.DEV.US.ORACLE.COM@INST1 - the "@INST1" is the qualifier

**ORA-02083: database name has illegal character "*string*"**

**Cause:** supplied database name can contain only A-Z, 0-9, "\_", "#", "\$" "." and "@" characters.

**Action:** None

**ORA-02084: database name is missing a component**

**Cause:** supplied database name cannot contain a leading ".", trailing "." or "@", or two "." or "@" in a row.

**Action:** None

**ORA-02085: database link *string* connects to *string***

**Cause:** a database link connected to a database with a different name. The connection is rejected.

**Action:** create a database link with the same name as the database it connects to, or set global\_names=false.

**ORA-02086: database (link) name is too long**

**Cause:** database/database link name can have at most 128 characters.

**Action:** None

**ORA-02087: object locked by another process in same transaction**

**Cause:** A database link is being used in the cluster database environment that loops back to the same instance. One session is trying to convert a lock that was obtained by the other session.

**Action:** Get the more restrictive lock first. For example, if session 1 gets a share lock and session 2 gets an exclusive lock on the same object, get the exclusive lock first. Or, simply use the same session to access the object.

**ORA-02088: distributed database option not installed**

**Cause:** Remote and distributed updates and transactions are a separately priced option in ORACLE V7.

**Action:** None

**ORA-02089: COMMIT is not allowed in a subordinate session**

**Cause:** COMMIT was issued in a session that is not the two-phase commit global coordinator.

**Action:** Issue commit at the global coordinator only.

**ORA-02090: network error: attempted callback+passthru**

**Cause:** internal error.

**Action:** None

**ORA-02091: transaction rolled back**

**Cause:** Also see error 2092. If the transaction is aborted at a remote site then you will only see 2091; if aborted at host then you will see 2092 and 2091.

**Action:** Add rollback segment and retry the transaction.

**ORA-02092: out of transaction table slots for distributed transaction**

---

**Cause:** The transaction is assigned to the system rollback segment and is trying to get into the PREPARED state, but the required number of non-PREPARED slots are not available, hence the transaction is rolled back.

**Action:** Add a rollback segment and retry the transaction.

**ORA-02093: TRANSACTIONS\_PER\_ROLLBACK\_SEGMENT(*string*) more than maximum possible(*string*)**

**Cause:** Value of parameter specified is greater than allowed on this port.

**Action:** Use default or reduce it to less than max.

**ORA-02094: replication option not installed**

**Cause:** The replication option was not installed at this site. Updatable materialized views, deferred RPCs, and other replication features were, therefore, unavailable.

**Action:** Install the replication option. The replication option is not part of the Oracle Server product and must be purchased separately. Contact an Oracle Sales representative if the replication option needs to be purchased.

**ORA-02095: specified initialization parameter cannot be modified**

**Cause:** The specified initialization parameter is not modifiable

**Action:** None

**ORA-02096: specified initialization parameter is not modifiable with this option**

**Cause:** Though the initialization parameter is modifiable, it cannot be modified using the specified command.

**Action:** Check the DBA guide for information about under what scope the parameter may be modified

**ORA-02097: parameter cannot be modified because specified value is invalid**

**Cause:** Though the initialization parameter is modifiable, the modified value is not acceptable to the parameter.

**Action:** Check the DBA guide for range of acceptable values for this parameter.

**ORA-02098: error parsing index-table reference (:I)**

**Cause:** An incorrect index-table (:I) syntax was encountered.

**Action:** This syntax is for oracle internal use only.



---

## ORA-02140 to ORA-04099

**ORA-02140: invalid tablespace name**

**Cause:** An identifier does not follow ALTER TABLESPACE.

**Action:** Specify a tablespace name following ALTER TABLESPACE.

**ORA-02141: invalid OFFLINE option**

**Cause:** An option other than NORMAL or IMMEDIATE follows OFFLINE.

**Action:** The user must either specify no option following OFFLINE or one of the options NORMAL or IMMEDIATE.

**ORA-02142: missing or invalid ALTER TABLESPACE option**

**Cause:** A valid option was not present.

**Action:** Use one of the valid options: add, rename, default, online, offline, read only, read write, begin, end, no, force, retention guarantee and retention noguarantee.

**ORA-02143: invalid STORAGE option**

**Cause:** An option other than INITIAL, NEXT, MINEXTENTS, MAXEXTENTS, or PCTINCREASE was specified in the STORAGE clause.

**Action:** Specify only valid options.

**ORA-02144: no option specified for ALTER CLUSTER**

**Cause:** No ALTER CLUSTER options are specified.

**Action:** Specify one or more of the following options: pctfree, pctused, size, storage.

**ORA-02145: missing STORAGE option**

**Cause:** No STORAGE options were specified following STORAGE (

**Action:** Specify one or more STORAGE option between the parentheses.

**ORA-02146: SHARED specified multiple times**

**Cause:** The SHARED option was specified in a CREATE DATABASE statement multiple times.

**Action:** Only specify the SHARED option once.

**ORA-02147: conflicting SHARED/EXCLUSIVE options**

**Cause:** Both the SHARED and EXCLUSIVE options were specified in a CREATE DATABASE statement.

**Action:** Specify SHARED or EXCLUSIVE, but not both.

- 
- ORA-02148: EXCLUSIVE specified multiple times**  
**Cause:** The EXCLUSIVE option was specified in a CREATE DATABASE statement multiple times.  
**Action:** Only specify the EXCLUSIVE option once.
- ORA-02149: Specified partition does not exist**  
**Cause:** Partition not found for the object.  
**Action:** Retry with correct partition name.
- ORA-02150: invalid new tablespace name**  
**Cause:** The new tablespace name specified in ALTER TABLESPACE RENAME TO statement was invalid.  
**Action:** Retry with a valid new tablespace name.
- ORA-02151: invalid tablespace name: *string***  
**Cause:** Oracle cannot create a tablespace whose name starts with "\$deleted\$".  
**Action:** Try a different tablespace name.
- ORA-02152: Invalid ALTER TABLESPACE ... RENAME option**  
**Cause:** An option other than DATAFILE or TO follows by ALTER TABLESPACE ... RENAME.  
**Action:** The user must specify either DATAFILE or TO following ALTER TABLESPACE ... RENAME.
- ORA-02153: invalid VALUES password string**  
**Cause:** An encoded password string does not follow the VALUES clause.  
**Action:** Place a proper encoded password string after the VALUES clause.
- ORA-02154: a tablespace with the name "*string*" is found**  
**Cause:** An attempt to rename a tablespace to a new name failed because the new name is already used by some other tablespace.  
**Action:** Retry with a different new name.
- ORA-02155: invalid DEFAULT tablespace identifier**  
**Cause:** An identifier does not follow DEFAULT TABLESPACE.  
**Action:** Place a tablespace name after DEFAULT TABLESPACE.
- ORA-02156: invalid TEMPORARY tablespace identifier**  
**Cause:** An identifier does not follow TEMPORARY TABLESPACE.  
**Action:** Place a tablespace name after TEMPORARY TABLESPACE.
- ORA-02157: no options specified for ALTER USER**  
**Cause:** No options were specified.  
**Action:** Specify at least one ALTER USER option.
- ORA-02158: invalid CREATE INDEX option**  
**Cause:** An option other than COMPRESS, NOCOMPRESS, PCTFREE, INITRANS, MAXTRANS, STORAGE, TABLESPACE, PARALLEL, NOPARALLEL, RECOVERABLE, UNRECOVERABLE, LOGGING, NOLOGGING, LOCAL, or GLOBAL was specified.  
**Action:** Choose one of the valid CREATE INDEX options.

---

**ORA-02159: installed DLM does not support releasable locking mode**

**Cause:** The parameter file specified `gc_*` parameters that allow locks to be released by the LCK process when not in use. This mode requires additional support from the DLM that is not available.

**Action:** Specify configuration parameters that do not require the additional function.

**ORA-02160: index-organized table can not contain columns of type LONG**

**Cause:** A column of type LONG defined for index-organized table.

**Action:** Do not use columns of type LONG in index-organized tables.

**ORA-02161: invalid value for MAXLOGFILES**

**Cause:** A number does not follow MAXLOGFILES.

**Action:** Specify a number after MAXLOGFILES.

**ORA-02162: invalid value for MAXDATAFILES**

**Cause:** A number does not follow MAXDATAFILES.

**Action:** Specify a number after MAXDATAFILES.

**ORA-02163: invalid value for FREELIST GROUPS**

**Cause:** A number does not follow FREELIST GROUPS.

**Action:** Specify a number after FREELIST GROUPS.

**ORA-02164: DATAFILE clause specified more than once**

**Cause:** The CREATE DATABASE command contains more than one DATAFILE clause.

**Action:** Specify at most one DATAFILE clause.

**ORA-02165: invalid option for CREATE DATABASE**

**Cause:** An invalid CREATE DATABASE option is present.

**Action:** Specify only valid CREATE DATABASE options.

**ORA-02166: ARCHIVELOG and NOARCHIVELOG specified**

**Cause:** Both ARCHIVELOG and NOARCHIVELOG are specified in a CREATE DATABASE statement.

**Action:** Specify at most one of these two options.

**ORA-02167: LOGFILE clause specified more than once**

**Cause:** The CREATE DATABASE command contains more than one LOGFILE clause.

**Action:** Specify at most one LOGFILE clause.

**ORA-02168: invalid value for FREELISTS**

**Cause:** A number does not follow FREELISTS

**Action:** Specify a number after FREELISTS

**ORA-02169: FREELISTS storage option not allowed**

**Cause:** The user attempted to specify the FREELISTS storage option. This option may only be specified during create table or create index.

**Action:** Remove these options and retry the statement.

**ORA-02170: FREELIST GROUPS storage option not allowed**

---

**Cause:** The user attempted to specify the FREELIST GROUPS storage option. This option may only be specified during create table and when allow\_freelist\_groups INIT.ORA is specified.

**Action:** Remove this option and retry the statement or set the allow\_freelist\_groups INIT.ORA parameter.

**ORA-02171: invalid value for MAXLOGHISTORY**

**Cause:** A number does not follow MAXLOGHISTORY

**Action:** Specify a number after MAXLOGHISTORY

**ORA-02172: The PUBLIC keyword is not appropriate for a disable thread**

**Cause:** The PUBLIC keyword was specified for a disable.

**Action:** Remove the keyword and resubmit.

**ORA-02173: invalid option for DROP TABLESPACE**

**Cause:** Either a token other than INCLUDING was found following the tablespace name or some text was found following INCLUDING CONTENTS.

**Action:** Place nothing or only INCLUDING CONTENTS after the tablespace name.

**ORA-02174: Missing required thread number**

**Cause:** Must specify thread number after THREAD keyword

**Action:** None

**ORA-02175: invalid rollback segment name**

**Cause:** In the CREATE or DROP ROLLBACK SEGMENT statements, an identifier was not found following ROLLBACK SEGMENT.

**Action:** Place the segment name following ROLLBACK SEGMENT.

**ORA-02176: invalid option for CREATE ROLLBACK SEGMENT**

**Cause:** An invalid option was specified in a CREATE ROLLBACK SEGMENT statement.

**Action:** Specify one of the valid options: TABLESPACE and STORAGE.

**ORA-02177: Missing required group number**

**Cause:** Must specify group number after GROUP keyword

**Action:** None

**ORA-02178: correct syntax is: SET TRANSACTION READ { ONLY | WRITE }**

**Cause:** There is a syntax error in the user's statement.

**Action:** Correct the syntax as indicated.

**ORA-02179: valid options: ISOLATION LEVEL { SERIALIZABLE | READ COMMITTED }**

**Cause:** There is a syntax error in the user's statement.

**Action:** Correct the syntax as indicated.

**ORA-02180: invalid option for CREATE TABLESPACE**

**Cause:** An invalid option appeared.

**Action:** Specify one of the valid options: DATAFILE, DEFAULT STORAGE, ONLINE, OFFLINE, FORCE, RETENTION.

---

**ORA-02181: invalid option to ROLLBACK WORK**

**Cause:** A token other than TO follows ROLLBACK [WORK].

**Action:** Place nothing or TO SAVEPOINT <name> after ROLLBACK [WORK].

**ORA-02182: savepoint name expected**

**Cause:** An identifier does not follow ROLLBACK [WORK] TO [SAVEPOINT].

**Action:** Place a savepoint name following TO [SAVEPOINT].

**ORA-02183: valid options: ISOLATION\_LEVEL { SERIALIZABLE | READ COMMITTED }**

**Cause:** There is a syntax error in the user's statement.

**Action:** Correct the syntax as indicated.

**ORA-02184: resource quotas are not allowed in REVOKE**

**Cause:** In a revoke statement, a resource quota was specified.

**Action:** Specify resource privilege without the quota.

**ORA-02185: a token other than WORK follows COMMIT**

**Cause:** A token other than WORK follows COMMIT.

**Action:** Place either nothing or WORK after COMMIT.

**ORA-02186: tablespace resource privilege may not appear with other privileges**

**Cause:** An attempt was made to grant or revoke a resource quota in the same statement in which other privileges are granted or revoked.

**Action:** Use a separate grant or revoke statement for the resource quota privilege.

**ORA-02187: invalid quota specification**

**Cause:** In a grant or revoke statement, the user attempted to grant a tablespace quota above the upper limit.

**Action:** Grant a smaller tablespace quota.

**ORA-02188: Cannot enable instance publicly**

**Cause:** An attempt was made to publicly enable a thread associated with an instance.

**Action:** Leave out the PUBLIC keyword.

**ORA-02189: ON <tablespace> required**

**Cause:** In a grant or revoke statement, the user specified a tablespace quota but did not follow it with the ON <tablespace> clause.

**Action:** Specify the tablespace on which the quota is to be applied with the ON <tablespace> clause.

**ORA-02190: keyword TABLES expected**

**Cause:** The keyword TABLES is expected following DROP CLUSTER <name> INCLUDING.

**Action:** Place TABLES after INCLUDING.

**ORA-02191: correct syntax is: SET TRANSACTION USE ROLLBACK SEGMENT <rbs>**

**Cause:** There is a syntax error in the user's statement.

**Action:** Correct the syntax as indicated.

- 
- ORA-02192: PCTINCREASE not allowed for rollback segment storage clauses**  
**Cause:** pctincrease was specified in a create or alter rollback segment  
**Action:** reissue statement without the pctincrease clause
- ORA-02194: event specification syntax error *string* (minor error *string*) near "*string*"**  
**Cause:** There is a syntax error in an event specification.  
**Action:** Fix the error.
- ORA-02195: Attempt to create *string* object in a *string* tablespace**  
**Cause:** The object type is inconsistent with a tablespace contents.  
**Action:** Create an object in a different tablespace, or change the user defaults.
- ORA-02196: PERMANENT/TEMPORARY option already specified**  
**Cause:** In CREATE TABLESPACE, the PERMANENT and/or TEMPORARY options were specified more than once.  
**Action:** None
- ORA-02197: file list already specified**  
**Cause:** In CREATE TABLESPACE, more than one DATAFILE/TEMPFILE clause was specified.  
**Action:** Merge the DATAFILE/TEMPFILE clauses into a single clause.
- ORA-02198: ONLINE/OFFLINE option already specified**  
**Cause:** In CREATE TABLESPACE, the ONLINE and/or OFFLINE options were specified more than once.  
**Action:** Specify at most one of ONLINE or OFFLINE.
- ORA-02199: missing DATAFILE/TEMPFILE clause**  
**Cause:** A CREATE TABLESPACE statement has no DATAFILE/TEMPFILE clause.  
**Action:** Specify a DATAFILE/TEMPFILE clause.
- ORA-02200: WITH GRANT OPTION not allowed for PUBLIC**  
**Cause:** An attempt was made to GRANT to PUBLIC WITH GRANT OPTION.  
**Action:** Remove the WITH GRANT OPTION clause.
- ORA-02201: sequence not allowed here**  
**Cause:** An attempt was made to reference a sequence in a from-list.  
**Action:** A sequence can only be referenced in a select-list.
- ORA-02202: no more tables permitted in this cluster**  
**Cause:** An attempt was made to create a table in a cluster which already contains 32 tables.  
**Action:** Up to 32 tables may be stored per cluster.
- ORA-02203: INITIAL storage options not allowed**  
**Cause:** The user attempted to alter the INITIAL storage option of a table, cluster, index, or rollback segment. These options may only be specified when the object is created.  
**Action:** Remove these options and retry the statement.
- ORA-02204: ALTER, INDEX and EXECUTE not allowed for views**

---

**Cause:** An attempt was made to grant or revoke an invalid privilege on a view.

**Action:** Do not attempt to grant or revoke any of ALTER, INDEX, or EXECUTE privileges on views.

**ORA-02205: only SELECT and ALTER privileges are valid for sequences**

**Cause:** An attempt was made to grant or revoke an invalid privilege on a sequence.

**Action:** Do not attempt to grant or revoke DELETE, INDEX, INSERT, UPDATE, REFERENCES or EXECUTE privilege on sequences.

**ORA-02206: duplicate INITRANS option specification**

**Cause:** INITRANS is specified more than once.

**Action:** Specify INITRANS at most once.

**ORA-02207: invalid INITRANS option value**

**Cause:** The INITRANS value is not an integer between 1 and 255 and less than or equal to the MAXTRANS value.

**Action:** Choose a valid INITRANS value.

**ORA-02208: duplicate MAXTRANS option specification**

**Cause:** MAXTRANS is specified more than once.

**Action:** Specify MAXTRANS at most once.

**ORA-02209: invalid MAXTRANS option value**

**Cause:** The MAXTRANS value is not an integer between 1 and 255 and greater than or equal to the INITRANS value.

**Action:** Choose a valid MAXTRANS value.

**ORA-02210: no options specified for ALTER TABLE**

**Cause:** No ALTER TABLE option was specified.

**Action:** Specify at least one alter table option.

**ORA-02211: invalid value for PCTFREE or PCTUSED**

**Cause:** The specified value for PCTFREE or PCTUSED is not an integer between 0 and 100.

**Action:** Choose an appropriate value for the option.

**ORA-02212: duplicate PCTFREE option specification**

**Cause:** PCTFREE option specified more than once.

**Action:** Specify PCTFREE at most once.

**ORA-02213: duplicate PCTUSED option specification**

**Cause:** PCTUSED option specified more than once.

**Action:** Specify PCTUSED at most once.

**ORA-02214: duplicate BACKUP option specification**

**Cause:** The BACKUP option to ALTER TABLE is specified more than once.

**Action:** Specify the option at most once.

**ORA-02215: duplicate tablespace name clause**

**Cause:** There is more than one TABLESPACE clause in the CREATE TABLE, CREATE INDEX, or CREATE ROLLBACK SEGMENT statement.

---

**Action:** Specify at most one TABLESPACE clause.

**ORA-02216: tablespace name expected**

**Cause:** A tablespace name is not present where required by the syntax for one of the following statements: CREATE/DROP TABLESPACE, CREATE TABLE, CREATE INDEX, or CREATE ROLLBACK SEGMENT.

**Action:** Specify a tablespace name where required by the syntax.

**ORA-02217: duplicate storage option specification**

**Cause:** A storage option (INITIAL, NEXT, MINEXTENTS, MAXEXTENTS, PCTINCREASE) is specified more than once.

**Action:** Specify all storage options at most once.

**ORA-02218: invalid INITIAL storage option value**

**Cause:** The specified value must be an integer.

**Action:** Choose an appropriate integer value.

**ORA-02219: invalid NEXT storage option value**

**Cause:** The specified value must be an integer.

**Action:** Choose an appropriate integer value.

**ORA-02220: invalid MINEXTENTS storage option value**

**Cause:** The specified value must be a positive integer less than or equal to MAXEXTENTS.

**Action:** Specify an appropriate value.

**ORA-02221: invalid MAXEXTENTS storage option value**

**Cause:** The specified value must be a positive integer greater than or equal to MINEXTENTS.

**Action:** Specify an appropriate value.

**ORA-02222: invalid PCTINCREASE storage option value**

**Cause:** The specified value must be a positive integer.

**Action:** Specify an appropriate value.

**ORA-02223: invalid OPTIMAL storage option value**

**Cause:** The specified value must be an integer.

**Action:** Choose an appropriate integer value.

**ORA-02224: EXECUTE privilege not allowed for tables**

**Cause:** An attempt was made to grant or revoke an invalid privilege on a table.

**Action:** Do not attempt to grant or revoke EXECUTE privilege on tables.

**ORA-02225: only EXECUTE and DEBUG privileges are valid for procedures**

**Cause:** An attempt was made to grant or revoke an invalid privilege on a procedure, function or package.

**Action:** Do not attempt to grant or revoke any privilege besides EXECUTE or DEBUG on procedures, functions or packages.

**ORA-02226: invalid MAXEXTENTS value (max allowed: *string*)**

**Cause:** The MAXEXTENTS specified is too large for the database block size. This applies only to SYSTEM rollback segment.

---

**Action:** Specify a smaller value.

**ORA-02227: invalid cluster name**

**Cause:** A cluster name of the form [ <identifier> . ] <identifier> is expected but not present.

**Action:** Enter an appropriate cluster name.

**ORA-02228: duplicate SIZE specification**

**Cause:** The SIZE option is specified more than once.

**Action:** Specify the SIZE option at most once.

**ORA-02229: invalid SIZE option value**

**Cause:** The specified value must be an integer number of bytes.

**Action:** Specify an appropriate value.

**ORA-02230: invalid ALTER CLUSTER option**

**Cause:** An option other than PCTFREE, PCTUSED, INITRANS, MAXTRANS, STORAGE, or SIZE is specified in an ALTER CLUSTER statement.

**Action:** Specify only legal options.

**ORA-02231: missing or invalid option to ALTER DATABASE**

**Cause:** An option other than ADD, DROP, RENAME, ARCHIVELOG, NOARCHIVELOG, MOUNT, DISMOUNT, OPEN, or CLOSE is specified in the statement.

**Action:** Specify only legal options.

**ORA-02232: invalid MOUNT mode**

**Cause:** A mode other than SHARED or EXCLUSIVE follows the MOUNT keyword in an ALTER DATABASE statement.

**Action:** Specify either SHARED, EXCLUSIVE, or nothing following MOUNT.

**ORA-02233: invalid CLOSE mode**

**Cause:** A mode other than NORMAL or IMMEDIATE follows the CLOSE keyword in an ALTER DATABASE statement.

**Action:** Specify either NORMAL, IMMEDIATE, or nothing following CLOSE.

**ORA-02234: changes to this table are already logged**

**Cause:** the log table to be added is a duplicate of another

**Action:** Don't add this change log to the system; check that the replication product's system tables are consistent

**ORA-02235: this table logs changes to another table already**

**Cause:** the table to be altered is already a change log for another table

**Action:** Don't log changes to the specified base table to this table; check that the replication product's system tables are consistent

**ORA-02236: invalid file name**

**Cause:** A character string literal was not used in the filename list of a LOGFILE, DATAFILE, or RENAME clause.

**Action:** Use correct syntax.

**ORA-02237: invalid file size**

---

**Cause:** A non-integer value was specified in the SIZE or RESIZE clause.

**Action:** Use correct syntax.

**ORA-02238: filename lists have different numbers of files**

**Cause:** In a RENAME clause in ALTER DATABASE or TABLESPACE, the the number of existing filenames does not equal the number of new filenames.

**Action:** Make sure there is a new filename to correspond to each existing filename.

**ORA-02239: there are objects which reference this sequence**

**Cause:** the sequence to be dropped is still referenced

**Action:** Make sure the sequence name is correct, or drop the referencing constraint/object

**ORA-02240: invalid value for OBJNO or TABNO**

**Cause:** A number does not follow either OBJNO or TABNO.

**Action:** Specify a number after OBJNO or TABNO.

**ORA-02241: must of form EXTENTS (FILE <n> BLOCK <n> SIZE <n>, ...)**

**Cause:** bad extent storage clause

**Action:** respecify

**ORA-02242: no options specified for ALTER INDEX**

**Cause:** No options specified.

**Action:** Specify at least one of REBUILD, INITRANS, MAXTRANS, or STORAGE.

**ORA-02243: invalid ALTER INDEX or ALTER MATERIALIZED VIEW option**

**Cause:** An option other than INITRANS, MAXTRANS, or STORAGE is specified in an ALTER INDEX statement or in the USING INDEX clause of an ALTER MATERIALIZED VIEW statement.

**Action:** Specify only legal options.

**ORA-02244: invalid ALTER ROLLBACK SEGMENT option**

**Cause:** The STORAGE option is expected but not found.

**Action:** Specify the STORAGE option.

**ORA-02245: invalid ROLLBACK SEGMENT name**

**Cause:** An identifier was expected, but not found, following ALTER [PUBLIC] ROLLBACK SEGMENT.

**Action:** Place a rollback segment name following SEGMENT.

**ORA-02246: missing EVENTS text**

**Cause:** A character string literal was expected, but not found, following ALTER SESSION SET EVENTS.

**Action:** Place the string literal containing the events text after EVENTS.

**ORA-02247: no option specified for ALTER SESSION**

**Cause:** The option SET EVENTS was expected, but not found, following ALTER SESSION.

**Action:** Place the SET EVENTS option after ALTER SESSION.

**ORA-02248: invalid option for ALTER SESSION**

---

**Cause:** Obvious.

**Action:** see SQL Language Manual for legal options.

**ORA-02249: missing or invalid value for MAXLOGMEMBERS**

**Cause:** A valid number does not follow MAXLOGMEMBERS. The value specified must be between 1 and the port-specific maximum number of log file members.

**Action:** Specify a valid number after MAXLOGMEMBERS.

**ORA-02250: missing or invalid constraint name**

**Cause:** The constraint name is missing or invalid.

**Action:** Specify a valid identifier name for the constraint name.

**ORA-02251: subquery not allowed here**

**Cause:** Subquery is not allowed here in the statement.

**Action:** Remove the subquery from the statement.

**ORA-02252: check constraint condition not properly ended**

**Cause:** The specified search condition for the check constraint is not properly ended.

**Action:** End the condition properly.

**ORA-02253: constraint specification not allowed here**

**Cause:** Constraint specification is not allowed here in the statement.

**Action:** Remove the constraint specification from the statement.

**ORA-02254: DEFAULT <expression> not allowed here**

**Cause:** Default value expression is not allowed for the column here in the statement.

**Action:** Remove the default value expression from the statement.

**ORA-02255: obsolete 7.1.5**

**Cause:** Was that defaults must not conflict with not null constraints

**Action:** None

**ORA-02256: number of referencing columns must match referenced columns**

**Cause:** The number of columns in the foreign-key referencing list is not equal to the number of columns in the referenced list.

**Action:** Make sure that the referencing columns match the referenced columns.

**ORA-02257: maximum number of columns exceeded**

**Cause:** The number of columns in the key list exceeds the maximum number.

**Action:** Reduce the number columns in the list.

**ORA-02258: duplicate or conflicting NULL and/or NOT NULL specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate or conflicting specification.

**ORA-02259: duplicate UNIQUE/PRIMARY KEY specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate specification.

---

**ORA-02260: table can have only one primary key**

**Cause:** Self-evident.

**Action:** Remove the extra primary key.

**ORA-02261: such unique or primary key already exists in the table**

**Cause:** Self-evident.

**Action:** Remove the extra key.

**ORA-02262: ORA-string occurs while type-checking column default value expression**

**Cause:** New column datatype causes type-checking error for existing column default value expression.

**Action:** Remove the default value expression or don't alter the column datatype.

**ORA-02263: need to specify the datatype for this column**

**Cause:** The required datatype for the column is missing.

**Action:** Specify the required datatype.

**ORA-02264: name already used by an existing constraint**

**Cause:** The specified constraint name has to be unique.

**Action:** Specify a unique constraint name for the constraint.

**ORA-02265: cannot derive the datatype of the referencing column**

**Cause:** The datatype of the referenced column is not defined as yet.

**Action:** Make sure that the datatype of the referenced column is defined before referencing it.

**ORA-02266: unique/primary keys in table referenced by enabled foreign keys**

**Cause:** An attempt was made to truncate a table with unique or primary keys referenced by foreign keys enabled in another table. Other operations not allowed are dropping/truncating a partition of a partitioned table or an ALTER TABLE EXCHANGE PARTITION.

**Action:** Before performing the above operations the table, disable the foreign key constraints in other tables. You can see what constraints are referencing a table by issuing the following command: `SELECT * FROM USER_CONSTRAINTS WHERE TABLE_NAME = "tabnam";`

**ORA-02267: column type incompatible with referenced column type**

**Cause:** The datatype of the referencing column is incompatible with the

**Action:** Select a compatible datatype for the referencing column.

**ORA-02268: referenced table does not have a primary key**

**Cause:** The referenced table does not have a primary key.

**Action:** Specify explicitly the referenced table unique key.

**ORA-02269: key column cannot be of LONG datatype**

**Cause:** Self-evident.

**Action:** Change the datatype of the column, or remove the column from the key.

**ORA-02270: no matching unique or primary key for this column-list**

---

**Cause:** A REFERENCES clause in a CREATE/ALTER TABLE statement gives a column-list for which there is no matching unique or primary key constraint in the referenced table.

**Action:** Find the correct column names using the ALL\_CONS\_COLUMNS catalog view

**ORA-02271: table does not have such constraint**

**Cause:** Self-evident.

**Action:** Make sure the specified constraint name is correct.

**ORA-02272: constrained column cannot be of LONG datatype**

**Cause:** Self-evident.

**Action:** Change the datatype of the column, or remove the constraint on the column.

**ORA-02273: this unique/primary key is referenced by some foreign keys**

**Cause:** Self-evident.

**Action:** Remove all references to the key before the key is to be dropped.

**ORA-02274: duplicate referential constraint specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate specification.

**ORA-02275: such a referential constraint already exists in the table**

**Cause:** Self-evident.

**Action:** Remove the extra constraint.

**ORA-02276: default value type incompatible with column type**

**Cause:** The type of the evaluated default expression is incompatible with the datatype of the column.

**Action:** Change the type of the column, or modify the default expression.

**ORA-02277: invalid sequence name**

**Cause:** The specified sequence name is not a valid identifier name.

**Action:** Specify a valid identifier name for the sequence name.

**ORA-02278: duplicate or conflicting MAXVALUE/NOMAXVALUE specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate or conflicting specification.

**ORA-02279: duplicate or conflicting MINVALUE/NOMINVALUE specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate or conflicting specification.

**ORA-02280: duplicate or conflicting CYCLE/NOCYCLE specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate or conflicting specification.

**ORA-02281: duplicate or conflicting CACHE/NOCACHE specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate or conflicting specification.

---

**ORA-02282: duplicate or conflicting ORDER/NOORDER specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate or conflicting specification.

**ORA-02283: cannot alter starting sequence number**

**Cause:** Self-evident.

**Action:** Don't alter it.

**ORA-02284: duplicate INCREMENT BY specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate specification.

**ORA-02285: duplicate START WITH specifications**

**Cause:** Self-evident.

**Action:** Remove the duplicate specification.

**ORA-02286: no options specified for ALTER SEQUENCE**

**Cause:** Self-evident.

**Action:** The statement is meaningless without any options.

**ORA-02287: sequence number not allowed here**

**Cause:** The specified sequence number (CURRVAL or NEXTVAL) is inappropriate here in the statement.

**Action:** Remove the sequence number.

**ORA-02288: invalid OPEN mode**

**Cause:** A token other than RESETLOGS appears following ALTER DATABASE <name> OPEN.

**Action:** Either nothing or RESETLOGS should be placed following OPEN.

**ORA-02289: sequence does not exist**

**Cause:** The specified sequence does not exist, or the user does not have the required privilege to perform this operation.

**Action:** Make sure the sequence name is correct, and that you have the right to perform the desired operation on this sequence.

**ORA-02290: check constraint (*string.string*) violated**

**Cause:** The values being inserted do not satisfy the named check constraint.

**Action:** do not insert values that violate the constraint.

**ORA-02291: integrity constraint (*string.string*) violated - parent key not found**

**Cause:** A foreign key value has no matching primary key value.

**Action:** Delete the foreign key or add a matching primary key.

**ORA-02292: integrity constraint (*string.string*) violated - child record found**

**Cause:** attempted to delete a parent key value that had a foreign key dependency.

**Action:** delete dependencies first then parent or disable constraint.

**ORA-02293: cannot validate (*string.string*) - check constraint violated**

**Cause:** an alter table operation tried to validate a check constraint to a populated table that had nocomplying values.

---

**Action:** Obvious

**ORA-02294: cannot enable (*string.string*) - constraint changed during validation**

**Cause:** While one DDL statement was attempting to enable this constraint, another DDL changed this same constraint.

**Action:** Try again, with only one DDL changing the constraint this time.

**ORA-02295: found more than one enable/disable clause for constraint**

**Cause:** a create or alter table specified more than one enable and/or disable clause for a given constraint.

**Action:** only one enable or disable may be specified for a given constraint.

**ORA-02296: cannot enable (*string.string*) - null values found**

**Cause:** an alter table enable constraint failed because the table contains values that do not satisfy the constraint.

**Action:** Obvious

**ORA-02297: cannot disable constraint (*string.string*) - dependencies exist**

**Cause:** an alter table disable constraint failed because the table has foreign keys that are dependent on this constraint.

**Action:** Either disable the foreign key constraints or use disable cascade

**ORA-02298: cannot validate (*string.string*) - parent keys not found**

**Cause:** an alter table validating constraint failed because the table has orphaned child records.

**Action:** Obvious

**ORA-02299: cannot validate (*string.string*) - duplicate keys found**

**Cause:** an alter table validating constraint failed because the table has duplicate key values.

**Action:** Obvious

**ORA-02300: invalid value for OIDGENERATORS**

**Cause:** A number was not specified for the value of OIDGENERATORS.

**Action:** Specify a number for OIDGENERATORS.

**ORA-02301: maximum number of OIDGENERATORS is 255**

**Cause:** A number greater than 255 was specified for the value of OIDGENERATORS.

**Action:** Make sure the number specified for OIDGENERATORS does not exceed 255.

**ORA-02302: invalid or missing type name**

**Cause:** An invalid or missing type name was entered in a statement.

**Action:** Enter a valid type name in the statement and retry the operation.

**ORA-02303: cannot drop or replace a type with type or table dependents**

**Cause:** An attempt was made to drop or replace a type that has dependents. There could be a substitutable column of a supertype of the type being dropped.

**Action:** Drop all type(s) and table(s) depending on the type, then retry the operation using the VALIDATE option, or use the FORCE option.

---

**ORA-02304: invalid object identifier literal**

**Cause:** An attempt was made to enter an object identifier literal for CREATE TYPE that is either:

- not a string of 32 hexadecimal characters
- an object identifier that already identifies an existing object
- an object identifier different from the original object identifier already assigned to the type

**Action:** Do not specify the object identifier clause or specify a 32 hexadecimal-character object identifier literal that is unique or identical to the originally assigned object identifier. Then retry the operation.

**ORA-02305: only EXECUTE, DEBUG, and UNDER privileges are valid for types**

**Cause:** An attempt was made to GRANT or REVOKE an invalid privilege (not EXECUTE, DEBUG, or UNDER) on a type.

**Action:** GRANT or REVOKE only the EXECUTE, DEBUG, or UNDER privilege on types.

**ORA-02306: cannot create a type that already has valid dependent(s)**

**Cause:** An attempt was made to create a type that already has some valid dependent(s) (these dependents depend on the fact that the type does not exist).

**Action:** Drop the dependents first before creating the type, or do not create the type.

**ORA-02307: cannot alter with REPLACE option a type that is not valid**

**Cause:** An attempt was made to ALTER with REPLACE option a type that is not valid.

**Action:** Use the CREATE OR REPLACE TYPE command to modify the type.

**ORA-02308: invalid option *string* for object type column**

**Cause:** An attempt was made to specify an invalid option, such as PACKED or UNPACKED, for the object type column.

**Action:** Remove the invalid option from column specification and retry the operation.

**ORA-02309: atomic NULL violation**

**Cause:** An attempt was made to access the attributes of a NULL object instance.

**Action:** Ensure that the object instance is non-NULL before accessing.

**ORA-02310: exceeded maximum number of allowable columns in table**

**Cause:** The attributes in the object type column exceeded the maximum number of columns allowed in a table.

**Action:** Specify fewer attributes for the object type and retry the operation.

**ORA-02311: cannot alter with COMPILE option a valid type with type or table dependents**

**Cause:** An attempt was made to ALTER with COMPILE option a type that is valid and has type or table dependents.

**Action:** No need to perform this operation.

**ORA-02313: object type contains non-queryable type *string* attribute**

---

**Cause:** The specified object type contains a nested attribute whose type is non-queryable.

**Action:** Use an object type with queryable attribute types.

**ORA-02314: illegal use of type constructor**

**Cause:** The statement contains an illegal use of a type constructor.

**Action:** Refer to the SQL Reference manual for the correct statement syntax.

**ORA-02315: incorrect number of arguments for default constructor**

**Cause:** The number of arguments specified for the default constructor doesn't match the number of attributes of the object type.

**Action:** Specify the correct number of arguments for the default constructor and retry the operation.

**ORA-02320: failure in creating storage table for nested table column *string***

**Cause:** An error occurred while creating the storage table for the specified nested table column.

**Action:** See the messages that follow for more details. If the situation they describe can be corrected, do so; otherwise contact Oracle Support.

**ORA-02322: failure in accessing storage table of the nested table column**

**Cause:** An error occurred while performing DML on the storage table of the nested table column.

**Action:** If the situation described in the following messages can be corrected, do so; otherwise contact Oracle Support.

**ORA-02324: more than one column in the SELECT list of THE subquery**

**Cause:** More than one column was selected in the THE subquery.

**Action:** Specify only one column in the SELECT list of the THE subquery and retry the operation.

**ORA-02327: cannot create index on expression with datatype *string***

**Cause:** An attempt was made to create an index on a non-indexable expression.

**Action:** Change the column datatype or do not create the index on an expression whose datatype is one of VARRAY, nested table, object, LOB, or REF.

**ORA-02329: column of datatype *string* cannot be unique or a primary key**

**Cause:** An attempt was made to place a UNIQUE or a PRIMARY KEY constraint on a column of datatype VARRAY, nested table, object, LOB, FILE or REF.

**Action:** Change the column datatype or remove the constraint. Then retry the operation.

**ORA-02330: datatype specification not allowed**

**Cause:** An attempt was made to specify the data type in the column constraint specification of an object table.

**Action:** Remove data type specification and retry the operation.

**ORA-02331: cannot create constraint on column of datatype *string***

**Cause:** An attempt was made to create a constraint on a column possessing a non-constrainable datatype -- VARRAY, nested table, object, LOB, FILE, or REF.

**Action:** Change the column datatype, or remove the constraint.

---

**ORA-02332: cannot create index on attributes of this column**

**Cause:** An attempt was made to create an index on an attributes of an object type column.

**Action:** Do not specify the index on the attribute.

**ORA-02333: cannot create constraints on attributes of this column**

**Cause:** An attempt was made to create a constraint on an attribute of an object type column.

**Action:** Remove the constraint or change the object type.

**ORA-02334: cannot infer type for column**

**Cause:** A datatype was not declared for this column (in the CREATE TABLE) and an attempt was made to create a constraint on an attribute of this column.

**Action:** Declare a datatype for the column.

**ORA-02335: invalid datatype for cluster column**

**Cause:** An attempt was made to declare a CLUSTER column of datatype object, REF, nested table, VARRAY, LOB, or FILE.

**Action:** Remove the CLUSTER column or change the datatype of the column.

**ORA-02336: column attribute cannot be accessed**

**Cause:** An attempt was made to extract an attribute of an object type column.

**Action:** Change the object type for the column and retry the operation.

**ORA-02337: not an object type column**

**Cause:** An attempt was made to use dotted notation on a non-ADT column; that is, "a.b.c" where "a" is not an object type.

**Action:** Either change the column type to an object type or do not perform this operation.

**ORA-02338: missing or invalid column constraint specification**

**Cause:** A column constraint was not specified.

**Action:** Remove the column specification or specify a column constraint. Then retry the operation.

**ORA-02339: invalid column specification**

**Cause:** An attempt was made to specify the PACKED or UNPACKED keyword for a non-object type column.

**Action:** Remove the PACKED or UNPACKED keyword in the column specification and retry the operation.

**ORA-02340: invalid column specification**

**Cause:** An attempt was made to specify an UNPACKED column within a packed table.

**Action:** Remove the UNPACKED keyword in the column specification.

**ORA-02342: replacement type has compilation errors**

**Cause:** The use of the ALTER...REPLACE statement on a valid type caused a compilation error.

**Action:** Use the ALTER...REPLACE statement to replace the type with a valid type which does not cause compilation errors.

---

**ORA-02344: cannot revoke execute on a type with table dependents**

**Cause:** An attempt was made to revoke execute on a type that has dependents.

**Action:** Drop all table(s) depending on the type, then retry the operation, or use the FORCE option.

**ORA-02345: cannot create a view with column based on CURSOR operator**

**Cause:** A CURSOR operator was used as one of the SELECT elements in the subquery of a CREATE VIEW or CREATE TABLE ... AS SELECT statement.

**Action:** Remove the CURSOR operator and replace it with the CAST operator.

**ORA-02347: cannot grant privileges on columns of an object table**

**Cause:** An attempt was made to grant privileges on the columns of an object table.

**Action:** None

**ORA-02348: cannot create VARRAY column with embedded LOB**

**Cause:** An attempt was made to create a column of a VARRAY type which has an embedded LOB attribute. The LOB could be an attribute of a subtype of the declared type of VARRAY's element.

**Action:** Remove offending attribute from type. If it is a subtype attribute then declare the VARRAY column NOT SUBSTITUTABLE.

**ORA-02349: invalid user-defined type - type is incomplete**

**Cause:** An attempt was made to use an incomplete type definition as a column or table datatype.

**Action:** Complete the type definition and retry the operation.

**ORA-02351: internal error: *string***

**Cause:** An unexpected error condition was detected.

**Action:** Make a note of the error number and message and contact Oracle Support Services.

**ORA-02352: error setting an OCI attribute: *string***

**Cause:** An OCI error has occurred.

**Action:** The table or column referenced may not be accessible. Contact Oracle Support Services if the problem cannot be resolved.

**ORA-02353: error fetching an OCI attribute: *string***

**Cause:** An OCI error has occurred.

**Action:** The table or column referenced may not be accessible. Contact Oracle Support Services if the problem cannot be resolved.

**ORA-02354: error in exporting/importing data *string***

**Cause:** An error has occurred in a stream export or import operation. This message will be followed by another message giving more details about this error.

**Action:** See export/import documentation for an explanation of the second error message.

**ORA-02355: error opening file: *string***

**Cause:** An attempt to open the specified file for data export/import failed.

**Action:** Review the error message. Resolve the problem and retry the the operation. Contact Oracle Support Services if the problem cannot be resolved.

- 
- ORA-02356: The database is out of space. The load cannot continue**  
**Cause:** The load was discontinued due to space exhaustion in the database.  
**Action:** Add space for the specified table.
- ORA-02357: header in file *string* may not contain correct information**  
**Cause:** The header may be corrupted.  
**Action:** Contact Oracle Support Services.
- ORA-02358: error in exporting or importing data**  
**Cause:** An error has occurred in a stream export or import operation.  
**Action:** Contact Oracle Support Services.
- ORA-02359: database version in file *string* is not valid**  
**Cause:** The specified file could not be used for this load because its database version was not compatible with the database version in the other files in the DUMPFILE clause.  
**Action:** Verify all the files in the DUMPFILE clause are from the same unload operation.
- ORA-02360: fatal error during data export/import initialization**  
**Cause:** An unexpected error occurred during initialization for data export/import.  
**Action:** Contact Oracle Support Services.
- ORA-02361: error while attempting to allocate *number* bytes of memory**  
**Cause:** d by insufficient memory.  
**Action:** Reconnect to the instance and retry the operation.
- ORA-02362: error closing file: *string***  
**Cause:** An attempt to close the specified file for data export/import failed.  
**Action:** Review the error message. Resolve the problem and retry the the operation. Contact Oracle Support Services if the problem cannot be resolved.
- ORA-02363: error reading from file: *string***  
**Cause:** An attempt to read from the specified file for data export/import failed.  
**Action:** Review the error message. Resolve the problem and retry the the operation. Contact Oracle Support Services if the problem cannot be resolved.
- ORA-02364: error writing to file: *string***  
**Cause:** An attempt to write to the specified file for data export/import failed.  
**Action:** Review the error message. Resolve the problem and retry the the operation. Contact Oracle Support Services if
- ORA-02365: error seeking in file: *string***  
**Cause:** An attempt to seek to the specified position in file failed.  
**Action:** Review the error message. Resolve the problem and retry the the operation. Contact Oracle Support Services if
- ORA-02366: The following index(es) on table *string* were processed:**  
**Cause:** The table had some indexes which were loaded if there were no errors.  
**Action:** None

---

**ORA-02367: read ended but had expected more data from file *string***

**Cause:** A truncated or incomplete file was used for the load operation.

**Action:** Verify unload operation completed successfully and that the files had not been accidentally truncated.

**ORA-02368: the following file is not valid for this load operation**

**Cause:** A file could not be used for this load. See the following message for more information.

**Action:** Verify all the files in the DUMPFILe clause are from the same unload operation and that the unload was successful.

**ORA-02369: internal number in header in file *string* is not valid**

**Cause:** The specified file could not be used for this load because the internal number in the header was not valid.

**Action:** If the dump files were transferred over, verify the transfer operation was done correctly.

**ORA-02370: internal metadata in file *string* is not valid**

**Cause:** The specified file could not be used for this load because the internal metadata stored in this file does not match the metadata stored in the first file piece set.

**Action:** Verify all the files in the DUMPFILe clause are from the same unload operation.

**ORA-02371: Loader must be at least version *string.string.string.string.string* for direct path**

**Cause:** The loader being used is incompatible with this version of the kernel.

**Action:** Upgrade your loader to at least the specified version or use the conventional path.

**ORA-02372: data for row: *string***

**Cause:** A conversion error occurred while loading data into a table. The message shows values for the field in the row that had the conversion error.

**Action:** None. This is only an informational message.

**ORA-02373: Error parsing insert statement for table *string*.**

**Cause:** self-evident.

**Action:** Check the error given below this one.

**ORA-02374: conversion error loading table *string.string***

**Cause:** A row could not be loaded into the table because there was a conversion error for one or more columns in a row.

**Action:** See the message that follows for more information about the row that could not be loaded. To avoid this error, make sure the definition of the table being imported matches the definition of the table being exported.

**ORA-02375: conversion error loading table *string.string* partition *string***

**Cause:** A row could not be loaded into the table because there was a conversion error for one or more columns in a row.

**Action:** See the message that follows for more information about the row that could not be loaded. To avoid this error, make sure the definition of the table being imported matches the definition of the table being exported.

---

**ORA-02376: invalid or redundant resource**

**Cause:** a create, or alter profile command which names a resource not yet defined, or try to specify same resource twice.

**Action:** define resource first

**ORA-02377: invalid resource limit**

**Cause:** specifying limit of 0

**Action:** specify limit > 0

**ORA-02379: profile *string* already exists**

**Cause:** Try to create a profile which already exist

**Action:** None

**ORA-02380: profile *string* does not exist**

**Cause:** Try to assign a user to a non-existent profile

**Action:** None

**ORA-02381: cannot drop PUBLIC\_DEFAULT profile**

**Cause:** Try to drop PUBLIC\_DEFAULT profile

**Action:** None

**ORA-02383: illegal cost factor**

**Cause:** Negative or UNLIMITED cost for this resource

**Action:** None

**ORA-02391: exceeded simultaneous SESSIONS\_PER\_USER limit**

**Cause:** An attempt was made to exceed the maximum number of concurrent sessions allowed by the SESSION\_PER\_USER clause of the user profile.

**Action:** End one or more concurrent sessions or ask the database administrator to increase the SESSION\_PER\_USER limit of the user profile.

**ORA-02396: exceeded maximum idle time, please connect again**

**Cause:** as stated

**Action:** None

**ORA-02397: exceeded PRIVATE\_SGA limit, you are being logged off**

**Cause:** Only when using TP monitor

**Action:** expand limit

**ORA-02398: exceeded procedure space usage**

**Cause:** Stored procedure used up too much space in SYSTEM Tablespace

**Action:** Use less stored procedure

**ORA-02399: exceeded maximum connect time, you are being logged off**

**Cause:** As stated

**Action:** None

**ORA-02400: explain plan output buffer size limit exceeded**

**Cause:** Internally this error is raised and caught to handle cases where the plan output exceeds the buffer size. The output is truncated in cases.

**Action:** This error should never be seen externally.

---

**ORA-02401: cannot EXPLAIN view owned by another user**

**Cause:** The view specified in the SQL statement belongs to another user and cannot be explained.

**Action:** Create a view with the same definition that belongs to current user.

**ORA-02402: PLAN\_TABLE not found**

**Cause:** The table used by EXPLAIN to store row source information does not exist in the current schema.

**Action:** Create a plan table in the current schema or use the INTO clause of the statement to put the results of the explain command in an existing plan table.

**ORA-02403: plan table does not have correct format**

**Cause:** The explicit plan table does not have the appropriate field definitions.

**Action:** Redefine the plan table to have the appropriate field definitions.

**ORA-02404: specified plan table not found**

**Cause:** The specified plan table does not exist.

**Action:** Create the specified plan table or use an existing plan table.

**ORA-02405: invalid sql plan object provided**

**Cause:** The user provided a NULL, empty, or malformed object of type SQL\_PLAN\_TABLE\_TYPE

**Action:** Provide a new, properly formed object to the function

**ORA-02420: missing schema authorization clause**

**Cause:** the AUTHORIZATION clause is missing from a create schema statement.

**Action:** Precede the schema authorization identifier with the AUTHORIZATION keyword.

**ORA-02421: missing or invalid schema authorization identifier**

**Cause:** the schema name is missing or is incorrect in an authorization clause of a create schema statement.

**Action:** If the name is present, it must be the same as the current schema.

**ORA-02422: missing or invalid schema element**

**Cause:** A statement other than a create table, create view, or grant privilege appears in a create schema statement.

**Action:** Self-evident.

**ORA-02423: schema name does not match schema authorization identifier**

**Cause:** a table definition with a schema name prepended to the table name does not match the schema name provided in the authorization clause of a create schema statement.

**Action:** make sure the schema names match.

**ORA-02424: potential circular view references or unknown referenced tables**

**Cause:** the create schema statement contains views that depend on other views in the containing create schema statement or they contain references to unknown tables.

**Action:** create the dependent views in a separate create schema statement and make sure all referenced tables are either defined in the create schema statement or exist outside the statement.

---

**ORA-02425: create table failed**

**Cause:** a create table statement failed in the create schema statement.

**Action:** the cause for failure will be presented below this error message. Follow appropriate action(s) as suggested by the subsequent error message.

**ORA-02426: privilege grant failed**

**Cause:** a grant privilege statement failed in the create schema statement.

**Action:** the cause for failure will be presented below this error message. Follow appropriate action(s) as suggested by the subsequent error message.

**ORA-02427: create view failed**

**Cause:** a create view statement failed in the create schema statement.

**Action:** the cause for failure will be presented below this error message. Follow appropriate action(s) as suggested by the subsequent error message.

**ORA-02428: could not add foreign key reference**

**Cause:** could not add a foreign key reference because of error in declaration. Either referenced table does not exist or table does not have a unique key.

**Action:** make sure referenced table exists and/or has unique key

**ORA-02429: cannot drop index used for enforcement of unique/primary key**

**Cause:** user attempted to drop an index that is being used as the enforcement mechanism for unique or primary key.

**Action:** drop the constraint instead of the index.

**ORA-02430: cannot enable constraint (*string*) - no such constraint**

**Cause:** the named constraint does not exist for this table.

**Action:** Obvious

**ORA-02431: cannot disable constraint (*string*) - no such constraint**

**Cause:** the named constraint does not exist for this table.

**Action:** Obvious

**ORA-02432: cannot enable primary key - primary key not defined for table**

**Cause:** Attempted to enable a primary key that is not defined for the table.

**Action:** Need to add a primary key definition for the table.

**ORA-02433: cannot disable primary key - primary key not defined for table**

**Cause:** Attempted to disable a primary key that is not defined for the table.

**Action:** None

**ORA-02434: cannot enable unique(*string*) - unique key not defined for table**

**Cause:** attempted to enable a unique key that is not defined for the table.

**Action:** None

**ORA-02435: cannot disable unique(*string*) - unique key not defined for table**

**Cause:** attempted to disable a unique key that is not defined for the table.

**Action:** None

**ORA-02436: date or system variable wrongly specified in CHECK constraint**

---

**Cause:** An attempt was made to use a date constant or system variable, such as USER, in a check constraint that was not completely specified in a CREATE TABLE or ALTER TABLE statement. For example, a date was specified without the century.

**Action:** Completely specify the date constant or system variable. Setting the event 10149 allows constraints like "a1 > "10-MAY-96"", which a bug permitted to be created before version 8.

**ORA-02437: cannot validate (*string.string*) - primary key violated**

**Cause:** attempted to validate a primary key with duplicate values or null values.

**Action:** remove the duplicates and null values before enabling a primary key.

**ORA-02438: Column check constraint cannot reference other columns**

**Cause:** attempted to define a column check constraint that references another column.

**Action:** define it as a table check constraint.

**ORA-02439: Unique index on a deferrable constraint is not allowed**

**Cause:** attempted to enable a deferrable primary key/unique constraint that has an existing unique index on the constraint columns.

**Action:** Drop the index on the constraint columns or make the constraint not deferrable.

**ORA-02440: Create as select with referential constraints not allowed**

**Cause:** create table foo (... ref. con. ...) as select ...;

**Action:** Create the table as select, then alter the table to add the constraints afterwards.

**ORA-02441: Cannot drop nonexistent primary key**

**Cause:** alter table drop primary key - primary key does not exist.

**Action:** None

**ORA-02442: Cannot drop nonexistent unique key**

**Cause:** alter table drop unique (<col list>) - unique specification does not exist.

**Action:** make sure column list for unique constraint is correct.

**ORA-02443: Cannot drop constraint - nonexistent constraint**

**Cause:** alter table drop constraint <constraint\_name>

**Action:** make sure you supply correct constraint name.

**ORA-02444: Cannot resolve referenced object in referential constraints**

**Cause:** attempted to define foreign key referencing an object which cannot be resolved to a base table reference

**Action:** referential constraints can only be defined on objects which can be resolved to base table reference

**ORA-02445: Exceptions table not found**

**Cause:** the explicitly or implicitly declared exceptions table does not exist.

**Action:** Create the table then issue the enable command again.

**ORA-02446: CREATE TABLE ... AS SELECT failed - check constraint violated**

---

**Cause:** An attempt was made to use a CREATE TABLE ... AS SELECT statement when some rows violated one or more CHECK constraints.

**Action:** Do not select rows that violate constraints.

**ORA-02447: cannot defer a constraint that is not deferrable**

**Cause:** An attempt was made to defer a nondeferrable constraint

**Action:** Drop the constraint and create a new one that is deferrable

**ORA-02448: constraint does not exist**

**Cause:** The named constraint does not exist

**Action:** Stop trying to do something with a nonexistent constraint

**ORA-02449: unique/primary keys in table referenced by foreign keys**

**Cause:** An attempt was made to drop a table with unique or primary keys referenced by foreign keys in another table.

**Action:** Before performing the above operations the table, drop the foreign key constraints in other tables. You can see what constraints are referencing a table by issuing the following command: SELECT \* FROM USER\_CONSTRAINTS WHERE TABLE\_NAME = "tabnam";

**ORA-02450: Invalid hash option - missing keyword IS**

**Cause:** Missing IS keyword.

**Action:** Specify HASH IS option.

**ORA-02451: duplicate HASHKEYS specification**

**Cause:** The HASHKEYS option is specified more than once.

**Action:** Only specify the HASHKEYS option once.

**ORA-02452: invalid HASHKEYS option value**

**Cause:** The specified HASHKEYS option must be an integer value.

**Action:** Specify an appropriate value.

**ORA-02453: duplicate HASH IS specification**

**Cause:** The HASH IS option is specified more than once.

**Action:** only specify the HASH IS option once.

**ORA-02454: Number of hash keys per block (*string*) exceeds maximum of *string***

**Cause:** The SIZE argument is too small.

**Action:** Increase the SIZE argument.

**ORA-02455: The number of cluster key column must be 1**

**Cause:** When specifying the HASH IS option, the number of key columns must be 1.

**Action:** Either do not specify the HASH IS option or reduce the number of key columns.

**ORA-02456: The HASH IS column specification must be NUMBER(\*,0)**

**Cause:** The column specification must specify an integer.

**Action:** Specify the column definition as type NUMBER(precision, 0).

**ORA-02457: The HASH IS option must specify a valid column**

**Cause:** The HASH IS column name is not specified in the cluster definition.

---

**Action:** Specify a valid column name.

**ORA-02458: HASHKEYS must be specified for a HASH CLUSTER**

**Cause:** The HASHKEYS option must be specified when creating a HASH CLUSTER.

**Action:** Specify the HASHKEYS option.

**ORA-02459: Hashkey value must be a positive integer**

**Cause:** The value of the hash key was not a positive number.

**Action:** Specify a positive integer.

**ORA-02460: Inappropriate index operation on a hash cluster**

**Cause:** An attempt to create a cluster index was issued on a hash cluster.

**Action:** Do not attempt to create such an index.

**ORA-02461: Inappropriate use of the INDEX option**

**Cause:** This option is only valid for non hash clusters.

**Action:** Do not specify this option.

**ORA-02462: Duplicate INDEX option specified**

**Cause:** The INDEX option is specified more than once.

**Action:** Only specify the INDEX option once.

**ORA-02463: Duplicate HASH IS option specified**

**Cause:** The HASH IS option is specified more than once.

**Action:** Only specify the HASH IS option once.

**ORA-02464: Cluster definition can not be both HASH and INDEX**

**Cause:** The cluster can either be a hash or indexed cluster - not both.

**Action:** Remove either the HASH IS or INDEX options.

**ORA-02465: Inappropriate use of the HASH IS option**

**Cause:** This option is only valid for clusters

**Action:** Do not specify this option

**ORA-02466: The SIZE and INITRANS options cannot be altered for HASH CLUSTERS.**

**Cause:** An attempt was made to change the SIZE and INITRANS options after the hash cluster was created.

**Action:** Do not specify this option.

**ORA-02467: Column referenced in expression not found in cluster definition**

**Cause:** A column in the hash is expression was not present in cluster definition.

**Action:** Recreate the cluster and correct the error in hash expression.

**ORA-02468: Constant or system variable wrongly specified in expression**

**Cause:** A constant or system variable was specified in the hash expression.

**Action:** Recreate the cluster and correct the error in hash expression.

**ORA-02469: Hash expression does not return an Oracle Number.**

**Cause:** Result of evaluating hash expression is not an Oracle Number.

---

**Action:** Recreate the cluster and correct the error in hash expression.

**ORA-02470: TO\_DATE, USERENV, or SYSDATE incorrectly used in hash expression.**

**Cause:** TO\_DATE, USERENV and SYSDATE are not allowed in hash expressions.

**Action:** Recreate the cluster and correct the error in hash expression.

**ORA-02471: SYSDATE, UID, USER, ROWNUM, or LEVEL incorrectly used in hash expression.**

**Cause:** SYSDATE, UID, USER, ROWNUM, or LEVEL are not allowed in hash expression.

**Action:** Recreate the cluster and remove the offending keywords.

**ORA-02472: PL/SQL functions not allowed in hash expressions**

**Cause:** A PL/SQL function was used in the hash expression.

**Action:** Recreate the cluster and remove the PL/SQL function.

**ORA-02473: Error while evaluating the cluster's hash expression.**

**Cause:** An error occurred while evaluating the clusters hash expression.

**Action:** Correct the query and retry.

**ORA-02474: Fixed hash area extents used (*string*) exceeds maximum allowed (*string*)**

**Cause:** The number of extents required for creating the fixed hash area exceeds the maximum number allowed.

**Action:** Reduce the number of extents required by increasing the extent allocation sizes within the STORAGE clause.

**ORA-02475: maximum cluster chain block count of *string* has been exceeded**

**Cause:** The number of blocks in a cluster chain exceeds the maximum number allowed.

**Action:** Increase SIZE parameter in CREATE CLUSTER statement or reconsider suitability of cluster key.

**ORA-02476: can not create index due to parallel direct load on table**

**Cause:** A parallel direct load is occurring to the specified table.

**Action:** Retry statement after load is complete.

**ORA-02477: can not perform parallel direct load on object *string***

**Cause:** A parallel direct load is not possible because an index is being created on the table.

**Action:** Retry load after index creation is complete.

**ORA-02478: merge into base segment would overflow MAXEXTENTS limit**

**Cause:** Merge of temporary segment into base segment failed because MAXEXTENTS was larger than the total in the temp and base segments

**Action:** Use a larger value for MAXEXTENTS on the base segment or make the extents in the temporary segments larger

**ORA-02479: error while translating file name for parallel load**

**Cause:** An invalid file name was specified to load data into.

**Action:** Specify a valid database file.

---

**ORA-02481: Too many processes specified for events (max *string*)**

**Cause:** Too many processes specified than allowed per event.

**Action:** Enter fewer processes by using ranges or wildcards if possible.

**ORA-02482: Syntax error in event specification (*string*)**

**Cause:** Illegal event string

**Action:** Enter a legal event string

**ORA-02483: Syntax error in process specification (*string*)**

**Cause:** Illegal process string

**Action:** Enter a legal process string

**ORA-02484: Invalid *\_trace\_buffers* parameter specification (*string*)**

**Cause:** Bad process or size in *\_trace\_buffers* INIT.ORA parameter.

**Action:** None

**ORA-02485: Invalid *\_trace\_options* parameter specification (*string*)**

**Cause:** Bad syntax for *\_trace\_options* INIT.ORA parameter.

**Action:** None

**ORA-02486: Error in writing trace file *string***

**Cause:** Error occurred in creating/writing the file.

**Action:** Check file name and make sure it is constructed properly. Also, check permissions for directories.

**ORA-02487: Error in converting trace data**

**Cause:** Incompatible binary trace data was specified.

**Action:** Check the format of the input data.

**ORA-02488: Error encountered when accessing file [*string*] for trace conversion**

**Cause:** An attempt was made to open or access the trace file during a trace conversion.

**Action:** Check the permissions for both input and output files. Also, check the file compatibility for the trace conversion.

**ORA-02490: missing required file size in RESIZE clause**

**Cause:** No value was specified for the RESIZE clause.

**Action:** Use correct syntax.

**ORA-02491: missing required keyword ON or OFF in AUTOEXTEND clause**

**Cause:** The keyword ON or OFF was not specified for the AUTOEXTEND clause.

**Action:** Use correct syntax.

**ORA-02492: missing required file block increment size in NEXT clause**

**Cause:** No value was specified for the NEXT clause.

**Action:** Use correct syntax.

**ORA-02493: invalid file increment size in NEXT clause**

**Cause:** A non-integer value was used for the NEXT clause of the DATAFILE list.

**Action:** Use correct syntax.

---

**ORA-02494: invalid or missing maximum file size in MAXSIZE clause**

**Cause:** UNLIMITED was not specified, or an invalid integer value was specified, for the MAXSIZE clause in the DATAFILE file list. The MAXSIZE value cannot be smaller than the SIZE value.

**Action:** Use correct syntax.

**ORA-02495: cannot resize file *string*, tablespace *string* is read only**

**Cause:** An attempt was made to resize a data file in a tablespace that is read only.

**Action:** Change the tablespace to read/write and retry the resize operation.

**ORA-02700: osnoraenv: error translating ORACLE\_SID**

**Cause:** Two-task driver could not find the value of ORACLE\_SID in the environment.

**Action:** Make sure that the ORACLE\_SID environment variable has been properly set and exported.

**ORA-02701: osnoraenv: error translating oracle image name**

**Cause:** ORACLE\_HOME environment variable not set.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported.

**ORA-02702: osnoraenv: error translating orapop image name**

**Cause:** ORACLE\_HOME environment variable not set.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported.

**ORA-02703: osnpipe: pipe creation failed**

**Cause:** The pipe driver failed to create pipes for communications with the orapop process.

**Action:** You have probably exceeded the maximum number of open file descriptors per user or the system file table is full. Note the operating system error code and contact your system administrator.

**ORA-02704: osndopop: fork failed**

**Cause:** The two-task driver could not fork orapop.

**Action:** Verify that there are enough system resources to support another process. The user or system process limit may have been exceeded, or the amount of free memory or swap space may be temporarily insufficient.

**ORA-02705: osnpol: polling of communication channel failed**

**Cause:** The pipe driver failed while polling the communications channel.

**Action:** Contact your customer support representative.

**ORA-02706: osnshs: host name too long**

**Cause:** The length of your host-string specified by the TWO\_TASK environment variable exceeds the ORACLE system-imposed limit.

**Action:** Contact your customer support representative.

**ORA-02707: osnaxc: cannot allocate context area**

**Cause:** The invoked Unix two-task driver could not allocate heap space for the context area.

**Action:** Contact your customer support representative.

---

**ORA-02708: osnrntab: connect to host failed, unknown ORACLE\_SID**

**Cause:** The invoked Unix two-task driver failed to find an entry in oratab for the sid you supplied.

**Action:** First, check whether you have read access to oratab, and see if the desired sid is there. Add an entry to oratab for the desired sid, if necessary.

**ORA-02709: osnppop: pipe creation failed**

**Cause:** The pipe driver failed to create pipes for two-task communications with the oracle shadow process.

**Action:** You have probably exceeded the maximum number of open file descriptors per user or the system file table is full. Note the operating system error code and contact your system administrator.

**ORA-02710: osnppop: fork failed**

**Cause:** The pipe driver could not fork the oracle shadow process.

**Action:** Verify that there are enough system resources to support another process. The user or system process limit may have been exceeded, or the amount of free memory or swap space may be temporarily insufficient.

**ORA-02711: osnpvalid: write to validation channel failed**

**Cause:** The pipe driver failed to write to the orapop process.

**Action:** Contact your customer support representative.

**ORA-02712: osnppop: malloc failed**

**Cause:** The pipe driver failed to allocate enough heap space for its context area buffers.

**Action:** Contact your customer support representative.

**ORA-02713: osnprd: message receive failure**

**Cause:** The pipe driver failed to read a message from the communications channel.

**Action:** Contact your customer support representative.

**ORA-02714: osnpwr: message send failure**

**Cause:** The pipe driver failed to write a message to the communications channel.

**Action:** Contact your customer support representative.

**ORA-02715: osnpgetbrkmsg: message from host had incorrect message type**

**Cause:** The pipe driver received a message having an unrecognizable message type.

**Action:** Contact your customer support representative.

**ORA-02716: osnpgetdatmsg: message from host had incorrect message type**

**Cause:** The Pipe driver received a message having an unrecognizable message type.

**Action:** Contact your customer support representative.

**ORA-02717: osnpfs: incorrect number of bytes written**

**Cause:** The Pipe driver sent a message that was apparently successful, but the number of bytes transmitted did not match the number of bytes furnished to the driver.

**Action:** Contact your customer support representative.

---

**ORA-02718: osnprs: reset protocol error**

**Cause:** The two-task driver could not reset the connection.

**Action:** Contact your customer support representative.

**ORA-02719: osnfop: fork failed**

**Cause:** The fast driver could not fork the oracle shadow process.

**Action:** Verify that there are enough system resources to support another process. The user or system process limit may have been exceeded, or the amount of free memory or swap space may be temporarily insufficient.

**ORA-02720: osnfop: shmat failed**

**Cause:** When the fast driver was invoked, processes failed to attach to the shared memory buffer. You probably supplied an illegal shared memory attach address, or the system ran out of data space to accommodate the buffer.

**Action:** Try invoking the Fast driver later, or use the default attach address.

**ORA-02721: osnsemit: cannot create semaphore set**

**Cause:** The Fast driver failed to get a semaphore set.

**Action:** The system-imposed limit on semaphores or semaphore identifiers may have been exceeded. Read the returned operating system error code and check with your system administrator.

**ORA-02722: osnpui: cannot send break message to orapop**

**Cause:** The Pipe driver could not send a break message to orapop.

**Action:** Contact your customer support representative.

**ORA-02723: osnpui: cannot send break signal**

**Cause:** The Pipe driver could not send a break message to the ORACLE shadow process.

**Action:** Contact your customer support representative.

**ORA-02724: osnpbr: cannot send break message to orapop**

**Cause:** The Pipe driver could not send a break message to orapop.

**Action:** Contact your customer support representative.

**ORA-02725: osnpbr: cannot send break signal**

**Cause:** The Pipe driver could not send a break message to the ORACLE shadow process.

**Action:** Kill system call failed. Check errno and contact customer support.

**ORA-02726: osnpop: access error on oracle executable**

**Cause:** The Pipe driver could not access the oracle executable.

**Action:** Check the permissions on the ORACLE executable and each component of the ORACLE\_HOME/bin path.

**ORA-02727: osnpop: access error on orapop executable**

**Cause:** The Pipe driver could not access the orapop executable.

**Action:** Check the permissions on the orapop executable and each component of the ORACLE\_HOME/bin path.

**ORA-02728: osnfop: access error on oracle executable**

**Cause:** The Fast driver could not access the oracle executable.

---

**Action:** Check the permissions on the ORACLE executable and each component of the ORACLE\_HOME/bin path.

**ORA-02729: osncon: driver not in osntab**

**Cause:** The driver you have specified is not supported.

**Action:** Check with your database administrator which drivers are supported.

**ORA-02730: osnrnf: cannot find user logon directory**

**Cause:** The driver you have specified could not find your logon directory while searching for your local .sqlnet file.

**Action:** Set and export the HOME environment variable to identify your home directory. Check with your system administrator to make sure that your uid and home directory are correct in the /etc/passwd file.

**ORA-02731: osnrnf: malloc of buffer failed**

**Cause:** The specified driver could not find enough heap space to malloc a buffer.

**Action:** Contact your customer support representative.

**ORA-02732: osnrnf: cannot find a matching database alias**

**Cause:** Database alias specified was not identified in either \$HOME/.sqlnet or /etc/sqlnet.

**Action:** Create the alias in a file called .sqlnet in your home directory for personal use or ask your system administrator to create the alias in /etc/sqlnet for system-wide use.

**ORA-02733: osnsnf: database string too long**

**Cause:** While converting a database alias to a database ID, the resulting database ID string exceeded the ORACLE system-imposed limit.

**Action:** Contact your customer support representative.

**ORA-02734: osnftt: cannot reset shared memory permission**

**Cause:** The Fast driver was unable to reset shared memory permissions.

**Action:** Contact your customer support representative.

**ORA-02735: osnfpm: cannot create shared memory segment**

**Cause:** The Fast driver failed to create a shared memory segment for two-task communication.

**Action:** Check whether the system-imposed limit on shared memory identifiers has already been reached for your system.

**ORA-02736: osnfpm: illegal default shared memory address**

**Cause:** The Fast driver failed to establish a default shared memory address.

**Action:** Contact your customer support representative.

**ORA-02737: osnpcl: cannot tell orapop to exit**

**Cause:** The Pipe driver failed to send orapop the command to exit.

**Action:** Contact your customer support representative.

**ORA-02738: osnpwrtbrkmsg: incorrect number of bytes written**

**Cause:** The pipe driver apparently sent an incomplete break message.

**Action:** Contact your customer support representative.

---

**ORA-02739: osncon: host alias is too long**

**Cause:** The alias used for a sqlnet host is longer than 161 characters.

**Action:** Use a shorter alias.

**ORA-02750: osnfsmmap: cannot open shared memory file ?/dbs/ftt\_<pid>.dbf**

**Cause:** The Fast driver failed to create a shared memory file for two-task communication.

**Action:** Check the permissions on the directory ?/dbs

**ORA-02751: osnfsmmap: cannot map shared memory file**

**Cause:** The Fast driver failed to map a shared memory file for two-task communication.

**Action:** Contact your customer support representative.

**ORA-02752: osnfsmmap: illegal shared memory address**

**Cause:** The Fast driver failed to attach shared memory at the expected location.

**Action:** Contact your customer support representative.

**ORA-02753: osnfsmmap: cannot close shared memory file**

**Cause:** The Fast driver cannot close the shared memory file.

**Action:** Contact your customer support representative.

**ORA-02754: osnfsmmap: cannot change shared memory inheritance**

**Cause:** The Fast driver could not alter the inheritance attributes of the shared memory.

**Action:** Contact your customer support representative.

**ORA-02755: osnfsmcre: cannot create shared memory file ?/dbs/ftt\_<pid>.dbf**

**Cause:** The Fast driver failed to create a file for shared memory.

**Action:** Check the permissions on the directory ?/dbs

**ORA-02756: osnfsmnam: name translation failure**

**Cause:** The Fast driver encountered an error translating the shared memory filename ?/dbs/ftt\_<pid>.dbf.

**Action:** Contact your customer support representative.

**ORA-02757: osnfop: fork\_and\_bind failed**

**Cause:** The Fast driver failed to fork a process onto the desired cluster and node number.

**Action:** Check the desired node number in sercose[0] and cluster ID in sercose[1]. If these seem valid, contact customer support.

**ORA-02758: Allocation of internal array failed**

**Cause:** The package was unable to allocate memory for an array because the system ran out of memory.

**Action:** Either reclaim memory by killing other processes or reboot the machine with more memory.

**ORA-02759: Not enough request descriptors available**

**Cause:** All of the package's request descriptors are in use performing other requests.

---

**Action:** Either wait until enough requests are done, or shut the package down and re-initialize it with more request descriptors.

**ORA-02760: Client close of file failed.**

**Cause:** The client was unable to close a file after forking the servers.

**Action:** This is a system problem - contact your System Administrator.

**ORA-02761: File number to be canceled is negative.**

**Cause:** The file number contained with the sfiov structure is less than zero.

**Action:** This may be a programming error. If it is not, contact ORACLE support.

**ORA-02762: file number to be cancelled is greater than the maximum.**

**Cause:** The file number contained with the sfiov structure is greater than the maximum.

**Action:** This may be a programming error. If it is not, contact ORACLE support.

**ORA-02763: Unable to cancel at least one request**

**Cause:** No requests were found that could be cancelled.

**Action:** This error can occur if all the requests dealing with that file number have already been filled.

**ORA-02764: Invalid package mode**

**Cause:** The mode of the package can only be parallel or duplex.

**Action:** See sfa.h for the correct values.

**ORA-02765: Invalid maximum number of servers**

**Cause:** The number of servers given was less than or equal to zero.

**Action:** Use a number greater than zero.

**ORA-02766: Invalid maximum of request descriptors**

**Cause:** The number of request descriptors was less than or equal to zero.

**Action:** Use a number greater than zero.

**ORA-02767: Less than one request descriptor was allocated per server**

**Cause:** The package requires that the number of request descriptors be greater than or equal to the number of servers used.

**Action:** Use a higher number

**ORA-02768: Maximum number of files is invalid**

**Cause:** The maximum number of files to be used by the package was less than or equal to zero.

**Action:** Use a positive number.

**ORA-02769: Setting of handler for SIGTERM failed**

**Cause:** The package was unable to set up handling by the server for the termination signal. This is an internal error.

**Action:** Contact ORACLE support.

**ORA-02770: Total number of blocks is invalid**

**Cause:** The total number of blocks to be allocated for use by the package was not greater than zero.

**Action:** Use a positive number.

---

**ORA-02771: Illegal request time out value**

**Cause:** The number was not a positive number.

**Action:** Use a positive number.

**ORA-02772: Invalid maximum server idle time**

**Cause:** The time given was not a positive number.

**Action:** Use a positive number.

**ORA-02773: Invalid maximum client wait time**

**Cause:** The time given was not a positive number.

**Action:** Use a positive number.

**ORA-02774: Invalid request list latch time out value**

**Cause:** The time given was not a positive number.

**Action:** Use a positive number.

**ORA-02775: Invalid request done signal**

**Cause:** The signal number was not a positive number.

**Action:** Use a positive number.

**ORA-02776: Value for request done signal exceeds maximum**

**Cause:** The value sent to the package for use as the "request done" signal exceeds the maximum allowed by the operating system.

**Action:** None

**ORA-02777: Stat failed on log directory**

**Cause:** The package was unable to get information about the directory in which the log files are to reside.

**Action:** Check the permissions on the directory or use a different directory name.

**ORA-02778: Name given for the log directory is invalid**

**Cause:** The name given for the directory in which the logs are to be kept does not correspond to a directory.

**Action:** Use a different name.

**ORA-02779: Stat failed on core dump directory**

**Cause:** The package was unable to get information about the directory into which the servers are to dump core in the event of an exception.

**Action:** Check the permissions on the directory or use a different directory name.

**ORA-02780: Name given for the core dump directory is invalid**

**Cause:** The name given for the directory in which the server processes are to dump core in the event of an exception does not correspond to a directory.

**Action:** Use a different name.

**ORA-02781: Invalid value given for the timing wanted flag**

**Cause:** The value given was not TRUE or FALSE.

**Action:** None

**ORA-02782: Both read and write functions were not specified**

---

**Cause:** To ensure that the functions act symmetrically, pointers to both the read and write functions must be given.

**Action:** Either specify both functions or specify neither. The package will supply its own functions.

**ORA-02783: Both post and wait functions were not specified**

**Cause:** To ensure that the functions act symmetrically, pointers to both the posting and waiting functions must be given.

**Action:** Either specify both functions or specify neither. The package will supply its own functions.

**ORA-02784: Invalid shared memory ID specified**

**Cause:** The ID of the segment specified for use as the shared buffer region was invalid.

**Action:** Use a different ID, or let the package specify its own.

**ORA-02785: Invalid shared memory buffer size**

**Cause:** The size given for the shared memory segment to be used as the shared buffer region was less than or equal to zero.

**Action:** Use a positive number.

**ORA-02786: Size needed for shared region is greater than segment size**

**Cause:** The size of the shared segment that was specified for the shared buffer region is less than the number of bytes required. The first field of the "additional information" field is the size needed. The second is the size of the segment.

**Action:** Use a larger size segment or let the package allocate its own.

**ORA-02787: Unable to allocate memory for segment list**

**Cause:** The package cannot allocate memory for an internal segment list because the system has run out of memory. The "additional information" field is the amount of memory that the package attempted to allocate.

**Action:** None

**ORA-02788: Unable to find kernel process pointer in async process array**

**Cause:** Internal error - Contact ORACLE support.

**Action:** None

**ORA-02789: Maximum number of files reached**

**Cause:** The maximum number of files that can be used for asynchronous I/O has been reached.

**Action:** Shut down the servers and re-initialize the package with a higher number.

**ORA-02790: File name is too long**

**Cause:** The length of the name of a file that is being opened for asynchronous I/O is longer than the maximum. The "additional information" field is the maximum length.

**Action:** Use a shorter name.

**ORA-02791: Unable to open file for use with asynchronous I/O**

**Cause:** The package could not open file for some reason.

**Action:** Check the file name.

---

**ORA-02792: Unable to fstat() a file being used for asynchronous I/O.**

**Cause:** The fstat(2) call on a file being used for asynchronous I/O failed.

**Action:** Check the file name.

**ORA-02793: Close of asynchronous I/O failed.**

**Cause:** The client was unable to close a file being used for asynchronous I/O.

**Action:** Contact ORACLE support - this should not happen.

**ORA-02794: Client unable to get key for shared memory**

**Cause:** The client was unable to get a key so that it obtain shared memory for use with shared memory.

**Action:** Contact ORACLE support - this is an internal error.

**ORA-02795: Request list is empty**

**Cause:** The client was signalled by a server that it was done with a request but the "done" list was empty.

**Action:** Internal error - contact ORACLE support.

**ORA-02796: Done request is not in correct state**

**Cause:** A request is not in the right state.

**Action:** Internal error - contact ORACLE support.

**ORA-02797: No requests available**

**Cause:** No free request descriptors are available.

**Action:** Wait until some requests are filled and then retry the request, or shutdown the servers and initialize the package with a higher number of requests.

**ORA-02798: Invalid number of requests**

**Cause:** The number of operations sent to either sfard() or sfawrite() is less than zero.

**Action:** This is a user programming error.

**ORA-02799: Unable to arm signal handler**

**Cause:** The arming of a signal handler for the "done" signal failed.

**Action:** Internal error - contact ORACLE support.

**ORA-02800: Requests timed out**

**Cause:** Some of the requests for asynchronous input or output were not serviced in the required amount of time.

**Action:** If the load on the system is high, it is possible that the timeout limit is too low. Reset it with sfainit(). If the server processes are dying due to unexpected signals, this is an internal error, and ORACLE support should be contacted.

**ORA-02801: Operations timed out**

**Cause:** Some asynchronous operations timed out in kernel mode.

**Action:** Internal error - contact ORACLE support.

**ORA-02802: No idle servers available in parallel mode**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02803: Retrieval of current time failed**

---

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02804: Allocation of memory failed for log file name**

**Cause:** The client was unable to allocated a buffer for the name of the log file.

**Action:** Contact your System Administrator.

**ORA-02805: Unable to set handler for SIGTPA**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02806: Unable to set handler for SIGALRM**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02807: Allocation of memory for I/O vectors failed.**

**Cause:** The client was unable to allocate memory for the array of I/O vectors that the servers are to use.

**Action:** Contact your System Administrator.

**ORA-02808: Allocation of memory of open files array failed.**

**Cause:** The client was unable to allocate memory for an array of flags that the servers are to use.

**Action:** Contact your System Administrator.

**ORA-02809: Jump buffer not valid**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02813: Unable to make temporary file name in order to get key**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02814: Unable to get shared memory**

**Cause:** Shmget(2) failed.

**Action:** Check the UNIX number. If you are unsure about what it means, contact ORACLE customer support.

**ORA-02815: Unable to attach shared memory**

**Cause:** Shmat(2) failed.

**Action:** Check the UNIX number. If you are unsure about what it means, contact ORACLE customer support.

**ORA-02816: Unable to kill a process**

**Cause:** A server did not die after being sent a kill signal.

**Action:** The process may be a runaway - contact ORACLE customer support.

**ORA-02817: Read failed**

**Cause:** A server could not read a requested amount of data.

---

**Action:** Check the call to `sford()`. An incorrect file descriptor may have been sent to `sford()`. The number in the "additional information" field is the starting block number of the data segment being read in.

**ORA-02818: Less than the number of blocks requested was read in**

**Cause:** A server could not read in the request amount of data. The first number in the "additional information" field is the block number being read in. The second is the actual number of bytes that was read in.

**Action:** This is a programming error.

**ORA-02819: Write failed**

**Cause:** A server was unable to perform a write. The number in the "additional information" field is the starting block number of the data segment being written out. The first number in the "additional information" field is the block number being written out. The second is the actual number of bytes that was written out. The disk may have filled up.

**Action:** Check the UNIX error number.

**ORA-02820: Unable to write the requested number of blocks**

**Cause:** A server could not write the requested amount of data out to disk. The disk may have run out of space.

**Action:** Check the UNIX error number.

**ORA-02821: Unable to read the requested number of blocks.**

**Cause:** A server could not read the number of blocks that was requested. The end of the file may have been read.

**Action:** Check the file on disk.

**ORA-02822: Invalid block offset**

**Cause:** A server was unable to seek to the designated block.

**Action:** Check the UNIX error number.

**ORA-02823: Buffer is not aligned.**

**Cause:** The buffer on which an I/O is being done is not on the correct boundary.

**Action:** Check the calling program.

**ORA-02824: Request free list is empty**

**Cause:** The list from which the package allocates request descriptors is empty because all of the descriptors is in use.

**Action:** Wait until some become free, or initialize the package with a higher number of request descriptors.

**ORA-02825: Request on free list was not free**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02826: Illegal block size**

**Cause:** A negative number was given for the I/O block size to be used by the asynchronous I/O package.

**Action:** This is a programming error - use either a positive number or zero to get the default value.

---

**ORA-02827: Invalid file number**

**Cause:** The file number upon which an operation is to be done is either less than zero or greater than the maximum number of files that can be open.

**Action:** This is a programming error. Since the calling program should not touch this number, this is a programming error.

**ORA-02828: Segment free list is empty**

**Cause:** No segments are available to be allocated.

**Action:** Free some segments or shut down the package and re-initialize it with a higher number of segments.

**ORA-02829: No segment of the proper size is available**

**Cause:** No segment of the proper size is ready for use by the caller.

**Action:** Free some segments and try again.

**ORA-02830: Segment could not be split - no free segments available**

**Cause:** A segment that is larger than that desired could not be split because no free segment was available.

**Action:** Free some segments and try again.

**ORA-02831: Segment deallocation failed - empty segment list**

**Cause:** The caller attempted to deallocate a segment but the "in use" list was empty. This is a programming error.

**Action:** Check the calling program.

**ORA-02832: Segment deallocation failed - segment not on list**

**Cause:** The caller attempted to deallocate a segment that was not on the "in use" list. This is a programming error.

**Action:** Check the calling program.

**ORA-02833: Server was unable to close file**

**Cause:** A server was unable to close a file being used for asynchronous I/O.

**Action:** See the UNIX error number for more information.

**ORA-02834: Server unable to open file**

**Cause:** The server was unable to open a file for use with asynchronous I/O.

**Action:** Check the UNIX error number for more information.

**ORA-02835: Server unable to send signal to client**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02836: Unable to create temporary key file**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02837: Unable to unlink temporary file**

**Cause:** Internal error.

**Action:** Contact ORACLE support.

**ORA-02838: Unable to arm signal handler for the alarm signal**

---

**Cause:** The arming of a signal handler for the alarm signal failed.

**Action:** Internal error - contact ORACLE support.

**ORA-02839: Sync of blocks to disk failed.**

**Cause:** The server was unable to flush its writes out to disk.

**Action:** Check the UNIX error number.

**ORA-02840: Open of log file by client failed**

**Cause:** The client process was unable to open its log file.

**Action:** Check the UNIX error number for more information.

**ORA-02841: Server died on start up**

**Cause:** A server exited during its initialization process.

**Action:** Check the servers' logs for more information.

**ORA-02842: Client unable to fork a server**

**Cause:** The client could not spawn a server. A possible reason is that the operating system has reached its limit on the number of processes that it can spawn.

**Action:** Either reduce the number of servers that are to be used, or reconfigure the operating system so that it can handle more processes.

**ORA-02843: Invalid value for kernel flag**

**Cause:** An illegal value was given for the kernel flag in the information structure. Only TRUE and FALSE are permitted.

**Action:** This is a programming error - check the calling routine.

**ORA-02844: Invalid value for the leave open flag**

**Cause:** A value was given for the flag that determines whether a file is to be left open after the client checks it to see if the servers can use it. Only TRUE and FALSE are supported.

**Action:** This is a programming error - check the calling routine.

**ORA-02845: Invalid value for the timing wanted flag**

**Cause:** A value was given for the flag that indicates that operations are to be timed out. Only TRUE and FALSE are supported.

**Action:** This is a programming error - check the calling routine.

**ORA-02846: Unkillable server**

**Cause:** A server would not respond to the termination signal. The first number is the number of the server. The second is its UNIX process number. This is an internal problem.

**Action:** This is an operating system problem.

**ORA-02847: Server did not terminate when posted**

**Cause:** A server did not respond to a posted request to shutdown. The first number is the number of the server. The second is its UNIX process number. This is an internal problem.

**Action:** Contact ORACLE support.

**ORA-02848: Asynchronous I/O package is not running**

**Cause:** An operation using the asynchronous I/O package was attempted without first initializing the package using sfainit().

---

**Action:** Call sfainit() before using the package.

**ORA-02849: Read failed because of an error**

**Cause:** A server could not read the requested amount of data from disk.

**Action:** Check the UNIX error number.

**ORA-02850: File is closed**

**Cause:** A file upon which an asynchronous I/O operation is to be performed has already been closed by the package.

**Action:** This is a programming error.

**ORA-02851: Request list is empty when it should not be**

**Cause:** This is an internal problem.

**Action:** Contact ORACLE support.

**ORA-02852: Invalid critical-section time out value**

**Cause:** The time given was not a positive number.

**Action:** Use a positive number.

**ORA-02853: Invalid server list latch time out value**

**Cause:** The time given was not a positive number.

**Action:** Use a positive number.

**ORA-02854: Invalid number of request buffers**

**Cause:** The value given for "db\_slave\_buffers" in your INIT.ORA file is less than 0.

**Action:** Use a number that is greater than or equal to 0.

**ORA-02855: Number of requests is less than the number of slaves**

**Cause:** The value given for "db\_slave\_buffers" in your INIT.ORA file is less than the number specified for the number of slaves, "db\_slaves."

**Action:** Specify a number that is greater than that given for "db\_slaves" Alternatively, specify 0. The kernel will supply the appropriate number.

**ORA-02875: smpini: Unable to get shared memory for PGA**

**Cause:** Stated in errno.

**Action:** Resolve the problem.

**ORA-02876: smpini: Unable to attach to shared memory for PGA**

**Cause:** Stated in errno.

**Action:** Resolve the problem.

**ORA-02877: smpini: Unable to initialize memory protection**

**Cause:** The adspcinit program has not been executed.

**Action:** Execute the adspcinit program as shown in your Installation and Users" Guide. If the problem persists, try rebooting your computer.

**ORA-02878: sou2o: Variable smpdidini overwritten**

**Cause:** The variable smpdidini was overwritten, probably by client code.

**Action:** Verify client code, e.g. Pro\*C, for illegal memory access. If the problem occurs outside Single Task operation, contact your customer support representative.

---

**ORA-02879: sou2o: Could not gain access to protected memory**

**Cause:** This is an internal error, note error code in errno.

**Action:** Report to your customer support representative. Restarting your application or your computer may cure the problem.

**ORA-02880: smpini: Could not register PGA for protection**

**Cause:** This is an internal error, note error code in errno.

**Action:** Report to your customer support representative. Restarting your application or your computer may cure the problem.

**ORA-02881: sou2o: Could not revoke access to protected memory**

**Cause:** This is an internal error, note error code in errno.

**Action:** Report to your customer support representative. Restarting your application or your computer may cure the problem.

**ORA-02882: sou2o: Could not register SGA for protection**

**Cause:** This is an internal error, note error code in errno.

**Action:** Report to your customer support representative. Restarting your application or your computer may cure the problem.

**ORA-02899: smscre: Cannot create SGA with Extended Shared Memory feature**

**Cause:** The environment variable EXTSHM was set before starting oracle.

**Action:** Unset the environment variable EXTSHM and startup oracle.

**ORA-03001: unimplemented feature**

**Cause:** This feature is not implemented.

**Action:** None

**ORA-03002: operator not implemented**

**Cause:** This is an internal error.

**Action:** Contact your customer support representative.

**ORA-03007: obsolete feature**

**Cause:** User attempted to use a feature which is no longer supported.

**Action:** None

**ORA-03009: Incompatible OCI function call**

**Cause:** An incompatible OCI function call was issued for new functionality.

**Action:** Do not use V7 OCI calls for this functionality.

**ORA-03112: a server linked as single-task cannot use SQL\*Net**

**Cause:** A statement containing a SQL\*Net connect string was issued to the single-task server. For example, a database link was used in a SQL statement.

**Action:** Do not use SQL\*Net connect strings in a single-task environment.

**ORA-03113: end-of-file on communication channel**

**Cause:** The connection between Client and Server process was broken.

**Action:** There was a communication error that requires further investigation. First, check for network problems and review the SQL\*Net setup. Also, look in the alert.log file for any errors. Finally, test to see whether the server process is dead and whether a trace file was generated at failure time.

---

**ORA-03119: two-task detected inconsistent datatype specification**

**Cause:** There was both a datatype, and an anonymous datatype declaration found.

**Action:** Correct the specification.

**ORA-03122: attempt to close ORACLE-side window on user side**

**Cause:** This is an internal error.

**Action:** Contact your customer support representative.

**ORA-03123: operation would block**

**Cause:** This is a status code that indicates that the operation cannot complete now.

**Action:** None; this is not an error. The operation should be retried again for completion.

**ORA-03124: two-task internal error**

**Cause:** Internal error.

**Action:** Contact your customer support representative.

**ORA-03125: client-server protocol violation**

**Cause:** The application received a bad escape sequence from the server and may indicate a problem with the client application user code.

**Action:** Contact your customer support representative.

**ORA-03126: network driver does not support non-blocking operations**

**Cause:** A non-blocking operation was attempted and the network driver does not support non-blocking operations.

**Action:** Use default blocking operations or use a driver supporting non-blocking operations.

**ORA-03127: no new operations allowed until the active operation ends**

**Cause:** An attempt was made to execute a new operation before the active non-blocking operation completed or a new operation was attempted before all the pieces of a column were inserted or fetched.

**Action:** Execute the new operation after the non-blocking operation completes. If piecewise binds/defines were done, execute the new operation after all the pieces have been inserted or fetched.

**ORA-03128: connection is in blocking mode**

**Cause:** The OCI test for non-blocking mode on a connection indicates that the connection is in blocking mode.

**Action:** If non-blocking mode is required use appropriate OCI calls to change the mode.

**ORA-03129: the next piece to be inserted is required**

**Cause:** The application performed a piecewise bind on a column.

**Action:** Provide the next piece of this bind variable.

**ORA-03130: the buffer for the next piece to be fetched is required**

**Cause:** The application performed a piecewise define on the column.

**Action:** Provide the next buffer for the next piece to be retrieved.

**ORA-03131: an invalid buffer was provided for the next piece**

---

**Cause:** The application either provided the length of the buffer for the next piece to be zero or provided a null pointer.

**Action:** Verify if the buffer pointer for the next piece is null or if the length is zero.

**ORA-03132: two-task default value overflow**

**Cause:** The default value specified for a record field was too large.

**Action:** Change the default value to fit the field size.

**ORA-03134: Connections to this server version are no longer supported.**

**Cause:** An attempt was made to connect to an Oracle server of older version.

**Action:** Please refer to documentation for more details.

**ORA-03135: connection lost contact**

**Cause:** 1) Server unexpectedly terminated or was forced to terminate. 2) Server timed out the connection.

**Action:** 1) Check if the server session was terminated. 2) Check if the timeout parameters are set properly in sqlnet.ora.

**ORA-03136: inbound connection timed out**

**Cause:** Inbound connection was timed out by the server because user authentication was not completed within the given time specified by SQLNET.INBOUND\_CONNECT\_TIMEOUT or its default value

**Action:** 1) Check SQL\*NET and RDBMS log for trace of suspicious connections. 2) Configure SQL\*NET with a proper inbound connect timeout value if necessary.

**ORA-03137: TTC protocol internal error : [string] [string] [string] [string] [string] [string] [string] [string]**

**Cause:** TTC protocol internal error.

**Action:** Contact Oracle Support Services.

**ORA-03138: Connection terminated due to security policy violation**

**Cause:** Connection was terminated due to a security policy violation.

**Action:** Contact the Database Administrator

**ORA-03139: This OCI call has been disabled by the DBA**

**Cause:** The SEC\_DISABLE\_OLDER\_ORACLE\_RPC initialization parameter was enabled.

**Action:** Contact the Database Administrator

**ORA-03140: I/O operation in progress**

**Cause:** The current I/O operation was not complete. The error is typically returned from vectored and/or asynchronous I/O calls.

**Action:** Perform the necessary operation to complete or abort the current I/O.

**ORA-03141: I/O request queue full**

**Cause:** The I/O request queue was full and no more requests could be queued.

**Action:** Perform the proper operations to complete part or all of the current in-progress I/O requests.

**ORA-03142: Session ID: *number* Serial number: *number***

**Cause:** Connection was lost for the specified session and serial number. This is either due to session being killed or network problems.

---

**Action:** Reconnect and if error persists, contact Oracle Support Services.

**ORA-03143: Process ID: *string* Thread ID: *string***

**Cause:** Connection was lost for the specified process ID and thread ID. This is either due to session being killed or network problems.

**Action:** Reconnect and if error persists, contact Oracle Support Services.

**ORA-03144: Process ID: *string***

**Cause:** Connection was lost for the specified process ID. This is either due to session being killed or network problems.

**Action:** Reconnect and if error persists, contact Oracle Support Services.

**ORA-03145: I/O streaming direction error**

**Cause:** Attempted to PUT data when GET streaming was in progress or attempted to GET data when PUT streaming was in progress.

**Action:** Complete current stream read or write I/O before attempting I/O in reverse direction.

**ORA-03146: Invalid buffer length for TTC field**

**Cause:** A corrupt Two-Task Common (TTC) packet was received.

**Action:** This is an internal protocol error. Contact Oracle Support Services.

**ORA-03160: An invalid client operation was requested by the server**

**Cause:** You are using an Oracle client application linked with libraries with lower version than the current server version.

**Action:** Upgrade client libraries to be same as or higher than the server version.

**ORA-03170: deadlocked on readable physical standby**

**Cause:** A new undo segment was added. A query can occasionally deadlock when issued around the time an undo segment is added and used immediately on the primary.

**Action:** Retry the query. Avoid creating new undo segments when using standby as a regular part of operation.

**ORA-03171: Recovery was terminated during query execution**

**Cause:** Recovery was terminated. A query can occasionally deadlock when recovery is terminated because it needs a block with changes that are made after the point at which recovery was terminated.

**Action:** Retry the query. Avoid cancelling recovery on standby.

**ORA-03200: the segment type specification is invalid**

**Cause:** segment type is not TABLE, INDEX, or CLUSTER

**Action:** use a correct segment type

**ORA-03201: the group number specification is invalid**

**Cause:** the freelist group number was either negative or larger than the the number of freelist groups in the segment

**Action:** use a correct group number

**ORA-03202: the scan limit specification is invalid**

**Cause:** the scan limit did not have a positive integer value the number of freelist groups in the segment

---

**Action:** use a correct scan limit

**ORA-03203: concurrent update activity makes space analysis impossible**

**Cause:** high volume of user updates interfere with the space analysis

**Action:** retry the command or lock the underlying objects

**ORA-03204: the segment type specification should indicate partitioning**

**Cause:** partition name is specified for the space analysis, but the object type does not indicate partitioning

**Action:** specify PARTITION in the segment type, if the object is partitioned, otherwise, omit the partition name

**ORA-03205: partition name is required when partitioned type is specified**

**Cause:** partition name is not specified for the space analysis, but the object type indicates partitioning

**Action:** specify partition name, if the object is partitioned, otherwise, specify a non-partitioned type

**ORA-03206: maximum file size of (*string*) blocks in AUTOEXTEND clause is out of range**

**Cause:** The maximum file size for an autoextendable file has exceeded the maximum number of blocks allowed.

**Action:** Reduce the size and retry.

**ORA-03207: subpartitioned type must be specified for composite object**

**Cause:** partition type is specified for the space analysis, but the object type indicates composite partitioning

**Action:** specify subpartition name and subpartition type

**ORA-03208: partitioned type must be specified for a non-composite object**

**Cause:** subpartition type is specified for the space analysis, but the object type indicates non-composite partitioning

**Action:** specify partition name and partition type

**ORA-03209: DBMS\_ADMIN\_PACKAGE invalid file/block specification**

**Cause:** The value of file number or block number is outside of limits or inconsistent

**Action:** Fix the file number/block number value

**ORA-03210: DBMS\_ADMIN\_PACKAGE invalid option specification**

**Cause:** The value of one of the option parameters is incorrect

**Action:** Fix the option value

**ORA-03211: The segment does not exist or is not in a valid state**

**Cause:** The segment specified in the DBMS\_SPACE\_ADMIN or DBMS\_SPACE operation does not exist or is not in a state appropriate for this operation

**Action:** Fix the segment specification, or put the segment in the appropriate state.

**ORA-03212: Temporary Segment cannot be created in locally-managed tablespace**

**Cause:** Attempt to create a temporary segment for sort/hash/lobs in in permanent tablespace of kind locally-managed

---

**Action:** Alter temporary tablespace of user to a temporary tablespace or a dictionary-managed permanent tablespace

**ORA-03213: Invalid Lob Segment Name for DBMS\_SPACE package**

**Cause:** The Lob Segment specified in the DBMS\_SPACE operation does not exist.

**Action:** Fix the Segment Specification

**ORA-03214: File Size specified is smaller than minimum required**

**Cause:** File Size specified for add/resize datafile/tempfile does not allow for the minimum required of one allocation unit.

**Action:** Increase the specification for file size

**ORA-03215: File Size specified for resize is too small**

**Cause:** File Size specified for resize datafile/tempfile causes bitmap control structures to overlap

**Action:** Increase the specification for file size

**ORA-03216: Tablespace/Segment Verification cannot proceed**

**Cause:** Corruptions detected during verification which cannot be dealt with

**Action:** Do manual verification

**ORA-03217: invalid option for alter of TEMPORARY TABLESPACE**

**Cause:** invalid option for alter of temporary tablespace was specified

**Action:** Specify one of the valid options: ADD TEMPFILE, TEMPFILE ONLINE, TEMPFILE OFFLINE

**ORA-03218: invalid option for CREATE/ALTER TABLESPACE**

**Cause:** invalid option for create/alter tablespace of type locally-managed

**Action:** Specify one of the valid options.

**ORA-03219: Tablespace "*string*" is dictionary-managed, offline or temporary**

**Cause:** Operation which is only applicable to permanent, online, locally-managed tablespaces is specified for a tablespace which is either dictionary-managed, offline or temporary

**Action:** Reissue operation for a different tablespace, mount the tablespace or do not issue it at all, since it does not apply for the given tablespace

**ORA-03220: DBMS\_ADMIN\_PACKAGE required parameter is NULL or missing**

**Cause:** Some of the procedures was called with missing or NULL parameters

**Action:** Specify the missing parameter

**ORA-03221: Temporary tablespaces and temporary segments must have standard block size**

**Cause:** An attempt was made to do one of the following : (1) create a temporary tablespace with a non-standard block size or, (2) alter an existing permanent tablespace of non-standard block size to a temporary tablespace or, (3) issue a DDL statement that would result in the creation of a temporary segment in a tablespace of non-standard block size.

**Action:** (1) If creating a temporary tablespace, do not specify a block size different from the standard block size. (2) If altering an existing permanent tablespace to a temporary tablespace, ensure that it is of standard block size. (3) Ensure that the user's temporary tablespace is a tablespace having the standard block size.

---

**ORA-03222: average row size and row count must be greater than zero**

**Cause:** Either a bad value passed to `dbms_space.create_table_cost()` or explain plan did not pass through size information.

**Action:** Check the row size parameter in `dbms_space.create_table_cost()`. For explain plan, make sure statistics have been computed for all source tables in the CREATE TABLE AS SELECT statement.

**ORA-03230: segment only contains *string* blocks of unused space above high water mark**

**Cause:** Attempt to preserve too many blocks.

**Action:** reduce the KEEP amount.

**ORA-03231: the INITIAL extent may not be deallocated**

**Cause:** Attempt to deallocate space from the segment which was truncated prior to the 7.3 release.

**Action:** increase the KEEP amount, or truncate the segment, and reissue the command.

**ORA-03233: unable to extend table *string.string* subpartition *string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent for table subpartition segment in tablespace.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-03234: unable to extend index *string.string* subpartition *string* by *string* in tablespace *string***

**Cause:** Failed to allocate an extent for index subpartition segment in tablespace.

**Action:** Use ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

**ORA-03235: max # extents (*string*) reached in table *string.string* subpartition *string***

**Cause:** A table subpartition tried to extend past maxextents

**Action:** If maxextents is less than the system maximum, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params

**ORA-03236: max # extents (*string*) reached in index *string.string* subpartition *string***

**Cause:** An index subpartition tried to extend past maxextents

**Action:** If maxextents is less than the system max, raise it. Otherwise, you must recreate with larger initial, next or pctincrease params.

**ORA-03237: Initial Extent of specified size cannot be allocated in tablespace (*string*)**

**Cause:** Too large a size for an initial extent due to freelist group specification

**Action:** Reduce number of freelist groups specified for segment

**ORA-03238: unable to extend LOB segment *string.string* subpartition *string* by *string* in tablespace *string***

**Cause:** An attempt was made to allocate an extent for LOB subpartition segment in tablespace, but the extent could not be allocated because there is not enough space in the tablespace indicated.

**Action:** Use the ALTER TABLESPACE ADD DATAFILE statement to add one or more files to the tablespace indicated.

---

**ORA-03239: maxextents (*string*) reached in LOB segment *string.string* subpartition *string***

**Cause:** A LOB subpartition segment tried to extend past maxextents.

**Action:** If maxextents is less than the system maximum, raise it. Otherwise, recreate the subpartition with larger INITIAL, NEXT, or PCTINCREASE parameters.

**ORA-03240: User's temporary tablespace same as tablespace being migrated**

**Cause:** Users default temporary tablespace must be different from the tablespace being migrated.

**Action:** alter users default temporary tablespace to be different.

**ORA-03241: Invalid unit size**

**Cause:** User specified an invalid unit size for the tablespace

**Action:** Specify the correct unit size. To estimate unit size please refer to Oracle Server Administrator's Guide.

**ORA-03242: Tablespace migration retried 500 times**

**Cause:** For migration to complete, temporary segments should not be present in the tablespace at the time of migration.

**Action:** Avoid migrating the tablespace when there is heavy temporary segment creation going on as with object drops.

**ORA-03243: destination dba overlaps with existing control information**

**Cause:** Cannot overlap control information during relocation

**Action:** Please chose another destination address

**ORA-03244: No free space found to place the control information**

**Cause:** During migration of tablespace found no place to put the control information. If during bitmaps relocation, found no space at the specified destination.

**Action:** If during migration, add more space to the tablespace and retry migration. If during bitmaps relocation, specify a destination address where there is enough free space.

**ORA-03245: Tablespace has to be dictionary managed, online and permanent to be able to migrate**

**Cause:** Tablespace was not dictionary managed or online or permanent.

**Action:** Make sure the tablespace is online, permanent and dictionary managed

**ORA-03246: Invalid block number specified**

**Cause:** Control information cannot be placed at the specified dba either because the block number specified is beyond the file end or the file is not large enough to accomodate the control information at that location

**Action:** specify a correct block number

**ORA-03247: Invalid block number specified**

**Cause:** Relocation of bitmaps to the said destination will make the tablespace self descriptive

**Action:** Choose another destination dba.

**ORA-03248: Too much of segment creation activity during migration**

---

**Cause:** Temporary segments were attempted to be created during migration

**Action:** The error is signalled after retrying migration for 500 times. Run migration when there is less of segment creation activity is going on.

**ORA-03249: Uniform size for auto segment space managed tablespace should have atleast *string* blocks**

**Cause:** For the given blocksize, uniform size specified is insufficient

**Action:** Specify larger extent size and retry

**ORA-03250: Cannot mark this segment corrupt**

**Cause:** This segment cannot be marked corrupt because it contains data dictionary objects

**Action:** Check the segment information and reissue the command.

**ORA-03251: Cannot issue this command on SYSTEM tablespace**

**Cause:** It is not permitted to migrate SYSTEM tablespace from locally managed format to dictionary managed format or relocate bitmaps.

**Action:** Check the tablespace name and procedure name

**ORA-03252: initial extent size not enough for LOB segment**

**Cause:** Fatblock size of LOB segment is too big to fit into the initial extent.

**Action:** Specify a smaller fatblock size or create the LOB segment in other tablespaces with bigger initial extent size.

**ORA-03254: unable to execute the sql in read only database**

**Cause:** Unable to create a consistent snapshot of the object in a read only database. Transaction recovery must be performed before opening the database read only.

**Action:** Open the database read write, allow dead transaction recovery to complete and then open the database read only.

**ORA-03261: the tablespace *string* has only one file**

**Cause:** Dropping file from ts which has a single file extent.

**Action:** Cannot make a tablespace fileless

**ORA-03262: the file is non-empty**

**Cause:** Trying to drop a non-empty datafile

**Action:** Cannot drop a non empty datafile

**ORA-03263: cannot drop the first file of tablespace *string***

**Cause:** Trying to drop the first datafile with which ts is created

**Action:** Cannot drop the first datafile with which ts is created

**ORA-03264: cannot drop offline datafile of locally managed tablespace**

**Cause:** Trying to drop offline datafile in lmts

**Action:** Try to drop file afetr making it online

**ORA-03274: both ALLOCATE EXTENT and DEALLOCATE UNUSED options are specified**

**Cause:** The DEALLOCATE option and the ALLOCATE option are specified in the same command.

**Action:** Choose one of the options or issue two separate commands.

---

**ORA-03275: duplicate DEALLOCATE option specification**

**Cause:** The DEALLOCATE UNUSED option to ALTER TABLE or ALTER INDEX is specified more than once.

**Action:** Specify the option at most once.

**ORA-03276: duplicate ALLOCATE EXTENT option specification**

**Cause:** The ALLOCATE EXTENT option to ALTER TABLE or ALTER INDEX is specified more than once.

**Action:** Specify the option at most once.

**ORA-03277: invalid SIZE specified**

**Cause:** The specified value must be an integer.

**Action:** Choose an appropriate integer value.

**ORA-03278: duplicate ALLOCATE EXTENT option specification**

**Cause:** An option (DATAFILE, SIZE or INSTANCE) was specified more than once.

**Action:** Specify each option at most once.

**ORA-03279: invalid INSTANCE specified**

**Cause:** The specified value is not recognized as a valid instance name.

**Action:** Use a valid name.

**ORA-03280: invalid DATAFILE filename specified**

**Cause:** A character string literal is expected, but not found.

**Action:** Specify filenames using character string literals.

**ORA-03281: invalid ALLOCATE EXTENT option**

**Cause:** An option other than DATAFILE, SIZE or INSTANCE was specified.

**Action:** Remove invalid option and retry the command.

**ORA-03282: missing ALLOCATE EXTENT option**

**Cause:** No ALLOCATE EXTENT options were specified.

**Action:** Specified one or more of the following options: DATAFILE, SIZE or INSTANCE.

**ORA-03283: specified datafile *string* does not exist**

**Cause:** The datafile does not exist

**Action:** Retry the option with the correct datafile

**ORA-03284: datafile or tempfile *string* is not a member of tablespace *string***

**Cause:** The specified datafile or tempfile did not belong to the tablespace that the object resides in.

**Action:** Retry the option with the correct datafile or tempfile.

**ORA-03286: ALLOCATE EXTENT not valid for HASH CLUSTERS**

**Cause:** The cluster is a hash cluster, and can not use the allocate extent option.

**Action:** None

**ORA-03287: invalid FREELIST GROUP specified**

**Cause:** The specified FREELIST GROUP number is invalid

---

**Action:** Choose a number between 1 and # freelist groups for this object

**ORA-03288: both FREELIST GROUP and INSTANCE parameters may not be specified**

**Cause:** Both FREELIST GROUP and INSTANCE were specified in clause

**Action:** Remove one of the two parameters

**ORA-03289: partition name and segment type do not match**

**Cause:** Partition name and segment type specified for space analysis do not match

**Action:** Specify type PARTITION if the object is partitioned, specify SUBPARTITION if the object is composite

**ORA-03290: Invalid truncate command - missing CLUSTER or TABLE keyword**

**Cause:** Invalid object specification given.

**Action:** Either specify TRUNCATE CLUSTER or TRUNCATE TABLE

**ORA-03291: Invalid truncate option - missing STORAGE keyword**

**Cause:** Expected STORAGE keyword

**Action:** Either specify DROP STORAGE or REUSE STORAGE

**ORA-03292: Table to be truncated is part of a cluster**

**Cause:** The table being truncated is a member of a cluster.

**Action:** Either use TRUNCATE CLUSTER or DROP TABLE

**ORA-03293: Cluster to be truncated is a HASH CLUSTER**

**Cause:** Only INDEX CLUSTERS can be truncated.

**Action:** Drop and recreate the HASH CLUSTER instead of using truncate.

**ORA-03296: cannot resize datafile - file *string* not found**

**Cause:** The specified datafile is not available for resizing.

**Action:** Ensure that the datafile name is valid, and if so, ensure the file is accessible.

**ORA-03297: file contains used data beyond requested RESIZE value**

**Cause:** Some portion of the file in the region to be trimmed is currently in use by a database object

**Action:** Drop or move segments containing extents in this region prior to resizing the file, or choose a resize value such that only free space is in the trimmed.

**ORA-03298: cannot shrink datafile - file *string* is under hot backup**

**Cause:** Attempt to shrink a datafile while it is under hot backup. This is not allowed.

**Action:** Retry shrinking the file after the hot backup completes.

**ORA-03299: cannot create dictionary table *string***

**Cause:** A dictionary table is created upon the first execution of the command "alter database datafile autoextend on" for a database. This operation did not succeed. The most probable cause for this is insufficient space in the system tablespace.

**Action:** See action for next error message in error stack.

**ORA-04000: the sum of PCTUSED and PCTFREE cannot exceed 100**

- 
- Cause:** the sum of PCTUSED and PCTFREE for a cluster or table exceeds 100  
**Action:** create the table/cluster specifying values whose sum is  $\leq 100$
- ORA-04001: sequence parameter *string* must be an integer**  
**Cause:** %s (a sequence parameter) specified was not an integer  
**Action:** create the sequence, giving the specified parameter an integer value
- ORA-04002: INCREMENT must be a non-zero integer**  
**Cause:** a sequence increment was specified to be zero  
**Action:** specify the increment to be a non-zero value
- ORA-04003: sequence parameter *string* exceeds maximum size allowed (*string* digits)**  
**Cause:** %s (a sequencer parameter) had too many digits  
**Action:** specify the parameter with the allowed number of digits
- ORA-04004: MINVALUE must be less than MAXVALUE**  
**Cause:** MINVALUE was specified to be greater than or equal to MAXVALUE  
**Action:** specify a MINVALUE that is less than MAXVALUE
- ORA-04005: INCREMENT must be less than MAXVALUE minus MINVALUE**  
**Cause:** the INCREMENT specified is  $\geq \text{MAXVALUE} - \text{MINVALUE}$   
**Action:** specify an INCREMENT that is  $< \text{MAXVALUE} - \text{MINVALUE}$
- ORA-04006: START WITH cannot be less than MINVALUE**  
**Cause:** the given starting value is less than MINVALUE  
**Action:** make sure that the starting value is  $\geq \text{MINVALUE}$
- ORA-04007: MINVALUE cannot be made to exceed the current value**  
**Cause:** the given MINVALUE would be greater than the current value  
**Action:** always make sure that MINVALUE is  $\leq$  the current value
- ORA-04008: START WITH cannot be more than MAXVALUE**  
**Cause:** the starting value would be larger than MAXVALUE  
**Action:** make sure that the starting value is less than MAXVALUE
- ORA-04009: MAXVALUE cannot be made to be less than the current value**  
**Cause:** the current value exceeds the given MAXVALUE  
**Action:** make sure that the new MAXVALUE is larger than the current value
- ORA-04010: the number of values to CACHE must be greater than 1**  
**Cause:** the value in the CACHE clause was one  
**Action:** specify NOCACHE, or a value larger than one
- ORA-04011: sequence *string* must range between *string* and *string***  
**Cause:** the value specified for one of the sequence parameters exceeds limits  
**Action:** specify parameter within these limits
- ORA-04012: object is not a sequence**  
**Cause:** the object specified cannot have sequence ddl's performed on it  
**Action:** re-enter the statement being careful with the spelling of the name

- 
- ORA-04013: number to CACHE must be less than one cycle**  
**Cause:** number to CACHE given is larger than values in a cycle  
**Action:** enlarge the cycle, or cache fewer values
- ORA-04014: descending sequences that CYCLE must specify MINVALUE**  
**Cause:** sequences that cycle must have their wrap-wrap specified  
**Action:** re-create the sequence, specifying its wrap-value
- ORA-04015: ascending sequences that CYCLE must specify MAXVALUE**  
**Cause:** sequences that cycle must have their wrap-wrap specified  
**Action:** re-create the sequence, specifying its wrap-value
- ORA-04016: sequence *string* no longer exists**  
**Cause:** sequence was dropped while processing its next value.  
**Action:** re-create the sequence
- ORA-04017: invalid value *string* (length = *string*) for parameter max\_dump\_file\_size**  
**Cause:** neither did the string supplied for max\_dump\_file\_size parameter match the "UNLIMITED" string value nor did it represent a base 10 integer.  
**Action:** reassign a proper value to this parameter.
- ORA-04020: deadlock detected while trying to lock object *stringstringstringstring***  
**Cause:** While trying to lock a library object, a deadlock is detected.  
**Action:** Retry the operation later.
- ORA-04021: timeout occurred while waiting to lock object *stringstringstringstring***  
**Cause:** While waiting to lock a library object, a timeout is occurred.  
**Action:** Retry the operation later.
- ORA-04022: nowait requested, but had to wait to lock dictionary object**  
**Cause:** Had to wait to lock a library object during a nowait request.  
**Action:** Retry the operation later.
- ORA-04023: Object *stringstringstringstring* could not be validated or authorized**  
**Cause:** A number of attempts were made to validate or authorize an object but failed.  
**Action:** Please report this error to Oracle Support Services.
- ORA-04024: self-deadlock detected while trying to mutex pin cursor *string***  
**Cause:** While trying to mutex pin a cursor, a self-deadlock is detected.  
**Action:** Retry the operation later.
- ORA-04027: self-deadlock during automatic validation for object *string.string***  
**Cause:** An attempt was made to validate an invalidated object but it failed because of a self-deadlock.  
**Action:** , e.g. compile the invalidated object separately.
- ORA-04028: cannot generate diana for object *stringstringstringstring***

---

**Cause:** Cannot generate diana for an object because of lock conflict.

**Action:** Please report this error to your support representative.

**ORA-04029: error ORA-string occurred when querying stringstringstring**

**Cause:** The table or view being queried might be missing. The error number indicates the error.

**Action:** Fix the error.

**ORA-04030: out of process memory when trying to allocate string bytes (string,string)**

**Cause:** Operating system process private memory was exhausted.

**Action:** None

**ORA-04031: unable to allocate string bytes of shared memory ("string","string","string","string")**

**Cause:** More shared memory is needed than was allocated in the shared pool.

**Action:** If the shared pool is out of memory, either use the DBMS\_SHARED\_POOL package to pin large packages, reduce your use of shared memory, or increase the amount of available shared memory by increasing the value of the initialization parameters SHARED\_POOL\_RESERVED\_SIZE and SHARED\_POOL\_SIZE. If the large pool is out of memory, increase the initialization parameter LARGE\_POOL\_SIZE.

**ORA-04032: pga\_aggregate\_target must be set before switching to auto mode**

**Cause:** attempt to set workarea\_size\_policy to AUTO while pga\_aggregate\_target is not specified

**Action:** before setting workarea\_size\_policy, set pga\_aggregate\_target to a value representing the total private memory available to the instance. This total is generally the total physical memory available in the system minus what is needed for the SGA minus what is needed for the operating system (e.g. 500MB)

**ORA-04033: Insufficient memory to grow pool**

**Cause:** The system had insufficient memory to grow the pool to the specified size.

**Action:** Specify a smaller value to grow the pool.

**ORA-04034: unable to shrink pool to specified size**

**Cause:** The pool could not shrink to the specified size as it could not free memory.

**Action:** Specify a larger value to which to shrink the pool to.

**ORA-04035: unable to allocate string bytes of shared memory in shared object cache "string" of size "string"**

**Cause:** More shared memory is needed than was allocated in the shared object cache.

**Action:** None

**ORA-04041: package specification must be created first before creating package body**

**Cause:** Attempt to create a package body before creating its package specification.

**Action:** Create the package specification first before creating the package body.

**ORA-04042: procedure, function, package, or package body does not exist**

---

**Cause:** Attempt to access a procedure, function, package, or package body that does not exist.

**Action:** Make sure the name is correct.

**ORA-04043: object *string* does not exist**

**Cause:** An object name was specified that was not recognized by the system. There are several possible causes:

- An invalid name for a table, view, sequence, procedure, function, package, or package body was entered. Since the system could not recognize the invalid name, it responded with the message that the named object does not exist.

- An attempt was made to rename an index or a cluster, or some other object that cannot be renamed.

**Action:** Check the spelling of the named object and rerun the code. (Valid names of tables, views, functions, etc. can be listed by querying the data dictionary.)

**ORA-04044: procedure, function, package, or type is not allowed here**

**Cause:** A procedure, function, or package was specified in an inappropriate place in a statement.

**Action:** Make sure the name is correct or remove it.

**ORA-04045: errors during recompilation/revalidation of *string.string***

**Cause:** This message indicates the object to which the following errors apply. The errors occurred during implicit recompilation/revalidation of the object.

**Action:** Check the following errors for more information, and make the necessary corrections to the object.

**ORA-04046: results of compilation are too large to support**

**Cause:** Attempt to compile and store a large stored procedure that results in compilation data that is too large for the system to support or store.

**Action:** Reduce the size of the stored procedure by splitting it into smaller stored procedures.

**ORA-04047: object specified is incompatible with the flag specified**

**Cause:** The object type implied by the flag does not match the type of object specified.

**Action:** Specify the correct object, or use the appropriate flag

**ORA-04050: invalid or missing procedure, function, or package name**

**Cause:** The required procedure, function, or package name is invalid or missing.

**Action:** Specify a valid name.

**ORA-04051: user *string* cannot use database link *string.string***

**Cause:** During forwarding of a remote object access, an attempt was made to use a non-existent database link or one owned by a user other than the logon user or PUBLIC.

**Action:** Change your database link structure so that all indirect remote accesses are done from the same userid that originates the request.

**ORA-04052: error occurred when looking up remote object**

*stringstringstringstringstring*

**Cause:** An error has occurred when trying to look up a remote object.

---

**Action:** Fix the error. Make sure the remote database system has run KGLR.SQL to create necessary views used for querying/looking up objects stored in the database.

**ORA-04053: error occurred when validating remote object**

*stringstringstringstringstring*

**Cause:** An error has occurred when trying to validate a remote object.

**Action:** Fix the error. Make sure the remote database system has run KGLR.SQL to create necessary views used for querying/looking up objects stored in the database.

**ORA-04054: database link *string* does not exist**

**Cause:** During compilation of a PL/SQL block, an attempt was made to use a non-existent database link.

**Action:** Either use a different database link or create the database link.

**ORA-04055: Aborted: "*string*" formed a non-REF mutually-dependent cycle with "*string*".**

**Cause:** This compilation was aborted because the library unit that was compiled would have formed a non-REF mutually-dependent cycle with some other library units. This happens when an attempt is made to compile types that have attributes of other types that may participate in a cycle with this type. Example: create type t1; create type t2 (a t1); create type t1 (a t2);

**Action:** Break the cycle (possibly by adding a REF or by using another type).

**ORA-04060: insufficient privileges to execute *string***

**Cause:** Attempt to execute a stored procedure without sufficient privileges.

**Action:** Get necessary privileges.

**ORA-04061: existing state of *string* has been invalidated**

**Cause:** Attempt to resume the execution of a stored procedure using the existing state which has become invalid or inconsistent with the stored procedure because the procedure has been altered or dropped.

**Action:** Try again; this error should have caused the existing state of all packages to be re-initialized.

**ORA-04062: *string* of *string* has been changed**

**Cause:** Attempt to execute a stored procedure to serve an RPC stub which specifies a timestamp or signature that is different from the current timestamp/signature of the procedure.

**Action:** Recompile the caller in order to pick up the new timestamp.

**ORA-04063: *string* has errors**

**Cause:** Attempt to execute a stored procedure or use a view that has errors. For stored procedures, the problem could be syntax errors or references to other, non-existent procedures. For views, the problem could be a reference in the view's defining query to a non-existent table. Can also be a table which has references to non-existent or inaccessible types.

**Action:** Fix the errors and/or create referenced objects as necessary.

**ORA-04064: not executed, invalidated *string***

**Cause:** Attempt to execute a stored procedure that has been invalidated.

**Action:** Recompile it.

---

**ORA-04065: not executed, altered or dropped *string***

**Cause:** Attempt to execute a stored procedure that has been altered or dropped thus making it not callable from the calling procedure.

**Action:** Recompile its dependents.

**ORA-04066: non-executable object, *string***

**Cause:** Attempt to execute a non-procedure.

**Action:** Make sure that a correct name is given.

**ORA-04067: not executed, *string* does not exist**

**Cause:** Attempt to execute a non-existent stored procedure.

**Action:** Make sure that a correct name is given.

**ORA-04068: existing state of packages*stringstringstring* has been discarded**

**Cause:** One of errors 4060 - 4067 when attempt to execute a stored procedure.

**Action:** Try again after proper re-initialization of any application's state.

**ORA-04069: cannot drop or replace a library with table dependents**

**Cause:** An attempt was made to drop or replace a library that has dependents. There could be a table which depends on type which depends on the library being dropped.

**Action:** Drop all table(s) depending on the type, then retry.

**ORA-04070: invalid trigger name**

**Cause:** An invalid trigger name was specified.

**Action:** Verify that trigger name is not a reserved keyword.

**ORA-04071: missing BEFORE, AFTER or INSTEAD OF keyword**

**Cause:** The trigger statement is missing the BEFORE/AFTER/INSTEAD OF clause.

**Action:** Specify either BEFORE, AFTER or INSTEAD OF.

**ORA-04072: invalid trigger type**

**Cause:** An invalid trigger type was given.

**Action:** Specify either INSERT, UPDATE or DELETE.

**ORA-04073: column list not valid for this trigger type**

**Cause:** A column list was specified for a non-update trigger type.

**Action:** Remove the column list.

**ORA-04074: invalid REFERENCING name**

**Cause:** An invalid name was given in the referencing clause.

**Action:** Verify the referencing name is not a reserved word.

**ORA-04075: invalid trigger action**

**Cause:** A statement was given for the trigger action.

**Action:** Re-specify the trigger action.

**ORA-04076: invalid NEW or OLD specification**

**Cause:** An invalid NEW or OLD specification was given for a column.

**Action:** Re-specify the column using the correct NEW or OLD specification.

---

**ORA-04077: WHEN clause cannot be used with table level triggers**

**Cause:** The when clause can only be specified for row level triggers.

**Action:** Remove the when clause or specify for each row.

**ORA-04078: OLD and NEW values cannot be identical**

**Cause:** The referencing clause specifies identical values for NEW and OLD.

**Action:** Re-specify either the OLD or NEW referencing value.

**ORA-04079: invalid trigger specification**

**Cause:** The create TRIGGER statement is invalid.

**Action:** Check the statement for correct syntax.

**ORA-04080: trigger "*string*" does not exist**

**Cause:** The TRIGGER name is invalid.

**Action:** Check the trigger name.

**ORA-04081: trigger "*string*" already exists**

**Cause:** The TRIGGER name or type already exists.

**Action:** Use a different trigger name or drop the trigger which is of the same name.

**ORA-04082: NEW or OLD references not allowed in table level triggers**

**Cause:** The trigger is accessing "new" or "old" values in a table trigger.

**Action:** Remove any new or old references.

**ORA-04083: invalid trigger variable "*string*"**

**Cause:** The variable referenced in the trigger body is invalid.

**Action:** See the manual for valid trigger variable types.

**ORA-04084: cannot change NEW values for this trigger type**

**Cause:** New trigger variables can only be changed in before row insert or update triggers.

**Action:** Change the trigger type or remove the variable reference.

**ORA-04085: cannot change the value of an OLD reference variable**

**Cause:** Old values can only be read and not changed.

**Action:** Do not attempt to change an old variable.

**ORA-04086: trigger description too long, move comments into triggering code**

**Cause:** The trigger description is limited to 2000 characters (for dictionary storage reasons). The description does not include the text of the "when" clause or the text of the pl/sql code executed for the trigger.

**Action:** If the trigger description contains a large comment, move that

**ORA-04087: cannot change the value of ROWID reference variable**

**Cause:** Rowid"s can only be read and not changed.

**Action:** Do not attempt to change an rowid value.

**ORA-04088: error during execution of trigger "*string.string*"**

**Cause:** A runtime error occurred during execution of a trigger.

**Action:** Check the triggers which were involved in the operation.

---

**ORA-04089: cannot create triggers on objects owned by SYS**

**Cause:** An attempt was made to create a trigger on an object owned by SYS.

**Action:** Do not create triggers on objects owned by SYS.

**ORA-04090: "string" specifies same table, event and trigger time as "string"**

**Cause:** Trigger is of duplicate event and trigger time.

**Action:** Combine the triggering information into one trigger which is fired at the given time.

**ORA-04091: table *string.string* is mutating, trigger/function may not see it**

**Cause:** A trigger (or a user defined plsql function that is referenced in this statement) attempted to look at (or modify) a table that was in the middle of being modified by the statement which fired it.

**Action:** Rewrite the trigger (or function) so it does not read that table.

**ORA-04092: cannot *string* in a trigger**

**Cause:** A trigger attempted to commit or rollback.

**Action:** Rewrite the trigger so it does not commit or rollback.

**ORA-04093: references to columns of type LONG are not allowed in triggers**

**Cause:** A trigger attempted to reference a long column in the triggering table.

**Action:** Do not reference the long column.

**ORA-04094: table *string.string* is constraining, trigger may not modify it**

**Cause:** A trigger attempted to modify a table that was constraining for some referential constraint of a parent SQL statement.

**Action:** None

**ORA-04095: trigger "string" already exists on another table, cannot replace it**

**Cause:** Cannot replace a trigger which already exists on a different table than the one being replaced.

**Action:** Drop the trigger with the same name and re-create it.

**ORA-04096: trigger "string" has a WHEN clause which is too large, limit 2K**

**Cause:** A trigger's "when" clause is limited to 2K for dictionary storage reasons. The trigger being created exceeded that size.

**Action:** Use a smaller "when" clause. Note, the trigger body could be used to perform the same limiting action as the "when" clause.

**ORA-04097: DDL conflict while trying to drop or alter a trigger**

**Cause:** An attempt was made to concurrently perform two DDL operations on a trigger or trigger table.

**Action:** Investigate the new state of the trigger and retry the DDL operation, if still appropriate.

**ORA-04098: trigger "string.string" is invalid and failed re-validation**

**Cause:** A trigger was attempted to be retrieved for execution and was found to be invalid. This also means that compilation/authorization failed for the trigger.

**Action:** Options are to resolve the compilation/authorization errors, disable the trigger, or drop the trigger.

**ORA-04099: trigger "string" is valid but not stored in compiled form**

---

**Cause:** A trigger was attempted to be retrieved for execution and was found to be valid, but not stored. This may mean the an upgrade was done improperly from a non-stored trigger release.

**Action:** Alter compile the trigger to create the trigger in stored form. Also, you may want to review that a proper upgrade was done.



---

## ORA-04930 to ORA-07499

### ORA-04930: open sequence number failed or initial state is valid

**Cause:** Either Shared Sequence Number OS component was not installed properly, or an MC hardware failure may have occurred or a previous instance was not shut down properly.

**Action:** Verify that there are no background or foreground Oracle processes from a previous instance on this node using the OS command `ps -ef | grep <instance_name>`. Verify that there are no shared memory segments belonging to the user which owns the Oracle installation by issuing the `ipcs -b` OS command. If there are shared memory segments or processes still on the system, use `svrmgrl` to shutdown the instance with the abort option. If the instance is not up, verify that the cluster software and/or the hardware is installed and working. Log in as superuser and issue the `cnxshow` command. Are all of the nodes in the cluster listed? Are they members of the cluster? Is the communications between nodes okay? If the answer to any of these questions is false, contact Digital's customer support organization.

### ORA-04931: unable to set initial sequence number value

**Cause:** A call to the SSN failed to set the sequence number to its initial value, possibly caused by an MC hardware problem.

**Action:** Verify that the MC hardware is functioning properly. If it is not, contact Digital's customer support organization. If it is, contact Oracle support.

### ORA-04932: increment or adjust of sequence number failed

**Cause:** A call to the SSN failed to increment the sequence number.

**Action:** Verify that the MC hardware is functioning properly. If it is not, contact Digital's customer support organization. If it is, contact Oracle support.

### ORA-04933: initial service identifier is non-zero

**Cause:** A valid service identifier existed before the sequence number service was opened.

**Action:** Verify that the instance is completely shut down.

### ORA-04934: unable to obtain the current sequence number

**Cause:** A call to the SSN failed to return its current value. Either there are many errors occurring on the MC hardware, or the sequence number has become invalid and cannot be validated.

**Action:** Verify that the MC hardware is functioning properly. If it is, contact Oracle Support.

### ORA-04935: unable to get/convert SCN recovery lock

---

**Cause:** A process has timed out trying to get or convert the SCN recovery lock. Another process probably has the lock in EX or SHR mode, but is not releasing it.

**Action:** Contact Oracle Support.

**ORA-04940: unsupported optimization of Oracle binary, check alert log for more info**

**Cause:** ORACLE binary has been optimized with unsupported options or a required option has not been used.

**Action:** Check the documentation for a list of supported and required flags for the optimizing utility that you used to optimize ORACLE. Shutdown the instance, optimize ORACLE again with supported combination of options and restart the instance.

**ORA-04941: required operating system patch needs to be applied**

**Cause:** The operating system could not return the start time of a process.

**Action:** Check that the operating system kernel has been patched to return process start time. Apply the required operating system patch and restart the instance.

**ORA-06000: NETASY: port open failure**

**Cause:** Autologin unable to open port

**Action:** Check log file for OS-specific error code

**ORA-06001: NETASY: port set-up failure**

**Cause:** Autologin unable to change port attributes

**Action:** Check log file for OS-specific error code

**ORA-06002: NETASY: port read failure**

**Cause:** Autologin unable to read from port

**Action:** Check log file for OS-specific error code

**ORA-06003: NETASY: port write failure**

**Cause:** Autologin unable to write to port

**Action:** Check log file for OS-specific error code

**ORA-06004: NETASY: dialogue file open failure**

**Cause:** Autologin unable to open dialogue file

**Action:** Check connect string for accuracy/typos

**ORA-06005: NETASY: dialogue file read failure**

**Cause:** Autologin unable to read dialogue file

**Action:** Check log file for OS-specific error code

**ORA-06006: NETASY: dialogue execute failure**

**Cause:** Expected response never received

**Action:** None

**ORA-06007: NETASY: bad dialogue format**

**Cause:** Dialogue file contains syntax error

**Action:** Correct the dialogue file

**ORA-06009: NETASY: dialogue filename too long**

---

**Cause:** Full file spec for dialogue file exceeds 64 bytes

**Action:** Amend connect string accordingly

**ORA-06010: NETASY: dialogue file too long**

**Cause:** Dialogue file exceeds 768 bytes in length

**Action:** Simplify dialogue (e.g. remove comments, redundant white space), or split into two and link with "more" command

**ORA-06011: NETASY: dialogue too long**

**Cause:** One of two:

1. Dialogue contains more than 24 exchange blocks
2. Dialogue send string exceeds 84 bytes in length

**Action:** Simplify dialogue or split into two and link with "more" command

**ORA-06017: NETASY: message receive failure**

**Cause:** Async driver gets I/O error while doing network read operation

**Action:** Check log file for OS-specific error code and contact your customer support representative.

**ORA-06018: NETASY: message send failure**

**Cause:** Async driver gets I/O error while doing network write operation

**Action:** Check log file for OS-specific error code and contact your customer support representative.

**ORA-06019: NETASY: invalid login (connect) string**

**Cause:** Syntax error in login string.

**Action:** Resubmit with correct string.

**ORA-06020: NETASY: initialisation failure**

**Cause:** Async driver unable to complete initialisation

**Action:** Check log file for OS-specific error code

**ORA-06021: NETASY: connect failed**

**Cause:** Async driver unable to establish connection with partner

**Action:** Check log file for OS-specific error code

**ORA-06022: NETASY: channel open failure**

**Cause:** no free channel [should never happen]

**Action:** Contact your customer support representative.

**ORA-06023: NETASY: port open failure**

**Cause:** Async driver unable to open port

**Action:** Check log file for OS-specific error code

**ORA-06024: NETASY: VTM error**

**Cause:** Virtual Terminal Manager unable to read/write to port

**Action:** Check log file for OS-specific error code

**ORA-06025: NETASY: Configuration error**

**Cause:** Async driver genned for server-only, but client service requested

---

**Action:** Contact your customer support representative.

**ORA-06026: NETASY: port close failure**

**Cause:** Async driver unable to close port

**Action:** Check log file for OS-specific error code

**ORA-06027: NETASY: channel close failure**

**Cause:** Async driver unable to close channel

**Action:** Check log file for OS-specific error code

**ORA-06028: NETASY: unable to initialise for logging**

**Cause:** Async driver unable to initialise for logging I/O

**Action:** Contact your customer support representative.

**ORA-06029: NETASY: port assignment failure**

**Cause:** Async driver unable to assign port to channel [should never happen]

**Action:** Contact your customer support representative.

**ORA-06030: NETDNT: connect failed, unrecognized node name**

**Cause:** Node name specified in host string is unknown (probably misspelled)

**Action:** Retry with correct node name

**ORA-06031: NETDNT: connect failed, unrecognized object name**

**Cause:** Host string contains reference to object (which doesn't exist):

@d:<node>-<obj> => object is ORDN<obj>; when <node> is VMS, the object is ORDN<obj>.COM when <node> is UNIX, the object is ORDN<obj>

@d:<node>::"task=<obj>" => object is <obj>; when <node> is VMS, the object is <obj>.COM when <node> is UNIX, the object is <obj>

**Action:** Retry with correct object name or create the required object on host node

**ORA-06032: NETDNT: connect failed, access control data rejected**

**Cause:** Host string contains invalid username/password

**Action:** Retry with correct username/password

**ORA-06033: NETDNT: connect failed, partner rejected connection**

**Cause:** Connection with partner was made but was rejected.

**Action:** Contact your network administrator.

**ORA-06034: NETDNT: connect failed, partner exited unexpectedly**

**Cause:** Connection with host node was made but partner aborted

**Action:** Make sure object (see 06031, above) is working (for VMS run the command file and make sure that the ORACLE server process starts up); sometimes happens when the network/node is under stress - in this case a retry often works.

**ORA-06035: NETDNT: connect failed, insufficient resources**

**Cause:** Insufficient system resources are available to complete the connection; for example, all DECnet channels are in use.

**Action:** Contact your network administrator.

**ORA-06037: NETDNT: connect failed, node unreachable**

**Cause:** Host node is down.

---

**Action:** Contact your network administrator.

**ORA-06039: NETDNT: connect failed**

**Cause:** Connect failed for unexpected reason (see OSD error).

**Action:** Contact your customer support representative.

**ORA-06040: NETDNT: invalid login (connect) string**

**Cause:** Syntax error in login string.

**Action:** Resubmit with correct string.

**ORA-06041: NETDNT: disconnect failed**

**Cause:** Driver gets error while doing network close operation

**Action:** Contact your customer support representative.

**ORA-06042: NETDNT: message receive failure**

**Cause:** Driver gets I/O error while doing network read operation

**Action:** Contact your customer support representative.

**ORA-06043: NETDNT: message send failure**

**Cause:** Driver gets I/O error while doing network write operation

**Action:** Contact your customer support representative.

**ORA-06044: NETDNT: connect failed, byte count quota exceeded**

**Cause:** Connect failed because of insufficient byte count quota.

**Action:** Increase byte count quota.

**ORA-06102: NETTCP: cannot allocate context area**

**Cause:** Insufficient dynamic memory available for connection context area.

**Action:** Contact your customer support representative.

**ORA-06105: NETTCP: remote host is unknown**

**Cause:** Host name specified in the login (connect) string is unknown.

**Action:** Check spelling; make sure name is in the TCP/IP HOST file.

**ORA-06106: NETTCP: socket creation failure**

**Cause:** Process open file quota probably exceeded.

**Action:** Contact your customer support representative.

**ORA-06107: NETTCP: ORACLE network server not found**

**Cause:** No entry in SERVICES file for ORACLE server.

**Action:** Add ("orasrv") entry to the TCP/IP SERVICES file.

**ORA-06108: NETTCP: connect to host failed**

**Cause:** Connection attempt to remote host has failed. Probably means that the SQL\*Net TCP/IP server on the remote host is not up, or the host itself is not up (check the latter by targeting it with Telnet).

**Action:** Start the SQL\*Net TCP/IP server process on the remote host.

**ORA-06109: NETTCP: message receive failure**

**Cause:** I/O error occurred while attempting network read operation.

**Action:** Contact your customer support representative.

---

**ORA-06110: NETTCP: message send failure**

**Cause:** I/O error occurred while attempting network write operation.

**Action:** Contact your customer support representative.

**ORA-06111: NETTCP: disconnect failure**

**Cause:** Error occurred while closing a socket.

**Action:** Contact your customer support representative.

**ORA-06112: NETTCP: invalid buffer size**

**Cause:** The buffer size specified in the login string exceeds the allowed maximum (of 4096).

**Action:** Re-submit with valid buffer size.

**ORA-06113: NETTCP: Too many connections**

**Cause:** The maximum no. of concurrently open connections has been reached.

**Action:** Exit an application with an open connection which is no longer required.

**ORA-06114: NETTCP: SID lookup failure**

**Cause:** From the remote host's SQL\*Net TCP/IP server: the database SID, specified in the login (connect) string, was not recognized.

**Action:** Add the appropriate SID entry to the CONFIG.ORA file on the remote host (and restart the SQL\*Net TCP/IP server).

**ORA-06115: NETTCP: unable to create ORACLE logicals**

**Cause:** The host's SQL\*Net TCP/IP server was unable to create the necessary logicals required by the ORACLE server process. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your system administrator.

**ORA-06116: NETTCP: unable to create ORASRV process**

**Cause:** The host's SQL\*Net TCP/IP server was unable to create the ORACLE server process. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your system administrator.

**ORA-06117: NETTCP: unable to create ORASRV: quota exceeded**

**Cause:** The host's SQL\*Net TCP/IP server was unable to create the ORACLE server process because of quota depletion.

**Action:** Increase quota allocations to the SQL\*Net TCP/IP server process.

**ORA-06118: NETTCP: unable to complete handshake with ORASRV**

**Cause:** The ORACLE server process was started but failed to complete its initialization.

**Action:** Contact your customer support representative.

**ORA-06119: NETTCP: spurious client request**

**Cause:** The host's SQL\*Net TCP/IP server was unable to recognize this connection request. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06120: NETTCP: network driver not loaded**

**Cause:** The TCP/IP network driver is not loaded.

---

**Action:** Check that the TCP/IP driver is loaded correctly.

**ORA-06121: NETTCP: access failure**

**Cause:** The host's SQL\*Net TCP/IP server was unable to test the accessibility of the SID mapping file (specified in CONFIG.ORA) associated with this connection request. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06122: NETTCP: setup failure**

**Cause:** The host's SQL\*Net TCP/IP server was unable to set up the appropriate environment to service this connection request. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06123: NETTCP: cannot set KEEPALIVE**

**Cause:** The host's SQL\*Net TCP/IP server was unable to set the socket KEEPALIVE option. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06124: NETTCP: timeout waiting for ORASRV**

**Cause:** The ORACLE server process was started but failed to respond after N secs.

**Action:** For heavily loaded systems this is not an uncommon occurrence. Increase the value of N (the default is 30) by placing the following entry in the CONFIG.ORA file: SQLNET ORASRV\_WAIT = <no. of secs> which will come into effect the next time the SQL\*Net TCP/IP server is started.

**ORA-06125: NETTCP: ORASRV exited unexpectedly**

**Cause:** The ORACLE server process was started but exited unexpectedly. Possible causes:

1. Insufficient quotas to run ORASRV
2. ORACLE is not installed See the ORASRV output file for more details; the file will be in the ORA\_SQLNET directory and will have a name of the form: ORA\_SRVTnn\_<SID>.OUT

**Action:** If appropriate action is not obvious from the ORASRV output file then contact your customer support representative.

**ORA-06126: NETTCP: ORASRV unable to open network connection**

**Cause:** The ORACLE server process was started but was unable to open the socket passed to it by TCPSRV.

**Action:** Contact your customer support representative.

**ORA-06127: NETTCP: unable to change username**

**Cause:** The host's SQL\*Net TCP/IP server could not establish a PROXY LOGIN connection because the client username is unknown (to the host OS).

**Action:** Create new user account on host.

**ORA-06128: NETTCP: unable to create mailbox**

**Cause:** The host's SQL\*Net TCP/IP server was unable to create a mailbox (needed for IPC communication with the ORACLE server process). See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

---

**ORA-06129: NETTCP: unable to transfer socket ownership to ORASRV**

**Cause:** The host's SQL\*Net TCP/IP server was unable to transfer the network communication handle to the ORACLE server process. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06130: NETTCP: host access denied**

**Cause:** The host's SQL\*Net TCP/IP server rejected this connection request because the client node does not have access privilege - as determined by the contents of the Valid Node Table (VNT), a component of the host's CONFIG.ORA.

**Action:** To grant access, add appropriate entry to the host's VNT.

**ORA-06131: NETTCP: user access denied**

**Cause:** The host's SQL\*Net TCP/IP server rejected this connection request because the client user(name) does not have access privilege - as determined by the contents of the Username Mapping Table (UMT), a component of the host's CONFIG.ORA.

**Action:** To grant access, add appropriate entry to the host's UMT.

**ORA-06132: NETTCP: access denied, wrong password**

**Cause:** The host SQL\*Net TCP/IP server rejected this connection request because the client password did not match the host password.

**Action:** To grant access, get passwords in sync.

**ORA-06133: NETTCP: file not found**

**Cause:** The host's SQL\*Net TCP/IP server could not find the SID mapping file (specified in CONFIG.ORA) associated with this connection request.

**Action:** Check CONFIG.ORA for spelling; make correct entry.

**ORA-06134: NETTCP: file access privilege violation**

**Cause:** The host's SQL\*Net TCP/IP server did not have READ/ EXECUTE permission for the SID mapping file (specified in CONFIG.ORA) associated with this connection request.

**Action:** Change protection on SID mapping file.

**ORA-06135: NETTCP: connection rejected; server is stopping**

**Cause:** The host's SQL\*Net TCP/IP server rejected this connection request because it is in the process of stopping.

**Action:** Re-start SQL\*Net TCP/IP server.

**ORA-06136: NETTCP: error during connection handshake**

**Cause:** Network I/O failure occurred while communicating with the host's SQL\*Net TCP/IP server. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06137: NETTCP: error during connection handshake**

**Cause:** Network I/O failure occurred while communicating with the host's SQL\*Net TCP/IP server. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06138: NETTCP: error during connection handshake**

---

**Cause:** Network I/O failure occurred while communicating with the host's SQL\*Net TCP/IP server. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06140: NETTCP: no such user**

**Cause:** A proxy login connect attempt failed because the client username has no counterpart on the host.

**Action:** None

**ORA-06141: NETTCP: no privilege for user**

**Cause:** A proxy login connect attempt failed because the SQL\*Net TCP/IP server had insufficient privileges to access the proxy account.

**Action:** Change account protection; change server privileges.

**ORA-06142: NETTCP: error getting user information**

**Cause:** A proxy login connect attempt failed because the SQL\*Net TCP/IP server was unable to access the proxy account. See the SQL\*Net TCP/IP server log file for more details.

**Action:** Contact your customer support representative.

**ORA-06143: NETTCP: maximum connections exceeded**

**Cause:** The connect failed because the maximum concurrent connections supported by the host's SQL\*Net TCP/IP server has already been reached.

**Action:** Wait for a short period and re-try.

**ORA-06144: NETTCP: SID (database) is unavailable**

**Cause:** The database administrator on the host has varied the SID offline.

**Action:** Wait for it to be varied back on-line.

**ORA-06145: NETTCP: unable to start ORASRV: images not installed**

**Cause:** The host's SQL\*Net TCP/IP server was unable to start the ORACLE server process because the ORACLE protected images were not installed.

**Action:** Install the images.

**ORA-06250: NETNTT: cannot allocate send and receive buffers**

**Cause:** Two-task driver could not allocate data buffers.

**Action:** There is insufficient memory to run your program. Kill off other processes to free up memory.

**ORA-06251: NETNTT: cannot translate address file name**

**Cause:** ORACLE\_HOME environment variable not set.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported.

**ORA-06252: NETNTT: cannot open address file**

**Cause:** The NTT two-task driver could not open a file containing address information.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported. Make sure the instance you are attempting to connect to is actually up and running.

**ORA-06253: NETNTT: cannot read arguments from address file**

---

**Cause:** The NTT two-task driver could not read addressing information from its addressing file.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported. Make sure the instance you are attempting to connect to is actually up and running.

**ORA-06254: NETNTT: cannot share connection to cube**

**Cause:** The NTT two-task driver could not share a connection to the cube.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported. Make sure the instance you are attempting to connect to is actually up and running.

**ORA-06255: NETNTT: cannot read pid of remote process**

**Cause:** An error occurred while reading the NTT communications link.

**Action:** Contact your customer support representative.

**ORA-06256: NETNTT: remote fork failed**

**Cause:** The Oracle listener process on the cube could not fork off a shadow process.

**Action:** The instance you are trying to connect to probably doesn't have enough memory to run another shadow process. Ask someone else to log off, or connect to a different instance.

**ORA-06257: NETNTT: cannot send command line to shadow process**

**Cause:** An error occurred while writing the NTT communications link.

**Action:** Contact your customer support representative.

**ORA-06258: NETNTT: cannot allocate context area**

**Cause:** Two-task driver could not allocate data buffers.

**Action:** There is insufficient memory to run your program. Kill off other processes to free up memory.

**ORA-06259: NETNTT: cannot read from remote process**

**Cause:** An error occurred while reading the NTT communications link.

**Action:** Contact your customer support representative.

**ORA-06260: NETNTT: cannot write to remote process**

**Cause:** An error occurred while writing the NTT communications link.

**Action:** Contact your customer support representative.

**ORA-06261: NETNTT: nrange() failed**

**Cause:** The call to "nrange()" failed while attempting to establish a connection.

**Action:** Contact your customer support representative.

**ORA-06262: NETNTT: nfconn() failed**

**Cause:** The call to "nfconn()" failed while attempting to establish a connection.

**Action:** Contact your customer support representative.

**ORA-06263: NETNTT: out of memory in pi\_connect**

**Cause:** Two-task driver could not allocate data buffers.

**Action:** There is insufficient memory to run your program. Kill off other processes to free up memory.

---

**ORA-06264: NETNTT: data protocol error**

**Cause:** The NTT two-task driver received an unexpected message type."

**Action:** Contact your customer support representative.

**ORA-06265: NETNTT: break protocol error**

**Cause:** The NTT two-task driver received an unexpected message type."

**Action:** Contact your customer support representative.

**ORA-06266: NETNTT: bad write length**

**Cause:** The NTT two-task driver failed on an internal consistency check.

**Action:** Contact your customer support representative.

**ORA-06267: NETNTT: bad state**

**Cause:** The NTT two-task driver failed on an internal consistency check.

**Action:** Contact your customer support representative.

**ORA-06268: NETNTT: cannot read /etc/oratab**

**Cause:** The NTT two-task driver could not read configuration information from /etc/oratab.

**Action:** Make sure /etc/oratab exists and is readable. This error may occur if the file is incorrectly formatted. It also may occur if the driver has run out of memory.

**ORA-06300: IPA: Disconnect failure**

**Cause:** A fatal error occurred during the disconnect from the server. This was probably caused by inaccessible message queues.

**Action:** If there is no message queue, restart the SQL\*Net IPA servers using ipactl. Otherwise contact your customer support representative.

**ORA-06301: IPA: Cannot allocate driver context**

**Cause:** The memory pool is exhausted.

**Action:** Check the circumstances and try to allocate less memory in your program or adjust the init parameters in your INIT.ORA file and retry.

**ORA-06302: IPA: Cannot connect to remote host**

**Cause:** found.

**Action:** Check sequentially for the above causes and eliminate the actual

**ORA-06303: IPA: Message send error**

**Cause:** The SQL\*Net IPA driver could not write the message into the message queue.

**Action:** Make sure that the message queue exists and is accessible. If necessary rerun ipactl.

**ORA-06304: IPA: Message receive error**

**Cause:** The SQL\*Net IPA driver could not read a message from the message queue.

**Action:** Make sure that the message queue exists and is accessible. If necessary rerun ipactl.

**ORA-06305: IPA: Illegal message type**

**Cause:** The communication between user and ORACLE is out of synchronization. This message should not normally be issued.

---

**Action:** Contact your customer support representative.

**ORA-06306: IPA: Message write length error**

**Cause:** The IPA driver tried to write a message in the queue that was too big for the queue.

**Action:** Contact your customer support representative.

**ORA-06307: IPA: Cannot reset connection**

**Cause:** A fatal error occurred during the resetting of the connection.

**Action:** Contact your customer support representative.

**ORA-06308: IPA: No more connections available**

**Cause:** You have exhausted all your connections.

**Action:** Try again when some of the current users have logged off.

**ORA-06309: IPA: No message queue available**

**Cause:** The SQL\*Net IPA servers have not been started.

**Action:** Run ipactl.

**ORA-06310: IPA: Environment variable(s) not set**

**Cause:** Environment variable(s) not set correctly.

**Action:** Check and correct.

**ORA-06311: IPA: Maximum number of servers reached**

**Cause:** Maximum number of servers reached.

**Action:** Shutdown and restart with an increased maximum number of servers. Note that database links consume one server per link. Be sure to start up enough servers to support database links.

**ORA-06312: IPA: Incorrect outgoing service name supplied**

**Cause:** Incorrect outgoing service name supplied.

**Action:** Check and correct the service name.

**ORA-06313: IPA: Shared memory failed to initialise**

**Cause:** The shared memory has not been set up correctly.

**Action:** Contact your system manager.

**ORA-06314: IPA: Event set up failure**

**Cause:** Fatal interprocess communication error.

**Action:** Contact your system manager.

**ORA-06315: IPA: Invalid connect string**

**Cause:** The connect string is malformed.

**Action:** Check and correct.

**ORA-06316: IPA: Invalid database SID**

**Cause:** The SID is unknown at the remote side.

**Action:** Either the database does not exist, is not running, or there are no reserved servers for that SID.

**ORA-06317: IPA: Local maximum number of users exceeded**

---

**Cause:** The maximum number of simultaneous users of SQL\*Net IPA has been exceeded on the local side.

**Action:** Wait for free connections to become available. If the problem persists, contact your system manager.

**ORA-06318: IPA: Local maximum number of connections exceeded**

**Cause:** The maximum number of simultaneous connections that SQL\*Net IPA can handle to different hosts has been exceeded on the local side.

**Action:** Wait for free connections to become available. If the problem persists, contact your system manager.

**ORA-06319: IPA: Remote maximum number of users exceeded**

**Cause:** The maximum number of simultaneous users of SQL\*Net IPA has been exceeded on the remote side.

**Action:** Wait for free connections to become available. If the problem persists, contact your system manager.

**ORA-06320: IPA: Remote maximum number of connections exceeded**

**Cause:** The maximum number of simultaneous connections that SQL\*Net IPA can handle from different hosts has been exceeded on the remote side.

**Action:** Wait for free connections to become available. If the problem persists, contact your system manager.

**ORA-06321: IPA: Cannot reach the remote side**

**Cause:** There has been a timeout on an attempt to connect to a remote server the reason for which is most likely to be the remote SQL\*Net IPA software is not running. An alternative reason could be that the remote initiator service name is incorrect.

**Action:** Check and start the remote SQL\*Net software. Check that it is started with the correct service names supplied.

**ORA-06322: IPA: Fatal shared memory error**

**Cause:** An internal error has occurred in the shared memory handling.

**Action:** Contact customer support.

**ORA-06323: IPA: Cause event error**

**Cause:** Fatal interprocess communication error.

**Action:** Contact your system manager.

**ORA-06400: NETCMN: No default host string specified**

**Cause:** There was no default host string specified in the configuration and the user didn't specify any explicit connect string.

**Action:** Either reconfigure the system specifying a default connect string or use an explicit connect string.

**ORA-06401: NETCMN: invalid driver designator**

**Cause:** The login (connect) string contains an invalid driver designator.

**Action:** Correct the string and re-submit.

**ORA-06402: NETCMN: error receiving break message**

**Cause:** Error occurred while attempting to read a break message.

**Action:** Contact your customer support representative.

- 
- ORA-06403: Unable to allocate memory.**  
**Cause:** System unable to allocate needed virtual memory.  
**Action:** Configure more memory, reduce load, or simply try again.
- ORA-06404: NETCMN: invalid login (connect) string**  
**Cause:** Syntax error in login string.  
**Action:** Correct string and re-submit.
- ORA-06405: NETCMN: reset protocol error**  
**Cause:** Unable to reset out of break state.  
**Action:** Contact your customer support representative.
- ORA-06406: NETCMN: error sending break message**  
**Cause:** Error occurred while attempting to send a break message.  
**Action:** Contact your customer support representative.
- ORA-06407: NETCMN: unable to set up break handling environment**  
**Cause:** Error occurred while attempting to set up asynchronous handlers for in-coming, out-of-band break messages.  
**Action:** Contact your customer support representative.
- ORA-06408: NETCMN: incorrect message format**  
**Cause:** Message from partner contains bad header.  
**Action:** Contact your customer support representative.
- ORA-06413: Connection not open.**  
**Cause:** Unable to establish connection.  
**Action:** Use diagnostic procedures to ascertain exact problem.
- ORA-06416: NETCMN: error on test**  
**Cause:** Error occurred while testing I/O status of the network connection.  
**Action:** Contact your customer support representative.
- ORA-06419: NETCMN: server can not start oracle**  
**Cause:** The remote server was unable to start an ORACLE process on behalf of the client.  
**Action:** Make sure permissions on the remote ORACLE program are correctly set. Contact your system administrator.
- ORA-06420: NETCMN: SID lookup failure**  
**Cause:** From the remote host's server: the database SID, specified in the login (connect) string, was not recognized.  
**Action:** Add the appropriate SID entry to the CONFIG.ORA or oratab file on the remote host (restarting the remote server may be needed).
- ORA-06421: NETCMN: Error detected in the read-in data**  
**Cause:** Error found during recomputation of checksum or CRC.  
**Action:** Possible hardware failures of communication nodes. Contact system administrator immediately.
- ORA-06422: NETCMN: Error in sending data**

- 
- Cause:** Unable to transmit data to remote host.
- Action:** Try reconnect to remote host, and contact your system administrator.
- ORA-06423: NETCMN: Error in receiving data**
- Cause:** Unable to receive data from remote host.
- Action:** Try reconnect to remote host, and contact your system administrator.
- ORA-06430: ssaio: Seals do not match**
- Cause:** A function was called with an invalid argument.
- Action:** Contact your Oracle Customer Support Representative.
- ORA-06431: ssaio: Invalid Block number**
- Cause:** The file block number is out of range of the file. The additional information returns the block number.
- Action:** Verify that the block number is correct. Run dbfsize and check if the block number is in that range. Contact your Oracle Customer Support Representative.
- ORA-06432: ssaio: Buffer Not Aligned**
- Cause:** The I/O buffer was not aligned on a 2K boundary.
- Action:** Contact your Oracle Customer Support Representative.
- ORA-06433: ssaio: LSEEK error, unable to seek to requested block.**
- Cause:** The additional information returns the block number
- Action:** Look up the additional information returned in your operating system reference manual. Verify that the block number is correct.
- ORA-06434: ssaio: read error, unable to read requested block from database file.**
- Cause:** The read system call returned an error.
- Action:** The additional information indicates the block number. Look up the additional information returned in your operating system manual.
- ORA-06435: ssaio: write error, unable to write requested block to database file.**
- Cause:** The write system call returned an error.
- Action:** The additional information indicates the block number. Look up the additional information returned in your operating system manual.
- ORA-06436: ssaio: asynchronous I/O failed due to incorrect parameters.**
- Cause:** The Asynchronous I/O system call returned an error.
- Action:** The additional information indicates the block number. Look up the additional information returned in your operating system manual.
- ORA-06437: ssaio: the asynchronous write was unable to write to the database file.**
- Cause:** The Asynchronous I/O system call returned an error.
- Action:** The additional information indicates the block number. Look up the additional information returned in your operating system manual.
- ORA-06438: ssaio: the asynchronous read was unable to read from the database file.**
- Cause:** The Asynchronous I/O system call returned an error.
- Action:** The additional information indicates the block number. Look up the additional information returned in your operating system manual.
- ORA-06439: ssaio: the asynchronous write returned incorrect number of bytes**

---

**Cause:** This write call may have been truncated. The additional information returns the block number and number of bytes.

**Action:** Verify that the block number and the number of bytes written are correct.

**ORA-06440: ssaio: the asynchronous read returned incorrect number of bytes**

**Cause:** This read call may have been truncated. The additional information returns the block number and number of bytes.

**Action:** Verify that the block number and the number of bytes read are correct.

**ORA-06441: ssvwatev: Incorrect parameter passed to function call**

**Cause:** Either the ORACLE process id, or wait time or event ID is invalid.

**Action:** The additional information indicates the process id, time and event id.

**ORA-06442: ssvwatev: Failed with unexpected error number.**

**Cause:** Some system problems may exist on your system, please check error logs.

**Action:** The additional information indicates the error number. Look up the additional information returned in your operating system manual.

**ORA-06443: ssvpstev: Incorrect parameter passed to function call**

**Cause:** An invalid event ID is passed in to this routine.

**Action:** The additional information indicates the event id.

**ORA-06444: ssvpstev: Failed with unexpected error number.**

**Cause:** Some system problems may exist on your system, please check error logs.

**Action:** The additional information indicates the error number. Look up the additional information returned in your operating system manual.

**ORA-06445: ssvpstevrg: Incorrect parameters passed to function call**

**Cause:** An invalid event id, or the low and high event ID do not exist.

**Action:** The additional information indicates the error number. It also contains the event id, low boundary and high boundary.

**ORA-06446: ssvpstevrg: Failed with unexpected error number.**

**Cause:** Some system problems may exist on your system, please check error logs.

**Action:** The additional information indicates the error number. Look up the additional information returned in your operating system manual.

**ORA-06447: ssvpstp: Incorrect parameter passed to function call**

**Cause:** Invalid oracle process ID is passed in to this routine.

**Action:** The additional information indicates the process id.

**ORA-06448: ssvpstp: Failed with unexpected error number.**

**Cause:** Some system problems may exist on your system, please check error logs.

**Action:** The additional information indicates the error number. Look up the additional information returned in your operating system manual.

**ORA-06449: The list IO or the sysvvendor is not installed.**

**Cause:** ORACLE tries to use the sysvvendor interface (INIT.ORA parameter use\_sysvvendor=true) but the UNIX kernel does not have the ORACLE sysvvendor interface linked in.

**Action:** Set use\_sysvvendor=false in INIT.ORA, if you don't want to use this interface or link the UNIX kernel with this interface so that ORACLE can use it.

---

**ORA-06500: PL/SQL: storage error**

**Cause:** PL/SQL was unable to allocate additional storage. This message normally appears with an ORA-4030 or ORA-4031 error which gives additional information. Sometimes this error can be caused by runaway programs.

**Action:** 1) Ensure there are no issues or bugs in your PL/SQL program which are causing excessive amounts of memory to be used. 2) Programmatically cause unused objects to be freed (e.g. by setting them to NULL). 3) Increase the amount of shared or process memory (as appropriate) available to you.

**ORA-06501: PL/SQL: program error**

**Cause:** This is an internal error message. An error has been detected in a PL/SQL program.

**Action:** Contact Oracle Support Services.

**ORA-06502: PL/SQL: numeric or value errorstring**

**Cause:** An arithmetic, numeric, string, conversion, or constraint error occurred. For example, this error occurs if an attempt is made to assign the value NULL to a variable declared NOT NULL, or if an attempt is made to assign an integer larger than 99 to a variable declared NUMBER(2).

**Action:** Change the data, how it is manipulated, or how it is declared so that values do not violate constraints.

**ORA-06503: PL/SQL: Function returned without value**

**Cause:** A call to PL/SQL function completed, but no RETURN statement was executed.

**Action:** Rewrite PL/SQL function, making sure that it always returns a value of a proper type.

**ORA-06504: PL/SQL: Return types of Result Set variables or query do not match**

**Cause:** Number and/or types of columns in a query does not match declared return type of a result set variable, or declared types of two Result Set variables do not match.

**Action:** Change the program statement or declaration. Verify what query the variable actually refers to during execution.

**ORA-06505: PL/SQL: variable requires more than 32767 bytes of contiguous memory**

**Cause:** A PL/SQL variable was declared with a constraint which required more than 32767 bytes of memory. PL/SQL does not currently support allocations of contiguous memory greater than 32767 bytes.

**Action:** Consider reducing the constraint in the variable declaration. If that is not possible, try changing the database or national character set to such, that requires less memory for the same constraint. Note: changing the character set will impact execution of all PL/SQL code.

**ORA-06510: PL/SQL: unhandled user-defined exception**

**Cause:** A user-defined exception was raised by PL/SQL code, but not handled.

**Action:** Fix the problem causing the exception or write an exception handler for this condition. Or you may need to contact your application administrator or DBA.

**ORA-06511: PL/SQL: cursor already open**

**Cause:** An attempt was made to open a cursor that was already open.

**Action:** Close cursor first before reopening.

---

**ORA-06512: at *stringline string***

**Cause:** Backtrace message as the stack is unwound by unhandled exceptions.

**Action:** Fix the problem causing the exception or write an exception handler for this condition. Or you may need to contact your application administrator or DBA.

**ORA-06513: PL/SQL: index for PL/SQL table out of range for host language array**

**Cause:** An attempt is being made to copy a PL/SQL table to a host language array. But an index in the table is either less than one or greater than the maximum size of the host language array. When copying PL/SQL tables to host language arrays, the table entry at index 1 is placed in the first element of the array, the entry at index 2 is placed in the second element of the array, etc. If a table entry has not been assigned then the corresponding element in the host language array is set to null.

**Action:** Increase size of host language array, or decrease size of PL/SQL table. Also make sure that you don't use index values less than 1.

**ORA-06514: PL/SQL: The remote call cannot be handled by the server**

**Cause:** The remote call has parameters that are cursor variables or lob variables. This cannot be handled by stored procedures on your server.

**Action:** Avoid using cursor variables or lob variables as parameters for stored procedures on this server or upgrade your server to a version that supports this.

**ORA-06515: PL/SQL: unhandled exception *string***

**Cause:** An exception was raised by PL/SQL code, but not handled. The exception number is outside the legal range of Oracle errors.

**Action:** Fix the problem causing the exception or write an exception handler for this condition. Or you may need to contact your application administrator or DBA.

**ORA-06516: PL/SQL: the Probe packages do not exist or are invalid**

**Cause:** A Probe operation, probably an attempt to initialize the ORACLE server to debug PL/SQL, could not be completed because the Probe packages were not loaded or have become invalid.

**Action:** DBA should load the Probe packages. This can be done by running the pload.sql script supplied with the RDBMS.

**ORA-06517: PL/SQL: Probe error - *string***

**Cause:** An error occurred while passing a Probe operation to the server for execution.

**Action:** Refer to the entry for the embedded error message.

**ORA-06518: PL/SQL: Probe version *string* incompatible with version *string***

**Cause:** The current version of Probe is incompatible with the version on the ORACLE server.

**Action:** Refer to the documentation to ensure that this degree of compatibility is supported.

**ORA-06519: active autonomous transaction detected and rolled back**

**Cause:** Before returning from an autonomous PL/SQL block, all autonomous transactions started within the block must be completed (either committed or rolled back). If not, the active autonomous transaction is implicitly rolled back and this error is raised.

---

**Action:** Ensure that before returning from an autonomous PL/SQL block, any active autonomous transactions are explicitly committed or rolled back.

----- 06520 through 06529  
reserved for Foreign function errors

**ORA-06520: PL/SQL: Error loading external library**

**Cause:** An error was detected by PL/SQL trying to load the external library dynamically.

**Action:** Check the stacked error (if any) for more details.

**ORA-06521: PL/SQL: Error mapping function**

**Cause:** An error was detected by PL/SQL trying to map the mentioned function dynamically.

**Action:** Check the stacked error (if any) for more details.

**ORA-06522: *string***

**Cause:** ORA-06520 or ORA-065211 could stack this error with a system specific error string.

**Action:** This error string should give the cause for errors ORA-06520 or ORA-065211

**ORA-06523: Maximum number of arguments exceeded**

**Cause:** There is an upper limit on the number of arguments that one can pass to the external function.

**Action:** Check the port specific documentation on how to calculate the upper limit.

**ORA-06524: Unsupported option : *string***

**Cause:** The option specified is an unsupported feature for external procedures.

**Action:** Correct the syntax in the external specification

**ORA-06525: Length Mismatch for CHAR or RAW data**

**Cause:** The length specified in the length variable has an illegal value. This can happen if you have requested requested a PL/SQL INOUT, OUT or RETURN raw variable to be passed as a RAW with no corresponding length variable. This error can also happen if there is a mismatch in the length value set in the length variable and the length in the orlvstr or orlraw.

**Action:** Correct the external procedure code and set the length variable correctly.

**ORA-06526: Unable to load PL/SQL library**

**Cause:** PL/SQL was unable to instantiate the library referenced by this referenced in the EXTERNAL syntax. This is a serious error and should normally not happen.

**Action:** Report this problem to customer support.

**ORA-06527: External procedure SQLLIB error: *string***

**Cause:** An error occurred in sqllib during execution of a Pro\* external procedure.

**Action:** The message text indicates the actual SQLLIB error that occurred. Consult the Oracle Error Messages and Codes manual for a complete description of the error message and follow the appropriate action.

**ORA-06528: Error executing PL/SQL profiler**

**Cause:** An error occurred in during execution of a PL/SQL profiler procedure.

---

**Action:** Check the stacked errors for more details.

**ORA-06529: Version mismatch - PL/SQL profiler**

**Cause:** The PL/SQL profiler package (dbmspb.sql, prvtpbp.plb) does not match the version of the code in the server implementing the profiler.

**Action:** Run the package profload.sql in \$ORACLE\_HOME/rdbms/admin to load the correct version of the PL/SQL profiler packages

**ORA-06530: Reference to uninitialized composite**

**Cause:** An object, LOB, or other composite was referenced as a left hand side without having been initialized.

**Action:** Initialize the composite with an appropriate constructor or whole-object assignment.

**ORA-06531: Reference to uninitialized collection**

**Cause:** An element or member function of a nested table or varray was referenced (where an initialized collection is needed) without the collection having been initialized.

**Action:** Initialize the collection with an appropriate constructor or whole-object assignment.

**ORA-06532: Subscript outside of limit**

**Cause:** A subscript was greater than the limit of a varray or non-positive for a varray or nested table.

**Action:** Check the program logic and increase the varray limit if necessary.

**ORA-06533: Subscript beyond count**

**Cause:** An in-limit subscript was greater than the count of a varray or too large for a nested table.

**Action:** Check the program logic and explicitly extend if necessary.

**ORA-06534: Cannot access Serially Reusable package *string***

**Cause:** The program attempted to access a Serially Reusable package in PL/SQL called from SQL context (trigger or otherwise). Such an access is currently unsupported.

**Action:** Check the program logic and remove any references to Serially Reusable packages (procedure, function or variable references) which might happen in PL/SQL called from sql context (trigger or otherwise).

**ORA-06535: statement string in *string* is NULL or 0 length**

**Cause:** The program attempted to use a dynamic statement string that was either NULL or 0 length.

**Action:** Check the program logic and ensure that the dynamic statement string is properly initialized.

**ORA-06536: IN bind variable bound to an OUT position**

**Cause:** The program attempted to bind an IN bind variable to a statement that was expecting an OUT bind variable at that position.

**Action:** Make sure that an OUT or IN OUT bind mode is specified for the bind argument.

**ORA-06537: OUT bind variable bound to an IN position**

---

**Cause:** The program attempted to bind an OUT bind variable to a statement that was expecting an IN bind variable at that position.

**Action:** Make sure that an IN or IN OUT bind mode is specified for the bind argument.

**ORA-06538: statement violates *string* RESTRICT\_REFERENCES pragma**

**Cause:** The program attempted to execute a dynamic statement which does not meet the purity level specified (in the pragma RESTRICT\_REFERENCES directive) for the module executing the statement.

**Action:** Ensure that the dynamic statement meets the purity level specified for the module executing the statement.

**ORA-06539: target of OPEN must be a query**

**Cause:** The program attempted to perform an OPEN cursor operation on a dynamic statement that was not a query.

**Action:** Ensure that the OPEN cursor operation is done on a dynamic query statement. ----- 06540 through 06549 reserved for pl/sql error handling

**ORA-06540: PL/SQL: compilation error**

**Cause:** A pl/sql compilation error occurred. However, the user generally will not see this error message. Instead, there will be accompanying PLS-nnnnn error messages.

**Action:** See accompanying PLS-nnnnn error messages.

**ORA-06541: PL/SQL: compilation error - compilation aborted**

**Cause:** A pl/sql compilation error occurred and the compilation was aborted; but the compilation unit was written out to the backing store. However, unlike ora-06545, the user generally will not see this error message. Instead, there will be accompanying PLS-nnnnn error messages.

**Action:** See accompanying PLS-nnnnn error messages.

**ORA-06544: PL/SQL: internal error, arguments: [string], [string], [string], [string], [string], [string], [string], [string]**

**Cause:** A pl/sql internal error occurred.

**Action:** Report as a bug; the first argument is the internal error number.

**ORA-06545: PL/SQL: compilation error - compilation aborted**

**Cause:** A pl/sql compilation error occurred and the compilation was aborted completely without the compilation unit being written out to the backing store. Unlike ora-06541, the user will always see this error along with the accompanying PLS-nnnnn error messages.

**Action:** See accompanying PLS-nnnnn error messages.

**ORA-06546: DDL statement is executed in an illegal context**

**Cause:** DDL statement is executed dynamically in illegal PL/SQL context.

- Dynamic OPEN cursor for a DDL in PL/SQL

- Bind variable's used in USING clause to EXECUTE IMMEDIATE a DDL

- Define variable's used in INTO clause to EXECUTE IMMEDIATE a DDL

**Action:** Use EXECUTE IMMEDIATE without USING and INTO clauses to execute the DDL statement.

---

**ORA-06547: RETURNING clause must be used with INSERT, UPDATE, or DELETE statements**

**Cause:** EXECUTE IMMEDIATE with a RETURNING clause is used to execute dynamic UPDATE, INSERT, or DELETE statements only.

**Action:** use RETURNING clause in EXECUTE IMMEDIATE for INSERT, UPDATE, or DELETE statements only. For other statements, use USING clause instead.

**ORA-06548: no more rows needed**

**Cause:** The caller of a pipelined function does not need more rows to be produced by the pipelined function.

**Action:** Catch the NO\_DATA\_NEEDED exception in an exception handling block.

**ORA-06549: PL/SQL: failed to dynamically open shared object (DLL): string:string**

**Cause:** One possible cause might be there are too many DLLs open at the same time.

**Action:** -----

**ORA-06550: line string, column string: string**

**Cause:** Usually a PL/SQL compilation error.

**Action:** None

**ORA-06554: package DBMS\_STANDARD must be created before using PL/SQL**

**Cause:** The DBMS specific extensions to PL/SQL's package "STANDARD" are in package "DBMS\_STANDARD". This package must be created before using PL/SQL.

**Action:** Create package "DBMS\_STANDARD". The source for this PL/SQL stored package is provided with the distribution.

**ORA-06555: this name is currently reserved for use by user SYS**

**Cause:** You tried to create a package named "STANDARD", "DBMS\_STANDARD" or "DEBUG\_IO". These are currently reserved for use by user SYS.

**Action:** Choose another name for your package.

**ORA-06556: the pipe is empty, cannot fulfill the unpack\_message request**

**Cause:** There are no more items in the pipe.

**Action:** Check that the sender and receiver agree on the number and types of items placed on the pipe.

**ORA-06557: null values are not allowed for any parameters to pipe icd's**

**Cause:** Internal error from the dbms\_pipe package.

**Action:** None

**ORA-06558: buffer in dbms\_pipe package is full. No more items allowed**

**Cause:** The pipe buffer size has been exceeded.

**Action:** None

**ORA-06559: wrong datatype requested, string, actual datatype is string**

**Cause:** The sender put different datatype on the pipe than that being requested (package "dbms\_pipe"). The numbers are: 6 - number, 9 - char, 12 - date.

**Action:** Check that the sender and receiver agree on the number and types of items placed on the pipe.

---

**ORA-06560: pos, string, is negative or larger than the buffer size, string**

**Cause:** Internal error from the dbms\_pipe package.

**Action:** None

**ORA-06561: given statement is not supported by package DBMS\_SQL**

**Cause:** Attempting to parse an unsupported statement using procedure PARSE provided by package DBMS\_SQL.

**Action:** Only statements which begin with SELECT, DELETE, INSERT, UPDATE, LOCK, BEGIN, DECLARE or << (PL/SQL label delimiter) are supported.

**ORA-06562: type of out argument must match type of column or bind variable**

**Cause:** Attempting to get the value of a column or a bind variable by calling procedure COLUMN\_VALUE or VARIABLE\_VALUE of package DBMS\_SQL but the type of the given out argument where to place the value is different from the type of the column or bind variable that was previously defined by calling procedure DEFINE\_COLUMN (for defining a column) or BIND\_VARIABLE (for binding a bind variable) of package DBMS\_SQL.

**Action:** Pass in an out argument of the correct type when calling procedure COLUMN\_VALUE or VARIABLE\_VALUE. The right type is the type that was provided when defining the column or binding the bind variable.

**ORA-06563: top level procedure/function specified, cannot have subparts**

**Cause:** The name to be resolved was specified with three parts (a.b.c) but the a.b part resolves to a top level procedure or function (which don't have nested procedures). This can also happen with a two-part name, a.b, where a is a synonym for a top level package or procedure.

**Action:** Specify a procedure/function within a package, or a top level procedure/function.

**ORA-06564: object string does not exist**

**Cause:** The named object could not be found. Either it does not exist or you do not have permission to access it.

**Action:** Create the object or get permission to access it.

**ORA-06565: cannot execute string from within stored procedure**

**Cause:** The named procedure cannot be executed from within a stored procedure, function or package. This function can only be used from pl/sql anonymous blocks.

**Action:** Remove the procedure from the calling stored procedure.

**ORA-06566: invalid number of rows specified**

**Cause:** An invalid number of rows was specified in a call to the procedure DEFINE\_COLUMN in the package DBMS\_SQL. For a given parsed statement in a given cursor, all columns must be defined to have the same number of rows, so all the calls to DEFINE\_COLUMN must specify the same number of rows.

**Action:** Specify a number that matches that for previously defined columns.

**ORA-06567: invalid number of values specified**

**Cause:** An invalid number of values to be bound was specified in a call to the procedure BIND\_VARIABLE in the package DBMS\_SQL. In order to execute a given parsed statement in a given cursor, the same number of values must have been bound for all bind variables, so when EXECUTE is called, the latest calls to

---

BIND\_VARIABLE must have specified the same number of values to be bound for all bind variables.

**Action:** Make sure that the same number of values have been bound for all of the bind variables.

**ORA-06568: obsolete ICD procedure called**

**Cause:** An obsolete ICD procedure was called by a PL/SQL program. The PL/SQL program was probably written for an earlier release of RDBMS.

**Action:** Make sure that all PL/SQL programs have been upgraded to the latest release of the RDBMS. This can be accomplished by following upgrade instructions in the README file, or by running the catproc.sql script supplied with the RDBMS.

**ORA-06569: Collection bound by bind\_array contains no elements**

**Cause:** A collection with zero elements was bound to a bind variable in a call to procedure BIND\_ARRAY in the package DBMS\_SQL. In order to execute a bind of a collection, the collection must contain at least one element. If no elements are present then at execute time there will be no value for this bind and the statement is meaningless.

**Action:** Fill the collection with the elements you want to bind and try the bind call again.

**ORA-06570: shared pool object does not exist, cannot be pinned/purged**

**Cause:** The specified shared pool shared cursor could not be found, therefore it cannot be pinned/purged.

**Action:** Remove the procedure from the calling stored procedure.

**ORA-06571: Function *string* does not guarantee not to update database**

**Cause:** There are two possible causes for this message:

\* A SQL statement references a packaged, PL/SQL function that does not contain a pragma that prevents the database from being updated.

\* A SQL statement references a stand-alone, PL/SQL function that contains an instruction to update the database.

**Action:** If the referenced function is a packaged, PL/SQL function: Recreate the PL/SQL function with the required pragma; be certain to include the "Write No Database State" (WNDS) argument in the argument list of the pragma. If the referenced function is a stand-alone, PL/SQL function: Do not use the function.

**ORA-06572: Function *string* has out arguments**

**Cause:** A SQL statement references either a packaged, or a stand-alone, PL/SQL function that contains an OUT parameter in its argument list. PL/SQL functions referenced by SQL statements must not contain the OUT parameter.

**Action:** Recreate the PL/SQL function without the OUT parameter in the argument list.

**ORA-06573: Function *string* modifies package state, cannot be used here**

**Cause:** There are two possible causes for this message:

\* A SQL statement references a packaged, PL/SQL function that does not contain a pragma containing the "Write no Package State" (WNPS).

---

\* A SQL statement references a stand-alone, PL/SQL function that modifies a package state. A stand-alone, PL/SQL function referenced by a SQL statement cannot modify a package state.

**Action:** If the function is a packaged, PL/SQL function: Recreate the function and include a pragma containing the "Write no Package State" (WNPS). If the function is a stand-alone, PL/SQL function: Delete the function from the SQL statement.

**ORA-06574: Function *string* references package state, cannot execute remotely**

**Cause:** There are two possible causes for this message:

\* A remote, packaged function or a remote-mapped, local, packaged function that does not contain a pragma with the "Write no Package State" (WNPS) and "Read no Package State" (RNPS) arguments references a package state.

\* A remote, stand-alone function or a remote-mapped, local, stand-alone function contains a reference to a package state (reads or writes a package variable). Only local functions that are referenced in a SELECT list, VALUES clause of an INSERT statement, or SET clause of an UPDATE statement can modify a package state.

**Action:** If the function is a packaged function: Recreate the function and include a pragma containing the "Write no Package State" (WNPS) and "Read no Package State" (RNPS) arguments. If the function is a stand-alone function: Do not call the function.

**ORA-06575: Package or function *string* is in an invalid state**

**Cause:** A SQL statement references a PL/SQL function that is in an invalid state. Oracle attempted to compile the function, but detected errors.

**Action:** Check the SQL statement and the PL/SQL function for syntax errors or incorrectly assigned, or missing, privileges for a referenced object.

**ORA-06576: not a valid function or procedure name**

**Cause:** Could not find a function (if an INTO clause was present) or a procedure (if the statement did not have an INTO clause) to call.

**Action:** Change the statement to invoke a function or procedure

**ORA-06577: output parameter not a bind variable**

**Cause:** The argument corresponding to an IN/OUT or OUT parameter for a function or a procedure or a function return value in a CALL statement must be a bind variable.

**Action:** Change the argument to a bind variable

**ORA-06578: output parameter cannot be a duplicate bind**

**Cause:** The bind variable corresponding to an IN/OUT or OUT parameter for a function or a procedure or a function return value in a CALL statement cannot be a duplicate bind variable.

**Action:** Change the bind variable to be unique

**ORA-06579: Bind variable not big enough to hold the output value**

**Cause:** The bind variable specified by the user is not large enough to hold the output returned by the function or a procedure.

**Action:** Specify a bind variable of larger size.

**ORA-06580: Hash Join ran out of memory while keeping large rows in memory**

---

**Cause:** Hash Join reserves 3 slots (each slot size = DB\_BLOCK\_SIZE \* HASH\_JOIN\_MULTIBLOCK\_IO\_COUNT) for a row. If a row is larger than that, this error will be raised.

**Action:** Increase HASH\_JOIN\_MULTIBLOCK\_IO\_COUNT so that each joined row fits in a slot. HASH\_AREA\_SIZE may also need to be increased.

**ORA-06592: CASE not found while executing CASE statement**

**Cause:** A CASE statement must either list all possible cases or have an else clause.

**Action:** Add all missing cases or an else clause.

**ORA-06593: string is not supported with natively compiled PL/SQL modules**

**Cause:** Specified feature is not yet supported for natively compiled PL/SQL modules yet.

**Action:** Recompile the relevant PL/SQL modules in non-native mode by setting the parameter `plssql_compiler_flags` to INTERPRETED.

**ORA-06595: REF CURSOR parameters are not supported in forwarded RPC calls**

**Cause:** An attempt was made to make a forwarded RPC call with a REF CURSOR parameter.

**Action:** Either call the remote function directly (i.e., not by way of forwarding), or move the remote function to a database where it can be called directly.

**ORA-06596: object cannot be purged, object is permanently kept in shared pool**

**Cause:** The specified object was permanently kept, therefore, cannot be purged.

**Action:** Use DBMS\_SHARED\_POOL.UNKEEP procedure to unkeep the object and then purge it.

**ORA-06600: LU6.2 Driver: SNA software is not loaded**

**Cause:** The SNA software is not running.

**Action:** Start the SNA software and try again.

**ORA-06601: LU6.2 Driver: Invalid database ID string**

**Cause:** The database string in the connect was invalid.

**Action:** Provide a valid database string, as defined in documentation.

**ORA-06602: LU6.2 Driver: Error allocating context area**

**Cause:** Context area failure.

**Action:** Contact your local service representative.

**ORA-06603: LU6.2 Driver: Error allocating memory**

**Cause:** Operating system refused request for memory.

**Action:** Contact you local service representative.

**ORA-06604: LU6.2 Driver: Unable to allocate session with remote LU**

**Cause:** Allocate system call failed.

**Action:** Ensure that the SNA software is running and that sessions are free. If this is the case, then check your SNA configuration data for errors. You may have entered an incorrect parameter.

**ORA-06605: LU6.2 Driver: Unexpected line turnaround**

**Cause:** SNA software switched from send to receive unexpectedly.

---

**Action:** Check the SNA configuration data, particularly parameters associated with a session.

**ORA-06606: LU6.2 Driver: Unexpected response from SNA**

**Cause:** A parameter in an SNA call returned an unexpected value.

**Action:** Attempt to reproduce problem, debug and record the value of the "what" data parameter at the time of error. Then contact your service representative.

**ORA-06607: LU6.2 Driver: Reset occurred in send state**

**Cause:** A reset was issued whilst in send state.

**Action:** Check the SNA LOG data, if relevant, for further information.

**ORA-06608: LU6.2 Driver: Reset occurred in receive state**

**Cause:** A reset was received from the partner whilst in receive state. This may be because the partner deallocated.

**Action:** Check the SNA LOG data, if relevant, for further information.

**ORA-06610: LU6.2 Driver: Failed during deallocation**

**Cause:** LU6.2 driver was unable to deallocate gracefully.

**Action:** Check the reason for deallocation. Consult the SNA LOG data.

**ORA-06616: LU6.2 Driver: Attach to LU failed**

**Cause:** The SQL\*Net LU6.2 driver was unable to attach to the LU specified in the connect string, or was unable to attach to the default LU.

**Action:** Check that the LU name specified in the connect string, or the default LU name if no LU was specified, is correctly configured and operational.

**ORA-06622: LU6.2 Driver: Unable to attach to SNA**

**Cause:** The SQL\*Net LU6.2 driver could not attach to the SNA software on your machine. The most likely cause is that the SNA software is not operational.

**Action:** Check the status of the SNA software, ensure that it is operational and then try again.

**ORA-06700: TLI Driver: incorrect message type from host**

**Cause:** TLI received a message with an unrecognizable message type.

**Action:** Contact your customer support representative.

**ORA-06701: TLI Driver: incorrect number of bytes written**

**Cause:** TLI sent a message that was apparently successful, but the number of bytes transmitted did not match the number of bytes supplied to the driver.

**Action:** Contact your customer support representative.

**ORA-06702: TLI Driver: cannot allocate context area**

**Cause:** TLI could not allocate heap space for the context area.

**Action:** Contact your customer support representative.

**ORA-06703: TLI Driver: send break message failed**

**Cause:** TLI failed to send a break message across the connection.

**Action:** Contact your customer support representative.

**ORA-06704: TLI Driver: receive break message failed**

**Cause:** TLI failed to receive an expected break message.

---

**Action:** Contact your customer support representative.

**ORA-06705: TLI Driver: remote node is unknown**

**Cause:** TLI could not find your remote host information.

**Action:** Make sure you specified the hostname correctly on the command line. (Also, check your capitalization and spelling.)

**ORA-06706: TLI Driver: service not found**

**Cause:** TLI could not find service information for the specified service name.

**Action:** If you specified the service name on the command line or with the environment variable TLI\_SERVER, make sure you specified it correctly. If the service name is not in the SERVICES file for your protocol, ask your system administrator to add it.

**ORA-06707: TLI Driver: connection failed**

**Cause:** TLI failed to establish the connection to a SQL\*Net TCP/IP server due to an error encountered by the remote server, which has supplied a string describing the remote error.

**Action:** See the SQL\*Net TCP/IP User's Guide section "orasrv Messages" for the specific cause and action.

**ORA-06708: TLI Driver: message receive failure**

**Cause:** TLI encountered an error receiving a message from the communication channel.

**Action:** Contact your customer support representative.

**ORA-06709: TLI Driver: message send failure**

**Cause:** TLI encountered an error sending a message across the communication channel.

**Action:** Contact your customer support representative.

**ORA-06710: TLI Driver: send interrupt break message failed**

**Cause:** TLI failed to send a break message while handling an interrupt signal from the user.

**Action:** Contact your customer support representative.

**ORA-06711: TLI Driver: error on bind**

**Cause:** TLI failed to assign a network address to the communication channel.

**Action:** Contact your customer support representative.

**ORA-06712: TLI Driver: error on accept**

**Cause:** TLI failed to accept a connection request from the client.

**Action:** Contact your customer support representative.

**ORA-06713: TLI Driver: error on connect**

**Cause:** TLI failed to connect the client to the remote server. The network line to the remote host may be down.

**Action:** Use other network login programs to make sure that the remote host is accessible.

**ORA-06720: TLI Driver: SID lookup failure**

---

**Cause:** The database SID supplied in the database login string was not recognized by the remote host.

**Action:** Ask your system administrator to add the appropriate SID entry to oratab on the remote host.

**ORA-06721: TLI Driver: spurious client req**

**Cause:** The remote TLI server received an undefined request.

**Action:** Contact your customer support representative.

**ORA-06722: TLI Driver: connection setup failure**

**Cause:** The remote TLI server rejected the connection request, and the client was unable to retrieve an error code or message.

**Action:** Contact your customer support representative.

**ORA-06730: TLI Driver: unable to open clone device**

**Cause:** TLI failed to open the Streams clone device associated with the transport provider.

**Action:** Contact your customer support representative.

**ORA-06731: TLI Driver: cannot alloc t\_call**

**Cause:** TLI cannot allocate space for the client's connection information.

**Action:** Contact your customer support representative.

**ORA-06732: TLI Driver: cannot alloc t\_discon**

**Cause:** TLI cannot allocate space for the client's disconnection information.

**Action:** Contact your customer support representative.

**ORA-06733: TLI Driver: failed to receive disconnect**

**Cause:** TLI failed to receive an expected disconnection message during connection release.

**Action:** Contact your customer support representative.

**ORA-06734: TLI Driver: cannot connect**

**Cause:** TLI failed to connect the client to the remote server.

**Action:** Check that the remote TLI server is running.

**ORA-06735: TLI Driver: client failed to close error conn**

**Cause:** TLI failed to properly close a connection after an error was received.

**Action:** Contact your customer support representative.

**ORA-06736: TLI Driver: server not running**

**Cause:** TLI timed out while attempting to connect to the remote TLI server.

**Action:** Check that the remote TLI server is running with the status utility for the transport provider you are using. If it is not, ask your system administrator to start it.

**ORA-06737: TLI Driver: connection failed**

**Cause:** TLI could not establish a connection to the remote TLI server.

**Action:** Check that the remote TLI server is running with the status utility for the transport provider you are using.

**ORA-06741: TLI Driver: unable to open protocol device**

---

**Cause:** The TLI server failed to open the Streams device associated with the transport provider.

**Action:** Contact your customer support representative.

**ORA-06742: TLI Driver: cannot alloc t\_bind**

**Cause:** The TLI server cannot allocate space for its requested network address.

**Action:** Contact your customer support representative.

**ORA-06743: TLI Driver: cannot alloc t\_bind**

**Cause:** The TLI server cannot allocate space for its actual network address.

**Action:** Contact your customer support representative.

**ORA-06744: TLI Driver: listener cannot bind**

**Cause:** The TLI server failed to assign the correct network address on which to listen for connections.

**Action:** Contact your customer support representative.

**ORA-06745: TLI Driver: listener already running**

**Cause:** The network address on which the TLI server awaits connection requests is in use, possibly because the server is already running.

**Action:** Ensure that the TLI server is not already running. If it is not running and this error message recurs, contact your customer support representative.

**ORA-06746: TLI Driver: cannot alloc t\_call**

**Cause:** TLI cannot allocate space for the TLI server's connection information.

**Action:** Contact your customer support representative.

**ORA-06747: TLI Driver: error in listen**

**Cause:** The TLI server encountered an error while listening for connection requests.

**Action:** Contact your customer support representative.

**ORA-06748: TLI Driver: cannot allocate t\_discon**

**Cause:** TLI cannot allocate space for the TLI server's disconnection information.

**Action:** Contact your customer support representative.

**ORA-06749: TLI Driver: option not allowed across network**

**Cause:** The requested TLI server command must be issued from the same host on which the server is running.

**Action:** Log in to the remote host and try again.

**ORA-06750: TLI Driver: sync failed**

**Cause:** The ORACLE process started by the TLI server was unable to synchronize its inherited connection.

**Action:** Contact your customer support representative.

**ORA-06751: TLI Driver: bound addresses unequal**

**Cause:** The osn check server address failed. The bound server address was not the same as the requested binding address.

**Action:** Contact your customer support representative.

**ORA-06752: TLI: error in signal setup**

---

**Cause:** A call to sigaction() returned with a system error.

**Action:** Contact your customer support representative.

**ORA-06753: TLI Driver: name-to-address mapping failed**

**Cause:** For SVR4, the netdir\_getbyname() call failed for some unknown reason.

**Action:** Contact your customer service representative.

**ORA-06754: TLI Driver: unable to get local host address**

**Cause:** The name of the remote host to connect to was not specified, and the name of the local host cannot be retrieved from the HOSTS file.

**Action:** Contact your system administrator.

**ORA-06755: TLI Driver: cannot close transport endpoint**

**Cause:** The TLI server was unable to close a connection after passing it to an ORACLE process.

**Action:** Contact your customer support representative.

**ORA-06756: TLI Driver: cannot open oratab**

**Cause:** The TLI server could not open the file used to define the locations of remotely accessible databases.

**Action:** Ask your system administrator to check that the file exists and has the correct permissions.

**ORA-06757: TLI Driver: server got bad command**

**Cause:** The TLI server received an invalid command.

**Action:** Contact your customer support representative.

**ORA-06760: TLI Driver: timeout reading orderly release**

**Cause:** TLI was not able to retrieve an expected disconnect message while closing the communication channel.

**Action:** Contact your customer support representative.

**ORA-06761: TLI Driver: error sending orderly release**

**Cause:** TLI encountered an error sending a disconnect message closing the communication channel.

**Action:** Contact your customer support representative.

**ORA-06762: TLI Driver: error reading orderly release**

**Cause:** TLI encountered an error receiving an expected disconnect message while closing the communication channel.

**Action:** Contact your customer support representative.

**ORA-06763: TLI Driver: error sending disconnect**

**Cause:** TLI encountered an error sending a disconnect message closing the communication channel.

**Action:** Contact your customer support representative.

**ORA-06764: TLI Driver: error reading disconnect**

**Cause:** TLI was not able to retrieve an expected disconnect message while closing the communication channel.

**Action:** Contact your customer support representative.

---

**ORA-06765: TLI Driver: error awaiting orderly release**

**Cause:** TLI encountered an error awaiting a disconnect message while closing the communication channel.

**Action:** Contact your customer support representative.

**ORA-06766: TLI Driver: close failed during release**

**Cause:** TLI failed to close the communication channel after receiving a disconnect message.

**Action:** Contact your customer support representative.

**ORA-06767: TLI Driver: alloc failed during release**

**Cause:** TLI cannot allocate space for disconnection information while closing the communication channel.

**Action:** Contact your customer support representative.

**ORA-06770: TLI Driver: error sending version**

**Cause:** TLI encountered an error while sending its version information during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06771: TLI Driver: error reading version**

**Cause:** TLI encountered an error while awaiting the expected version information during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06772: TLI Driver: error sending command**

**Cause:** TLI encountered an error while sending a command message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06773: TLI Driver: error reading command**

**Cause:** TLI encountered an error while awaiting the expected command message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06774: TLI Driver: error sending break mode**

**Cause:** TLI encountered an error while sending break-mode message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06775: TLI Driver: error reading break mode**

**Cause:** TLI encountered an error while awaiting the expected break-mode message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06776: TLI Driver: error sending parms**

**Cause:** TLI encountered an error while sending the connection parameters during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06777: TLI Driver: error reading parms**

---

**Cause:** TLI encountered an error while awaiting the expected connection parameter message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06778: TLI Driver: error sending ccode**

**Cause:** TLI encountered an error while sending the completion status message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06779: TLI Driver: error reading ccode**

**Cause:** TLI encountered an error while awaiting the expected completion status message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06780: TLI Driver: rcv error code failed**

**Cause:** TLI encountered an error while awaiting an expected error message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06781: TLI Driver: error reading negotiation string**

**Cause:** TLI encountered an error while awaiting the expected negotiation message during connection establishment.

**Action:** Contact your customer support representative.

**ORA-06790: TLI Driver: poll failed**

**Cause:** TLI was unable to poll the communication channel for possible incoming messages.

**Action:** Contact your customer support representative.

**ORA-06791: TLI Driver: poll returned error event**

**Cause:** TLI received an unexpected event while polling the communication channel for possible incoming messages.

**Action:** Contact your customer support representative.

**ORA-06792: TLI Driver: server cannot exec oracle**

**Cause:** The remote TLI server was unable to start an ORACLE process on behalf of the client.

**Action:** Note the operating system error message or number and contact your system administrator. The permissions on the remote ORACLE program may be set incorrectly.

**ORA-06793: TLI Driver: server cannot create new process**

**Cause:** The remote TLI server was unable to start an ORACLE process on behalf of the client.

**Action:** Note the operating system error message or number and contact your system administrator. The remote host may be unable to create any new processes due to a full process table.

**ORA-06794: TLI Driver: shadow process could not retrieve protocol info**

**Cause:** The ORACLE process either failed to allocate memory to store the protocol information record, or the protocol rejected the request for some unknown reason.

**Action:** Contact your customer support representative.

---

**ORA-06800: TLI Driver: SQL\*Net SPX client went away during reconnect**

**Cause:** The client process was aborted by the system or the user, and was unable to complete the connection establishment with the server listener process.

**Action:** Determine cause of client exit, and reattempt connection.

**ORA-06801: TLI Driver: listen for SPX server reconnect failed**

**Cause:** An unknown event occurred on the client's listening socket.

**Action:** Contact your customer support representative.

**ORA-06802: TLI Driver: could not open the /etc/netware/yellowpages file**

**Cause:** The /etc/netware/yellowpages file does not exist, or is not readable by the TLI listener process.

**Action:** Insure the file exists and is readable. Make sure that the server machine's node name, network number, ethernet address, and listening socket number are encoded in the file.

**ORA-06803: TLI Driver: the IPX device file could not be opened**

**Cause:** The /dev/ipx file does not exist, or the driver has not been installed in the kernel correctly.

**Action:** Reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06804: TLI Driver: could not bind an IPX address at initialization**

**Cause:** The IPX driver has not been correctly installed.

**Action:** Reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06805: TLI Driver: could not send datagram SAP packet for SPX**

**Cause:** The socket endpoint for sending SAP packet was corrupted for some unknown reason.

**Action:** Contact your customer support representative.

**ORA-06806: TLI Driver: could not complete protocol initialization for SPX**

**Cause:** A step in the SPX/IPX protocol initialization failed.

**Action:** Check the previous error reported, and follow corrective action.

**ORA-06807: TLI Driver: could not open ethernet device driver file**

**Cause:** The file /dev/eth does not exist, or the driver it references could not be opened.

**Action:** The system's real ethernet device file, for example /dev/wd, for the Western Digital ethernet driver, should be linked to the file /dev/eth. If this has been done, insure that the ethernet driver has been installed by completing the TCP/IP installation on your system, and testing a connection. If problem continues, contact your customer support representative for a list of supported ethernet drivers.

**ORA-06808: TLI Driver: could not link IPX and ethernet streams**

**Cause:** Either the ethernet driver has not been installed in the system correctly, or the ethernet driver is not supported.

**Action:** Insure that the ethernet driver has been installed by completing the TCP/IP installation on your system, and testing a connection. If problem

---

continues, contact your customer support representative for a list of supported ethernet drivers.

**ORA-06809: TLI Driver: could not clear the IPX ethernet SAP at init**

**Cause:** The IPX driver has not been correctly installed.

**Action:** Reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06810: TLI Driver: could not set the IPX ethernet SAP at init**

**Cause:** The IPX driver has not been correctly installed.

**Action:** Reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06811: TLI Driver: could not set the IPX network number at init**

**Cause:** The IPX driver has not been correctly installed, or the network number encoded in the /etc/netware/yellowpages file is invalid.

**Action:** The network number in the yellowpages file should match the four-byte network number of your Novell file server. If this is configured correctly, reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06812: TLI Driver: could not read the ethernet driver's node address**

**Cause:** The ethernet driver is not installed correctly, or does not support this operation.

**Action:** Contact your customer support representative for a list of supported ethernet drivers.

**ORA-06813: TLI Driver: the configured ethernet address is incorrect**

**Cause:** The node address read from the ethernet driver does not match the value encoded in the /etc/netware/yellowpages file for this server.

**Action:** Confirm the correct ethernet node address for your LAN card, and enter this value in the yellowpages file.

**ORA-06814: TLI Driver: the SPX device file could not be opened**

**Cause:** The /dev/nspxd file does not exist, or the driver has not been installed in the kernel correctly.

**Action:** Reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06815: TLI Driver: could not link SPX and IPX streams**

**Cause:** The SPX driver has not been correctly installed.

**Action:** Reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06816: TLI Driver: could not set the SPX SAP address**

**Cause:** The SPX driver has not been correctly installed.

**Action:** Reinvoke the Oracle root installation. If problem continues, contact your customer support representative.

**ORA-06817: TLI Driver: could not read the Novell network address**

**Cause:** The file \$ORACLE\_HOME/spx/address could not be opened for reading and writing.

---

**Action:** Make sure ORACLE\_HOME is set, and the permissions on the ORACLE\_HOME are read, write. If this file has been unintentionally deleted, run spxctl (net option) to reset the configured Novell network number for SQL\*Net SPX.

**ORA-06900: CMX: cannot read tns directory**

**Cause:** CMX is not started on your system.

**Action:** Install and/or start CMX on your system.

**ORA-06901: CMX: no local name assigned to local application**

**Cause:** Local application oracmx has no local name assigned

**Action:** Enter unique local name for oracmx in the tns directory

**ORA-06902: CMX: cannot attach to cmx subsystem**

**Cause:** ccp-xxxx is not started

**Action:** start your ccp software on the communication controller

**ORA-06903: CMX: cannot read transport address of remote application**

**Cause:** remote application not entered in tns directory

**Action:** enter remote application in tns directory

**ORA-06904: CMX: no transport address available for remote application**

**Cause:** no local name assigned to remote application

**Action:** assign local name to remote application

**ORA-06905: CMX: connect error**

**Cause:** remote partner not listening

**Action:** make sure remote node has CMX installed and running make sure oracmx is running on remote host

**ORA-06906: CMX: cannot get maximum packet size from CMX**

**Cause:** internal error in CMX

**Action:** contact your customer support representative

**ORA-06907: CMX: error during connect confirmation**

**Cause:** remote partner aborted

**Action:** contact your customer support representative

**ORA-06908: CMX: error during transfer of ORACLE\_SID**

**Cause:** remote partner aborted

**Action:** contact your customer support representative

**ORA-06909: CMX: error during acknowledge of ORACLE\_SID**

**Cause:** remote partner aborted

**Action:** contact your customer support representative

**ORA-06910: CMX: Cannot start oracle process on remote machine**

**Cause:** oracle process not found or wrong mode (should be 4751)

**Action:** change /etc/oratab or set mode to 4751

**ORA-06911: CMX: t\_event returns ERROR**

**Cause:** internal error in CMX

- 
- Action:** contact your customer support representative
- ORA-06912: CMX: write error in datarq**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06913: CMX: error during redirection of connection**  
**Cause:** oracmx has been stopped, or user process has been aborted  
**Action:** contact your customer support representative
- ORA-06914: CMX: unexpected event during start of oracle**  
**Cause:** connect sequence out of sync  
**Action:** contact your customer support representative
- ORA-06915: CMX: unknown t\_event in datarq**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06916: CMX: error in data read (t\_datain)**  
**Cause:** remote partner aborted  
**Action:** contact your customer support representative
- ORA-06917: CMX: error in data read (too many bytes read)**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06918: CMX: T\_NOEVENT during wait for read event**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06919: CMX: error during write request (unknown event)**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06920: CMX: getbrkmsg illegal datatype**  
**Cause:** received packets are corrupted  
**Action:** contact your customer support representative
- ORA-06921: CMX: getdatmsg illegal datatype**  
**Cause:** received packets are corrupted  
**Action:** contact your customer support representative
- ORA-06922: CMX: bad write length**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06923: CMX: illegal break condition**  
**Cause:** break handling out of sync  
**Action:** contact your customer support representative
- ORA-06924: CMX: wrong break message length**

- 
- Cause:** received packets are corrupted  
**Action:** contact your customer support representative
- ORA-06925: CMX: disconnect during connect request**  
**Cause:** partner is not responding  
**Action:** make sure partner is up and running and reachable
- ORA-06926: CMX: T\_ERROR during read data**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06927: CMX: T\_DATAIN received before all data written**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06928: CMX: wrong ORACLE\_SID**  
**Cause:** ORACLE\_SID is not entered in remote oratab  
**Action:** add ORACLE\_SID to remote oratab
- ORA-06929: CMX: error when sending ORACLE\_SID**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06930: CMX: error when checking ORACLE\_SID**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06931: CMX: error during read\_properties for server**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06932: CMX: error in local name**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06933: CMX: error during attach**  
**Cause:** internal error in CMX  
**Action:** contact your customer support representative
- ORA-06950: No error**  
**Cause:** SQL\*Net AppleTalk error codes base. This is not an error.  
**Action:** None
- ORA-06951: Operating system call error**  
**Cause:** AppleTalk API received error in VMS system service.  
**Action:** Contact Oracle Customer Support representative.
- ORA-06952: Remote end of the communication issued a forward-reset packet.**  
**Cause:** Peer program may have aborted  
**Action:** Investigate network problems and try again.

---

**ORA-06953: Not enough virtual memory**

**Cause:** Not enough memory available.

**Action:** Check VMS process quotas and/or sysgen parameters

**ORA-06954: Illegal file name**

**Cause:** Erroneous file name

**Action:** Check path name for server output file, or SQL\*Net Appletalk Logical names and symbols.

**ORA-06955: Number of database servers exceed limit**

**Cause:** Too many database connections.

**Action:** Check ATKSRV\_MAXCONparameter in configuration file.

**ORA-06956: Failed to get local host name**

**Cause:** Unable to get Appletalk host name.

**Action:** Check Appletalk configuration.

**ORA-06957: No SID is currently available**

**Cause:** Incoming SQL\*Net connection specified invalid SID name.

**Action:** Specify correct SID in connect string and retry.

**ORA-06958: Failed to access configuration file**

**Cause:** Unable to access CONFIG.ATK

**Action:** Check file protections.

**ORA-06959: Buffer I/O quota is too small**

**Cause:** Buffered I/O quota exceeded.

**Action:** Increase BIOlm using AUTHORIZE utility and retry.

**ORA-06960: Failed to access log file**

**Cause:** SQL\*Net Appletalk listener could not create log file.

**Action:** Check directory path and protections.

**ORA-06970: X.25 Driver: remote host is unknown**

**Cause:** Host name specified in the login (connect string) is unknown.

**Action:** Check spelling; make sure name is in the X.25 HOST file.

**ORA-06973: X.25 Driver: invalid buffer size**

**Cause:** The buffer size specified in the login string must be between 5 and 4096.

**Action:** Re-submit with valid buffer size.

**ORA-06974: X.25 Driver: SID lookup failure**

**Cause:** From the remote host's SQL\*Net X.25 server: the database SID, specified in the login (connect) string, was not recognized.

**Action:** Add the appropriate SID entry to the CONFIG.ORA file on the remote host (and restart the SQL\*Net X.25 server).

**ORA-06975: X.25 Driver: connect to host failed**

**Cause:** Connection attempt to remote host has failed. Probably means that the SQL\*Net X.25 server on the remote host is not up, or the host itself is not up.

**Action:** Start the SQL\*Net X.25 server process on the remote host.

- 
- ORA-06976: X.25 Driver: endpoint creation failure**  
**Cause:** Process open file quota probably exceeded.  
**Action:** Contact your customer support representative.
- ORA-06977: X.25 Driver: X.25 Level 2 failure**  
**Cause:** X.25 level 2 is down. X.25 link is not working.  
**Action:** Run system checks to verify functioning of X.25 software. Contact your hardware vendor.
- ORA-06978: X.25 Driver: Too many callback tries**  
**Cause:** Call back address probably same as called address.  
**Action:** Verify that callback address and called address are different.
- ORA-06979: X.25 Driver: server cannot start oracle**  
**Cause:** The remote X.25 server was unable to start an ORACLE process on behalf of the client.  
**Action:** Make sure permissions on the remote ORACLE program are correctly set. Contact your system administrator.
- ORA-07200: slsid: oracle\_sid not set.**  
**Cause:** The environment variable \$(ORACLE\_SID) is not set.  
**Action:** Set ORACLE\_SID environment variable.
- ORA-07201: slhom: oracle\_home variable not set in environment.**  
**Cause:** \$(ORACLE\_HOME) environment variable not set.  
**Action:** Set ORACLE\_HOME.
- ORA-07202: sltln: invalid parameter to sltln.**  
**Cause:** The sltln name translation routine was called with invalid arguments. The input, or output strings were either NULL or 0 length.  
**Action:** Probable internal oracle error. Contact customer support.
- ORA-07203: sltln: attempt to translate a long environment variable.**  
**Cause:** A string was passed to sltln containing a long environment variable. sltln accepts environment names of 30 or less characters.  
**Action:** Shorten environment variable name to less than 30 characters.
- ORA-07204: sltln: name translation failed due to lack of output buffer space.**  
**Cause:** The sltln routine is given a maximum length buffer to expand the name into. An overflow of this buffer occurred.  
**Action:** Possible internal error. Check output buffer length stored in sercose[0]. Pathnames are limited to 255 characters.
- ORA-07205: slgtd: time error, unable to obtain time.**  
**Cause:** Time() system call returned an error. Possible OS error.  
**Action:** Check additional information returned. Contact customer support.
- ORA-07206: slgtd: gettimeofday error, unable to obtain time.**  
**Cause:** Gettimeofday() system call returned an error. Possible OS error.  
**Action:** Check additional information returned. Contact customer support.
- ORA-07207: sigpidu: process ID string overflows internal buffer.**

---

**Cause:** The sigpidu routine is given a maximum length buffer to hold process ID string. An overflow of this buffer occurred.

**Action:** Internal error. Contact customer support.

**ORA-07208: sfwfb: failed to flush dirty buffers to disk.**

**Cause:** The fsync system call returned an error. Possible OS error.

**Action:** Check additional information returned. Contact customer support.

**ORA-07209: sfofi: file size limit was exceeded.**

**Cause:** The size of the file to be opened exceeded the OS limit imposed on this process.

**Action:** Run osh to increase the file size limit.

**ORA-07210: slcpu: getrusage error, unable to get cpu time.**

**Cause:** Getrusage system call returned an error. Possible OS error.

**Action:** Check additional information returned. Contact customer support.

**ORA-07211: slgcs: gettimeofday error, unable to get wall clock.**

**Cause:** Gettimeofday system call returned an error. Possible OS error.

**Action:** Check additional information returned in OS reference manual. Contact customer support.

**ORA-07212: slcpu: times error, unable to get cpu time.**

**Cause:** times system call returned an error. Possible OS error.

**Action:** Check additional information returned. Contact customer support.

**ORA-07213: slgcs: times error, unable to get wall clock.**

**Cause:** times system call returned an error. Possible OS error.

**Action:** Check additional information returned in OS reference manual. Contact customer support.

**ORA-07214: slgunm: uname error, unable to get system information.**

**Cause:** uname system call returned an error. Possible OS error.

**Action:** Check additional information returned in OS reference manual. Contact customer support.

**ORA-07215: slsget: getrusage error.**

**Cause:** Getrusage system call returned an error. Possible OS error.

**Action:** Check additional information returned. Look for information in OS reference. Contact customer support.

**ORA-07216: slghst: gethostname error, unable to get name of current host.**

**Cause:** gethostname system call returned an error. Possible OS error.

**Action:** Check additional information returned in OS reference manual. Contact customer support.

**ORA-07217: sltln: environment variable cannot be evaluated.**

**Cause:** getenv call returned a null pointer.

**Action:** Set the environment variable and try again.

**ORA-07218: slkhst: could not perform host operation**

**Cause:** Unix system() call failed

---

**Action:** Examine system error message

**ORA-07219: slspool: unable to allocate spooler argument buffer.**

**Cause:** Malloc failed to allocate space to hold spooler arguments.

**Action:** Check additional information returned in OS reference manual. The process may have run out of heap space. Contact customer support.

**ORA-07220: slspool: wait error.**

**Cause:** Wait returned an error, when waiting for spool job to complete. Possible spooler program error.

**Action:** Check additional information returned. Refer to OS reference manual. Contact customer support.

**ORA-07221: slspool: exec error, unable to start spooler program.**

**Cause:** Exec failed when starting line printer spooler command. Likely that either the default line printer command, or ORACLE\_LPPROG, is incorrectly set.

**Action:** Verify default line printer command and ORACLE\_LPPROG are set correctly. Set ORACLE\_LPPROG to working line printer spooler.

**ORA-07222: slspool: line printer spooler command exited with an error.**

**Cause:** The line printer spooler exited with a non-zero return value. This probably indicates an error in spooling file.

**Action:** Verify that line printer spooler is up. Verify that ORACLE\_LPPROG, and ORACLE\_LPARG are set properly. Check exit value returned as additional informatin.

**ORA-07223: slspool: fork error, unable to spawn spool process.**

**Cause:** Fork system call failed to create additional process. Probable resource limit reached.

**Action:** Check additional information returned. Retry operation. Contact system administrator.

**ORA-07224: sfnfy: failed to obtain file size limit; errno = *string*.**

**Cause:** The ulimit system call returned an error.

**Action:** Check errno and contact customer support.

**ORA-07225: sldext: translation error, unable to expand file name.**

**Cause:** Additional information returned is error returned from sltln.

**Action:** Check additional information.

**ORA-07226: rtneco: unable to get terminal mode.**

**Cause:** The ioctl call returned an error. Possible OS error.

**Action:** Check additional information for errno. Contact customer support.

**ORA-07227: rtneco: unable to set noecho mode.**

**Cause:** The ioctl call returned an error. Possible OS error.

**Action:** Check additional information for errno. Contact customer support.

**ORA-07228: rtecho: unable to restore terminal to echo mode.**

**Cause:** The ioctl call returned an error. Possible OS error.

**Action:** Check additional information for errno. Contact customer support.

---

**ORA-07229: slcpuc: error in getting number of CPUs.**

**Cause:** error in mpcntl system call

**Action:** check errno and contact system administrator

**ORA-07230: slemcr: fopen error, unable to open error file.**

**Cause:** Fopen failed to open file.

**Action:** Try to determine which file was not opened. Check that file exists and is accessible.

**ORA-07231: slemcc: invalid file handle, seals do not match.**

**Cause:** Function was called with an invalid argument. The file handle used was not obtained by slemcr.

**Action:** Internal error. Contact customer support.

**ORA-07232: slemcc: fclose error.**

**Cause:** An error was encountered when closing the file. Possible OS error.

**Action:** Contact system administrator.

**ORA-07233: slemcw: invalid file handle, seals do not match.**

**Cause:** Function was called with an invalid file handle. File handle was not obtained by slemcr.

**Action:** Internal error. Contact customer support.

**ORA-07234: slemcw: fseek error.**

**Cause:** Unable to seek to desired position in file. Possible OS error. Possible internal error.

**Action:** Verify that error message file is intact. Try to regenerate error message file. Contact customer support.

**ORA-07235: slemcw: fwrite error.**

**Cause:** Unable to write item to file. Possible OS error. Possible permissions problem.

**Action:** Retry operation.

**ORA-07236: slemop: open error.**

**Cause:** Unable to open error file. Possible permissions problem.

**Action:** Verify permission on error message file. Check additional information for errno.

**ORA-07237: slemcl: invalid file handle, seals do not match.**

**Cause:** Function was called with an invalid file handle. Handle was not obtained by previous call to slemop.

**Action:** Internal error.

**ORA-07238: slemcl: close error.**

**Cause:** Unable to close file. Possible OS error.

**Action:** Contact system administrator. Check additional information for errno.

**ORA-07239: slemrd: invalid file handle, seals do not match.**

**Cause:** Function was called with invalid file handle. Handle was not obtained by call to slemop.

---

**Action:** Internal error. Contact customer support.

**ORA-07240: slemrd: seek error.**

**Cause:** Unable to seek to desired position in file. Possible OS error.

**Action:** Check that error file is still intact. Verify space on device. Contact system administrator. Check additional information for errno.

**ORA-07241: slemrd: read error.**

**Cause:** Unable to read file. Possible OS error.

**Action:** Verify that error file is intact. Regenerate error message file. Contact customer support. Check additional information for errno.

**ORA-07242: slembfn: translation error, unable to translate error file name.**

**Cause:** Additional information indicates error returned from sltln.

**Action:** Check additional information.

**ORA-07243: supplied buffer not big enough to hold entire line**

**Cause:** supplied buffer was not big enough

**Action:** Internal error. Contact customer support. Additional information indicates how big the supplied buffer was.

**ORA-07244: ssfccf: create file failed, file size limit reached.**

**Cause:** An attempt was made to create a file that exceeds the process's file size limit.

**Action:** Run osh to raise the file size limit.

**ORA-07245: sfccf: unable to lseek and write the last block.**

**Cause:** An attempt was made to move and write to a bad device address.

**Action:** Check errno. Possible lack of space on device.

**ORA-07246: sfofi: open error, unable to open database file.**

**Cause:** sfofi returns an error.

**Action:** This is an oracle internal error.

**ORA-07247: skgfrfms, skgfrnms: read error, unable to read block from database file**

**Cause:** The ioctl() system call returned an error doing VOL\_READ\_MIRRORS.

**Action:** Check errno.

**ORA-07248: sfwfb: write error, unable to write database block.**

**Cause:** sfwfb returns an error.

**Action:** This is an oracle internal error.

**ORA-07249: slsget: open error, unable to open /proc/pid.**

**Cause:** The open() system call returned an error.

**Action:** Check that /proc has the right permissions.

**ORA-07250: spcre: semget error, unable to get first semaphore set.**

**Cause:** An error occurred when trying to get first semaphore set.

**Action:** Check errno. Verify that system is configured to have semaphores. Verify that enough semaphores are available. Additional information indicates how many semaphores were requested.

---

**ORA-07251: spcre: semget error, could not allocate any semaphores.**

**Cause:** Semget failed to even allocate a single semaphore. Either they are all in use or the system is not configured to have any semaphores.

**Action:** Check to see if all semaphores are in use. Check to see if system is configured to have semaphores. Check errno.

**ORA-07252: spcre: semget error, could not allocate semaphores.**

**Cause:** Semget system call returned an error. Possible resource limit problem.

**Action:** Check errno. Verify that enough semaphores are available in system. If additional errors occur in destroying the semaphore sets then sercose[0] will be non-zero. If this occurs, remove the semaphore sets using ipcrm.

**ORA-07253: spdes: semctl error, unable to destroy semaphore set.**

**Cause:** Semctl system call returned an error.

**Action:** Check semaphore sets. May require manual cleanup. Check additional information returned. Consult OS reference manual.

**ORA-07254: spdcr: translation error while expanding ?/bin/oracle.**

**Cause:** An error occurred while translating the name of the oracle executable.

**Action:** Check sercose[0] for error returned from sltln. Perhaps \$(ORACLE\_HOME) is not set correctly.

**ORA-07255: spini: cannot set up signal handler.**

**Cause:** System failed to set up signal handler.

**Action:** Check errno and sercose[0] for the signal number that failed.

**ORA-07256: sptrap: cannot set up signal handler to catch exceptions.**

**Cause:** System failed to set up signal handler to catch exceptions.

**Action:** Check errno and sercose[0] for the signal number that failed.

**ORA-07257: spdcr: translation error expanding program name.**

**Cause:** Error occurred when expanding program name ora\_PNAME\_@. The result of this translation is put in argv[0] of oracle process.

**Action:** Check error returned by sltln returned in sercose[0].

**ORA-07258: spdcr: fork error, unable to create process.**

**Cause:** An error occurred when creating a new process.

**Action:** Check errno. Perhaps a system limit on the number of processes has been exceeded.

**ORA-07259: spdcr: exec error, detached process failed in startup.**

**Cause:** An oracle detached process died shortly after startup. Wait() indicated that a child process terminated.

**Action:** Check ?/dbs directory for trace or core files. Check errno.

**ORA-07260: spdcr: wait error.**

**Cause:** Wait system call returned an error.

**Action:** Check errno.

**ORA-07261: spdde: kill error, unable to send signal to process.**

**Cause:** Kill system call returned an error. Possibly an attempt to destroy an already gone process.

---

**Action:** Check errno.

**ORA-07262: sptpa: sptpa called with invalid process id.**

**Cause:** This is an internal error.

**Action:** This is an oracle internal error.

**ORA-07263: sptpa: kill error.**

**Cause:** Kill system call returned an error. Possible OS error.

**Action:** Check errno. Additional information indicates the process ID tested.

**ORA-07264: spwat: semop error, unable to decrement semaphore.**

**Cause:** Semop system call returned an error. Semaphore set may not exist.

**Action:** Check errno. Semaphore ID is returned in sercose[0]. Verify semaphore set exists. A possible cause for this error is that a "shutdown abort" was done while this process was running.

**ORA-07265: sppst: semop error, unable to increment semaphore.**

**Cause:** Semop system call returned an error. Semaphore set may not exist.

**Action:** Check errno. Semaphore ID is returned in sercose[0]. Check semaphore set existence. A possible cause for this error is that a "shutdown abort" was done while this process was running.

**ORA-07266: sppst: invalid process number passed to sppst.**

**Cause:** Function was passed an invalid oracle process id.

**Action:** Internal error.

**ORA-07267: spwat: invalid process number.**

**Cause:** Function was passed an invalid oracle process id.

**Action:** Internal error. Additional information indicates the invalid process id.

**ORA-07268: szguns: getpwuid error.**

**Cause:** Getpwuid() could not find an entry in the passwd file for a user.

**Action:** Add an entry for the user in the passwd file.

**ORA-07269: spdcr: detached process died after exec.**

**Cause:** Detached process successfully executed, but died shortly thereafter. Additional information indicates exit code, and termination status.

**Action:** Check termination code for information as to why process exited. Check for core dump or trace file.

**ORA-07270: spalck: setitimer error, unable to set interval timer.**

**Cause:** An error occurred while trying to set an interval timer. Probable porting problem.

**Action:** Check errno.

**ORA-07271: spwat: invalid oracle process number.**

**Cause:** Function was called with an invalid oracle process number (0).

**Action:** Internal oracle error.

**ORA-07272: spwat: invalid semaphore set id.**

---

**Cause:** Semaphore ID fetched from SGA was not initialized to valid value. Additional information returned is semaphore set index, and oracle process number.

**Action:** Oracle internal error. Check semaphore set index. Check oracle process number.

**ORA-07273: sppst: invalid semaphore id.**

**Cause:** Semaphore ID fetched from SGA contained an invalid value. Additional information returned is semaphore set index, and oracle process number.

**Action:** Oracle internal error. Check semaphore set index. Check oracle process number.

**ORA-07274: spdcr: access error, access to oracle denied.**

**Cause:** Unable to access "oracle" program. Verify ?/bin/oracle or \$ORABCKPRG exist, and are executable.

**Action:** Check errno returned.

**ORA-07275: unable to send signal to process**

**Cause:** The kill system call returned an error. Possibly an attempt to signal a process which does not exist.

**Action:** Check errno.

**ORA-07276: no dba group in /etc/group.**

**Cause:** A group has not been set up for dba users.

**Action:** Contact system administrator. Set up dba group in /etc/group.

**ORA-07277: spdde: illegal pid passed as argument.**

**Cause:** A 0 pid was passed to spdde.

**Action:** Internal error. .

**ORA-07278: splon: ops\$username exceeds buffer length.**

**Cause:** Splon constructed an ops\$username logon which exceeded the allotted buffer space.

**Action:** Use a shorter Unix username, or use an oracle username. Contact customer support.

**ORA-07279: spcre: semget error, unable to get first semaphore set.**

**Cause:** An error occurred when trying to get first semaphore set.

**Action:** Check errno. Verify that system is configured to have semaphores. Verify that enough semaphores are available. Additional information indicates how many semaphores were requested.

**ORA-07280: slsget: unable to get process information.**

**Cause:** The ioctl call returned an error. Possible OS error.

**Action:** Check additional information for errno. Contact customer support.

**ORA-07281: slsget: times error, unable to get cpu time.**

**Cause:** times system call returned an error. Possible OS error.

**Action:** Check additional information returned. Contact customer support.

**ORA-07282: sksaprd: string overflow.**

**Cause:** The internal buffer is not big enough to hold the archive control string.

- 
- Action:** Internal restriction. Try a shorter archive control string.
- ORA-07283: sksaprd: invalid volume size for archive destination.**  
**Cause:** An invalid volume size was specified.  
**Action:** Specify a valid volume size in archive control string.
- ORA-07284: sksaprd: volume size specification not terminated properly.**  
**Cause:** Some non-numeric text follows the volume size specification.  
**Action:** Enter a correct archive control string.
- ORA-07285: sksaprd: volume size should not be specified for a disk file.**  
**Cause:** Volume size was specified for a disk file.  
**Action:** If you are archiving to a disk file, do not specify its volume size.
- ORA-07286: sksagdi: cannot obtain device information.**  
**Cause:** Stat on the log archiving device failed.  
**Action:** Check the returned OSD error for the reason of failure.
- ORA-07287: sksagdi: unsupported device for log archiving.**  
**Cause:** Log archiving to this device is unsupported.  
**Action:** Try log archiving to a supported device.
- ORA-07290: sksagdi: specified directory for archiving does not exist.**  
**Cause:** The specified pathname is not a directory.  
**Action:** Verify that the archive destination directory exists.
- ORA-07303: ksmcsg: illegal database buffer size.**  
**Cause:** The database buffer size must be a multiple of the database block size, and less than the maximum block size.  
**Action:** Verify that the db\_block\_size parameter is correct in INIT.ORA.
- ORA-07304: ksmcsg: illegal redo buffer size.**  
**Cause:** The redo buffer size must be a multiple of machine block size.  
**Action:** Verify that the log\_buffer INIT.ORA parameter is correctly set.
- ORA-07305: ksmcsg: illegal database buffer size.**  
**Cause:** The database buffer size must be a multiple of the extended cache mapping size for indirect data buffers to be used.  
**Action:** Verify that the db\_block\_size parameter is correct in INIT.ORA, or disable the use\_indirect\_data\_buffers parameter.
- ORA-07324: smpall: malloc error while allocating pga.**  
**Cause:** Malloc library routine returned an error.  
**Action:** Check errno. Possibly out of swap space.
- ORA-07327: smpdal: attempt to destroy pga when it was not mapped.**  
**Cause:** Smpdal was called when the PGA had not been previously created.  
**Action:** Internal error.
- ORA-07339: spcre: maximum number of semaphore sets exceeded.**  
**Cause:** The internal buffer is not big enough to hold the number of semaphore set identifiers requested.

- 
- Action:** Reconfigure OS to have more semaphores per set.
- ORA-07345: The datafile name must not contain the string "..".**  
**Cause:** The specified datafile name contains "..".  
**Action:** Correct the datafile name and retry the operation.
- ORA-07346: slnrm: normalized file name is too long**  
**Cause:** After normalizing the specified file name, the resulting file name was too long.  
**Action:** Specify the shorter file name and retry the operation.
- ORA-07390: sftopn: translate error, unable to translate file name.**  
**Cause:** An error occurred while expanding the file name to open. Additional information returns error generated in translation routine.  
**Action:** Lookup additional error code for further information.
- ORA-07391: sftopn: fopen error, unable to open text file.**  
**Cause:** Fopen library routine returned an error.  
**Action:** Verify existence and permissions.
- ORA-07392: sftcls: fclose error, unable to close text file.**  
**Cause:** Fclose library routine returned an error.  
**Action:** Possible internal oracle error.
- ORA-07393: unable to delete text file**  
**Cause:** An error occurred while deleting a text file.  
**Action:** Verify that the file exists and check additional errors.
- ORA-07394: unable to append string to text file**  
**Cause:** An error occurred while performing a string put operation.  
**Action:** This is an internal error. Check additional information.
- ORA-07400: slemtr: translated name for the message file is too long.**  
**Cause:** The name for the message file overflows internal buffer.  
**Action:** Try making the complete path-name of the message file shorter by reorganizing the directory hierarchy.
- ORA-07401: spttrap: cannot restore user exception handlers.**  
**Cause:** The system failed to restore user exception handlers.  
**Action:** Check errno and sercose[0] for the signal number that failed.
- ORA-07402: sprst: cannot restore user signal handler.**  
**Cause:** The system failed to restore user signal handlers.  
**Action:** Check errno and sercose[0] for the signal number that failed.
- ORA-07403: sfanfy: db\_writers parameter not valid.**  
**Cause:** The db\_writers parameter in INIT.ORA exceeds the system-dependent maximum or is less than 0.  
**Action:** Change the db\_writers parameter in INIT.ORA.
- ORA-07404: sfareq: Timeout occurred waiting for request to complete.**

---

**Cause:** The master database writer timed out waiting for a write or close to complete. One of the database writers may have stopped running.

**Action:** Check all database writer trace files. Shut down the database and try to warm start.

**ORA-07405: spttrap: cannot setup alternate signal stack.**

**Cause:** The system failed to setup an alternate signal stack.

**Action:** Check errno and sercose[0] for the location where it failed.

**ORA-07406: slbtpd: invalid number.**

**Cause:** An impossible request for binary to decimal conversion was made.

**Action:** This conversion cannot be performed.

**ORA-07407: slbtpd: invalid exponent.**

**Cause:** An impossible request for binary to decimal conversion was made

**Action:** This conversion cannot be performed.

**ORA-07408: slbtpd: overflow while converting to packed decimal.**

**Cause:** An impossible request for binary to decimal conversion was made.

**Action:** This conversion cannot be performed.

**ORA-07409: slpdtb: invalid packed decimal nibble.**

**Cause:** An impossible request for decimal to binary conversion was made.

**Action:** This conversion cannot be performed.

**ORA-07410: slpdtb: number too large for supplied buffer.**

**Cause:** An impossible request for decimal to binary conversion was made.

**Action:** This conversion cannot be performed.

**ORA-07411: slgn: full path name too big for supplied buffer.**

**Cause:** The supplied buffer is not big enough to hold the full path name.

**Action:** The construction of the full path name cannot be performed.

**ORA-07412: sfaslv: Error getting entry in asynchronous write array.**

**Cause:** One of the database writer processes could not locate its entry in the SGA.

**Action:** Contact customer support.

**ORA-07415: slpath: allocation of memory buffer failed.**

**Cause:** Malloc() failed to allocate buffer for storing ORACLE\_PATH.

**Action:** System has run out of heap space. Additional information indicates errno.

**ORA-07416: slpath: pathname construction failed; lack of output buffer space.**

**Cause:** The slpath routine is given a maximum length buffer to expand the name into. An overflow of this buffer occurred.

**Action:** Possible internal error. Check output buffer length stored in sercose[0] and constructed pathname length in sercose[1].

**ORA-07417: sfareq: One or more database writers not active.**

**Cause:** One or more of the database writer processes is no longer running.

**Action:** Check the trace files for the database writers. Shut down the database and try to warm start.

---

**ORA-07418: sfareq: Database writer got error in timing function.**

**Cause:** An error occurred when the database writer called the system timing function.

**Action:** Check the database writer trace file. Shut down database and try to warm start.

**ORA-07419: sfareq: Database writer got error in timing function.**

**Cause:** An error occurred when the database writer called the system timing function.

**Action:** Check the database writer trace file. Shut down database and try to warm start.

**ORA-07425: sdpri: error *string* in translating dump file location.**

**Cause:** An oracle error occurred when translating the location of the dump file.

**Action:** Check the oracle error code.

**ORA-07426: spstp: cannot obtain the location of dbs directory.**

**Cause:** An oracle error occurred when translating the location of the dbs directory.

**Action:** Check additional information for the error returned from sltn.

**ORA-07427: spstp: cannot change directory to dbs.**

**Cause:** Chdir system call returned an error. Possible permission problems.

**Action:** Check additional information for the OS error code.

**ORA-07431: fork failed**

**Cause:** The server process was unable to fork a child process.

**Action:** Verify that there are enough system resources to support another process. The user or system process limit may have been exceeded, or the amount of free memory or swap space may be temporarily insufficient.

**ORA-07432: unable to perform nested sleep**

**Cause:** An attempt was made to make a process sleep when it was already sleeping. This platform does not support this capability.

**Action:** Try the SLEEP command when the process is not sleeping.

**ORA-07440: WMON process terminated with error**

**Cause:** The wakeup monitor process died.

**Action:** Warm start instance.

**ORA-07441: function address must be aligned on *string* byte boundary**

**Cause:** An improperly aligned function address was specified.

**Action:** Use a properly aligned function address.

**ORA-07442: function address must be in the range *string* to *string***

**Cause:** An invalid function address was specified.

**Action:** Use a valid function address.

**ORA-07443: function *string* not found**

**Cause:** An invalid function name was specified.

**Action:** Use a valid function name.

**ORA-07444: function address *string* is not readable**

---

**Cause:** An invalid function name/address was specified.

**Action:** Use a valid function name/address.

**ORA-07445: exception encountered: core dump** [*string*] [*string*] [*string*] [*string*] [*string*] [*string*]

**Cause:** An OS exception occurred which should result in the creation of a core file. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07446: sdnfy: bad value "string" for parameter string.**

**Cause:** The directory specified as the value for the stated parameter could not be used.

**Action:** Make sure the directory you have specified is a valid directory/file specification.

**ORA-07447: ssarena: usinit failed.**

**Cause:** Oracle failed to create a shared arena file.

**Action:** Use `sercerno` field to determine cause of failure.

**ORA-07448: ssarena: maximum number of shared arenas exceeded.**

**Cause:** Oracle attempted to create more shared arena files than permitted.

**Action:** Raise the value for `max_arena` in `INIT.ORA`.

**ORA-07449: sc: usnewlock failed.**

**Cause:** Oracle failed to acquire a shared arena lock.

**Action:** Check result code in `sercerno` to determine the cause of failure.

**ORA-07451: slskstat: unable to obtain load information.**

**Cause:** `kstat` library returned an error. Possible OS failure

**Action:** Check result code in `sercose[0]` for more information.

**ORA-07452: specified resource manager plan does not exist in the data dictionary**

**Cause:** User tried to load a resource manager plan that does not exist.

**Action:** Use a resource manager plan that exists in the data dictionary.

**ORA-07453: requested resource manager plan schema does not contain OTHER\_GROUPS**

**Cause:** User tried to load a resource manager plan schema that does not contain the `OTHER_GROUPS` group.

**Action:** Use a resource manager plan schema that contains the `OTHER_GROUPS` group.

**ORA-07454: queue timeout, string second(s), exceeded**

**Cause:** User session queued for longer than maximum specified queue duration time for consumer group.

**Action:** Re-submit job at a later time or increase queue timeout.

**ORA-07455: estimated execution time (string secs), exceeds limit (string secs)**

**Cause:** User attempted to execute an operation whose estimated execution time exceeds the limit specified for the consumer group.

**Action:** Execute job on behalf of another group, or increase limit.

---

**ORA-07456: cannot set RESOURCE\_MANAGER\_PLAN when database is closed**

**Cause:** An attempt was made to turn on the Resource Manager when the database was closed.

**Action:** Open the database and try again.

**ORA-07457: cannot set \_INTERNAL\_RESOURCE\_MANAGER\_PLAN because of FORCE**

**Cause:** An attempt was made to set the \_INTERNAL\_RESOURCE\_MANAGER\_PLAN parameter, however this failed because the current RESOURCE\_MANAGER\_PLAN has the FORCE prefix.

**Action:** Remove the FORCE prefix from the RESOURCE\_MANAGER\_PLAN parameter.

**ORA-07458: cannot set the RESOURCE\_MANAGER\_PLAN parameter**

**Cause:** An attempt was made to set the RESOURCE\_MANAGER\_PLAN parameter, however, this failed because the database was quiesced.

**Action:** Unquiesce the database.

**ORA-07459: cannot restore the RESOURCE\_MANAGER\_PLAN parameter**

**Cause:** An attempt was made to internally restore the RESOURCE\_MANAGER\_PLAN parameter to the value before it was internally set. This failed because the current plan was set by the user and therefore did not need to be restored.

**Action:** No action needed.

**ORA-07460: cannot set the RESOURCE\_MANAGER\_PLAN parameter**

**Cause:** An attempt was made to internally set the RESOURCE\_MANAGER\_PLAN parameter, however, this failed because the current RESOURCE\_MANAGER\_PLAN has the FORCE prefix.

**Action:** Remove the FORCE prefix from the RESOURCE\_MANAGER\_PLAN parameter.

**ORA-07468: spwat: mset error, unable to set semaphore.**

**Cause:** The mset routine returned an error. Semaphore may not exist.

**Action:** Check result code in sercerrno. Semaphore number returned in sercose[0].

**ORA-07469: sppst: mclear error, unable to clear semaphore.**

**Cause:** The mclear routine returned an error. Semaphore may not exist.

**Action:** Check result code in sercerrno. Semaphore number returned in sercose[0].

**ORA-07470: snclget: cannot get cluster number.**

**Cause:** The cluster\_status system call failed to get status information for the current cluster.

**Action:** Check result code in sercose[0]. Possible operating system failure.

**ORA-07471: snclrd: name translation error of sgadef.dbf file name.**

**Cause:** Unable to expand out ?/dbs/sgadef@.dbf file name.

**Action:** Verify \$(ORACLE\_HOME) and \$(ORACLE\_SID) are properly set. Check error number returned from sltln in sercose[0].

**ORA-07472: snclrd: open error when opening sgadef.dbf file.**

**Cause:** open failed when opening the file ?/dbs/sgadef@.dbf

---

**Action:** Check errno. Possible permission problem. Verify that the file `*/dbs/sgadef@.dbf` exists.

**ORA-07473: snclrd: read error when trying to read sgadef.dbf file.**

**Cause:** Read had an error when reading `sgadef.dbf` file.

**Action:** Check errno. Verify file exists, and is correct size.

**ORA-07474: snclrd: close error, unable to close sgadef.dbf file.**

**Cause:** An error occurred in `close`, while closing the file `"*/dbs/sgadef@.dbf"`

**Action:** Check errno. Possible operating system error.

**ORA-07475: slsget: cannot get vm statistics.**

**Cause:** The `vm_statistics` system call failed to get virtual memory statistics.

**Action:** Check result code in `sercerrno`. Possible operating system failure.

**ORA-07476: slsget: cannot get mapped memory statistics.**

**Cause:** The `vm_mapmem` system call failed to get mapped memory statistics.

**Action:** Check result code in `sercerrno`. Possible operating system failure.

**ORA-07477: scgcmn: lock manager not initialized.**

**Cause:** Lock manager must be initialized before converting locks.

**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07478: scgcmn: cannot get lock status.**

**Cause:** `lm_stat_lock` failed.

**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07479: scgcmn: cannot open or convert lock.**

**Cause:** `lm_open` or `lm_open_convert` failed.

**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07480: snchmod: cannot change permissions on \*/dbs/sgalm.dbf.**

**Cause:** When creating an instance, `snlmini` could not change the permissions on `*/dbs/sgalm.dbf`

**Action:** Contact your customer support representative.

**ORA-07481: snlmatt: cannot attach to lock manager instance.**

**Cause:** `lm_attach` failed to attach to lock manager instance.

**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07482: snlmini: cannot create lock manager instance.**

**Cause:** `lm_create` failed to create lock manager instance.

**Action:** Check permissions on `*/dbs`, and remove `*/dbs/sgalm.dbf` if it exists, then retry.

**ORA-07483: snlkget: cannot convert(get) lock.**

**Cause:** `lm_convert` failed to convert(get) lock.

**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07484: snlkput: cannot convert(put) lock.**

**Cause:** `lm_convert` failed to put lock value.

---

**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07485: scg\_get\_inst: cannot open instance number lock.**  
**Cause:** `lm_open` failed.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07486: scg\_get\_inst: cannot convert(get) instance number lock.**  
**Cause:** `lm_convert` failed to get lock value.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07487: scg\_init\_lm: cannot create lock manager instance.**  
**Cause:** `lm_create` failed.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07488: scgrcl: lock manager not initialized.**  
**Cause:** Lock manager must be initialized before releasing locks.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07489: scgrcl: cannot get lock status.**  
**Cause:** `lm_stat_lock` failed during lock release/cancel.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07490: scgrcl: cannot convert lock.**  
**Cause:** `lm_convert` failed during lock release/cancel.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07491: scgrcl: cannot cancel lock request.**  
**Cause:** `lm_cancel` failed during lock release/cancel.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07492: scgrcl: cannot close lock.**  
**Cause:** `lm_close` failed during lock release/cancel.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07493: scgrcl: lock manager error.**  
**Cause:** An error was encountered releasing the lock.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07494: scgcm: unexpected error.**  
**Cause:** Unknown or unexpected error code.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07495: spwat: lm\_wait failed.**  
**Cause:** `lm_wait` failed.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07496: sppst: lm\_post failed.**  
**Cause:** `lm_post` failed.  
**Action:** Check result code in `sercerrno`. Possible lock manager failure.

**ORA-07497: sdpri: cannot create trace file "*string*"; errno = *string*.**

---

**Cause:** 1. The trace file could not be created for writing.  
2. The trace file is a symbolic link.

**Action:** 1. Check if the dump directory exists and whether it is writable.  
2. Remove the symbolic link.

**ORA-07498: spstp: Unable to open /dev/resched.**

**Cause:** The rescheduling driver /dev/resched is not found or is not working properly.

**Action:** Check installation of the ORACLE rescheduling driver in the AIX kernel.

**ORA-07499: spglk: Cannot reschedule.**

**Cause:** The rescheduling driver /dev/resched is not open. This is an internal error and should not occur.

**Action:** Contact your customer support representative.

---

---

## ORA-07500 to ORA-09859

**ORA-07500: scglaa: \$cantim unexpected return**

**Cause:** VMS system service \$CANTIM returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07501: scgtoa: \$deq unexpected return**

**Cause:** VMS system service \$DEQ returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07502: scgcmn: \$enq unexpected return**

**Cause:** VMS system service \$ENQ returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07503: scgcmn: \$setimr unexpected return**

**Cause:** VMS system service \$SETIMR returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07504: scgcmn: \$hiber unexpected return**

**Cause:** VMS system service \$HIBER returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07505: scggt: \$enq parent lock unexpected return**

**Cause:** VMS system service \$ENQ returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07506: scgrl: \$deq unexpected return on lockid *string***

**Cause:** VMS system service \$DEQ returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07507: scgcm: unexpected lock status condition**

**Cause:** A global locking system service returned an unexpected value.

**Action:** Check for system error message (if any) and refer to VMS documentation, or contact your customer support representative.

**ORA-07508: scgfal: \$deq all unexpected return**

**Cause:** VMS system service \$DEQ returned an unexpected value

**Action:** Check for system error message and refer to VMS documentation

**ORA-07509: scgfal: \$deq parent lock unexpected return**

- 
- Cause:** VMS system service \$DEQ returned an unexpected value  
**Action:** Check for system error message and refer to VMS documentation
- ORA-07510: scgbrm: \$getlki unexpected return on lockid *string***  
**Cause:** VMS system service \$GETLKI returned an unexpected value  
**Action:** Check for system error message and refer to VMS documentation
- ORA-07511: sscgctl: \$enq unexpected return for master termination lock**  
**Cause:** VMS system service \$ENQ returned an unexpected value  
**Action:** Check for system error message and refer to VMS documentation
- ORA-07512: sscgctl: \$enq unexpected return for client termination lock**  
**Cause:** VMS system service \$ENQ returned an unexpected value  
**Action:** Check for system error message and refer to VMS documentation
- ORA-07513: sscgctl: \$deq unexpected return on cancel of term. lock**  
**Cause:** VMS system service \$DEQ returned an unexpected value  
**Action:** Check for system error message and refer to VMS documentation
- ORA-07514: scgcan: \$deq unexpected return while canceling lock**  
**Cause:** VMS system service \$DEQ returned an unexpected value  
**Action:** Check for system error message and refer to VMS documentation
- ORA-07534: scging: \$getlki unexpected return on lockid *string***  
**Cause:** VMS system service \$GETLKI returned an unexpected value  
**Action:** Check for system error message and refer to VMS documentation
- ORA-07548: sftopn: Maximum number of files already open**  
**Cause:** Too many test files open  
**Action:** This is an internal error, please report to Oracle
- ORA-07549: sftopn: \$OPEN failure**  
**Cause:** VMS system service \$OPEN failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07550: sftopn: \$CONNECT failure**  
**Cause:** VMS system service \$OPEN failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07551: sftcls: \$CLOSE failure**  
**Cause:** VMS system service \$CLOSE failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07552: sftget: \$GET failure**  
**Cause:** VMS system service \$GET failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07561: szprv: \$IDTOASC failure**  
**Cause:** VMS system service \$IDTOASC failed  
**Action:** Examine system error message and refer to VMS documentation

---

**ORA-07562: sldext: extension must be 3 characters**

**Cause:** An extension was found but it is of improper length

**Action:** This is an internal error, please report to Oracle

**ORA-07563: sldext: \$PARSE failure**

**Cause:** VMS system service \$PARSE failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07564: sldext: wildcard in filename or extension**

**Cause:** A wildcard was used in the file name

**Action:** Reenter the file name completely

**ORA-07565: sldext: \$SEARCH failure**

**Cause:** VMS system service \$SEARCH failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07568: slspool: \$OPEN failure**

**Cause:** VMS system service \$OPEN failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07569: slspool: \$CLOSE failure**

**Cause:** VMS system service \$CLOSE failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07570: szrfc: \$IDTOASC failure**

**Cause:** VMS system service \$IDTOASC failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07571: szrfc: \$FIND\_HELD failure**

**Cause:** VMS system service \$FIND\_HELD failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07572: szrfc: insufficient rolename buffer space**

**Cause:** An OS role name was too long.

**Action:** Re-define the role name to be of correct length.

**ORA-07573: slkhst: could not perform host operation**

**Cause:** VMS system service LIB\$SPAWN failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07574: szrfc: \$GETUAI failure**

**Cause:** VMS system service \$GETUAI failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07576: sspexst: \$GETJPIW failure on process ID *string***

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07577: no such user in authorization file**

---

**Cause:** An attempt was made to set an INTERNAL password (for either DBA or OPER privilege), but the corresponding VMS account (either ORA\_<sid>\_DBA or ORA\_<sid>\_OPER) hasn't been created yet.

**Action:** Add a VMS account for ORA\_<sid>\_DBA and/or ORA\_<sid>\_OPER before trying to set a password for them.

**ORA-07578: szprv: \$FIND\_HELD failure**

**Cause:** VMS system service \$FIND\_HELD failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07579: spini: \$DCLEXH failure**

**Cause:** VMS system service \$PARSE failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07580: spstp: \$GETJPIW failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07581: spstp: cannot derive SID from unexpected process name**

**Cause:** A background process did not have name of correct form

**Action:** If the job name was changed, restore it, otherwise this is an internal error, please report to Oracle.

**ORA-07582: spstp: ORA\_SID has illegal value**

**Cause:** The ORA\_SID must exist and be less than 6 characters

**Action:** Consult the VMS Installation guide for information on setting the SID.

**ORA-07584: spdcr: invalid value for ORA\_sid\_(proc\_)PQL\$\_item**

**Cause:** A logical name used to set a detached process quota value has an invalid value (probably non-numeric).

**Action:** Examine the values of these logical names, correct the one in error, and retry.

**ORA-07585: spdcr: \$PARSE failure**

**Cause:** VMS system service \$PARSE failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07586: spdcr: \$SEARCH failure**

**Cause:** VMS system service \$SEARCH failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07587: spdcr: \$CREPRC failure**

**Cause:** VMS system service \$CREPRC failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07588: spdcr: \$GETJPIW get image name failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07589: spdde: system ID not set**

**Cause:** The logical name ORA\_SID doesn't translate to a valid value.

---

**Action:** Check the value of ORA\_SID in the process that gets the error, and correct the installation or command procedures that caused ORA\_SID to be set incorrectly.

**ORA-07590: spdde: \$DELPRC failure**

**Cause:** VMS system service \$DELPRC failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07591: spdde: \$GETJPIW failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07592: sspgprv: Error obtaining required privileges**

**Cause:** While obtaining needed privileges, an error was returned from SYS\$SETPRV.

**Action:** This is an internal error. Please report to Oracle

**ORA-07593: ssprprv: Error release privileges**

**Cause:** While releasing privileges, an error was returned from SYS\$SETPRV.

**Action:** This is an internal error. Please report to Oracle

**ORA-07594: spiip: \$GETJPIW failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07595: sppid: \$GETJPIW failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07596: sptpa: \$GETJPIW failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07597: spguns: \$GETJPIW failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07598: spwat: \$SETIMR failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07599: spwat: \$SCHDWK failure**

**Cause:** VMS system service \$SCHDWK failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07600: slkmmn: \$GETSYIW failure**

**Cause:** VMS system service \$GETSYIW failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07601: spguno: \$GETJPIW failure**

**Cause:** VMS system service \$GETJPIW failed

**Action:** Examine system error message and refer to VMS documentation

- 
- ORA-07602: spgto: \$GETJPIW failure**  
**Cause:** VMS system service \$GETJPIW failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07605: szprv: \$ASCTOID failure**  
**Cause:** VMS system service \$ASCTOID failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07606: szprv: \$CHKPRO failure**  
**Cause:** VMS system service \$CHKPRO failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07607: szaud: \$SNDOPR failure**  
**Cause:** VMS system service \$SNDOPR failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07608: szprv: \$GETUAI failure**  
**Cause:** VMS system service \$GETUAI failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07609: szprv: \$HASH\_PASSWORD failure**  
**Cause:** VMS system service \$HASH\_PASSWORD failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07610: \$GETJPIW failed in retrieving the user's MAC privileges**  
**Cause:** VMS system service \$GETJPIW failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07612: \$GETUAI failed in retrieving the user's clearance level**  
**Cause:** VMS system service \$GETUAI failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07613: \$GETJPIW failed in retrieving the user's process label**  
**Cause:** VMS system service \$GETJPIW failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07614: \$CHANGE\_CLASS failed in retrieving the user's process label**  
**Cause:** VMS system service \$CHANGE\_CLASS failed  
**Action:** Examine system error message and refer to SEVMS documentation
- ORA-07615: \$CHANGE\_CLASS failed in retrieving the specified file label**  
**Cause:** VMS system service \$CHANGE\_CLASS failed  
**Action:** Examine system error message and refer to SEVMS documentation
- ORA-07616: \$CHANGE\_CLASS failed in retrieving the specified device label**  
**Cause:** VMS system service \$CHANGE\_CLASS failed  
**Action:** Examine system error message and refer to SEVMS documentation
- ORA-07617: \$FORMAT\_CLASS failed translating the binary label to a string**  
**Cause:** VMS system service \$FORMAT\_CLASS failed because the given binary classification was not valid.

---

**Action:** Examine system error message and refer to SEVMS documentation

**ORA-07618: \$IDTOASC failed translating a secrecy level**

**Cause:** VMS system service \$IDTOASC failed while looking up the string representation in the rights database of a secrecy level.

**Action:** Define the entry in the rights database which the binary label you specified references.

**ORA-07619: \$IDTOASC failed translating an integrity level**

**Cause:** VMS system service \$IDTOASC failed while looking up the string representation in the rights database of an integrity level.

**Action:** Define the entry in the rights database which the binary label you specified references.

**ORA-07620: smscre: illegal database block size**

**Cause:** An illegal database block size was specified in the parameter file. It must be positive, a multiple of 512, and less than the maximum physical i/o data size.

**Action:** Change db\_block\_size in the parameter file to conform to these limits.

**ORA-07621: smscre: illegal redo block size**

**Cause:** An illegal redo log buffer size was specified in the parameter file. It must be positive and a multiple of 512.

**Action:** Change log\_buffer in the parameter file to conform to these limits.

**ORA-07622: smscre: \$CREATE failure**

**Cause:** While creating the system global area (SGA) backing file, VMS system service \$CREATE failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07623: smscre: \$CRMPSC failure**

**Cause:** While creating the system global area (SGA), VMS system service \$CRMPSC failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07624: smsdes: \$DGBLSC failure**

**Cause:** While deleting the system global area (SGA), VMS system service \$DGBLSC failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07625: smsget: \$MGBLSC failure**

**Cause:** While mapping the system global area (SGA) during logon, VMS system service \$MGBLSC failed. The usual reason is that Oracle has not been started up.

**Action:** Examine the system error message and refer to VMS documentation. Start up Oracle if it is not already started.

**ORA-07626: smsget: sga already mapped**

**Cause:** An attempt to map the SGA during logon failed because it was already mapped. This is an internal error.

**Action:** Exit your program and try again, and report this to your customer support representative.

**ORA-07627: smsfre: \$CRETVA failure**

---

**Cause:** While unmapping the system global area (SGA) during logoff, VMS system service \$CRETVA failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07628: smsfre: sga not mapped**

**Cause:** An attempt to unmap the SGA during logoff failed because it was not mapped. This is an internal error.

**Action:** Exit your program and try again, and report this to your customer support representative.

**ORA-07629: smpall: \$EXPREG failure**

**Cause:** While extending the program global area (PGA), VMS system service \$EXPREG failed. This often happens when the virtual memory page count quota is exceeded.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07630: smpdal: \$DELTVA failure**

**Cause:** While deleting the program global area (PGA) during logoff, VMS system service \$DELTVA failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07631: smcacx: \$EXPREG failure**

**Cause:** While creating or extending a context area, VMS system service \$EXPREG failed. This often happens when the virtual memory page count quota is exceeded.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07632: smsrcx: \$DELTVA failure**

**Cause:** While deleting a context area, VMS system service \$DELTVA failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07633: smsdbp: illegal protection value**

**Cause:** The buffer debug function was called with an illegal value. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07634: smsdbp: \$CRETVA failure**

**Cause:** While attempting to set protection in the database buffer debug mechanism, VMS system service \$CRETVA failed.

**Action:** Contact your customer support representative.

**ORA-07635: smsdbp: \$SETPRT failure**

**Cause:** While attempting to set protection in the database buffer debug mechanism, VMS system service \$SETPRT failed.

**Action:** Contact your customer support representative.

**ORA-07636: smsdbp: \$MGBLSC failure**

**Cause:** While attempting to set protection in the database buffer debug mechanism, VMS system service \$MGBLSC failed.

**Action:** Contact your customer support representative.

**ORA-07637: smsdbp: buffer protect option not specified when sga created**

---

**Cause:** Trying to change the buffer protect mode when the SGA was not created with buffer protect debug option. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07638: smsget: SGA pad area not large enough for created SGA**

**Cause:** An attempt was made to map an SGA with software in which the SGA pad area isn't large enough.

**Action:** Create a smaller SGA, or relink the software with a larger pad.

**ORA-07639: smscre: SGA pad area not large enough (*string bytes required*)**

**Cause:** An attempt was made to create an SGA with software in which the SGA pad area isn't large enough.

**Action:** Create a smaller SGA, or relink the software with a larger pad.

**ORA-07640: smsget: SGA not yet valid. Initialization in progress**

**Cause:** An attempt was made to map to the SGA while it was being initialized.

**Action:** Wait until initialization is complete, and try again.

**ORA-07641: smscre: Unable to use the system pagefile for the SGA**

**Cause:** The system global area (SGA) backing file could not be allocated using the system pagefile because the system-wide limit on global pages has been exceeded.

**Action:** Either increase the VMS system parameter GBLPAGFIL or use a disk file as the SGA backing file.

**ORA-07642: smprtset: \$CMKRNL failure**

**Cause:** While attempting to set the protection of a region of memory, an error was returned from the \$CMKRNL system service.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07643: smsalo: SMSVAR is invalid**

**Cause:** an internal error

**Action:** Report this error to Oracle Support Services, provide your INIT.ORA file.

**ORA-07645: sszfsl: \$CHANGE\_CLASS failure**

**Cause:** While attempting to set the label on a file, SEVMS service \$CHANGE\_CLASS failed.

**Action:** Examine the system message and refer to SEVMS system documentation.

**ORA-07646: sszfck: \$CREATE failure**

**Cause:** While attempting to create a file, VMS system service \$CREATE failed.

**Action:** Examine the system message and refer to VMS system documentation.

**ORA-07647: sszfck: \$OPEN failure**

**Cause:** While attempting to reopen a file, VMS system service \$OPEN failed.

**Action:** Examine the system message and refer to VMS system documentation.

**ORA-07650: sigunc: \$GETJPIW failure**

**Cause:** While attempting to get the user's terminal device name, user name, user program name, or process name during logon, VMS system service \$GETJPIW failed.

**Action:** Examine the system error message and refer to VMS documentation.

---

**ORA-07655: slsprom:\$TRNLOG failure**

**Cause:** While attempting to translate SYS\$INPUT during a prompt for a password, VMS system service \$TRNLOG failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07656: slsprom:\$GETDVI failure**

**Cause:** While attempting to get device characteristics during a prompt for a password, VMS system service \$GETDVI failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07657: slsprom:\$ASSIGN failure**

**Cause:** While prompting for a password, VMS system service \$ASSIGN failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07658: slsprom:\$QIOW read failure**

**Cause:** While prompting for a password, VMS system service \$QIOW failed.

**Action:** Examine the system error message and refer to VMS documentation.

**ORA-07665: ssrexhd: recursive exception encountered *string string string string string string***

**Cause:** A VMS exception occurred while executing in the Oracle exception handler. The message includes the signal number, first and second signal arguments, and exception PC, PSL and R0. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07670: \$IDTOASC failed translating a secrecy category**

**Cause:** VMS system service \$IDTOASC failed while looking up the string representation in the rights database of a secrecy category.

**Action:** Define the entry in the rights database which the binary label you specified references.

**ORA-07671: \$IDTOASC failed translating an integrity category**

**Cause:** VMS system service \$IDTOASC failed while looking up the string representation in the rights database of an integrity category.

**Action:** Define the entry in the rights database which the binary label you specified references.

**ORA-07672: \$PARSE\_CLASS failed translating the string into a binary label**

**Cause:** SEVMS system service \$PARSE\_CLASS failed because the given string did not represent a valid classification.

**Action:** Examine system error message and refer to SEVMS documentation.

**ORA-07680: sou2os: another call to Oracle currently executing**

**Cause:** A call to the Oracle shared image entry point occurred from within the shared image. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07681: sou2os: An error occurred while initializing Oracle**

**Cause:** While attempting to set up the dispatch vectors for the shared image, an error occurred. This is an internal error.

**Action:** Contact your customer support representative.

---

**ORA-07682: sou2os: set kernel dispatch fail err**

**Cause:** During Oracle shared image entry, a dispatch to kernel mode failed.

**Action:** Make sure that your shared image is installed with the CMKRNL privilege, then contact your customer support representative.

**ORA-07683: sou2os: \$SETPRV reset error**

**Cause:** During an attempt to restore user privileges at Oracle shared image exit, VMS system service \$SETPRV failed. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07684: sou2os: supervisor stack reset error**

**Cause:** During an attempt to restore the supervisor-mode stack at Oracle shared image exit, VMS system service \$SETSTK failed. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07685: sou2os: supervisor stack set error**

**Cause:** During an attempt to set the Oracle supervisor-mode stack at Oracle shared image entry, VMS system service \$SETSTK failed. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07700: sksarch: interrupt received**

**Cause:** An interrupt was received while archiving the logs

**Action:** Retry operation

**ORA-07701: sksatln: internal exception: output buffer too small**

**Cause:** Overflow of buffer for parsing archive control text string

**Action:** This is an internal error, please report to Oracle

**ORA-07702: unrecognized device type in archive text**

**Cause:** Unrecognized device type in archive text

**Action:** This is an internal error, please report to Oracle

**ORA-07703: error in archive text: need "/" after device type**

**Cause:** The archive control text in the ARCHIVE command is invalid; the device type (to indicate a file or tape) must be followed by a "/".

**Action:** Refer to the SQLDBA Guide for the proper syntax of the text.

**ORA-07704: error in archive text: need ":" after device name**

**Cause:** The archive control text in the ARCHIVE command is invalid; the device name must be followed by a ":".

**Action:** Refer to the SQLDBA Guide for the proper syntax of the text.

**ORA-07705: sksaprs: device name buffer too small**

**Cause:** The buffer supplied for the device name is too small. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07706: error in archive text: need disk file name**

**Cause:** The archive control text in the ARCHIVE command is invalid; the disk file name is missing.

**Action:** Refer to the SQLDBA Guide for the proper syntax of the text.

---

**ORA-07707: error in archive text: need tape label name**

**Cause:** The archive control text in the ARCHIVE command is invalid; the tape label name is missing.

**Action:** Refer to the SQLDBA Guide for the proper syntax of the text.

**ORA-07708: sksaprs: tape label name buffer too small**

**Cause:** The buffer supplied for the tape label is too small. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07709: sksaprs: archiving to a remote host is not allowed**

**Cause:** The user specified a remote disk for archiving via DECnet.

**Action:** Archive to a disk on the local host.

**ORA-07710: sksaprs: file name buffer too small**

**Cause:** The buffer supplied for the file name is too small. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07713: sksamtd: could not mount archival device (SYS\$MOUNT failure)**

**Cause:** VMS system service SYS\$MOUNT failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07715: sksadt: could not dismount archival device (SYS\$DISMNT failure)**

**Cause:** VMS system service SYS\$DISMNT failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07716: sksachk: invalid device specification for ARCHIVE**

**Cause:** VMS system service SYS\$GETDVI failed"

**Action:** Specify a valid device in ARCHIVE control string

**ORA-07717: sksaalo: error allocating memory**

**Cause:** VMS system service LIB\$GET\_VM failed"

**Action:** Examine system error message and refer to VMS documentation

**ORA-07718: sksafre: error freeing memory**

**Cause:** VMS system service LIB\$FREE\_VM failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07721: scgcm: not enough OS resource to obtain system enqueue**

**Cause:** d by the messages SS\$\_EXENQLM or SS\$\_INSFMEM.

**Action:** Free up some of the required resource to allow the creation of the required lock.

**ORA-07740: slemop: incorrect handle size (programming error)**

**Cause:** structures used for reading error message files do not match

**Action:** this is an internal error, please report to Oracle

**ORA-07741: slemop: \$OPEN failure**

**Cause:** VMS system service \$OPEN failed

**Action:** Examine system error message and refer to VMS documentation

**ORA-07742: slemop: \$CONNECT failure**

- 
- Cause:** VMS system service \$CONNECT failed  
**Action:** Examine system error message and refer to VMS documentation
- ORA-07743: slemop: incorrect error file attributes**  
**Cause:** An error message file is of incorrect format  
**Action:** Unless an error file has been changed, report this to Oracle
- ORA-07744: slemcl: invalid error message file handle**  
**Cause:** seal in passed in handle does not match correct value  
**Action:** this is an internal error, please report to Oracle
- ORA-07745: slemcl: \$CLOSE failure**  
**Cause:** VMS system service \$CLOSE failed  
**Action:** Check system error and refer to VMS documentation
- ORA-07746: slemrd: invalid error message file handle**  
**Cause:** seal in passed in handle does not match correct value  
**Action:** this is an internal error, please report to Oracle
- ORA-07747: slemrd: \$READ failure**  
**Cause:** VMS system service \$READ failed  
**Action:** Check system error and refer to VMS documentation
- ORA-07750: slemcr: fopen failure**  
**Cause:** An attempt to create a message file failed. This is an internal error.  
**Action:** Contact your customer support representative.
- ORA-07751: slemcr: malloc failure**  
**Cause:** An attempt to allocate a cache for a newly-created message file failed. This is an internal error.  
**Action:** Contact your customer support representative.
- ORA-07753: slemcf: fseek before write failure**  
**Cause:** An attempt to seek before writing a message file cache element failed. This is an internal error.  
**Action:** Contact your customer support representative.
- ORA-07754: slemcf: fwrite failure**  
**Cause:** An attempt to write a message file cache element failed. This is an internal error.  
**Action:** Contact your customer support representative.
- ORA-07755: slemcf: fseek before read failure**  
**Cause:** An attempt to seek before reading a message file cache element failed. This is an internal error.  
**Action:** Contact your customer support representative.
- ORA-07756: slemcf: fread failure**  
**Cause:** An attempt to read a message file cache element failed. This is an internal error.  
**Action:** Contact your customer support representative.

---

**ORA-07757: slemcc: invalid handle**

**Cause:** The seal in a passed-in handle does not match correct value. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07758: slemcw: invalid handle**

**Cause:** The seal in a passed-in handle does not match correct value. This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07759: slemtr: invalid destination**

**Cause:** The destination string provided to the function is too short This is an internal error.

**Action:** Contact your customer support representative.

**ORA-07760: slemtr: \$open failure**

**Cause:** the \$open service failed. This is an internal error

**Action:** Contact your customer support representative.

**ORA-07800: slbtpd: invalid number**

**Cause:** An impossible request for binary to decimal conversion was made

**Action:** This conversion cannot be performed

**ORA-07801: slbtpd: invalid exponent**

**Cause:** An impossible request for binary to decimal conversion was made

**Action:** This conversion cannot be performed

**ORA-07802: slbtpd: overflow while converting to packed decimal**

**Cause:** An impossible request for binary to decimal conversion was made

**Action:** This conversion cannot be performed

**ORA-07803: slpdtb: invalid packed decimal nibble**

**Cause:** An impossible request for decimal to binary conversion was made

**Action:** This conversion cannot be performed

**ORA-07804: slpdtb: number too large for supplied buffer**

**Cause:** An impossible request for decimal to binary conversion was made

**Action:** This conversion cannot be performed

**ORA-07820: sspscn: SYS\$CRELNM failure**

**Cause:** An error was returned from the SYS\$CRELNM function

**Action:** Check system error and refer to VMS documentation

**ORA-07821: sspstdn: SYS\$DELLNM failure**

**Cause:** An error was returned from the SYS\$DELLNM function

**Action:** Check system error and refer to VMS documentation

**ORA-07822: sspscm: SYS\$CREMBX failure**

**Cause:** An error was returned from the SYS\$CREMBX function while trying to create the process dump mailbox.

**Action:** Check system error and refer to VMS documentation

---

**ORA-07823: sspsqr: \$QIO failure**

**Cause:** An error was returned from \$QIO while trying to queue a read to the process dump mailbox.

**Action:** Check system error and refer to VMS documentation

**ORA-07824: sspain: \$SETIMR failure**

**Cause:** An error was returned from SYS\$SETIMR while trying to queue a process spin-watch timer.

**Action:** Check system error and refer to VMS documentation

**ORA-07825: sspsck: \$QIO failure at AST level**

**Cause:** An error was returned from SYS\$QIO while trying to read the process dump mailbox.

**Action:** Check system error and refer to VMS documentation

**ORA-07826: sspscm: SYS\$GETDVIW failure**

**Cause:** An error was returned from SYS\$GETDVIW while trying to get information about the process dump mailbox.

**Action:** Check system error and refer to VMS documentation

**ORA-07840: sllfop: LIB\$GET\_VM failure**

**Cause:** An error was returned from LIB\$GET\_VM while attempting to allocate memory for an i/o vector.

**Action:** Check system error and refer to VMS documentation

**ORA-07841: sllfop: SYS\$OPEN failure**

**Cause:** An error was returned from SYS\$OPEN while attempting to open the data file for reading

**Action:** Check system error and refer to VMS documentation

**ORA-07842: sllfcl: SYS\$CLOSE failure**

**Cause:** An error was returned from SYS\$CLOSE while attempting to close the input data file

**Action:** Check system error and refer to VMS documentation

**ORA-07843: sllfcl: LIB\$FREE\_VM failure**

**Cause:** An error was returned from LIB\$FREE\_VM while attempting to free the memory for the i/o vector

**Action:** Check system error and refer to VMS documentation

**ORA-07844: sllfop: LIB\$GET\_VM failure**

**Cause:** An error was returned from LIB\$GET\_VM while attempting to allocate memory for data and index buffers

**Action:** Check system error and refer to VMS documentation

**ORA-07845: sllfcl: LIB\$FREE\_VM failure**

**Cause:** An error was returned from LIB\$FREE\_VM while attempting to free memory used by data and index buffers

**Action:** Check system error and refer to VMS documentation

**ORA-07846: sllfop: *string* byte record too big for *string* byte user buffer**

---

**Cause:** The longest record in the file will not fit into the largest data buffer that can be allocated

**Action:** Modify the RMS file to have smaller records

**ORA-07847: sllfop: \$CONNECT failure**

**Cause:** An error was returned by SYS\$CONNECT while attempting to open the data file

**Action:** Check system error and refer to VMS documentation

**ORA-07848: sllfrb: \$GET failure**

**Cause:** An error was returned by SYS\$GET while attempting to read the data file

**Action:** Check system error and refer to VMS documentation

**ORA-07849: sllfsk: \$GET failure**

**Cause:** An error was returned by SYS\$GET while attempting to skip records in the input file

**Action:** Check system error and refer to VMS documentation

**ORA-07850: sllfop: bad option**

**Cause:** You are using a bad option to loader Fixed= is one legal option. Check documentation for others.

**Action:** Check documentation

**ORA-07860: osnsoi: error setting up interrupt handler**

**Cause:** An error occurred while setting up the control interrupt handler

**Action:** This is an internal error. Contact your Oracle representative.

**ORA-07880: sdopnf: internal error**

**Cause:** A list of all files open by this process could not be obtained.

**Action:** This is an internal error. Contact your customer support representative.

**ORA-08000: maximum number of session sequence lists exceeded**

**Cause:** the sequence parent state objects for this session are all used

**Action:** an internal error; quit the session and begin a new one

**ORA-08001: maximum number of sequences per session exceeded**

**Cause:** the limit on the number of sequences usable by session has been hit

**Action:** increase INIT.ORA parameter user\_sequences to get more

**ORA-08002: sequence *string*.CURRVAL is not yet defined in this session**

**Cause:** sequence CURRVAL has been selected before sequence NEXTVAL

**Action:** select NEXTVAL from the sequence before selecting CURRVAL

**ORA-08003: sequence *string*.NEXTVAL exceeds internal limits**

**Cause:** The sequence was created with unsafe values for some of the parameters. The calculation of NEXTVAL cannot be made because it exceeds the legal representation size.

**Action:** Alter or recreate the sequence number with legal limits.

**ORA-08004: sequence *string*.NEXTVAL *string string*VALUE and cannot be instantiated**

**Cause:** instantiating NEXTVAL would violate one of MAX/MINVALUE

---

**Action:** alter the sequence so that a new value can be requested

**ORA-08005: specified row does not exist**

**Cause:** A row with the given rowid does not exist in any of the tables given

**Action:** check the query for misspellings of table names and the rowid

**ORA-08006: specified row no longer exists**

**Cause:** the row has been deleted by another user since the operation began

**Action:** re-try the operation

**ORA-08007: Further changes to this block by this transaction not allowed**

**Cause:** Max locks have been reached for this transaction in this block

**Action:** Commit changes

**ORA-08008: another instance is mounted with USE\_ROW\_ENQUEUEES = *string***

**Cause:** the shared instance being started does not have the same value for use\_row\_enqueuees as already running instances

**Action:** ensure that all instances' INIT.ORA files specify the same value for the parameter "use\_row\_enqueuees"

**ORA-08100: index is not valid - see trace file for diagnostics**

**Cause:** Validate Index detected an inconsistency in its argument index

**Action:** Send trace file to your customer support representative

**ORA-08101: index key does not exist file *string*: (root *string*, node *string*) blocks (*string*)**

**Cause:** Internal error: possible inconsistency in index

**Action:** Send trace file to your customer support representative, along with information on reproducing the error

**ORA-08102: index key not found, obj# *string*, file *string*, block *string* (*string*)**

**Cause:** Internal error: possible inconsistency in index

**Action:** Send trace file to your customer support representative, along with information on reproducing the error

**ORA-08103: object no longer exists**

**Cause:** The object has been deleted by another user since the operation began, or a prior incomplete recovery restored the database to a point in time during the deletion of the object.

**Action:** Delete the object if this is the result of an incomplete recovery.

**ORA-08104: this index object *string* is being online built or rebuilt**

**Cause:** the index is being created or rebuild or waited for recovering from the online (re)build

**Action:** wait the online index build or recovery to complete

**ORA-08105: Oracle event to turn off smon cleanup for online index build**

**Cause:** set this event only under the supervision of Oracle development

**Action:** debugging only

**ORA-08106: cannot create journal table *string.string***

**Cause:** The online index builder could not create its journal table

---

**Action:** rename your table in conflict or rerun the SQL statement

\* there may be a concurrent online index rebuild on the same object.

**ORA-08108: may not build or rebuild this type of index online**

**Cause:** only support normal index or IOT top-level index

**Action:** change your index type

**ORA-08109: nosort is not a supported option for online index build**

**Cause:** may not specify nosort for online index build

**Action:** get rid of nosort in the index creation command

**ORA-08110: Oracle event to test SMON cleanup for online index build**

**Cause:** Oracle Kernel test only

**Action:** Donot set this event(for test only)

**ORA-08111: a partitioned index may not be coalesced as a whole**

**Cause:** User attempted to coalesce a partitioned index using ALTER INDEX COALESCE statement, which is illegal

**Action:** Coalesce the index a (sub)partition at a time (using ALTER INDEX MODIFY (sub)PARTITION COALESCE)

**ORA-08112: a composite partition may not be coalesced as a whole**

**Cause:** User attempted to coalesce a composite partition

**Action:** Coalesce the index a subpartition at a time (using ALTER INDEX MODIFY SUBPARTITION COALESCE)

**ORA-08113: composite partition index may not be compressed**

**Cause:** User attempted to compress a composite partition index

**Action:** create uncompressed composite partition index

**ORA-08114: can not alter a fake index**

**Cause:** User attempted to alter a fake index

**Action:** drop fake index

**ORA-08115: can not online create/rebuild this index type**

**Cause:** User attempted to create index type that online doesnot support

**Action:** use offline index create/rebuild command

**ORA-08116: can not acquire dml enough lock(S mode) for online index build**

**Cause:** User attempted to create index online without allowing DML Share lock

**Action:** allow DML share lock on the base table

**ORA-08117: Index Organized Table operation released its block pin**

**Cause:** Block maintenance forced the release of a block pin

**Action:** Contact your customer support representative

**ORA-08118: Deferred FK constraints cannot be enforced, index too big (*string*)**

**Cause:** Deferred Foreign Key constraints cannot be enforced due to the index key being too big and built on a non-default DB\_BLOCK\_SIZE.

**Action:** First try to drop the Foreign Key and then the primary key.

---

**ORA-08119: The new initrans will make the index too big**

**Cause:** Specifying the initrans need additional space to hold the index key which might make the index too big

**Action:** Try giving a smaller initrans value

**ORA-08120: Need to create SYS.IND\_ONLINE\$ table in order to (re)build index**

**Cause:** Alter index Build/Rebuild online require existing of SYS.IND\_ONLINE\$ table.

**Action:** User/DBA needs to create sys.ind\_online\$ before alter the index /rdbms/admin/catcio.sql contains script to create ind\_online\$.

**ORA-08121: Number of indexes need to be maintained offline exceeds limit for DML**

**Cause:** Too many indexes needed to be maintained. The limit is 2<sup>16</sup> indexes for each DML statement

**Action:** Make sure the index maintainance is online. If indexes need to be maintained offline, drop some indexes.

**ORA-08122: Online (re)build of index rolled back due to DML conflict**

**Cause:** The online (re)build journal is inconsistent with ongoing DML and cannot be used successfully to complete the online index (re)build.

**Action:** Reissue the online (re)build operation, after performing any cleanup, if needed.

**ORA-08175: discrete transaction restriction violated (*string*)**

**Cause:** An attempt was made to perform an action that is not currently supported in a discrete transaction.

**Action:** Rollback the transaction, and retry it as a normal transaction.

**ORA-08176: consistent read failure; rollback data not available**

**Cause:** Encountered data changed by an operation that does not generate rollback data : create index, direct load or discrete transaction.

**Action:** In read/write transactions, retry the intended operation. Read only transactions must be restarted.

**ORA-08177: can't serialize access for this transaction**

**Cause:** Encountered data changed by an operation that occurred after the start of this serializable transaction.

**Action:** In read/write transactions, retry the intended operation or transaction.

**ORA-08178: illegal SERIALIZABLE clause specified for user INTERNAL**

**Cause:** Serializable mode is not supported for user INTERNAL.

**Action:** Reconnect as another user and retry the SET TRANSACTION command.

**ORA-08179: concurrency check failed**

**Cause:** Encountered data changed by an operation that occurred after a specific snapshot. This is usually used to indicate that a particular cached copy of a datablock is stale. This is used for internal use for now.

**Action:** refresh the cached copy of the datablock and retry operation.

**ORA-08180: no snapshot found based on specified time**

**Cause:** Could not match the time to an SCN from the mapping table.

---

**Action:** try using a larger time.

**ORA-08181: specified number is not a valid system change number**

**Cause:** supplied scn was beyond the bounds of a valid scn.

**Action:** use a valid scn.

**ORA-08182: operation not supported while in Flashback mode**

**Cause:** user tried to do dml or ddl while in Flashback mode

**Action:** disable Flashback and re-attempt the operation

**ORA-08183: Flashback cannot be enabled in the middle of a transaction**

**Cause:** user tried to do Flashback in the middle of a transaction

**Action:** do a commit

**ORA-08184: attempting to re-enable Flashback while in Flashback mode**

**Cause:** as stated above

**Action:** disable first before re-enabling

**ORA-08185: Flashback not supported for user SYS**

**Cause:** user logged on as SYS

**Action:** logon as a different (non SYS) user.

**ORA-08186: invalid timestamp specified**

**Cause:** as stated above

**Action:** enter a valid timestamp

**ORA-08187: snapshot expression not allowed here**

**Cause:** A snapshot expression using AS OF was specified when not allowed.

**Action:** Do not use the AS OF clause

**ORA-08189: cannot flashback the table because row movement is not enabled**

**Cause:** An attempt was made to perform Flashback Table operation on a table for which row movement has not been enabled. Because the Flashback Table does not preserve the rowids, it is necessary that row movement be enabled on the table.

**Action:** Enable row movement on the table

**ORA-08190: restore point *string* is from a different incarnation of the database**

**Cause:** An attempt was made to perform Flashback Table operation using a restore point from a different incarnation of the database

**Action:** Provide a restore point from the current database incarnation

**ORA-08191: Flashback Table operation is not supported on remote tables**

**Cause:** An attempt was made to perform Flashback Table operation on a remote table. This is not permitted.

**Action:** Do not perform a Flashback Table operation on remote tables.

**ORA-08192: Flashback Table operation is not allowed on fixed tables**

**Cause:** An attempt was made to perform Flashback Table operation on a fixed table. This is not permitted.

**Action:** Do not perform a Flashback Table operation on fixed tables.

**ORA-08193: Flashback Table operation is not allowed on temporary tables**

---

**Cause:** An attempt was made to perform Flashback Table operation on a temporary table. This is not permitted.

**Action:** Do not perform a Flashback Table operation on temporary tables.

**ORA-08194: Flashback Table operation is not allowed on materialized views**

**Cause:** An attempt was made to perform Flashback Table operation on a materialized view. This is not permitted.

**Action:** Do not perform a Flashback Table operation on materialized views or snapshot logs.

**ORA-08195: Flashback Table operation is not supported on partitions**

**Cause:** An attempt was made to perform Flashback Table operation on a partition. This is not permitted.

**Action:** Do not perform a Flashback Table operation on partitions.

**ORA-08196: Flashback Table operation is not allowed on AQ tables**

**Cause:** An attempt was made to perform Flashback Table operation on AQ tables. This is not permitted.

**Action:** Do not perform a Flashback Table operation on AQ tables.

**ORA-08197: Flashback Table operation is not supported on clustered tables**

**Cause:** An attempt was made to perform Flashback Table operation on a clustered table. This is not permitted.

**Action:** Do not perform a Flashback Table operation on clustered tables.

**ORA-08198: Flashback Table is not supported on object tables, nested tables**

**Cause:** An attempt was made to perform Flashback Table operation on a object table or a nested table or a table with nested table column. This is not permitted.

**Action:** Do not perform a Flashback Table operation on such tables.

**ORA-08199: Flashback Table operation is not supported on this object**

**Cause:** An attempt was made to perform Flashback Table operation on an object on which the operation is not supported.

**Action:** Do not perform a Flashback Table operation on such objects.

**ORA-08205: ora\_addr: \$ORACLE\_SID not set in environment**

**Cause:** The environment variable ORACLE\_SID is not set.

**Action:** Set the ORACLE\_SID environment variable.

**ORA-08206: ora\_addr: cannot translate address file name**

**Cause:** Cannot translate \$ORACLE\_HOME/dbs/sgadef\$ORACLE\_SID.dbf.

**Action:** Ensure that ORACLE\_HOME and ORACLE\_SID are properly set.

**ORA-08207: ora\_addr: cannot open address file**

**Cause:** The address file could not be opened.

**Action:** Check that ORACLE is up. Check that the file \$(ORACLE\_HOME)/dbs/sgadef\$(ORACLE\_SID).dbf exists and has correct permissions.

**ORA-08208: ora\_addr: cannot read from address file**

**Cause:** The address file could not be read.

**Action:** Check that the file \$(ORACLE\_HOME)/dbs/sgadef\$(ORACLE\_SID).dbf exists and contains a single line of text.

---

**ORA-08209: scngrs: SCN not yet initialized**

**Cause:** The System Commit Number has not yet been initialized.

**Action:** Contact your customer support representative.

**ORA-08210: Requested I/O error**

**Cause:** Oracle requested that an I/O error be returned for this operation.

**Action:** This should not occur in normal Oracle operation. Contact support.

**ORA-08230: smscre: failed to allocate SGA**

**Cause:** The n\_core system call failed, maybe due to insufficient memory.

**Action:** Specify a smaller number of buffers. Check INIT.ORA parameters.

**ORA-08231: smscre: unable to attach to SGA**

**Cause:** The process cannot attach to the SGA. This can happen if either the listener can't attach, or the process cannot communicate with the listener.

**Action:** Verify that the instance is up and running. Contact your customer support representative.

**ORA-08232: smsdes: cannot detach from SGA**

**Cause:** Probably, the listener process has died.

**Action:** Contact your customer support representative.

**ORA-08233: smsdes: cannot unmap SGA**

**Cause:** The n\_core system call failed while detaching from the SGA.

**Action:** Note nCX error returned; contact your customer support representative.

**ORA-08234: smsget: cannot get instance listener address**

**Cause:** The instance listener address cannot be read from the sgadef file.

**Action:** Verify \$(ORACLE\_HOME) and \$(ORACLE\_SID) are set correctly. Additional information gives error return from ora\_addr.

**ORA-08235: smsget: listener not on this node**

**Cause:** A process wishing to attach to the SGA is on a different node from its instance's listener.

**Action:** Verify \$(ORACLE\_HOME) and \$(ORACLE\_SID) are set correctly. Contact your customer support representative.

**ORA-08236: smsget: cannot share subcube with listener**

**Cause:** The n\_share call failed, probably because the listener has died.

**Action:** Check if the listener is running, and contact your customer support representative.

**ORA-08237: smsget: SGA region not yet created**

**Cause:** Attempting to attach to an SGA which has not yet been created.

**Action:** Verify that the instance is running. Contact your customer support representative.

**ORA-08238: smsfre: cannot detach from SGA**

**Cause:** The n\_core system call failed while detaching from the SGA.

**Action:** Check nCX error, and contact your customer support representative.

**ORA-08260: ora\_addr: cannot open nameserver**

---

**Cause:** A process could not connect to the nameserver.

**Action:** Make sure the nameserver is up and running. Additional information gives nameserver's returned status.

**ORA-08261: ora\_addr: cannot find name in nameserver**

**Cause:** The listener nameserver entry for an instance could not be found.

**Action:** Make sure the nameserver is up and running. Additional information gives nameserver's returned status.

**ORA-08263: ora\_addr: cannot free listener address**

**Cause:** The listener nameserver entry could not be freed

**Action:** Additional information gives nameserver's returned status. Contact your customer support representative.

**ORA-08264: ora\_addr: cannot close nameserver**

**Cause:** The connection to the nameserver could not be closed.

**Action:** Additional information gives nameserver's returned status. Contact your customer support representative.

**ORA-08265: create\_ora\_addr: cannot open nameserver**

**Cause:** A process could not connect to the nameserver.

**Action:** Make sure the nameserver is up and running. Additional information gives nameserver's returned status.

**ORA-08266: create\_ora\_addr: cannot register name in nameserver**

**Cause:** The listener's addressing information could not be registered.

**Action:** Make sure the nameserver is up and running. Additional information gives nameserver's returned status.

**ORA-08267: destroy\_ora\_addr: cannot close nameserver**

**Cause:** The connection to the nameserver could not be closed.

**Action:** Additional information gives nameserver's returned status. Contact your customer support representative.

**ORA-08268: create\_ora\_addr: cannot close nameserver**

**Cause:** The connection to the nameserver could not be closed.

**Action:** Additional information gives nameserver's returned status. Contact your customer support representative.

**ORA-08269: destroy\_ora\_addr: cannot destroy name**

**Cause:** The listener's addressing information could not be removed.

**Action:** Additional information gives nameserver's returned status. Contact your customer support representative.

**ORA-08270: sksachk: Illegal archival control string**

**Cause:** Archive files cannot be created with the given archival control string.

**Action:** Check that the volume exists

**ORA-08271: sksabl: Buffer size not large enough for archive control string**

**Cause:** The given archival control string expands into too many characters.

**Action:** Reduce archive control string length.

---

**ORA-08274: Out of memory for environment variable**

**Cause:** There is insufficient memory to return the requested value

**Action:** Reduce memory usage and retry.

**ORA-08275: Environment variable unset**

**Cause:** The requested environment variable is not set

**Action:** Ensure that the variable name requested is correct.

**ORA-08276: No room in nameserver for pid**

**Cause:** There is no room to record the pid for a background process

**Action:** Shutdown abort and restart the database.

**ORA-08277: Cannot set environment variable**

**Cause:** There is insufficient memory to expand the environment.

**Action:** Reduce memory usage and retry.

**ORA-08278: Cannot get CPU statistics**

**Cause:** Could not retrieve CPU times because n\_stat failed.

**Action:** Contact customer support.

**ORA-08308: sllfop: Cannot open file**

**Cause:** Oracle could not open a file.

**Action:** Check the Unix errno returned as additional information.

**ORA-08309: sllfop: Cannot fstat file**

**Cause:** Oracle could not obtain information about an open file.

**Action:** Check the Unix errno returned as additional information.

**ORA-08310: sllfop: Bad value for recsize**

**Cause:** An illegal value for the record size was specified.

**Action:** Specify a value for the recsize option that is greater than 0.

**ORA-08311: sllfop: bad value for maxrecsize**

**Cause:** An illegal value for the maximum record size was specified.

**Action:** Specify a value for the maxrecsize option that is greater than 0.

**ORA-08312: sllfop: unrecognized processing option**

**Cause:** An unrecognized processing option was specified.

**Action:** Check the Oracle for nCUBE 2 User"s Guide for valid options.

**ORA-08313: sllfop: could not allocate buffers**

**Cause:** Memory for the load buffers could not be allocated.

**Action:** Reduce the maximum record size. Eliminate any unnecessary processes on your current node before running SQL\*Loader again.

**ORA-08314: sllfcf: Error closing file**

**Cause:** An error occurred trying to close a file.

**Action:** Check the Unix errno returned as additional information.

**ORA-08315: sllfrb: Error reading file**

**Cause:** An error occurred trying to read from a file.

- 
- Action:** Check the Unix errno returned as additional information.
- ORA-08316: sllfsk: Error seeking in file.**  
**Cause:** The lseek system call returned an error.  
**Action:** Check the Unix errno returned as additional information.
- ORA-08317: sllfsk: Error seeking in file.**  
**Cause:** The lseek system call returned an error.  
**Action:** Check the Unix errno returned as additional information.
- ORA-08318: sllfsk: Error reading file**  
**Cause:** An error occurred trying to read from a file.  
**Action:** Check the Unix errno returned as additional information.
- ORA-08319: sllfsk: Error reading file**  
**Cause:** An error occurred trying to read from a file.  
**Action:** Check the Unix errno returned as additional information.
- ORA-08320: scnget: Call to scnget before scnset or scnfnf.**  
**Cause:** An internal error  
**Action:** Contact your customer support representative.
- ORA-08321: scnmin: NOT IMPLEMENTED YET**  
**Cause:** An internal error  
**Action:** Contact your customer support representative.
- ORA-08322: scnmin: open/convert of bias lock failed**  
**Cause:** A call to the lkmgr failed to open and convert the bias lock  
**Action:** Check to make sure the lkmgr is up.
- ORA-08323: scnmin: close of bias lock failed**  
**Cause:** A call to the lkmgr failed to close the bias lock  
**Action:** Check to make sure the lkmgr is up.
- ORA-08330: Printing not supported**  
**Cause:** An attempt was made to automatically spool a file to the printer  
**Action:** None
- ORA-08331: Wait operation timed out**  
**Cause:** Oracle timed out waiting for an event  
**Action:** Contact your Oracle support representative
- ORA-08332: rollback segment #string specified not available**  
**Cause:** (same as 1545)  
**Action:** (same as 1545). Also, make sure you have created enough rollback segments for the number of instances you are trying to start.
- ORA-08340: This command not allowed on nCUBE, only one thread is ever used.**  
**Cause:** An illegal command was executed for the nCUBE platform.  
**Action:** There is no need to issue this command.

- 
- ORA-08341: On nCUBE, this command can only be executed from instance 1.**  
**Cause:** A command that can only be issued on instance 1 was issued elsewhere.  
**Action:** Log on to instance 1 and repeat the command.
- ORA-08342: sropen: failed to open a redo server connection**  
**Cause:** An error occurred trying to connect to the redo server.  
**Action:** The OS specific error message should tell you what to do.
- ORA-08343: srclose: failed to close a redo server connection**  
**Cause:** An error occurred trying to close the redo server connection.  
**Action:** The OS specific error message should tell you what to do.
- ORA-08344: srapp: failed to send redo data to the redo server**  
**Cause:** An error occurred trying to send redo to the redo server.  
**Action:** The OS specific error message should tell you what to do.
- ORA-08401: invalid compiler name: *string***  
**Cause:** An invalid compiler name <compname> was passed to a UTL\_PG conversion routine.  
**Action:** Correct the compiler name parameter in the PL/SQL code that called the conversion routine.
- ORA-08412: error encountered in WMSGBSIZ, size for WMSGBLK is not big enough for warning message**  
**Cause:** The WMSGBSIZ is the maximum size for warning message block, it is recommended to be 1024 bytes to 8 kbytes.  
**Action:** Defined WMSGBLK of size between 1k to 8k bytes and update the WMSGBSIZ to the sizeof(WMSGBLK).
- ORA-08413: invalid compiler type in FORMAT parameter at *string***  
**Cause:** An invalid compiler type is defined in format control block. The format control block is invalid.  
**Action:** Check to be sure that the format parameter was built by MAKE\_RAW\_TO\_NUMBER\_FORMAT or MAKE\_NUMBER\_TO\_RAW\_FORMAT, and that it was not accidentally overwritten or modified by the PL/SQL procedure.
- ORA-08414: error encountered in *string***  
**Cause:** The function <routine> returned an error. Where <routine> may be: RAW\_TO\_NUMBER\_NUMBER\_TO\_RAW RAW\_TO\_NUMBER\_FORMAT NUMBER\_TO\_RAW\_FORMAT MAKE\_NUMBER\_TO\_RAW\_FORMAT MAKE\_RAW\_TO\_NUMBER\_FORMAT  
**Action:** to take.
- ORA-08429: raw data has invalid digit in display type data**  
**Cause:** The input raw buffer passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine contained invalid data. The picture mask parameter specified a digit, but the corresponding input from the raw data did not contain a valid digit.  
**Action:** Either the input data is incorrect, or the picture mask is incorrect. Correct the appropriate item.
- ORA-08430: raw data missing leading sign**

---

**Cause:** The input raw buffer passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine had no leading sign, but the mask options parameter specified a leading sign.

**Action:** Correct the input raw data or the mask options so that they match.

**ORA-08431: raw data missing zero as defined in picture**

**Cause:** The picture mask parameter passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine contained a zero, but the corresponding input from the raw data was not a zero.

**Action:** Either the input data is incorrect, or the picture mask is incorrect. Correct the appropriate item.

**ORA-08432: raw data has invalid floating point data**

**Cause:** The input raw data passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine contained invalid floating point data.

**Action:** Correct the input raw data.

**ORA-08433: invalid picture type in convert raw to number**

**Cause:** The picture mask parameter passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine contained non-numeric characters, but the conversion was to a numeric data type.

**Action:** Correct the picture mask parameter.

**ORA-08434: raw data has invalid trailing sign**

**Cause:** The input raw buffer passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine had no trailing sign, but the mask options parameter specified a trailing sign.

**Action:** Correct the input raw data or the mask options so that they match.

**ORA-08435: PICTURE MASK missing the leading sign when SIGN IS LEADING specified**

**Cause:** The input MASK passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine had no leading sign, but the mask options parameter specified a leading sign.

**Action:** Correct the input raw data or the mask options so that they match.

**ORA-08436: raw data has invalid sign digit**

**Cause:** The input raw buffer passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine had an invalid sign digit in the position where the picture mask specified a sign.

**Action:** Correct the input raw data or the picture mask so that they match.

**ORA-08437: invalid picture type in picture mask**

**Cause:** The picture mask parameter passed to a UTL\_PG NUMBER\_TO\_RAW conversion routine contained non-numeric characters, but the conversion was to a numeric data type.

**Action:** Correct the picture mask parameter.

**ORA-08440: raw buffer is too short to hold converted data**

**Cause:** The output raw buffer passed to a UTL\_PG NUMBER\_TO\_RAW conversion routine was not large enough to contain the results of the conversion based on the picture mask.

---

**Action:** Increase the raw buffer size to the size necessary to hold the entire result of the conversion.

**ORA-08441: closed parenthesis missing in picture mask**

**Cause:** A closed parenthesis was missing from the picture mask passed to a UTL\_PG conversion routine.

**Action:** Correct the picture mask.

**ORA-08443: syntax error in BLANK WHEN ZERO clause in mask options**

**Cause:** A syntax error was found in the BLANK WHEN ZERO clause in the mask options parameter passed to a UTL\_PG conversion routine. Valid specifications are: BLANK ZERO BLANK ZEROS BLANK ZEROES BLANK WHEN ZERO BLANK WHEN ZEROS BLANK WHEN ZEROES

**Action:** Correct the mask options parameter.

**ORA-08444: syntax error in JUSTIFIED clause in mask options**

**Cause:** A syntax error was found in the JUSTIFIED clause in the mask options parameter passed to a UTL\_PG conversion routine. Valid specifications are: JUST JUST RIGHT JUSTIFIED JUSTIFIED RIGHT

**Action:** Correct the mask options parameter.

**ORA-08445: syntax error in SIGN clause in mask options**

**Cause:** A syntax error was found in the SIGN clause in the mask options parameter passed to a UTL\_PG conversion routine. Valid specifications are: SIGN LEADING SIGN LEADING SEPARATE SIGN LEADING SEPARATE CHARACTER SIGN TRAILING SIGN TRAILING SEPARATE SIGN TRAILING SEPARATE CHARACTER SIGN IS LEADING SIGN IS LEADING SEPARATE SIGN IS LEADING SEPARATE CHARACTER SIGN IS TRAILING SIGN IS TRAILING SEPARATE SIGN IS TRAILING SEPARATE CHARACTER

**Action:** Correct the mask options parameter.

**ORA-08446: syntax error in SYNCHRONIZED clause in mask options**

**Cause:** A syntax error was found in the SYNCHRONIZED clause in the mask options parameter passed to a UTL\_PG conversion routine. Valid specifications are: SYNC SYNC LEFT SYNC RIGHT SYNCHRONIZED SYNCHRONIZED LEFT SYNCHRONIZED RIGHT

**Action:** Correct the mask options parameter.

**ORA-08447: syntax error in USAGE clause in mask options**

**Cause:** A syntax error was found in the USAGE clause in the mask options parameter passed to a UTL\_PG conversion routine. Valid specifications are: USAGE DISPLAY USAGE COMP USAGE COMP-3 USAGE COMP-4 USAGE COMPUTATIONAL USAGE COMPUTATIONAL-3 USAGE COMPUTATIONAL-4 USAGE IS DISPLAY USAGE IS COMP USAGE IS COMP-3 USAGE IS COMP-4 USAGE IS COMPUTATIONAL USAGE IS COMPUTATIONAL-3 USAGE IS COMPUTATIONAL-4

**Action:** Correct the mask options parameter.

**ORA-08448: syntax error in DECIMAL-POINT environment clause**

**Cause:** A syntax error was found in the DECIMAL-POINT environment clause parameter passed to a UTL\_PG conversion routine. Valid specifications are: DECIMAL-POINT IS COMMA

**Action:** Correct the environment clause parameter.

---

**ORA-08449: invalid numeric symbol found in picture mask**

**Cause:** An invalid numeric symbol was found in the picture mask parameter passed to a UTL\_PG conversion routine.

**Action:** Correct the picture mask parameter.

**ORA-08450: invalid specification of CR in picture mask**

**Cause:** The CR suffix was incorrectly specified in the picture mask parameter passed to a UTL\_PG conversion routine. The CR suffix can only appear at the end of a picture mask.

**Action:** Correct the picture mask parameter.

**ORA-08451: invalid specification of DB in picture mask**

**Cause:** The DB suffix was incorrectly specified in the picture mask parameter passed to a UTL\_PG conversion routine. The DB suffix can only appear at the end of a picture mask.

**Action:** Correct the picture mask parameter.

**ORA-08452: specification of E in picture mask is unsupported**

**Cause:** The floating point exponent symbol "E" was specified in the picture mask parameter passed to a UTL\_PG conversion routine. The floating point data type is currently not supported by the UTL\_PG conversion routines.

**Action:** Correct the picture mask parameter, and the data, if necessary.

**ORA-08453: more than one V symbol specified in picture mask**

**Cause:** The picture mask passed to a UTL\_PG conversion routine contained more than one decimal point indicator ("V"). Only one decimal point indicator is allowed in the picture mask.

**Action:** Correct the picture mask parameter.

**ORA-08454: more than one S symbol specified in picture mask**

**Cause:** The picture mask passed to a UTL\_PG conversion routine contained more than one operational sign indicator ("S"). Only one operational sign indicator is allowed in the picture mask.

**Action:** Correct the picture mask parameter.

**ORA-08455: syntax error in CURRENCY SIGN environment clause**

**Cause:** A syntax error was found in the CURRENCY SIGN environment clause parameter passed to a UTL\_PG conversion routine. Valid specifications are: CURRENCY SIGN IS x where x is a valid currency sign

**Action:** Correct the environment clause parameter.

**ORA-08456: no sign in picture mask but SIGN clause in mask options**

**Cause:** The picture mask parameter passed to a UTL\_PG conversion routine contained no sign symbol ("S", "+", or "-"), but the mask options parameter contained a SIGN clause. A sign symbol is required in the picture mask parameter when the mask options parameter contains a SIGN clause.

**Action:** Correct the picture mask parameter or the mask options parameter.

**ORA-08457: syntax error in SEPARATE CHARACTER option of SIGN clause**

**Cause:** A syntax error was found in the SEPARATE CHARACTER option of the SIGN clause in the mask options parameter passed to a UTL\_PG conversion routine. Valid specifications are: SEPARATE SEPARATE CHARACTER

---

**Action:** Correct the mask options parameter.

**ORA-08458: invalid format parameter**

**Cause:** The format parameter passed to a UTL\_PG conversion routine was invalid. The format parameter should have been built by a prior call to either MAKE\_RAW\_TO\_NUMBER\_FORMAT or MAKE\_NUMBER\_TO\_RAW\_FORMAT.

**Action:** Check to be sure that the format parameter was built by MAKE\_RAW\_TO\_NUMBER\_FORMAT or MAKE\_NUMBER\_TO\_RAW\_FORMAT, and that it was not accidentally overwritten or modified by the PL/SQL procedure.

**ORA-08459: invalid format parameter length**

**Cause:** The format parameter passed to a UTL\_PG conversion routine was not the correct length. Format parameters must be 2048 bytes in length.

**Action:** Check to be sure that the format parameter was built by MAKE\_RAW\_TO\_NUMBER\_FORMAT or MAKE\_NUMBER\_TO\_RAW\_FORMAT, and that it was not accidentally overwritten or modified by the PL/SQL procedure.

**ORA-08460: invalid environment clause in environment parameter**

**Cause:** The environment parameter passed to a UTL\_PG conversion routine contained an unsupported or invalid environment clause. Only the CURRENCY SIGN and the DECIMAL-POINT IS COMMA environment clauses are supported.

**Action:** Correct the environment parameter.

**ORA-08462: raw buffer contains invalid decimal data**

**Cause:** The input raw buffer passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine contains invalid decimal data.

**Action:** Correct the input data.

**ORA-08463: overflow converting decimal number to Oracle number**

**Cause:** The output variable passed to a UTL\_PG RAW\_TO\_NUMBER was not large enough to hold the Oracle number resulting from the input decimal number.

**Action:** Be sure that the input decimal number is valid, and be sure that the output variable is large enough to hold the Oracle number value.

**ORA-08464: input raw decimal data contains more than 42 digits**

**Cause:** The input raw buffer passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine contained more than 42 digits. This exceeds the maximum size of an Oracle number.

**Action:** Correct the raw input buffer.

**ORA-08465: input mask contains more than 32 characters**

**Cause:** The input mask passed to UTL\_PG numeric conversion routine contained more than 32 characters.

**Action:** Correct the mask input buffer.

**ORA-08466: raw buffer length *string* is too short for *string***

**Cause:** The input raw buffer passed to a UTL\_PG RAW\_TO\_NUMBER conversion routine was less than %s bytes long, but the picture mask parameter specified that %s bytes of input data were to be converted.

**Action:** Either the input data is incorrect, or the picture mask is incorrect. Correct the appropriate item.

---

**ORA-08467: error converting Oracle number to *string***

**Cause:** An error occurred when converting an Oracle number to a COBOL <type> of: DISPLAY COMP-3 or character variable. The Oracle number was not in the correct format.

**Action:** Correct the call to the conversion routine. The input must be a valid Oracle number variable.

**ORA-08468: mask option *string* is not supported**

**Cause:** The mask option <clause> was passed to a UTL\_PG conversion routine, but is not supported by UTL\_PG. The <clause> can be: USAGE IS POINTER USAGE IS INDEX USAGE IS COMP-1 USAGE IS COMP-2 POINTER

**Action:** Remove the <clause> from the mask options parameter in the PL/SQL call to UTL\_PG.

**ORA-08469: must use the SIGN IS SEPARATE clause in mask options**

**Cause:** A signed numeric entry with DISPLAY usage was converted using a non-defaulted character set and its PICTURE character-string contains an S. In these circumstances, a SIGN IS SEPARATE clause must be specified in the mask options.

**Action:** Either specify a valid SIGN IS SEPARATE clause in the mask options, use the defaulted character set, or don't specify an S in the PICTURE character-string.

**ORA-08498: Warning: picture mask "*string*" overrides picture mask option "USAGE IS *string*" to "USAGE IS DISPLAY"**

**Cause:** Picture mask USAGE option was overridden by the picture mask.

**Action:** This is an informational message only. The message may be eliminated by changing the USAGE option to match the picture mask.

**ORA-08499: Warning: picture mask options "*string*" ignored by UTL\_PG**

**Cause:** Picture mask options such as OCCUR, SYNC and others are not processed by the UTL\_PG numeric conversion routines.

**Action:** This is an informational message only. The message may be eliminated by removing the unnecessary picture mask options from the parameter list passed to the UTL\_PG routine.

**ORA-09200: sfccf: error creating file**

**Cause:** Could be out of disk space

**Action:** See OSD error accompanying this message

**ORA-09201: sfcopy: error copying file**

**Cause:** Block sizes may not match

**Action:** See OSD error accompanying this message

**ORA-09202: sfifi: error identifying file**

**Cause:** db\_block\_size specified in init.ora could be incorrect

**Action:** See OSD error accompanying this message

**ORA-09203: sfofi: error opening file**

**Cause:** File attributes may have changed

**Action:** See OSD error accompanying this message

**ORA-09204: sfof: error opening temporary file**

- 
- Cause:** Incorrect path may have been specified for the file  
**Action:** See OSD error accompanying this message
- ORA-09205: sfqio: error reading or writing to disk**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09206: sfrfb: error reading from file**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09207: sfsrd: error reading from file**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09208: sftcls: error closing file**  
**Cause:** File may have been corrupted  
**Action:** See OSD error accompanying this message
- ORA-09209: sftget: error reading from file**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09210: sftopn: error opening file**  
**Cause:** Incorrect path may have been specified for the file  
**Action:** See OSD error accompanying this message
- ORA-09211: sfwfb: error writing to file**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09212: sfwfbmt: error writing to file**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09213: slgfn: error fabricating file name**  
**Cause:** Filename may be too long  
**Action:** See OSD error accompanying this message
- ORA-09214: sfdone: I/O error detected**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09215: sfqio: error detected in IOCompletionRoutine**  
**Cause:** File may have been truncated or corrupted  
**Action:** See OSD error accompanying this message
- ORA-09216: sdnfy: bad value "string" for parameter string**  
**Cause:** The directory specified as the value for the stated parameter could not be used.

---

**Action:** Make sure the directory you have specified is a valid directory/file specification.

**ORA-09217: sfsfs: failed to resize file**

**Cause:** Could be out of disk space

**Action:** See OSD error accompanying this message

**ORA-09218: sfrfs: failed to refresh file size**

**Cause:** File may be corrupted or truncated

**Action:** See OSD error accompanying this message

**ORA-09240: smpalo: error allocating PGA memory**

**Cause:** Could be out of memory

**Action:** See OSD error accompanying this message

**ORA-09241: smsalo: error allocating SGA memory**

**Cause:** Could be out of memory

**Action:** See OSD error accompanying this message

**ORA-09243: smsget: error attaching to SGA**

**Cause:** SGA may not have been created (database not started)

**Action:** See OSD error accompanying this message

**ORA-09260: sigpidu: error obtaining process id**

**Cause:** May be out of resources

**Action:** See OSD error accompanying this message

**ORA-09261: spdcr: error creating detached (background) process**

**Cause:** Could be out of resources

**Action:** See OSD error accompanying this message

**ORA-09262: spdde: error terminating detached (background) process**

**Cause:** Could be out of resources

**Action:** See OSD error accompanying this message

**ORA-09263: spini: error initializing process**

**Cause:** Could be out of memory

**Action:** See OSD error accompanying this message

**ORA-09264: sptpa: error flagging process**

**Cause:** Could be out of resources

**Action:** See OSD error accompanying this message

**ORA-09265: spwat: error temporarily suspending process**

**Cause:** Could be out of resources

**Action:** See OSD error accompanying this message

**ORA-09266: spawn: error starting an Oracle process**

**Cause:** Could be out memory

**Action:** See OSD error accompanying this message

- 
- ORA-09270: szalloc: error allocating memory for security**  
**Cause:** Could be out of memory  
**Action:** See OSD error accompanying this message
- ORA-09271: szlon: error verifying user name**  
**Cause:** Username may be too long  
**Action:** See OSD error accompanying this message
- ORA-09272: remote os logon is not allowed**  
**Cause:** Remote os login attempted when not allowed.  
**Action:** See OSD error accompanying this message
- ORA-09273: szrfc: error verifying role name**  
**Cause:** An OS error was returned when verifying the role name.  
**Action:** See OSD error accompanying this message
- ORA-09274: szrfc: insufficient role name buffer space**  
**Cause:** An OS role name was too long.  
**Action:** See OSD error accompanying this message
- ORA-09275: CONNECT INTERNAL is not a valid DBA connection**  
**Cause:** CONNECT INTERNAL is no longer supported for DBA connections.  
**Action:** Please try to connect AS SYSDBA or AS SYSOPER.
- ORA-09276: All bequeath database links must be loopback database links**  
**Cause:** A non-loopback bequeath connect string was supplied for a database link.  
**Action:** Please use a connect string with a different transport protocol, or specify a loopback connect string (one that points to the instance for the current session) using "(PROGRAM=<this instance's ORACLE\_HOME>/bin/oracle)" and, optionally, "(ENV=<this instance's ORACLE\_SID>=<this instance's ORACLE\_SID>)".
- ORA-09280: sllfcf: error closing file**  
**Cause:** File may be corrupted  
**Action:** See OSD error accompanying this message
- ORA-09281: sllfop: error opening file**  
**Cause:** Possibly incorrect path specified to the file  
**Action:** See OSD error accompanying this message
- ORA-09282: sllfrb: error reading records**  
**Cause:** File could be corrupted  
**Action:** See OSD error accompanying this message
- ORA-09283: sllfsk: error skipping records**  
**Cause:** File could be corrupted  
**Action:** See OSD error accompanying this message
- ORA-09284: sllfop: cannot allocate read buffer**  
**Cause:** malloc() system call returned an error. The system might have run out of heap space  
**Action:** Check additional information for the OS error.

- 
- ORA-09285: sllfop: unrecognizable processing option, incorrect format**  
**Cause:** Processing option passed is of incorrect format  
**Action:** Consult your IUG for permissible formats
- ORA-09290: sksaalo: error allocating memory for archival**  
**Cause:** Could be out of memory  
**Action:** See OSD error accompanying this message
- ORA-09291: sksachk: invalid device specified for archive destination**  
**Cause:** Unable to access directory  
**Action:** Specify a valid device in ARCHIVE control string
- ORA-09292: sksabln: unable to build archive file name**  
**Cause:** Bad directory or format specified  
**Action:** Specify a valid directory in "log\_archive\_format" and a valid format string in "log\_archive\_format" in init.ora
- ORA-09293: sksasmo: unable to send message to console**  
**Cause:** An error was returned while attempting to send a message to the console operator  
**Action:** See OSD error accompanying this message
- ORA-09300: osncon: unable to connect, DPMI not available**  
**Cause:** Unable to detect the presence of DPMI  
**Action:** Restart Windows and retry
- ORA-09301: osncon: local kernel only supported in standard mode**  
**Cause:** An attempt was made to connect to S: while in enhanced mode  
**Action:** Restart Windows in standard mode
- ORA-09310: sclgt: error freeing latch**  
**Cause:** Internal error  
**Action:** See OSD error accompanying this message
- ORA-09311: slsleep: error temporarily suspending process**  
**Cause:** May be out of resources  
**Action:** See OSD error accompanying this message
- ORA-09312: slspool: error spooling file to printer**  
**Cause:** Could be out of resources  
**Action:** See OSD error accompanying this message
- ORA-09313: slsprom: error prompting user**  
**Cause:** May be out of resources  
**Action:** See OSD error accompanying this message
- ORA-09314: sltln: error translating logical name**  
**Cause:** Internal buffer may have overflowed  
**Action:** See OSD error accompanying this message
- ORA-09315: sql2tt: two-task error translating ORACLE\_EXECUTABLE**

- 
- Cause:** Internal error  
**Action:** See OSD error accompanying this message
- ORA-09316: szrpc: unable to verify password for role**  
**Cause:** OS roles may not be supported for this platform  
**Action:** See OSD error accompanying this message
- ORA-09317: szprv: insufficient privileges**  
**Cause:** The password specified is invalid  
**Action:** See OSD error accompanying this message
- ORA-09318: slkhst: unable to host out to operating system**  
**Cause:** There might not be enough memory for the command or hosting out may not be supported on this platform  
**Action:** See OSD error accompanying this message
- ORA-09319: slgtd: unable to obtain the current date and time**  
**Cause:** The system time might be set incorrectly  
**Action:** See OSD error accompanying this message
- ORA-09320: szrfc: unable to obtain the list of valid OS roles**  
**Cause:** OS roles may not be supported on this platform  
**Action:** See OSD error accompanying this message
- ORA-09321: slzdtb: unable to convert zoned decimal to binary**  
**Cause:** internal error  
**Action:** See OSD error accompanying this message
- ORA-09322: slpdtb: unable to convert packed decimal to binary**  
**Cause:** internal error  
**Action:** See OSD error accompanying this message
- ORA-09330: Session terminated internally by Oracle or by an Oracle DBA**  
**Cause:** Oracle to terminate that session after about a minute. This message also appears in the trace file if a shutdown abort is performed.  
**Action:** None
- ORA-09340: Specified ORACLE\_SID is either invalid or too long**  
**Cause:** ORACLE\_SID must be at the most 4 alphanumeric characters.  
**Action:** None
- ORA-09341: scumnt: unable to mount database**  
**Cause:** Another instance is currently mounting the database  
**Action:** None
- ORA-09342: Detached process terminated by Oracle during shutdown abort**  
**Cause:** The user performed a shutdown abort.  
**Action:** None
- ORA-09344: spsig: error signalling thread**  
**Cause:** This function may not be implemented.

---

**Action:** None

**ORA-09350: Windows 32-bit Two-Task driver unable to allocate context area**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09351: Windows 32-bit Two-Task driver unable to allocate shared memory**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09352: Windows 32-bit Two-Task driver unable to spawn new ORACLE task**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09353: Windows 32-bit Two-Task driver unable to open event semaphore**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09354: Windows 32-bit Two-Task driver: ORACLE task unexpectedly died**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09360: Windows 3.1 Two-Task driver unable to allocate context area**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09361: Windows 3.1 Two-Task driver unable to lock context area**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09362: Windows 3.1 Two-Task driver unable to deallocate context area**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09363: Windows 3.1 Two-Task driver invalid context area**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09364: Windows 3.1 Two-Task driver unable to create hidden window**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09365: Windows 3.1 Two-Task driver unable to destroy hidden window**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09366: Windows 3.1 Two-Task driver unable to allocate shared memory**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09367: Windows 3.1 Two-Task driver unable to deallocate shared memory**

---

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09368: Windows 3.1 Two-Task driver unable to spawn ORACLE**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09369: Windows 3.1 Two-Task driver bad instance handle**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09370: Windows 3.1 Two-Task driver ORACLE task timed out**

**Cause:** See OSD error accompanying this message

**Action:** None

**ORA-09700: sclin: maximum number of latches exceeded**

**Cause:** ORACLE wants to use more latches than available.

**Action:** increase INIT.ORA parameter latch\_pages or decrease the amount of shared memory you are using.

**ORA-09701: scnfy: maximum number of processes exceeded**

**Cause:** PROCESSES INIT.ORA parameter exceeded.

**Action:** Decrease the PROCESSES parameter and restart.

**ORA-09702: sem\_acquire: cannot acquire latch semaphore**

**Cause:** The semaphore used for accessing latches could not be seized

**Action:** Send trace file to your customer support representative, along with information on reproducing the error.

**ORA-09703: sem\_release: cannot release latch semaphore**

**Cause:** The semaphore used for accessing latches could not be released

**Action:** Send trace file to your customer support representative, along with information on reproducing the error.

**ORA-09704: sstascre: ftok error in creating test and set pages.**

**Cause:** the ftok() library call failed in sstascre().

**Action:** Verify that tasdef@.dbf file exists. If it does then this is a possible system failure. Perhaps System V compatibility is not enabled.

**ORA-09705: spcre: cannot initialize latch semaphore**

**Cause:** The semaphore used for accessing latches could not be initialized

**Action:** Send trace file to your customer support representative, along with information on reproducing the error.

**ORA-09706: slsget: get\_process\_stats error.**

**Cause:** get\_process\_stats system call returned an error. Possible OS error.

**Action:** Check additional information returned. Look for information in OS reference. Contact customer support.

**ORA-09708: soacon: failed to bind socket to port.**

**Cause:** The bind system call failed on the socket.

- 
- Action:** Check additional information for OS error. Try connecting again.
- ORA-09709: soacon: failed to accept a connection.**  
**Cause:** The accept system call failed on the socket.  
**Action:** Check additional information for OS error. Try connecting again.
- ORA-09710: soarcv: buffer overflow.**  
**Cause:** The internal buffer is not big enough to hold the message read.  
**Action:** Internal error. Contact customer support representative.
- ORA-09711: orasrv: archmon already connected.**  
**Cause:** An existing connection has already been made from archmon to orasrv.  
**Action:** Stop trying to connect.
- ORA-09712: orasrv: log archiver already connected.**  
**Cause:** An existing connection has already been made from log archiver to orasrv.  
**Action:** Stop trying to connect.
- ORA-09714: Two Task interface: cannot obtain puname**  
**Cause:** The TXIPC driver cannot obtain the name of the PU. (Possible OS error)  
**Action:** Check if the PUs are named (consistend).
- ORA-09715: orasrv: cannot obtain puname**  
**Cause:** Orasrv cannot obtain the name of the PU. (Possible OS error)  
**Action:** Check if the PUs are named (consistend).
- ORA-09716: kslcll: Unable to fix in-flux lampport latch.**  
**Cause:** One Oracle process died while still holding a lampport latch.  
**Action:** Exit (kill) all Oracle user processes. Shutdown (abort) and restart Oracle RDBMS kernel.
- ORA-09717: osnsui: maximum number of user interrupt handlers exceeded.**  
**Cause:** The internal limit on the number of user interrupt handlers has been exceeded.  
**Action:** Reduce the number of simulataneous logons or reduce the number of user interrupt handlers.
- ORA-09718: osnsui: cannot set up user interrupt handler.**  
**Cause:** Malloc() failed to allocate space to hold user interrupt handler.  
**Action:** Possible memory resource shortage.
- ORA-09719: osncui: invalid handle.**  
**Cause:** The handle passed to osncui is out of the valid range.  
**Action:** Use a valid handle.
- ORA-09740: slsget: cannot get virtual memory region statistics.**  
**Cause:** The vm\_region system call failed to get virual memory region statistics.  
**Action:** Check return code in sercerrno. Possible operating system failure.
- ORA-09741: spwat: error waiting for a post.**  
**Cause:** Msg\_receive system call returned an error. Internal error.

---

**Action:** Check return code in `sercerrno`. Port name is returned in `sercose[0]`.

**ORA-09742: sppst: error during a post.**

**Cause:** `Msg_send` system call returned an error. Internal error.

**Action:** Check return code in `sercerrno`. Port name is returned in `sercose[0]`.

**ORA-09743: smscre: could not attach shared memory.**

**Cause:** The `mmap` or `write` system call returned an error. Internal error.

**Action:** Contact Oracle support.

**ORA-09744: smsget: mmap returned an error.**

**Cause:** The `mmap` system call returned an error. Internal error.

**Action:** Contact Oracle support.

**ORA-09745: smscre: vm\_allocate error, unable to create shared memory.**

**Cause:** Error in system call `vm_allocate`. Failed to create SGA as a single shared memory segment.

**Action:** Check result code returned in `sercerrno`. Verify that the SGA attach address is valid.

**ORA-09746: smscre: shared memory attach address incorrect.**

**Cause:** The `vm_allocate` system call attached the SGA at an incorrect location.

**Action:** Verify that the SGA attach address is valid.

**ORA-09747: pws\_detachPorts: server call pws\_detach failed.**

**Cause:** The call `pws_detach` to (Oracle helper) failed.

**Action:** Make sure the server is still active. Check the error code returned in `sercerrno`, and look for error messages in the server log file.

**ORA-09748: pws\_look\_up: fork failed**

**Cause:** The `pws_look_up` call could not fork the (Oracle helper) process.

**Action:** Verify that there are enough system resources to support another process. The user or system process limit may have been exceeded, or the amount of free memory or swap space may be temporarily insufficient.

**ORA-09749: pws\_look\_up: port lookup failure**

**Cause:** The `pws_look_up` could not find a port to (Oracle helper).

**Action:** Make sure the (Oracle helper) server has been started correctly by `pws_look_up`, and that the network name server is still running.

**ORA-09750: pw\_attachPorts: port\_rename failed.**

**Cause:** The `port_rename` system call failed; possible internal error.

**Action:** Check return code in `sercerrno`, report to Oracle customer support.

**ORA-09751: pw\_attachPorts: server call pws\_attach failed.**

**Cause:** The call `pws_attach` to (Oracle helper) failed.

**Action:** Make sure the server is still active. Check the error code returned in `sercerrno`, and look for error messages in the server log file.

**ORA-09752: pw\_attachPorts: port\_allocate failed.**

**Cause:** The `port_allocate` system call failed; possible resource exhaustion.

**Action:** Check return code in `sercerrno`, report to Oracle customer support.

---

**ORA-09753: spwat: invalid process number.**

**Cause:** Function was passed an invalid oracle process id.

**Action:** Internal error. Additional information indicates the invalid process id.

**ORA-09754: sppst: invalid process number passed to sppst.**

**Cause:** Function was passed an invalid oracle process id.

**Action:** Internal error. Contact Oracle support.

**ORA-09755: osngpn: port allocation failure.**

**Cause:** The port\_allocate system call failed.

**Action:** Possible system resource shortage; check the error code in sercerno.

**ORA-09756: osnpns: no port in the name server.**

**Cause:** osnpns could not find the given named port in the name server.

**Action:** Check the error code in sercerno. Make sure the shadow process and network name server are still running.

**ORA-09757: osnipn: port allocation failure.**

**Cause:** The port\_allocate system call failed.

**Action:** Possible system resource shortage; check the error code in sercerno.

**ORA-09758: osnipn: could not check port in name server.**

**Cause:** The netname\_check\_in call failed.

**Action:** Check the error code in sercerno. Make sure the network name server is running.

**ORA-09759: osnsbt: bad message received.**

**Cause:** The msg\_receive system call failed, or received a bad message.

**Action:** Internal error. Report the error code returned in sercerno.

**ORA-09760: osnpui: cannot send break message**

**Cause:** The Pipe driver could not send a break message to the ORACLE shadow process break thread.

**Action:** Contact your customer support representative.

**ORA-09761: pw\_destroyPorts: server call pws\_stop\_instance failed.**

**Cause:** The call pws\_stop\_instance to (Oracle helper) failed.

**Action:** Make sure the server is still active. Check the error code returned in sercerno, and look for error messages in the server log file.

**ORA-09762: sNeXT\_instanceName: translation error.**

**Cause:** A failure was detected while translating the value of ORACLE\_SID.

**Action:** Make sure ORACLE\_SID is defined, and that it is of legal length.

**ORA-09763: osnmpx: send/receive error exchanging Mach ports.**

**Cause:** The Mach driver failed to exchange port information with the other side of the connection. Either msg\_send (sercose[0] == 1) or msg\_receive (sercose[0] == 2) failed.

**Action:** Check return code in sercerno. Make sure both sides of the connection are still running.

**ORA-09764: osnmop: access error on oracle executable**

---

**Cause:** The Mach driver could not access the oracle executable.

**Action:** Check the permissions on the ORACLE executable and each component of the ORACLE\_HOME/bin path.

**ORA-09765: osnmop: fork failed**

**Cause:** The Mach driver could not fork the oracle shadow process.

**Action:** Verify that there are enough system resources to support another process. The user or system process limit may have been exceeded, or the amount of free memory or swap space may be temporarily insufficient.

**ORA-09766: osnmop: buffer allocation failure.**

**Cause:** The Mach driver failed to allocate enough vm space for its I/O buffers.

**Action:** Decrease the value of buffer\_size parameter in the Two-Task driver hoststring.

**ORA-09767: osnmfs: bad return code from msg\_send.**

**Cause:** The msg\_send system call failed while flushing the Mach driver's send buffer.

**Action:** Internal error. Contact your customer support representative.

**ORA-09768: osnmgetmsg: could not read a message**

**Cause:** The msg\_receive system call returned a failure code while waiting for a message in the Mach driver.

**Action:** Internal error. Contact your customer support representative.

**ORA-09769: osnibr: cannot send break message**

**Cause:** The Mach driver could not send a break message to the ORACLE shadow process break thread.

**Action:** Internal error. Contact your customer support representative.

**ORA-09770: pws\_look\_up: translation failure.**

**Cause:** The pws\_look\_up routine failed to translate the name of the (Oracle helper) executable.

**Action:** Make sure ORACLE\_SID and ORACLE\_HOME are set and correct. Additional information gives the translation error code.

**ORA-09771: osnmwrtbrkmsg: bad return code from msg\_send.**

**Cause:** The msg\_send system call failed while sending a Mach driver break.

**Action:** Internal error. Contact your customer support representative.

**ORA-09772: osnmetbrkmsg: message from host had incorrect message type**

**Cause:** The Mach driver received a message having an unrecognizable message type.

**Action:** Internal error. Contact your customer support representative.

**ORA-09773: osnmgetdatmsg: message from host had incorrect message type**

**Cause:** The Mach driver received a message having an unrecognizable message type.

**Action:** Internal error. Contact your customer support representative.

**ORA-09774: osnmui: cannot send break message**

---

**Cause:** The Mach driver could not send a break message to the ORACLE shadow process break thread.

**Action:** Internal error. Contact your customer support representative.

**ORA-09775: osnmrs: reset protocol error**

**Cause:** The Mach two-task driver could not reset the connection.

**Action:** Internal error. Contact your customer support representative.

**ORA-09776: pws\_look\_up: access error on (Oracle helper) executable**

**Cause:** The pws\_look\_up call could not access the (Oracle helper) executable.

**Action:** Check the permissions on the (Oracle helper) executable and each component of the ORACLE\_HOME/bin path.

**ORA-09777: osnpbr: cannot send break message**

**Cause:** The pipe driver could not send a break message to the ORACLE shadow process break thread.

**Action:** Internal error. Contact your customer support representative.

**ORA-09778: snyfyport: failure allocating the notify port.**

**Cause:** The routine failed to allocate or set the task's notify port.

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09779: snyGetPort: failure to allocate a port.**

**Cause:** The port\_allocate system call failed; system resources might be exhausted.

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09786: sllfop: open error, unable to open file.**

**Cause:** Open system call returned an error.

**Action:** Check errno.

**ORA-09787: sllfop: unrecognizable processing option, incorrect format.**

**Cause:** Processing option passed is of incorrect format.

**Action:** Consult your IUG for permissible formats.

**ORA-09788: sllfrb: unable to read file.**

**Cause:** Read system call returned an error.

**Action:** Check errno. Verify file exists.

**ORA-09789: sllfsk: unable to read file.**

**Cause:** Read system call returned an error.

**Action:** Check errno. Verify file exists.

**ORA-09790: sllfcf: unable to close file.**

**Cause:** Close system call returned an error.

**Action:** Check errno.

**ORA-09791: slembdf: translation error, unable to translate error file name.**

**Cause:** Additional information indicates error returned from sltln.

**Action:** Check additional information.

**ORA-09792: sllfop: cannot allocate read buffer.**

---

**Cause:** Malloc system call returned an error. The system might have run out of heap space.

**Action:** Check additional information for the OS error.

**ORA-09793: szguns: length of user name is greater than buffer.**

**Cause:** The length of the name of the user being looked up is longer than size of the buffer provided by the calling routine.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-09794: szrbuid: length of role name is greater than buffer.**

**Cause:** The length of the name of the role being looked up is longer than size of the buffer provided by the calling routine.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-09795: szrbuid: malloc of role structure failed.**

**Cause:** The allocation of memory for an internal structure used to hold a role descriptor failed.

**Action:** Check the UNIX error number for a possible operating system failure.

**ORA-09796: szrbuid: malloc of role name failed.**

**Cause:** The allocation of memory for an internal buffer used to hold the name of a role failed.

**Action:** Check the UNIX error number for a possible operating system failure.

**ORA-09797: Failed to get O/S MAC privileges.**

**Cause:** The operating system would not allow the retrieval of this process" privileges.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services.

**ORA-09798: Label comparison failed.**

**Cause:** The comparison of two binary labels failed.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services.

**ORA-09799: File label retrieval failed.**

**Cause:** ORACLE was unable to get a label attached to a file.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services.

**ORA-09800: Process sensitivity label retrieval failed.**

**Cause:** ORACLE was unable to get the sensitivity label for a process.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services.

**ORA-09801: Unable to get user ID from connection**

**Cause:** ORACLE was unable to retrieve the user"s ID number from the SQL\*Net connection.

**Action:** Check the UNIX error number for a possible operating system error. Also check the "additional information" field for the SQL\*Net error. If there is no error, contact Oracle Support Services.

---

**ORA-09802: Conversion of binary label to string failed.**

**Cause:** ORACLE was unable to convert a binary label to a string.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services.

**ORA-09803: Allocation of string buffer failed.**

**Cause:** a buffer used to hold the name of the file for which a label was to be obtained could not be allocated.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services. The number of bytes that ORACLE attempted to allocate is in the "Additional Information" field.

**ORA-09804: Class conversion from binary to ORACLE failed.**

**Cause:** ORACLE was unable to convert a class component from binary format to ORACLE format.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services.

**ORA-09805: conversion of category number to string failed.**

**Cause:** ORACLE was unable to translate a category number to its corresponding string representation failed.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services. The category number is contained in the "Additional information" field.

**ORA-09806: Allocation of label string buffer failed.**

**Cause:** a temporary buffer used to hold a label could not be allocated.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services. The number of bytes that ORACLE attempted to allocate is in the "Additional Information" field.

**ORA-09807: Conversion of label from string to binary failed.**

**Cause:** ORACLE was unable to convert the string representation of a label to binary format.

**Action:** Re-enter a valid label.

**ORA-09808: Could not obtain user clearance.**

**Cause:** ORACLE was unable to get a user's clearance level.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact Oracle Support Services.

**ORA-09809: Unable to get user's group ID from connection**

**Cause:** ORACLE was unable to retrieve the user's group ID number from the SQL\*Net connection.

**Action:** Check the UNIX error number for a possible operating system error. Also check the "additional information" field for the SQL\*Net error. If there is no error, contact Oracle Support Services.

**ORA-09810: Unable to get process ID from connection**

**Cause:** ORACLE was unable to retrieve the user's process ID number from the SQL\*Net connection.

---

**Action:** Check the UNIX error number for a possible operating system error. Also check the "additional information" field for the SQL\*Net error. If there is no error, contact Oracle Support Services.

**ORA-09811: Unable to initialize package.**

**Cause:** ORACLE was unable to initialize the library used to obtain security information.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-09812: Unable to get user clearance from connection**

**Cause:** ORACLE was unable to retrieve the user's operating system session clearance from the SQL\*Net connection.

**Action:** Check the UNIX error number for a possible operating system error. Also check the "additional information" field for the SQL\*Net error. If there is no error, contact Oracle Support Services.

**ORA-09813: Unable to get directory status**

**Cause:** ORACLE was unable to determine if a directory is multilevel.

**Action:** Check the UNIX error number for a possible operating system error. If there is no error, contact Oracle Support Services.

**ORA-09814: Unable to expand file name**

**Cause:** ORACLE was unable to expand the name of a file that resides in multilevel directory.

**Action:** Check the UNIX error number for a possible operating system error. If there is no error, contact Oracle Support Services.

**ORA-09815: File name buffer overflow**

**Cause:** The buffer that ORACLE uses to hold the expanded name of a too small.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-09817: Write to audit file failed.**

**Cause:** ORACLE was unable to write an entry to the file used as the audit trail.

**Action:** Check the UNIX error number for a possible operating system error. If there is no error, contact Oracle Support Services.

**ORA-09818: Number is too large**

**Cause:** ORACLE was unable to convert a component string to a number because the number is larger than the largest possible value for an integer. The additional information field specifies the maximum.

**Action:** Correct the string and repeat the conversion.

**ORA-09819: Number exceeds maximum legal value**

**Cause:** the number specified for a component was greater than the maximum value allowed for that component.

**Action:** Change the component to a value less than the maximum and repeat the conversion. The maximum component number is contained in the "Additional information" field.

**ORA-09820: Conversion of class string to numeric representation failed.**

**Cause:** ORACLE was unable to convert a class string to a number because all of the characters in the string were not numeric.

---

**Action:** Change the string to be either all numbers or all non-numeric characters and repeat the conversion.

**ORA-09821: Numeric label is not valid**

**Cause:** A label specified in ORACLE numeric format was found not to be valid.

**Action:** Re-enter a valid label. Consult your system's encodings for valid numeric component values.

**ORA-09822: Translation of audit file name failed.**

**Cause:** Oracle was unable to translate the value of the AUDIT\_FILE\_DEST initialization parameter.

**Action:** Check the UNIX error number for a possible operating system error. If there is no error, contact Oracle Support Services.

**ORA-09823: device name is too long**

**Cause:** The name of a device was too long to fit into an internal buffer. The additional information field contains the length of the device name.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-09824: Unable to enable allowmacaccess privilege.**

**Cause:** ORACLE was not able to turn on allowmacaccess privilege so that it could do a label comparison.

**Action:** Check the UNIX error number. If it indicates that ORACLE does not have the allowmacaccess privilege, add the allowmacaccess privilege to the potential privilege set of \$ORACLE\_HOME/bin/oracle using chpriv (1M). If the executable already has the allowmacaccess privilege, contact Oracle Support Services.

**ORA-09825: Unable to disable allowmacaccess privilege.**

**Cause:** ORACLE was not able to turn off the allowmacaccess privilege after doing a label comparison.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-09826: SCLIN: cannot initialize atomic latch.**

**Cause:** System call atomic\_op() return error.

**Action:** Check additional information in the trace file.

**ORA-09827: SCLGT: atomic latch return unknown error.**

**Cause:** System call atomic\_op() return unexpected error.

**Action:** Check additional information in the trace file.

**ORA-09828: SCLFR: atomic latch return error.**

**Cause:** System call atomic\_op() return unexpected error.

**Action:** Check additional information in the trace file.

**ORA-09829: pw\_createPorts: server call pws\_start\_instance failed.**

**Cause:** The call pws\_start\_instance to (Oracle helper) failed; system resources might be exhausted.

**Action:** Make sure the server is still active. Check the error code returned in sercerno, and look for error messages in the server log file.

**ORA-09830: snyAddPort: failed to perform a remote procedure call.**

**Cause:** The msg\_rpc system call returned an error.

---

**Action:** Internal error. Contact Oracle support.

**ORA-09831: snyStartThread: failed to build the server port set.**

**Cause:** The routine failed to build a port set on which to listen for requests.

**Action:** Possible operating system failure. Contact Oracle support.

**ORA-09832: infoCallback: bad message format.**

**Cause:** The routine received an incorrectly formatted request.

**Action:** Internal error. Contact Oracle support.

**ORA-09833: addCallback: bad message format.**

**Cause:** The routine received an incorrectly formatted request.

**Action:** Internal error. Contact Oracle support.

**ORA-09834: snyGetPortSet: failed to collect info on a port.**

**Cause:** The port\_status system called failed.

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09835: addCallback: callback port is already in a set.**

**Cause:** The port to be added to the callback list is already in a port set.

**Action:** Internal error. Contact Oracle support.

**ORA-09836: addCallback: could not add a port to the callback set.**

**Cause:** The port\_set\_add system called failed.

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09837: addCallback: could not add allocate a callback link.**

**Cause:** The malloc library call failed to allocate space for a callback link.

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09838: removeCallback: failure removing the callback port.**

**Cause:** The port port\_set\_remove system call failed.

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09839: removeCallback: callback port is not in the callback set.**

**Cause:** The port to be removed to the callback list is not in the callback port set.

**Action:** Internal error. Contact Oracle support.

**ORA-09840: soacon: Name translation failure.**

**Cause:** sltln() could not translate the named pipe ?/dbs/mon2arch\_@.

**Action:** Make sure that the ORACLE\_HOME specified for this ORACLE\_SID in oratab is correct.

**ORA-09841: soacon: Name translation failure.**

**Cause:** sltln() could not translate the named pipe ?/dbs/arch2mon\_@.

**Action:** Make sure that the ORACLE\_HOME specified for this ORACLE\_SID in oratab is correct.

**ORA-09842: soacon: Archmon unable to create named pipe.**

**Cause:** mknod() failed to create named pipe ?/dbs/mon2arch\_@.

---

**Action:** Your current OS login may lack write permission for the ORACLE\_HOME/dbs directory. Only userids in the dba group of a given instance can run archmon for that ORACLE\_SID. Make sure that the ORACLE\_HOME directory is correct in oratab.

**ORA-09843: soacon: Archmon unable to create named pipe.**

**Cause:** mknod() failed to create named pipe ?/dbs/arch2mon\_@.

**Action:** Your current OS login may lack write permission for the ORACLE\_HOME/dbs directory. Only userids in the dba group of a given instance can run archmon for that ORACLE\_SID. Make sure that the ORACLE\_HOME directory is correct in oratab.

**ORA-09844: soacon: Archmon unable to open named pipe.**

**Cause:** open() failed to open named pipe ?/dbs/mon2arch\_@.

**Action:** Only the oracle dba can run archmon. Make sure that your current OS login has owner or group search permission for the ORACLE\_HOME/dbs directory. The max number of open files may have been exceeded.

**ORA-09845: soacon: Archmon unable to open named pipe.**

**Cause:** open() failed to open named pipe ?/dbs/arch2mon\_@.

**Action:** Only the oracle dba can run archmon. Make sure that your current OS login has owner or group search permission for the ORACLE\_HOME/dbs directory. The max number of open files may have been exceeded.

**ORA-09846: soacon: ARCH unable to open named pipe.**

**Cause:** open() failed to open named pipe ?/dbs/mon2arch\_@.

**Action:** Make sure that the OS userid of the currently running database has search permission for the ORACLE\_HOME/dbs directory. The max number of open files may have been exceeded.

**ORA-09847: soacon: ARCH unable to open named pipe.**

**Cause:** open() failed to open named pipe ?/dbs/arch2mon\_@.

**Action:** Make sure that the OS userid of the currently running database has search permission for the ORACLE\_HOME/dbs directory. The max number of open files may have been exceeded.

**ORA-09850: soacon: Archmon unable to lock named pipe.**

**Cause:** fcntl() failed to set write lock on named pipe ?/dbs/arch2mon\_@.

**Action:** Make sure that archmon is not already active on another terminal for this ORACLE\_SID. Only one archmon session is allowed at a time for a given instance.

**ORA-09851: soacon: Archmon unable to lock named pipe.**

**Cause:** fcntl() failed to set read lock on named pipe ?/dbs/mon2arch\_@.

**Action:** Make sure that archmon is not already active on another terminal for this ORACLE\_SID. Only one archmon session is allowed at a time for a given instance.

**ORA-09853: snyRemovePort: bad return code from request.**

**Cause:** The request to remove a port from the callback set returned a failure code.

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09854: snyPortInfo: bad return code from request.**

**Cause:** The request to collect info on a port in the callback set returned a failure code.

---

**Action:** Possible operating system error. Contact Oracle support.

**ORA-09855: removeCallback: bad message format.**

**Cause:** The routine received an incorrectly formatted request.

**Action:** Internal error. Contact Oracle support.

**ORA-09856: smpalo: vm\_allocate error while allocating pga.**

**Cause:** The vm\_allocate system call returned an error.

**Action:** Check returned error. Possibly out of system resources.

**ORA-09857: smprset: vm\_protect error while protecting pga.**

**Cause:** The vm\_protect system call returned an error.

**Action:** Internal error. Contact Oracle support.

**ORA-09858: sfngat: the input file name is not in the OMF format**

**Cause:** The function sfngat() received a filename which is not an OMF file name.

**Action:** Further diagnostic information should be in the error stack.

**ORA-09859: sfngat: the input file name is not in the autobackup OMF format**

**Cause:** The function sfngat() received a filename which is not an autobackup OMF file name.

**Action:** Further diagnostic information should be in the error stack.

---

## ORA-09870 to ORA-12100

**ORA-09870: spini: failure initializing maximum number of open files.**

**Cause:** ulimit system call returned an error.

**Action:** Check errno.

**ORA-09871: TASDEF\_NAME: translation error while expanding ?/dbs/tasdef@.dbf.**

**Cause:** Failure of sltln(?/tasdef@.dbf) while creating test and set pages.

**Action:** Check additional return error for more information.

**ORA-09872: TASDEF\_CREATE: create failure in creating ?/dbs/tasdef@.dbf.**

**Cause:** Create() failed when trying to create the tasdef file.

**Action:** Verify permissions on \$(ORACLE\_HOME)/dbs directory.

**ORA-09873: TASDEF\_OPEN: open error when opening tasdef@.dbf file.**

**Cause:** Unable to open tasdef@.dbf file.

**Action:** Check errno. Possible permission problem. Verify that tasdef@.dbf file exists.

**ORA-09874: TASDEF\_READ: read error, unable to read tasdef@.dbf file.**

**Cause:** Read system call returned an error when attempting to read ?/dbs/tasdef@.dbf.

**Action:** Check errno returned. Sgodef file may be corrupted or incompatible with oracle version.

**ORA-09875: TASDEF\_WRITE: write error when writing ?/dbs/tasdef@.dbf file.**

**Cause:** Write call failed.

**Action:** Check errno returned. Possibly out of space on device.

**ORA-09876: TASDEF\_CLOSE: unable to close ?/dbs/tasdef@.dbf file.**

**Cause:** Close system call returned an error.

**Action:** Check errno returned. Possible operating system failure.

**ORA-09877: sstascre: shmget error, unable to get a shared memory segment.**

**Cause:** Error in shmget.

**Action:** Check errno returned. Verify that enough shared memory is available on the system.

**ORA-09878: sstascre/sstasat: shmat error, unable to attach tas write page**

**Cause:** Error in shmat.

---

**Action:** Check errno returned. Verify that enough shared memory is available on the system.

**ORA-09879: sstascre/sstasat: shmat error, unable to attach tas read page**

**Cause:** Error in shmat.

**Action:** Check errno returned. Verify that enough shared memory is available on the system.

**ORA-09880: sstasfre/sstasdel: shmtdt error, unable to detach tas write page**

**Cause:** Error in shmtdt.

**Action:** Check errno returned.

**ORA-09881: sstasfre/sstasdel: shmtdt error, unable to detach tas read page**

**Cause:** Error in shmtdt.

**Action:** Check errno returned.

**ORA-09882: sstasfre/sstasdel: shmctl error, unable to remove tas shm page**

**Cause:** Error in shmctl.

**Action:** Check errno returned.

**ORA-09883: Two Task interface: oratab file does not exist**

**Cause:** The oratab file does not exist.

**Action:** Install oracle before you use it or recreate the oratab file.

**ORA-09884: Two Task interface: SID doesn't match current PU**

**Cause:** You are trying to start oracle on another PU than you configured oracle on or there is no entry for this SID in oratab file.

**Action:** Start oracle with this SID on its designated PU (see oratab file). Or install the new database with SID.

**ORA-09885: osnTXtt: cannot create TXIPC channel**

**Cause:** The TXIPC driver failed to create pipes for two-task communications with the oracle shadow process.

**Action:** You have probably exceeded the maximum number of open file descriptors per user or the system file table is full. Note the operating system error code and contact your system administrator.

**ORA-09886: osnTXtt: translation error while expanding txipc@.trc.**

**Cause:** Failure of sltn(txipc@.trc) while creating debug channel.

**Action:** Check additional return error for more information.

**ORA-09888: osnTXtt: txipc channel creation failed**

**Cause:** The txipc driver failed to create channels for two-task communications with the oracle shadow process.

**Action:** You have probably exceeded the maximum number of open file descriptors per user or the system file table operating system error code and contact your system administrator.

**ORA-09889: osnTXtt: access error on oracle executable**

**Cause:** The txipc driver could not access the oracle executable.

**Action:** Check the permissions on the ORACLE executable and each component of the ORACLE\_HOME/bin path.

---

**ORA-09890: osnTXtt: malloc failed**

**Cause:** The txipx driver failed to allocate enough heap space for its context area buffers.

**Action:** Contact your customer support representative.

**ORA-09908: slkmm: gethostname returned error code.**

**Cause:** The system call gethostname returned an error.

**Action:** This is most likely an internal error. Make sure gethostname is successful in other contexts, and if so contact Oracle support.

**ORA-09909: Malloc of scratch buffer failed.**

**Cause:** Memory needed for a temporary buffer could not be allocated. The additional information field contains the number of bytes that ORACLE attempted to allocate.

**Action:** Check the UNIX error number. It is probable that the system has run out of memory. If there is no error, contact ORACLE support.

**ORA-09910: Unable to find ORACLE password file entry for user.**

**Cause:** No entry exists for the user in the ORACLE password file.

**Action:** Have the database administrator install a password entry by running orapasswd.

**ORA-09911: Incorrect user password.**

**Cause:** The password entered by the user was incorrect.

**Action:** Enter the correct password.

**ORA-09912: Malloc of name buffer(s) failed.**

**Cause:** ORACLE was unable to allocate memory for one or both of the buffers that are used to hold the name of DBA and the operator users.

**Action:** Check the UNIX error number. It is probable that the system has run out of memory. If there is no error, contact ORACLE support.

**ORA-09913: Malloc of dummy name failed.**

**Cause:** ORACLE was unable to allocate memory for the user name that is to be used in the encryption of the user's password.

**Action:** Check the UNIX error number. It is probable that the system has run out of memory. If there is no error, contact ORACLE support.

**ORA-09914: Unable to open the ORACLE password file.**

**Cause:** ORACLE could not open the password file for reading.

**Action:** Check the UNIX error number. If the error number indicates that the file does not exist, have the database administrator create the file by running orapasswd. If the error number indicates insufficient permissions, ask the database administrator to change the permissions. Otherwise, contact ORACLE customer support.

**ORA-09915: Password encryption failed.**

**Cause:** ORACLE was unable to encrypt a password.

**Action:** This is an internal error - contact ORACLE customer support.

**ORA-09916: Required password was not specified.**

**Cause:** A user attempted to connect as "internal," but did not specify a password.

---

**Action:** Connect as internal again and specify a password.

**ORA-09918: Unable to get user privileges from SQL\*Net**

**Cause:** ORACLE was unable to retrieve the user's privilege set from the SQL\*Net connection.

**Action:** Check the UNIX error number for a possible operating system error. Also check the "additional information" field for the SQL\*Net error. If there is no error, contact ORACLE support.

**ORA-09919: Unable to set label of dedicated server**

**Cause:** ORACLE was unable to set the label of the dedicated to server to the required value.

**Action:** Check the UNIX error number for a possible operating system error. Also, check the privileges on the oracle executable. It should have at least "allowmacaccess" privilege.

**ORA-09920: Unable to get sensitivity label from connection**

**Cause:** ORACLE was unable to retrieve the user's sensitivity label from the SQL\*Net connection.

**Action:** Check the UNIX error number for a possible operating system error. Also check the "additional information" field for the SQL\*Net error. If there is no error, contact ORACLE support.

**ORA-09921: Unable to get information label from connection**

**Cause:** ORACLE was unable to retrieve the user's information label from the SQL\*Net connection.

**Action:** Check the UNIX error number for a possible operating system error. Also check the "additional information" field for the SQL\*Net error. If there is no error, contact ORACLE support.

**ORA-09922: Can't spawn process - background log directory not created properly**

**Cause:** ORACLE was unable to spawn a background process because the directory that will hold trace files of the background processes was not created properly.

**Action:** Examine the directory pointed to by the initialization parameter "background\_dump\_dest". Make sure that all of the following is true:

1. The directory exists.
2. The name indeed points to a directory, and is not a file.
3. The directory is accessible and writable to the ORACLE user.

**ORA-09923: Can't spawn process - user log directory not created properly**

**Cause:** ORACLE was unable to spawn a background process because the directory that holds the trace files of the dedicated server processes was not created properly.

**Action:** Examine the directory pointed to by the initialization parameter "user\_dump\_dest". Make sure that all of the following is true:

1. The directory exists.
2. The name indeed points to a directory, and is not a file.
3. The directory is accessible and writable to the ORACLE user.

---

**ORA-09924: Can't spawn process - core dump directory not created properly**

**Cause:** ORACLE was unable to spawn a background process because the directory that holds the core dumps produced by ORACLE processes in the event of exceptions was not created properly.

**Action:** Examine the directory pointed to by the initialization parameter "core\_dump\_dest". Make sure that all of the following is true:

1. The directory exists.
2. The name indeed points to a directory, and is not a file.
3. The directory is accessible and writable to the ORACLE user.

**ORA-09925: Unable to create audit trail file**

**Cause:** ORACLE was not able to create the file being used to hold audit trail records.

**Action:** Check the UNIX error number for a possible operating system error. If there is no error, contact ORACLE customer support.

**ORA-09926: Unable to set effective privilege set of the server**

**Cause:** A dedicated server was unable to set it's own privilege set.

**Action:** Check the privileges granted to the ORACLE executable. It must have at least "allowmacaccess" privilege.

**ORA-09927: Unable to set label of server**

**Cause:** ORACLE was not able to set the label of a server to a new value.

**Action:** Check the privileges on \$ORACLE\_HOME/bin/oracle. Make sure that it has "allowmacaccess" privilege.

**ORA-09928: Unable to restore the label of server**

**Cause:** ORACLE was unable to restore the label of the server to the value that it had before raising it to database high.

**Action:** This is an internal error - contact ORACLE support.

**ORA-09929: GLB of two labels is invalid**

**Cause:** The result of a greatest lower bound operation on two labels was not valid.

**Action:** Repeat the operation with two different labels. Consult the system encoding file for the values of valid labels.

**ORA-09930: LUB of two labels is invalid**

**Cause:** The result of a least upper bound operation on two labels was not valid.

**Action:** Repeat the operation with two different labels. Consult the system encoding file for the values of valid labels.

**ORA-09931: Unable to open ORACLE password file for reading**

**Cause:** An attempt to open a password file for reading failed.

**Action:** Make sure that the permissions on the file have not been changed so that the ORACLE user cannot open it.

**ORA-09932: Close of ORACLE password file failed.**

**Cause:** An attempt to close a password file failed.

**Action:** Check the UNIX error number for the specific reason.

**ORA-09933: Deletion of old password file failed.**

---

**Cause:** The removal of the old password file failed.

**Action:** Check the UNIX error number for the specific reason.

**ORA-09934: Link of current password file to old failed.**

**Cause:** ORACLE was unable to create a link so that the old password file could be saved.

**Action:** Check the UNIX error number for the specific reason.

**ORA-09935: Unlink of current password file failed.**

**Cause:** ORACLE was unable to complete the saving of the current password file.

**Action:** Check the UNIX error number for the specific reason.

**ORA-09936: Open of ORACLE password file for write failed.**

**Cause:** ORACLE was unable to create a password file.

**Action:** Check the UNIX error number for the specific reason.

**ORA-09937: Chmod of ORACLE password file failed.**

**Cause:** ORACLE was unable to change a password file to be readonly.

**Action:** Check the UNIX error number for the specific reason.

**ORA-09938: Save of signal handlers failed.**

**Cause:** ORACLE was unable to save the previous values of selected signal handlers.

**Action:** This is an internal error. Contact ORACLE support.

**ORA-09939: Restoration of signal handlers failed.**

**Cause:** ORACLE was unable to restore the previous values of selected signal handlers.

**Action:** This is an internal error. Contact ORACLE support.

**ORA-09940: ORACLE password file header is corrupt**

**Cause:** The header of one of the password files was not in the format that ORACLE expected.

**Action:** Check the headers of both files. The header should be in the format "FILE VERSION: N.N.N.N.N EXECUTABLE VERSION: N.N.N.N.N" where N is a number. Remove the corrupt file(s) and re-run "orapasswd".

**ORA-09941: Version of orapasswd or installer is older than file.**

**Cause:** The version of orapasswd or installer that is being run is older than that of the ORACLE password file. Since the file version is only changed when the format is changed, this error means that the executable is using a different format than that with which the file was created.

**Action:** Run a version of the installer or orapasswd whose version is the same or later than that of the file.

**ORA-09942: Write of ORACLE password file header failed.**

**Cause:** The attempt to write out the header of the ORACLE password file failed.

**Action:** Check the operating system error number. It is possible that the file system became full.

**ORA-09943: Allocation of memory for password list component failed.**

---

**Cause:** When it is building a list of password file entries, ORACLE allocates memory for various components. One of the allocations failed.

**Action:** Check the operating system error number. The system has probably run out of memory.

**ORA-09944: Password entry is corrupt.**

**Cause:** An entry in an ORACLE password file was not in the format that ORACLE expected.

**Action:** Removed the corrupt file(s) and re-run "orapasswd."

**ORA-09945: Unable to initialize the audit trail file**

**Cause:** ORACLE unable to write header information to the file being used as the audit trail.

**Action:** Check the UNIX error number for a possible operating system error. If there is no error, contact ORACLE customer support.

**ORA-09946: File name too long for buffer**

**Cause:** The buffer that was to be used to hold a file name was determined to be too short for the generated name. This will happen if the translated name for either a trace file or an audit file is longer than the maximum allowed, which on many ports is 256 characters.

**Action:** Use a shorter file name.

**ORA-09947: Unable to allocate connection attributes structure**

**Cause:** ORACLE was not able to allocate the memory needed to hold the attributes of the SQL\*Net connection. The "Additional Information" field holds the number of bytes that ORACLE attempted to allocate.

**Action:** Check the UNIX error number. It is probable that the system has run out of memory. If there is no error, contact ORACLE customer support.

**ORA-09948: Process information label retrieval failed.**

**Cause:** ORACLE was unable to get the information label for a process.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact ORACLE support.

**ORA-09949: Unable to get client operating system privileges**

**Cause:** ORACLE was unable to get the operating system privileges for the client process.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact ORACLE support.

**ORA-09950: Unable to get server operating system privileges**

**Cause:** ORACLE was unable to get its privileges from the operating system.

**Action:** This is an error that should never happen. Contact ORACLE customer support.

**ORA-09951: Unable to create file**

**Cause:** ORACLE was unable to create a file.

**Action:** Check the UNIX error number for a possible operating system failure. If there is no error, contact ORACLE support.

**ORA-09952: scgcmn: lk\_open\_convert unexpected return: open failed**

---

**Cause:** The distributed lock manager returned an unexpected value

**Action:** Check for system error message and refer to the distributed lock manager documentation or contact your customer support representative.

**ORA-09953: scggc: unexpected return of a lock convert**

**Cause:** The distributed lock manager returned an unexpected value

**Action:** Check for lock manager error message and refer to DLM documentation refer to the distributed lock manager documentation or contact your customer support representative.

**ORA-09954: scgcc: unexpected return status to callback of lock close**

**Cause:** The distributed lock manager returned an unexpected value

**Action:** Check for lock manager error message and refer to DLM documentation refer to the distributed lock manager documentation or contact your customer support representative.

**ORA-09955: scgcan: unexpected return status when canceling a lock**

**Cause:** DLM system service x returned an unexpected value

**Action:** Check for system error message and refer to DLM documentation refer to the distributed lock manager documentation or contact your customer support representative.

**ORA-09956: scgcm: unexpected lock status condition**

**Cause:** A global locking system service returned an unexpected value.

**Action:** Check for system error message (if any) and refer to refer to the distributed lock manager documentation or contact your customer support representative.

**ORA-09957: Unable to send termination request to IMON**

**Cause:** The attempt to send a termination signal to IMON failed.

**Action:** This is an internal error, contact ORACLE support.

**ORA-09958: IMON: two processes with the same ORACLE pid are active**

**Cause:** The IMON process was unable to add an entry for a server process because another active process occupies the slot.

**Action:** This is an internal error, contact ORACLE support.

**ORA-09959: IMON: deletion of a process failed.**

**Cause:** The IMON process was unable to delete a server process from its process ID array because no entry for the process could be found.

**Action:** This is an internal error, contact ORACLE support.

**ORA-09960: Unable to establish signal handler for termination signal**

**Cause:** ORACLE was unable to set up a handler for the signal used to notify it that the instance was shutting down.

**Action:** This is an internal error, contact ORACLE support.

**ORA-09961: Unable to restore termination signal handler**

**Cause:** ORACLE failed to set the handler for the termination signal to its previous value.

**Action:** This is an internal error, contact ORACLE support.

---

**ORA-09966: failure in translation while expanding ?/dbs/lk for lock file**

**Cause:** Oracle failed to translate ?/dbs/lk, when creating a file name for the database mount lock or the instance startup/shutdown lock.

**Action:** Check additional return errors for more information.

**ORA-09967: unable to create or open lock file**

**Cause:** Oracle failed, when making an open system call, in order to acquire a file lock used by the database mount lock or the instance startup/shutdown lock.

**Action:** Check errno for more information.

**ORA-09968: unable to lock file**

**Cause:** The system call for locking a file returned an error when trying to acquire a database mount lock or the instance startup/shutdown lock.

**Action:** Check errno for more information.

**ORA-09969: unable to close or remove lock file**

**Cause:** The close system call or unlink system call returned an error.

**Action:** Check errno for more information.

**ORA-09974: skxfidini: Error Initializing SDI Channel**

**Cause:** The process was unable to initialize the SDI channel properly.

**Action:** Correct the operating system error and retry the operation.

**ORA-09975: kxfspini: Error Initializing SDI Process**

**Cause:** The process was unable to attach to the SDI channel.

**Action:** Verify that the SDI process specific limits correctly configured. Correct the operating system error and retry the operation.

**ORA-09976: skxfqadini: Error Creating Port**

**Cause:** The process was unable to create a communications endpoint.

**Action:** Verify that the SDI port specific limits correctly configured. Correct the operating system error and retry the operation.

**ORA-09977: skxfqhini: Error Connecting**

**Cause:** The process was unable to connect to another endpoint.

**Action:** Verify that the SDI port specific limits correctly configured. Check that the other node(s) is part of the cluster and operating properly. Correct the operating system error and retry the operation.

**ORA-09978: skxfqhdel: Error Disconnecting from another endpoint.**

**Cause:** The process was unable to disconnect cleanly from another endpoint.

**Action:** Check that the other node(s) are part of the cluster and operating properly. Check the instance and processes on the other node(s). Correct the operating system error and retry the operation.

**ORA-09979: skxfqhsnd: Error Sending a message to another endpoint**

**Cause:** The process was unable to send a message to an existing endpoint.

**Action:** Check that the other node(s) are part of the cluster and operating properly. Check the instance and processes on the other node(s). Correct the operating system error and retry the operation.

**ORA-09980: skxfqdrvc: Error Receiving a message from another endpoint**

---

**Cause:** The process encountered an error while trying to receive a message.

**Action:** Check that the other node(s) are part of the cluster and operating properly. Check the instance and processes on the other node(s). Correct the operating system error and retry the operation.

**ORA-09981: skxfqdreg: Error Adding a page to the SDI buffer pool**

**Cause:** The process was unable to add a page to the SDI buffer pool.

**Action:** Correct the operating system error and retry the operation.

**ORA-09982: skxfqddrg: Error Removing a page from the SDI buffer pool**

**Cause:** The process was unable to remove a page to the SDI buffer pool.

**Action:** Correct the operating system error and retry the operation.

**ORA-09983: skxfidsht: Error shutting down SDI channel**

**Cause:** The process was unable shut down the SDI channel

**Action:** Check the SDI persistent resources using SDI tools. Verify that all processes exited cleanly and the instance is safely shut down. Delete any remaining SDI channel IDs associated with the current instance.

**ORA-09984: SGA file \$ORACLE\_HOME/dbs/sgadef\$ORACLE\_SID.dbf does not exist**

**Cause:** file does not exist or is not accessible

**Action:** Restart the instance to create the SGA definition file.

**ORA-09985: SGA definition file could not be read**

**Cause:** UNIX read() operation failed

**Action:** check errno and take appropriate action.

**ORA-09986: wrong number of bytes read from SGA definition file**

**Cause:** Struct skgmsdef size differs from no. of bytes read from SGA file

**Action:** Compare the two struct definitions and ensure that they are identical in size and structure.

**ORA-09987: unable to attach to SGA in READ-ONLY mode**

**Cause:** The instance is not up, or SGA segments are not read-accessible

**Action:** Verify that the instance is up and read permissions for the SGA segments are set.

**ORA-09988: error while detaching SGA**

**Cause:** skgmsdef struct is corrupted and/or segment addresses are modified

**Action:** Safely shut down instance and mount SGA segments again.

**ORA-09989: attempt to use invalid skgmsdef struct pointer**

**Cause:** Pointer to skgmsdef struct used without validating it

**Action:** Assign a valid address to the skgmsdef struct pointer before using it.

**ORA-10243: simulated error for test *string* of K2GTAB latch cleanup**

**Cause:** levels 1..6 for insert, 7..11 for delete

**Action:** None

**ORA-10244: make tranids in error msgs print as 0.0.0 (for testing)**

**Cause:** also makes "alter system enable distributed recovery" synchronous

---

**Action:** None

**ORA-10259: get error message text from remote using explicit call**

**Cause:** for npigem coverage testing (normally called only for V5 remote)

**Action:** None

**ORA-10261: Limit the size of the PGA heap**

**Cause:** the limit is one kilobyte times the level of the event. If the pga grows bigger than this signal an internal error.

**Action:** None

**ORA-10262: Don't check for memory leaks**

**Cause:** Setting this event to level one causes memory leak checking to be disabled. Setting this event to any other non-zero number allows that number to be used as a threshold value when checking for memory leaks in the PGA, SGA, and UGA heaps.

**Action:** None

**ORA-10263: Don't free empty PGA heap extents**

**Cause:** This is useful for debugging since watchpoints are lost on free

**Action:** None

**ORA-10265: Keep random system generated output out of error messages**

**Cause:** so test system files don't diff

**Action:** None

**ORA-10266: Trace OSD stack usage**

**Cause:** Porters should implement this to help them debug their stack implementations. It should be used in at least smcstk().

**Action:** None

**ORA-10267: Inhibit KSEDMP for testing**

**Cause:** Some tests may generate internal or fatal errors on purpose.

**Action:** LEVEL used by KSEDMP is one less than level of this event.

**ORA-10268: Don't do forward coalesce when deleting extents**

**Cause:** setting this event keeps kts from coalescing forward at each extent when dropping a temp segment.

**Action:** None

**ORA-10269: Don't do coalesces of free space in SMON**

**Cause:** setting this event prevents SMON from doing free space coalesces

**Action:** None

**ORA-10270: Debug shared cursors**

**Cause:** Enables debugging code in shared cursor management modules

**Action:** None

**ORA-10281: maximum time to wait for process creation**

**Cause:** used to override the default SPMXWAIT, level = timeout in sec.

**Action:** None

---

**ORA-10282: Inhibit signalling of other backgrounds when one dies**

**Cause:** Used in KSB

**Action:** None

**ORA-10284: simulate zero/infinite asynch I/O buffering**

**Cause:** Used in KCF, level=1 out of space (red), level=2 infinite (green)

**Action:** None

**ORA-10469: error creating control file backup, no checkpoint**

**Cause:** The control file being backed up did not contain a valid control file checkpoint. Therefore the control file could not be backed up, as such a backup would not be usable later for recovery. A common cause for this situation is that you executed CREATE CONTROLFILE, which mounts the database, but not ALTER DATABASE OPEN, to open the database. The latter operation generates a valid control file checkpoint.

**Action:** Open the database with ALTER DATABASE OPEN ..., which results in a valid control file checkpoint. Run the backup operation again.

**ORA-10560: block type "*string*"**

**Cause:** Report block type for details of another error.

**Action:** See associated error message.

**ORA-10561: block type "*string*", data object# *string***

**Cause:** Report block type and data object number for details of another error.

**Action:** See associated error message.

**ORA-10562: Error occurred while applying redo to data block (file# *string*, block# *string*)**

**Cause:** See other errors on error stack.

**Action:** Investigate why the error occurred and how important is the data block. Media and standby database recovery usually can continue if user allows recovery to corrupt this data block.

**ORA-10563: Test recovery had to corrupt data block (file# *string*, block# *string*) in order to proceed**

**Cause:** Test recovery completed.

**Action:** No action is needed. Test recovery has ended successfully. See other messages on error stack for a summary of the result of the test recovery.

**ORA-10564: tablespace *string***

**Cause:** Report tablespace name for details of another error.

**Action:** See associated error message.

**ORA-10565: Another test recovery session is active**

**Cause:** There can only be one test recovery session at any time. Another test recovery session is active.

**Action:** Wait till the other test recovery session completes.

**ORA-10566: Test recovery has used all the memory it can use**

**Cause:** Test recovery tests redo in memory. It can no longer proceed because it has consumed all the memory it can use.

---

**Action:** No action is needed. Test recovery has ended successfully. See other messages on error stack for a summary result of the test recovery.

**ORA-10567: Redo is inconsistent with data block (file# *string*, block# *string*)**

**Cause:** There are two possible causes of this error: (1) A write issued by Oracle was lost by the underlying OS or storage system. (2) an Oracle internal error.

**Action:** Investigate why the error occurred and how important is the data block. Media and standby database recovery usually can continue if user allows recovery to corrupt this data block.

**ORA-10568: Failed to allocate recovery state object: out of SGA memory**

**Cause:** out of SGA memory

**Action:** Restart the instance. If problem persists, call Oracle support.

**ORA-10570: Test recovery complete**

**Cause:** Test recovery completed.

**Action:** No action is needed. Test recovery has ended successfully. See other messages on error stack for a summary result of the test recovery.

**ORA-10571: Test recovery canceled**

**Cause:** User canceled test recovery.

**Action:** No action is needed. Test recovery has ended successfully. See other messages on error stack for a summary of the result of the test recovery.

**ORA-10572: Test recovery canceled due to errors**

**Cause:** See other errors on the error stack.

**Action:** is needed. See other messages on error stack for a summary of the result of the test recovery so far.

**ORA-10573: Test recovery tested redo from change *string* to *string***

**Cause:** This message show the range of test recovery have tested.

**Action:** No action is needed. See other messages on error stack.

**ORA-10574: Test recovery did not corrupt any data block**

**Cause:** This message summarizes test recovery result.

**Action:** No action is needed. See other messages on error stack.

**ORA-10575: Give up restoring recovered datafiles to consistent state: out of memory**

**Cause:** There were not enough memory to restore recovered datafiles to consistent state

**Action:** This error is just a warning: You may not be able to open the database with resetlogs immediately after this error. However, you may continue media/standby recovery, and that may make the datafiles recovered consistent again.

**ORA-10576: Give up restoring recovered datafiles to consistent state: some error occurred**

**Cause:** See alert file or other errors on the stack for a cause of the problem.

**Action:** This error is just a warning: You may not be able to open the database with resetlogs immediately after this error. However, you may continue media/standby recovery, and that may make the datafiles recovered consistent again.

---

**ORA-10577: Can not invoke test recovery for managed standby database recovery**

**Cause:** Test recovery option is used for managed standby database recovery.

**Action:** Either remove the test recovery option or invoke manual test standby database recovery.

**ORA-10578: Can not allow corruption for managed standby database recovery**

**Cause:** You used the allow corruption option for managed standby database recovery.

**Action:** Either remove the allow corruption option or invoke manual standby database recovery.

**ORA-10579: Can not modify control file during test recovery**

**Cause:** To proceed with recovery, test recovery needs to modify the control file. But test recovery is not allowed to modify control file.

**Action:** No action is needed. Test recovery has ended successfully. It can only go so far in the redo stream.

**ORA-10580: Can not modify datafile header during test recovery**

**Cause:** To proceed with recovery, test recovery needs to modify a datafile header. But test recovery is not allowed to modify datafile headers.

**Action:** No action is needed. Test recovery has ended successfully. It can only go so far in the redo stream.

**ORA-10581: Can not modify redo log header during test recovery**

**Cause:** To proceed with recovery, test recovery needs to modify a redo log header. But test recovery is not allowed to modify redo log headers.

**Action:** No action is needed. Test recovery has ended successfully. It can only go so far in the redo stream.

**ORA-10582: The control file is not a backup control file**

**Cause:** User requested backup control file test recovery, but the control file is not a backup control file.

**Action:** Use a backup control file, or do not use USING BACKUP CONTROLFILE option.

**ORA-10583: Can not recovery file *string* renamed as missing during test recovery**

**Cause:** One of the files to be recovered is renamed as missing.

**Action:** Rename the file to the correct file or offline it.

**ORA-10584: Can not invoke parallel recovery for test recovery**

**Cause:** Both test recovery and parallel recovery are requested.

**Action:** Drop either one of the two recovery options.

**ORA-10585: Test recovery can not apply redo that may modify control file**

**Cause:** Test recovery has encountered a special redo that may modify control file.

**Action:** No action is needed. Test recovery has proceeded successfully as far as it could from its starting point.

**ORA-10586: Test recovery had to corrupt 1 data block in order to proceed**

**Cause:** This message summarizes test recovery result: Oracle may have to corrupt one block in order to apply the range of redo tested.

**Action:** See alert log for details of the problem.

---

**ORA-10587: Invalid count for ALLOW n CORRUPTION option**

**Cause:** The number specified in the ALLOW n CORRUPTION option is too big.

**Action:** Use a smaller number.

**ORA-10588: Can only allow 1 corruption for normal media/standby recovery**

**Cause:** The number specified in the ALLOW n CORRUPTION option is too big.

**Action:** change to allow zero or one corruption.

**ORA-10589: Test recovery had to corrupt *string* data blocks in order to proceed**

**Cause:** This message summarizes test recovery result: Oracle may have to corrupt a number of data blocks as specified in the message in order to apply the range of redo tested.

**Action:** See alert log for details of the problems.

**ORA-10614: Operation not allowed on this segment**

**Cause:** This procedure can be used only on segments in tablespaces with AUTO SEGMENT SPACE MANAGEMENT

**Action:** Recheck the segment name and type and re-issue the statement

**ORA-10615: Invalid tablespace type for temporary tablespace**

**Cause:** Tablespace with AUTO SEGMENT SPACE MANAGENEMT specified cannot be used as a temporary tablespace

**Action:** Recheck the tablespace name and re-issue the statement

**ORA-10616: Operation not allowed on this tablespace**

**Cause:** Cannot perform the operation on tablespace with AUTO SEGMENT SPACE MANAGEMENT

**Action:** Recheck the tablespace name and re-issue the statement

**ORA-10617: Cannot create rollback segment in dictionary managed tablespace**

**Cause:** Rollback segments cannot be created in dictionary managed tablespaces when SYSTEM tablespace is locally managed

**Action:** Recheck the tablespace name and re-issue the statement

**ORA-10618: Operation not allowed on this segment**

**Cause:** This DBMS\_SPACE operation is not permitted on segments in tablespaces with AUTO SEGMENT SPACE MANAGEMENT

**Action:** Recheck the segment name and type and re-issue the statement

**ORA-10619: Avoid assertions when possible**

**Cause:** A bug (or upgrade) hits unicode assertions (csid, csform, bfc)

**Action:** Event makes RDBMS skip assertions and patch up datastructures

**ORA-10620: Operation not allowed on this segment**

**Cause:** Cannot alter freelist storage parameter for segments in tablespaces with AUTO SEGMENT SPACE MANAGEMENT

**Action:** Recheck the segment name and re-issue the statement

**ORA-10627: Dump the content of the index leaf block**

**Cause:** Generate a complete index tree dump, not just an overview during alter session set events immediate trace name treedump

---

**Action:** This event is recommended only for small table/index since it

**ORA-10628: Turn on sanity check for kdiss index skip scan state**

**Cause:** Will do sanity checking on the kdiss state.

**Action:** set this event only under the supervision of Oracle development

**ORA-10630: Illegal syntax specified with SHRINK clause**

**Cause:** An illegal option was specified with the SHRINK clause

**Action:** Verify the SQL Reference Manual and reissue the command

**ORA-10631: SHRINK clause should not be specified for this object**

**Cause:** It is incorrect to issue shrink on the object

**Action:** Verify the object name and type and reissue the command

**ORA-10632: Invalid rowid**

**Cause:** Segment Highwatermark was overwritten due to shrink and space reused

**Action:** Reissue this command.

**ORA-10633: No space found in the segment**

**Cause:** Raised while trying to find space during segment shrink

**Action:** This error should be trapped internally and treated. The user should not be able to see the error.

**ORA-10634: Segment is already being shrunk**

**Cause:** Only one invocation of shrink can be in progress on a segment at any time

**Action:** Reissue the command after the first shrink is over

**ORA-10635: Invalid segment or tablespace type**

**Cause:** Cannot shrink the segment because it is not in auto segment space managed tablespace or it is not a data, index or lob segment.

**Action:** Check the tablespace and segment type and reissue the statement

**ORA-10636: ROW MOVEMENT is not enabled**

**Cause:** To shrink a data segment, row movement must be enabled.

**Action:** Enable row movement and reissue this command.

**ORA-10637: The segment does not exist**

**Cause:** Segment to be shrunk has been dropped

**Action:** None

**ORA-10638: Index status is invalid**

**Cause:** Cannot shrink an index which is being rebuilt or disabled is an unusable state.

**Action:** None

**ORA-10639: Dump library cache during kksfbc-reparse-infinite-loop error**

**Cause:** During this error a library cache dump is necessary , so enable librarycache dump if event is set.

**Action:** Dump a library cache if this event is set when reparse error.

**ORA-10640: Operation not permitted during SYSTEM tablespace migration**

**Cause:** SYSTEM tablespace is being migrated to locally managed format.

---

**Action:** Reissue this command once SYSTEM tablespace migration is over.

**ORA-10641: Cannot find a rollback segment to bind to**

**Cause:** SYSTEM tablespace migration requires rollback segment in locally managed tablespace.

**Action:** Drop rollback segments in dictionary managed tablespaces other than SYSTEM and create rollback segments in locally managed tablespace and retry migration.

**ORA-10642: Found rollback segments in dictionary managed tablespaces**

**Cause:** When SYSTEM tablespace is migrated found rollback segments in dictionary managed tablespaces.

**Action:** Drop the rollback segments in dictionary managed tablespaces and reissue the command

**ORA-10643: Database should be mounted in restricted mode and Exclusive mode**

**Cause:** When SYSTEM tablespace is being migrated database should be mounted in Exclusive mode and in Restricted mode.

**Action:** Reissue this command after mounting the database in right mode.

**ORA-10644: SYSTEM tablespace cannot be default temporary tablespace**

**Cause:** When SYSTEM tablespace is being migrated no user should have SYSTEM as the default temporary tablespace.

**Action:** Reissue this command after altering the default temporary tablespace setting for all users.

**ORA-10645: Recursive Extension in SYSTEM tablespace during migration**

**Cause:** When SYSTEM tablespace is being migrated, dictionary tables tried to extend recursively. Must be caught and processed internally. Should not be thrown to the user.

**Action:** Report the error as a bug.

**ORA-10646: Too many recursive extensions during SYSTEM tablespace migration**

**Cause:** When SYSTEM tablespace is being migrated, dictionary tables tried to extend recursively more than 1000 times.

**Action:** If SYSTEM tablespace is very large, then simply reissue the tablespace migration command.

**ORA-10647: Tablespace other than SYSTEM, *string*, *string* not found in read only mode**

**Cause:** When SYSTEM tablespace is being migrated, tablespaces other than the three should be ALTERed to read only.

**Action:** Alter the tablespace status to read only and retry migration.

**ORA-10648: Tablespace SYSAUX is not offline**

**Cause:** The SYSAUX tablespace was online while SYSTEM tablespace was being migrated.

**Action:** Alter the SYSAUX tablespace status to offline and retry migration.

**ORA-10649: Turn off/trace lob index freelist coalesce**

**Cause:** Will turn off or trace lob index freelist coalescing

**Action:** set this event only under the supervision of Oracle development

---

**ORA-10651: incorrect file number block number specified**

**Cause:** The dba specified is not valid

**Action:** Check if the dba specified belongs to the segment and is under the segment HWM and reissue the statement

**ORA-10652: Object has on-commit materialized views**

**Cause:** It is illegal to issue shrink on an object with on-commit materialized views

**Action:** None

**ORA-10653: Table is in a cluster**

**Cause:** It is illegal to shrink a table belonging to a cluster

**Action:** None

**ORA-10654: Table is of type temporary or external**

**Cause:** It is illegal to shrink a temporary table or an external table

**Action:** None

**ORA-10655: Segment can be shrunk**

**Cause:** Error message returned when called in probe mode by OEM

**Action:** None

**ORA-10656: Table is in unusable state due to incomplete operation**

**Cause:** ALTER TABLE SHRINK operation was tried on the table which is in unusable state because of previously failed/incomplete operation.

**Action:** If the previous operation was

- DROP COLUMN, resubmit DROP COLUMN CONTINUE

- DROP TABLE, resubmit DROP TABLE <table> PURGE

**ORA-10657: Lob column to be shrunk does not exist**

**Cause:** Shrink was issued on a lob segment that did not exist

**Action:** None

**ORA-10658: Lob column to be shrunk is marked unused**

**Cause:** Shrink was issued on a lob segment that is marked as unused

**Action:** None

**ORA-10659: Segment being shrunk is not a lob**

**Cause:** Shrink was issued on a segment that should be a first class lob or other data type stored in lob

**Action:** None

**ORA-10660: Segment is a shared lob segment**

**Cause:** Shrink was issued on a segment that was being shared by multiple lob columns

**Action:** None

**ORA-10661: Invalid option specified**

**Cause:** Check option can be specified for one segment only

**Action:** None

**ORA-10662: Segment has long columns**

---

**Cause:** Shrink was issued on a segment with long columns. This is not supported.

**Action:** None

**ORA-10663: Object has rowid based materialized views**

**Cause:** Shrink was issued on an object with rowid based materialized views.

**Action:** Drop the rowid based materialized views and issue shrink on the object

**ORA-10664: Table has bitmap join indexes**

**Cause:** SHRINK was issued on a table with bitmap join indexes.

**Action:** Drop bitmap join indexes and reissue SHRINK on the object.

**ORA-10665: Inject Evil Literals**

**Cause:** Event 10665 is set to some number > 0, causing 1/(value-1) of all literals to be replaced by 2000 letter "A"s. A value of 1 does not corrupt anything.

**Action:** never set this event

**ORA-10668: Inject Evil Identifiers**

**Cause:** event 10668 is set to some number > 0, causing 1/(value-1) of all identifiers to be replaced by a maximum amount of x"s. It is common for an identifier to be parsed once with a max of 30 bytes, then reparsed later with a max of 4000, so it may not be possible to inject such an identifier without the aid of this event. A value of 1 causes no identifiers to be corrupted.

**Action:** never set this event

**ORA-10690: Set shadow process core file dump type (Unix only)**

**Cause:** Control core file size for shadow processes

**Action:** Level 1: Detach SGA before dumping core Level 2: Do not produce any core

**ORA-10691: Set background process core file type (Unix only)**

**Cause:** Control core file size file for background processes

**Action:** Level 1: Detach SGA before dumping core

**ORA-10700: Alter access violation exception handler**

**Cause:** Use this event to control what the VMS exception handler does when it encounters an access violation.

**Action:** Level: >=10 Suspend current process on access violation \*\*\* SET THIS EVENT ONLY UNDER THE SUPERVISION OF ORACLE DEVELOPMENT \*\*\*

**ORA-10701: Dump direct loader index keys**

**Cause:** Dumps index keys at various points in a direct load based on the value of this event.

**Action:** None

**ORA-10704: Print out information about what enqueues are being obtained**

**Cause:** When enabled, prints out arguments to calls to ksqcmi and ksqlrl and the return values.

**Action:** Level indicates details: Level: 1-4: print out basic info for ksqlrl, ksqcmi 5-9: also print out stuff in callbacks: ksqlac, ksqlop 10+: also print out time for each line

**ORA-10706: Print out information about global enqueue manipulation**

---

**Cause:** When enabled, prints out activity in ksi routines.

**Action:** Level indicates details: 0-4: show args for each main call 5-9: also indicate callbacks 10+: also printout time for each line

**ORA-10707: Simulate process death for instance registration**

**Cause:** When enabled, process commits suicide to test instance registration recovery code.

**Action:** Level indicates where the process will die

**ORA-10828: memory allocator error**

**Cause:** Error in the memory allocator

**Action:** Check the trace files and other relevant output

**ORA-10841: Default un-initialized charact set form to SQLCS\_IMPLICIT**

**Cause:** client side, such as JDBC-THIN 8i client sends 0 as charset form

**Action:** This event sets charset form as SQLCS\_IMPLICIT when it is 0

**ORA-10842: Event for OCI Tracing and Statistics Info**

**Cause:** This event is meant for tracing OCI Calls and getting statistics

**Action:** This event sets tracing OCI Calls and gets statistics info

**ORA-10848: OCI Non Blocking not supported with *string***

**Cause:** Attempt made to set connection as non-blocking with another feature that does not support non-blocking.

**Action:** Use blocking connection.

**ORA-10852: Enable tracing for Enqueue Dequeue Operations**

**Cause:** NA

**Action:** THIS IS NOT A USER ERROR NUMBER/MESSAGE. THIS DOES NOT NEED TO BE TRANSLATED OR DOCUMENTED. IT IS USED ONLY FOR INTERNAL TESTING.

**ORA-10854: Sets poll count used for AQ listen code under RAC**

**Cause:** NA

**Action:** THIS IS NOT A USER ERROR NUMBER/MESSAGE. THIS DOES NOT NEED TO BE TRANSLATED OR DOCUMENTED. IT IS USED ONLY FOR INTERNAL TESTING.

**ORA-10862: resolve default queue owner to current user in enqueue/dequeue**

**Cause:** resolve default queue owner to current user in enqueue/dequeue.

**Action:** turn on if client wish to resolve the default queue owner to the current user. If not turned on, the default queue owner will be resolved to the login user.

**ORA-10863: Control behavior of buffered background operations**

**Cause:** NA

**Action:** THIS IS NOT A USER ERROR NUMBER/MESSAGE. THIS DOES NOT NEED TO BE TRANSLATED OR DOCUMENTED. IT IS USED ONLY FOR INTERNAL TESTING.

**ORA-10865: Control tracing of notification operations**

**Cause:** NA

---

**Action:** THIS IS NOT A USER ERROR NUMBER/MESSAGE. THIS DOES NOT NEED TO BE TRANSLATED OR DOCUMENTED. IT IS USED ONLY FOR INTERNAL TESTING.

**ORA-10873: file *string* needs end backup before opening a database**

**Cause:** An attempt was made to open a database after a crash in an online backup. The indicated file is in need of end backup, not media recovery, if not restored.

**Action:** First end backup to the file and then open the database.

**ORA-10877: error signaled in parallel recovery slave *string***

**Cause:** A parallel recovery slave reached an exception condition.

**Action:** Check the following error message for the cause, and consult your error manual for the appropriate action.

**ORA-10878: parallel recovery slave died unexpectedly**

**Cause:** A parallel recovery slave died unexpectedly, PMON cleaning up the process.

**Action:** Check your system for anomalies and reissue the statement. If this error persists, contact Oracle Support Services. See trace file for more details.

**ORA-10900: extent manager fault insertion event #*string***

**Cause:** causes faults to be generated in instrumented extent code

**Action:** this should only be enabled for internal testing

**ORA-10902: disable seghdr conversion for ro operation**

**Cause:** causes seghdr conversion to be turned off for ro ops(#555856)

**Action:** this should be enabled only if determined that bug 555856 has occurred. Table needs to be exported subsequently

**ORA-10906: Unable to extend segment after insert direct load**

**Cause:** This is a restriction with insert direct load transactions.

**Action:** When a segment has been insert direct loaded, avoid DMLs that could cause more space to be consumed.

**ORA-10914: invalid TABLESPACE GROUP clause**

**Cause:** An invalid option appears for TABLESPACE GROUP clause.

**Action:** Specify a valid tablespace group name.

**ORA-10915: TABLESPACE GROUP cannot be specified for this type of tablespace**

**Cause:** In CREATE/ALTER TABLESPACE, the TABLESPACE GROUP clause was used while creating/altering a tablespace that is not TEMPORARY.

**Action:** Remove the TABLESPACE GROUP clause.

**ORA-10916: TABLESPACE GROUP already specified**

**Cause:** In CREATE/ALTER TABLESPACE, the TABLESPACE GROUP option was specified more than once.

**Action:** Remove all but one of the TABLESPACE GROUP specifications.

**ORA-10917: TABLESPACE GROUP cannot be specified**

**Cause:** The tablespace name specified in the command is actually the name of a tablespace group.

---

**Action:** Please specify an appropriate tablespace name.

**ORA-10918: TABLESPACE GROUP name cannot be the same as tablespace name**

**Cause:** The tablespace group name specified in the command is the same as the tablespace being CREATED/ALTERed.

**Action:** Please specify an appropriate tablespace group name.

**ORA-10919: Default temporary tablespace group must have at least one tablespace**

**Cause:** An attempt was made to move the only tablespace in the default database temporary tablespace group to another tablespace group.

**Action:** Either change the database default temporary tablespace or add another tablespace to the group that this tablespace belongs to.

**ORA-10920: Cannot offline tablespace belonging to default temporary tablespace group**

**Cause:** An attempt was made to offline a tablespace in the default database temporary tablespace group.

**Action:** Either change the database default temporary tablespace or change the tablespace group of this tablespace.

**ORA-10921: Cannot drop tablespace belonging to default temporary tablespace group**

**Cause:** An attempt was made to drop a tablespace in the default database temporary tablespace group.

**Action:** Either change the database default temporary tablespace or change the tablespace group of this tablespace.

**ORA-10922: Temporary tablespace group is empty**

**Cause:** An attempt was made to allocate a temporary segment in a group, which now no longer has any members.

**Action:** Either add some temporary tablespaces or change the temporary tablespace for this user.

**ORA-10924: import storage parse error ignore event**

**Cause:** causes server to ignore specific error associated with freelists and freelist groups when parsing

**Action:** this should be enabled by import code only

**ORA-10925: trace name context forever**

**Cause:** When enabled, turns off bugfix 237911

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10926: trace name context forever**

**Cause:** When enabled, turns off bugfix 190119

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10927: trace name context forever**

**Cause:** When enabled, turns off bugfix 235190

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

---

**ORA-10929: trace name context forever**

**Cause:** When enabled, turns off bugfix 343966

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10930: trace name context forever**

**Cause:** When enabled, provides V7 behavior for fixed char binds

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10931: trace name context forever**

**Cause:** When enabled, allows normal packages to be compiled with standard extensions like "<ADT\_1>"

**Action:** Set this event only for a short amount of time. Once the packages are compiled, this event should be turned off. Level 1 - Turn the event on Level > 1 - Turn the event off

**ORA-10932: trace name context forever**

**Cause:** When enabled, disables one or more features or bug fixes available only in version 8.x.

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10933: trace name context forever**

**Cause:** When enabled, disables one or more features or bug fixes available only in version 8.x.

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10936: trace name context forever**

**Cause:** When enabled, disables one or more features or bug fixes available in versions 7.x and 8.x.

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10940: trace name context forever**

**Cause:** Size of the PL/SQL tracing circular buffer, in kilobytes.

**Action:** Set this event in concert with the 10938 event and the `_PLSQL_DUMP_BUFFER_EVENTS` init.ora parameter, under supervision of Oracle Support.

**ORA-10941: trace name context forever**

**Cause:** When enabled, turns on PL/SQL profiler

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10943: trace name context forever**

**Cause:** When enabled, disables one or more features or bug fixes available only in version 8.x.

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10944: trace name context forever**

---

**Cause:** When enabled, allows or controls PL/SQL OPT code gen project. available only in version 8.2+.

**Action:** set this event ONLY for development of the OPT project. This is not for general use or deployment.

**ORA-10945: trace name context forever**

**Cause:** When enabled, disables the behaviour change introduced by the fix for bug 822764, which traps and handles invalidations of packages whereas the previous behaviour was to use stale invalidated instantiations of the stateful package body.

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10946: trace name context forever**

**Cause:** When enabled, disables one or more features or bug fixes available only in version 10.x.

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10947: trace name context forever**

**Cause:** When enabled, causes various PL/SQL warnings related debugging info to be written in a trace file. Useful for debugging various Oracle processes. available only in version 10.x.

**Action:** set this event ONLY if necessary - after reading the README for this release or under supervision of Oracle Support.

**ORA-10970: backout event for bug 2133357**

**Cause:** 2133357 dynamically sets the varying width flag and character width. Lob data which is not migrated during migration from single byte to multibyte character set will be displayed as special characters.

**Action:** To help migrate lob data which was not migrated during migration by backing out 2133357, so lob data can be selected and moved to multibyte character set.

**ORA-10973: backout event for 2619509**

**Cause:** 2619509 catches offsets when not reading/writing on full character boundary. To facilitate backward compatibility event is being introduced.

**Action:** To help upgrade/migrate issues which already have corrupt data

**ORA-10979: trace flags for join index implementation**

**Cause:** This is an informational message.

**Action:** Values are as follows: LEVEL ACTION

----- > 1 Dump refresh expressions (SQL) to trace file. > 999 If a complete refresh is invoked, it will not be performed but the system will assume that a complete refresh was done, causing the view to be VALID and updating timestamps. This should be used only under Oracle Support supervision.

**ORA-10997: another startup/shutdown operation of this instance inprogress**

**Cause:** An Oracle Instance startup or shutdown operation failed to procure the serialization primitive. Another foreground process may have attempted startup or shutdown operation in parallel.

**Action:** Check additional error messages in the alert log and the process trace file.

---

**ORA-12001: cannot create log: table "*string*" already has a trigger**

**Cause:** Materialized view logs are filled by a trigger on the master table. That trigger cannot be created.

**Action:** To create a materialized view log, drop the current trigger on the master.

**ORA-12002: there is no materialized view log on table "*string*".*string*"**

**Cause:** There was no materialized view log on the master table.

**Action:** Create a materialized view log on the master table.

**ORA-12003: materialized view "*string*".*string*" does not exist**

**Cause:** The materialized view with the given owner and name does not exist.

**Action:** Verify inputs and create a materialized view.

**ORA-12004: REFRESH FAST cannot be used for materialized view "*string*".*string*"**

**Cause:** The materialized view log does not exist or cannot be used. PCT refresh is also not enabled on the materialized view

**Action:** Use just REFRESH, which will reinitialize the entire table. If a materialized view log exists and the form of the materialized view allows the use of a materialized view log or PCT refresh is possible after a given set of changes, REFRESH FAST will be available starting the next time the materialized view is refreshed.

**ORA-12005: may not schedule automatic refresh for times in the past**

**Cause:** An attempt was made to schedule an automated materialized view refresh for a time in the past.

**Action:** Choose a time in the future instead.

**ORA-12007: materialized view reuse parameters are inconsistent**

**Cause:** The CREATE MATERIALIZED VIEW .. or CREATE MATERIALIZED VIEW LOG .. REUSE command was given inconsistent parameters immediately after the REUSE.

**Action:** Examine the other messages on the stack to find the problem.

**ORA-12008: error in materialized view refresh path**

**Cause:** Table SNAP\$\_<mview\_name> reads rows from the view MVIEW\$\_<mview\_name>, which is a view on the master table (the master may be at a remote site). Any error in this path will cause this error at refresh time. For fast refreshes, the table <master\_owner>.MLOG\$\_<master> is also referenced.

**Action:** Examine the other messages on the stack to find the problem. See if the objects SNAP\$\_<mview\_name>, MVIEW\$\_<mview\_name>, <owner>.<master>@<dblink>, <owner>.MLOG\$\_<master>@<dblink> still exist.

**ORA-12010: cannot create materialized view log on table owned by SYS**

**Cause:** An attempt was made to create a materialized view log on the table owned by SYS. CREATE MATERIALIZED VIEW LOG attempts to create a trigger on the table, but triggers can not be created on SYS tables.

**Action:** Do not create a materialized view log on SYS tables.

**ORA-12011: execution of *string* jobs failed**

**Cause:** An error was caught in dbms\_ijob.run from one or more jobs which were due to be run.

---

**Action:** Look at the alert log for details on which jobs failed and why.

**ORA-12012: error on auto execute of job *string***

**Cause:** An error was caught while doing an automatic execution of a job.

**Action:** Look at the accompanying errors for details on why the execute failed.

**ORA-12013: updatable materialized views must be simple enough to do fast refresh**

**Cause:** The updatable materialized view query contained a join, subquery, union, connect by, order by, or group by clause.

**Action:** Make the materialized view simpler. If a join is really needed, make multiple simple materialized views then put a view on top of them.

**ORA-12014: table "*string*" does not contain a primary key constraint**

**Cause:** The CREATE MATERIALIZED VIEW LOG command was issued with the WITH PRIMARY KEY option and the master table did not contain a primary key constraint or the constraint was disabled.

**Action:** Reissue the command using only the WITH ROWID option, create a primary key constraint on the master table, or enable an existing primary key constraint.

**ORA-12015: cannot create a fast refresh materialized view from a complex query**

**Cause:** Neither ROWIDs and nor primary key constraints are supported for complex queries.

**Action:** Reissue the command with the REFRESH FORCE or REFRESH COMPLETE option or create a simple materialized view.

**ORA-12016: materialized view does not include all primary key columns**

**Cause:** The query that instantiates the materialized view did not include all of the columns in the master's primary key constraint.

**Action:** Include all of the master's primary key columns in the materialized view query or create a ROWID materialized view.

**ORA-12017: cannot alter primary key mview "*string*" to a rowid mview**

**Cause:** An attempt was made to convert the primary key of a materialized view to a ROWID materialized view.

**Action:** Conversion of a primary key materialized view to a ROWID materialized view is not supported. Create a new materialized view with ROWIDs or drop and recreate the materialized view with ROWIDs.

**ORA-12018: following error encountered during code generation for "*string*".*string*"**

**Cause:** The refresh operations for the indicated materialized view could not be regenerated due to errors.

**Action:** Correct the problem indicated in the following error messages and repeat the operation.

**ORA-12019: master table is a synonym to a remote object**

**Cause:** An attempt was made to create a materialized view or a materialized view log on a remote synonym which is unsupported.

**Action:** Do not create a materialized view or materialized view log on a remote synonym.

**ORA-12020: materialized view *string* is not registered**

---

**Cause:** An attempt was made to unregister a materialized view that is not registered.

**Action:** No action required.

**ORA-12021: materialized view "*string*"."*string*" is corrupt**

**Cause:** The materialized view indicated is no longer valid.

**Action:** Contact Oracle Customer Support.

**ORA-12022: materialized view log on "*string*"."*string*" already has rowid**

**Cause:** Materialized view log on the indicated table already has ROWID information.

**Action:** No action required.

**ORA-12023: missing index on materialized view "*string*"."*string*"**

**Cause:** The specified ROWID materialized view did not have the required index on the ROWID column of its underlying table.

**Action:** Drop and recreate the materialized view.

**ORA-12024: materialized view log on "*string*"."*string*" does not have primary key columns**

**Cause:** Materialized view log on the indicated table does not have primary key information.

**Action:** Add primary keys to the materialized view log using the ALTER MATERIALIZED VIEW command.

**ORA-12025: materialized view log on "*string*"."*string*" already has primary keys**

**Cause:** Materialized view log on the indicated table already has primary key columns.

**Action:** No action required.

**ORA-12026: invalid filter column detected**

**Cause:** One or more of the specified filter columns did not exist or was a primary key column or a primary key based object identifier.

**Action:** Ensure that all specified filter columns exist in the master table and ensure that primary key columns or primary key based object identifiers are not included in the list of filter columns.

**ORA-12027: duplicate filter column**

**Cause:** One or more of the specified filter columns were already being recorded in the materialized view log.

**Action:** Describe the materialized view log table and reissue the SQL command with the filter columns that are already being recorded in the materialized view log.

**ORA-12028: materialized view type is not supported by master site *string***

**Cause:** Pre-Oracle8 master sites are not able to support primary key or subquery materialized views that are able to perform a fast refresh.

**Action:** Create a ROWID materialized view or use a master table from an Oracle8 site.

**ORA-12029: LOB columns may not be used as filter columns**

**Cause:** An attempt was made to use LOB columns as filter columns.

---

**Action:** Remove LOB columns from the filter columns list and retry command.

**ORA-12030: cannot create a fast refresh materialized view**

**Cause:** The materialized view log did not exist or did not log the information needed by the materialized view to perform a fast refresh.

**Action:** Ensure that the materialized view log exists and logs the necessary information.

- For ROWID materialized views, the master table's ROWID must be logged.
- For primary key materialized views, the master table's primary key columns must be logged.
- For subquery materialized views, the filter columns, primary key, and ROWID values must be logged.
- For object materialized views, object id must be logged.

**ORA-12031: cannot use primary key columns from materialized view log on "string"."string"**

**Cause:** The materialized view log either did not have primary key columns logged, or the timestamp associated with the primary key columns was more recent than the last refresh time.

**Action:** A complete refresh is required before the next fast refresh. Add primary key columns to the materialized view log, if required.

**ORA-12032: cannot use rowid column from materialized view log on "string"."string"**

**Cause:** The materialized view log either does not have ROWID columns logged, or the timestamp associated with the ROWID columns is more recent than the last refresh time.

**Action:** A complete refresh is required before the next fast refresh. Add ROWID columns to the materialized view log, if required.

**ORA-12033: cannot use filter columns from materialized view log on "string"."string"**

**Cause:** The materialized view log either did not have filter columns logged, or the timestamp associated with the filter columns was more recent than the last refresh time.

**Action:** A complete refresh is required before the next fast refresh. Add filter columns to the materialized view log, if required.

**ORA-12034: materialized view log on "string"."string" younger than last refresh**

**Cause:** The materialized view log was younger than the last refresh.

**Action:** A complete refresh is required before the next fast refresh.

**ORA-12035: could not use materialized view log on "string"."string"**

**Cause:** The materialized view log did not exist or could not be used.

**Action:** Use just REFRESH, which will reinstantiate the entire table. If a materialized view log exists and the form of the materialized view allows the use of a materialized view log, REFRESH FAST will be available starting the next time the materialized view is refreshed.

**ORA-12036: updatable materialized view log is not empty, refresh materialized view**

---

**Cause:** The updatable materialized view log was not empty. The updatable materialized view log must be empty before an updatable rowid materialized view can be altered to a primary key materialized view.

**Action:** Ensure that updatable materialized view log is empty by refreshing the materialized view before converting the updatable ROWID materialized view to a primary key materialized view.

**ORA-12037: unknown export format**

**Cause:** An attempt was made to import a materialized view exported by an unknown export version (e.g., from a newer release than the importing site)

**Action:** Re-export the file using a version of export known by the importing site.

**ORA-12039: unable to use local rollback segment "*string*"**

**Cause:** A local rollback segment was specified in the CREATE MATERIALIZED VIEW command, but automatic refresh parameters were not specified. Therefore a refresh group was not created to automatically refresh the materialized view and the local rollback segment can't be registered for future use.

**Action:** Either supply the automatic refresh parameters so that a refresh group will be created or do not specify a local rollback segment.

**ORA-12040: master rollback segment option not support by master site *string***

**Cause:** An attempt was made to specify master rollback segment in the current operation. The master site of the current materialized view does not allow users to specify a rollback segment to be used for materialized view operations. This feature is only supported by Oracle8 or later master sites.

**Action:** Do not specify a master rollback segment in the current operation or choose a new master site.

**ORA-12041: cannot record ROWIDs for index-organized table "*string*".*string*"**

**Cause:** Index-organized tables do not have ROWIDs. Therefore a materialized view log that records the ROWIDs of an index-organized table could not be created.

**Action:** Do not include the WITH ROWID option when using the CREATE MATERIALIZED VIEW command and do not include the ADD ROWID option when using the ALTER MATERIALIZED VIEW command if the master table is index-organized.

**ORA-12042: cannot alter job\_queue\_processes in single process mode**

**Cause:** An attempt was made to alter job\_queue\_processes in single process mode.

**Action:** Do not attempt to set job\_queue\_processes in single process mode.

**ORA-12043: invalid CREATE MATERIALIZED VIEW option**

**Cause:** An invalid option was used in a CREATE MATERIALIZED VIEW statement.

**Action:** Specify only valid options.

**ORA-12044: invalid CREATE MATERIALIZED VIEW LOG option**

**Cause:** An invalid option was used in a CREATE MATERIALIZED VIEW LOG statement.

**Action:** Specify only valid options.

**ORA-12045: invalid ALTER MATERIALIZED VIEW LOG option**

---

**Cause:** An invalid option was used in an ALTER MATERIALIZED VIEW LOG statement.

**Action:** Specify only valid options.

**ORA-12046: cannot use trusted constraints for refreshing remote MV**

**Cause:** REFRESH USING TRUSTED CONSTRAINTS specified in ALTER MATERIALIZED VIEW or CREATE MATERIALIZED VIEW of a remote materialized view

**Action:** remove this attribute from ALTER/ CREATE MATERIALIZED VIEW DDL

**ORA-12047: PCT FAST REFRESH cannot be used for materialized view "string"."string"**

**Cause:** PCT refresh is either not enabled on this materialized view or not possible after set of the base table changes since last refresh.

**Action:** Use just REFRESH FORCE, which will reinitialize the entire table and try to pick the best refresh method on the materialized view Do explain\_mvview to look at the cause why PCT refresh is not possible on this materialized view

**ORA-12048: error encountered while refreshing materialized view "string"."string"**

**Cause:** Some problem occurs during refresh of multiple materialized views in atomic mode. The materialized view whose refresh failed has raised this error.

**Action:** Examine the other messages on the stack to find the refresh problem.

**ORA-12051: ON COMMIT attribute is incompatible with other options**

**Cause:** ON COMMIT refresh attribute, incompatible with other refresh options such as automatic periodic refresh, was specified.

**Action:** Specify only valid options.

**ORA-12052: cannot fast refresh materialized view *string.string***

**Cause:** Either ROWIDs of certain tables were missing in the definition or the inner table of an outer join did not have UNIQUE constraints on join columns.

**Action:** Specify the FORCE or COMPLETE option. If this error is got during creation, the materialized view definition may have be changed. Refer to the documentation on materialized views.

**ORA-12053: this is not a valid nested materialized view**

**Cause:** The list of objects in the FROM clause of the definition of this materialized view had some dependencies upon each other.

**Action:** Refer to the documentation to see which types of nesting are valid.

**ORA-12054: cannot set the ON COMMIT refresh attribute for the materialized view**

**Cause:** The materialized view did not satisfy conditions for refresh at commit time.

**Action:** Specify only valid options.

**ORA-12055: materialized view definition contains cyclic dependencies with existing materialized views**

**Cause:** The materialized view query definition introduced a cyclic dependency with existing materialized view.

**Action:** Modify the materialized view query definition.

---

**ORA-12056: invalid REFRESH method**

**Cause:** The NEVER REFRESH option may not be used under the following conditions:

- \* The materialized view is updatable
- \* The materialized view refreshes ON COMMIT
- \* Automatic refresh options are specified

**Action:** For updatable materialized views, reissue the SQL command using REFRESH FORCE, REFRESH FAST, or REFRESH COMPLETE. For read-only materialized views, reissue the SQL command using ON DEMAND.

**ORA-12057: materialized view "*string*"."*string*" is INVALID and must complete refresh**

**Cause:** The status of the materialized view was INVALID and an attempt was made to fast refresh the materialized view.

**Action:** Perform a complete refresh of the materialized view. Check the value of the STATUS column in dba\_mviews, all\_mviews, or user\_mviews to verify that the materialized view is VALID after the complete refresh.

**ORA-12058: materialized view cannot use prebuilt table**

**Cause:** An attempt was made to use the prebuilt tables.

**Action:** Reissue the SQL command using BUILD IMMEDIATE or BUILD DEFERRED.

**ORA-12059: prebuilt table "*string*"."*string*" does not exist**

**Cause:** The specified prebuilt table did not exist.

**Action:** Reissue the SQL command using BUILD IMMEDIATE, BUILD DEFERRED, or ensure that the prebuilt table exists.

**ORA-12060: shape of prebuilt table does not match definition query**

**Cause:** The number of columns or the type or the length semantics of a column in the prebuilt table did not match the materialized view definition query.

**Action:** Reissue the SQL command using BUILD IMMEDIATE, BUILD DEFERRED, or ensure that the prebuilt table matches the materialized view definition query.

**ORA-12061: invalid ALTER MATERIALIZED VIEW option**

**Cause:** An invalid option was used in an ALTER MATERIALIZED VIEW statement.

**Action:** Specify only valid options.

**ORA-12062: transaction *string* received out of sequence from site *string***

**Cause:** A transaction from the client site was received out of sequence. This implies that one or more transactions were missing.

**Action:** Ensure that the transaction queue at the client site is valid and has not been corrupted.

**ORA-12063: unable to apply transaction from site *string***

**Cause:** The current transaction from the client site could not be applied to the master site.

**Action:** Ensure that the client site is still valid and that it has not been dropped from the master site.

---

**ORA-12064: invalid refresh sequence number: *string***

**Cause:** The client site was attempting to perform a refresh with an invalid refresh sequence.

**Action:** Perform a complete refresh to synchronize the refresh sequence number.

**ORA-12065: unknown refresh group identifier *string***

**Cause:** The specified refresh group did not exist at the master site.

**Action:** Ensure that the client site is still valid and that it has not been dropped from the master site.

**ORA-12066: invalid CREATE MATERIALIZED VIEW command**

**Cause:** The Replication API does not support the following options and types of materialized view:

- o ROWID materialized views
- o REFRESH ON COMMIT
- o ON PREBUILT TABLE
- o BUILD DEFERRED
- o NEVER REFRESH
- o ENABLE QUERY REWRITE

**Action:** Create a PRIMARY KEY materialized view using REFRESH WITH PRIMARY KEY and/or remove the invalid options.

**ORA-12067: empty refresh groups are not allowed**

**Cause:** The refresh group being instantiated did not contain any materialized views.

**Action:** Modify the template to include at least one materialized view.

**ORA-12068: updatable mview log for mview "*string*"."*string*" does not exist**

**Cause:** The updatable materialized view was missing the updatable materialized view log required to track updates made to the materialized view.

**Action:** Create the updatable materialized view log.

**ORA-12069: invalid object for offline instantiation**

**Cause:** Only materialized views can be offline instantiated. The object being offline instantiated was not a valid materialized view.

**Action:** Remove the object from the template or replace the object with a valid materialized view.

**ORA-12070: cannot offline instantiate materialized view "*string*"."*string*"**

**Cause:** Offline instantiation does not support materialized views using the following options:

- o ON PREBUILT TABLE
- o BUILD DEFERRED

**Action:** Remove the invalid options.

**ORA-12071: definition query of "*string*"."*string*" is invalid for offline instantiation**

**Cause:** Offline instantiation requires materialized view definition queries to observe the following constraints:

---

o The database link that will be used by the materialized view site to connect to the master site must be included with each master table referenced in the query.

o All master tables referenced must be located at the local site. References to other sites are not allowed.

**Action:** Modify the materialized view definition query.

**ORA-12072: updatable materialized view log data for "string"."string" cannot be created**

**Cause:** The updatable materialized view was missing the updatable materialized view log required to track updates made to the materialized view.

**Action:** Create an updatable materialized view log.

**ORA-12073: request cannot be processed**

**Cause:** An out-of-sequence request was made and it cannot be processed.

**Action:** Try again with a valid request.

**ORA-12074: invalid memory address**

**Cause:** An attempt was made to access an invalid memory region.

**Action:** Reconnect and try the command again.

**ORA-12075: invalid object or field**

**Cause:** An attempt was made to access an invalid field or object in the Java Virtual Memory.

**Action:** Retry the request.

**ORA-12076: invalid threshold value**

**Cause:** The result set threshold or LOB threshold value is not supported.

**Action:** Specify a threshold value below 64K.

**ORA-12077: temporary updatable materialized view log does not exist**

**Cause:** Temporary updatable materialized view log was not created or was dropped.

**Action:** Re-create the temporary updatable materialized view log. Warning: This will cause a complete refresh of the materialized view.

**ORA-12078: fast refresh of refresh group ID *string* failed**

**Cause:** Refresh result set sent through client method REFRESH\_REQ\_RESULT returned an unknown value.

**Action:** Re-issue the refresh request.

**ORA-12081: update operation not allowed on table "string"."string"**

**Cause:** An attempt was made to update a read-only materialized view.

**Action:** No action required. Only Oracle is allowed to update a read-only materialized view.

**ORA-12082: "string"."string" cannot be index organized**

**Cause:** An attempt was made to create an index-organized materialized aggregate view or an index-organized updatable ROWID materialized view. This is not supported.

**Action:** Try to create the materialized view without the index organization clause.

- 
- ORA-12083: must use DROP MATERIALIZED VIEW to drop "string"."string"**  
**Cause:** An attempt was made to drop a materialized view using a command other than DROP MATERIALIZED VIEW.  
**Action:** Use the DROP MATERIALIZED VIEW command.
- ORA-12084: must use ALTER MATERIALIZED VIEW to alter "string"."string"**  
**Cause:** An attempt was made to alter a materialized view using a command other than ALTER MATERIALIZED VIEW.  
**Action:** Use the ALTER MATERIALIZED VIEW command.
- ORA-12085: materialized view log on "string"."string" already has object id**  
**Cause:** Materialized view log on the indicated table already has object id information.  
**Action:** No action required.
- ORA-12086: table "string"."string" is not an object table**  
**Cause:** The CREATE MATERIALIZED VIEW LOG command was issued with the WITH OBJECT ID option and the master table is not an object table.  
**Action:** Either specify the name of an object table, or remove the WITH OBJECT ID clause.
- ORA-12087: online redefinition not allowed on tables owned by "string"**  
**Cause:** An attempt was made to online redefine a table owned by SYS or SYSTEM.  
**Action:** Do not attempt to online redefine a table owned by SYS or SYSTEM.
- ORA-12088: cannot online redefine table "string"."string" with unsupported datatype**  
**Cause:** An attempt was made to online redefine a table containing a LONG column, an ADT column, or a FILE column.  
**Action:** Do not attempt to online redefine a table containing a LONG column, an ADT column, or a FILE column.
- ORA-12089: cannot online redefine table "string"."string" with no primary key**  
**Cause:** An attempt was made to online redefine a table that does not have a primary key defined on it.  
**Action:** Do not attempt to online redefine a table that does not have a primary key defined on it.
- ORA-12090: cannot online redefine table "string"."string"**  
**Cause:** An attempt was made to online redefine a table that is either a temporary table, an IOT overflow table, a table with fine-grained access control or row-level security enabled, a CDC change table, or a table with a CDC change table defined on it.  
**Action:** Do not attempt to online redefine a table that is not supported by online redefinition.
- ORA-12091: cannot online redefine table "string"."string" with materialized views**  
**Cause:** An attempt was made to online redefine a table that had materialized views defined on it or had a materialized view log defined on it or is a master.  
**Action:** Drop all materialized views and materialized view logs before attempting to online redefine the table.

---

**ORA-12092: cannot online redefine replicated table "string"."string"**

**Cause:** An attempt was made to online redefine a table that is either a materialized view or a replicated table.

**Action:** Do not attempt to online redefine a table that is either a materialized view or a replicated table.

**ORA-12093: invalid interim table "string"."string"**

**Cause:** The table is not the interim table of the corresponding table to be online redefined.

**Action:** Pass in the valid interim table.

**ORA-12094: error during online redefinition**

**Cause:** There was an error during the online redefinition process.

**Action:** Abort the online redefinition process.

**ORA-12096: error in materialized view log on "string"."string"**

**Cause:** There was an error originating from this materialized view log. One possible cause is that schema redefinition has occurred on the master table and one or more columns in the log is now a different type than corresponding master column(s). Another possible cause is that there is a problem accessing the underlying materialized view log table.

**Action:** Check further error messages in stack for more detail about the cause. If there has been schema redefinition, drop the materialized view log and recreate it.

**ORA-12097: changes in the master tables during refresh, try refresh again**

**Cause:** There are some changes (i.e., conventional DML, direct load, partition maintenance operation) in the master tables during materialized view refresh.

**Action:** Refresh the affected materialized views again.

**ORA-12098: cannot comment on the materialized view**

**Cause:** An attempt was made to issue a COMMENT ON TABLE statement on a materialized view.

**Action:** Issue a COMMENT ON MATERIALIZED VIEW statement instead.

**ORA-12100: materialized view log on "string"."string" already has sequence**

**Cause:** Materialized view log on the indicated table already has sequence information.

**Action:** No action required.

```
////////////////////////////////////  
////////////////////////////////////  
////////////////////////////////////  
////////////////////////////////////  
////////////////////////////////////
```



---

---

## ORA-12150 to ORA-12236

**ORA-12150: TNS:unable to send data**

**Cause:** Unable to send data. Connection probably disconnected.

**Action:** Reestablish connection. If the error is persistent, turn on tracing and reexecute the operation.

**ORA-12151: TNS:received bad packet type from network layer**

**Cause:** Internal error.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**ORA-12152: TNS:unable to send break message**

**Cause:** Unable to send break message. Connection probably disconnected.

**Action:** Reestablish connection. If the error is persistent, turn on tracing and reexecute the operation.

**ORA-12153: TNS:not connected**

**Cause:** Not currently connected to a remote host.

**Action:** Reestablish connection.

**ORA-12154: TNS:could not resolve the connect identifier specified**

**Cause:** A connection to a database or other service was requested using a connect identifier, and the connect identifier specified could not be resolved into a connect descriptor using one of the naming methods configured. For example, if the type of connect identifier used was a net service name then the net service name could not be found in a naming method repository, or the repository could not be located or reached.

**Action:**

- If you are using local naming (TNSNAMES.ORA file):

- Make sure that "TNSNAMES" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA)

- Verify that a TNSNAMES.ORA file exists and is in the proper directory and is accessible.

- Check that the net service name used as the connect identifier exists in the TNSNAMES.ORA file.

- Make sure there are no syntax errors anywhere in the TNSNAMES.ORA file. Look for unmatched parentheses or stray characters. Errors in a TNSNAMES.ORA file may make it unusable.

- 
- If you are using directory naming:
    - Verify that "LDAP" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
    - Verify that the LDAP directory server is up and that it is accessible.
    - Verify that the net service name or database name used as the connect identifier is configured in the directory.
    - Verify that the default context being used is correct by specifying a fully qualified net service name or a full LDAP DN as the connect identifier
  - If you are using easy connect naming:
    - Verify that "EZCONNECT" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
    - Make sure the host, port and service name specified are correct.
    - Try enclosing the connect identifier in quote marks. See the Oracle Net Services Administrators Guide or the Oracle operating system specific guide for more information on naming.

**ORA-12155: TNS:received bad datatype in NSWMARKER packet**

**Cause:** Internal error during break handling.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**ORA-12156: TNS:tried to reset line from incorrect state**

**Cause:** Internal error during break handling.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**ORA-12157: TNS:internal network communication error**

**Cause:** Internal error during network communication.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**ORA-12158: TNS:could not initialize parameter subsystem**

**Cause:** Unable to locate parameter file.

**Action:** Verify that a valid parameter file exists, and is readable.

**ORA-12159: TNS:trace file not writeable**

**Cause:** The trace file to be generated is not writeable by this user.

**Action:** If the user does not have write permissions in the directory to which the trace file will be written, contact an administrator to get the proper permissions or set the TRACE\_DIRECTORY\_CLIENT parameter in the net profile (SQLNET.ORA file) to a directory the user can write to.

**ORA-12160: TNS:internal error: Bad error number**

**Cause:** Corrupt error reporting subsystem.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**ORA-12161: TNS:internal error: partial data received**

**Cause:** The connection may be terminated.

---

**Action:** Reconnect and try again. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**ORA-12162: TNS:net service name is incorrectly specified**

**Cause:** The connect descriptor corresponding to the net service name in TNSNAMES.ORA or in the directory server (Oracle Internet Directory) is incorrectly specified.

**Action:** If using local naming make sure there are no syntax errors in the corresponding connect descriptor in the TNSNAMES.ORA file. If using directory naming check the information provided through the administration used for directory naming.

**ORA-12163: TNS:connect descriptor is too long**

**Cause:** The connect descriptor corresponding to the net service name specified as the connect identifier is too long. The maximum length for a connect descriptor is 512 bytes and this limit has been exceeded.

**Action:** Check the net service name's connect descriptor in the local naming file (TNSNAMES.ORA) or in the directory server (Oracle Internet Directory). Use a smaller connect descriptor. If this is not possible, contact Worldwide Customer Support.

**ORA-12164: TNS:Sqlnet.fdf file not present**

**Cause:** The sqlnet.fdf file doesn't exist in \$ORACLE\_HOME/network/admin.

**Action:** The sqlnet.fdf file is required for Oracle Tracing to occur. Either install the sqlnet.fdf file in \$ORACLE\_HOME/network/admin or turn off tracing in your ORA file.

**ORA-12165: TNS:Trying to write trace file into swap space.**

**Cause:** Oracle Trace doesn't allow writing trace information into your swap space.

**Action:** Oracle Trace cannot write trace information into swap space so either disable tracing or redirect trace files to be written to another area of your disk.

**ORA-12166: TNS:Client can not connect to HO agent.**

**Cause:** NVstring contained DESCRIPTION/HO.

**Action:** Call HO agent from integrating server.

**ORA-12168: TNS:Unable to contact LDAP Directory Server**

**Cause:** Cannot contact LDAP directory server to get Oracle Net configuration.

**Action:** Verify that the directory server is up and accessible from the network. Verify that directory access configuration is correct. For more information see the Oracle Internet Directory Administrators Guide or the Oracle Net Administrators Guide.

**ORA-12169: TNS:Net service name given as connect identifier is too long**

**Cause:** The net service name you are attempting to resolve is too long.

**Action:** The maximum length of a net service name is 255 bytes; this limit has been exceeded. Use a smaller net service name. If this is not possible, contact Worldwide Customer Support.

**ORA-12170: TNS:Connect timeout occurred**

**Cause:** The server shut down because connection establishment or communication with a client failed to complete within the allotted time interval.

---

This may be a result of network or system delays; or this may indicate that a malicious client is trying to cause a Denial of Service attack on the server.

**Action:** If the error occurred because of a slow network or system, reconfigure one or all of the parameters SQLNET.INBOUND\_CONNECT\_TIMEOUT, SQLNET.SEND\_TIMEOUT, SQLNET.RECV\_TIMEOUT in sqlnet.ora to larger values. If a malicious client is suspected, use the address in sqlnet.log to identify the source and restrict access. Note that logged addresses may not be reliable as they can be forged (e.g. in TCP/IP).

**ORA-12171: TNS:could not resolve connect identifier: *string***

**Cause:** A connection to a database or other service was requested using a connect identifier, and the connect identifier specified could not be resolved into a connect descriptor using one of the naming methods configured. For example, if the type of connect identifier used was a net service name then the net service name could not be found in a naming method repository, or the repository could not be located or reached.

**Action:**

- If you are using local naming (TNSNAMES.ORA file):
  - Make sure that "TNSNAMES" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA)
  - Verify that a TNSNAMES.ORA file exists and is in the proper directory and is accessible.
  - Check that the net service name used as the connect identifier exists in the TNSNAMES.ORA file.
  - Make sure there are no syntax errors anywhere in the TNSNAMES.ORA file. Look for unmatched parentheses or stray characters. Errors in a TNSNAMES.ORA file may make it unusable.
- If you are using directory naming:
  - Verify that "LDAP" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
  - Verify that the LDAP directory server is up and that it is accessible.
  - Verify that the net service name or database name used as the connect identifier is configured in the directory.
  - Verify that the default context being used is correct by specifying a fully qualified net service name or a full LDAP DN as the connect identifier
- If you are using easy connect naming:
  - Verify that "EZCONNECT" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
  - Make sure the host, port and service name specified are correct.
  - Try enclosing the connect identifier in quote marks. See the Oracle Net Services Administrators Guide or the Oracle operating system specific guide for more information on naming.

**ORA-12196: TNS:received an error from TNS**

**Cause:** The navigation layer received an error from TNS.

**Action:** See the error log file for the specific TNS error.

---

**ORA-12197: TNS:keyword-value resolution error**

**Cause:** The navigation layer received an error while trying to look up a value for a keyword.

**Action:** Check the syntax of the connect descriptor.

**ORA-12198: TNS:could not find path to destination**

**Cause:** Could not navigate a path through Interchanges to the destination. This error occurs if an invalid community is in the address string, or the address includes a protocol that is not available or the TNSNAV.ORA file does not have a correct CMANAGER address specified or the Interchange is down.

**Action:** Assure that Interchanges necessary to get to the desired destination are up and have available capacity for an additional connection. Also check that the correct community and protocol have been specified in the CMANAGER address used.

**ORA-12200: TNS:could not allocate memory**

**Cause:** Out of memory on machine.

**Action:** Reconfigure machine to have more storage or run fewer applications while the Interchange is running.

**ORA-12201: TNS:encountered too small a connection buffer**

**Cause:** TNS connection buffer supplied by the application was too small to retrieve the data sent back.

**Action:** Supply a larger connection buffer. If problem persists, call Worldwide Customer Support.

**ORA-12202: TNS:internal navigation error**

**Cause:** Internal navigation error.

**Action:** Not normally visible to the user. For further details contact Worldwide Customer Support.

**ORA-12203: TNS:unable to connect to destination**

**Cause:** Invalid address specified or destination is not listening. This error can also occur because of underlying network or network transport problems.

**Action:** Verify that the net service name you entered was correct. Verify that the ADDRESS portion of the connect descriptor which corresponds to the net service name is correct. Ensure that the destination process (for example the listener) is running at the remote node.

**ORA-12204: TNS:received data refused from an application**

**Cause:** The application using Connection Manager refused the connection at the listener.

**Action:** Make sure that the application listener at the destination is functioning correctly. If it is and the problem persists, contact Worldwide Customer Support.

**ORA-12205: TNS:could not get failed addresses**

**Cause:** Internal navigation error.

**Action:** Not normally visible to the user. For further details contact Worldwide Customer Support.

**ORA-12206: TNS:received a TNS error during navigation**

**Cause:** Internal navigation error because of an unexpected TNS error.

---

**Action:** Look at the log file to find the TNS error. If necessary, turn on tracing and repeat the operation.

**ORA-12207: TNS:unable to perform navigation**

**Cause:** Improperly configured navigation file TNSNAV.ORA.

**Action:** Check the syntax of the TNSNAV.ORA file on the application's machine, and verify that it lists the correct communities.

**ORA-12208: TNS:could not find the TNSNAV.ORA file**

**Cause:** Either the ORACLE environment is not set up correctly, or the TNSNAV.ORA file is not present.

**Action:** Ensure that the ORACLE environment is set up appropriately on your platform and that a TNSNAV.ORA file is present.

**ORA-12209: TNS:encountered uninitialized global**

**Cause:** Application calling navigation routine has not properly configured the global variables. There are no TNSNAV.ORA files available, or they are defective.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**ORA-12210: TNS:error in finding Navigator data**

**Cause:** Application calling navigation routine has not properly configured the TNSNAV.ORA file.

**Action:** Check the syntax of the TNSNAV.ORA file.

**ORA-12211: TNS:needs PREFERRED\_CMANAGERS entry in TNSNAV.ORA**

**Cause:** TNSNAV.ORA does not have a PREFERRED\_CMANAGERS defined.

**Action:** Add a PREFERRED\_CMANAGERS entry to the TNSNAV.ORA file.

**ORA-12212: TNS:incomplete PREFERRED\_CMANAGERS binding in TNSNAV.ORA**

**Cause:** The PREFERRED\_CMANAGERS binding in the client's TNSNAV.ORA file does not have a CMANAGER\_NAME specified.

**Action:** Define the CMANAGER\_NAME as part of the PREFERRED\_CMANAGERS binding. Use of the Oracle Network Manager should eliminate this error.

**ORA-12213: TNS:incomplete PREFERRED\_CMANAGERS binding in TNSNAV.ORA**

**Cause:** The PREFERRED\_CMANAGERS binding in the client's TNSNAV.ORA file does not have an ADDRESS specified.

**Action:** Define the ADDRESS as part of the PREFERRED\_CMANAGERS binding.

**ORA-12214: TNS:missing local communities entry in TNSNAV.ORA**

**Cause:** There is no LOCAL\_COMMUNITIES entry in TNSNAV.ORA.

**Action:** Define the LOCAL\_COMMUNITIES for this node in the TNSNAV.ORA file.

**ORA-12215: TNS:poorly formed PREFERRED\_NAVIGATORS Addresses in TNSNAV.ORA**

**Cause:** Address binding for PREFERRED\_NAVIGATORS entry is improperly entered. entry.

---

**Action:** Check your PREFERRED\_NAVIGATORS entry and fix it in TNSNAV.ORA

**ORA-12216: TNS:poorly formed PREFERRED\_CM MANAGERS addresses in TNSNAV.ORA**

**Cause:** Address binding for the PREFERRED\_CM MANAGERS entry in the client's TNSNAV.ORA file is improperly entered.

**Action:** Define the ADDRESS as part of the PREFERRED\_CM MANAGERS binding.

**ORA-12217: TNS:could not contact PREFERRED\_CM MANAGERS in TNSNAV.ORA**

**Cause:** There is a syntax error in the PREFERRED\_CM MANAGERS entry, or addresses specified are wrong, or the intended Connection Managers are unavailable.

**Action:** Check the PREFERRED\_CM MANAGERS entries in the client's TNSNAV.ORA file and correct them or talk with your network administrator to determine if the specified Connection Managers are available. Verify that the Interchanges are active by using the INTCTL STATUS command.

**ORA-12218: TNS:unacceptable network configuration data**

**Cause:** Poorly formed network configuration data. For example, a PREFERRED\_CM MANAGERS entry may have an incorrect CM MANAGER\_NAME in the client's TNSNAV.ORA file. Or an Interchange downtime parameter (TIMEOUT\_INTERVAL) on the Navigator may be set to zero in INTCHG.ORA.

**Action:** Check the entries in TNSNAV.ORA and the Interchange configuration files and correct them. If necessary, talk with your network administrator to determine if the specified Interchanges (Connection Managers) are available and properly configured. Use the Oracle Network Manager to generate the configuration files if necessary.

**ORA-12219: TNS:missing community name from address in ADDRESS\_LIST**

**Cause:** This error occurs when an ADDRESS\_LIST has some ADDRESSES in it that have no COMMUNITY component and others that do have a COMMUNITY component.

**Action:** Check that in the connect descriptors you are using either all the ADDRESSES have a COMMUNITY component or all do not.

**ORA-12221: TNS:illegal ADDRESS parameters**

**Cause:** An illegal set of protocol adapter parameters was specified. In some cases, this error is returned when a connection cannot be made to the protocol transport.

**Action:** Verify that the destination can be reached using the specified protocol. Check the parameters within the ADDRESS section of TNSNAMES.ORA or in the directory. Legal ADDRESS parameter formats may be found in the Oracle operating system specific documentation or the Oracle Net Administrator's Guide. Protocols that resolve names at the transport layer are vulnerable to this error if not properly configured or names are misspelled.

**ORA-12222: TNS:no support is available for the protocol indicated**

**Cause:** The protocol requested in the ADDRESS portion of the connect descriptor identified through the net service name is not available. If the supplied ADDRESS is typographically correct then support for that protocol is not installed.

**Action:** Install support for the protocol or correct typographical error, as appropriate. Note: if the supplied address was derived from resolving the net

---

service name, check the address in the appropriate file (TNSNAMES.ORA, LISTENER.ORA) or in the directory server.

**ORA-12223: TNS:internal limit restriction exceeded**

**Cause:** Too many TNS connections open simultaneously.

**Action:** Wait for connections to close and re-try.

**ORA-12224: TNS:no listener**

**Cause:** The connection request could not be completed because the listener is not running.

**Action:** Ensure that the supplied destination address matches one of the addresses used by the listener - compare the TNSNAMES.ORA entry with the appropriate LISTENER.ORA file (or TNSNAV.ORA if the connection is to go by way of an Interchange). Start the listener on the remote machine.

**ORA-12225: TNS:destination host unreachable**

**Cause:** Contact can not be made with remote party.

**Action:** Make sure the network driver is functioning and the network is up.

**ORA-12226: TNS:operating system resource quota exceeded**

**Cause:** The current user has exceeded the allotted resource assigned in the operating system.

**Action:** Acquire more operating system resource, or perform a different function.

**ORA-12227: TNS:syntax error**

**Cause:** The supplied connect descriptor contains illegal syntax.

**Action:** Check the syntax of the connect descriptor in TNSNAMES.ORA.

**ORA-12228: TNS:protocol adapter not loadable**

**Cause:** On some platforms (such as Windows) protocol support is loaded at run-time. If the shared library (or DLL) for the protocol adapter is missing or one of its supporting libraries is missing then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will include the name of the shared library (or DLL) that could not be loaded.

**ORA-12229: TNS:Interchange has no more free connections**

**Cause:** One or more Interchanges along the path to the destination desired has no more free connections available to be used for this call.

**Action:** Try again later when the Interchanges are less busy, or contact your network administrator to have him determine which interchange it is, and increase the number of connections available on that interchange.

**ORA-12230: TNS:Severe Network error occurred in making this connection**

**Cause:** This error is reported by an interchange which fails to make contact with the destination due to a physical network error while calling a destination.

**Action:** Try again later when the network service may have been fixed or report the problem to your Network Administrator so that he may fix the problem.

**ORA-12231: TNS:No connection possible to destination**

**Cause:** This error is reported by an interchange which fails to find a possible connection along the path to the destination.

---

**Action:** Report the problem to your Network Administrator so that he may fix the problem.

**ORA-12232: TNS:No path available to destination**

**Cause:** This error is reported by an interchange which fails to find a possible path to the destination.

**Action:** Report the problem to your Network Administrator so that he may fix the problem.

**ORA-12233: TNS:Failure to accept a connection**

**Cause:** This error is reported by an interchange which fails to accept a connection due to a redirect failure.

**Action:** Report the problem to your Network Administrator so that he may isolate the interchange problem.

**ORA-12234: TNS:Redirect to destination**

**Cause:** This error is reported by an interchange which determines that this interchange is not the right gateway and needs to redirect the connection to another gateway along the path to the destination.

**Action:** None

**ORA-12235: TNS:Failure to redirect to destination**

**Cause:** This error is reported by an interchange which fails to redirect a connection to another interchange along the path to the destination.

**Action:** Report the problem to your Network Administrator so that he may fix the problem.

**ORA-12236: TNS:protocol support not loaded**

**Cause:** On some platforms (such as Windows) protocol support is loaded at run-time. If the shared library (or DLL) for the protocol adapter has not been loaded, then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will have the name of the shared library (or DLL) that has not been loaded.



---

## ORA-12315 to ORA-12354

### ORA-12315: database link type is invalid for the ALTER DATABASE statement

**Cause:** The database link name you specified on the ALTER DATABASE statement is not an ROM: link. You must specify an ROM: link when using the ALTER DATABASE statement to mount or open a secondary database.

**Action:** Re-issue the ALTER DATABASE statement using a valid ROM: link to the database you want to mount or open. If a valid ROM: link does not exist, create one using the CREATE DATABASE LINK command. See the Trusted ORACLE RDBMS Guide to Security Features for more information about creating database links using the ROM: link type.

### ORA-12316: syntax error in database link's connect string

**Cause:** The connect string in the CREATE DATABASE LINK statement has a syntactical error.

**Action:** Drop the database link and recreate it using valid syntax. See the SQL Language Reference Manual for more information about the connect string portion of the CREATE DATABASE LINK statement.

### ORA-12317: logon to database (link name *string*) denied

**Cause:** There are several possible causes for this error. First, you can get this error if your username (and password, if you are using database instead of operating system authentication) in the secondary database are not identical to your username (and password) in the primary database. Second, you can get this error if your username in the secondary database is invalid (has not been created). Third, you can get this error if the username/password combination specified in the connect string of the database link definition is invalid (either not created or has an invalid password).

**Action:** In the first case, ensure that the secondary database contains a username (and password, if you are using database authentication) identical to the one you are using in the primary database. In general, you should always use operating system authentication in Trusted ORACLE (see the Trusted ORACLE RDBMS Guide to Security Features for more information about the advantages of OS authentication). In the second case, ensure that your username in the secondary database has been created. In the third case, ensure that the username specified in the connect string has been created in the secondary database.

### ORA-12318: database (link name *string*) is already mounted

**Cause:** You are attempting to mount a secondary database that has already been mounted by your instance.

**Action:** to mount it. To establish access, use the ALTER DATABASE <linkname> OPEN command to open the database.

---

**ORA-12319: database (link name *string*) is already open**

**Cause:** You are attempting to open a secondary database that is already open.

**Action:** The database is open and you need not take additional action to establish access.

**ORA-12321: database (link name *string*) is not open and AUTO\_MOUNTING=FALSE**

**Cause:** The secondary database that your instance is attempting to mount is not open and automatic mounting has not been enabled.

**Action:** Manually mount and open the secondary database using ALTER DATABASE <linkname> with the OPEN and MOUNT options. Alternately, to allow your instance to automatically mount and open secondary databases, set the AUTO\_MOUNTING parameter in the parameter file to TRUE.

**ORA-12322: unable to mount database (link name *string*)**

**Cause:** This message should be accompanied by additional error messages that indicate the cause of the problem.

**Action:** Follow the steps outlined in the accompanying error messages to resolve the problem.

**ORA-12323: unable to open database (link name *string*)**

**Cause:** This message should be accompanied by additional error messages that indicate the cause of the problem.

**Action:** Follow the steps outlined in the accompanying error messages to resolve the problem.

**ORA-12324: cannot use the ROM: link type on a private database link**

**Cause:** You can only specify the ROM: link type on a public, not a private, database link.

**Action:** Determine if there is an existing public database link to the secondary database. If not, and if you wish to establish public access to the secondary database, create a public database link to the secondary database using the CREATE DATABASE LINK command.

**ORA-12326: database *string* is closing immediately; no operations are permitted**

**Cause:** The database you attempted to access is closing, so your operation has been terminated.

**Action:** Wait until the database has been reopened, or contact the database administrator.

**ORA-12329: database *string* is closed; no operations are permitted**

**Cause:** The database you attempted to access is closed, so your operation has been terminated.

**Action:** Wait until the database is reopened, or contact the database administrator.

**ORA-12333: database (link name *string*) is not mounted**

**Cause:** You attempted to open a database that has not been mounted.

**Action:** Mount the database with the ALTER DATABASE <linkname> MOUNT command, then re-attempt to open the database.

**ORA-12334: database (link name *string*) is still open**

**Cause:** You attempted to dismount a database that is still open.

---

**Action:** Close the database with the ALTER DATABASE <linkname> CLOSE command, then re-attempt to dismount the database.

**ORA-12335: database (link name string) is not open**

**Cause:** You attempted to close a database that is not open.

**Action:** The database is closed; you can proceed with dismounting it.

**ORA-12336: cannot login to database (link name string)**

**Cause:** You are trying to login while another user is mounting or dismounting the same database.

**Action:** Check to see if the database is in the middle of being mounted or opened and try your login again once the database is accessible.

**ORA-12341: maximum number of open mounts exceeded**

**Cause:** The number specified on the OPEN\_MOUNTS parameter in the parameter file exceeds the maximum allowed (255).

**Action:** Change the value of this parameter so that it reflects the actual number of possible open mounts to secondary databases. This must be less than 255.

**ORA-12342: open mounts exceeds limit set on the OPEN\_MOUNTS parameter**

**Cause:** The number of currently open mounts exceeds the value you specified on the OPEN\_MOUNTS parameter.

**Action:** Increase the value of the OPEN\_MOUNTS parameter so that it accommodates the maximum possible number of open mounts to secondary databases.

**ORA-12345: user string lacks CREATE SESSION privilege in database link (linkname string)**

**Cause:** There are several possible causes for this message: First, you will get this message if your username in the second database specified was not granted the CREATE SESSION system privilege. Second, you will get this message if the username specified in the connect string of the database link definition was not granted the CREATE SESSION system privilege.

**Action:** The action you take depends upon the cause of the message: In the first case, ensure that your username in the secondary database was granted the CREATE SESSION system privilege. In the second case, ensure the username specified in the connect string of the database link definition was granted the CREATE SESSION system privilege in the secondary database.

**ORA-12350: database link being dropped is still mounted**

**Cause:** An attempt was made to drop a database link that was still mounted and/or opened.

**Action:** Close and dismount the database and then re-issue the drop statement.

**ORA-12351: cannot create view using a remote object which has a remote object reference**

**Cause:** You tried to create a view which references a remote object which, in turn, references an object on another database. Since the view that you tried to create references a remote object, that object cannot reference an object on another database.

**Action:** Choose a different object to reference in your view or change the remote object so that it does not reference another database.

---

**ORA-12352: object *string.string@string* is invalid**

**Cause:** An attempt was made to reference (compile against) an object of a secondary database but the object is invalid and the system cannot validate or recompile it because it is in a secondary database.

**Action:** Manually recompile the invalid object in the secondary database.

**ORA-12353: secondary stored object cannot reference remote object**

**Cause:** You tried to either select from a remote view or execute a remote procedure which references an object on another database. Since the remote view or procedure is on a secondary database, an additional reference to another database cannot be done.

**Action:** Choose a different object to reference or change the remote view or procedure so that it does not reference another database.

**ORA-12354: secondary object being dropped**

**Cause:** You tried to access a object (for example, a table or view) on a secondary database that was in the process of being dropped.

**Action:** Repeat the operation. If you receive this message again, try to access the object from the secondary database. If you receive an internal error or a trace file, contact Oracle WorldWide Technical Support.

---

---

## ORA-12400 to ORA-12497

**ORA-12400: invalid argument to facility error handling**

**Cause:** An argument to a facility error handling function exceeded a maximum limit or referred to an invalid product/facility.

**Action:** Specify a valid facility error handling parameter value.

**ORA-12401: invalid label string: *string***

**Cause:** The policy could not convert the label string to a valid internal label.

**Action:** Correct the syntax of the label string.

**ORA-12402: invalid format string: *string***

**Cause:** The format string is not supported by the policy.

**Action:** Correct the syntax of the format string.

**ORA-12403: invalid internal label**

**Cause:** An internal label could not be converted to a valid label for the policy.

**Action:** Analyze any additional messages on the error stack and consult the policy documentation.

**ORA-12404: invalid privilege string: *string***

**Cause:** The policy could not interpret the privilege string.

**Action:** Specify a privilege string that is supported by the policy.

**ORA-12405: invalid label list**

**Cause:** The policy determined that the label list was invalid for its intended use.

**Action:** Check the policy constraints on the specific list of labels.

**ORA-12406: unauthorized SQL statement for policy *string***

**Cause:** The policy did not authorize the database session to perform the requested SQL statement.

**Action:** Grant the user or program unit the necessary policy privilege or additional authorizations.

**ORA-12407: unauthorized operation for policy *string***

**Cause:** The policy did not authorize the database session to perform the requested operation.

**Action:** Grant the user or program unit the necessary policy privilege or additional authorizations.

**ORA-12408: unsupported operation: *string***

---

**Cause:** The specified policy does not support the requested operation.

**Action:** Consult the policy documentation to determine the supported access mediation operations.

**ORA-12409: policy startup failure for *string* policy**

**Cause:** The policy encountered an error during startup processing; access to the data protected by the policy is prohibited.

**Action:** Check the alert log for additional information, correct the policy error, and restart the instance.

**ORA-12410: internal policy error for policy: *string* Error: *string***

**Cause:** The policy enforcement encountered an internal error.

**Action:** Consult the policy documentation for details.

**ORA-12411: invalid label value**

**Cause:** The specified label value does not exist.

**Action:** Check the data dictionary views for the policy to identify valid labels.

**ORA-12412: policy package *string* is not installed**

**Cause:** The policy package does not exist in the database.

**Action:** Check that the policy package name is correct or install the required policy package.

**ORA-12413: labels do not belong to the same policy**

**Cause:** The labels being compared belong to different policies.

**Action:** Only compare labels that belong to the same policy.

**ORA-12414: internal LBAC error: *string* Error: *string***

**Cause:** An internal label policy framework error occurred.

**Action:** Contact Oracle Customer Support.

**ORA-12415: A column of another datatype exists on the specified table**

**Cause:** The datatype of the column present in the table is different from the datatype set for the policy column.

**Action:** Drop the column on the table or change the datatype for policy column.

**ORA-12416: policy *string* not found**

**Cause:** The specified policy does not exist in the database.

**Action:** Enter the correct policy name or create the policy.

**ORA-12417: database object "*string*" not found**

**Cause:** The specified object was not in the database.

**Action:** Enter the correct name for the database object.

**ORA-12418: user *string* not found**

**Cause:** The specified user does not exist in the database.

**Action:** Correct the user name or create the user.

**ORA-12419: null binary label value**

**Cause:** A null value was provided for a binary label operation.

**Action:** Provide a valid binary label for the operation.

---

**ORA-12420: required procedures and functions not in policy package "*string*"**

**Cause:** The policy package did not contain all of the procedures and functions necessary to enforce the policy.

**Action:** Consult the label framework documentation for a list of required procedures and functions for a policy package.

**ORA-12421: different size binary labels**

**Cause:** The label sizes for the binary label operation were not equal.

**Action:** Provide binary labels with the same lengths for the operation.

**ORA-12422: max policies exceeded**

**Cause:** You tried to create a new policy, but the maximum number of policies for the instance had already been created.

**Action:** Increase the size of the MAX\_LABEL\_POLICIES initialization parameter and restart the server.

**ORA-12423: invalid position specified**

**Cause:** The position specified for a binary label operation was invalid.

**Action:** Provide a position that is within the label size limits.

**ORA-12424: length exceeds binary label size**

**Cause:** The length specified for a binary label operation exceeded the size of the binary label.

**Action:** Provide a bit or byte length that is within the label size limits.

**ORA-12425: cannot apply policies or set authorizations for system schemas**

**Cause:** You tried to either apply a policy to the SYS, SYSTEM, or LBACSYS schema or to set user labels/privileges for the SYS, SYSTEM, or LBACSYS user.

**Action:** Apply policies and set authorizations only for non-system users.

**ORA-12426: invalid audit option**

**Cause:** The option specified was not a valid audit option for the specified policy.

**Action:** Enter a correct audit option.

**ORA-12427: invalid input value for *string* parameter**

**Cause:** An input parameter was specified incorrectly.

**Action:** Correct the parameter value.

**ORA-12429: label list range exceeded**

**Cause:** The specified index value was not between 1 and 6.

**Action:** Correct the index value for the label list operation.

**ORA-12430: invalid privilege number**

**Cause:** The specified privilege number was not between 1 and 32.

**Action:** Correct the privilege number.

**ORA-12431: invalid audit action**

**Cause:** The specified audit action was not a valid audit action.

**Action:** Correct the audit action number.

**ORA-12432: LBAC error: *string***

---

**Cause:** LBAC enforcement resulted in an error.

**Action:** Correct the problem identified in the error message.

**ORA-12433: create trigger failed, policy not applied**

**Cause:** The policy could not be applied due to errors during the creation of a DML trigger.

**Action:** Correct the SQL syntax of the label function specification.

**ORA-12434: invalid audit type: *string***

**Cause:** The audit type must be BY ACCESS or BY SESSION.

**Action:** Correct the audit type value.

**ORA-12435: invalid audit success: *string***

**Cause:** The audit success parameter must be SUCCESSFUL or NOT SUCCESSFUL.

**Action:** Correct the audit success value.

**ORA-12436: no policy options specified**

**Cause:** A NULL option string was specified, but no default schema or policy option string was found.

**Action:** Enter a valid option string, or alter the schema or policy to have a valid default option string.

**ORA-12437: invalid policy option: *string***

**Cause:** A value that was not a valid policy option was entered.

**Action:** Correct the policy option value.

**ORA-12438: repeated policy option: *string***

**Cause:** A policy option was entered more than once in the option string.

**Action:** Remove the duplicate policy option value.

**ORA-12439: invalid combination of policy options**

**Cause:** A set of contradictory policy options was entered.

**Action:** Provide a set of compatible policy options.

**ORA-12440: insufficient authorization for the SYSDBA package**

**Cause:** The use of the SYSDBA package requires the LBAC\_DBA role.

**Action:** Grant the LBAC\_DBA role to the database user.

**ORA-12441: policy *string* already exists**

**Cause:** You tried to create a policy with the same name as an existing one.

**Action:** Use a different name or drop the existing policy.

**ORA-12442: policy column "*string*" already used by an existing policy**

**Cause:** You tried to create a policy with the same policy column name as an existing policy.

**Action:** Use a different name for the policy column or drop the existing policy.

**ORA-12443: policy not applied to some tables in schema**

**Cause:** You applied a policy to a schema, and some of the tables in the schema already had the policy applied.

---

**Action:** No action necessary; the policy was applied to the remaining tables.

**ORA-12444: policy already applied to table**

**Cause:** You tried to apply a policy to a table that was already protected by the policy.

**Action:** To change the policy options, predicate, or label function, remove the policy from the table and re-apply it.

**ORA-12445: cannot change HIDDEN property of column**

**Cause:** You tried to specify a different HIDE option for a table with an existing policy column.

**Action:** Drop the column from the table and reapply the policy with the new HIDE option.

**ORA-12446: Insufficient authorization for administration of policy *string***

**Cause:** You tried to perform an administrative function for a policy, but you have not been granted the <policy>\_DBA role.

**Action:** Grant the user the <policy>\_DBA role for the specified policy.

**ORA-12447: policy role already exists for policy *string***

**Cause:** The role named <policy>\_DBA already exists.

**Action:** Correct the policy name or delete the existing policy.

**ORA-12448: policy *string* not applied to schema *string***

**Cause:** You tried to alter a schema policy that was not applied.

**Action:** Correct the policy name or schema name.

**ORA-12449: Labels specified for user must be of type USER**

**Cause:** You tried to set labels for a user, but the labels in the list were not all designated as USER labels.

**Action:** Alter the labels to be USER labels.

**ORA-12450: LOB datatype disabled in LBAC initialization file**

**Cause:** You tried to specify a LOB datatype for a column or attribute, but the use of the LOB datatype has been disabled.

**Action:** Change the LBAC initialization file to allow the creation of LOB columns and attributes.

**ORA-12451: label not designated as USER or DATA**

**Cause:** A label is either a DATA label, a USER label, or both DATA and USER.

**Action:** Enter TRUE for at least DATA or USER.

**ORA-12452: label tag *string* already exists**

**Cause:** The label tag value you entered is already in use for another label.

**Action:** Enter a different value for the label tag.

**ORA-12453: label *string* already exists**

**Cause:** The label value you entered already exists.

**Action:** No action necessary; alter the label to change its tag or type.

**ORA-12454: label *string* does not exist for policy *string***

**Cause:** The label tag or value you entered did not identify a label for the policy.

---

**Action:** Enter a label value or tag that is in use by the policy.

**ORA-12455: internal error in Label Security MMON cleanup task**

**Cause:** An internal error occurred in the Label Security MMON cleanup task.

**Action:** Contact Oracle Customer Support.

**ORA-12456: label security startup in progress**

**Cause:** You attempted to connect to the database before the Oracle Label Security component was fully initialized.

**Action:** Wait until the database is fully open before attempting to connect.

**ORA-12457: security label exceeded maximum allowable length**

**Cause:** An operation attempted to materialize a security label greater than 4000 bytes in length.

**Action:** Consult the Oracle Label Security documentation for information on how the length of a security label is calculated. Re-submit the operation once the problem has been corrected.

**ORA-12461: undefined level *string* for policy *string***

**Cause:** The specified level is not defined for the policy.

**Action:** Correct the level identifier value.

**ORA-12462: undefined compartment *string* for policy *string***

**Cause:** The specified compartment is not defined for the policy.

**Action:** Correct the compartment identifier value.

**ORA-12463: undefined group *string* for policy *string***

**Cause:** The specified group is not defined for the policy.

**Action:** Correct the group identifier value.

**ORA-12464: invalid characters in label component *string***

**Cause:** Label components can contain only alphanumeric characters, blanks, and underscores.

**Action:** Correct syntax of the label component.

**ORA-12465: Not authorized for read or write on specified groups or compartments**

**Cause:** You included groups or compartments that are not in the user's list of groups and compartments authorized for read or write access.

**Action:** Include read access when authorizing groups or compartments for write access.

**ORA-12466: default level is greater than the user's maximum**

**Cause:** The default level cannot be greater than the user's maximum.

**Action:** Enter an authorized level.

**ORA-12467: minimum label can contain a level only**

**Cause:** You included compartments or groups in the minimum label.

**Action:** Enter only an authorized minimum level as the label.

**ORA-12468: max write level does not equal max read level**

**Cause:** The level in the max write label must equal the level in the max read label.

**Action:** Enter max read and max write labels with the same level component.

---

**ORA-12469: no user levels found for user *string* and policy *string***

**Cause:** No levels have been specified for the user.

**Action:** Enter the maximum and minimum labels for the user.

**ORA-12470: NULL or invalid user label: *string***

**Cause:** The label entered is NULL or not within the user's authorizations.

**Action:** Enter the authorized labels for the user.

**ORA-12471: Specified compartment or group is not authorized for user**

**Cause:** The specified compartment or group is not in user's authorizations or the user does not have read on compartment or group specified for write.

**Action:** Enter an authorized compartment or group.

**ORA-12472: policy *string* is being used**

**Cause:** The policy which was being dropped due to event propagation from OID was applied to some table or schema.

**Action:** Drop a policy in OID only if it is not used in any of the databases using the policy.

**ORA-12473: The procedure is disabled when Label Security is used with OID.**

**Cause:** Using Label Security with OID disabled this procedure.

**Action:** Do not use OID with Label Security if this procedure is required to function.

**ORA-12476: least upper bound resulted in an invalid OS label**

**Cause:** You tried to do an operation that generated a least upper bound (LUB) label which is not a valid label on your operating system.

**Action:** Consult your OS label management documentation for information on invalid label generation.

**ORA-12477: greatest lower bound resulted in an invalid OS label**

**Cause:** You tried to do an operation that generated a greatest lower bound (GLB) label which is not a valid label on your operating system.

**Action:** Consult your OS label management documentation for information on invalid label generation.

**ORA-12479: file label *string* must equal DBHIGH *string***

**Cause:** A database file had an OS label that did not match DBHIGH. Either DBHIGH was altered or the OS file was relabeled.

**Action:** Relabel the file so that its label matches DBHIGH, or alter DBHIGH so that it matches the label on the file.

**ORA-12480: specified clearance labels not within the effective clearance**

**Cause:** You specified a clearance range that was not within your authorized clearance; you can only specify clearance ranges that are within your clearance.

**Action:** Specify clearance labels that are within your own clearance range.

**ORA-12481: effective label not within program unit clearance range**

**Cause:** The effective label when the program unit was invoked was not within the range authorized for the program unit.

**Action:** Modify the program unit clearance range or invoke the program unit from a session with an authorized effective clearance.

---

**ORA-12482: internal MLS error: *string* Error: *string***

**Cause:** An internal MLS policy error occurred.

**Action:** Contact Oracle Customer Support.

**ORA-12483: label not in OS system accreditation range**

**Cause:** The specified label is above the OS maximum label or below the OS minimum label.

**Action:** Use a label that is within the accreditation range for the host OS.

**ORA-12484: invalid OS label**

**Cause:** The specified label does not exist in the OS host's label definition file.

**Action:** Use the OS label management tools to define the label.

**ORA-12485: new effective label not within effective clearance**

**Cause:** You attempted to enter a value for an effective label that did not dominate the effective min label or was not dominated by the effective max label.

**Action:** Enter a value between the min and the max labels.

**ORA-12486: effective max labels and min labels cannot be changed**

**Cause:** You attempted to enter a value for an effective min label or effective max label, but these labels cannot be changed.

**Action:** Enter NULL values for the effective minimum and maximum labels.

**ORA-12487: clearance labels not between DBHIGH and DBLOW**

**Cause:** You attempted to enter a value for a clearance label that was not dominated by DBHIGH or did not dominate DBLOW.

**Action:** Enter clearance label values between DBHIGH and DBLOW.

**ORA-12488: maximum label does not dominate minimum label**

**Cause:** You attempted to enter a value for a clearance label that did not preserve the dominance relationship between the minimum and maximum labels.

**Action:** Enter label values that preserves the dominance relationship between the minimum and maximum.

**ORA-12489: default label not within clearance range**

**Cause:** You attempted to enter a value for a default label that did not dominate the minimum clearance or was not dominated by the maximum clearance.

**Action:** Enter a default label value within the clearance range.

**ORA-12490: DBHIGH cannot be lowered**

**Cause:** You attempted to enter a value for DBHIGH that did not dominate the existing value of DBHIGH.

**Action:** Enter a value for DBHIGH that dominates the old value.

**ORA-12491: DBHIGH value does not dominate DBLOW**

**Cause:** You attempted to enter a value for DBHIGH that did not dominate DBLOW.

**Action:** Enter a value for DBHIGH that dominates DBLOW.

**ORA-12492: DBLOW cannot be changed**

**Cause:** You attempted to change the value of DBLOW after it had been set to any initial value. DBLOW can only be set once after initial database creation.

---

**Action:** To change DBLOW, you have to create a new database, set DBLOW to the new value, and import your data into the new database.

**ORA-12493: invalid MLS binary label**

**Cause:** The MLS binary label contained an invalid value, was not the correct size, or contained a level, category, or release category that was not enabled.

**Action:** Check the DBA\_MLS\_LABELS view for the valid MLS labels.

**ORA-12494: cannot insert or delete a level, category, or release category**

**Cause:** You attempted to insert or delete a level, category, or release category definition.

**Action:** If the label definition is no longer valid, change its name to one that identifies it as invalid. When any labels are converted to character strings, the new label definition will be used.

**ORA-12495: cannot disable an enabled level, category, or release category**

**Cause:** You attempted to disable a level, category, or release category that had previously been enabled. An enabled label definition may exist in some database label, so cannot be disabled.

**Action:** If the label definition is no longer valid, change its name to one that identifies it as invalid. When any labels are converted to character strings, the new label definition will be used.

**ORA-12496: cannot change existing level, category, or release numbers**

**Cause:** You attempted to change the number assigned to level, category or releasability category.

**Action:** Change the character string representations, not the numbers.

**ORA-12497: maximum combined categories exceeds *string***

**Cause:** The maximum number of descriptive categories plus release categories supported by the MLS policy was exceeded.

**Action:** Enter numbers that do not add up to more than the maximum.



---

## ORA-12500 to ORA-12699

### **ORA-12500: TNS:listener failed to start a dedicated server process**

**Cause:** The process of starting up a dedicated server process failed. The executable could not be found or the environment may be set up incorrectly.

**Action:** Turn on tracing at the ADMIN level and reexecute the operation. Verify that the ORACLE Server executable is present and has execute permissions enabled. Ensure that the ORACLE environment is specified correctly in LISTENER.ORA. The Oracle Protocol Adapter that is being called may not be installed on the local hard drive. Please check that the correct Protocol Adapter are successfully linked. If error persists, contact Oracle Customer Support.

### **ORA-12502: TNS:listener received no CONNECT\_DATA from client**

**Cause:** No CONNECT\_DATA was passed to the listener.

**Action:** Check that the service name resolved from TNSNAMES.ORA has the CONNECT\_DATA component of the connect descriptor.

### **ORA-12504: TNS:listener was not given the SERVICE\_NAME in CONNECT\_DATA**

**Cause:** The listener was not configured with a default service and SERVICE\_NAME was missing from the CONNECT\_DATA received by the listener.

**Action:** Possible solutions are:

- Configure DEFAULT\_SERVICE parameter in LISTENER.ORA with a valid service name. Reload the listener parameter file using reload [<listener\_name>]. This should be done by the LISTENER administrator.

- If using a service name, Check that the connect descriptor corresponding to the service name in TNSNAMES.ORA has a SERVICE\_NAME or SID component in the CONNECT\_DATA.

### **ORA-12505: TNS:listener does not currently know of SID given in connect descriptor**

**Cause:** The listener received a request to establish a connection to a database or other service. The connect descriptor received by the listener specified a SID for an instance (usually a database instance) that either has not yet dynamically registered with the listener or has not been statically configured for the listener. This may be a temporary condition such as after the listener has started, but before the database instance has registered with the listener.

**Action:**

- Wait a moment and try to connect a second time.

- Check which instances are currently known by the listener by executing: lsnrctl services <listener name>

- 
- Check that the SID parameter in the connect descriptor specifies an instance known by the listener.
  - Check for an event in the listener.log file.

**ORA-12508: TNS:listener could not resolve the COMMAND given**

**Cause:** d by incompatible Oracle Net or Net8 versions. Do not include in error manual.

**Action:** This is not seen in normal use of Oracle Net.

**ORA-12509: TNS:listener failed to redirect client to service handler**

**Cause:** The dispatcher terminated unexpectedly

**Action:** Attempt to connect again and if the same error occurs, contact the DBA to check the state of the dispatchers for this SID. If the problem persists, turn on tracing in the listener to determine the TNS error caused by the redirect.

**ORA-12510: TNS:database temporarily lacks resources to handle the request**

**Cause:** The dispatchers appear to be busy handling other requests.

**Action:** Attempt the connection again. If error persists, ask the DBA to increase the number of dispatchers and/or dispatchers" limit on number of connections/sessions that they can accept.

**ORA-12511: TNS:service handler found but it is not accepting connections**

**Cause:** The dispatchers notified the listener that they temporarily do not accept new connections.

**Action:** Attempt the connection again. If error persists, contact the DBA to check the state of the dispatchers and/or ask him to increase the number of dispatchers.

**ORA-12513: TNS:service handler found but it has registered for a different protocol**

**Cause:** The dispatchers registered for this service are connected to the listener by way of a different network protocol than that of the client.

**Action:** Contact the DBA to register a dispatcher on your protocol.

**ORA-12514: TNS:listener does not currently know of service requested in connect descriptor**

**Cause:** The listener received a request to establish a connection to a database or other service. The connect descriptor received by the listener specified a service name for a service (usually a database service) that either has not yet dynamically registered with the listener or has not been statically configured for the listener. This may be a temporary condition such as after the listener has started, but before the database instance has registered with the listener.

**Action:**

- Wait a moment and try to connect a second time.
- Check which services are currently known by the listener by executing: lsnrctl services <listener name>
- Check that the SERVICE\_NAME parameter in the connect descriptor of the net service name used specifies a service known by the listener.
- If an easy connect naming connect identifier was used, check that the service name specified is a service known by the listener.
- Check for an event in the listener.log file.

**ORA-12515: TNS:listener could not find a handler for this presentation**

---

**Cause:** None of the listener's known service handlers are registered as supporting the presentation protocol required by the connecting client.

**Action:** Check that the destination service is configured to accept the presentation protocol.

**ORA-12516: TNS:listener could not find available handler with matching protocol stack**

**Cause:** None of the known and available service handlers for the given SERVICE\_NAME support the client's protocol stack: transport, session, and presentation protocols.

**Action:** Check to make sure that the service handlers (e.g. dispatchers) for the given SERVICE\_NAME are registered with the listener, are accepting connections, and that they are properly configured to support the desired protocols.

**ORA-12518: TNS:listener could not hand off client connection**

**Cause:** The process of handing off a client connection to another process failed.

**Action:** Turn on listener tracing and re-execute the operation. Verify that the listener and database instance are properly configured for direct handoff. If problem persists, call Oracle Support.

**ORA-12519: TNS:no appropriate service handler found**

**Cause:** The listener could not find any available service handlers that are appropriate for the client connection.

**Action:** Run "lsnrctl services" to ensure that the instance(s) have registered with the listener, and are accepting connections.

**ORA-12520: TNS:listener could not find available handler for requested type of server**

**Cause:** None of the known and available service handlers for requested type of server (dedicated or shared) are appropriate for the client connection.

**Action:** Run "lsnrctl services" to ensure that the instance(s) have registered with the listener and that the appropriate handlers are accepting connections.

**ORA-12521: TNS:listener does not currently know of instance requested in connect descriptor**

**Cause:** The listener received a request to establish a connection to a database or other service. The connect descriptor received by the listener specified in addition to the service name an instance name for an instance (usually a database instance) that either has not yet dynamically registered with the listener or has not been statically configured for the listener. This may be a temporary condition such as after the listener has started, but before the database instance has registered with the listener.

**Action:**

- Wait a moment and try to connect a second time.

- Check which instances are currently known by the listener by executing: lsnrctl services <listener name>

- Check that the INSTANCE\_NAME parameter in the connect descriptor specifies an instance name known by the listener.

- Check for an event in the listener.log file.

---

**ORA-12522: TNS:listener could not find available instance with given INSTANCE\_ROLE**

**Cause:** There are not any available and appropriate database instances registered with the listener, that are part of the service identified by SERVICE\_NAME given in the connect descriptor and that have the specified INSTANCE\_ROLE (and INSTANCE\_NAME, if specified).

**Action:** Check to make sure that the INSTANCE\_ROLE specified is correct. Run "lsnrctl services" to ensure that the instance(s) have registered with the listener and that they are ready to accept connections.

**ORA-12523: TNS:listener could not find instance appropriate for the client connection**

**Cause:** The listener could not find any available (database) instances, that are appropriate for the client connection.

**Action:** Run "lsnrctl services" to ensure that the instance(s) are registered with the listener, and have status READY.

**ORA-12524: TNS:listener could not resolve HANDLER\_NAME given in connect descriptor**

**Cause:** The HANDLER\_NAME in the CONNECT\_DATA was not found in the listener's tables for the specified SERVICE\_NAME and INSTANCE\_NAME.

**Action:** Check to make sure that the HANDLER\_NAME specified is correct.

**ORA-12525: TNS:listener has not received client's request in time allowed**

**Cause:** The listener disconnected the client because the client failed to provide the necessary connect information within the allowed time interval. This may be a result of network or system delays; or this may indicate that a malicious client is trying to cause a Denial of Service attack on the listener.

**Action:** If the error occurred because of a slow network or system, reconfigure INBOUND\_CONNECT\_TIMEOUT to a larger value. If a malicious client is suspected, use the address in listener.log to identify the source and restrict access. Turn on tracing for more information.

**ORA-12526: TNS:listener: all appropriate instances are in restricted mode**

**Cause:** Database instances supporting the service requested by the client were in restricted mode. The Listener does not allow connections to instances in restricted mode. This condition may be temporary, such as during periods when database administration is performed.

**Action:** Attempt the connection again. If error persists, then contact the database administrator to change the mode of the instance, if appropriate.

**ORA-12527: TNS:listener: all instances are in restricted mode or blocking new connections**

**Cause:** All appropriate database instances supporting the service requested by the client reported that they either were in restricted mode or were blocking the new connections. The Listener does not allow connections to such instances. This condition may be temporary, such as at instance startup.

**Action:** Attempt the connection again. If error persists, then contact the database administrator to check the status of the instances.

**ORA-12528: TNS:listener: all appropriate instances are blocking new connections**

---

**Cause:** All instances supporting the service requested by the client reported that they were blocking the new connections. This condition may be temporary, such as at instance startup.

**Action:** Attempt the connection again. If error persists, then contact the administrator to check the status of the instances.

**ORA-12529: TNS:connect request rejected based on current filtering rules**

**Cause:** Connection Manager and its listener were configured with filtering rules specifying that the connect request be rejected.

**Action:** If this connect request should be allowed, then contact the administrator to modify the filtering rules.

**ORA-12531: TNS:cannot allocate memory**

**Cause:** Sufficient memory could not be allocated to perform the desired activity.

**Action:** Either free some resource for TNS, or add more memory to the machine. For further details, turn on tracing and reexecute the operation.

**ORA-12532: TNS:invalid argument**

**Cause:** An internal function received an invalid parameter.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12533: TNS:illegal ADDRESS parameters**

**Cause:** An illegal set of protocol adapter parameters was specified. In some cases, this error is returned when a connection cannot be made to the protocol transport.

**Action:** Verify that the destination can be reached using the specified protocol. Check the parameters within the ADDRESS section of TNSNAMES.ORA. Legal ADDRESS parameter formats may be found in the Oracle operating system specific documentation for your platform. Protocols that resolve names at the transport layer (such as DECnet object names) are vulnerable to this error if not properly configured or names are misspelled.

**ORA-12534: TNS:operation not supported**

**Cause:** An internal function received a request to perform an operation that is not supported (on this machine).

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12535: TNS:operation timed out**

**Cause:** The requested operation could not be completed within the time out period.

**Action:** Look at the documentation on the secondary errors for possible remedy. See SQLNET.LOG to find secondary error if not provided explicitly. Turn on tracing to gather more information.

**ORA-12536: TNS:operation would block**

**Cause:** An internal operation did not commence because to do so would block the current process and the user has requested that operations be non-blocking.

**Action:** None needed; this is an information message.

**ORA-12537: TNS:connection closed**

**Cause:** "End of file" condition has been reached; partner has disconnected.

---

**Action:** None needed; this is an information message.

**ORA-12538: TNS:no such protocol adapter**

**Cause:** The protocol adapter requested (by way of the "(PROTOCOL=..)" keyword-value pair in a TNS address) is unknown. If the supplied address is typographically correct then the protocol adapter is not installed.

**Action:** Install the protocol adapter or correct typographical error, as appropriate. Note: if the supplied address was derived from resolving the service name, check the address in the appropriate file (TNSNAMES.ORA, LISTENER.ORA or SQLNET.ORA).

**ORA-12539: TNS:buffer over- or under-flow**

**Cause:** Buffer too small for incoming data or too large for outgoing data.

**Action:** This restriction (which is associated with CONNECT DATA) is not normally visible to the user. For further details, turn on tracing and reexecute the operation; contact Oracle Customer Support.

**ORA-12540: TNS:internal limit restriction exceeded**

**Cause:** Too many TNS connections open simultaneously.

**Action:** Wait for connections to close and re-try.

**ORA-12541: TNS:no listener**

**Cause:** The connection request could not be completed because the listener is not running.

**Action:** Ensure that the supplied destination address matches one of the addresses used by the listener - compare the TNSNAMES.ORA entry with the appropriate LISTENER.ORA file (or TNSNAV.ORA if the connection is to go by way of an Interchange). Start the listener on the remote machine.

**ORA-12542: TNS:address already in use**

**Cause:** Specified listener address is already being used.

**Action:** Start your listener with a unique address.

**ORA-12543: TNS:destination host unreachable**

**Cause:** Contact can not be made with remote party.

**Action:** Make sure the network driver is functioning and the network is up.

**ORA-12544: TNS:contexts have different wait/test functions**

**Cause:** Two protocol adapters have conflicting wait/test functions.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12545: Connect failed because target host or object does not exist**

**Cause:** The address specified is not valid, or the program being connected to does not exist.

**Action:** Ensure the ADDRESS parameters have been entered correctly; the most likely incorrect parameter is the node name. Ensure that the executable for the server exists (perhaps "oracle" is missing.) If the protocol is TCP/IP, edit the TNSNAMES.ORA file to change the host name to a numeric IP address and try again.

**ORA-12546: TNS:permission denied**

**Cause:** User has insufficient privileges to perform the requested operation.

---

**Action:** Acquire necessary privileges and try again.

**ORA-12547: TNS:lost contact**

**Cause:** Partner has unexpectedly gone away, usually during process startup.

**Action:** Investigate partner application for abnormal termination. On an Interchange, this can happen if the machine is overloaded.

**ORA-12548: TNS:incomplete read or write**

**Cause:** A data send or receive failed.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12549: TNS:operating system resource quota exceeded**

**Cause:** The current user has exceeded the allotted resource assigned in the operating system.

**Action:** Acquire more operating system resource, or perform a different function.

**ORA-12550: TNS:syntax error**

**Cause:** The supplied connect descriptor contains illegal syntax.

**Action:** Check the syntax of the connect descriptor in TNSNAMES.ORA.

**ORA-12551: TNS:missing keyword**

**Cause:** The supplied connect descriptor is missing one or more TNS keywords.

**Action:** Check the syntax, and ensure all required keywords are present.

**ORA-12552: TNS:operation was interrupted**

**Cause:** An internal operation was interrupted and could not complete.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12554: TNS:current operation is still in progress**

**Cause:** An internal operation is still in progress.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12555: TNS:permission denied**

**Cause:** User has insufficient privileges to perform the requested operation.

**Action:** Acquire necessary privileges and try again.

**ORA-12556: TNS:no caller**

**Cause:** TNS detected an incoming connect request but there was no caller.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12557: TNS:protocol adapter not loadable**

**Cause:** On some platforms (such as OS/2) protocol adapters are loaded at run-time. If the shared library (or DLL) for the protocol adapter is missing or one of its supporting libraries is missing then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will include the name of the shared library (or DLL) that could not be loaded.

**ORA-12558: TNS:protocol adapter not loaded**

---

**Cause:** On some platforms (such as OS/2) protocol adapters are loaded at run-time. If the shared library (or DLL) for the protocol adapter has not been loaded, then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will have the name of the shared library (or DLL) that has not been loaded.

**ORA-12560: TNS:protocol adapter error**

**Cause:** A generic protocol adapter error occurred.

**Action:** Check addresses used for proper protocol specification. Before reporting this error, look at the error stack and check for lower level transport errors. For further details, turn on tracing and reexecute the operation. Turn off tracing when the operation is complete.

**ORA-12561: TNS:unknown error**

**Cause:** A generic protocol error occurred.

**Action:** For further details, turn on tracing and reexecute the operation.

**ORA-12562: TNS:bad global handle**

**Cause:** Internal error - bad "gbh" argument passed to TNS from caller. System may have been linked with old libraries.

**Action:** Not normally visible to the user, contact Oracle Customer Support.

**ORA-12564: TNS:connection refused**

**Cause:** The connect request was denied by the remote user (or TNS software).

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation.

**ORA-12566: TNS:protocol error**

**Cause:** An unexpected TNS protocol error has occurred.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12569: TNS:packet checksum failure**

**Cause:** The data received is not the same as the data sent.

**Action:** Attempt the transaction again. If the error is persistent, turn on tracing and reexecute the operation.

**ORA-12570: TNS:packet reader failure**

**Cause:** An error occurred during a data receive.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12571: TNS:packet writer failure**

**Cause:** An error occurred during a data send.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12574: TNS:redirection denied**

**Cause:** The connect request failed because it would have required redirection and the caller has requested no redirections.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

---

**ORA-12575: TNS:dhctx busy**

**Cause:** The handoff over a dhctx failed as dhctx was already busy with an ongoing handoff.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12576: TNS:handoff not supported for this session**

**Cause:** Handoff of a established session was attempted which either had tcps as its transport or NA options were enabled for this session.

**Action:** Check the transport setting as well as NA options. If error persists, contact Oracle Customer Support.

**ORA-12582: TNS:invalid operation**

**Cause:** An internal function received an invalid request.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12583: TNS:no reader**

**Cause:** A send operation has been requested but partner has already disconnected.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12585: TNS:data truncation**

**Cause:** A receive operation has completed with insufficient data to satisfy the user's request.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12589: TNS:connection not bequeathable**

**Cause:** An attempt to hand-off a connection from one process to another has failed because the protocol provider does not support it.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12590: TNS:no I/O buffer**

**Cause:** An attempt to perform an I/O operation failed because no buffer was available.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12591: TNS:event signal failure**

**Cause:** The TNS software is unable to signal an event occurrence.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12592: TNS:bad packet**

**Cause:** An ill-formed packet has been detected by the TNS software.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12593: TNS:no registered connection**

---

**Cause:** An attempt to solicit network event activity has failed because no connections are registered for event notification.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12595: TNS:no confirmation**

**Cause:** TNS is unable to get requested confirmation acknowledgment from remote partner.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12596: TNS:internal inconsistency**

**Cause:** TNS has detected an internal inconsistency.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**ORA-12597: TNS:connect descriptor already in use**

**Cause:** Internal error - illegal use of connect descriptor.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12598: TNS:banner registration failed**

**Cause:** The registration of a product banner with the Oracle server failed.

**Action:** This is an error which is not normally visible externally. Enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**ORA-12599: TNS:cryptographic checksum mismatch**

**Cause:** The data received is not the same as the data sent.

**Action:** Attempt the transaction again. If error persists, check (and correct) the integrity of your physical connection.

**ORA-12600: TNS: string open failed**

**Cause:** The creation of a string in ORACLE NLS format failed.

**Action:** This is an internal error, enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**ORA-12601: TNS:information flags check failed**

**Cause:** The TNS information flags set by the process prior to connection negotiation were not present after the negotiation was finished.

**Action:** This is an internal error. Enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**ORA-12602: TNS: Connection Pooling limit reached**

**Cause:** The operation failed because maximum active current connections has been reached. It may not be a real error when the Connection Pooling feature is enabled. It is possible that the application later reissues the operation and successfully grabs the connection pool slot and proceeds.

**Action:** This is an internal error. Enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**ORA-12606: TNS: Application timeout occurred**

---

**Cause:** A network session did not reach an application-defined stage within the allowed time interval.

**Action:** This is an error which does not normally appear at the high level. The action to take is application specific, and is detailed in the higher level error description.

**ORA-12607: TNS: Connect timeout occurred**

**Cause:** A network session did not reach a predefined connect stage within the allowed time interval.

**Action:** This is an error which does not normally appear at the high level. The action to take is application specific, and is detailed in the higher level error description.

**ORA-12608: TNS: Send timeout occurred**

**Cause:** The send or write operation did not complete within the allowed time interval.

**Action:** Check if the peer host is available. Increase the send timeout value if necessary.

**ORA-12609: TNS: Receive timeout occurred**

**Cause:** The receive or read operation did not complete within the allowed time interval.

**Action:** Check if the peer host is available. Increase the receive timeout value if necessary.

**ORA-12611: TNS:operation is not portable**

**Cause:** Attempted operation is not portable.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12612: TNS:connection is busy**

**Cause:** Attempted operation failed because it conflicts with an ongoing

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12615: TNS:preempt error**

**Cause:** A request to service an event failed because no event notification has yet been posted.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12616: TNS:no event signals**

**Cause:** The operation failed because the type of data specified is unknown.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12618: TNS:versions are incompatible**

**Cause:** The two machines are running incompatible versions of TNS.

**Action:** Check the version numbers, and upgrade the machine with the smaller one.

**ORA-12619: TNS:unable to grant requested service**

---

**Cause:** The connect request failed because requested service could not be provided by the local TNS software.

**Action:** If appropriate, reexecute with reduced service requirements.

**ORA-12620: TNS:requested characteristic not available**

**Cause:** The connect request failed because a requested transport characteristic could not be supported by the remote TNS software.

**Action:** If appropriate, reexecute with reduced requirements.

**ORA-12622: TNS:event notifications are not homogeneous**

**Cause:** An attempt to register a connection for event notification failed because the event notification type conflicts with existing registrations.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**ORA-12623: TNS:operation is illegal in this state**

**Cause:** Connection is half-duplex and a full-duplex operation was attempted.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**ORA-12624: TNS:connection is already registered**

**Cause:** An attempt to register a connection for event notification failed because the connection is already registered.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**ORA-12625: TNS:missing argument**

**Cause:** An operation failed because an argument was missing"

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**ORA-12626: TNS:bad event type**

**Cause:** An attempt to register a connection for event notification failed because the event type is unknown.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**ORA-12628: TNS:no event callbacks**

**Cause:** An attempt to register a connection for event notification failed because asynchronous callbacks are not available.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**ORA-12629: TNS:no event test**

**Cause:** An attempt to register a connection for event notification failed because the ability to test for events is not available.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**ORA-12630: Native service operation not supported**

**Cause:** An operation requested by a user is not supported by the native services component.

---

**Action:** This may be an internal error if the operation should have been supported.

**ORA-12631: Username retrieval failed**

**Cause:** The authentication service failed to retrieve the name of a user.

**Action:** Enable tracing to determine which routine is failing.

**ORA-12632: Role fetch failed**

**Cause:** The authentication service failed to retrieve one of the user's roles.

**Action:** Enable tracing to determine which routine is failing.

**ORA-12633: No shared authentication services**

**Cause:** The list of authentication services specified by the user does not match those supported by the process.

**Action:** Either specify another list or relink the executable with the desired services.

**ORA-12634: Memory allocation failed**

**Cause:** Process was unable to allocate memory.

**Action:** Terminate other processes in order to reclaim needed memory.

**ORA-12635: No authentication adapters available**

**Cause:** The executable was not linked with any authentication service adapters but the sqlnet.ora parameter that determines whether or not authentication is required was set to true.

**Action:** Either disable the parameter or relink the executable with service adapters.

**ORA-12636: Packet send failed**

**Cause:** A process was unable to send a packet to another process. Possible causes are:

1. The other process was terminated.
2. The machine on which the other process is running went down.
3. Some other communications error occurred.

**Action:** If the cause is not obvious, contact Oracle Customer Support.

**ORA-12637: Packet receive failed**

**Cause:** A process was unable to receive a packet from another process. Possible causes are:

1. The other process was terminated.
2. The machine on which the other process is running went down.
3. Some other communications error occurred.

**Action:** If the cause is not obvious, contact Oracle Customer Support.

**ORA-12638: Credential retrieval failed**

**Cause:** The authentication service failed to retrieve the credentials of a user.

**Action:** Enable tracing to determine the exact error.

**ORA-12639: Authentication service negotiation failed**

---

**Cause:** No match was found between the types of authentication services that the client supports and those that the server is using.

**Action:** Possible solutions:

1. Change the entry in sqlnet.ora that determines which services are to be used.
2. Relink the client with at least one of the authentication service adapters that the server supports.
3. Relink the server with at least one of the authentication service adapters that the client supports.
4. Disable authentication on both the client and server.

**ORA-12640: Authentication adapter initialization failed**

**Cause:** The function specified in the authentication table entry for the service failed.

**Action:** Enable tracing to determine the exact error.

**ORA-12641: Authentication service failed to initialize**

**Cause:** The authentication service failed during initialization.

**Action:** Enable tracing to determine the exact error.

**ORA-12642: No session key**

**Cause:** A process has no session key associated with it because the authentication service being used does not use one.

**Action:** If a session key is required, use another authentication service.

**ORA-12643: Client received internal error from server**

**Cause:** The client process received an error from the server that indicated that an internal Oracle Net native services error had occurred.

**Action:** Enable tracing on both processes and attempt to recreate the problem. If successful in recreating the problem, contact Oracle Customer Support.

**ORA-12645: Parameter does not exist.**

**Cause:** A sqlnet.ora parameter from which a value was needed does not exist.

**Action:** Set the parameter in the parameter file.

**ORA-12646: Invalid value specified for boolean parameter**

**Cause:** The value specified for a parameter was set to a value other than true/false or on/off.

**Action:** Correct the value of the parameter.

**ORA-12647: Authentication required**

**Cause:** The parameter that controls whether authentication is required was set to true, but the executable does not have an authentication service linked in.

**Action:** Either re-link the executable with an authentication service adapter or disable the parameter.

**ORA-12648: Encryption or data integrity algorithm list empty**

**Cause:** An Oracle Advanced Security list-of-algorithms parameter was empty, e.g. "()".

**Action:** Change the list to contain the name of at least one installed algorithm, or remove the list entirely if every installed algorithm is acceptable.

---

**ORA-12649: Unknown encryption or data integrity algorithm**

**Cause:** An Oracle Advanced Security list-of-algorithms parameter included an algorithm name that was not recognized.

**Action:** Either remove that algorithm name, correct it if it was misspelled, or install the driver for the missing algorithm.

**ORA-12650: No common encryption or data integrity algorithm**

**Cause:** The client and server have no algorithm in common for either encryption or data integrity or both.

**Action:** Choose sets of algorithms that overlap. In other words, add one of the client's algorithm choices to the server's list or vice versa.

**ORA-12651: Encryption or data integrity algorithm unacceptable**

**Cause:** The algorithm the server chose to use for encryption or data integrity was not one of the choices acceptable to the client. This is either the result of an internal error, of a network data transmission error, or of deliberate tampering with the transmitted data.

**Action:** For further details, turn on tracing, re-execute the operation, and contact Oracle Customer Support.

**ORA-12652: String truncated**

**Cause:** Not enough memory was allocated for a string so it had to be truncated

**Action:** If it is OK that the string is truncated, then it is not an error. Otherwise, call the routine that reported the error again with a larger string buffer.

**ORA-12653: Authentication control function failed**

**Cause:** The control function utilized by the authentication service driver failed.

**Action:** Enable tracing to determine the exact error.

**ORA-12654: Authentication conversion failed**

**Cause:** The authentication service was unable to convert the credentials of a user from the format specific to the format into the ORACLE format.

**Action:** Enable tracing to determine the exact error.

**ORA-12655: Password check failed**

**Cause:** The authentication service being used was unable to verify the provided password.

**Action:** Enable tracing to determine the exact error.

**ORA-12656: Cryptographic checksum mismatch**

**Cause:** The cryptographic checksum received with a packet of incoming data didn't match the checksum computed by the receiving end. This indicates that the packet was tampered with or otherwise corrupted in transit.

**Action:** Look for sources of data corruption, perhaps including deliberate tampering.

**ORA-12657: No algorithms installed**

**Cause:** The near side of the connection required the use of a service (either encryption or checksumming) when no algorithms for that service were installed.

**Action:** Remove the "ON" requirement for that service.

**ORA-12658: ANO service required but TNS version is incompatible**

---

**Cause:** A client process that is running an earlier version of TNS attempted to connect but the connection failed because the server process required that an ANO service (authentication, encryption, etc.) be used.

**Action:** Relink the calling executable and retry the connection or eliminate the requirement that the service be used on the server side.

**ORA-12659: Error received from other process**

**Cause:** An error was received by one or more services from the process on the other side of the connection.

**Action:** Enable tracing to determine the exact error(s). The error(s) is (are) not returned directly because an error generated by a server may not make sense on the client side and vice-versa.

**ORA-12660: Encryption or crypto-checksumming parameters incompatible**

**Cause:** One side of the connection specified "REQUIRED" for encryption or crypto-checksumming, while the other side specified "REJECTED".

**Action:** Change the "REQUIRED" side to "REQUESTED" if you want encryption or crypto-checksumming to be optional, or change the "REJECTED" side to "ACCEPTED" if you do not want the service to be optional.

**ORA-12661: Protocol authentication to be used**

**Cause:** The Oracle Advanced Security authentication service has determined that the Oracle Net transport protocol in use is to be utilized to authenticate a user's identity.

**Action:** This error is used solely to communicate information between the authentication service and the Oracle Net session layer and should not normally be visible. If the error is seen, contact Oracle Worldwide Support.

**ORA-12662: proxy ticket retrieval failed**

**Cause:** The authentication adapter used by Oracle Net failed to retrieve the credentials needed to authenticate a database link.

**Action:** Enable tracing to determine the exact error.

**ORA-12663: Services required by client not available on the server**

**Cause:** Service(s) that was (were) required by the client process were not available on the server process.

**Action:** Configure the server with the services required by the client (best solution) or delete the requirement from the configuration file of the client (least secure).

**ORA-12664: Services required by server not available on the client**

**Cause:** Service(s) that was (were) required by the server process were not available on the client process.

**Action:** Configure the client with the services required by the server (best solution) or delete the requirement from the configuration file of the server (least secure).

**ORA-12665: NLS string open failed**

**Cause:** A native service was unable to make a string available for use by the National Language Support component.

**Action:** Make sure the National Language Support component has been properly. If it has, enable tracing and report the problem to Customer Support.

---

**ORA-12666: Dedicated server: outbound transport protocol different from inbound**

**Cause:** The protocol specified for an externally-identified outbound connection from a dedicated server (database link) was not the same as that used for the inbound connection. It is not possible for Oracle Net to authenticate a proxy connection that uses a protocol that is different from that which was used for the connection to the dedicated server.

**Action:** Specify the same protocol in the Oracle Net connect descriptor for the outbound connection as that used for the inbound connection.

**ORA-12667: Shared server: outbound transport protocol different from inbound**

**Cause:** The protocol specified for an externally-identified outbound connection from a shared server (database link) was not the same as that used for the inbound connection. It is not possible for Oracle Net to authenticate a proxy connection that uses a protocol that is different from that which was used for the connection to the shared server.

**Action:** Specify the same protocol in the Oracle Net connect descriptor for the outbound connection as that used for the inbound connection.

**ORA-12668: Dedicated server: outbound protocol does not support proxies**

**Cause:** The protocol specified to perform an externally-identified proxy connection (database link) from a dedicated server does not support proxy connections.

**Action:** Specify a protocol in the Oracle Net connect descriptor used for the connection that does support externally-authenticated proxy connections. **NOTE:** Because of a limitation in Oracle Net, the protocol used for the proxy connection must be the same as that used for the connection from the client to the server.

**ORA-12669: Shared server: outbound protocol does not support proxies**

**Cause:** The protocol specified to perform an externally-identified proxy connection (database link) from a shared server does not support proxy connections.

**Action:** Specify a protocol in the Oracle Net connect descriptor used for the connection that does support externally-authenticated proxy connections. **NOTE:** Because of a limitation in Oracle Net, the protocol used for the proxy connection must be the same as that used for the connection from the client to the server.

**ORA-12670: Incorrect role password**

**Cause:** A password supplied for a role could not be validated by the authentication service.

**Action:** Supply the correct password.

**ORA-12671: Shared server: adapter failed to save context**

**Cause:** The adapter for the authentication service failed when it tried to save the data needed for proxy connections (database links) through the shared server.

**Action:** Enable tracing to determine the exact error. Contact Oracle Customer Support if the reason is not obvious.

**ORA-12672: Database logon failure**

**Cause:** The authentication service adapter in use encountered an error it attempted to validate the logon attempt of a user.

**Action:** Enable tracing to determine the exact error encountered by the adapter.

**ORA-12673: Dedicated server: context not saved**

---

**Cause:** A connection was marked as being a proxy connection (database link) from a dedicated server but no inbound context was present.

**Action:** This error should not normally be visible to the user. Contact Oracle Customer Support.

**ORA-12674: Shared server: proxy context not saved**

**Cause:** A connection was marked as being a proxy connection (database link) from a shared server but no inbound context was present.

**Action:** This error should not normally be visible to the user. Contact Oracle Customer Support.

**ORA-12675: External user name not available yet**

**Cause:** The authentication service in use was not able to return the external name of a user of the ORACLE server because it is not available to the service yet.

**Action:** This is just an informational message and should not normally be visible to the user. If the error does appear, contact Oracle Customer Support.

**ORA-12676: Server received internal error from client**

**Cause:** The server process received an error from the client which indicated that an internal Oracle Net native services error had occurred.

**Action:** Enable tracing on both processes and attempt to recreate the problem. If the problem recurs, contact Oracle Customer Support.

**ORA-12677: Authentication service not supported by database link**

**Cause:** The authentication service used by the proxy process (database link) was unable to find the adapter being used by the client in its list of authentication mechanisms.

**Action:** Specify an authentication adapter that is shared by the client and the server being used for the database link.

**ORA-12678: Authentication disabled but required**

**Cause:** The configuration parameters that control whether Oracle Advanced Security authentication is disabled or required were both set to TRUE.

**Action:** Set one or both of the parameters to FALSE.

**ORA-12679: Native services disabled by other process but required**

**Cause:** The remote process has disabled native services but the local process requires them.

**Action:** Enable native services on the remote process or disable them locally.

**ORA-12680: Native services disabled but required**

**Cause:** The process has disabled native services but at least one service is required.

**Action:** Enable native services or change the configuration file so that none of the available services are required.

**ORA-12681: Login failed: the SecurID card does not have a pincode yet**

**Cause:** The SecurID card that is used to logon to Oracle, does not have a pincode assigned to it.

**Action:** Use one of the programs supplied by Security Dynamics to assign a pincode to the card.

---

**ORA-12682: Login failed: the SecurID card is in next PRN mode**

**Cause:** The SecurID card and the SecurID server are out of sync and the server requires the next cardcode to resynchronize the card.

**Action:** Use one of the programs supplied by Security Dynamics to resynchronize the SecurID card.

**ORA-12683: encryption/crypto-checksumming: no Diffie-Hellman seed**

**Cause:** The "sqlnet.crypto\_seed" parameter is missing from the SQLNET.ORA parameters file for Oracle Advanced Security.

**Action:** Add this line to SQLNET.ORA: sqlnet.crypto\_seed = "randomly-chosen text"

**ORA-12684: encryption/crypto-checksumming: Diffie-Hellman seed too small**

**Cause:** The "sqlnet.crypto\_seed" parameter in the SQLNET.ORA parameter file for Oracle Advanced Security is too small.

**Action:** Add more randomly-chosen text to it, perhaps using Network Manager.

**ORA-12685: Native service required remotely but disabled locally**

**Cause:** A native service is required by the remote process but native services have been disabled locally.

**Action:** Enable native services locally or change the configuration parameters on the remote host so that no native services are required.

**ORA-12686: Invalid command specified for a service**

**Cause:** An operation which does not exist was specified for a native service.

**Action:** This is a programming error and should not normally be visible to the user. If the error does appear, contact Oracle Customer Support.

**ORA-12687: Credentials expired.**

**Cause:** The credentials that are used to authenticate the user for the requested connection have expired.

**Action:** Renew your credentials. Refer to the documentation specific for your Network Authentication Adapter on how to do this.

**ORA-12688: Login failed: the SecurID server rejected the new pincode**

**Cause:** There are a number of reasons why the SecurID server would refuse a pincode:

- The user might not have permission to make up his own pincode.
- The pincode was either too short or too long. Valid pincodes consist of minimal four, but no more than eight characters.
- The pincode contains any non alphanumeric characters.

**Action:** Reexecute the operation and make sure to use a pincode that satisfies the above requirements. If the problem persists, turn on tracing at the Oracle Server side of the connection and examine the trace file for the exact error.

**ORA-12689: Server Authentication required, but not supported**

**Cause:** Server Authentication is required for this connection, but not supported by both sides of the connection.

**Action:** Make sure both sides of the connection have the correct version of Advanced Networking Option, and that the Authentication Adapter supports Server Authentication.

---

**ORA-12690: Server Authentication failed, login cancelled**

**Cause:** Server Authentication is required, but the server's credentials were found invalid by the client.

**Action:** Make sure that the server has a valid set of credentials. Refer to your authentication adapter specific documentation on how to do this.

**ORA-12696: Double Encryption Turned On, login disallowed**

**Cause:** The user is using a Secure Protocol Adapter that has Encryption turned ON as well as ANO Encryption.

**Action:** Turn OFF either ANO Encryption or the Protocol Adapter Encryption if possible. Refer to Oracle Advanced Security Administrator's Guide on how to do this.

**ORA-12699: Native service internal error**

**Cause:** An internal error occurred in the native services component.

**Action:** Enable tracing to determine the exact error. Contact Oracle Customer Support.

---

---

## ORA-12700 to ORA-19400

**ORA-12700: invalid NLS parameter value (*string*)**

**Cause:** An invalid or unknown NLS configuration parameter was specified.

**Action:** None

**ORA-12701: CREATE DATABASE character set is not known**

**Cause:** The character set specified when creating the database is unknown.

**Action:** None

**ORA-12702: invalid NLS parameter string used in SQL function**

**Cause:** An unknown parameter name or invalid value is specified in a NLS parameter string.

**Action:** None

**ORA-12703: this character set conversion is not supported**

**Cause:** The requested conversion between two character sets in the CONVERT function is not implemented

**Action:** None

**ORA-12704: character set mismatch**

**Cause:** One of the following:

- The string operands (other than an nlsparms argument) to an operator or built-in function do not have the same character set.
- An nlsparms operand is not in the database character set.
- String data with character set other than the database character set is passed to a built-in function not expecting it.
- The second argument to CHR() or CSCONVERT() is not CHAR\_CS or NCHAR\_CS.
- A string expression in the VALUES clause of an INSERT statement, or the SET clause of an UPDATE statement, does not have the same character set as the column into which the value would be inserted.
- A value provided in a DEFAULT clause when creating a table does not have the same character set as declared for the column.
- An argument to a PL/SQL function does not conform to the character set requirements of the corresponding parameter.

**Action:** None

---

**ORA-12705: Cannot access NLS data files or invalid environment specified**

**Cause:** Either an attempt was made to issue an ALTER SESSION command with an invalid NLS parameter or value; or the environment variable(s) NLS\_LANG, ORA\_NLSxx, or ORACLE\_HOME was incorrectly specified, therefore the NLS data files cannot be located.

**Action:** Check the syntax of the ALTER SESSION command and the NLS parameter, correct the syntax and retry the statement, or specify the correct directory path/values in the environment variables.

**ORA-12706: this CREATE DATABASE character set is not allowed**

**Cause:** It is not allowed to create a database on a native ASCII-based machine using an EBCDIC-based character set, and vice versa.

**Action:** None

**ORA-12707: error while getting create database NLS parameter *string***

**Cause:** Internal error

**Action:** None

**ORA-12708: error while loading create database NLS parameter *string***

**Cause:** Internal error

**Action:** None

**ORA-12709: error while loading create database character set**

**Cause:** Internal error

**Action:** None

**ORA-12710: CREATE CONTROLFILE character set is not known**

**Cause:** The character set specified when creating the control file is unknown.

**Action:** None

**ORA-12711: this CREATE CONTROLFILE character set is not allowed**

**Cause:** It is not allowed to create a control file on a native ASCII-based machine using an EBCDIC-based character set, and vice versa.

**Action:** None

**ORA-12712: new character set must be a superset of old character set**

**Cause:** When you ALTER DATABASE ... CHARACTER SET, the new character set must be a superset of the old character set. For example, WE8ISO8859P1 is not a superset of the WE8DEC.

**Action:** Specify a superset character set.

**ORA-12713: Character data loss in NCHAR/CHAR conversion**

**Cause:** When character set conversion happens between CHAR and NCHAR either implicitly or explicitly, some characters are lost due to no mapping characters in the destination character set.

**Action:** Make sure all the characters can be mapped to destination character set or set NLS\_NCHAR\_CONV\_EXCP to be FALSE.

**ORA-12714: invalid national character set specified**

**Cause:** Only UTF8 and AL16UTF16 are allowed to be used as the national character set

**Action:** Ensure that the specified national character set is valid

---

**ORA-12715: invalid character set specified**

**Cause:** The character set specified is not allowed for this operation or is invalid

**Action:** Ensure that the specified character set is valid

**ORA-12716: Cannot ALTER DATABASE CHARACTER SET when CLOB data exists**

**Cause:** CLOB data changes representation to Unicode when converting to a multibyte character set and must be migrated

**Action:** Remove CLOB data as listed in the alert file. CLOB data can be migrated by methods such as import/export

**ORA-12717: Cannot issue ALTER DATABASE NATIONAL CHARACTER SET when NCLOB, NCHAR or NVARCHAR2 data exists**

**Cause:** NCLOB, NCHAR or NVARCHAR2 data changed the representation to Unicode when converting to a multibyte character set and must be migrated.

**Action:** Remove NCLOB, NCHAR or NVARCHAR2 data as listed in the alert file. The above type data can be migrated by methods such as import/export.

**ORA-12718: operation requires connection as SYS**

**Cause:** This command can only be run when connecting as SYS

**Action:** Connect as SYS to run this command

**ORA-12719: operation requires database is in RESTRICTED mode**

**Cause:** This command can only be run when the database is in RESTRICTED mode

**Action:** Ensure that the system is in RESTRICTED mode

**ORA-12720: operation requires database is in EXCLUSIVE mode**

**Cause:** This command can only be run when the database is in EXCLUSIVE mode

**Action:** Ensure that the system is in EXCLUSIVE mode

**ORA-12721: operation cannot execute when other sessions are active**

**Cause:** This command can only be run when there are no other sessions active

**Action:** Ensure there are no other connections to the database

**ORA-12722: regular expression internal error**

**Cause:** A regular expression internal error occurred.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-12723: regular expression too complex**

**Cause:** The regular expression was too complex and could not be parsed.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-12724: regular expression corrupt**

**Cause:** The regular expression contained an incorrect sequence of metacharacters.

**Action:** Ensure the metacharacters are correctly positioned.

**ORA-12725: unmatched parentheses in regular expression**

**Cause:** The regular expression did not have balanced parentheses.

**Action:** Ensure the parentheses are correctly balanced.

**ORA-12726: unmatched bracket in regular expression**

---

**Cause:** The regular expression did not have balanced brackets.

**Action:** Ensure the brackets are correctly balanced.

**ORA-12727: invalid back reference in regular expression**

**Cause:** A back references was found before a sub-expression.

**Action:** Ensure a valid sub-expression is being referenced.

**ORA-12728: invalid range in regular expression**

**Cause:** An invalid range was found in the regular expression.

**Action:** Ensure a valid range is being used.

**ORA-12729: invalid character class in regular expression**

**Cause:** An unknown character class was found in the regular expression.

**Action:** Ensure a valid characters class is being used.

**ORA-12730: invalid equivalence class in regular expression**

**Cause:** An unknown equivalence class was found in the regular expression.

**Action:** Ensure a valid equivalence class is being used.

**ORA-12731: invalid collation class in regular expression**

**Cause:** An unknown collation class was found in the regular expression.

**Action:** Ensure a valid collation class is being used.

**ORA-12732: invalid interval value in regular expression**

**Cause:** An invalid interval value was found in the regular expression.

**Action:** Ensure a valid interval value is being used.

**ORA-12733: regular expression too long**

**Cause:** The operation failed because the regular expression it used exceeds the maximum supported size.

**Action:** Use a shorter regular expression.

**ORA-12734: Instant Client Light: unsupported client national character set *string***

**Cause:** Only UTF8 and AL16UTF16 are allowed to be used as the national character set. Instant Client Light has only minimal character sets.

**Action:** Do not use Instant Client Light for this character set

**ORA-12735: Instant Client Light: unsupported client character set *string***

**Cause:** The character set specified is not allowed for this operation or is invalid. Instant Client Light has only minimal character sets.

**Action:** Do not use Instant Client Light for this character set

**ORA-12736: Instant Client Light: unsupported server national character set *string***

**Cause:** Only UTF8 and AL16UTF16 are allowed to be used as the national character set. Instant Client Light has only minimal character sets.

**Action:** Do not use Instant Client Light for this character set

**ORA-12737: Instant Client Light: unsupported server character set *string***

**Cause:** The character set specified is not allowed for this operation or is invalid. Instant Client Light has only minimal character sets.

**Action:** Do not use Instant Client Light for this character set

---

**ORA-12738: Express Instant Client: unsupported client national character set *string***

**Cause:** Only UTF8 and AL16UTF16 are allowed to be used as the national character set. Instant Client has only minimal character sets.

**Action:** Do not use Express Instant Client for this character set

**ORA-12739: Express Instant Client: unsupported client character set *string***

**Cause:** The character set specified is not allowed for this operation or is invalid. Express Instant Client has only minimal character sets.

**Action:** Do not use Express Instant Client for this character set

**ORA-12740: Express Instant Client: unsupported server national character set *string***

**Cause:** Only UTF8 and AL16UTF16 are allowed to be used as the national character set. Instant Client has only minimal character sets.

**Action:** Do not use Express Instant Client for this character set

**ORA-12741: Express Instant Client: unsupported server character set *string***

**Cause:** The character set specified is not allowed for this operation or is invalid. Express Instant Client has only minimal character sets.

**Action:** Do not use Express Instant Light for this character set

**ORA-12800: system appears too busy for parallel query execution**

**Cause:** load on system is too high to perform parallel queries.

**Action:** re-execute serially or wait until system load is reduced.

**ORA-12801: error signaled in parallel query server *string***

**Cause:** A parallel query server reached an exception condition.

**Action:** Check the following error message for the cause, and consult your error manual for the appropriate action.

**ORA-12802: parallel query server lost contact with coordinator**

**Cause:** A parallel query server lost contact with the foreground (coordinator) process/thread.

**Action:** Check your system for anomalies and reissue the statement. If this error persists, contact Oracle Support Services.

**ORA-12803: parallel query server lost contact with another server**

**Cause:** A parallel query server lost contact with another server.

**Action:** Check your system for anomalies and reissue the statement. If this error persists, contact Oracle Support Services.

**ORA-12804: parallel query server appears to have died**

**Cause:** Cannot find process information for a parallel query server thread.

**Action:** Check your system for anomalies and reissue the statement. If this error persists, contact Oracle Support Services.

**ORA-12805: parallel query server died unexpectedly**

**Cause:** A parallel query server died unexpectedly, PMON cleaning up the process.

**Action:** Check your system for anomalies and reissue the statement. If this error persists, contact Oracle Support Services. See trace file for more details.

**ORA-12806: could not get background process to hold enqueue**

**Cause:** Internal error.

---

**Action:** This error should not normally occur. If it persists, contact Oracle Support Services.

**ORA-12807: process queue could not receive parallel query message**

**Cause:** Internal error.

**Action:** This error should not normally occur. If it persists, contact Oracle Support Services.

**ORA-12808: cannot set *string*\_INSTANCES greater than number of instances *string***

**Cause:** An attempt was made to set SCAN\_INSTANCES or CACHE\_INSTANCES using the ALTER SYSTEM command to a value larger than the number of available instances.

**Action:** See the accompanying message for the current allowable maximum value, or set SCAN\_INSTANCES / CACHE\_INSTANCES to ALL.

**ORA-12809: cannot set *string*\_INSTANCES when mounted in exclusive mode**

**Cause:** An attempt was made to set SCAN\_INSTANCES or CACHE\_INSTANCES using the ALTER SYSTEM command while the database was mounted in exclusive mode.

**Action:** SCAN\_INSTANCES / CACHE\_INSTANCES may not be set unless running Oracle Real Application Clusters mounted in CLUSTER\_DATABASE mode.

**ORA-12810: PARALLEL\_MAX\_SERVERS must be less than or equal to *string***

**Cause:** An attempt was made to set the PARALLEL\_MAX\_SERVERS parameter to a value higher than the maximum allowed by the system.

**Action:** Set PARALLEL\_MAX\_SERVERS to a value less than or equal to the maximum specified in the accompanying message and retry.

**ORA-12811: PARALLEL\_MIN\_SERVERS must be less than or equal to PARALLEL\_MAX\_SERVERS, *string***

**Cause:** An attempt was made to set the PARALLEL\_MIN\_SERVERS parameter to a value higher than PARALLEL\_MAX\_SERVERS.

**Action:** Set PARALLEL\_MIN\_SERVERS to a value less than or equal to PARALLEL\_MAX\_SERVERS (indicated in the accompanying message) and retry.

**ORA-12812: only one PARALLEL or NOPARALLEL clause may be specified**

**Cause:** PARALLEL was specified more than once, NOPARALLEL was specified more than once, or both PARALLEL and NOPARALLEL were specified in a CREATE TABLE, CLUSTER, or INDEX or in an ALTER TABLE or CLUSTER statement, or in a RECOVER command.

**Action:** Remove all but one of the PARALLEL or NOPARALLEL clauses and reissue the statement.

**ORA-12813: value for PARALLEL or DEGREE must be greater than 0**

**Cause:** PARALLEL 0 or DEGREE 0 was specified in a CREATE TABLE, CLUSTER, or INDEX or in an ALTER TABLE or CLUSTER statement.

**Action:** Specify a degree of parallelism greater than 0 or specify default parallelism using PARALLEL with no degree or using DEGREE DEFAULT within a PARALLEL clause.

**ORA-12814: only one CACHE or NOCACHE clause may be specified**

---

**Cause:** CACHE was specified more than once, NOCACHE was specified more than once, or both CACHE and NOCACHE were specified in a CREATE TABLE or CLUSTER, or in an ALTER TABLE or CLUSTER statement.

**Action:** Remove all but one of the CACHE or NOCACHE clauses and reissue the statement.

**ORA-12815: value for INSTANCES must be greater than 0**

**Cause:** PARALLEL parameter specifying number of instances must be a positive integer or DEFAULT

**Action:** specify a positive integer or DEFAULT for INSTANCES if parallelism across instances is desired.

**ORA-12817: parallel query option must be enabled**

**Cause:** A parallel query option feature has been invoked but this option has not been enabled.

**Action:** Enable the parallel query option.

**ORA-12818: invalid option in PARALLEL clause**

**Cause:** an unrecognized option was used within a PARALLEL clause.

**Action:** specify any combination of DEGREE { <n> | DEFAULT } and INSTANCES { <n> | DEFAULT } within the PARALLEL clause.

**ORA-12819: missing options in PARALLEL clause**

**Cause:** PARALLEL clause cannot be empty.

**Action:** specify any combination of DEGREE { <n> | DEFAULT } and INSTANCES { <n> | DEFAULT } within the PARALLEL clause.

**ORA-12820: invalid value for DEGREE**

**Cause:** invalid value for DEGREE was specified within a PARALLEL clause.

**Action:** specify a positive integer or DEFAULT for the DEGREE option within a PARALLEL clause.

**ORA-12821: invalid value for INSTANCES**

**Cause:** invalid value for INSTANCES was specified within a PARALLEL clause.

**Action:** specify a positive integer or DEFAULT for the INSTANCES option within a PARALLEL clause.

**ORA-12822: duplicate option in PARALLEL clause**

**Cause:** DEGREE or INSTANCES was specified more than once within a PARALLEL clause.

**Action:** specify each desired PARALLEL clause option only once.

**ORA-12823: default degree of parallelism may not be specified here**

**Cause:** the PARALLEL keyword was used alone or DEGREE DEFAULT was specified in the PARALLEL clause of an ALTER DATABASE RECOVER command.

**Action:** respecify with an explicit degree of parallelism.

**ORA-12824: INSTANCES DEFAULT may not be specified here**

**Cause:** INSTANCES DEFAULT was specified in the PARALLEL clause of an ALTER DATABASE RECOVER command

**Action:** respecify with an explicit value for INSTANCES or omit the INSTANCES option if single instance recovery is desired.

---

**ORA-12825: explicit degree of parallelism must be specified here**

**Cause:** the DEGREE option was omitted from an ALTER DATABASE RECOVER command.

**Action:** respecify with an explicit degree of parallelism.

**ORA-12826: hung parallel query server was killed**

**Cause:** parallel query server was hung and subsequently killed.

**Action:** re-execute query and report suspicious events in trace file to Oracle Support Services if error persists.

**ORA-12827: insufficient parallel query slaves available**

**Cause:** PARALLEL\_MIN\_PERCENT parameter was specified and fewer than minimum slaves were acquired

**Action:** either re-execute query with lower PARALLEL\_MIN\_PERCENT or wait until some running queries are completed, thus freeing up slaves

**ORA-12828: Can't start parallel transaction at a remote site**

**Cause:** PDML transaction cannot be started because we are not in the coordinator site of the distributed transaction.

**Action:** Do not use PDML at remote sites.

**ORA-12829: Deadlock - itls occupied by siblings at block *string* of file *string***

**Cause:** parallel statement failed because all itls in the current block are occupied by siblings of the same transaction.

**Action:** increase MAXTRANS of the block or reduce the degree of parallelism for the statement. Reexecute the statement. Report suspicious events in trace file to Oracle Support Services if error persists.

**ORA-12830: Must COMMIT or ROLLBACK after executing parallel INSERT/UPDATE/DELETE**

**Cause:** After executing a parallel INSERT/UPDATE/DELETE statement, a command other than COMMIT or ROLLBACK was issued.

**Action:** Execute COMMIT or ROLLBACK before issuing another SQL command.

**ORA-12831: Must COMMIT or ROLLBACK after executing INSERT with APPEND hint**

**Cause:** After executing an INSERT statement with an APPEND hint, a command other than COMMIT or ROLLBACK was issued.

**Action:** Execute COMMIT or ROLLBACK before issuing another SQL command.

**ORA-12832: Could not allocate slaves on all specified instances**

**Cause:** After executing a query on a global v\$ fixed view, one or more instances failed to allocate a slave to process query

**Action:** To allow results to be returned by successfully allocated slaves, execute ALTER SESSION SET ALLOW\_PARTIAL\_SN\_RESULTS=TRUE statement, or check parameters of instances

**ORA-12833: Coordinator's instance not a member of parallel\_instance\_group**

**Cause:** The coordinator's instance must be a member of the parallel\_instance\_group in which this operation will be run.

**Action:** Either add the coordinator's instance to the current parallel\_instance\_group or change parallel\_instance\_group.

---

**ORA-12834: Instance group name, "string", too long, must be less than *string* characters**

**Cause:** The instance group name is too long.

**Action:** Either shorten the name or get rid of the instance group.

**ORA-12835: No instances are active in the GLOBAL\_VIEW\_ADMIN\_GROUP**

**Cause:** There must be at least one instance in the GLOBAL\_VIEW\_ADMIN\_GROUP in order to execute a query on global views

**Action:** Change the value of GLOBAL\_VIEW\_ADMIN\_GROUP

**ORA-12838: cannot read/modify an object after modifying it in parallel**

**Cause:** Within the same transaction, an attempt was made to add read or modification statements on a table after it had been modified in parallel or with direct load. This is not permitted.

**Action:** Rewrite the transaction, or break it up into two transactions: one containing the initial modification and the second containing the parallel modification operation.

**ORA-12839: cannot modify an object in parallel after modifying it**

**Cause:** Within the same transaction, an attempt was made to perform parallel modification operations on a table after it had been modified. This is not permitted.

**Action:** Rewrite the transaction or break it up into two transactions: one containing the parallel modification and the second containing the initial modification operation.

**ORA-12840: cannot access a remote table after parallel/insert direct load txn**

**Cause:** Within a transaction, an attempt was made to perform distributed access after a PDML or insert direct statement had been issued.

**Action:** Commit/rollback the PDML transaction first, and then perform the distributed access, or perform the distributed access before the first PDML statement in the transaction.

**ORA-12841: Cannot alter the session parallel DML state within a transaction**

**Cause:** Transaction in progress

**Action:** Commit or rollback transaction and then re-execute

**ORA-12842: Cursor invalidated during parallel execution**

**Cause:** The cursor was invalidated during the parse phase of deferred parallel processing, e.g. when set operands are parallelized.

**Action:** Depends on why the cursor was invalidated. Possible causes include DDL on a schema object and shared pool being flushed.

**ORA-12843: pdml lock not held properly on the table**

**Cause:** The coordinator crashed or released the lock on the partition which the slave is trying to acquire currently.

**Action:** Check if the coordinator or some of the other slaves died. Also check that the lock has not been corrupted. Issue the pdml again.

**ORA-12844: cluster reconfiguration in progress**

**Cause:** Internal error

---

**Action:** THIS IS NOT A USER ERROR NUMBER/MESSAGE. THIS DOES NOT NEED TO BE TRANSLATED OR DOCUMENTED. IT IS USED ONLY FOR INTERNAL ERROR.

**ORA-12845: failed to receive interinstance parallel execution message**

**Cause:** OS or interconnect problem receiving interinstance message

**Action:** Check OS specific diagnostics

**ORA-12850: Could not allocate slaves on all specified instances: *string* needed, *string* allocated**

**Cause:** When executing a query on a gv\$ fixed view, one or more instances failed to allocate a slave to process query.

**Action:** Check trace output for instances on which slaves failed to start. GV\$ query can only proceed if slaves can be allocated on all instances.

**ORA-12851: PARALLEL\_MAX\_SERVERS must be greater than or equal to PARALLEL\_MIN\_SERVERS, *string***

**Cause:** An attempt was made to set the PARALLEL\_MAX\_SERVERS parameter to a value less than PARALLEL\_MIN\_SERVERS.

**Action:** Set PARALLEL\_MAX\_SERVERS to a value greater than or equal to PARALLEL\_MIN\_SERVERS value specified in the accompanying message and retry.

**ORA-12852: PARALLEL\_MIN\_SERVERS must be less than PROCESSES, *string***

**Cause:** An attempt was made to set the PARALLEL\_MIN\_SERVERS parameter to a value higher than PROCESSES.

**Action:** Set PARALLEL\_MIN\_SERVERS to a value less than PROCESSES value specified in the accompanying message and retry.

**ORA-12853: insufficient memory for PX buffers: current *string*K, max needed *string*K**

**Cause:** Insufficient SGA memory for PX buffers

**Action:** Reconfigure sga to include at least (max - current) bytes of additional memory

**ORA-12854: Parallel query is not supported on temporary LOBs**

**Cause:** The parallel query statement produced a temporary LOB.

**Action:** Turn off parallelism for the query or underlying table

**ORA-12855: cannot run parallel or insert direct load in a loopback**

**Cause:** A loopback was created in the transaction before this operation.

**Action:** Do not use loopback when using pdml or insert direct load.

**ORA-12856: cannot run parallel query on a loopback connection**

**Cause:** A table or index in a parallel query is referenced via a loopback connection.

**Action:** Do not use loopback connection when running a query in parallel.

**ORA-12872: First slave parse gave different plan**

**Cause:** First hard parse on slave given QC-supplied environment and parameters gave different plan from QC. Try again with outline.

**Action:** No external action. Internally used for outline-based reparse.

---

**ORA-12899: value too large for column *string* (actual: *string*, maximum: *string*)**

**Cause:** An attempt was made to insert or update a column with a value which is too wide for the width of the destination column. The name of the column is given, along with the actual width of the value, and the maximum allowed width of the column. Note that widths are reported in characters if character length semantics are in effect for the column, otherwise widths are reported in bytes.

**Action:** Examine the SQL statement for correctness. Check source and destination column data types. Either make the destination column wider, or use a subset of the source column (i.e. use substring).

**ORA-12900: must specify a default temporary tablespace for a locally managed database**

**Cause:** a locally managed database must have a temporary tablespace other than SYSTEM tablespace

**Action:** specify the default temporary tablespace when creating a locally managed database

**ORA-12901: default temporary tablespace must be of TEMPORARY type**

**Cause:** in a locally managed database, default temporary tablespace must be TEMPORARY type

**Action:** None

**ORA-12902: default temporary tablespace must be SYSTEM or of TEMPORARY type**

**Cause:** in a dictionary managed database, default temporary tablespace must be SYSTEM or TEMPORARY type

**Action:** None

**ORA-12910: cannot specify temporary tablespace as default tablespace**

**Cause:** attempt to assign a temporary tablespace to be a user's default tablespace

**Action:** assign a permanent tablespace to be the default tablespace

**ORA-12911: permanent tablespace cannot be temporary tablespace**

**Cause:** attempt to assign a permanent tablespace to be a user's temporary tablespace

**Action:** assign a temporary tablespace to be user's temporary tablespace

**ORA-12912: Dictionary managed tablespace specified as temporary tablespace**

**Cause:** attempt to assign a dictionary managed tablespace to be a user's temporary tablespace

**Action:** Assign a locally managed temporary tablespace to be user's temporary tablespace

**ORA-12913: Cannot create dictionary managed tablespace**

**Cause:** Attempt to create dictionary managed tablespace in database which has system tablespace as locally managed

**Action:** Create a locally managed tablespace.

**ORA-12914: Cannot migrate tablespace to dictionary managed type**

**Cause:** Attempt to migrate locally managed tablespace to dictionary managed type when the database has locally managed system tablespace.

**Action:** Command cannot be issued.

---

**ORA-12915: Cannot alter dictionary managed tablespace to read write**

**Cause:** Attempt to alter dictionary managed tablespace to read write in database which has system tablespace as locally managed. This tablespace can only be dropped.

**Action:** Command cannot be issued.

**ORA-12916: cannot shrink permanent or dictionary managed tablespace**

**Cause:** An attempt was made to shrink a permanent tablespace or a dictionary managed tablespace.

**Action:** Check the tablespace type and issue the statement only on locally managed temporary tablespaces.

**ORA-12918: Invalid tablespace type for default permanent tablespace**

**Cause:** The tablespace is either dropped, temporary or undo

**Action:** Check the tablespace type and reissue the statement

**ORA-12919: Can not drop the default permanent tablespace**

**Cause:** An attempt was made to drop the default permanent tablespace

**Action:** Make a different tablespace as the default permanent tablespace and reissue the drop

**ORA-12920: database is already in force logging mode**

**Cause:** ALTER DATABASE FORCE LOGGING command failed because the database is already in force logging mode.

**Action:** None

**ORA-12921: database is not in force logging mode**

**Cause:** ALTER DATABASE NO FORCE LOGGING command failed because the database is not in force logging mode.

**Action:** None

**ORA-12922: concurrent ALTER DATABASE [NO] FORCE LOGGING command is running**

**Cause:** There is a concurrent ALTER DATABASE FORCE LOGGING or ALTER DATABASE NO FORCE LOGGING command running in the system.

**Action:** Contact the database administrator who is responsible for the concurrent command.

**ORA-12923: tablespace *string* is in force logging mode**

**Cause:** An attempt to alter the specified tablespace temporary failed because the tablespace is in force logging mode.

**Action:** Put the tablespace out of force logging mode by ALTER TABLESPACE NO FORCE LOGGING command.

**ORA-12924: tablespace *string* is already in force logging mode**

**Cause:** An attempt to alter the specified tablespace into force logging mode failed because it is already in force logging mode.

**Action:** None

**ORA-12925: tablespace *string* is not in force logging mode**

**Cause:** An attempt to alter the specified tablespace out of force logging mode failed because it is not in force logging mode.

---

**Action:** None

**ORA-12926: FORCE LOGGING option already specified**

**Cause:** In CREATE TABLESPACE, the FORCE LOGGING option was specified more than once.

**Action:** Remove all but one of the FORCE LOGGING options.

**ORA-12927: RETENTION option already specified**

**Cause:** In CREATE TABLESPACE, the RETENTION option was specified more than once.

**Action:** Remove all but one of the RETENTION options.

**ORA-12928: ENCRYPTION option already specified**

**Cause:** In CREATE TABLESPACE, the ENCRYPTION option was specified more than once.

**Action:** Remove all but one of the ENCRYPTION options.

**ORA-12940: Not enough space in DBVerify text buffer**

**Cause:** DBVerify ran out of text buffer. The error was trapped internally by the system. DBVerify would return the result in text buffer and then resume checking.

**Action:** None

**ORA-12941: DBVerify exception**

**Cause:** DBVerify encountered run-time error. The error signal was trapped internally by the system.

**Action:** None

**ORA-12950: SYSTEM tablespace specified as default permanent tablespace**

**Cause:** SYSTEM tablespace was specified as the default permanent during database creation.

**Action:** If default permanent tablespace is not specified, then SYSTEM will implicitly become the default permanent tablespace. Specify an alternate tablespace or omit the default tablespace clause and reissue the CREATE DATABASE statement

**ORA-12951: Attempt to change default permanent tablespace to temporary**

**Cause:** It is incorrect to alter the default permanent tablespace of a database to temporary type

**Action:** None

**ORA-12980: checkpoint option not allowed with SET UNUSED**

**Cause:** An attempt was made to specify checkpoint option with SET UNUSED.

**Action:** Remove checkpoint option.

**ORA-12981: cannot drop column from an object type table**

**Cause:** An attempt was made to drop a column from an object type table.

**Action:** This action is not allowed.

**ORA-12982: cannot drop column from a nested table**

**Cause:** An attempt was made to drop a column from a nested table.

**Action:** This action is not allowed.

---

**ORA-12983: cannot drop all columns in a table**

**Cause:** An attempt was made to drop all columns in a table.

**Action:** Make sure at least one column remains in the table after the drop column operation.

**ORA-12984: cannot drop partitioning column**

**Cause:** An attempt was made to drop a column used as the partitioning key.

**Action:** This action is not allowed.

**ORA-12985: tablespace "string" is read only, cannot drop column**

**Cause:** An attempt was made to drop column from a partition/subpartition on a read only tablespace.

**Action:** Set the tablespace to read write and resubmit statement.

**ORA-12986: columns in partially dropped state. Submit ALTER TABLE DROP COLUMNS CONTINUE**

**Cause:** An attempt was made to access a table with columns in partially dropped state (i.e., drop column operation was interrupted).

**Action:** Submit ALTER TABLE DROP COLUMNS CONTINUE to complete the drop column operation before accessing the table.

**ORA-12987: cannot combine drop column with other operations**

**Cause:** An attempt was made to combine drop column with other ALTER TABLE operations.

**Action:** Ensure that drop column is the sole operation specified in ALTER TABLE.

**ORA-12988: cannot drop column from table owned by SYS**

**Cause:** An attempt was made to drop a column from a system table.

**Action:** This action is not allowed

**ORA-12989: invalid value for checkpoint interval**

**Cause:** An invalid checkpoint interval specified in statement. Checkpoint interval must be between 0 and (2<sup>31</sup>-1).

**Action:** Correct checkpoint interval and resubmit statement

**ORA-12990: duplicate option specified**

**Cause:** Duplicate option specified in statement.

**Action:** Remove the duplicate option and resubmit statement.

**ORA-12991: column is referenced in a multi-column constraint**

**Cause:** An attempt was made to drop a column referenced by some constraints.

**Action:** Drop all constraints referencing the dropped column or specify CASCADE CONSTRAINTS in statement.

**ORA-12992: cannot drop parent key column**

**Cause:** An attempt was made to drop a parent key column.

**Action:** Drop all constraints referencing the parent key column, or specify CASCADE CONSTRAINTS in statement.

**ORA-12993: tablespace "string" is offline, cannot drop column**

**Cause:** An attempt was made to drop a column from a partition/subpartition on an offline tablespace.

---

**Action:** Bring the tablespace online and resubmit statement.

**ORA-12994: drop column option only allowed once in statement**

**Cause:** An attempt was made to repeat the drop column option in a single statement.

**Action:** Separate drop column options into different statements and resubmit statements.

**ORA-12995: no columns in partially dropped state**

**Cause:** An attempt was made to submit DROP COLUMNS CONTINUE statement while there are no partially dropped columns.

**Action:** Cannot submit this statement.

**ORA-12996: cannot drop system-generated virtual column**

**Cause:** An attempt was made to drop a virtual column generated by the system.

**Action:** None

**ORA-12997: cannot drop primary key column from an index-organized table**

**Cause:** An attempt was made to drop a primary key column from an index-organized table.

**Action:** This action is not allowed.

**ORA-13000: dimension number is out of range**

**Cause:** The specified dimension is either smaller than 1 or greater than the number of dimensions encoded in the HHCODE.

**Action:** Make sure that the dimension number is between 1 and the maximum number of dimensions encoded in the HHCODE.

**ORA-13001: dimensions mismatch error**

**Cause:** The number of dimensions in two HHCODEs involved in a binary HHCODE operation do not match.

**Action:** Make sure that the number of dimensions in the HHCODEs match.

**ORA-13002: specified level is out of range**

**Cause:** The specified level is either smaller than 1 or greater than the maximum level encoded in an HHCODE.

**Action:** Verify that all levels are between 1 and the maximum number of levels encoded in the HHCODE.

**ORA-13003: the specified range for a dimension is invalid**

**Cause:** The specified range for a dimension is invalid.

**Action:** Make sure that the lower bound (lb) is less than the upper bound (ub).

**ORA-13004: the specified buffer size is invalid**

**Cause:** The buffer size for a function is not valid.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-13005: recursive HHCODE function error**

**Cause:** An error occurred in a recursively called HHCODE function.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-13006: the specified cell number is invalid**

---

**Cause:** The cell identifier is either less than 0 or greater than  $(2^{\text{ndim}} - 1)$ .

**Action:** Make sure that the cell identifier is between 0 and  $(2^{\text{ndim}} - 1)$ .

**ORA-13007: an invalid HEX character was detected**

**Cause:** A character that is not in the range [0-9] or [A-F a-f] was detected.

**Action:** Verify that all characters in a string are in [0-9] or [A-F a-f].

**ORA-13008: the specified date format has an invalid component**

**Cause:** Part of specified date format is invalid.

**Action:** Verify that the date format is valid.

**ORA-13009: the specified date string is invalid**

**Cause:** The specified date string has a bad component or does not match the specified format string.

**Action:** Make sure that the components of the date string are valid and that the date and format strings match.

**ORA-13010: an invalid number of arguments has been specified**

**Cause:** An invalid number of arguments was specified for an SDO function.

**Action:** Verify the syntax of the function call.

**ORA-13011: value is out of range**

**Cause:** A specified dimension value is outside the range defined for that dimension.

**Action:** Make sure that all values to be encoded are within the defined dimension range.

**ORA-13012: an invalid window type was specified**

**Cause:** An invalid window type was specified.

**Action:** Valid window types are RANGE, PROXIMITY, POLYGON.

**ORA-13013: the specified topology was not INTERIOR or BOUNDARY**

**Cause:** A topology was specified that was not INTERIOR or BOUNDARY.

**Action:** Make sure that INTERIOR or BOUNDARY is used to describe an HHCODE's topology.

**ORA-13014: a topology identifier outside the range of 1 to 8 was specified**

**Cause:** A topology identifier outside the range of 1 to 8 was specified.

**Action:** Specify a topology in the range of 1 to 8.

**ORA-13015: the window definition is not valid**

**Cause:** The number of values used to define the window does not correspond to the window type.

**Action:** Verify that the number of values used to defined the window is correct for the window type and number of dimensions.

**ORA-13016: specified topology [*string*] is invalid**

**Cause:** The specified topology did not exist in the database, or some components of the topology were missing from the database.

**Action:** Check the specified topology by executing the SDO\_TOPO.validate\_topology function.

---

**ORA-13017: unrecognized line partition shape**

**Cause:** The shape of a 2-D line partition could not be determined.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-13018: bad distance type**

**Cause:** The specified distance type is invalid.

**Action:** The only supported distance functions are EUCLID and MANHATTAN.

**ORA-13019: coordinates out of bounds**

**Cause:** Vertex coordinates lie outside the valid range for specified dimension.

**Action:** Redefine vertex coordinates within specified boundaries.

**ORA-13020: coordinate is NULL**

**Cause:** A vertex coordinate has a NULL value.

**Action:** Redefine vertex coordinate to have non-NULL value.

**ORA-13021: element not continuous**

**Cause:** The coordinates defining a geometric element are not connected.

**Action:** Redefine coordinates for the geometric element.

**ORA-13022: polygon crosses itself**

**Cause:** The coordinates defining a polygonal geometric element represent crossing segments.

**Action:** Redefine coordinates for the polygon.

**ORA-13023: interior element interacts with exterior element**

**Cause:** An interior element of a geometric object interacts with the exterior element of that object.

**Action:** Redefine coordinates for the geometric elements.

**ORA-13024: polygon has less than three segments**

**Cause:** The coordinates defining a polygonal geometric element represent less than three segments.

**Action:** Redefine the coordinates for the polygon.

**ORA-13025: polygon does not close**

**Cause:** The coordinates defining a polygonal geometric element represent an open polygon.

**Action:** Redefine the coordinates of the polygon.

**ORA-13026: unknown element type for element *string.string.string***

**Cause:** The SDO\_ETYPE column in the <layer>\_SDOGEOM table contains an invalid geometric element type value.

**Action:** Redefine the geometric element type in the <layer>\_SDOGEOM table for the specified geometric element using one of the supported SDO\_ETYPE values. See the Oracle Spatial documentation for an explanation of SDO\_ETYPE and its possible values.

**ORA-13027: unable to read dimension definition from *string***

**Cause:** There was a problem reading the dimension definition from the <layer>\_SDODIM table.

---

**Action:** Verify that the <layer>\_SDODIM table exists and that the appropriate privileges exist on the table. Address any other errors that might appear with the message.

**ORA-13028: Invalid Gtype in the SDO\_GEOMETRY object**

**Cause:** There is an invalid SDO\_GTYPE in the SDO\_GEOMETRY object.

**Action:** Verify that the geometries have valid gtypes.

**ORA-13029: Invalid SRID in the SDO\_GEOMETRY object**

**Cause:** There is an invalid SDO\_SRID in the SDO\_GEOMETRY object. The specified SRID may be outside the valid SRID range.

**Action:** Verify that the geometries have valid SRIDs.

**ORA-13030: Invalid dimension for the SDO\_GEOMETRY object**

**Cause:** There is a mismatch between the dimension in the SDO\_GTYPE and dimension in the SDO\_GEOM\_METADATA for the SDO\_GEOMETRY object.

**Action:** Verify that the geometries have valid dimensionality.

**ORA-13031: Invalid Gtype in the SDO\_GEOMETRY object for point object**

**Cause:** There is an invalid SDO\_GTYPE in the SDO\_GEOMETRY object where the VARRAYs are NULL but the SDO\_GTYPE is not of type POINT.

**Action:** Verify that the geometries have valid gtypes.

**ORA-13032: Invalid NULL SDO\_GEOMETRY object**

**Cause:** There are invalid SDO\_POINT\_TYPE or SDO\_ELEM\_INFO\_ARRAY or SDO\_ORDINATE\_ARRAY fields in the SDO\_GEOMETRY object.

**Action:** Verify that the geometries have valid fields. To specify a NULL geometry, specify the whole SDO\_GEOMETRY as NULL instead of setting each field to NULL.

**ORA-13033: Invalid data in the SDO\_ELEM\_INFO\_ARRAY in SDO\_GEOMETRY object**

**Cause:** There is invalid data in the SDO\_ELEM\_INFO\_ARRAY field of the SDO\_GEOMETRY object. The triplets in this field do not make up a valid geometry.

**Action:** Verify that the geometries have valid data.

**ORA-13034: Invalid data in the SDO\_ORDINATE\_ARRAY in SDO\_GEOMETRY object**

**Cause:** There is invalid data in the SDO\_ORDINATE\_ARRAY field of the SDO\_GEOMETRY object. The coordinates in this field do not make up a valid geometry. There may be NULL values for X or Y or both.

**Action:** Verify that the geometries have valid data.

**ORA-13035: Invalid data (arcs in geodetic data) in the SDO\_GEOMETRY object**

**Cause:** There is invalid data in the SDO\_ELEM\_INFO\_ARRAY field of the SDO\_GEOMETRY object. There are arcs in a geometry that has geodetic coordinates.

**Action:** Verify that the geometries have valid data.

**ORA-13036: Operation [*string*] not supported for Point Data**

**Cause:** The specified geometry function is not supported for point data.

**Action:** Make sure that the specified geometry function is not called on point data.

---

**ORA-13037: SRIDs do not match for the two geometries**

**Cause:** A Spatial operation is invoked with two geometries where one geometry has an SRID and the other geometry does not have an SRID.

**Action:** Make sure that the spatial operations are invoked between two geometries with compatible SRIDs.

**ORA-13039: failed to update spatial index for element *string.string.string***

**Cause:** Another error will accompany this message that will indicate the problem.

**Action:** Correct any accompanying errors. If no accompanying error message appears, contact Oracle Support Services.

**ORA-13040: failed to subdivide tile**

**Cause:** This is an internal error.

**Action:** Note any accompanying errors and contact Oracle Support Services.

**ORA-13041: failed to compare tile with element *string.string.string***

**Cause:** The spatial relationship between a generated tile and the specified element could not be determined.

**Action:** This is an internal error. Verify the geometry using the `VALIDATE_GEOMETRY_WITH_CONTEXT` procedure. If the procedure does not return any errors, note any errors that accompany ORA-13041 and contact Oracle Support Services.

**ORA-13042: invalid SDO\_LEVEL and SDO\_NUMTILES combination**

**Cause:** An invalid combination of `SDO_LEVEL` and `SDO_NUMTILES` values was read from the `<layer>_SDOLAYER` table. The most likely cause is that the columns are NULL.

**Action:** Verify that the `SDO_LEVEL` and `SDO_NUMTILES` columns contain valid integer values as described in the Oracle Spatial documentation. Then retry the operation.

**ORA-13043: failed to read metadata from the `<layer>_SDOLAYER` table**

**Cause:** An error was encountered reading the layer metadata from the `<layer>_SDOLAYER` table.

**Action:** This error is usually the result of an earlier error which should also have been reported. Address this accompanying error and retry the current operation. If no accompanying error was reported, contact Oracle Support Services.

**ORA-13044: the specified tile size is smaller than the tolerance**

**Cause:** The tile size specified for fixed size tessellation is smaller than the tolerance as specified in the layer metadata.

**Action:** See the Oracle Spatial documentation for an explanation of tiling levels, tile size, and tiling resolution. Ensure that the tiling parameters are set such that any generated tile is always larger than or equal to a tile at the maximum level of resolution. This can be achieved by using a fewer number of tiles per geometric object or specifying a smaller tile size value than the current one.

**ORA-13045: invalid compatibility flag**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13046: invalid number of arguments**

---

**Cause:** An invalid number of arguments were specified for an SDO\_GEOM function.

**Action:** See the Oracle Spatial documentation for a description of the syntax and semantics of the relevant SDO\_GEOM function.

**ORA-13047: unable to determine ordinate count from table <layer>\_SDOLAYER**

**Cause:** An SDO\_GEOM function was unable to determine the number of ordinates for the SDO layer <layer>.

**Action:** Verify that the <layer>\_SDOLAYER table has a valid value for the column SDO\_ORDCNT. Then retry the operation.

**ORA-13048: recursive SQL fetch error**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13049: unable to determine tolerance value from table <layer>\_SDODIM**

**Cause:** An SDO\_GEOM function was unable to determine the tolerance value for the SDO layer <layer>.

**Action:** Verify that the <layer>\_SDODIM table has a valid value for the column SDO\_TOLERANCE.

**ORA-13050: unable to construct spatial object**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13051: failed to initialize spatial object**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13052: unsupported geometric type for geometry *string.string***

**Cause:** The geometry type for a specific instance in a <layer>\_SDOGEOM table is not among the set of geometry types supported by Oracle Spatial.

**Action:** Check the Oracle Spatial documentation for the list of supported geometry types and workarounds that permit the storage and retrieval of non-supported geometric types with the SDO schema.

**ORA-13053: maximum number of geometric elements in argument list exceeded**

**Cause:** The maximum number of geometric elements that can be specified in the argument list for an SDO\_GEOM function was exceeded.

**Action:** Check the Oracle Spatial documentation for the syntax of the SDO\_GEOM function and use fewer arguments to describe the geometry, or check the description of the SDO\_WINDOW package for a workaround that permits storing the object in a table and then using it in as an argument in a call to the SDO\_GEOM function.

**ORA-13054: recursive SQL parse error**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13055: Oracle object *string* does not exist in specified table**

**Cause:** The requested object is not present in the specified table.

---

**Action:** Verify the syntax of the function or procedure that reported this error and verify that the object does indeed exist in the specified table. Then retry the operation.

**ORA-13060: topology with the name *string* already exists**

**Cause:** The specified topology name was not unique in the database.

**Action:** Verify that the CREATE\_TOPOLOGY call specifies the correct topology name and that the procedure is invoked from the correct schema.

**ORA-13061: topology with the name *string* does not exist**

**Cause:** The specified topology did not exist in the database.

**Action:** Verify that the current procedure/function call specifies the correct schema and topology name.

**ORA-13062: topology IDs do not match in the feature table and the topology**

**Cause:** The specified topology ID in the feature table did not match the topology ID stored in the topology metadata.

**Action:** Verify that the specified topology ID matches the topology ID stored in the topology metadata.

**ORA-13063: relationship information table is missing data for feature table [*string*]**

**Cause:** The topology relationship information table (xxx\_RELATION\$) did not have the matching partition corresponding to the feature table.

**Action:** Make sure the correct topology IDs and names are specified in the call to register the feature table with the topology.

**ORA-13064: relationship information table has inconsistent data for feature table [*string*]**

**Cause:** The topology\_id, tg\_layer\_id values stored in the feature table did not match the values stored in the topology relationship information table (xxx\_RELATION\$).

**Action:** Make sure that the correct feature tables are specified in the call to register the feature table with the topology.

**ORA-13065: cannot delete a child layer with a parent layer**

**Cause:** A call was made to delete a feature layer which has a dependent layer defined on it.

**Action:** Make sure that all dependent feature layers are deleted before deleting the current feature layer.

**ORA-13066: wrong feature geometry or element type**

**Cause:** The SDO\_TOPO\_GEOMETRY object had the wrong geometry and/or element type.

**Action:** Correct the geometry and/or element type in the SDO\_TOPO\_GEOMETRY object.

**ORA-13067: operator requires both parameters from the same topology**

**Cause:** Both SDO\_TOPO\_GEOMETRY parameters did not come from the same topology.

**Action:** Make sure both the parameters to the operator are from the same topology. If this is not possible, consider using a signature of the operator that does not use two SDO\_TOPO\_GEOMETRY parameters.

---

**ORA-13068: wrong table or column name in SDO\_TOPO\_GEOMETRY constructor**

**Cause:** An SDO\_TOPO\_GEOMETRY constructor was invoked with incorrect parameters for table name and/or column name.

**Action:** Fix the parameters in the call and try again.

**ORA-13108: spatial table *string* not found**

**Cause:** The specified spatial table does not exist.

**Action:** Check the Spatial data dictionary to make sure that the table is registered.

**ORA-13109: spatial table *string* exists**

**Cause:** The specified spatial table is registered in the Spatial data dictionary.

**Action:** Remove the existing table from the Spatial data dictionary or use a different name.

**ORA-13110: cannot drop topology with associated topo\_geometry tables**

**Cause:** The drop\_topology procedure was invoked for a topology that has associated topo\_geometry layers with it.

**Action:** Delete the topo\_geometry layers from the topology before dropping the topology. Use SDO\_TOPO.delete\_topo\_geometry\_layer to delete topo\_geometry layers from the topology.

**ORA-13111: cannot add topo\_geometry layer [*string*] to topology**

**Cause:** It was not possible to add the specified topo\_geometry layer to the topology.

**Action:** Make sure the topo\_geometry layer table exists in the database.

**ORA-13112: cannot delete topo\_geometry layer [*string*] from topology**

**Cause:** It was not possible to delete the specified topo\_geometry layer from the topology.

**Action:** Check USER\_SDO\_TOPO\_METADATA to see if the specified topo\_geometry layer is part of the topology. Only those topo\_geometry layers which are part of the topology can be deleted from it.

**ORA-13113: invalid tg\_layer\_id in sdo\_topo\_geometry constructor**

**Cause:** An invalid layer\_id was passed to the SDO\_TOPO\_GEOMETRY constructor.

**Action:** Valid layer\_ids are obtained by adding a topo\_geometry layer to the topology. Check USER\_SDO\_TOPO\_METADATA to find out the layer\_id for an existing topo\_geometry layer.

**ORA-13114: [*string*].NODE\$ table does not exist**

**Cause:** The NODE\$ table for the topology did not exist in the database.

**Action:** There is a severe corruption of the topology. Call Oracle Support Services with the error number.

**ORA-13115: [*string*].EDGE\$ table does not exist**

**Cause:** The EDGE\$ table for the topology did not exist in the database.

**Action:** There is a severe corruption of the topology. Call Oracle Support Services with the error number.

**ORA-13116: [*string*].FACE\$ table does not exist**

**Cause:** The FACE\$ table for the topology did not exist in the database.

---

**Action:** There is a severe corruption of the topology. Call Oracle Support Services with the error number.

**ORA-13117: [*string*]<sub>RELATION\$</sub> table does not exist**

**Cause:** The RELATION\$ table for the topology did not exist in the database.

**Action:** There is a severe corruption of the topology. Call Oracle Support Services with the error number.

**ORA-13118: invalid node\_id [*string*]**

**Cause:** A topology node operation was invoked with an invalid node\_id.

**Action:** Check the topology node\$ table to see if the specified node\_id exists in the topology.

**ORA-13119: invalid edge\_id [*string*]**

**Cause:** A topology edge operation was invoked with an invalid edge\_id.

**Action:** Check the topology edge\$ table to see if the specified edge\_id exists in the topology.

**ORA-13120: invalid face\_id [*string*]**

**Cause:** A topology face operation was invoked with an invalid face\_id.

**Action:** Check the topology face\$ table to see if the specified face\_id exists in the topology.

**ORA-13121: layer type type mismatch with topo\_geometry layer type**

**Cause:** The tg\_type in SDO\_TOPO\_GEOMETRY constructor did not match the type specified for the layer.

**Action:** Check the USER\_SDO\_TOPO\_METADATA view to see the layer type for the layer and use it in the constructor.

**ORA-13122: invalid topo\_geometry specified**

**Cause:** The SDO\_TOPO\_GEOMETRY object passed into the function/operator was not valid.

**Action:** Check the SDO\_TOPO\_GEOMETRY object and verify that it is a valid topo\_geometry object.

**ORA-13123: invalid <TOPOLOGY> name specified**

**Cause:** The create\_topo operation requires a unique TOPOLOGY name, that already does not exist in the database.

**Action:** Check to see if there is already an entry in the USER\_SDO\_TOPO\_METADATA (or the MDSYS.SDO\_TOPO\_METADATA\_TABLE) with this topology name.

**ORA-13124: unable to determine column id for column *string***

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13125: partition key is already set**

**Cause:** A partition key is already set for the spatial table.

**Action:** Only one partition key can be specified per spatial table.

**ORA-13126: unable to determine class for spatial table *string***

**Cause:** This is an internal error.

---

**Action:** Contact Oracle Support Services.

**ORA-13127: failed to generate target partition**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13128: current tiling level exceeds user specified tiling level**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13129: HHCODE column *string* not found**

**Cause:** The specified spatial column does not exist.

**Action:** Verify that the specified column is a spatial column by checking the Spatial data dictionary.

**ORA-13135: failed to alter spatial table**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13136: null common code generated**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13137: failed to generate tablespace sequence number**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13138: could not determine name of object *string***

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13139: could not obtain column definition for *string***

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13140: invalid target type**

**Cause:** The specified target type is not valid.

**Action:** Substitute a valid target type. Valid target types are TABLE and VIEW.

**ORA-13141: invalid RANGE window definition**

**Cause:** The RANGE window specified is not correctly defined.

**Action:** A RANGE window is defined by specifying the lower and upper boundary of each dimension as a pair of values (e.g.: lower\_bound1,upper\_bound1,lower\_bound2,upper\_bound2,...). There should be an even number of values.

**ORA-13142: invalid PROXIMITY window definition**

**Cause:** The PROXIMITY window specified is not correctly defined.

**Action:** A PROXIMITY window is defined by specifying a center point and a radius. The center point is defined by ND values. There should be ND+1 values.

**ORA-13143: invalid POLYGON window definition**

---

**Cause:** The POLYGON window specified is not correctly defined.

**Action:** A POLYGON window is defined by specifying N pairs of values that represent the vertices of the polygon. There should be an even number of values.

**ORA-13144: target table *string* not found**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13145: failed to generate range list**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13146: could not find table substitution variable *string***

**Cause:** The partition name substitution variable %s was not found in the SQL filter.

**Action:** The substitution variable %s must be in the SQL filter to indicate where that partition name should be placed.

**ORA-13147: failed to generate MBR**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13148: failed to generate SQL filter**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13149: failed to generate next sequence number for spatial table *string***

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13150: failed to insert exception record**

**Cause:** Operation failed to insert a record into the exception table.

**Action:** Fix any other errors reported.

**ORA-13151: failed to remove exception record**

**Cause:** Operation failed to remove a record from the exception table.

**Action:** Fix any other errors reported.

**ORA-13152: invalid HHCODE type**

**Cause:** Specified HHCODE type is not valid.

**Action:** Substitute a valid HHCODE type. Valid HHCODE types are POINT and LINE.

**ORA-13153: invalid high water mark specified**

**Cause:** The high water mark must be greater than or equal to zero.

**Action:** Make sure that the high water mark is an integer greater than or equal to zero.

**ORA-13154: invalid precision specified**

**Cause:** The precision specified is out of range.

**Action:** The precision must be an integer greater than or equal to zero.

---

**ORA-13155: invalid number of dimensions specified**

**Cause:** The number of dimensions specified is out of range.

**Action:** The number of dimension must be between 1 and 32.

**ORA-13156: table to be registered *string.string* is not empty**

**Cause:** The specified table has rows in it.

**Action:** Make sure that the table to be registered is empty.

**ORA-13157: Oracle error *ORAstring* encountered while *string***

**Cause:** The specified Oracle error was encountered.

**Action:** Correct the Oracle error.

**ORA-13158: Oracle object *string* does not exist**

**Cause:** The specified object does not exist.

**Action:** Verify that the specified object exists.

**ORA-13159: Oracle table *string* already exists**

**Cause:** The specified table already exists.

**Action:** Drop the specified table.

**ORA-13181: unable to determine length of column *string\_SDOINDEX.SDO\_CODE***

**Cause:** The length of the SDO\_CODE column in the <layer>\_SDOINDEX table could not be determined.

**Action:** Make sure that the <layer>\_SDOINDEX table exists with the SDO\_CODE column. Verify that the appropriate privileges exist on the table. Then retry the operation.

**ORA-13182: failed to read element *string.string.string***

**Cause:** The specified element could not be read from the <layer>\_SDOGEOM table.

**Action:** Verify that the specified element exists in the table. Then retry the operation.

**ORA-13183: unsupported geometric type for geometry *string.string***

**Cause:** The geometry type in the <layer>\_SDOGEOM table is unsupported.

**Action:** Modify the geometry type to be one of the supported types.

**ORA-13184: failed to initialize tessellation package**

**Cause:** Initialization of the tessellation package failed.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13185: failed to generate initial HHCODE**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13186: fixed tile size tessellation failed**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

---

**ORA-13187: subdivision failed**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13188: cell decode failed**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13189: recursive SQL parse failed**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13190: recursive SQL fetch failed**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13191: failed to read SDO\_ORDCNT value**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13192: failed to read number of element rows**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13193: failed to allocate space for geometry**

**Cause:** There was insufficient memory to read the geometry from the database.

**Action:** Validate the geometry. Record the error messages that are returned and contact Oracle Support Services.

**ORA-13194: failed to decode supercell**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13195: failed to generate maximum tile value**

**Cause:** This is an internal error.

**Action:** Record the error messages that are returned and contact Oracle Support Services.

**ORA-13196: failed to compute supercell for element *string.string.string***

**Cause:** The system was unable to compute the minimum bounding HHCODE or supercell for the geometry.

**Action:** Another error might accompany this error. Correct the accompanying error. Also, validate the geometry for correctness.

**ORA-13197: element *string.string.string* is out of range**

---

**Cause:** Tessellation did not generate any tiles for this element. This error could be caused if the geometry definition puts the geometry outside the domain defined in the <layer>\_SDODIM table.

**Action:** Verify that the geometry is valid and within the defined domain.

**ORA-13198: Spatial error: *string***

**Cause:** Internal error in some Oracle Spatial stored procedure.

**Action:** Record the sequence of procedure calls or events that preceded this error, and contact Oracle Support Services if the error message text does not clearly specify the cause of the error.

**ORA-13199: *string***

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**ORA-13200: internal error [*string*] in spatial indexing.**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services with the exact error text.

**ORA-13201: invalid parameters supplied in CREATE INDEX statement**

**Cause:** An error was encountered while trying to parse the parameters clause for the spatial CREATE INDEX statement.

**Action:** Check the Oracle Spatial documentation for the number, syntax, and semantics of expected parameters for spatial index creation.

**ORA-13202: failed to create or insert into the SDO\_INDEX\_METADATA table**

**Cause:** An error was encountered while trying to create the SDO\_INDEX\_METADATA table or insert data into it.

**Action:** Verify that the current user has CREATE TABLE privilege and that the user has sufficient quota in the default or specified tablespace.

**ORA-13203: failed to read USER\_SDO\_GEOM\_METADATA view**

**Cause:** An error encountered while trying to read the USER\_SDO\_GEOM\_METADATA view.

**Action:** Check that USER\_SDO\_GEOM\_METADATA has an entry for the current geometry table.

**ORA-13204: failed to create spatial index table**

**Cause:** An error was encountered while trying to create the index table.

**Action:** Check that user has CREATE TABLE privilege in the current schema and that the user has sufficient quota in the default or specified tablespace.

**ORA-13205: internal error while parsing spatial parameters**

**Cause:** An internal error was encountered while parsing the spatial parameters.

**Action:** Check that the parameters passed in the parameter string are all valid.

**ORA-13206: internal error [*string*] while creating the spatial index**

**Cause:** An internal error was encountered while creating the spatial index.

**Action:** Contact Oracle Support Services with the exact error text.

**ORA-13207: incorrect use of the [*string*] operator**

**Cause:** An error was encountered while evaluating the specified operator.

---

**Action:** Check the parameters and the return type of the specified operator.

**ORA-13208: internal error while evaluating [*string*] operator**

**Cause:** An internal error was encountered.

**Action:** Contact Oracle Support Services with the exact error text.

**ORA-13209: internal error while reading SDO\_INDEX\_METADATA table**

**Cause:** An internal error was encountered while trying to read the SDO\_INDEX\_METADATA table.

**Action:** Contact Oracle Support Services. Note this and accompanying error numbers.

**ORA-13210: error inserting data into the index table**

**Cause:** An error was encountered while trying to insert data into the index table. Likely causes are:

- Insufficient quota in the current tablespace
- User does not appropriate privileges

**Action:** Check the accompanying error messages.

**ORA-13211: failed to tessellate the window object**

**Cause:** An internal error was encountered while trying to tessellate the window object.

**Action:** Verify the geometric integrity of the window object using the VALIDATE\_GEOMETRY\_WITH\_CONTEXT procedure.

**ORA-13212: failed to compare tile with the window object**

**Cause:** The spatial relationship between a generated tile and the specified window object could not be determined.

**Action:** This is an internal error. Verify the geometry using the VALIDATE\_GEOMETRY\_WITH\_CONTEXT procedure. If the procedure does not return any errors, note any accompanying errors and contact Oracle Support Services.

**ORA-13213: failed to generate spatial index for window object**

**Cause:** Another error, indicating the real cause of the problem, should accompany this error.

**Action:** Correct any accompanying errors. If no accompanying error message appears, contact Oracle Support Services.

**ORA-13214: failed to compute supercell for window object**

**Cause:** The system was unable to compute the minimum bounding tile or supercell for the geometry.

**Action:** Another error might accompany this error. Correct the accompanying error. Also, validate the geometry for correctness.

**ORA-13215: window object is out of range**

**Cause:** Tessellation did not generate any tiles for this geometry. This error could be caused if the geometry definition puts the geometry outside the domain defined in the USER\_SDO\_GEOM\_METADATA view.

**Action:** Verify that the geometry is valid and within the defined domain.

**ORA-13216: failed to update spatial index**

**Cause:** Another error will accompany this message that will indicate the problem.

---

**Action:** Correct any accompanying errors. If no accompanying error message appears, contact Oracle Support Services.

**ORA-13217: invalid parameters supplied in ALTER INDEX statement**

**Cause:** An error was encountered while trying to parse the parameters clause for the spatial ALTER INDEX statement.

**Action:** Check the Oracle Spatial documentation for the number, syntax, and semantics of expected parameters for the spatial ALTER INDEX statement.

**ORA-13218: max number of supported index tables reached for [*string*] index**

**Cause:** An add\_index parameter was passed to ALTER INDEX when the number of existing index tables is already at maximum.

**Action:** Delete one of the index tables before adding another index table.

**ORA-13219: failed to create spatial index table [*string*]**

**Cause:** An error was encountered while trying to create the index table.

**Action:** There is a table in the index's schema with the specified name. The CREATE INDEX statement will try to create an index table with this name. Either rename this table or change the name of the index.

**ORA-13220: failed to compare tile with the geometry**

**Cause:** The spatial relationship between a generated tile and the specified geometry could not be determined.

**Action:** This is an internal error. Validate the geometry using the VALIDATE\_GEOMETRY\_WITH\_CONTEXT procedure. If the procedure does not return any errors, note any errors that accompany ORA-13220 and contact Oracle Support Services.

**ORA-13221: unknown geometry type in the geometry object**

**Cause:** The SDO\_GTYPE attribute in the geometry object contains an invalid value

**Action:** Redefine the geometric type in the geometry table using one of the supported SDO\_GTYPE values. See the Oracle Spatial documentation for an explanation of SDO\_GTYPE and its possible values.

**ORA-13222: failed to compute supercell for geometry in *string***

**Cause:** The system was unable to compute the minimum bounding tile or supercell for a geometry in the specified table.

**Action:** Another error might accompany this error. Correct the accompanying error. Also, validate the geometry for correctness.

**ORA-13223: duplicate entry for *string* in SDO\_GEOM\_METADATA**

**Cause:** There are duplicate entries for the given table and column value pair in the USER\_SDO\_GEOM\_METADATA view.

**Action:** Check that the specified table and geometry column names are correct. There should be only one entry per table, geometry column pair in the USER\_SDO\_GEOM\_METADATA view.

**ORA-13224: zero tolerance specified for layer in USER\_SDO\_GEOM\_METADATA**

**Cause:** A tolerance of zero or NULL is supplied for a layer in USER\_SDO\_GEOM\_METADATA view.

**Action:** Check the tolerance specified to make sure it is a positive value.

---

**ORA-13225: specified index table name is too long for a spatial index**

**Cause:** An index table name is specified which is longer than the supported length of the spatial index table name.

**Action:** Check the supported size of the index table name and reduce the size of the index name.

**ORA-13226: interface not supported without a spatial index**

**Cause:** The geometry table does not have a spatial index.

**Action:** Verify that the geometry table referenced in the spatial operator has a spatial index on it.

**ORA-13227: SDO\_LEVEL values for the two index tables do not match**

**Cause:** The SDO\_LEVEL values for the two index tables used in the spatial join operator do not match.

**Action:** Verify that two compatible indexes are used for the spatial join operator. Quadtree indexes are compatible if they have the same SDO\_LEVEL and SDO\_NUMTILES values

**ORA-13228: spatial index create failed due to invalid type**

**Cause:** An Attempt was made to create a spatial index on a column of type other than SDO\_GEOMETRY.

**Action:** Make sure that the index is created on a column of type SDO\_GEOMETRY.

**ORA-13230: failed to create temporary table [*string*] during R-tree creation**

**Cause:** The specified temporary table either already exists or there is not enough tablespace.

**Action:** Delete the table if it already exists and verify if the current user has CREATE TABLE privileges and has sufficient space in the default or specified tablespace.

**ORA-13231: failed to create index table [*string*] during R-tree creation**

**Cause:** The specified index table either already exists or there is not enough tablespace.

**Action:** Delete the table if it already exists and verify if the current user has CREATE TABLE privileges and has sufficient space in the default or specified tablespace. If that fails to correct the problem, contact Oracle Support Services.

**ORA-13232: failed to allocate memory during R-tree creation**

**Cause:** This feature assumes a minimum of 64K memory for bulk creation.

**Action:** Create the index for a small subset of the data. Then, use transactional insert operations for the rest of the data.

**ORA-13233: failed to create sequence number [*string*] for R-tree**

**Cause:** The specified sequence number exists.

**Action:** Delete the sequence object, or contact Oracle Support Services.

**ORA-13234: failed to access R-tree-index table [*string*]**

**Cause:** The index table is either deleted or corrupted.

**Action:** Rebuild the index or contact Oracle Support Services with accompanying error messages.

---

**ORA-13236: internal error in R-tree processing: [string]**

**Cause:** An internal error occurred in R-tree processing.

**Action:** Contact Oracle Support Services with the message text.

**ORA-13237: internal error during R-tree concurrent updates: [string]**

**Cause:** An inconsistency is encountered during concurrent updates, possibly due to the use of serializable isolation level.

**Action:** Change the isolation level to "read committed" using the ALTER SESSION statement, or contact Oracle Support Services with the message text.

**ORA-13239: sdo\_dimensionality not specified during n-d R-tree creation**

**Cause:** An error occurred in reading the dimensionality parameter

**Action:** Check the documentation for a valid range, and specify the dimensionality as a parameter.

**ORA-13240: specified dimensionality greater than that of the query mbr**

**Cause:** An error occurred because of too few values in the query minimum bounding rectangle (MBR).

**Action:** Omit the dimensionality, or use the dimensionality of the query.

**ORA-13241: specified dimensionality does not match that of the data**

**Cause:** An error occurred because the dimensionality specified in the CREATE INDEX statement does not match that of the data.

**Action:** Change the statement to reflect the data dimensionality.

**ORA-13243: specified operator is not supported for 3- or higher-dimensional R-tree**

**Cause:** Currently, an R-tree index with three or more index dimensions can be used only with the SDO\_FILTER operator.

**Action:** Use the SDO\_FILTER operator, and check the documentation for the querytype parameter for SDO\_FILTER; or contact Oracle Support Services.

**ORA-13249: string**

**Cause:** An internal error was encountered in the extensible spatial index component. The text of the message is obtained from some other server component.

**Action:** Contact Oracle Support Services with the exact error text.

**ORA-13250: insufficient privileges to modify metadata table entries**

**Cause:** The user requesting the operation does not have the appropriate privileges on the referenced tables.

**Action:** Check that the specified feature and geometry table names are correct, and then verify that the current user has at least SELECT privilege on those tables.

**ORA-13251: duplicate entry string in metadata table**

**Cause:** The specified entry already exists in the metadata table.

**Action:** Check that the specified feature and geometry table names are correct. A feature-geometry table association should be registered only once.

**ORA-13260: layer table string does not exist**

**Cause:** Data migration source table <layer>\_SDOGEOM does not exist.

**Action:** Ensure that the specified layer name is correct and that the corresponding spatial layer tables exist in the current schema.

---

**ORA-13261: geometry table *string* does not exist**

**Cause:** The specified geometry table does not exist in the current schema.

**Action:** Create a table containing a column of type SDO\_GEOMETRY and a column of type NUMBER for the GID values.

**ORA-13262: geometry column *string* does not exist in table *string***

**Cause:** The specified table does not have a column of type SDO\_GEOMETRY.

**Action:** Alter or re-create the table such that it includes a column of type SDO\_GEOMETRY and a column of type NUMBER.

**ORA-13263: column *string* in table *string* is not of type SDO\_GEOMETRY**

**Cause:** The column intended for storing the geometry is not of type SDO\_GEOMETRY.

**Action:** Alter the column definition to be of type SDO\_GEOMETRY.

**ORA-13264: geometry identifier column *string* does not exist in table *string***

**Cause:** The specified table does not contain a GID column.

**Action:** Confirm that the GID column name was correctly specified and that it exists in the specified table.

**ORA-13265: geometry identifier column *string* in table *string* is not of type NUMBER**

**Cause:** GID column is not of type NUMBER.

**Action:** Alter the table definition such that the column containing the geometry identifier (GID) is of type NUMBER.

**ORA-13266: error inserting data into table *string***

**Cause:** An OCI error occurred, or the user has insufficient quota in the active tablespace, or the rollback segments are too small.

**Action:** There should be an accompanying error message that indicates the cause of the problem. Take appropriate action to correct the indicated problem.

**ORA-13267: error reading data from layer table *string***

**Cause:** There was an error reading the geometry data from the <layer>\_SDOGEOM table.

**Action:** Verify that <layer>\_SDOGEOM and <layer>\_SDODIM exist. If they do exist, run VALIDATE\_LAYER\_WITH\_CONTEXT on the specified layer.

**ORA-13268: error obtaining dimension from USER\_SDO\_GEOM\_METADATA**

**Cause:** There is no entry in the USER\_SDO\_GEOM\_METADATA view for the specified geometry table.

**Action:** Insert an entry for the destination geometry table with the correct dimension information.

**ORA-13269: internal error [*string*] encountered when processing geometry table**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services with the exact error message text.

**ORA-13270: OCI error *string***

**Cause:** An OCI error occurred while processing the layer or geometry tables.

**Action:** Take the appropriate steps to correct the OCI-specific error.

---

**ORA-13271: error allocating memory for geometry object**

**Cause:** Insufficient memory.

**Action:** Make more memory available to the current session/process.

**ORA-13272: geometric object *string* in table *string* is invalid**

**Cause:** The specified object failed the geometric integrity checks performed by the validation function.

**Action:** Check the Oracle Spatial documentation for information about the geometric integrity checks performed by `VALIDATE_GEOMETRY_WITH_CONTEXT` and correct the geometry definition if required.

**ORA-13273: dimension metadata table *string* does not exist**

**Cause:** The `<layer>_SDODIM` table does not exist.

**Action:** Verify that the specified layer name is correct and that the `<layer>_SDODIM` table exists in the current schema.

**ORA-13274: operator invoked with non-compatible SRIDs**

**Cause:** A Spatial operator was invoked with a window geometry with an SRID but the layer has no SRID; or the window has no SRID but the layer has an SRID.

**Action:** Make sure that the layer and window both have an SRID or that they both do not have an SRID.

**ORA-13275: spatial index creation failure on unsupported type**

**Cause:** An attempt was made to create a spatial index create on a column that is not of type `SDO_GEOMETRY`.

**Action:** A spatial index can only be created on a column of type `SDO_GEOMETRY`. Make sure the indexed column is of type `SDO_GEOMETRY`.

**ORA-13276: internal error [*string*] in coordinate transformation**

**Cause:** OCI internal error.

**Action:** Contact Oracle Support Services with the exact error message text.

**ORA-13278: failure to convert SRID to native format**

**Cause:** OCI internal error.

**Action:** Contact Oracle Support Services with the exact error message text.

**ORA-13281: failure in execution of SQL statement to retrieve WKT**

**Cause:** OCI internal error, or SRID does not match a table entry.

**Action:** Check that a valid SRID is being used.

**ORA-13282: failure on initialization of coordinate transformation**

**Cause:** Parsing error on source or destination coordinate system WKT, or incompatible coordinate systems.

**Action:** Check the validity of the WKT for table entries, and check if the requested transformation is valid.

**ORA-13283: failure to get new geometry object for conversion in place**

**Cause:** OCI internal error.

**Action:** Contact Oracle Support Services with the exact error message text.

**ORA-13284: failure to copy geometry object for conversion in place**

**Cause:** OCI internal error.

---

**Action:** Contact Oracle Support Services with the exact error message text.

**ORA-13285: Geometry coordinate transformation error**

**Cause:** A coordinate pair was out of valid range for a conversion/projection.

**Action:** Check that data to be transformed is consistent with the desired conversion/projection.

**ORA-13287: can't transform unknown gtype**

**Cause:** A geometry with a gtype of  $\leq 0$  was specified for transformation. Only a gtype  $\geq 1$  is allowed.

**Action:** Check the Oracle Spatial documentation for SDO\_GTYPE values, and specify a value whose last digit is 1 or higher.

**ORA-13288: point coordinate transformation error**

**Cause:** An internal error occurred while transforming points.

**Action:** Check the accompanying error messages.

**ORA-13290: the specified unit is not supported**

**Cause:** An Oracle Spatial function was called with an unknown UNIT value.

**Action:** Check Spatial documentation for the supported units, and call the function with the correct UNIT parameter.

**ORA-13291: conversion error between the specified unit and standard unit**

**Cause:** Cannot convert the specified unit from/to standard unit for linear distance, angle, or area.

**Action:** Check the unit specification and respecify it.

**ORA-13292: incorrect ARC\_TOLERANCE specification**

**Cause:** When a SDO\_BUFFER or SDO\_AGGR\_BUFFER function is called on a geodetic geometry, or SDO\_ARC\_DENSIFY is called, ARC\_TOLERANCE must be specified, and it should not be less than the tolerance specified for the geometry.

**Action:** Check ARC\_TOLERANCE specification and make sure it is correct.

**ORA-13293: cannot specify unit for geometry without a georeferenced SRID**

**Cause:** An Oracle Spatial function with a UNIT parameter was called on a geometry without a georeferenced SRID.

**Action:** Make sure that spatial functions with UNIT parameters are only called on geometries with georeferenced SRIDs.

**ORA-13294: cannot transform geometry containing circular arcs**

**Cause:** It is impossible to transform a 3-point representation of a circular arc without distortion.

**Action:** Make sure a geometry does not contain circular arcs.

**ORA-13295: geometry objects are in different coordinate systems**

**Cause:** An Oracle Spatial function was called with two geometries that have different SRIDs.

**Action:** Transform geometry objects to be in the same coordinate system and call the spatial function.

**ORA-13296: incorrect coordinate system specification**

---

**Cause:** Wrong numbers in WKT for Earth radius or flattening for the current SRID.

**Action:** Check WKT in the MDSYS.CS\_SRS table for Earth radius and inverse flattening.

**ORA-13300: single point transform error**

**Cause:** Low-level coordinate transformation error trap.

**Action:** Check the accompanying error messages.

**ORA-13303: failure to retrieve a geometry object from a table**

**Cause:** OCI internal error.

**Action:** Contact Oracle Support Services with the exact error message text.

**ORA-13304: failure to insert a transformed geometry object in a table**

**Cause:** OCI internal error.

**Action:** Contact Oracle Support Services with the exact error message text.

**ORA-13330: invalid MASK**

**Cause:** The MASK passed to the RELATE function is not valid.

**Action:** Verify that the mask is not NULL. See the Oracle Spatial documentation for a list of supported masks.

**ORA-13331: invalid LRS segment**

**Cause:** The given LRS segment was not a valid line string.

**Action:** A valid LRS geometric segment is a line string geometry in Oracle Spatial. It could be a simple or compound line string (made of lines or arcs, or both). The dimension information must include the measure dimension as the last element in the Oracle Spatial metadata. Currently, the number of dimensions for an LRS segment must be greater than 2 (x/y or longitude/latitude, plus measure)

**ORA-13332: invalid LRS point**

**Cause:** The specified LRS point was not a point geometry with measure information.

**Action:** Check the given point geometry. A valid LRS point is a point geometry in Oracle Spatial with an additional dimension for measure.

**ORA-13333: invalid LRS measure**

**Cause:** The given measure for linear referencing was out of range.

**Action:** Redefine the measure.

**ORA-13334: LRS segments not connected**

**Cause:** The specified geometric segments are not connected.

**Action:** Check the start/end points of the given geometric segments.

**ORA-13335: LRS measure information not defined**

**Cause:** The measure information of a geometric segment was not assigned (IS NULL).

**Action:** Assign/define the measure information. An LRS geometric segment is defined if its start and end measure are assigned (non-null).

**ORA-13336: failure in converting standard diminfo/geometry to LRS dim/geom**

---

**Cause:** There is no room for the measure dimension in the given diminfo, or the specified standard geometry is not a point a line string.

**Action:** Check if the diminfo dimensions are less than 3 or if the geometry type is point or line string.

**ORA-13337: failure in concatenating LRS polygons**

**Cause:** LRS concatenation involving LRS polygons is not supported.

**Action:** Check the geometry and element types to make sure the concatenate operation is not called with a polygon type.

**ORA-13338: failure in reversing LRS polygon/collection geometry**

**Cause:** Reversing an LRS polygon/collection geometry produces an invalid geometry.

**Action:** Check the geometry type to make sure this operation is called on non-polygon geometries.

**ORA-13339: LRS polygon clipping across multiple rings**

**Cause:** Clipping (dynseg) a polygon across multiple rings is not allowed.

**Action:** Polygon clipping is allowed only for a single ring.

**ORA-13340: a point geometry has more than one coordinate**

**Cause:** A geometry, specified as being a point, has more than one coordinate in its definition.

**Action:** A point has only one coordinate. If this geometry is intended to represent a point cluster, line, or polygon, set the appropriate SDO\_GTYPE or SDO\_ETYPE value. If this is a single point object, remove the extraneous coordinates from its definition.

**ORA-13341: a line geometry has fewer than two coordinates**

**Cause:** A geometry, specified as being a line, has fewer than two coordinates in its definition.

**Action:** A line must consist of at least two distinct coordinates. Correct the geometric definition, or set the appropriate SDO\_GTYPE or SDO\_ETYPE attribute for this geometry.

**ORA-13342: an arc geometry has fewer than three coordinates**

**Cause:** A geometry, specified as being an arc, has fewer than three coordinates in its definition.

**Action:** An arc must consist of at least three distinct coordinates. Correct the geometric definition, or set the appropriate SDO\_GTYPE or SDO\_ETYPE attribute for this geometry.

**ORA-13343: a polygon geometry has fewer than four coordinates**

**Cause:** A geometry, specified as being a polygon, has fewer than four coordinates in its definition.

**Action:** A polygon must consist of at least four distinct coordinates. Correct the geometric definition, or set the appropriate SDO\_GTYPE or SDO\_ETYPE attribute for this geometry.

**ORA-13344: an arcpolygon geometry has fewer than five coordinates**

**Cause:** A geometry, specified as being an arcpolygon, has fewer than five coordinates in its definition.

---

**Action:** An arcpolygon must consist of at least five coordinates. An arcpolygon consists of an ordered sequence of arcs, each of which must be described using three coordinates. Since arcs are connected the end-point of the first is the start of the second and does not have to be repeated. Correct the geometric definition, or set the appropriate SDO\_GTYPE or SDO\_ETYPE attribute for this geometry.

**ORA-13345: a compound polygon geometry has fewer than five coordinates**

**Cause:** A geometry, specified as being a compound polygon, has fewer than five coordinates in its definition.

**Action:** A compound polygon must contain at least five coordinates. A compound polygon consists of at least one arc and one line, each of which must be described using three and at least two distinct coordinates respectively. Correct the geometric definition, or set the appropriate SDO\_GTYPE or SDO\_ETYPE attribute for this geometry.

**ORA-13346: the coordinates defining an arc are collinear**

**Cause:** Invalid definition of an arc. An arc is defined using three non-collinear coordinates.

**Action:** Alter the definition of the arc, or set the SDO\_ETYPE or SDO\_GTYPE to the line type.

**ORA-13347: the coordinates defining an arc are not distinct**

**Cause:** Two or more of the three points defining an arc are the same.

**Action:** Alter the definition of the arc to ensure that three distinct coordinate values are used.

**ORA-13348: polygon boundary is not closed**

**Cause:** The boundary of a polygon does not close.

**Action:** Alter the coordinate values or the definition of the SDO\_GTYPE or SDO\_ETYPE attribute of the geometry.

**ORA-13349: polygon boundary crosses itself**

**Cause:** The boundary of a polygon intersects itself.

**Action:** Correct the geometric definition of the object.

**ORA-13350: two or more rings of a complex polygon touch**

**Cause:** The inner or outer rings of a complex polygon touch.

**Action:** All rings of a complex polygon must be disjoint. Correct the geometric definition of the object.

**ORA-13351: two or more rings of a complex polygon overlap**

**Cause:** The inner or outer rings of a complex polygon overlap.

**Action:** All rings of a complex polygon must be disjoint. Correct the geometric definition of the object.

**ORA-13352: the coordinates do not describe a circle**

**Cause:** The set of coordinates used to describe a circle are incorrect.

**Action:** Confirm that the set of coordinates actually represent points on the circumference of a circle.

**ORA-13353: ELEM\_INFO\_ARRAY not grouped in threes**

**Cause:** The ELEM\_INFO\_ARRAY in an SDO\_GEOMETRY definition has more or fewer elements than expected.

---

**Action:** Confirm that the number of elements in ELEM\_INFO\_ARRAY is divisible by 3.

**ORA-13354: incorrect offset in ELEM\_INFO\_ARRAY**

**Cause:** The offset field in ELEM\_INFO\_ARRAY of an SDO\_GEOMETRY definition references an invalid array subscript in SDO\_ORDINATE\_ARRAY.

**Action:** Confirm that the offset is a valid array subscript in SDO\_ORDINATE\_ARRAY.

**ORA-13355: SDO\_ORDINATE\_ARRAY not grouped by number of dimensions specified**

**Cause:** The number of elements in SDO\_ORDINATE\_ARRAY is not a multiple of the number of dimensions supplied by the user.

**Action:** Confirm that the number of dimensions is consistent with data representation in SDO\_ORDINATE\_ARRAY.

**ORA-13356: adjacent points in a geometry are redundant**

**Cause:** There are repeated points in the sequence of coordinates.

**Action:** Remove the redundant point.

**ORA-13357: extent type does not contain 2 points**

**Cause:** Extent type should be represented by two points: lower left and upper right.

**Action:** Confirm that there are only two points for an extent type.

**ORA-13358: circle type does not contain 3 points**

**Cause:** Circle type should be represented by three distinct points on the circumference.

**Action:** Confirm that there are only three points for a circle type.

**ORA-13359: extent does not have an area**

**Cause:** The two points representing the extent are identical.

**Action:** Confirm that the two points describing the extent type are distinct.

**ORA-13360: invalid subtype in a compound type**

**Cause:** This subtype is not allowed within the ETYPE specified.

**Action:** Check the Oracle Spatial documentation for type definitions.

**ORA-13361: not enough sub-elements within a compound ETYPE**

**Cause:** The compound type declare more sub-elements than actually defined.

**Action:** Confirm that the number of sub-elements is consistent with the compound type declaration.

**ORA-13362: disjoint sub-element in a compound polygon**

**Cause:** Compound polygon must describe an enclosed area.

**Action:** Confirm that all sub-elements are connected.

**ORA-13363: no valid ETYPE in the geometry**

**Cause:** None of the ETYPEs within the geometry is supported.

**Action:** Confirm that there is at least one valid ETYPE.

**ORA-13364: layer dimensionality does not match geometry dimensions**

---

**Cause:** The spatial layer has a geometry with a different dimensions than the dimensions specified for the layer.

**Action:** Make sure that all geometries in a layer have the same dimensions and that they match the dimensions in the SDO\_DIM\_ARRAY object for the layer in the USER\_SDO\_GEOM\_METADATA view.

**ORA-13365: layer SRID does not match geometry SRID**

**Cause:** The spatial layer has a geometry with a different SRID than the SRID specified for the layer.

**Action:** Make sure that all geometries in a layer have the same SRID and that the SRIDs match the SRID for the layer in the USER\_SDO\_GEOM\_METADATA view.

**ORA-13366: invalid combination of interior exterior rings**

**Cause:** In an Oracle Spatial geometry, interior and exterior rings are not used consistently.

**Action:** Make sure that the interior rings corresponding to an exterior ring follow the exterior ring in the ordinate array.

**ORA-13367: wrong orientation for interior/exterior rings**

**Cause:** In an Oracle Spatial geometry, the exterior and/or interior rings are not oriented correctly.

**Action:** Be sure that the exterior rings are oriented counterclockwise and the interior rings are oriented clockwise.

**ORA-13368: simple polygon type has more than one exterior ring**

**Cause:** In a polygon geometry there is more than one exterior ring.

**Action:** Set the type to be multipolygon if more than one exterior ring is present in the geometry.

**ORA-13369: invalid value for etype in the 4-digit format**

**Cause:** A 4-digit etype for a non-polygon type element is used, or the orientation is not a valid orientation for interior/exterior rings of the polygon.

**Action:** Correct the geometry definition.

**ORA-13370: failure in applying 3D LRS functions**

**Cause:** Only non-geodetic 3D line string geometries (made of line segments) are supported for 3D LRS functions.

**Action:** Check the geometry and element types and the SRID values.

**ORA-13371: invalid position of measure dimension**

**Cause:** LRS measure dimension has to be after spatial dimensions. The position has to be either 3rd or 4th in the dim\_info\_array.

**Action:** Check the geometry's gtype and its position in the dim\_info\_array.

**ORA-13372: failure in modifying metadata for a table with spatial index**

**Cause:** Modifying the metadata after the index is created will cause an inconsistency between the geometry's gtype and diminfo.

**Action:** Modify (or Prepare) metadata before creating an index on the SDO\_GEOMETRY column.

**ORA-13373: invalid line segment in geodetic data**

**Cause:** A geodetic line segment was not less than half of a great circle.

---

**Action:** Densify the line by adding points.

**ORA-13374: SDO\_MBR not supported for geodetic data**

**Cause:** The SDO\_MBR functionality is not supported for geodetic data.

**Action:** Find an alternative function that can be used in this context.

**ORA-13375: the layer is of type [string] while geometry inserted has type [string]**

**Cause:** The layer has a type that is different or inconsistent with the type of the current geometry.

**Action:** Change the geometry type to agree with the layer type, or change the layer type to agree with the geometry type.

**ORA-13376: invalid type name specified for layer\_gtype parameter**

**Cause:** An invalid type name is specified for the layer\_gtype constraint.

**Action:** See the Spatial documentation for of valid keywords that can be used in defining a layer\_gtype constraint.

**ORA-13377: invalid combination of elements with orientation**

**Cause:** An element of the geometry has orientation specified while some other element has no orientation specified (4-digit etype).

**Action:** Make sure all the polygon elements have orientation specified using the 4-digit etype notation.

**ORA-13378: invalid index for element to be extracted**

**Cause:** An invalid (or out of bounds) index was specified for extracting an element from a geometry.

**Action:** Make sure the parameters to the extract function are in the valid range for the geometry.

**ORA-13379: invalid index for sub-element to be extracted**

**Cause:** An invalid (or out of bounds) index was specified for extracting a sub-element from a geometry.

**Action:** Make sure the parameters to the extract function are in the valid range for the geometry.

**ORA-13380: network not found**

**Cause:** The specified network was not found in the network metadata.

**Action:** Insert the network information in the USER\_SDO\_NETWORK\_METADATA view.

**ORA-13381: table:string not found in network:string**

**Cause:** The specified table was not found in the network metadata.

**Action:** Insert the table information in the USER\_SDO\_NETWORK\_METADATA view.

**ORA-13382: geometry metadata (table:string column:string) not found in spatial network:string**

**Cause:** The specified geometry metadata was not found in the spatial network metadata.

**Action:** Insert the spatial metadata information in the USER\_SDO\_NETWORK\_METADATA view.

- 
- ORA-13383: inconsistent network metadata: *string***  
**Cause:** There was an inconsistency between the network metadata and the node/link information.  
**Action:** Check the network metadata and the node/link information.
- ORA-13384: error in network schema: *string***  
**Cause:** The network table(s) did not have required column(s)  
**Action:** Check the network schema.
- ORA-13385: error in network manager: [*string*]**  
**Cause:** There was an internal error in network manager.  
**Action:** Contact Oracle Customer Support for more help.
- ORA-13386: commit/rollback operation error: [*string*]**  
**Cause:** The index-level changes were not fully incorporated as part of the commit or rollback operation.  
**Action:** Correct the specified error and use the following statement: ALTER INDEX <index-name> PARAMETERS ("index\_status=synchronize");
- ORA-13387: sdo\_batch\_size for array inserts should be in the range [*number,number*]**  
**Cause:** The specified value for sdo\_batch\_size was too high or too low.  
**Action:** Change the value to be in the specified range.
- ORA-13388: invalid value for dst\_spec parameter**  
**Cause:** The dst\_spec parameter was specified in the wrong format.  
**Action:** Check the documentation for this parameter.
- ORA-13389: unable to compute buffers or intersections in analysis function**  
**Cause:** There was an internal error in computing the buffers or intersections in the specified spatial analysis function.  
**Action:** Modify the tolerance value in the USER\_SDO\_GEOM\_METADATA view before invoking the spatial analysis function.
- ORA-13390: error in spatial analysis and mining function: [*string*]**  
**Cause:** There was an internal error in the specified analysis function.  
**Action:** Contact Oracle Customer Support for more help.
- ORA-13391: *string***  
**Cause:** An attempt was made to violate GeoRaster management restrictions.  
**Action:** Check the documentation for more detailed information.
- ORA-13400: duplicate entry for *string* in USER\_SDO\_GEOR\_SYSDATA view**  
**Cause:** The current operation caused a duplicate RASTER\_DATA\_TABLE and RASTER\_ID combination to be inserted into the USER\_SDO\_GEOR\_SYSDATA view.  
**Action:** Ensure that the RASTER\_DATA\_TABLE and RASTER\_ID combination to be inserted into the USER\_SDO\_GEOR\_SYSDATA view is unique.
- ORA-13401: duplicate entry for *string* in USER\_SDO\_GEOR\_SYSDATA view**  
**Cause:** The RASTER\_DATA\_TABLE and RASTER\_ID columns contained the same information in two or more rows in the USER\_SDO\_GEOR\_SYSDATA view.

---

**Action:** Ensure that the RASTER\_DATA\_TABLE and RASTER\_ID columns in the USER\_SDO\_GEOR\_SYSDATA view contain the correct information, and that the value pair is unique for each row.

**ORA-13402: the rasterType is null or not supported**

**Cause:** The specified rasterType was null or not supported.

**Action:** Check the documentation for the rasterType number and/or formats supported by GeoRaster.

**ORA-13403: invalid rasterDataTable specification: *string***

**Cause:** Each GeoRaster object must have an associated raster data table whose name is unique among raster data table names in the database. If the GeoRaster object is not empty and not blank, the raster data table must exist, be visible in the current schema, be defined in the same schema as the GeoRaster data table, and be an object table of SDO\_RASTER type. However, one or more of these requirements were not met.

**Action:** Check the rasterDataTable specification and ensure that all relevant raster data table requirements are met.

**ORA-13404: invalid ultCoordinate parameter**

**Cause:** The ultCoordinate array parameter had the wrong length or contained an invalid value.

**Action:** Check the documentation, and make sure the ultCoordinate parameter is correct.

**ORA-13405: null or invalid dimensionSize parameter**

**Cause:** The dimensionSize array parameter was null, had the wrong length, or contained an invalid value.

**Action:** Check the documentation, and make sure the dimensionSize parameter is correct.

**ORA-13406: null or invalid GeoRaster object for output**

**Cause:** The GeoRaster object for output was null or invalid.

**Action:** Make sure the GeoRaster object for output has been initialized properly.

**ORA-13407: invalid storage parameter *string***

**Cause:** The storage parameter contained an invalid specification.

**Action:** Check the documentation, and make sure the storage parameter is correct.

**ORA-13408: invalid blockSize storage parameter**

**Cause:** The blockSize storage parameter had the wrong length or contained invalid value.

**Action:** Check the documentation, and make sure the blockSize storage parameter is correct.

**ORA-13409: null or invalid pyramidLevel parameter**

**Cause:** The specified pyramidLevel parameter was null or invalid.

**Action:** Make sure the pyramidLevel parameter specifies a valid pyramid level value for the GeoRaster object.

**ORA-13410: invalid layerNumbers or bandNumbers parameter**

**Cause:** The layerNumbers or bandNumbers parameter was invalid.

---

**Action:** Check the documentation and make sure the layerNumbers or bandNumbers parameter is valid.

**ORA-13411: subset results in null data set**

**Cause:** The intersection of cropArea and source GeoRaster object was null.

**Action:** Check the documentation, and make sure the cropArea parameter is correct.

**ORA-13412: invalid scale parameterstring**

**Cause:** The scale parameter contained an invalid specification.

**Action:** Check the documentation, and make sure the scale parameter is correct.

**ORA-13413: null or invalid resampling parameter**

**Cause:** The resampling parameter was null or invalid.

**Action:** Check the documentation, and make sure the resampling parameter is correct.

**ORA-13414: invalid pyramid parameter**

**Cause:** The pyramid parameter was invalid.

**Action:** Check the documentation, and make sure the pyramid parameter is correct.

**ORA-13415: invalid or out of scope point specification**

**Cause:** The point position specified by the <ptGeom, layerNumber> or <rowNumber, colNumber, bandNumber> parameter combination was invalid or out of scope.

**Action:** Make sure the parameter(s) specify a valid point that is or can be translated into a cell position inside the cell space of the GeoRaster object.

**ORA-13416: invalid geometry parameter**

**Cause:** The geometry parameter did not specify a valid single-point geometry.

**Action:** Specify a valid single-point geometry.

**ORA-13417: null or invalid layerNumber parameter**

**Cause:** The layerNumber parameter was null or out of scope.

**Action:** Specify a valid layerNumber parameter.

**ORA-13418: null or invalid parameter(s) for set functions**

**Cause:** A parameter for set metadata operations was null or invalid.

**Action:** Check the documentation for information about the parameters.

**ORA-13419: cannot perform mosaick operation on the specified table column**

**Cause:** An attempt to perform a mosaick operation failed because the GeoRaster objects in the specified table column did not meet necessary conditions.

**Action:** Check the documentation for SDO\_GEOR.Mosaick for details.

**ORA-13420: the SRID of the geometry parameter was not null**

**Cause:** The input geometry must be in the GeoRaster cell space, which has a null SRID value.

**Action:** Make sure the geometry parameter has a null SRID.

**ORA-13421: NULL or invalid cell value**

---

**Cause:** The cell value was NULL or out-of-scope.

**Action:** Make sure the cell value is not NULL and is in the range as designated by the cellDepth definition of the specified GeoRaster object.

**ORA-13422: invalid model coordinate parameter**

**Cause:** The model coordinate array parameter had the wrong length or had null ordinate element(s).

**Action:** Make sure the model coordinate parameter is valid.

**ORA-13423: invalid cell coordinate parameter**

**Cause:** The cell coordinate array parameter had the wrong length or had null ordinate element(s).

**Action:** Make sure the cell coordinate parameter is valid.

**ORA-13424: the GeoRaster object is not spatially referenced**

**Cause:** The GeoRaster object was not spatially referenced.

**Action:** Make sure the GeoRaster object is spatially referenced.

**ORA-13425: invalid background filling value parameter**

**Cause:** The background filling value parameter was invalid either because the array had the wrong size or because some of the element values were invalid.

**Action:** Make sure the parameter that specifies the background filling value is valid. The size of the array must equal to either 1 (the value is for all bands) or the exact band dimension size. The element values must be valid cell values as determined by the cell depth.

**ORA-13426: invalid window parameter**

**Cause:** The specified window parameter was invalid.

**Action:** Specify a valid window parameter. Check the documentation for details.

**ORA-13427: invalid bitmap mask**

**Cause:** The bitmap mask was not a valid 1BIT GeoRaster object, or it had the wrong dimension sizes.

**Action:** Make sure the bitmap mask is a valid 1BIT GeoRaster object with only one band, and the row and column dimension sizes of the bitmap mask are the same as those of the target GeoRaster object.

**ORA-13428: invalid modelCoordinateLocation**

**Cause:** The program [or user] specified a modelCoordinateLocation that is not supported, or the modelCoordinateLocation of the GeoRaster object was wrong.

**Action:** Set or specify the modelCoordinateLocation to be CENTER (0) or UPPERLEFT (1).

**ORA-13429: invalid xCoefficients or yCoefficients parameter(s)**

**Cause:** An attempt to perform a georeference operation failed. Possible reasons include xCoefficients or yCoefficients having the wrong number of coefficients or invalid coefficients.

**Action:** Check the documentation for supported coefficient specifications.

**ORA-13430: the GeoRaster object has null attribute(s)**

**Cause:** The metadata or rasterType of the GeoRaster object was null.

---

**Action:** This object may only be used as an output parameter of procedures or functions. It is not valid for other purposes.

**ORA-13431: GeoRaster metadata rasterType error**

**Cause:** The rasterType in the metadata of the GeoRaster object was inconsistent with the GeoRaster rasterType attribute.

**Action:** Make sure the rasterType in the metadata of the GeoRaster object and the GeoRaster rasterType attribute have the same value.

**ORA-13432: NULL or invalid blankCellValue**

**Cause:** The blankCellValue element could not be found in the metadata of a blank GeoRaster object, or the specified blankCellValue element value was NULL or invalid.

**Action:** Call SDO\_GEOR.setBlankCellValue to add blankCellValue to the metadata whenever the isBlank element value is TRUE, and make sure that the specified blankCellValue element value is not NULL and is in the range as designated by the cellDepth definition of the GeoRaster object.

**ORA-13433: GeoRaster metadata default RGB error**

**Cause:** At least one of the defaultRed, defaultGreen, and defaultBlue values (logical layer numbers) was zero, negative, or out of range.

**Action:** Check the documentation for details.

**ORA-13434: GeoRaster metadata cellRepresentation error**

**Cause:** The cellRepresentation type was not supported.

**Action:** Check the documentation for supported cellRepresentation types.

**ORA-13435: GeoRaster metadata dimension inconsistent**

**Cause:** The specification of dimensions or totalDimensions was inconsistent with rasterType, or vice versa.

**Action:** Make sure dimension specifications are consistent.

**ORA-13436: GeoRaster metadata dimensionSize error**

**Cause:** Either the dimensionSize for each dimension was not specified, or an extraneous dimensionSize was specified.

**Action:** Add a dimensionSize for each dimension of the GeoRaster object and delete extra dimensionSize elements.

**ORA-13437: GeoRaster metadata blocking error**

**Cause:** Either the wrong block number(s) or block size(s) along dimensions were specified, or the block numbers and sizes when taken together were not consistent.

**Action:** Check the documentation for details.

**ORA-13438: GeoRaster metadata pyramid type error**

**Cause:** The specified pyramid type was not supported.

**Action:** Check the documentation for supported pyramid types.

**ORA-13439: GeoRaster metadata pyramid maxLevel error**

**Cause:** The specified maxLevel exceeded the maximum level allowed by the specified pyramid type.

**Action:** Check the documentation for supported pyramid types and their total level limitations.

---

**ORA-13440: GeoRaster metadata compression type error**

**Cause:** The specified compression type was not supported.

**Action:** Check the documentation for supported compression types.

**ORA-13441: GeoRaster metadata SRS error: *string***

**Cause:** The specified error relates to the polynomialModel element in the Spatial Reference System (SRS) metadata.

**Action:** Check the documentation and make sure that a valid polynomial model is specified.

**ORA-13442: GeoRaster object not registered: *string***

**Cause:** There was no sysdata entry for the specified GeoRaster object.

**Action:** Make sure that a sysdata entry has been inserted for the specified GeoRaster object.

**ORA-13443: null or invalid values in *string***

**Cause:** There were null or invalid component values in the specified metadata.

**Action:** Check the documentation and make sure that all the component values are valid.

**ORA-13444: cannot perform mergeLayers operation**

**Cause:** The two GeoRaster objects whose layers are to be combined together either had different row or column dimension sizes, or their georeferencing information did not match.

**Action:** Make sure the objects have the same row and column dimension sizes. If neither is georeferenced, their ULTCordinate values must be the same. Otherwise, they must be both georeferenced and cover the same area in the model space.

**ORA-13445: NULL or invalid NODATA value or value range**

**Cause:** There was invalid NODATA value or value range in the metadata, or the specified NODATA value or value range was invalid.

**Action:** Make sure the NODATA value or value range is not NULL and is completely contained in the range as designated by the cellDepth definition of the specified GeoRaster object.

**ORA-13446: GeoRaster metadata TRS error**

**Cause:** The GeoRaster Temporal Reference System was not supported.

**Action:** Set isReferenced to FALSE.

**ORA-13447: GeoRaster metadata BRS error**

**Cause:** The GeoRaster Band Reference System was not supported.

**Action:** Set isReferenced to FALSE.

**ORA-13448: GeoRaster metadata BRS error**

**Cause:** The GeoRaster spectral extent specification was incorrect.

**Action:** The MIN value must be less than the MAX value in the spectralExtent element.

**ORA-13449: GeoRaster metadata ULTCordinate error**

**Cause:** The GeoRaster rasterInfo ULTCordinate was not correct.

**Action:** Check the documentation for restrictions.

---

**ORA-13450: GeoRaster metadata layerInfo error**

**Cause:** The GeoRaster had more than one layerInfo element, or the layerDimension value was not supported.

**Action:** The current release only supports one layerInfo element; layer can only be defined along one dimension, and this dimension must be BAND.

**ORA-13451: GeoRaster metadata scaling function error**

**Cause:** The scaling function had a zero denominator.

**Action:** Make sure the scaling function denominator is not zero.

**ORA-13452: GeoRaster metadata BIN function error**

**Cause:** The bin function data did not match its type.

**Action:** For EXPLICIT type, provide a binTableName element; otherwise, provide a binFunctionData element.

**ORA-13453: GeoRaster metadata layer error**

**Cause:** Too many subLayers were defined for the GeoRaster object, or layerNumber or layerDimensionOrdinate was not assigned correctly.

**Action:** The total number of logical layers cannot exceed the total number of physical layers, and each logical layer must be assigned a valid physical layer number following the same order. Check the documentation for more details.

**ORA-13454: GeoRaster metadata is invalid**

**Cause:** The GeoRaster metadata was invalid against its XML Schema.

**Action:** Run the schemaValidate routine to find the errors.

**ORA-13455: GeoRaster metadata TRS error**

**Cause:** The beginDateTime value was later than the endDateTime value.

**Action:** Make sure that the beginDateTime value is not later than the endDateTime value.

**ORA-13456: GeoRaster cell data error: *string***

**Cause:** There was an error in the original GeoRaster cell data or in the cell data of the pyramids.

**Action:** If the error is related to the original GeoRaster cell data, the GeoRaster object is invalid and has to be deleted or manually repaired. If the error is related to pyramids, delete the pyramids and regenerate them.

**ORA-13457: bitmap mask cell data error: *string***

**Cause:** There was an error in the cell data of an original bitmap mask or in the cell data of the pyramids of a bitmap mask.

**Action:** If the error is related to an original bitmap mask, remove the bitmap mask. If the error is related to the pyramids of a bitmap mask, delete the pyramids and regenerate them.

**ORA-13458: GeoRaster metadata SRS error**

**Cause:** The polynomial model did not match the requirements of a rectified GeoRaster object.

**Action:** Check the documentation for the requirements of the polynomial model for a rectified GeoRaster object, or set isRectified to be false.

**ORA-13459: GeoRaster metadata SRS error**

---

**Cause:** The polynomial model was not an six-parameter transformation, or the six-parameter transformation was not valid.

**Action:** Check the documentation and make sure the polynomial model is a valid six-parameter affine transformation.

**ORA-13460: GeoRaster metadata SRS error**

**Cause:** The referenced GeoRaster object had a zero model space SRID or the specified model space SRID was zero.

**Action:** Set or specify the model space SRID to be a nonzero number.

**ORA-13461: the interleaving type is not supported**

**Cause:** The interleaving type of the GeoRaster object was not supported.

**Action:** Check the documentation for the interleaving types supported by GeoRaster. Use SDO\_GEOR.changeFormatCopy to transform the image to a supported interleaving type.

**ORA-13462: invalid blocking specification**

**Cause:** The specified blocking configuration was invalid.

**Action:** Check the documentation for the blocking specification supported by GeoRaster.

**ORA-13463: error retrieving GeoRaster data: *string***

**Cause:** An internal error occurred while retrieving GeoRaster data from the database.

**Action:** Check the error message for details.

**ORA-13464: error loading GeoRaster data: *string***

**Cause:** An internal error occurred while loading GeoRaster data into the database.

**Action:** Check the error message for details.

**ORA-13465: null or invalid table or column specification**

**Cause:** The specified table or column did not exist, or the column was not a GeoRaster column.

**Action:** Make sure the specified table exists and the specified column is a GeoRaster column.

**ORA-13466: format not appropriate for specified compression method: *string***

**Cause:** The operation failed because the GeoRaster object had an inappropriate type or format for the specified compression method. The GeoRaster type or format is not supported for the specified compression.

**Action:** Check the error message for details. Check the documentation for the appropriate GeoRaster types and formats for each compression method. Use SDO\_GEOR.changeFormatCopy to transform the GeoRaster object to an appropriate format, or apply another compression method.

**ORA-13467: unsupported GeoRaster metadata specification: *string***

**Cause:** The GeoRaster metadata specification is not supported.

**Action:** Check the documentation for the supported GeoRaster metadata specifications.

**ORA-13468: invalid blockMBR**

**Cause:** Invalid blockMBR geometries were stored in the raster data table.

---

**Action:** Make sure the blockMBR geometries stored in the raster data table are valid, or call SDO\_GEOR.generateBlockMBR() to regenerate the blockMBR geometries.

**ORA-13469: cannot perform updateRaster operation**

**Cause:** The data of the source GeoRaster object could not be used to update that of the target GeoRaster object.

**Action:** Make sure the source and the target GeoRaster objects have the same cell depth, and that both objects are either georeferenced or not georeferenced at all. If both are georeferenced, they should be in the same coordinate system and have the same spatial resolutions.

**ORA-13470: target and source layers or bands mismatched**

**Cause:** The number of specified target layers or bands and source layers or bands did not match.

**Action:** When updating layers or bands of a target GeoRaster object to reflect the associated layers or bands of the source GeoRaster object, specify the same number of layers or bands for both the source and the target objects. Check the documentation for details.

**ORA-13471: unable to determine the owner of *string***

**Cause:** The owner of the specified raster data table could not be determined.

**Action:** Make sure the GeoRaster object that refers to the raster data table has been registered by inserting the object into a GeoRaster table.

**ORA-13472: invalid geometry parameter**

**Cause:** The geometry parameter did not specify a valid geometry.

**Action:** Specify a valid 2D or 3D geometry. If the model SRID is null or indicates a 2D coordinate system, the geometry must be 2D. If the model SRID indicates a 3D coordinate system, the geometry must either be a 3D geometry or a 2D geometry that can be converted to 3D with the specified vertical axis (or vertical SRID) and ellipsoidal parameters.

**ORA-13473: invalid rasterSpec parameter**

**Cause:** The rasterSpec parameter contained an invalid specification.

**Action:** Check the documentation and make sure the rasterSpec parameter contains only valid keywords and values.

**ORA-13474: invalid rasterDataTable name: *string***

**Cause:** The rasterDataTable name was not a valid nonquoted identifier, it contained a period separator, or not all of the alphanumeric characters were uppercase.

**Action:** Ensure that the table name is a valid nonquoted identifier without any period separators, and that all the alphanumeric characters are uppercase.

**ORA-13475: invalid GeoRaster object for output**

**Cause:** The output GeoRaster object had the same RASTER\_DATA\_TABLE and RASTER\_ID combination as that of an input GeoRaster object.

**Action:** Ensure that the output GeoRaster object is different from any of the input GeoRaster objects.

**ORA-13476: invalid or out of scope point specification**

---

**Cause:** The point position specified by the point geometry parameter or the rowNumber/colNumber parameter combination was null or out of scope.

**Action:** Ensure that the parameters specify a valid point that translates or can be translated into a cell position inside the cell space of the GeoRaster object.

**ORA-13480: the Source Type is not supported**

**Cause:** The specified source type was not supported.

**Action:** Check the documentation for the source types (such as FILE and HTTP) supported by GeoRaster.

**ORA-13481: the destination type is not supported**

**Cause:** The specified destination type was not supported.

**Action:** Check the documentation for the destination types (such as FILE) supported by GeoRaster.

**ORA-13482: GeoRaster object is not initialized for the image**

**Cause:** No GeoRaster object has been initialized for the specified image.

**Action:** Initialize a GeoRaster object to hold this image before loading it into the database. Check the documentation for details.

**ORA-13483: insufficient memory for the specified GeoRaster data**

**Cause:** There was insufficient memory to hold the specified GeoRaster data for this operation.

**Action:** Use SDO\_GEOR.subset to isolate a subset of the GeoRaster data, or reblock the GeoRaster data into smaller sized blocks. Check the documentation for details.

**ORA-13484: the file format or compression type is not supported: *string***

**Cause:** The file format or compression type was not supported.

**Action:** Check the documentation for formats that are currently supported by GeoRaster.

**ORA-13485: error occurred during compression or decompression: *string***

**Cause:** The operation could not be completed because an error occurred during compression or decompression. Check the error message for details.

**Action:** Check that the GeoRaster object is valid, that its metadata is valid for the specified compression format, and that valid parameters are passed into the compression or decompression operation.

**ORA-13486: invalid or insufficient GeoTIFF metadata to georeference the GeoRaster object: *string***

**Cause:** The GeoTIFF metadata of the specified input image contained invalid or insufficient information to georeference the GeoRaster object.

**Action:** Check the error message for details.

**ORA-13487: SRID not found for source coordinate system metadata**

**Cause:** No SRID was found in the Oracle Spatial CS\_SRS table to match the source coordinate system metadata.

**Action:** Add a user-defined coordinate reference system for this coordinate system, as explained in the Oracle Spatial documentation.

**ORA-13497: *string***

---

**Cause:** This is an internal GeoRaster error.

**Action:** Contact Oracle Support Services. You may want to make sure the GeoRaster object is valid before you do so.

**ORA-13498: *string***

**Cause:** An error related to an external plugin was encountered in the GeoRaster component.

**Action:** Check the documentation for the external plugin, or contact the plugin provider and supply the exact error text.

**ORA-13499: *string***

**Cause:** This is an internal Spatial error.

**Action:** Contact Oracle Support Services.

**ORA-13500: SYSAUX DATAFILE clause specified more than once**

**Cause:** The CREATE DATABASE command contains more than one SYSAUX DATAFILE clause.

**Action:** Specify at most one SYSAUX DATAFILE clause.

**ORA-13501: Cannot drop SYSAUX tablespace**

**Cause:** Tried to drop SYSAUX tablespace

**Action:** None

**ORA-13502: Cannot rename SYSAUX tablespace**

**Cause:** An attempt to rename the SYSAUX tablespace failed.

**Action:** No action required.

**ORA-13503: Creating SYSAUX tablespace with invalid attributes**

**Cause:** An attempt to create the SYSAUX tablespace with invalid attributes.

**Action:** Create SYSAUX tablespace with ONLINE, PERMANENT, EXTENT MANAGEMENT LOCAL, SEGMENT SPACE MANAGEMENT AUTO attributes.

**ORA-13504: No SYSAUX datafile clause specified**

**Cause:** If Create Database has the datafile clause, then SYSAUX datafile clause has to be specified, unless using OMF.

**Action:** Specify the SYSAUX datafile clause.

**ORA-13505: SYSAUX tablespace can not be made read only**

**Cause:** Attempting to set the SYSAUX tablespace to read only. The SYSAUX tablespace must remain read write for database operation.

**Action:** Leave SYSAUX tablespace read write.

**ORA-13506: operation failed due to invalid snapshot range (*string, string*)**

**Cause:** An attempt was made to perform operation with an invalid Start/End Snapshot Pair.

**Action:** Choose a valid Start/End Snapshot Pair.

**ORA-13509: error encountered during updates to a AWR table**

**Cause:** An update error occurred during OCI operation due to an underlying error.

**Action:** Check associated OCI error. Correct problem and retry the operation.

---

**ORA-13510: invalid RETENTION *string*, must be in the range (*string*, *string*)**

**Cause:** The user has specified a RETENTION setting that is not in the supported range of (MIN, MAX).

**Action:** Choose a valid RETENTION setting and retry the operation.

**ORA-13511: invalid INTERVAL *string*, must be in the range (*string*, *string*)**

**Cause:** The user has specified a INTERVAL setting that is not in the supported range of (MIN, MAX).

**Action:** Choose a valid INTERVAL setting and retry the operation.

**ORA-13514: Metric Capture too close to last capture, group *string***

**Cause:** The metric capture cannot be executed because it is too close to the last capture (within 1 centi-second).

**Action:** add some delay and reissue command to retry.

**ORA-13515: Error encountered during Database Usage Statistics capture**

**Cause:** Error occurred during OCI operation due to underlying error.

**Action:** Check associated OCI error. Correct problem and retry the operation.

**ORA-13516: AWR Operation failed: *string***

**Cause:** The operation failed because AWR is not available. The possible causes are: AWR schema not yet created; AWR not enabled; AWR schema not initialized; or database not open or is running in READONLY or STANDBY mode.

**Action:** check the above conditions and retry the operation.

**ORA-13517: Baseline (id = *string*) does not exist**

**Cause:** The operation failed because the specified baseline ID does not exist in the Workload Repository.

**Action:** check the baseline id and retry the operation.

**ORA-13518: Invalid database id (*string*)**

**Cause:** The operation failed because the specified database ID does not exist in the Workload Repository.

**Action:** check the database id and retry the operation.

**ORA-13519: Database id (*string*) exists in the workload repository**

**Cause:** The operation failed because the specified database ID already exists in the Workload Repository.

**Action:** check the database id and retry the operation.

**ORA-13520: Database id (*string*) not registered, Status = *string***

**Cause:** The operation failed because the specified database ID was not registered in the Workload Repository properly.

**Action:** check the status of database id and retry the operation.

**ORA-13521: Unregister operation on local Database id (*string*) not allowed**

**Cause:** The operation failed because the local database ID cannot be unregistered from the Workload Repository.

**Action:** check the database id and retry the operation.

**ORA-13523: unable to allocate required space for return type**

---

**Cause:** Out of memory to allocate the space for the return variable for an external procedure.

**Action:** Try operation again.

**ORA-13524: error encountered while retrieving baseline information**

**Cause:** A read error occurred during the OCI operation to retrieve the baseline information

**Action:** Check associated error. Correct problem and retry the operation.

**ORA-13525: error with computing space usage for sysaux occupant**

**Cause:** Error occurred during OCI operation due to underlying error.

**Action:** Check associated OCI error. Correct problem and retry the operation.

**ORA-13526: baseline (*string*) does not exist**

**Cause:** The operation failed because the specified baseline name does not exist in the Workload Repository.

**Action:** check the baseline name and retry the operation.

**ORA-13527: invalid baseline name**

**Cause:** The operation failed because the specified baseline name is invalid.

**Action:** check the baseline name and retry the operation.

**ORA-13528: name (*string*) is already used by an existing baseline**

**Cause:** The operation failed because the specified baseline name already exists in the Workload Repository.

**Action:** check the baseline name and retry the operation.

**ORA-13529: Error occurred when flushing AWR table group**

**Cause:** An error occurred during the flushing of a table group. Because of the error in the group, we are unable to flush this table.

**Action:** Check the error associated with the table group.

**ORA-13530: invalid TOPNSQL *string*, must be in the range (*string*, *string*)**

**Cause:** The user has specified a TOPNSQL setting that is not in the supported range of (MIN, MAX).

**Action:** Choose a valid TOPNSQL setting and retry the operation.

**ORA-13531: SQL Text was purged from AWR before the operation completed**

**Cause:** A SQL was purged from AWR before the operation completed.

**Action:** Retry the operation.

**ORA-13532: SQL ID [*string*] already exists**

**Cause:** The operation failed because the specified SQL ID already existed in the repository.

**Action:** Check the SQL ID and retry the operation.

**ORA-13533: invalid SQL ID**

**Cause:** The operation failed because the specified SQL ID was invalid.

**Action:** Check the SQL ID and retry the operation.

**ORA-13534: Current SQL count(*string*) reached maximum allowed (*string*)**

---

**Cause:** The operation failed because the maximum allowed colored SQL was exceeded.

**Action:** Check the count for colored SQL.

**ORA-13535: name (*string*) is already used by an existing baseline template**

**Cause:** The operation failed because the specified baseline template name already existed in the Workload Repository.

**Action:** Check the baseline template name and retry the operation.

**ORA-13536: baseline template (*string*) does not exist**

**Cause:** The operation failed because the specified baseline template name did not exist in the Workload Repository.

**Action:** Check the baseline template name and retry the operation.

**ORA-13537: invalid input for create baseline template (*string*, *string*)**

**Cause:** Invalid input was specified for the create baseline template routine.

**Action:** Check the argument displayed in the error message text.

**ORA-13538: invalid value for baseline expiration (*string*)**

**Cause:** An invalid value was specified for the expiration of a baseline. The expiration is specified in number of days, and the expiration must be at least one day.

**Action:** Check the value for expiration.

**ORA-13539: invalid input for modify baseline window size (*string*, *string*)**

**Cause:** Invalid input was specified for the modify baseline window size routine.

**Action:** Check the argument displayed in the error message text.

**ORA-13540: operation not allowed on system moving window baseline (*string*)**

**Cause:** The requested operation was not allowed on the system moving window baseline.

**Action:** Retry the operation with another baseline name.

**ORA-13541: system moving window baseline size (*string*) greater than retention (*string*)**

**Cause:** The system moving window baseline size must be less than the retention setting. The specified window size or retention violate this.

**Action:** Check the moving window baseline size or retention.

**ORA-13542: baseline ID (*string*) does not exist**

**Cause:** The operation failed because the specified baseline ID did not exist in the Workload Repository.

**Action:** Check the baseline ID and retry the operation.

**ORA-13543: error encountered while retrieving baseline template information**

**Cause:** A read error occurred during the OCI operation to retrieve the baseline template information.

**Action:** Check associated error. Correct problem and retry the operation.

**ORA-13544: error encountered while automatically generating a baseline**

**Cause:** An error occurred while automatically generating a baseline based on the template information.

---

**Action:** Look in the trace file for more error information.

**ORA-13545: invalid baseline template name**

**Cause:** The operation failed because the specified baseline template name was an invalid identifier.

**Action:** Check the baseline template name and retry the operation.

**ORA-13546: Error encountered during maintenance of Adaptive Thresholds**

**Cause:** Error occurred during OCI operation due to underlying error.

**Action:** Check associated OCI error. Correct problem and retry the operation.

**ORA-13547: Unable to drop baseline since it is in use by *string***

**Cause:** The system is not able to drop the baseline since the baseline is in use by a functionality that depends on its existence.

**Action:** Note the name of the functionality using the baseline, and check if the functionality still needs the baseline.

**ORA-13548: Unable to find valid snapshot IDs for the inputted baseline time range**

**Cause:** The system is not able to find valid snapshot IDs for the inputted time range while attempting to create a baseline.

**Action:** Check that the inputted time range has at least two valid snapshots. The dba\_hist\_snapshot displays the snapshot id and time information.

**ORA-13549: invalid input for create baseline with time range (*string*)**

**Cause:** Invalid time input was specified for the create baseline routine.

**Action:** Check the argument displayed in the error message text.

**ORA-13600: error encountered in Advisor *string***

**Cause:** An error occurred in the Advisor. This message will be followed by a second message giving more details about the nature of the error.

**Action:** See the Advisor documentation for an explanation of the second error message.

**ORA-13601: The specified Advisor *string* does not exist.**

**Cause:** The user specified an advisor name that has not be defined in the advisor repository.

**Action:** Correct the advisor name and retry the operation.

**ORA-13602: The specified parameter *string* is not valid for task or object *string*.**

**Cause:** The user attempted to access a task parameter that does not exist for the specified advisor object. The parameter may be misspelled or the user has selected a parameter that is not supported by the particular advisor.

**Action:** Validate the parameter name and retry the operation.

**ORA-13603: The specified parameter *string* cannot be fetched as a numeric value for task or object *string*.**

**Cause:** The user attempted to retrieve a string parameter as a numeric value.

**Action:** Check the datatype for the task parameter and retry the operation.

**ORA-13604: The specified parameter *string* cannot be fetched as a SQL table.**

**Cause:** The user attempted to retrieve a non-table parameter as a table name.

**Action:** Check the datatype for the task parameter and retry the operation.

---

**ORA-13605: The specified task or object *string* does not exist for the current user.**

**Cause:** The user attempted to reference an advisor task or object using a name that does not exist in the Advisor repository.

**Action:** Adjust the name and retry the operation.

**ORA-13606: the specified task parameter element *string* is out of range for parameter *string*.**

**Cause:** The user attempted to reference an invalid parameter element.

**Action:** Adjust the element offset and retry the operation.

**ORA-13607: The specified task or object *string* already exists**

**Cause:** The user attempted to create the specified task or object using a name that already exists in the Advisor repository. Task names must be unique to the database user.

**Action:** Adjust the name and retry the operation.

**ORA-13608: The specified name *string* is invalid.**

**Cause:** An attempt was made to specify a name for a task, object, execution or directive instance, which contained invalid characters or an invalid wildcard specifier.

**Action:** Adjust the name and retry the operation.

**ORA-13609: The specified task *string* must be executing to be cancelled or interrupted.**

**Cause:** The user attempted to cancel or interrupt a task that is not currently executing.

**Action:** Check the status of the task and retry the operation.

**ORA-13610: The directive *string* does not exist for task *string*.**

**Cause:** The user attempted to access a task directive that does not exist.

**Action:** Validate the directive and retry the operation.

**ORA-13611: The command *string* is not a valid advisor command.**

**Cause:** The user attempted to specify a command that does not exist.

**Action:** Validate the command and retry the operation.

**ORA-13612: The recommendation action *string,string* is not valid for task *string*.**

**Cause:** The user attempted to access a recommendation action that does not exist in the task.

**Action:** Validate the recommendation-action and retry the operation.

**ORA-13613: The requested operation is not supported for this advisor object.**

**Cause:** The user attempted to perform an operation that is not supported for the particular advisor or task type.

**Action:** Validate the task or object and retry the operation.

**ORA-13614: The template *string* is not compatible with the current advisor.**

**Cause:** The user attempted to create a new task or object using an existing task or object that was not created by the same advisor.

**Action:** Validate the template and retry the operation.

---

**ORA-13615: The task or object *string* is greater than the maximum allowable length of 30 characters.**

**Cause:** The user attempted to create a new task or object using a name that is too long.

**Action:** Shorten the name and retry the operation.

**ORA-13616: The current user *string* has not been granted the ADVISOR privilege.**

**Cause:** The user attempted an advisor operation that requires privilege.

**Action:** Adjust the user's privileges and retry the operation.

**ORA-13617: The specified task *string* already executing**

**Cause:** The user attempted to execute a task that is currently executing.

**Action:** Wait for the task to finish before attempting any further task activities.

**ORA-13618: The specified value is not a valid value for procedure argument *string*.**

**Cause:** The user executed a procedure but failed to provide correct values for the argument.

**Action:** Correct the procedure arguments and retry the operation.

**ORA-13619: The procedure argument *string* is greater than the maximum allowable length of *string* characters.**

**Cause:** The user attempted to pass a character argument that is too long.

**Action:** Shorten the specified character argument and retry the operation.

**ORA-13620: The task or object *string* is read-only and cannot be deleted or modified.**

**Cause:** The user attempted to perform an operation that will update or delete a read-only task or object.

**Action:** Adjust the READ\_ONLY property for the object and retry the operation.

**ORA-13621: The task\_or object *string* is marked as a template and cannot perform the requested operation.**

**Cause:** The user attempted perform an unsupported operation on a task or object that is identified as a template.

**Action:** Choose a different object and retry the operation.

**ORA-13622: invalid recommendation annotation**

**Cause:** The user attempted to mark a recommendation using an invalid annotation. Valid annotation actions are ACCEPT, REJECT and IGNORE.

**Action:** Correct the action and retry the operation.

**ORA-13623: The recommendation *string* is not valid for task *string*.**

**Cause:** The user attempted to access a recommendation that does not exist in the task.

**Action:** Validate the recommendation and retry the operation.

**ORA-13624: The task *string* is executing and cannot be deleted or modified.**

**Cause:** The user attempted to access a task that currently executing.

**Action:** Wait for the task to complete and retry the operation.

**ORA-13625: *string* is an invalid advisor object type.**

**Cause:** The user has specified an invlaid object type.

- 
- Action:** Refere to `dba_advisor_object_types` for all valid object types
- ORA-13626: The specified object *string* is not valid for task *string*.**  
**Cause:** The user specified an non-existent object for the task  
**Action:** Choose a different object and retry the operation.
- ORA-13627: Setting of parameter *string* is disallowed until the task is reset.**  
**Cause:** The user attempted to set the value of a parameter before the task was reset. This parameter cannot be changed until the task is reset.  
**Action:** Reset the task and retry the operation.
- ORA-13628: Insufficient privileges to access the task belonging to the specified user**  
**Cause:** The user could not access `dba_*` views.  
**Action:** Retry operation as owner of the task or after granting new privileges.
- ORA-13629: The task or object *string* is being used by another operation.**  
**Cause:** The user attempted to access a task or object that is locked by another session.  
**Action:** Wait for the task or object activity to complete and retry the operation.
- ORA-13630: The task *string* contains execution results and cannot be executed.**  
**Cause:** The user attempted to execute a task that already contains execution results.  
**Action:** Reset the task to its initial state and retry the operation.
- ORA-13631: The most recent execution of task *string* contains no results.**  
**Cause:** The user attempted to create a report or script from a task that has not successfully completed an execution.  
**Action:** Execute the task and then retry the operation
- ORA-13632: The user cancelled the current operation.**  
**Cause:** The user signaled a cancel during a task or object operation.  
**Action:** None
- ORA-13633: The task *string* was interrupted and needs to be resumed.**  
**Cause:** The user attempted to execute a task that was interrupted.  
**Action:** Resume the execution of the task via the `RESUME_TASK` API.
- ORA-13634: The task *string* needs to be reset before being re-executed.**  
**Cause:** The task must be in an initial state to be executed.  
**Action:** Reset the task to its initial state and retry the operation.
- ORA-13635: The value provided for parameter *string* cannot be converted to a number.**  
**Cause:** A numeric parameter was incorrectly supplied in string form.  
**Action:** Retry by supplying valid numeric value.
- ORA-13636: The specified value provided for parameter *string* is not valid for this advisor.**  
**Cause:** The user supplied an invalid parameter value.  
**Action:** Retry by supplying valid value.

---

**ORA-13637: Executing or modifying task *string* is disallowed until the task is reset to its initial state.**

**Cause:** The user attempted to execute or modify the task that is in not in its INITIAL state.

**Action:** Reset the task and retry the operation.

**ORA-13638: The user interrupted the current operation.**

**Cause:** The user signaled an interrupt during a task or object operation.

**Action:** None

**ORA-13639: The current operation was interrupted because it timed out.**

**Cause:** The task or object operation timed out.

**Action:** None

**ORA-13640: The current operation was cancelled because it timed out, and was not in interruptible mode.**

**Cause:** The task or object operation timed out.

**Action:** None

**ORA-13641: Task cannot be interrupted yet. You may cancel it instead.**

**Cause:** The user attempted to interrupt a task that has not reached interruptible mode.

**Action:** Wait until the task reaches interruptible mode, or cancel the task execution.

**ORA-13642: The specified string *string* provided for *string* cannot be converted to a date. The acceptable date format is *string*.**

**Cause:** The user supplied a date value in an incorrect format.

**Action:** Retry by supplying valid value.

**ORA-13643: The task can not be interrupted or cancelled.**

**Cause:** Request to interrupt or cancel task execution can not be granted because the task has not reached the appropriate mode.

**Action:** User should wait for a few seconds and try again.

**ORA-13644: The user "*string*" is invalid.**

**Cause:** Invalid user name specified to advisor framework

**Action:** User should specify a correct, case-sensitive, name

**ORA-13645: The specified execution *string* does not exist for this task.**

**Cause:** You attempted to reference an advisor task execution using a name that did not exist.

**Action:** Adjust the name and retry the operation.

**ORA-13646: The specified execution *string* already exists**

**Cause:** You attempted to perform a new execution using a name that already exists for the specified task. Execution names must be unique within the same task.

**Action:** Adjust the name and retry the operation.

**ORA-13647: Setting of parameter *string* is disallowed during task execution.**

---

**Cause:** You attempted to set the value of a parameter while the task was being executed. This parameter cannot be changed until the task finishes its execution.

**Action:** Verify the status of the task and retry the operation.

**ORA-13648: The specified execution type does not exist for this advisor.**

**Cause:** You attempted to use an advisor task execution type using a name that did not exist.

**Action:** Adjust the name and retry the operation.

**ORA-13649: The type of execution is not specified for this advisor or task.**

**Cause:** You attempted to execute a task for a multi-execution task advisor without specifying the type of execution to perform.

**Action:** Set the execution type and retry the operation.

**ORA-13650: The specified object does not exist for this execution.**

**Cause:** You attempted to associate an object to a task execution that id not contain the object.

**Action:** Adjust the execution name and object ID, and then retry the operation.

**ORA-13651: The specified list of execution parameters is invalid.**

**Cause:** The list did not include pairs of (parameter\_name, parameter\_value) where every parameter is a valide task parameter. Duplicates are not allowed.

**Action:** Adjust the content of the list, and then retry the operation.

**ORA-13652: Cannot set execution parameters for this advisor**

**Cause:** You attempted to set execution parameters for an advisor that did not support multiple executions of its tasks.

**Action:** Adjust the property of the advisor, and then retry the operation.

**ORA-13653: The directive with definition id *string* was not found.**

**Cause:** An invalid directive identifier was specified to advisor framework.

**Action:** User should specify a correct identifier number and retry the operation.

**ORA-13654: The directive with instance id of *string* was not found.**

**Cause:** An invalid instance identifier was specified to advisor framework.

**Action:** User should specify a correct instance identifier number and retry the operation.

**ORA-13655: The directive document contains a syntax error and cannot be loaded.**

**Cause:** An attempt was made to load an XML-based directive that does not conform to the documented DTD.

**Action:** Reformat the directive according the documented DTD.

**ORA-13656: The parameter was not found in directive *string*.**

**Cause:** The specified parameter name could not be located within the directive XML document.

**Action:** Verify the existence of the parameter in the specified directive.

**ORA-13657: The filter Xpath specification has invalid syntax.**

**Cause:** The specified filter could not be compiled within the directive XML document.

**Action:** Verify the syntax of the filter and retry the operation.

---

**ORA-13658: The specified directive already has an instance**

**Cause:** An attempt was made to create multiple instances of a directive when not permitted

**Action:** Verify the parent directive identifier and the instance name.

**ORA-13659: A directive with domain "*string*" and name "*string*" already exists for advisor *string*.**

**Cause:** The specified directive is not unique among the directives.

**Action:** Choose a directive name and domain that is distinct for the associated advisor.

**ORA-13660: A directive instance with the name "*string*" already exists.**

**Cause:** The specified directive instance is not unique among instances for this directive.

**Action:** Choose an instance name that is distinct for the associated directive.

**ORA-13661: A directive instance with the name "*string*" was not found.**

**Cause:** An attempt was made to update or delete a non-existent directive instance.

**Action:** Verify the parent directive identifier and the instance name.

**ORA-13662: The specified value provided for parameter *string* is not valid for this task.**

**Cause:** The supplied parameter value was not valid for the current task configuration.

**Action:** Retry by supplying valid value. Check the current task configuration.

**ORA-13663: The task *string* contains no results for execution *string*.**

**Cause:** An attempt was made to create a report or script from an execution that had not been successfully completed.

**Action:** Run a new execution and then retry the operation.

**ORA-13664: A task-managed "SQL Tuning Set" already exists for task "*string*".**

**Cause:** An attempt was made to create a task-managed SQL Tuning Set for a task that already had one.

**Action:** Create a new task to use a different SQL Tuning Set.

**ORA-13665: Execution names are not correctly ordered.**

**Cause:** The supplied execution names were not properly ordered by execution start date.

**Action:** Retry by supplying a valid order.

**ORA-13666: Task ID *string* does not exist.**

**Cause:** The supplied task ID was invalid.

**Action:** Check the task ID and try again.

**ORA-13667: Execution ID *string* does not exist.**

**Cause:** The supplied execution ID was invalid.

**Action:** Check the execution ID and try again.

**ORA-13699: Advisor feature is not currently implemented.**

**Cause:** An attempt was made to execute an unsupported advisor operation.

---

**Action:** Verify the availability of the operation.

**ORA-13701: Snapshot pair [*string*, *string*] seems to be specified in reverse order.**

**Cause:** The start snapshot id was greater than the end snapshot id.

**Action:** Swap the start and end snapshot ids.

**ORA-13702: Snapshot IDs specified by the range [*string*, *string*] are equal.**

**Cause:** The start snapshot id and end snapshot id were identical.

**Action:** Provide different start and end snapshot ids.

**ORA-13703: The snapshot pair [*string*, *string*] for database\_id *string* and instance\_id *string* are not found in the current repository.**

**Cause:** The snapshot ids or the database id or the instance id was invalid or the specified snapshots have already been purged.

**Action:** Set valid snapshot ids and retry.

**ORA-13704: Invalid value "*string*" specified for parameter "*string*".**

**Cause:** The parameter was not set before executing the ADDM.

**Action:** Set the parameter to a valid value and retry.

**ORA-13705: There was a instance shutdown/startup between the snapshots in the range [*string*, *string*].**

**Cause:** Instance was shut down and restarted between the two specified snapshots.

**Action:** Specify start and end snapshot ids that does not have a shutdown/startup in between them.

**ORA-13706: Invalid value "*string*" specified for parameter "*string*" in "*string*" analysis mode.**

**Cause:** The parameter was not set to an acceptable value for this particular mode of analysis.

**Action:** Set the parameter to a valid value and retry.

**ORA-13707: Either the start snapshot *string* or the end snapshot *string* is incomplete or missing key statistics.**

**Cause:** Either the start or the end snapshots was missing or purged or had encountered errors while creating them.

**Action:** Verify that AWR is done taking these two snapshots, or Look in DBA\_HIST\_SNAP\_ERROR to find what tables are missing in the start/end snapshots. Use the ERROR\_NUMBER column in that view together with the alert log to identify the reason for failure and take necessary action to prevent such failures in the future. Try running ADDM on a different snapshot range that has valid start and end snapshots.

**ORA-13708: Some snapshots in the range [*string*, *string*] were purged before the analysis was complete.**

**Cause:** One or both of the snapshots have been purged from AWR.

**Action:** Verify that the AWR auto purging is not trying to purge these snapshots and re-run ADDM.

**ORA-13709: Required parameter "*string*" must be set before execution.**

**Cause:** The parameter needs to be set before running the ADDM

---

**Action:** Set the parameter to a valid value and retry.

**ORA-13710: Parameter "string" must have a higher value than parameter "string". The values supplied were "string" and "string" respectively.**

**Cause:** Invalid interaction between two parameter values.

**Action:** Set at least one of the values so the value of the first parameter is higher than the value of the second parameter.

**ORA-13711: Some snapshots in the range [string, string] are missing key statistics.**

**Cause:** Some AWR tables encountered errors while creating one or more snapshots in the given range. The data present in one or more of these missing tables is necessary to perform an ADDM analysis.

**Action:** Look in DBA\_HIST\_SNAP\_ERROR to find what tables are missing in the given snapshot range. Use the ERROR\_NUMBER column in that view together with the alert log to identify the reason for failure and take necessary action to prevent such failures in the future. Try running ADDM on a different snapshot range that does not include any incomplete snapshots.

**ORA-13712: Cannot perform ADDM analysis on AWR snapshots from previous releases. Snapshot version "string" do not match the database version "string".**

**Cause:** ADDM analysis can only be performed on AWR snapshots taken in the current release.

**Action:** One can still generate AWR and ASH reports using ?/rdbms/admin/awrrpt and ?/rdbms/admin/ashrpt on these snapshots to analyze the data in them.

**ORA-13713: Finding name "string" does not exist. Look in DBA\_ADVISOR\_FINDING\_NAMES for all valid values**

**Cause:** Attempt to refer to an advisor's finding name that does not exist.

**Action:** Specify a valid value. The list of all valid values is in DBA\_ADVISOR\_FINDING\_NAMES

**ORA-13714: "string" is not a valid SQL\_ID value**

**Cause:** The specified value of SQL\_ID was not properly formatted.

**Action:** Specify a valid value consisting of a 13 character string with characters from "0" to "9" and from "a" to "z".

**ORA-13715: "string" is not recognized by ADDM as a parameter name**

**Cause:** The specified value for a system parameter was not recognized by ADDM.

**Action:** Specify a value that appears in the NAME column of V\$PARAMETER.

**ORA-13716: Diagnostic Package License is needed for using this feature.**

**Cause:** The specified value for system parameter CONTROL\_MANAGEMENT\_PACK\_ACCESS indicated that the Diagnostic Package was disabled.

**Action:** Modify the parameter value if the Diagnostic Package License was purchased.

**ORA-13717: Tuning Package License is needed for using this feature.**

**Cause:** The specified value for system parameter CONTROL\_MANAGEMENT\_PACK\_ACCESS indicated that the Tuning Package was disabled.

**Action:** Modify the parameter value if the Tuning Package License was purchased.

---

**ORA-13718: Tuning Package License or Real Application Testing Option is needed for using this feature.**

**Cause:** The specified package license and option were not installed.

**Action:** Consider purchasing and installing either the missing package licence or option. If the tuning package license was purchased, then check the value of system parameter CONTROL\_MANAGEMENT\_PACK\_ACCESS.

**ORA-13750: User "*string*" has not been granted the "ADMINISTER SQL TUNING SET" privilege.**

**Cause:** The user attempted an SQL Tuning Set operation that requires a specific privilege.

**Action:** Adjust the user's privileges and retry the operation.

**ORA-13751: "SQL Tuning Set" "*string*" does not exist for owner "*string*" or user "*string*" does not have permission to access the "SQL Tuning Set".**

**Cause:** The user attempted to access a SQL Tuning Set that does not exist or the user does have permission to access the SQL Tuning Set

**Action:** Check the existence of the "SQL Tuning Set" or adjust the user's privileges and retry the operation.

**ORA-13752: User "*string*" must be SYS or must have the "ADMINISTER ANY SQL TUNING SET" privilege.**

**Cause:** The attempted to create a SQL Tuning Set in another schema without having the right privilege.

**Action:** Connect as SYS or adjust the user's privilege and retry the operation.

**ORA-13753: "SQL Tuning Set" "*string*" already exists for user "*string*".**

**Cause:** The user attempted to create a "\SQL Tuning" Set using a name that already exists for that owner.

**Action:** Change the name of the SQL Tuning Set and retry the operation.

**ORA-13754: "SQL Tuning Set" "*string*" does not exist for user "*string*".**

**Cause:** The user attempted to access a SQL Tuning Set that does not exist.

**Action:** Check the speelling of the SQL Tuning Set name and retry the operation.

**ORA-13755: invalid "SQL Tuning Set" name**

**Cause:** The user attempted to specify a SQL Tuning Set name that is invalid. A name must not contain wildcards and its length must be less than 30 characters.

**Action:** Adjust the name and retry the operation.

**ORA-13756: Cannot update attribute "*string*".**

**Cause:** The user attempted to update an attribute element that cannot be modified. The only string attributes that can be updated are MODULE, ACTION, PARSING\_SCHEMA\_NAME, PRIORITY, and OTHER.

**Action:** Adjust the attribute name and retry the operation.

**ORA-13757: "SQL Tuning Set" "*string*" owned by user "*string*" is active.**

**Cause:** The user attempted to update an active SQL Tuning Set.

**Action:** Remove all reference to the SQL Tuning Set and retry the operation.

**ORA-13758: "SQL Tuning Set" "*string*" owned by user "*string*" is in use.**

---

**Cause:** The user attempted to modify a SQL Tuning Set or to add a reference to a SQL Tuning Set which is in use.

**Action:** Wait until the end of the previous operation and retry.

**ORA-13759: User "*string*" cannot remove reference "*string*".**

**Cause:** The user attempted to remove a SQL Tuning Set reference that does not exist. The user might not own the reference.

**Action:** Check the reference ID and the reference owner and retry the operation.

**ORA-13761: invalid filter**

**Cause:** The user attempted to select data from a data source using an invalid filter. A filter is a WHERE clause on data source content.

**Action:** Correct the filter and retry the operation.

**ORA-13762: The *string* ranking measure is invalid.**

**Cause:** The user attempted to select data from a data source using an invalid ranking measure. A ranking measure must represent a valid numerical expression.

**Action:** Correct the ranking measure and retry the operation.

**ORA-13763: illegal ranking attribute "*string*"**

**Cause:** The user attempted to use an attribute element that is not allowed in a ranking measure.

**Action:** Check the attribute in the ranking measure and retry the operation.

**ORA-13764: Value "*string*" is illegal as a result percentage.**

**Cause:** The user attempted to select data from a SQL Tuning Set using an invalid result percentage. The result percentage must be between 0 and 1.

**Action:** Correct the result percentage value and retry the operation.

**ORA-13765: Value "*string*" is illegal for a result limit.**

**Cause:** The user attempted to select data from a SQL Tuning Set using an invalid result limit. A result limit must be a positive integer.

**Action:** Correct the result limit value and retry the operation.

**ORA-13766: A ranking measure is required.**

**Cause:** The user attempted to select data from a SQL Tuning Set using a percentage argument without specifying a ranking measure.

**Action:** Add a ranking measure or remove the percentage argument and retry the operation.

**ORA-13767: End snapshot ID must be greater than begin snapshot ID.**

**Cause:** The user attempted to select data from the workload repository using an invalid snapshot ID range.

**Action:** Adjust the snapshot ID range and retry the operation.

**ORA-13768: Snapshot ID must be between *string* and *string*.**

**Cause:** The user attempted to select data from the workload repository using a snapshot ID which does not exist.

**Action:** Adjust the snapshot ID and retry the operation.

**ORA-13769: Snapshots *string* and *string* do not exist.**

---

**Cause:** The user attempted to select data from the workload repository using snapshots that do not exist.

**Action:** Check the snapshot identifiers and retry the operation.

**ORA-13770: Baseline "*string*" does not exist.**

**Cause:** The user attempted to access a baseline that does not exist.

**Action:** Check the spelling of the baseline name and retry the operation.

**ORA-13771: cannot obtain exclusive lock *string* on "SQL Tuning Set" "*string*" owned by user "*string*"**

**Cause:** Unexpected error from DBMS\_LOCK.REQUEST.

**Action:** This error should not normally occur. Check your system for anomalies and retry the operation. If this error persists, contact Oracle Support Services.

**ORA-13772: unexpected deadlock on "SQL Tuning Set" "*string*" owned by user "*string*"**

**Cause:** Unexpected error from DBMS\_LOCK.REQUEST

**Action:** This error should not normally occur. Check your system for anomalies and retry the operation. If this error persists, contact Oracle Support Services.

**ORA-13773: insufficient privileges to select data from the cursor cache**

**Cause:** The user attempted to perform an operation without having the appropriate privileges on V\$SQL and V\$SQL\_BIND\_CAPTURE.

**Action:** Adjust the user's privileges and retry the operation.

**ORA-13774: insufficient privileges to select data from the workload repository**

**Cause:** The user attempted to perform an operation without having the appropriate privileges on views DBA\_HIST\_BASELINE, DBA\_HIST\_SQLTEXT, DBA\_HIST\_SQLSTAT, DBA\_HIST\_SQLBIND, DBA\_HIST\_OPTIMIZER\_ENV, and DBA\_HIST\_SNAPSHOT.

**Action:** Adjust the user's privileges and retry the operation.

**ORA-13775: inconsistent datatype in input cursor**

**Cause:** The user attempted to load a SQL Tuning Set using an invalid input cursor. All rows in the cursor must match type SQLSET\_ROW.

**Action:** Check the rows type in the cursor and retry the operation.

**ORA-13776: User "*string*" has not been granted the "SELECT" privilege on the "SQL tuning set" DBA views.**

**Cause:** The user attempted to read a SQL tuning set belonging to someone else without having SELECT privilege on the DBA views

**Action:** User should be granted the privilege or only access his own STS

**ORA-13777: invalid list of attribute names**

**Cause:** The user specified an attribute element that is not valid. The only attributes that can be selected are NULL, BASIC, TYPICAL, ALL or a comma separated list of the names including EXECUTION\_STATISTICS, OBJECT\_LIST, BIND\_LIST and SQL\_PLAN.

**Action:** Adjust the attribute list and retry the operation.

**ORA-13778: no new name or owner specified for "SQL Tuning Set"**

---

**Cause:** The user attempted to call `remap_stgtab_sqlset` without specifying either a new SQL tuning set name or a new SQL tuning set owner

**Action:** Specify at least one or the other argument as non-NULL

**ORA-13779: invalid load option**

**Cause:** The user attempted to call `load_sqlset` with a load option that is different than `INSERT`, `UPDATE` and `MERGE`.

**Action:** Adjust the load option and retry the operation.

**ORA-13780: SQL statement does not exist.**

**Cause:** The user attempted to tune a SQL statement that does not exist.

**Action:** Verify the `sql_id` and the plan hash value of the statement and retry the operation.

**ORA-13781: cannot perform test-execute and explain plan operations on the automatic SQL tuning task**

**Cause:** The user attempted to test-execute or generate explain plans for a SQL workload using the automatic SQL tuning task.

**Action:** Verify the name of the tuning task and retry the operation.

**ORA-13783: invalid tuning scope**

**Cause:** The user attempted to specify a tuning task scope that is invalid. The possible values are `LIMITED` or `COMPREHENSIVE`.

**Action:** Check the scope value and retry the operation.

**ORA-13784: cannot accept SQL profiles for all statements in the "*string*"**

**Cause:** An attempt was made to accept SQL profiles for all statements in the input workload.

**Action:** Provide the object identifier corresponding to a statement in the workload and retry the operation.

**ORA-13785: missing target object for tuning task "*string*"**

**Cause:** The user attempted to perform an operation on a task without specifying a target object or by using an invalid object identifier.

**Action:** Check the identifier of the object and retry the operation.

**ORA-13786: missing SQL text of statement object "*string*" for tuning task "*string*"**

**Cause:** The user attempted to accept SQL profile for an object that has not a SQL text associated to it.

**Action:** Check the identifier of the object and retry the operation.

**ORA-13787: missing SQL profile for statement object "*string*" for tuning task "*string*"**

**Cause:** The user attempted to accept a SQL profile for an object that has not a SQL profile associated to it.

**Action:** Check the identifier of the object and retry the operation.

**ORA-13788: invalid recommendation type**

**Cause:** The user passed an invalid recommendation type in the `rec_type` argument to `script_tuning_task`. Possible values are `ALL` or any subset of a comma-separated list of `PROFILES`, `STATISTICS` and `INDEXES`.

**Action:** Check the `rec_type` arg and retry the operation.

---

**ORA-13789: invalid process action**

**Cause:** The user passed an invalid action to process a SQL statement. Possible value is any subset of a comma-separated list of EXECUTE and EXPLAIN\_PLAN.

**Action:** Check the action argument and retry the operation.

**ORA-13790: invalid value for time limit**

**Cause:** The user passed an invalid value for the time limit argument.

**Action:** Check the argument specified value and retry the operation.

**ORA-13791: cannot resume a task created to process a single statement**

**Cause:** An attempt was made to resume a task that was created for a single SQL statement. A task can be resumed only if it is used for a SQL Tuning Set.

**Action:** No action required.

**ORA-13793: invalid comparison metric**

**Cause:** An invalid metric to compare SQL performance was specified.

**Action:** s.

**ORA-13794: execution type mismatch**

**Cause:** An attempt was made to analyze the performance of a SQL workload using two executions that were generated using two different

**Action:** check the name and type of task executions to analyze and retry the operation.

**ORA-13795: missing task execution**

**Cause:** An insufficient number of valid task executions to analyze the performance of a SQL workload were specified.

**Action:** run the task to generate two executions of the same type and retry the operation.

**ORA-13796: invalid value *string* specified for problem type**

**Cause:** An invalid problem type was specified to the SQL diagnosis advisor. Problem type should be one of the PROBLEM\_TYPE\_\* defined in "admin/dbmsdiag.sql".

**Action:** Specify valid problem type.

**ORA-13797: invalid SQL Id specified, *string***

**Cause:** Invalid SQL Id specified for conversion.

**Action:** Specify valid SQL Id.

**ORA-13798: Parameter *string* cannot be NULL.**

**Cause:** A call to GET\_THRESHOLD procedure was made without a required parameter.

**Action:** Specify a valid value for this parameter.

**ORA-13799: threshold not found**

**Cause:** No threshold was found with the specified threshold key.

**Action:** No action required.

**ORA-13800: concurrent DDL failure on SQL repository objects**

**Cause:** A SQL repository object was the target of two concurrent DDL operations.

---

**Action:** Check the current state of the object and retry the operation that failed.

**ORA-13801: invalid value for SQLTUNE\_CATEGORY parameter**

**Cause:** An invalid Oracle identifier was used as the value of the parameter.

**Action:** Specify the parameter conforming to the rules for Oracle identifiers.

**ORA-13802: failed to purge SQL Tuning Base entry from sql\$**

**Cause:** An error occurred while trying to delete a SQL Tuning Base object.

**Action:** Look at the underlying error(s) on the error stack.

**ORA-13825: missing SQL statement text for create SQL profile**

**Cause:** No SQL text was provided to the create SQL profile operation.

**Action:** Retry with properly specified SQL text.

**ORA-13826: empty SQL profile not allowed for create or update SQL profile**

**Cause:** No attributes were specified to the create SQL profile operation.

**Action:** Retry with at least one hint specified.

**ORA-13827: null or zero length attribute specified in SQL profile collection**

**Cause:** One of the attributes within the SQL profile was not properly specified.

**Action:** Retry with a fully specified SQL profile.

**ORA-13828: generated SQL profile name *string* already exists**

**Cause:** A SQL profile already exists with the name generated by the system.

**Action:** Retry the operation as the generated name is time sensitive.

**ORA-13829: SQL profile named *string* already exists**

**Cause:** A SQL profile already exists with the name specified.

**Action:** Specify a different name or drop the existing SQL profile.

**ORA-13830: SQL profile with category *string* already exists for this SQL statement**

**Cause:** A SQL profile already exists for the given SQL statement and category.

**Action:** Drop or update the existing SQL profile.

**ORA-13831: SQL profile name specified is invalid**

**Cause:** An invalid SQL profile name was specified.

**Action:** Look for the underlying error on the error message stack.

**ORA-13832: category name specified is invalid**

**Cause:** An invalid category name was specified.

**Action:** Look for the underlying error on the error message stack.

**ORA-13833: SQL profile named *string* doesn't exist**

**Cause:** A SQL profile name was specified that doesn't exist.

**Action:** Verify the name of the SQL profile.

**ORA-13834: name of SQL profile to be cloned must be provided**

**Cause:** A SQL profile name was not provided as the from target of a clone SQL profile operation.

**Action:** Provide the name of the SQL profile being cloned.

---

**ORA-13835: invalid attribute name specified**

**Cause:** An invalid attribute name was specified for an alter SQL profile operation.

**Action:** Verify the name of the attribute.

**ORA-13836: invalid attribute value specified**

**Cause:** An invalid attribute value was specified for an alter SQL profile operation.

**Action:** Verify the attribute value.

**ORA-13837: invalid HASH\_VALUE**

**Cause:** An invalid HASH\_VALUE was passed to a create SQL profile operation

**Action:** Verify the HASH\_VALUE.

**ORA-13838: invalid ADDRESS value**

**Cause:** An invalid ADDRESS value was passed to a create SQL profile operation.

**Action:** Verify the ADDRESS value.

**ORA-13839: V\$SQL row doesn't exist with given HASH\_VALUE and ADDRESS.**

**Cause:** A HASH\_VALUE and ADDRESS combination passed to the create SQL profile operation doesn't correspond to an existing V\$SQL entry.

**Action:** Verify the HASH\_VALUE and ADDRESS in V\$SQL.

**ORA-13840: Concurrent DDL Error in create SQL profile operation.**

**Cause:** A concurrent DDL operation was performed during a create or replace sql profile operation.

**Action:** Try operation again

**ORA-13841: SQL profile named *string* already exists for a different signature/category pair**

**Cause:** A SQL profile already exists with the name specified under a different signature/category pair so it cannot be replaced, even with FORCE specified.

**Action:** Specify a different name or drop the existing SQL profile.

**ORA-13842: no SELECT privilege on DBA\_SQL\_PROFILES**

**Cause:** A user has tried to perform an operation that requires SELECT privileges on the DBA\_SQL\_PROFILES view.

**Action:** Either perform the operation as another user or get the privilege

**ORA-13843: no SQL profile with name like "*string*" exists for category like "*string*"**

**Cause:** A user tried to perform an operation by specifying a profile name/category filter that did not target any profiles

**Action:** Try a different filter after checking the profile name/category

**ORA-13844: no new SQL profile name or category specified.**

**Cause:** A user called remap\_stgtab\_sqlprof without specifying new values for the sql profile name or category. At least one is required.

**Action:** Specify either a new profile name, or a new category, or both

**ORA-13845: invalid SQL profile XML specification provided**

**Cause:** The supplied XML specification for the SQL profile did not adhere to the proper schema.

**Action:** Check the syntax and try again.

---

**ORA-13850: Tracing for client identifier *string* is not enabled**

**Cause:** Attempt to disable a client identifier tracing which was never enabled

**Action:** Supply correct client identifier

**ORA-13851: Tracing for client identifier *string* is already enabled**

**Cause:** Attempt to enable a client identifier tracing which has been already enabled

**Action:** Supply correct client identifier, or disable and re-enable tracing with different bind/wait options

**ORA-13852: Tracing for service(module/action) *string* is not enabled**

**Cause:** Attempt to disable a service-level tracing which was never enabled

**Action:** Supply correct service(module/action) name

**ORA-13853: Tracing for service (module/action) *string* is already enabled**

**Cause:** Attempt to enable a service-level tracing which has been already enabled

**Action:** Supply correct service(module/action), or disable and re-enable tracing with different bind/wait options

**ORA-13854: Tracing for service(module/action) *string* on instance *string* is not enabled**

**Cause:** Attempt to disable a service-level tracing which was never explicitly enabled on a specific instance

**Action:** Supply correct service(module/action) name

**ORA-13855: Tracing for service (module/action) *string* on instance *string* is already enabled**

**Cause:** Attempt to enable a service-level tracing which has been already enabled on a specific instance

**Action:** Supply correct service(module/action), or disable and re-enable tracing with different bind/wait options

**ORA-13856: Service name must be specified**

**Cause:** Omitting service name while enabling/disabling tracing or aggregation

**Action:** Supply the service name

**ORA-13857: Invalid module name**

**Cause:** Module name is too long (exceeding 48 characters)

**Action:** Supply correct name

**ORA-13858: Invalid action name**

**Cause:** Action name is too long (exceeding 32 characters)

**Action:** Supply correct name

**ORA-13859: Action cannot be specified without the module specification**

**Cause:** Action name is specified, but the module name is not

**Action:** Supply the module name

**ORA-13860: Invalid service name**

**Cause:** Service name is too long (exceeding 64 characters)

**Action:** Supply correct name

---

**ORA-13861: Statistics aggregation for client identifier *string* is already enabled**

**Cause:** Attempt to enable a client identifier aggregation which has been already enabled

**Action:** Supply correct client identifier

**ORA-13862: Statistics aggregation for client identifier *string* is not enabled**

**Cause:** Attempt to disable a client identifier statistics aggregation which was never enabled

**Action:** Supply correct client identifier

**ORA-13863: Statistics aggregation for service(module/action) *string* is not enabled**

**Cause:** Attempt to disable a service-level statistics aggregation which was never enabled

**Action:** Supply correct service(module/action) name

**ORA-13864: Statistics aggregation for service (module/action) *string* is already enabled**

**Cause:** Attempt to enable a service-level statistics aggregation which has been already enabled

**Action:** Supply correct service(module/action)

**ORA-13865: Module name must be specified**

**Cause:** Attempt to enable/disable a service-level statistics aggregation without a module specification

**Action:** Supply module name

**ORA-13866: Client identifier must be specified**

**Cause:** Omitting client identifier while enabling/disabling tracing or aggregation

**Action:** Supply the client identifier

**ORA-13867: Database-wide SQL tracing is already enabled**

**Cause:** Attempt to enable a database-level tracing which has been already enabled

**Action:** Disable and re-enable tracing with different bind/wait options

**ORA-13868: Instance-wide SQL tracing on instance *string* is not enabled**

**Cause:** Attempt to disable a service-level tracing which was never explicitly enabled on a specific instance

**Action:** No action required

**ORA-13869: Instance-wide SQL tracing on instance *string* is already enabled**

**Cause:** Attempt to enable an instance-level tracing which has been already enabled on a specific instance

**Action:** Disable and re-enable tracing with different bind/wait options

**ORA-13870: Database-wide SQL tracing is not enabled**

**Cause:** Attempt to disable a database-level tracing which was never enabled

**Action:** No action required

**ORA-13871: Invalid instance name**

**Cause:** Instance name is too long (exceeding 16 characters)

**Action:** Supply correct name

---

**ORA-13900: missing or invalid parameter *string***

**Cause:** A call to SET\_THRESHOLD procedure was either missing a parameter, or the parameter was invalid.

**Action:** Specify a valid value for this parameter.

**ORA-13901: Object *string* was not found.**

**Cause:** An object name was passed to SET\_THRESHOLD procedure that did not map to a valid object.

**Action:** Specify a valid object name.

**ORA-13902: The specified file *string* is not a data file.**

**Cause:** The object name was passed to a SET\_THRESHOLD procedure that did not map to a valid data file.

**Action:** Specify a valid data file name.

**ORA-13903: Invalid combination of *string* threshold value and operator.**

**Cause:** A non-positive number was used for "Blocked User Session Count" metrics while operator contains equal.

**Action:** Use a positive number for the threshold value or use "greater than" operator.

**ORA-13904: The file has been dropped and recreated during the procedure call.**

**Cause:** The file on which threshold is specified was dropped and recreated during the procedure call.

**Action:** Retry this operation.

**ORA-13905: Critical or warning threshold have incorrect values**

**Cause:** The tablespace threshold values can be in the range 0 to 100 only.

**Action:** Check the threshold values

**ORA-13906: The tablespace is not of the right type.**

**Cause:** An attempt was made to set a threshold on dictionary-managed tablespaces.

**Action:** Check the tablespace type and reissue the command.

**ORA-13907: Threshold value is invalid.**

**Cause:** An attempt was made to specify an invalid value for critical or warning thresholds.

**Action:** Use non-negative integers only for threshold values.

**ORA-13908: Invalid combination of metrics id and object type parameters.**

**Cause:** An attempt was made to specify an invalid combination of metrics id // and object type parameters.

**Action:** Specify a valid combination of metrics id and object type parameters.

**ORA-13909: Invalid combination of threshold value and operator.**

**Cause:** An attempt was made to specify an invalid combination of threshold value and operator.

**Action:** Check the operator and threshold values and reissue statement.

**ORA-13910: Parameter *string* cannot be NULL.**

---

**Cause:** An attempt was made to call GET\_THRESHOLD procedure without a required parameter.

**Action:** Specify a valid value for this parameter.

**ORA-13911: Threshold not found**

**Cause:** The threshold did not exist with the specified threshold key.

**Action:** No action required.

**ORA-13912: Critical threshold value is less than warning threshold value.**

**Cause:** An attempt was made to call SET\_THRESHOLD procedure with the critical threshold value less than the warning threshold value.

**Action:** Check the threshold values and reissue the statement.

**ORA-13913: The threshold cannot be set when SYSAUX is offline.**

**Cause:** SET\_THRESHOLD procedure was called when SYSAUX tablespace was offline.

**Action:** Call SET\_THRESHOLD procedure when SYSAUX is online.

**ORA-13914: Threshold notification failed.**

**Cause:** An error occurred when sending notification for this threshold.

**Action:** Make sure you have enough space on SYSAUX tablespace and retry this operation.

**ORA-13915: Critical byte based free space threshold value is greater than warning threshold value.**

**Cause:** An attempt was made to call SET\_THRESHOLD procedure with the bytes based critical threshold value greater than the warning threshold value.

**Action:** Check the threshold values and reissue the statement.

**ORA-13916: Invalid value "string" specified for parameter "string"**

**Cause:** An invalid value was specified for the the given parameter.

**Action:** Correct the value being specified for the parameter.

**ORA-13917: Posting system alert with reason\_id string failed with code [string] [string]**

**Cause:** Connection to the database is dead, or invalid parameter to alert routine.

**Action:** If this condition repeats, please contact Oracle Support.

**ORA-13918: Updating system alert with reason\_id string failed; previous alert not found**

**Cause:** System Error: An attempt to update a system alert failed. The alert was improperly cleared from WRI\$\_ALERT\_OUTSTANDING.

**Action:** Do not delete from WRI\$\_ALERT\_OUTSTANDING. If this condition repeats, please contact Oracle Support.

**ORA-13919: Cannot specify values for parameter "string" and for parameter "string"**

**Cause:** Can only specify a value for one or the other.

**Action:** Pass just one of the parameters.

**ORA-13920: Threshold cannot be set when database is in read-only mode.**

**Cause:** SET\_THRESHOLD procedure was called when database was open in read-only mode.

---

**Action:** Call SET\_THRESHOLD procedure when database is open in read/write mode.

**ORA-13951: MMON sub-action time limit exceeded**

**Cause:** MMON sub-action did not complete within the system specified time frame.

**Action:** None

**ORA-13970: Invalid name of "string" given**

**Cause:** Passed an invalid component, report, or transformation name to the framework. Names must be alphanumeric and can contain the underscore (\_) character.

**Action:** Try again with a valid name

**ORA-13971: string "string" unknown**

**Cause:** Passed an unknown component, report, or transformation to the framework.

**Action:** Give a different name

**ORA-13972: string "string" unknown for string "string"**

**Cause:** An object with the first name is unknown within the naming scope of the second name

**Action:** Change the parameters passed in or register the proper object

**ORA-13973: string unknown for string "string"**

**Cause:** An object is unknown within the given naming scope

**Action:** Change the parameters passed in or register the proper object

**ORA-13974: string with name "string" already exists**

**Cause:** An object with the given name already exists

**Action:** Give a different name

**ORA-13975: string with name "string" already exists for string "string"**

**Cause:** An object with the first name already exists within the naming scope of the second name

**Action:** Give a different name

**ORA-13976: Improperly-formed report tag**

**Cause:** The top-level report tag was not built properly

**Action:** Make sure that the report tag is built using the common tag library function

**ORA-13977: Invalid content type**

**Cause:** An invalid content type was passed to the register format API

**Action:** Correct your code to use the values in dbmsrep.sql

**ORA-13978: Invalid reference string parameter or value**

**Cause:** An invalid parameter/value was passed to a dbms\_report API

**Action:** Ensure that the parameter names and values are alphanumeric.

**ORA-13979: Filename too long**

**Cause:** An invalid file name was passed to STORE\_FILE

---

**Action:** Ensure that the filename is less than 500 bytes

**ORA-13980: Invalid file URL**

**Cause:** A URL with invalid syntax was provided, either directly to the function or via an XML IMPORT or INCLUDE.

**Action:** Check the URL.

**ORA-13981: Invalid file URL or path prefix**

**Cause:** Either a URL or path prefix with invalid syntax was provided.

**Action:** Check the URL

**ORA-13982: Could not find file at URL provided**

**Cause:** The file requested could not be found in the given location.

**Action:** Check the URL provided.

**ORA-13983: Missing <body> tag from HTML**

**Cause:** An HTML document was passed to the function missing its <body> tag.

**Action:** Check the HTML source.

**ORA-13984: Invalid reference string**

**Cause:** The given reference string could not be parsed.

**Action:** Check the reference string syntax.

**ORA-13985: Invalid URL provided to servlet**

**Cause:** An invalid URL was provided to the servlet.

**Action:** Check the URL.

**ORA-13986: Error \string received from XPath engine**

**Cause:** An error was received from the xpath library during an xpath operation.

**Action:** Check xmlerr.h to understand the cause of the error.

**ORA-13987: Invalid input to build common <string> tag**

**Cause:** Invalid input was given when attempting to build a common tag.

**Action:** Check the function input to make sure all necessary information is given.

**ORA-13988: Invalid input given to variable argument list report function.**

**Cause:** An invalid parameter was provided to one of the report framework variable argument list functions.

**Action:** Check the function input and try again.

**ORA-13989: Invalid input given to structured argument list report function.**

**Cause:** An invalid parameter was provided to one of the report framework structured argument list functions.

**Action:** Check the function input and try again.

**ORA-13990: Invalid tag name given to common tag callout function.**

**Cause:** This is an internal Server Manageability Error

**Action:** Contact Oracle Support Services

**ORA-14000: only one LOCAL clause may be specified**

**Cause:** CREATE INDEX statement contained more than one LOCAL clause

---

**Action:** Specify LOCAL option at most once

**ORA-14001: LOCAL clause contradicts previously specified GLOBAL clause**

**Cause:** CREATE INDEX statement contained a GLOBAL clause and a LOCAL clause

**Action:** Specify LOCAL or GLOBAL clause, but not both

**ORA-14002: only one GLOBAL clause may be specified**

**Cause:** CREATE INDEX statement contained more than one GLOBAL clause

**Action:** Specify GLOBAL option at most once

**ORA-14003: GLOBAL clause contradicts previously specified LOCAL clause**

**Cause:** CREATE INDEX statement contained a LOCAL clause and a GLOBAL clause

**Action:** Specify GLOBAL or LOCAL clause, but not both

**ORA-14004: missing PARTITION keyword**

**Cause:** keyword PARTITION missing

**Action:** supply missing keyword

**ORA-14005: missing RANGE keyword**

**Cause:** keyword RANGE missing

**Action:** supply missing keyword

**ORA-14006: invalid partition name**

**Cause:** a partition name of the form <identifier> is expected but not present.

**Action:** enter an appropriate partition name.

**ORA-14007: missing LESS keyword**

**Cause:** keyword LESS missing

**Action:** supply missing keyword

**ORA-14008: missing THAN keyword**

**Cause:** keyword THAN missing

**Action:** supply missing keyword

**ORA-14009: partition bound may not be specified for a LOCAL index partition**

**Cause:** while parsing a CREATE INDEX statement to create a LOCAL partitioned index, <partition-description> of one of partitions was found to contain VALUES LESS THAN clause which is illegal since a LOCAL index inherits partition bounds from its base table

**Action:** remove all VALUES LESS THAN clauses from descriptions of LOCAL index partitions

**ORA-14010: this physical attribute may not be specified for an index partition**

**Cause:** unexpected option was encountered while parsing physical attributes of an index partition; valid options for Range or Composite Range partitions are INTRANS, MAXTRANS, TABLESPACE, STORAGE, PCTFREE; only TABLESPACE may be specified for Hash partitions

**Action:** remove invalid option(s) from the list of physical attributes of an index partition

---

**ORA-14011: names assigned to resulting partitions must be distinct**

**Cause:** Names of partitions resulting from splitting of an existing table or index partition are not distinct

**Action:** rename resulting partition(s) to ensure that their names are distinct and different from those of any other partition of the table or index

**ORA-14012: resulting partition name conflicts with that of an existing partition**

**Cause:** Name of a partition resulting from splitting of an existing table or index partition is identical to that of some other existing partition of that table or index

**Action:** rename resulting partition(s) to ensure that their names are distinct and different from those of any other partition of the table or index

**ORA-14013: duplicate partition name**

**Cause:** Name of a partition of a table or index being created is not unique

**Action:** rename partition(s) to ensure that their names are unique among partitions of the table or index being created

**ORA-14014: maximum number of partitioning columns is 16**

**Cause:** number of columns in a partitioning column list exceeded the legal limit of 16

**Action:** modify partitioning column list so that it consists of at most 16 columns

**ORA-14015: too many partition descriptions**

**Cause:** CREATE TABLE or CREATE INDEX contained too many partition descriptions; maximum number of partitions is 1048575 (1024K-1).

**Action:** Reduce number of partitions to not exceed 1048575 (1024K -1).

**ORA-14016: underlying table of a LOCAL partitioned index must be partitioned**

**Cause:** User attempted to create a LOCAL partitioned index on a non-partitioned table which is illegal. Only GLOBAL indices (partitioned or otherwise) may be created on a non-partitioned table.

**Action:** Correct the statement and reenter

**ORA-14017: partition bound list contains too many elements**

**Cause:** Partition bound list contained more elements than there are partitioning columns

**Action:** Ensure that the number of elements in partition bound list is equal to the number of partitioning columns of the table or index

**ORA-14018: partition bound list contains too few elements**

**Cause:** Partition bound list contained fewer elements than there are partitioning columns

**Action:** Ensure that the number of elements in partition bound list is equal to the number of partitioning columns of the table or index

**ORA-14019: partition bound element must be one of: string, datetime or interval literal, number, or MAXVALUE**

**Cause:** Partition bound list contained an element of invalid type (i.e. not a number, non-empty string, datetime or interval literal, or MAXVALUE)

**Action:** Ensure that all elements of partition bound list are of valid type

**ORA-14020: this physical attribute may not be specified for a table partition**

---

**Cause:** unexpected option was encountered while parsing physical attributes of a table partition; valid options for Range or Composite Range partitions are INITRANS, MAXTRANS, TABLESPACE, STORAGE, PCTFREE, and PCTUSED; only TABLESPACE may be specified for Hash partitions

**Action:** remove invalid option(s) from the list of physical attributes of a table partition

**ORA-14021: MAXVALUE must be specified for all columns**

**Cause:** In the VALUES LESS THAN clause for the highest (last) partition of a GLOBAL index, MAXVALUE must be specified for all columns

**Action:** Ensure that VALUES LESS THAN clause for the last partition of a GLOBAL index has MAXVALUE specified for all columns

**ORA-14022: creation of LOCAL partitioned cluster indices is not supported**

**Cause:** An attempt was made to create a LOCAL partitioned cluster index, which is currently illegal

**Action:** Remove LOCAL along with <partition description>s, if any, from the CREATE INDEX statement.

**ORA-14023: creation of GLOBAL partitioned cluster indices is not supported**

**Cause:** An attempt was made to create a GLOBAL partitioned cluster index, which is currently illegal

**Action:** Remove PARTITION BY RANGE clause along with <partition description>s from the CREATE INDEX statement.

**ORA-14024: number of partitions of LOCAL index must equal that of the underlying table**

**Cause:** User attempted to create a LOCAL partitioned index with a number of partitions which is different from that of the underlying table.

**Action:** Correct the CREATE INDEX statement to specify a correct number of partitions

**ORA-14025: PARTITION may not be specified for a materialized view or a materialized view log**

**Cause:** PARTITION option was encountered while parsing a definition of a materialized view or a materialized view log

**Action:** Ensure that a definition of a MATERIALIZED VIEW does not include invalid options

**ORA-14026: PARTITION and CLUSTER clauses are mutually exclusive**

**Cause:** definition of a table contained both PARTITION and CLUSTER clauses which is illegal

**Action:** Remove one of the conflicting clauses

**ORA-14027: only one PARTITION clause may be specified**

**Cause:** CREATE TABLE statement contained more than one PARTITION clause

**Action:** Specify PARTITION option at most once

**ORA-14028: missing AT or VALUES keyword**

**Cause:** keyword AT or VALUES missing

**Action:** supply missing keyword

---

**ORA-14029: GLOBAL partitioned index must be prefixed**

**Cause:** partitioning columns of a global partitioned index must form a prefix of the index" key columns

**Action:** Ensure that the GLOBAL partitioned index being created is prefixed

**ORA-14030: non-existent partitioning column in CREATE TABLE statement**

**Cause:** Partitioning column specified in CREATE TABLE statement is not one of columns of the table being created.

**Action:** Ensure that all columns in the partitioning column list are columns of the table being created.

**ORA-14031: partitioning column may not be of type LONG or LONG RAW**

**Cause:** Partitioning column specified by the user was of type LONG or LONG RAW, which is illegal.

**Action:** Ensure that no partitioning column is of type LONG or LONG RAW.

**ORA-14032: partition bound of partition number *string* is too high**

**Cause:** High bound of the partition whose number (partitions are numbered starting with 1) is displayed in this message did not collate lower than that of the following partition, which is illegal.

**Action:** Ensure that high bound of every partition (except for the last one) collates lower than that of a following partition.

**ORA-14036: partition bound value too large for column**

**Cause:** Length of partition bound value is longer than that of the corresponding partitioning column.

**Action:** Ensure that lengths of high bound values do not exceed those of corresponding partitioning columns

**ORA-14037: partition bound of partition "*string*" is too high**

**Cause:** High bound of the partition whose name (explicitly specified by the user) is displayed in this message did not collate lower than that of the following partition, which is illegal.

**Action:** Ensure that high bound of every partition (except for the last one) collates lower than that of a following partition.

**ORA-14038: GLOBAL partitioned index must be prefixed**

**Cause:** User attempted to create a GLOBAL non-prefixed partitioned index which is illegal

**Action:** If the user, indeed, desired to create a non-prefixed index, it must be created as LOCAL; otherwise, correct the list of key and/or partitioning columns to ensure that the index is prefixed

**ORA-14039: partitioning columns must form a subset of key columns of a UNIQUE index**

**Cause:** User attempted to create a UNIQUE partitioned index whose partitioning columns do not form a subset of its key columns which is illegal

**Action:** If the user, indeed, desired to create an index whose partitioning columns do not form a subset of its key columns, it must be created as non-UNIQUE; otherwise, correct the list of key and/or partitioning columns to ensure that the index" partitioning columns form a subset of its key columns

**ORA-14041: partition bound may not be specified for resulting partitions**

---

**Cause:** while parsing an ALTER {TABLE | INDEX} SPLIT PARTITION statement, <partition-description> of a resulting partition was found to contain VALUES LESS THAN clause which is illegal

**Action:** remove VALUES LESS THAN clause from the description(s) of partitions resulting from splitting an existing table or index partition

**ORA-14042: partition bound may not be specified for a partition being moved, modified or rebuilt**

**Cause:** while parsing an ALTER {TABLE | INDEX} MODIFY PARTITION, ALTER TABLE MOVE PARTITION, or ALTER INDEX REBUILD PARTITION statement, description of new physical attributes of the partition being moved, modified, or rebuilt was found to contain VALUES LESS THAN clause which is illegal

**Action:** remove VALUES LESS THAN clause from the description of new attributes of the partition being moved, modified, or rebuilt

**ORA-14043: only one partition may be added**

**Cause:** ALTER TABLE ADD PARTITION contained descriptions of more than one partition to be added

**Action:** Ensure that the statement contains exactly one partition definition and that it does not contain any commas

**ORA-14044: only one partition may be moved**

**Cause:** ALTER TABLE MOVE PARTITION contained descriptions of more than one partition to be moved

**Action:** Ensure that the statement describes exactly one partition to be moved and that it does not contain any commas

**ORA-14045: only one partition may be modified**

**Cause:** ALTER TABLE | INDEX MODIFY PARTITION contained descriptions of more than one partition to be modified

**Action:** Ensure that the statement describes exactly one partition to be modified and that it does not contain any commas

**ORA-14046: a partition may be split into exactly two new partitions**

**Cause:** ALTER TABLE | INDEX SPLIT PARTITION did not contain descriptions of exactly two new partitions into which an existing table or index partition was to be split

**Action:** Ensure that the statement describes exactly two partition into which an existing partition is to be split

**ORA-14047: ALTER TABLE | INDEX RENAME may not be combined with other operations**

**Cause:** ALTER TABLE or ALTER INDEX statement attempted to combine a RENAME operation with some other operation which is illegal

**Action:** Ensure that RENAME operation is the sole operation specified in ALTER TABLE or ALTER INDEX statement;

**ORA-14048: a partition maintenance operation may not be combined with other operations**

**Cause:** ALTER TABLE or ALTER INDEX statement attempted to combine a partition maintenance operation (e.g. MOVE PARTITION) with some other operation (e.g. ADD PARTITION or PCTFREE which is illegal

---

**Action:** Ensure that a partition maintenance operation is the sole operation specified in ALTER TABLE or ALTER INDEX statement; operations other than those dealing with partitions, default attributes of partitioned tables/indices or specifying that a table be renamed (ALTER TABLE RENAME) may be combined at will

**ORA-14049: invalid ALTER TABLE MODIFY PARTITION option**

**Cause:** An option other than PCTFREE, PCTUSED, INITRANS, MAXTRANS, STORAGE, BACKUP, ALLOCATE EXTENT, or DEALLOCATE UNUSED was specified in an ALTER TABLE MODIFY PARTITION statement for a Range or Composite Range partition.

**Action:** Specify only legal options.

**ORA-14050: invalid ALTER INDEX MODIFY PARTITION option**

**Cause:** An option other than INITRANS, MAXTRANS, STORAGE, or DEALLOCATE UNUSED was specified in an ALTER INDEX MODIFY PARTITION statement.

**Action:** Specify only legal options.

**ORA-14051: invalid ALTER MATERIALIZED VIEW option**

**Cause:** An option other than PCTFREE, PCTUSED, INITRANS, MAXTRANS, STORAGE, or BACKUP was specified in an ALTER MATERIALIZED VIEW statement.

**Action:** Specify only legal options.

**ORA-14052: partition-extended table name syntax is disallowed in this context**

**Cause:** User attempted to use partition-extended table name syntax in illegal context (i.e. not in FROM-clause or INSERT, DELETE, or UPDATE statement)

**Action:** Avoid use of partition-extended table name in contexts other those mentioned above.

**ORA-14053: illegal attempt to modify *string* in *string* statement**

**Cause:** Certain attributes of objects (e.g. tables) may be specified at creation time, but may not be modified using ALTER statement. Unfortunately, user specified one of such attributes.

**Action:** Ensure that ALTER statement specifies new values only for attributes which may be changed once an object has been created

**ORA-14054: invalid ALTER TABLE TRUNCATE PARTITION option**

**Cause:** Name of the partition to be truncated may be followed by DROP STORAGE or REUSE STORAGE

**Action:** Ensure that no options besides DROP STORAGE or REUSE STORAGE are specified with ALTER TABLE TRUNCATE PARTITION

**ORA-14055: keyword REBUILD in ALTER INDEX REBUILD must immediately follow <index name>**

**Cause:** ALTER INDEX statement contained REBUILD keyword following some index attributes (e.g. INITRANS.)

**Action:** Ensure that keyword REBUILD immediately follows the name of the index being altered

**ORA-14056: partition number *string*: sum of PCTUSED and PCTFREE may not exceed 100**

---

**Cause:** the sum of PCTUSED and PCTFREE for a partition whose number (partitions are numbered starting with 1) is displayed in this message exceeds 100. Note that if PCTUSED and/or PCTFREE values for this partition were not specified explicitly, default values for the partitioned table or index would be used. If, in turn, default PCTUSED and/or PCTFREE values for the partitioned table or index were not specified, system defaults would be used.

**Action:** ensure that a sum of PCTUSED and PCTFREE for the partition does not exceed 100

**ORA-14057: partition "*string*": sum of PCTUSED and PCTFREE may not exceed 100**

**Cause:** the sum of PCTUSED and PCTFREE for a partition whose name (explicitly specified by the user) is displayed in this message exceeds 100. Note that if PCTUSED and/or PCTFREE values for this partition were not specified explicitly, default values for the partitioned table or index would be used. If, in turn, default PCTUSED and/or PCTFREE values for the partitioned table or index were not specified, system defaults would be used.

**Action:** ensure that a sum of PCTUSED and PCTFREE for the partition does not exceed 100

**ORA-14058: partition number *string*: INITRANS value must be less than MAXTRANS value**

**Cause:** Value of INITRANS was found to be greater than that of MAXTRANS for a partition whose number (partitions are numbered starting with 1) is displayed in this message. Note that if INITRANS and/or MAXTRANS values for this partition were not specified explicitly, default values for the partitioned table or index would be used. If, in turn, default INITRANS and/or MAXTRANS values for the partitioned table or index were not specified, system defaults would be used.

**Action:** ensure that value of INITRANS (whether specified explicitly or derived from the default value for the partitioned table or index) is no greater than that of MAXTRANS

**ORA-14059: partition "*string*": INITRANS value must be less than MAXTRANS value**

**Cause:** Value of INITRANS was found to be greater than that of MAXTRANS for a partition whose name (explicitly specified by the user) is displayed in this message. Note that if INITRANS and/or MAXTRANS values for this partition were not specified explicitly, default values for the partitioned table or index would be used. If, in turn, default INITRANS and/or MAXTRANS values for the partitioned table or index were not specified, system defaults would be used.

**Action:** ensure that value of INITRANS (whether specified explicitly or derived from the default value for the partitioned table or index) is no greater than that of MAXTRANS

**ORA-14060: data type or length of a table partitioning column may not be changed**

**Cause:** User issued ALTER TABLE statement attempting to modify data type and/or length of a column used to partition the table named in ALTER TABLE statement, which is illegal

**Action:** Avoid modifying data type and/or length of table partitioning column(s)

**ORA-14061: data type or length of an index partitioning column may not be changed**

**Cause:** User issued ALTER TABLE statement attempting to modify data type and/or length of a column used to partition some index defined on the table named in ALTER TABLE statement, which is illegal

---

**Action:** Avoid modifying data type and/or length of index partitioning column(s)

**ORA-14062: one or more of table's partitions reside in a read-only tablespace**

**Cause:** User issued ALTER TABLE statement attempting to modify an existing VARCHAR2 (or VARCHAR) column to be of type CHAR (or CHARACTER), increase length of an existing CHAR (or CHARACTER) column, or add a column with user-specified default for a table one or more partitions of which reside in read-only tablespaces, which is illegal

**Action:** Avoid performing aforementioned operations on a partitioned table one or more partitions of which reside in read-only tablespaces

**ORA-14063: Unusable index exists on unique/primary constraint key**

**Cause:** User attempted to add or enable a primary key/unique constraint on column(s) of a table on which there exists an index marked Index Unusable.

**Action:** Drop the existing index or rebuild it using ALTER INDEX REBUILD

**ORA-14064: Index with Unusable partition exists on unique/primary constraint key**

**Cause:** User attempted to add or enable a primary key/unique constraint on column(s) of a table on which there exists an index one or more partitions of which are marked Index Unusable.

**Action:** Drop the existing index or rebuild unusable partitions it using ALTER INDEX REBUILD PARTITION

**ORA-14065: ALLOCATE STORAGE may not be specified for a partitioned table**

**Cause:** User specified ALLOCATE STORAGE clause in ALTER TABLE statement issued against a partitioned table which is illegal.

**Action:** Remove the illegal option. If it is desired to add storage to individual partitions, ALLOCATE STORAGE clause may be specified with ALTER TABLE MODIFY PARTITION statement.

**ORA-14066: illegal option for a non-partitioned index-organized table**

**Cause:** An attempt was made to issue a CREATE or ALTER TABLE command on a non-partitioned IOT, but the command contains an option that is legal only for partitioned index-organized tables. Such options are: ENABLE ROW MOVEMENT and DISABLE ROW MOVEMENT.

**Action:** Remove the illegal option(s) from the command.

**ORA-14067: duplicate TABLESPACE\_NUMBER specification**

**Cause:** TABLESPACE\_NUMBER clause was specified more than once for an table, index or an index partition

**Action:** Correct the code generating text of CREATE INDEX statement sent to the slaves

**ORA-14068: TABLESPACE and TABLESPACE\_NUMBER may not be both specified**

**Cause:** Both TABLESPACE and TABLESPACE\_NUMBER clauses were specified for a table, index or an index partition

**Action:** Correct the code generating text of CREATE INDEX statement sent to the slaves

**ORA-14069: invalid TABLESPACE\_NUMBER value**

**Cause:** The TABLESPACE\_NUMBER value is not an integer between 0 and 0x7FFFFFFF

---

**Action:** Correct the code generating text of CREATE INDEX statement sent to the slaves

**ORA-14070: option may be specified only for partitioned indices or with REBUILD**

**Cause:** User issued ALTER INDEX statement containing an option which is legal only for partitioned indices or in conjunction with REBUILD against a non-partitioned index. Such options are: PCTFREE, TABLESPACE, [NO]PARALLEL and INITIAL, FREELISTS, and FREELIST GROUPS inside STORAGE clause

**Action:** Remove illegal option(s).

**ORA-14071: invalid option for an index used to enforce a constraint**

**Cause:** An option other than COMPRESS, NOCOMPRESS, PCTFREE, INITRANS, MAXTRANS, STORAGE, TABLESPACE, PARALLEL, NOPARALLEL, RECOVERABLE, UNRECOVERABLE, LOGGING, NOLOGGING, LOCAL, or GLOBAL was specified for an index used to enforce a constraint.

**Action:** Choose one of the valid index options.

**ORA-14072: fixed table may not be truncated**

**Cause:** User attempted to truncate a fixed table which is illegal.

**Action:** Ensure that the table being truncated is not a fixed table.

**ORA-14073: bootstrap table or cluster may not be truncated**

**Cause:** User attempted to truncate a bootstrap table or cluster which is illegal

**Action:** Ensure that the table (or cluster) being truncated is not a bootstrap table (or cluster)

**ORA-14074: partition bound must collate higher than that of the last partition**

**Cause:** Partition bound specified in ALTER TABLE ADD PARTITION statement did not collate higher than that of the table's last partition, which is illegal.

**Action:** Ensure that the partition bound of the partition to be added collates higher than that of the table's last partition.

**ORA-14075: partition maintenance operations may only be performed on partitioned indices**

**Cause:** Index named in ALTER INDEX partition maintenance operation is not partitioned, making a partition maintenance operation, at best, meaningless

**Action:** Ensure that the index named in ALTER INDEX statement specifying a partition maintenance operation is, indeed, partitioned

**ORA-14076: submitted alter index partition/subpartition operation is not valid for local partitioned index**

**Cause:** User attempted to either drop, split, add or coalesce a partition or a subpartition of a local index which is illegal.

**Action:** Ensure that the index named in such statement is a global partitioned index.

**ORA-14078: you may not drop the highest partition of a GLOBAL index**

**Cause:** User attempted to drop highest partition of a GLOBAL index, which is illegal.

**Action:** Ensure that the partition specified in ALTER INDEX DROP PARTITION statement is not the highest partition of the index.

---

**ORA-14079: illegal option for a partition marked Index Unusable**

**Cause:** ALTER INDEX MODIFY PARTITION statement against an index partition marked Index Unusable contained STORAGE and/or DEALLOCATE SPACE clauses which is illegal

**Action:** Ensure that only valid options are specified

**ORA-14080: partition cannot be split along the specified high bound**

**Cause:** User attempted to split a partition along a bound which either collates higher than that of the partition to be split or lower than that of a partition immediately preceding the one to be split

**Action:** Ensure that the bound along which a partition is to be split collates lower than that of the partition to be split and higher than that of a partition immediately preceding the one to be split

**ORA-14081: new partition name must differ from the old partition name**

**Cause:** User entered ALTER TABLE/INDEX RENAME PARTITION specifying <new-partition-name> which is identical to the name of the partition being renamed

**Action:** Ensure that the new partition name is different from the name of any (including the one being renamed) existing partition of a given table or index

**ORA-14082: new partition name must differ from that of any other partition of the object**

**Cause:** User entered ALTER TABLE/INDEX RENAME PARTITION specifying <new-partition-name> which is identical to the name of some existing partition of the object

**Action:** Ensure that the new partition name is different from the name of any (including the one being renamed) existing partition of a given table or index

**ORA-14083: cannot drop the only partition of a partitioned table**

**Cause:** A drop partition command is being executed when there is only one partition in the table

**Action:** Ensure that there is at least one partition. Drop table to remove all partitions

**ORA-14084: you may specify TABLESPACE DEFAULT only for a LOCAL index**

**Cause:** User attempted to specify TABLESPACE DEFAULT for an object other than a LOCAL index, which is illegal.

**Action:** Reenter the statement without TABLESPACE DEFAULT clause.

**ORA-14085: partitioned table cannot have column with LONG datatype**

**Cause:** User tried to create a partitioned table with a LONG datatype or tried to add a LONG datatype column to a partitioned table.

**Action:** LONG data types are not supported with partitioned tables. Create table without LONG column or change table to not partitioned. If adding column, do not use LONG datatype. If modifying attributes of a column to change data type to LONG, it has to be a non partitioned table.

**ORA-14086: a partitioned index may not be rebuilt as a whole**

**Cause:** User attempted to rebuild a partitioned index using ALTER INDEX REBUILD statement, which is illegal

---

**Action:** Rebuild the index a partition at a time (using ALTER INDEX REBUILD PARTITION) or drop and recreate the entire index

**ORA-14094: invalid ALTER TABLE EXCHANGE PARTITION option**

**Cause:** Name of the table to be EXCHANGED has to be followed by [(INCLUDING | EXCLUDING) INDEX][(WITH | WITHOUT) VALIDATION]

**Action:** Ensure that no options besides INCLUDING INDEX or EXCLUDING INDEX are specified with ALTER TABLE EXCHANGE PARTITION

**ORA-14095: ALTER TABLE EXCHANGE requires a non-partitioned, non-clustered table**

**Cause:** The table in the EXCHANGE operation is either clustered or partitioned

**Action:** Ensure that the table with which the partition is being exchanged for is not partitioned or clustered.

**ORA-14096: tables in ALTER TABLE EXCHANGE PARTITION must have the same number of columns**

**Cause:** The two tables specified in the EXCHANGE have different number of columns

**Action:** Ensure that the two tables have the same number of columns with the same type and size.

**ORA-14097: column type or size mismatch in ALTER TABLE EXCHANGE PARTITION**

**Cause:** The corresponding columns in the tables specified in the ALTER TABLE EXCHANGE PARTITION are of different type or size

**Action:** Ensure that the two tables have the same number of columns with the same type and size.

**ORA-14098: index mismatch for tables in ALTER TABLE EXCHANGE PARTITION**

**Cause:** The two tables specified in the EXCHANGE have indexes which are not equivalent

**Action:** Ensure that the indexes for the two tables have indexes which follow this rule For every non partitioned index for the non partitioned table, there has to be an identical LOCAL index on the partitioned table and vice versa. By identical, the column position, type and size have to be the same.

**ORA-14099: all rows in table do not qualify for specified partition**

**Cause:** There is at least one row in the non partitioned table which does not qualify for the partition specified in the ALTER TABLE EXCHANGE PARTITION

**Action:** Ensure that all the rows in the segment qualify for the partition. Perform the alter table operation with the NO CHECKING option. Run ANALYZE table VALIDATE on that partition to find out the invalid rows and delete them.

**ORA-14100: partition extended table name cannot refer to a remote object**

**Cause:** User attempted to use partition-extended table name syntax in conjunction with remote object name which is illegal

**Action:** Correct the statement and reenter

**ORA-14101: partition extended table name cannot refer to a synonym**

**Cause:** User attempted to use partition-extended table name syntax in conjunction with synonym name which is illegal

**Action:** Correct the statement and reenter

---

**ORA-14102: only one LOGGING or NOLOGGING clause may be specified**

**Cause:** LOGGING was specified more than once, NOLOGGING was specified more than once, or both LOGGING and NOLOGGING were specified.

**Action:** Remove all but one of the LOGGING or NOLOGGING clauses and reissue the statement.

**ORA-14103: LOGGING/NOLOGGING may not be combined with RECOVERABLE/UNRECOVERABLE**

**Cause:** A statement contained both [NO]LOGGING and [UN]RECOVERABLE clauses which is disallowed.

**Action:** Remove one of the offending clauses. [UN]RECOVERABLE is being deprecated in V8 and will be obsoleted in V9. To duplicate semantics of UNRECOVERABLE clause, create an object with NOLOGGING option and then ALTER it specifying LOGGING. To duplicate semantics of RECOVERABLE clause, create an object with LOGGING option.

**ORA-14104: RECOVERABLE/UNRECOVERABLE may not be specified for partitioned tables/indices**

**Cause:** CREATE TABLE/INDEX statement used to create a partitioned table/index contained RECOVERABLE or UNRECOVERABLE clause which is illegal

**Action:** Remove offending clause. [UN]RECOVERABLE is being deprecated in V8 and will be obsoleted in V9. To duplicate semantics of UNRECOVERABLE clause, create an object with NOLOGGING option and then ALTER it specifying LOGGING. To duplicate semantics of RECOVERABLE clause, create an object with LOGGING option.

**ORA-14105: RECOVERABLE/UNRECOVERABLE may not be specified in this context**

**Cause:** RECOVERABLE/UNRECOVERABLE clause is not allowed in this context.

**Action:** Remove offending clause. RECOVERABLE/UNRECOVERABLE may only be specified in CREATE TABLE/INDEX statement describing a non-partitioned table or index and ALTER INDEX REBUILD statement. [UN]RECOVERABLE is being deprecated in V8 and will be obsoleted in V9. To duplicate semantics of UNRECOVERABLE clause, create an object with NOLOGGING option and then ALTER it specifying LOGGING. To duplicate semantics of RECOVERABLE clause, create an object with LOGGING option.

**ORA-14106: LOGGING/NOLOGGING may not be specified for a clustered table**

**Cause:** User attempted to specify LOGGING or NOLOGGING clause in CREATE TABLE or ALTER TABLE statement involving a clustered table

**Action:** Remove offending clause.

**ORA-14107: partition specification is required for a partitioned object**

**Cause:** parameter which supplies partition name is missing. This parameter is optional for non-partitioned objects, but is required for partitioned objects.

**Action:** supply missing parameter

**ORA-14108: illegal partition-extended table name syntax**

**Cause:** Partition to be accessed may only be specified using its name. User attempted to use a partition number or a bind variable.

**Action:** Modify statement to refer to a partition using its name

---

**ORA-14109: partition-extended object names may only be used with tables**

**Cause:** User attempted to use a partition-extended object name with an object which is not a table.

**Action:** Avoid using partition-extended name syntax with objects which are not tables

**ORA-14110: partitioning column may not be of type ROWID**

**Cause:** Partitioning column specified by the user was of type ROWID, which is illegal.

**Action:** Ensure that no partitioning column is of type ROWID.

**ORA-14111: creation of a GLOBAL partitioned index on clustered tables is not supported**

**Cause:** An attempt was made to create a GLOBAL partitioned index on a clustered table which is currently illegal.

**Action:** Remove PARTITION BY RANGE/HASH clause along with any partition descriptions to create a GLOBAL non-partitioned index on a clustered table

**ORA-14112: RECOVERABLE/UNRECOVERABLE may not be specified for a partition or subpartition**

**Cause:** Description of a partition or subpartition found in CREATE TABLE/INDEX statement contained RECOVERABLE or UNRECOVERABLE clause which is illegal

**Action:** Remove offending clause. Use LOGGING or NOLOGGING instead.

**ORA-14113: partitioned table cannot have column with LOB datatype**

**Cause:** User tried to create a partitioned table with a LOB datatype or tried to add a LOB datatype column to a partitioned table.

**Action:** LOB data types are not supported with partitioned tables. Create table without LOB column or change table to not partitioned. If adding column, do not use LOB datatype. If modifying attributes of a column to change data type to LOB, it has to be a non partitioned table.

**ORA-14114: partitioned table cannot have column with object, REF, nested table, array datatype**

**Cause:** User tried to create a partitioned table with a object datatype (object, REF, nested table, array) or tried to add a object datatype column to a partitioned table.

**Action:** object data types are not supported with partitioned tables. Create table without object column or change table to not partitioned. If adding column, do not use object datatypes. If modifying attributes of a column to change data type to object, it has to be a non partitioned table.

**ORA-14115: partition bound of partition number *string* is too long**

**Cause:** Length of linear key representation of a high bound of the partition whose number (partitions are numbered starting with 1) is displayed in this message exceeded the legal limit (4K).

**Action:** Change representation of a partition high bound to bring its length within legal limit.

**ORA-14116: partition bound of partition "*string*" is too long**

**Cause:** Length of linear key representation of a high bound of the partition whose name (explicitly specified by the user) is displayed in this message exceeded the legal limit (4K).

---

**Action:** Change representation of a partition high bound to bring its length within legal limit.

**ORA-14117: partition resides in offlined tablespace**

**Cause:** User attempted an operation requiring that we access data in a partition which resides in a tablespace which was taken offline. Such operations include trying to drop a tablespace of a table which has indices defined on it or is referenced by a constraint.

**Action:** Bring tablespace online before attempting the operation.

**ORA-14118: CHECK constraint mismatch in ALTER TABLE EXCHANGE PARTITION**

**Cause:** The corresponding columns in the tables specified in the ALTER TABLE EXCHANGE PARTITION statement have CHECK constraint defined on them.

**Action:** Ensure that the two tables do not have CHECK constraint defined on any column

**ORA-14119: specified partition bound is too long**

**Cause:** Length of a linear key representation of a high bound of a table partition being added or along which an existing table or index partition is being split exceeded the legal limit (4K).

**Action:** Change representation of a partition high bound to bring its length within legal limit.

**ORA-14120: incompletely specified partition bound for a DATE column**

**Cause:** An attempt was made to use a date expression whose format does not fully (i.e. day, month, and year (including century)) specify a date as a partition bound for a DATE column. The format may have been specified explicitly (using TO\_DATE() function) or implicitly (NLS\_DATE\_FORMAT).

**Action:** Ensure that date format used in a partition bound for a DATE column supports complete specification of a date (i.e. day, month, and year (including century)). If NLS\_DATE\_FORMAT does not support complete (i.e. including the century) specification of the year, use TO\_DATE() (e.g. TO\_DATE("01-01-1999", "MM-DD-YYYY") to fully express the desired date.

**ORA-14121: MODIFY DEFAULT ATTRIBUTES may not be combined with other operations**

**Cause:** ALTER TABLE or ALTER INDEX statement attempted to combine MODIFY DEFAULT ATTRIBUTES with some other operation (e.g. ADD PARTITION or PCTFREE) which is illegal

**Action:** Ensure that MODIFY DEFAULT ATTRIBUTES is the sole operation specified in ALTER TABLE or ALTER INDEX statement; operations other than those dealing with partitions, default attributes of partitioned tables/indices or specifying that a table be renamed (ALTER TABLE RENAME) may be combined at will

**ORA-14122: only one REVERSE or NOREVERSE clause may be specified**

**Cause:** Both REVERSE and NOREVERSE were specified in CREATE INDEX statement.

**Action:** Remove all but one of the REVERSE or NOREVERSE clauses and reissue the statement.

**ORA-14123: duplicate NOREVERSE clause**

---

**Cause:** NOREVERSE was specified more than once in ALTER INDEX statement.  
**Action:** Remove all but one of the NOREVERSE clauses and reissue the statement.

**ORA-14124: duplicate REVERSE clause**

**Cause:** REVERSE was specified more than once in ALTER INDEX or CREATE INDEX statements.

**Action:** Remove all but one of the REVERSE clauses and reissue the statement.

**ORA-14125: REVERSE/NOREVERSE may not be specified in this context**

**Cause:** REVERSE/NOREVERSE clause is not allowed in this context.

**Action:** Remove offending clause. REVERSE may be specified as an attribute of an index (not of an individual partition, if creating a partitioned index) in CREATE INDEX statement and ALTER INDEX REBUILD statement. NOREVERSE may be specified only in ALTER INDEX REBUILD statement.

**ORA-14126: only a <parallel clause> may follow description(s) of resulting partitions**

**Cause:** Descriptions of partition(s) resulting from splitting of a table or index partition may be followed by an optional <parallel clause> which applies to the entire statement and which, in turn, may not be followed by any other clause.

**Action:** Ensure that all partition attributes appear within the parenthesized list of descriptions of resulting partitions in ALTER TABLE/INDEX SPLIT PARTITION statement.

**ORA-14128: FOREIGN KEY constraint mismatch in ALTER TABLE EXCHANGE PARTITION**

**Cause:** The corresponding columns in the tables specified in the ALTER TABLE EXCHANGE PARTITION statement have different FOREIGN KEY constraints.

**Action:** Ensure that the two tables do not have FOREIGN KEY constraints defined on any column or disable all FOREIGN KEY constraints on both tables. Then retry the operation.

**ORA-14129: INCLUDING INDEXES must be specified as tables have enabled UNIQUE constraints**

**Cause:** Matching UNIQUE constraints in both table are enabled and validated but INCLUDING INDEXES is not specified in ALTER TABLE EXCHANGE PARTITION | SUBPARTITION command.

**Action:** Disable currently enabled matching UNIQUE constraints on both tables or ensure that INCLUDING INDEXES option is used.

**ORA-14130: UNIQUE constraints mismatch in ALTER TABLE EXCHANGE PARTITION**

**Cause:** One of the tables named in the ALTER TABLE EXCHANGE PARTITION command has a UNIQUE constraint for which no matching (vis-a-vis key columns) constraint is defined on the other table or a matching constraint is defined on the other table, but it differs from that defined on the first table vis-a-vis being enabled and/or validated.

**Action:** Ensure that for every UNIQUE constraint defined on one of the tables named in the ALTER TABLE EXCHANGE PARTITION statement there is a matching (vis-a-vis key columns and being enabled and/or validated) UNIQUE constraint defined on the other table. If UNIQUE constraints are enabled, UNIQUE constraints on the partitioned table should be enforced using local indexes.

---

**ORA-14131: enabled UNIQUE constraint exists on one of the tables**

**Cause:** One of the tables referenced in the ALTER TABLE EXCHANGE PARTITION | SUBPARTITION statement has enabled UNIQUE constraint(s) defined on it, which prevents EXCHANGE from proceeding.

**Action:** Disable constraints defined on tables referenced in the ALTER TABLE EXCHANGE PARTITION | SUBPARTITION statement and retry the statement.

**ORA-14132: table cannot be used in EXCHANGE**

**Cause:** An attempt was made to issue an ALTER TABLE EXCHANGE PARTITION | SUBPARTITION command, but the non-partitioned table cannot be used in the EXCHANGE because one or more of the following apply:

- it is a typed table
- it is a temporary table
- it contains ADT columns
- it contains nested-table columns
- it contains REF columns
- it contains array columns
- it is an index-organized table
- it contains LOB columns
- it is a nested table
- it is created with row dependency and the partitioned table is not
- it is created without row dependency and the partitioned table is

**Action:** Make sure the non-partitioned table does not violate any of the above restrictions for the ALTER TABLE EXCHANGE PARTITION | SUBPARTITION command.

**ORA-14133: ALTER TABLE MOVE cannot be combined with other operations**

**Cause:** An attempt was made to combine an ALTER TABLE MOVE statement with another operation, such as MODIFY.

**Action:** Make sure that MOVE is the only operation specified in ALTER TABLE statement;

**ORA-14134: indexes cannot use both DESC and REVERSE**

**Cause:** An attempt was made to make a reverse index with some index columns marked DESC.

**Action:** Do not use DESC in reverse indexes. The rule-based optimizer can scan indexes backwards, which allows a normal reverse index to simulate a reverse index with columns marked DESC.

**ORA-14135: a LOB column cannot serve as a partitioning column**

**Cause:** An attempt was made to specify a column of type BLOB or CLOB as a partitioning or subpartitioning column.

**Action:** Ensure that no partitioning or subpartitioning column is of type BLOB or CLOB.

**ORA-14136: ALTER TABLE EXCHANGE restricted by fine-grained security**

**Cause:** User doing exchange does not have full table access due to VPD policies.

**Action:** Grant exempt privileges to this user.

- 
- ORA-14137: Table in partially dropped state, submit DROP TABLE PURGE**  
**Cause:** An attempt was made to access a partitioned table in a partially dropped state.  
**Action:** Submit DROP TABLE <table> PURGE to drop the table.
- ORA-14138: An unexpected error encountered during drop table operation**  
**Cause:** Drop table encountered an unexpected error.  
**Action:** a. Submit drop table <table> purge, or b. If the situation described in the next error on the stack can be corrected, do so. c. Contact Oracle Support.
- ORA-14139: table *string.string* is already in read-only mode**  
**Cause:** an attempt was made to set a read-only table in read-only mode  
**Action:** this DDL can only be executed on a read/write table
- ORA-14140: table *string.string* is already in read/write mode**  
**Cause:** an attempt was made to set a read/write table in read/write mode  
**Action:** this DDL can only be executed on a read-only table
- ORA-14141: ALTER INDEX VISIBLE | INVISIBLE may not be combined with other operations**  
**Cause:** ALTER INDEX statement attempted to combine a VISIBLE | INVISIBLE operation with some other operation which is illegal  
**Action:** Ensure that VISIBLE | INVISIBLE operation is the sole operation specified in ALTER INDEX statement
- ORA-14142: ALTER INDEX VISIBLE | INVISIBLE may not be used with certain types of index**  
**Cause:** Using the ALTER INDEX VISIBLE | INVISIBLE statement on certain types of indexes (IOT-TOP, Cluster indexes) is illegal.  
**Action:** Remove the option VISIBLE | INVISIBLE.
- ORA-14143: CREATE INDEX INVISIBLE may not be used with this type of index**  
**Cause:** Certain types of indexes (IOT-TOP, Cluster indexes) cannot be created invisible.  
**Action:** Remove the option INVISIBLE
- ORA-14150: missing SUBPARTITION keyword**  
**Cause:** keyword SUBPARTITION missing  
**Action:** supply missing keyword
- ORA-14151: invalid table partitioning method**  
**Cause:** Invalid partitioning method was specified in CREATE TABLE statement. A table may be partitioned by RANGE, HASH, LIST, SYSTEM, or Composite Range-Hash/List/Range (R+H/L/R).  
**Action:** Specify one of valid partitioning methods
- ORA-14152: invalid number of partitions specified in PARTITIONS clause**  
**Cause:** number-of-partitions clause contained in CREATE TABLE or CREATE INDEX statement specified a number of partitions outside of legal range (1-1048575)  
**Action:** Specify a number between 1 and 1024K-1 in the number-of-partitions clause

---

**ORA-14153: only one of STORE IN or <partition-description> clause may be specified**

**Cause:** both STORE IN and <partition-description> clauses were specified in a CREATE TABLE | INDEX command

**Action:** Remove one of offending clauses

**ORA-14154: only one of STORE IN or <subpartition-description> clause may be specified**

**Cause:** both STORE IN and <subpartition-description> clauses were specified in a CREATE TABLE | INDEX, or ALTER TABLE ADD | SPLIT PARTITION or ALTER TABLE MERGE PARTITIONS command for a Composite Range partitioned object

**Action:** Remove one of offending clauses

**ORA-14155: missing PARTITION or SUBPARTITION keyword**

**Cause:** expect either PARTITION or SUBPARTITION keyword but none was supplied

**Action:** supply missing keyword

**ORA-14156: invalid number of subpartitions specified in [SUBPARTITIONS | SUBPARTITION TEMPLATE] clause**

**Cause:** number-of-subpartitions clause contained in CREATE TABLE or CREATE INDEX statement specified a number of subpartitions outside of legal range (1-1048575)

**Action:** Specify a number between 1 and 1024K-1 in the number-of-subpartitions clause

**ORA-14157: invalid subpartition name**

**Cause:** a subpartition name of the form <identifier> is expected but not present.

**Action:** enter an appropriate subpartition name.

**ORA-14158: too many subpartition descriptions**

**Cause:** CREATE TABLE or CREATE INDEX contained too many subpartition descriptions; maximum number of subpartitions is 1048575.

**Action:** Reduce number of subpartitions to not exceed 1024K-1.

**ORA-14159: duplicate subpartition name**

**Cause:** Name of a subpartition of a table or index being created is not unique

**Action:** rename subpartition(s) to ensure that their names are unique among subpartitions of the table or index being created

**ORA-14160: this physical attribute may not be specified for a table subpartition**

**Cause:** unexpected option was encountered while parsing physical attributes of a table subpartition; TABLESPACE is the only valid option

**Action:** remove invalid option(s)

**ORA-14161: subpartition number *string*: sum of PCTUSED and PCTFREE may not exceed 100**

**Cause:** the sum of PCTUSED and PCTFREE for a subpartition whose number (subpartitions are numbered starting with 1) is displayed in this message exceeds 100. Note that if PCTUSED and/or PCTFREE values for this subpartition were not specified explicitly, default values at partition-level would be used. If, in turn, default PCTUSED and/or PCTFREE values at partition-level were not specified,

---

default values for the partitioned table or index would be used. If those values were also not specified explicitly, system defaults would be used.

**Action:** ensure that a sum of PCTUSED and PCTFREE for the subpartition does not exceed 100

**ORA-14162: subpartition "*string*": sum of PCTUSED and PCTFREE may not exceed 100**

**Cause:** the sum of PCTUSED and PCTFREE for a subpartition whose name (explicitly specified by the user) is displayed in this message exceeds 100. Note that if PCTUSED and/or PCTFREE values for this subpartition were not specified explicitly, default values at partition-level would be used. If, in turn, default PCTUSED and/or PCTFREE values at partition-level were not specified, default values for the partitioned table or index would be used. If those values were also not specified explicitly, system defaults would be used.

**Action:** ensure that a sum of PCTUSED and PCTFREE for the subpartition does not exceed 100

**ORA-14163: subpartition number *string*: INITRANS value must be less than MAXTRANS value**

**Cause:** Value of INITRANS was found to be greater than that of MAXTRANS for a subpartition whose number (subpartitions are numbered starting with 1) is displayed in this message. Note that if INITRANS and/or MAXTRANS values for this subpartition were not specified explicitly, default values at partition-level would be used. If, in turn, default INITRANS and/or MAXTRANS values at partition-level were not specified, default values for the partitioned table or index would be used. If those values were also not specified explicitly, system defaults would be used.

**Action:** ensure that value of INITRANS (whether specified explicitly or derived from the default value at partition-level, table-level or index-level) is no greater than that of MAXTRANS

**ORA-14164: subpartition "*string*": INITRANS value must be less than MAXTRANS value**

**Cause:** Value of INITRANS was found to be greater than that of MAXTRANS for a subpartition whose name (explicitly specified by the user) is displayed in this message. Note that if INITRANS and/or MAXTRANS values for this subpartition were not specified explicitly, default values at partition-level would be used. If, in turn, default INITRANS and/or MAXTRANS values at partition-level were not specified, default values for the partitioned table or index would be used. If those values were also not specified explicitly, system defaults would be used.

**Action:** ensure that value of INITRANS (whether specified explicitly or derived from the default value at partition-level, table-level or index-level) is no greater than that of MAXTRANS

**ORA-14165: MODIFY DEFAULT ATTRIBUTES FOR PARTITION may not be combined with other operations**

**Cause:** ALTER TABLE or ALTER INDEX statement attempted to combine MODIFY DEFAULT ATTRIBUTES OF PARTITION with some other operation (e.g. ADD PARTITION or PCTFREE) which is illegal

**Action:** Ensure that MODIFY DEFAULT ATTRIBUTES is the sole operation specified in ALTER TABLE or ALTER INDEX statement; operations other than those dealing with partitions, default attributes of partitioned tables/indices or specifying that a table be renamed (ALTER TABLE RENAME) may be combined at will

---

**ORA-14166: missing INTO keyword**

**Cause:** keyword INTO missing

**Action:** supply missing keyword

**ORA-14167: only one subpartition may be moved**

**Cause:** ALTER TABLE MOVE SUBPARTITION contained descriptions of more than one subpartition to be moved

**Action:** Ensure that the statement describes exactly one subpartition to be moved and that it does not contain any commas

**ORA-14168: only one subpartition may be modified**

**Cause:** ALTER TABLE | INDEX MODIFY SUBPARTITION contained descriptions of more than one subpartition to be modified

**Action:** Ensure that the statement describes exactly one subpartition to be modified and that it does not contain any commas

**ORA-14169: invalid ALTER TABLE MODIFY SUBPARTITION option**

**Cause:** An option other than PCTFREE, PCTUSED, INITRANS, MAXTRANS, STORAGE, was specified in an ALTER TABLE MODIFY SUBPARTITION statement.

**Action:** Specify only legal options.

**ORA-14170: cannot specify <partition-description> clause in CREATE TABLE | INDEX**

**Cause:** User requested to generate default partition description(s) (possibly via PARTITIONS <number-of-partitions>) while at the same time specified <partition-description> clause which is illegal

**Action:** Remove one of offending clauses.

**ORA-14171: cannot specify <subpartition-description> clause in CREATE | ALTER TABLE**

**Cause:** User requested to generate default subpartition description(s) (possibly via SUBPARTITIONS) while at the same time specified <subpartition-description> clause which is illegal

**Action:** Remove one of offending clauses.

**ORA-14172: invalid ALTER TABLE EXCHANGE SUBPARTITION option**

**Cause:** Name of the table to be EXCHANGED has to be followed by [{INCLUDING | EXCLUDING} INDEX][{WITH | WITHOUT} VALIDATION]

**Action:** Ensure that no options besides INCLUDING INDEX or EXCLUDING INDEX are specified with ALTER TABLE EXCHANGE SUBPARTITION

**ORA-14173: illegal subpartition-extended table name syntax**

**Cause:** Subpartition to be accessed may only be specified using its name. User attempted to use a subpartition number or a bind variable.

**Action:** Modify statement to refer to a subpartition using its name

**ORA-14174: only a <parallel clause> may follow COALESCE PARTITION | SUBPARTITION**

**Cause:** ALTER TABLE COALESCE PARTITION | SUBPARTITION may be followed by an optional <parallel clause>. No partition/subpartition attributes may be specified

---

**Action:** Ensure that no partition/subpartition attribute was specified.

**ORA-14175: a subpartition maintenance operation may not be combined with other operations**

**Cause:** ALTER TABLE or ALTER INDEX statement attempted to combine a subpartition maintenance operation (e.g. MOVE SUBPARTITION) with some other operation (e.g. MODIFY PARTITION ADD SUBPARTITION or PCTFREE) which is illegal

**Action:** Ensure that a subpartition maintenance operation is the sole operation specified in ALTER TABLE or ALTER INDEX statement; operations other than those dealing with subpartitions, default attributes of partitioned tables/indices or specifying that a table be renamed (ALTER TABLE RENAME) may be combined at will

**ORA-14176: this attribute may not be specified for a hash partition**

**Cause:** An invalid option was encountered while parsing physical attributes of a partition of an object partitioned using the HASH method. The TABLESPACE option is the only valid option for such partitions.

**Action:** Remove the invalid option(s).

**ORA-14177: STORE-IN (Tablespace list) can only be specified for a LOCAL index on a Hash or Composite Range Hash table**

**Cause:** STORE-IN (Tablespace list) clause was used while creating a local index on a range/list/composite range list partitioned table

**Action:** Do not use the STORE\_IN (Tablespace list) clause while creating a local index on range/list/composite range list partitioned table

**ORA-14178: STORE IN (DEFAULT) clause is not supported for hash partitioned global indexes**

**Cause:** STORE IN (DEFAULT) is valid only for local indexes.

**Action:** a) Specify a tablespace list in place of DEFAULT, or b) Remove STORE IN clause and specify tablespaces individually for each index partition.

**ORA-14183: TABLESPACE DEFAULT can be specified only for Composite LOCAL index**

**Cause:** User attempted to specify TABLESPACE DEFAULT for a partition of a Range/System/Hash partitioned LOCAL index object, which is illegal.

**Action:** Replace TABLESPACE DEFAULT with TABLESPACE <ts\_name> or remove it.

**ORA-14185: incorrect physical attribute specified for this index partition**

**Cause:** unexpected option was encountered while parsing physical attributes of a local index partition; valid options for Range or Composite Range partitions are INITRANS, MAXTRANS, TABLESPACE, STORAGE, PCTFREE, PCTUSED, LOGGING and TABLESPACE; but only TABLESPACE may be specified for Hash partitions STORE IN () is also disallowed for all but Composite Range partitions

**Action:** remove invalid option(s) from the list of physical attributes of an index partition

**ORA-14186: number of sub-partitions of LOCAL index must equal that of the underlying table**

**Cause:** User attempted to create a LOCAL partitioned index with a number of sub-partitions which is different from that of the underlying table.

---

**Action:** Correct the CREATE INDEX statement to specify a correct number of sub-partitions

**ORA-14187: partitioning method for LOCAL index is inconsistent with that of the underlying table**

**Cause:** User attempted to create a LOCAL partitioned index that is not equi-partitioned with the underlying table. The partitioning types are mismatched.

**Action:** Correct the CREATE INDEX statement to ensure that the index partitioning method is consistent with that of the base table

**ORA-14188: sub-partitioning columns must form a subset of key columns of a UNIQUE index**

**Cause:** User attempted to create a UNIQUE partitioned index whose sub-partitioning columns do not form a subset of its key columns which is illegal

**Action:** If the user, indeed, desired to create an index whose subpartitioning columns do not form a subset of its key columns, it must be created as non-UNIQUE; otherwise, correct the list of key and/or subpartitioning columns to ensure that the index" subpartitioning columns form a subset of its key columns

**ORA-14189: this physical attribute may not be specified for an index subpartition**

**Cause:** unexpected option was encountered while parsing physical attributes of an index subpartition; TABLESPACE is the only valid option

**Action:** remove invalid option(s)

**ORA-14190: only one ENABLE/DISABLE ROW MOVEMENT clause can be specified**

**Cause:** One of three possible actions caused the error: 1) ENABLE ROW MOVEMENT was specified more than once. 2) DISABLE ROW MOVEMENT was specified more than once. 3) Both ENABLE ROW MOVEMENT and DISABLE ROW MOVEMENT were specified.

**Action:** Remove all but one of the ENABLE ROW MOVEMENT or DISABLE ROW MOVEMENT clauses; then, reissue the command.

**ORA-14191: ALLOCATE STORAGE may not be specified for Composite Range partitioned object**

**Cause:** User specified ALLOCATE STORAGE clause in ALTER TABLE/ALTER INDEX statement issued against a range-partitioned index which is illegal.

**Action:** Remove the illegal option. If it is desired to add storage to individual partitions, ALLOCATE STORAGE clause may be specified with ALTER TABLE/INDEX MODIFY PARTITION statement.

**ORA-14192: cannot modify physical index attributes of a Hash index partition**

**Cause:** User attempted to modify one of INITRANS/MAXTRANS/LOGGING/STORAGE clause for an index partition of a Hash partitioned index

**Action:** Remove the physical attributes one is trying to modify

**ORA-14193: invalid ALTER INDEX MODIFY SUBPARTITION option**

**Cause:** An option other than UNUSABLE, ALLOCATE EXTENT, DEALLOCATE UNUSED was specified in an ALTER INDEX MODIFY SUBPARTITION statement.

**Action:** Specify only legal options.

**ORA-14194: only one subpartition may be rebuilt**

---

**Cause:** ALTER INDEX REBUILD SUBPARTITION contained descriptions of more than one subpartition to be rebuilt

**Action:** Ensure that the statement describes exactly one subpartition to be rebuilt and that it does not contain any commas

**ORA-14195: ALLOCATE STORAGE may not be specified for RANGE or LIST partitioned object**

**Cause:** User specified ALLOCATE STORAGE clause in ALTER TABLE/ALTER INDEX statement issued against a range-partitioned index which is illegal.

**Action:** Remove the illegal option. If it is desired to add storage to individual partitions, ALLOCATE STORAGE clause may be specified with ALTER TABLE/INDEX MODIFY PARTITION statement.

**ORA-14196: Specified index cannot be used to enforce the constraint.**

**Cause:** The index specified to enforce the constraint is unsuitable for the purpose.

**Action:** Specify a suitable index or allow one to be built automatically.

**ORA-14201: specified subpartition bound is too long**

**Cause:** Length of a linear key representation of a high bound of a table subpartition being added or along which an existing table or index subpartition is being split exceeded the legal limit (4K).

**Action:** Change the representation of a subpartition high bound to bring its length within legal limit.

**ORA-14202: subpartition bound of subpartition "*string*" is too high**

**Cause:** High bound of the specified subpartition displayed in this message did not collate lower than that of the subsequent subpartition.

**Action:** Ensure that high bound of every subpartition (except for the last one) collates lower than that of a subsequent subpartition.

**ORA-14203: subpartition bound of subpartition "*string*" is too long**

**Cause:** Length of linear key representation of a high bound of the specified subpartition displayed in this message exceeded the legal limit (4K).

**Action:** Change the representation of a subpartition high bound to bring its length within legal limit.

**ORA-14204: subpartition bound of subpartition number *string* is too high**

**Cause:** High bound of the specified subpartition displayed in this message did not collate lower than that of the subsequent subpartition.

**Action:** Ensure that high bound of every subpartition (except for the last one) collates lower than that of a subsequent subpartition.

**ORA-14205: subpartition bound of subpartition number *string* is too long**

**Cause:** Length of linear key representation of a high bound of the specified subpartition displayed in this message exceeded the legal limit (4K).

**Action:** Change the representation of a subpartition high bound to bring its length within legal limit.

**ORA-14206: table is not subpartitioned by List or Range methods**

**Cause:** A subpartition maintenance operation such as ALTER TABLE DROP | SPLIT | MERGE SUBPARTITION can only be performed on List or Range subpartitioned objects

---

**Action:** Issue the command only against a List or Range subpartitioned object.

**ORA-14207: maximum number of subpartitioning columns is 16**

**Cause:** number of columns in a subpartitioning column list exceeded the legal limit of 16

**Action:** modify subpartitioning column list so that it consists of at most 16 columns

**ORA-14208: lower-bound subpartition must be specified first**

**Cause:** A higher-bound subpartition was specified before the lower-bound subpartition in ALTER TABLE MERGE SUBPARTITIONS statement.

**Action:** Specify lower-bound subpartition first and then higher-bound subpartition

**ORA-14209: subpartitions being merged are not adjacent**

**Cause:** Attempted to merge two subpartitions that are not adjacent to each other.

**Action:** Specify two subpartitions that are adjacent

**ORA-14210: cannot reuse lower-bound subpartition as resulting subpartition**

**Cause:** Attempted to reuse the lower-bound subpartition of the subpartitions being merged.

**Action:** Specify new resulting subpartition name or reuse the higher-bound subpartition only

**ORA-14211: subpartition bound must collate higher than that of the last subpartition**

**Cause:** Subpartition bound specified in ALTER TABLE MODIFY PARTITION ADD SUBPARTITION statement did not collate higher than that of the partition's last subpartition.

**Action:** Ensure that the subpartition bound of the subpartition to be added collates higher than that of the table partition's last subpartition.

**ORA-14212: subpartition cannot be split along the specified high bound**

**Cause:** Attempted to split a subpartition along a bound which either collates higher than that of the subpartition to be split or lower than that of a subpartition immediately preceding the one to be split

**Action:** Ensure that the bound along which a subpartition is to be split collates lower than that of the subpartition to be split and higher than that of a subpartition immediately preceding the one to be split

**ORA-14213: VALUES LESS THAN or AT clause cannot be used for List subpartitioned tables**

**Cause:** VALUES LESS THAN or AT clause was used for List subpartitioned tables

**Action:** Use VALUES (<value list>) clause for List subpartitioned tables

**ORA-14214: VALUES (<value list>) cannot be used for Range subpartitioned tables**

**Cause:** VALUES (<value list>) clause was used for Range subpartitioned tables

**Action:** Use VALUES LESS THAN or AT clause with Range subpartitioned tables

**ORA-14215: subpartition bound list contains too many elements**

**Cause:** Subpartition bound list contained more elements than there are subpartitioning columns

---

**Action:** Ensure that the number of elements in subpartition bound list is equal to the number of subpartitioning columns of the table or index

**ORA-14216: subpartition bound list contains too few elements**

**Cause:** Subpartition bound list contained fewer elements than there are subpartitioning columns

**Action:** Ensure that the number of elements in partition bound list is equal to the number of partitioning columns of the table or index

**ORA-14217: VALUES (<value list>) clause expected**

**Cause:** VALUES (<value list>) clause was not specified for the list subpartition being added

**Action:** Specify a VALUES (<value list>) clause

**ORA-14251: Specified subpartition does not exist**

**Cause:** Subpartition not found for the object.

**Action:** Retry with correct subpartition name.

**ORA-14252: invalid ALTER TABLE MODIFY PARTITION option for a Hash partition**

**Cause:** Only ALLOCATE EXTENT and DEALLOCATE UNUSED may be specified in ALTER TABLE MODIFY PARTITION for a Hash partition.

**Action:** Specify only legal options.

**ORA-14253: table is not partitioned by Composite Range method**

**Cause:** The table in a subpartition maintenance operation (ALTER TABLE EXCHANGE/MODIFY/MOVE/TRUNCATE SUBPARTITION, or ALTER TABLE MODIFY PARTITION ADD/COALESCE SUBPARTITION command must be partitioned by Composite Range method

**Action:** Ensure that the table is partitioned by Composite Range method

**ORA-14254: cannot specify ALLOCATE STORAGE for a (Composite) Range or List partitioned table**

**Cause:** User specified ALLOCATE STORAGE clause in ALTER TABLE statement issued against a Range or Composite Range partitioned table which is illegal.

**Action:** Remove the illegal option. If it is desired to add storage to individual partitions/subpartitions, ALLOCATE STORAGE clause may be specified with ALTER TABLE MODIFY PARTITION/SUBPARTITION statement. If it is desired to add storage to all subpartitions of a Composite partition, ALLOCATE STORAGE clause may be specified with ALTER TABLE MODIFY PARTITION.

**ORA-14255: table is not partitioned by Range, List, Composite Range or Composite List method**

**Cause:** The table was not partitioned by Range, List, Composite Range or Composite List method.

**Action:** ALTER TABLE SPLIT/DROP PARTITION or ALTER TABLE MERGE PARTITIONS command is only valid for table partitioned by Range, List, Composite Range or Composite List methods. Ensure that the table is partitioned appropriately.

**ORA-14256: invalid resulting partition description(s)**

**Cause:** User specified STORE-IN clause, SUBPARTITIONS clause, and/or <subpartition-description> clause in partition description(s) in ALTER TABLE

---

SPLIT PARTITION or ALTER TABLE MERGE PARTITIONS statement but the table in the maintenance operation is not a Composite Range partitioned table which is illegal

**Action:** Remove invalid clause(s), or ensure that the table is partitioned by Composite Range method

**ORA-14257: cannot move partition other than a Range, List, System, or Hash partition**

**Cause:** User attempt to move a partition that is not a Range,List,System, or Hash partition which is illegal

**Action:** Specify MOVE PARTITION for a Range,List,System, or Hash partition only

**ORA-14258: invalid partition description**

**Cause:** User specified STORE-IN clause, SUBPARTITIONS clause, and/or <subpartition-description> clause in ALTER TABLE ADD PARTITION statement but the table in the maintenance operation is not a Composite Range/Hash partitioned table which is illegal

**Action:** Remove invalid clause(s), or ensure that the table is partitioned by Composite Range/Hash method

**ORA-14259: table is not partitioned by Hash method**

**Cause:** ALTER TABLE COALESCE PARTITION is only valid for table partitioned by Hash method

**Action:** Specify valid ALTER TABLE option for the table, or ensure that the table is partitioned by Hash method

**ORA-14260: incorrect physical attribute specified for this partition**

**Cause:** User specified INITRANS, MAXTRANS, STORAGE, PCTFREE, PCTUSED, and/or [NO]LOGGING option to a Hash partition via ALTER TABLE ADD/MOVE PARTITION command which is illegal. Only TABLESPACE may be specified.

**Action:** Remove invalid option(s)

**ORA-14261: partition bound may not be specified when adding this Hash partition**

**Cause:** User specified VALUES LESS THAN clause when adding a partition (via ALTER TABLE ADD PARTITION) to a Hash partitioned table which is illegal

**Action:** Remove VALUES LESS THAN clause from the description of partition being added

**ORA-14262: new subpartition name must differ from the old subpartition name**

**Cause:** User entered ALTER TABLE/INDEX RENAME SUBPARTITION specifying <new-subpartition-name> which is identical to the name of the subpartition being renamed

**Action:** Ensure that the new subpartition name is different from the name of any (including the one being renamed) existing subpartition of a given table or index

**ORA-14263: new subpartition name must differ from that of any other subpartition of the object**

**Cause:** User entered ALTER TABLE/INDEX RENAME SUBPARTITION specifying <new-subpartition-name> which is identical to the name of some existing subpartition of the object

---

**Action:** Ensure that the new subpartition name is different from the name of any (including the one being renamed) existing subpartition of a given table or index

**ORA-14264: table is not partitioned by Composite Range method**

**Cause:** The table in the MODIFY DEFAULT ATTRIBUTES FOR PARTITION operation is partitioned by method other than Composite method

**Action:** Ensure that the table is partitioned by Composite method

**ORA-14265: data type or length of a table subpartitioning column may not be changed**

**Cause:** User issued ALTER TABLE statement attempting to modify data type and/or length of a column used to subpartition the table named in ALTER TABLE statement, which is illegal

**Action:** Avoid modifying data type and/or length of table subpartitioning column(s)

**ORA-14266: data type or length of an index subpartitioning column may not be changed**

**Cause:** User issued ALTER TABLE statement attempting to modify data type and/or length of a column used to subpartition some index defined on the table named in ALTER TABLE statement, which is illegal

**Action:** Avoid modifying data type and/or length of index subpartitioning column(s)

**ORA-14267: cannot specify PARALLEL clause when adding a (Composite) Range partition**

**Cause:** User issued ALTER TABLE ADD PARTITION statement with PARALLEL clause for a Range or Composite Range partition which is illegal

**Action:** Remove the PARALLEL clause.

**ORA-14268: subpartition "*string*" of the partition resides in offlined tablespace**

**Cause:** User attempted an operation requiring that we access data in a subpartition which resides in a tablespace which was taken offline. Such operations include trying to drop a tablespace of a table which has indices defined on it or is referenced by a constraint.

**Action:** Bring tablespace online before attempting the operation.

**ORA-14269: cannot exchange partition other than a Range,List,System, or Hash partition**

**Cause:** User attempt to exchange a partition with a non-partitioned table but the specified partition is not a Range,List,System, or Hash partition which is illegal

**Action:** Specify EXCHANGE PARTITION for a Range,List,System, or Hash partition only

**ORA-14270: table is not partitioned by Range, System, Hash or List method**

**Cause:** The table in ALTER TABLE MODIFY PARTITION { UNUSABLE LOCAL INDEXES | REBUILD UNUSABLE LOCAL INDEXES } statement is not partitioned by Range,List,System, or Hash method which is illegal.

**Action:** Ensure that the table is partitioned by Range,List,System, or Hash method

**ORA-14271: table is not partitioned by Composite Range method**

---

**Cause:** The table in ALTER TABLE MODIFY SUBPARTITION { UNUSABLE LOCAL INDEXES | REBUILD UNUSABLE LOCAL INDEXES } statement is not partitioned by Composite Range method which is illegal.

**Action:** Ensure that the table is partitioned by Composite Range method

**ORA-14272: only a partition with higher bound can be reused**

**Cause:** User attempt to reuse a lower-bound partition in ALTER TABLE MERGE PARTITIONS statement as the resulting partition which is illegal.

**Action:** Use the higher-bound partition to be the resulting partition or specify a new partition name

**ORA-14273: lower-bound partition must be specified first**

**Cause:** User specified higher-bound partition before lower-bound partition in ALTER TABLE MERGE PARTITIONS statement which is illegal

**Action:** Specify lower-bound partition then higher-bound partition

**ORA-14274: partitions being merged are not adjacent**

**Cause:** User attempt to merge two partitions that are not adjacent to each other which is illegal

**Action:** Specify two partitions that are adjacent

**ORA-14275: cannot reuse lower-bound partition as resulting partition**

**Cause:** User attempt to reuse lower-bound partition of the partitions being merged which is illegal

**Action:** Specify new resulting partition name or reuse the higher-bound partition only

**ORA-14276: EXCHANGE SUBPARTITION requires a non-partitioned, non-clustered table**

**Cause:** The table in the ALTER TABLE EXCHANGE SUBPARTITION operation is either clustered or partitioned

**Action:** Ensure that the table with which the subpartition is being exchanged for is not partitioned or clustered.

**ORA-14277: tables in EXCHANGE SUBPARTITION must have the same number of columns**

**Cause:** The two tables specified in the ALTER TABLE EXCHANGE SUBPARTITION have different number of columns

**Action:** Ensure that the two tables have the same number of columns with the same type and size.

**ORA-14278: column type or size mismatch in EXCHANGE SUBPARTITION**

**Cause:** The corresponding columns in the tables specified in the ALTER TABLE EXCHANGE SUBPARTITION are of different type or size

**Action:** Ensure that the two tables have the same number of columns with the same type and size.

**ORA-14279: index mismatch for tables in ALTER TABLE EXCHANGE SUBPARTITION**

**Cause:** The two tables specified in the ALTER TABLE EXCHANGE SUBPARTITION have indexes which are not equivalent

---

**Action:** Ensure that the indexes for the two tables have indexes which follow this rule For every non partitioned index for the non partitioned table, there has to be an identical LOCAL index on the partitioned table and vice versa. By identical, the column position, type and size have to be the same.

**ORA-14280: all rows in table do not qualify for specified subpartition**

**Cause:** There is at least one row in the non partitioned table which does not qualify for the subpartition specified in the ALTER TABLE EXCHANGE SUBPARTITION

**Action:** Ensure that all the rows in the segment qualify for the subpartition. Perform the alter table operation with the NO CHECKING option. Run ANALYZE table VALIDATE on that subpartition to find out the invalid rows and delete them.

**ORA-14281: CHECK constraint mismatch in ALTER TABLE EXCHANGE SUBPARTITION**

**Cause:** The corresponding columns in the tables specified in the ALTER TABLE EXCHANGE SUBPARTITION statement have CHECK constraint defined on them.

**Action:** Ensure that the two tables do not have CHECK constraint defined on any column

**ORA-14282: FOREIGN KEY constraint mismatch in ALTER TABLE EXCHANGE SUBPARTITION**

**Cause:** The corresponding columns in the tables specified in the ALTER TABLE EXCHANGE SUBPARTITION statement have different FOREIGN KEY constraints.

**Action:** Ensure that the two tables do not have FOREIGN KEY constraints defined on any column or disable all FOREIGN KEY constraints on both tables. Then retry the operation.

**ORA-14283: UNIQUE constraints mismatch in ALTER TABLE EXCHANGE SUBPARTITION**

**Cause:** One of the tables named in the ALTER TABLE EXCHANGE SUBPARTITION command has a UNIQUE constraint for which no matching (vis-a-vis key columns) constraint is defined on the other table or a matching constraint is defined on the other table, but it differs from that defined on the first table vis-a-vis being enabled and/or validated.

**Action:** Ensure that for every UNIQUE constraint defined on one of the tables named in the ALTER TABLE EXCHANGE SUBPARTITION statement there is a matching (vis-a-vis key columns and being enabled and/or validated) UNIQUE constraint defined on the other table. If UNIQUE constraints are enabled, UNIQUE constraints on the partitioned table should be enforced using local indexes.

**ORA-14284: one or more of table's subpartitions reside in a read-only tablespace**

**Cause:** User issued ALTER TABLE statement attempting to modify an existing VARCHAR2 (or VARCHAR) column to be of type CHAR (or CHARACTER), increase length of an existing CHAR (or CHARACTER) column, or add a column with user-specified default for a table one or more subpartitions of which reside in read-only tablespaces, which is illegal

**Action:** Avoid performing aforementioned operations on a partitioned table one or more subpartitions of which reside in read-only tablespaces

**ORA-14285: cannot COALESCE the only partition of this hash partitioned table or index**

---

**Cause:** A COALESCE PARTITION command was issued when there is only one partition in the table or index, which is illegal

**Action:** Ensure that there is at least one partition. Drop the table or index to remove all partitions.

**ORA-14286: cannot COALESCE the only subpartition of this table partition**

**Cause:** A COALESCE SUBPARTITION command was issued when there is only one subpartition in the partition which is illegal

**Action:** Ensure that there is at least one subpartition. Drop partition to remove all subpartitions.

**ORA-14287: cannot REBUILD a partition of a Composite Range partitioned index**

**Cause:** User attempted to rebuild a partition of a Composite Range partitioned index which is illegal

**Action:** REBUILD the index partition, a subpartition at a time

**ORA-14288: index is not partitioned by Composite Range method**

**Cause:** The index in a partition or subpartition maintenance operation (ALTER INDEX MODIFY [SUBPARTITION | DEFAULT ATTRIBUTES FOR PARTITION] or ALTER INDEX REBUILD SUBPARTITION command must be partitioned by Composite Range method

**Action:** None

**ORA-14289: cannot make local index partition of Composite Range partitioned table unusable**

**Cause:** User attempted to rebuild a partition of a Composite Range partitioned index which is illegal

**Action:** None

**ORA-14290: PRIMARY KEY constraint mismatch in ALTER TABLE EXCHANGE [SUB]PARTITION**

**Cause:** The corresponding columns in the tables specified in the ALTER TABLE EXCHANGE [SUB]PARTITION statement have different PRIMARY KEY constraints.

**Action:** Ensure that the two tables do not have PRIMARY KEY constraints defined on any column or disable all PRIMARY KEY constraints on both tables. Then retry the operation.

**ORA-14291: cannot EXCHANGE a composite partition with a non-partitioned table**

**Cause:** A composite partition can only be exchanged with a partitioned table.

**Action:** Ensure that the table being exchanged is partitioned or that the partition being exchanged is non-composite.

**ORA-14292: Partitioning type of table must match subpartitioning type of composite partition**

**Cause:** When exchanging a partitioned table with a composite partition the partitioning type of the table must match the subpartitioning type of the composite partition.

**Action:** Ensure that the partitioning type of partitioned table is the same as the subpartitioning type of the composite partition.

**ORA-14293: Number of partitioning columns does not match number of subpartitioning columns**

---

**Cause:** When exchanging a partitioned table with a composite partition the number of partitioning columns of the table must match the number of subpartitioning columns of the composite partition.

**Action:** Ensure that the number of partitioning columns in the partitioned table is the same as the number of subpartitioning columns in the the composite partition.

**ORA-14294: Number of partitions does not match number of subpartitions**

**Cause:** When exchanging a partitioned table with a composite partition the number of partitions of the table must match the number of subpartitions of the composite partition.

**Action:** Ensure that the number of partitions in the partitioned table is the same as the number of subpartitions in the the composite partition.

**ORA-14295: column type or size mismatch between partitioning columns and subpartitioning columns**

**Cause:** When exchanging a partitioned table with a composite partition the type and size of the partitioning columns of the table must match the type and size of the subpartitioning columns of the composite partition.

**Action:** Ensure that the type and size of the partitioning columns of the partitioned is the same as the type and size of the subpartitioning columns of the composite partition.

**ORA-14296: Table block size mismatch in ALTER TABLE EXCHANGE [SUB]PARTITION**

**Cause:** The block sizes of the two tables specified in the ALTER TABLE EXCHANGE [SUB]PARTITION statement are different. For index organized tables, either the block sizes of the index or the overflow (or both) do not match.

**Action:** Ensure that the block sizes of the tables involved in the ALTER TABLE EXCHANGE [SUB]PARTITION statement are the same. For index organized tables, ensure that the block sizes of both the index and the overflow of the two tables match.

**ORA-14297: Index block size mismatch in ALTER TABLE EXCHANGE [SUB]PARTITION**

**Cause:** The block sizes of a pair of indexes being exchanged in the ALTER TABLE EXCHANGE [SUB]PARTITION statement are different.

**Action:** Ensure that the block sizes of the corresponding pairs of indexes that need to be exchanged in the ALTER TABLE EXCHANGE [SUB]PARTITION statement are the same.

**ORA-14298: LOB column block size mismatch in ALTER TABLE EXCHANGE [SUB]PARTITION**

**Cause:** The block sizes of a pair of corresponding LOB columns of the two tables specified in the ALTER TABLE EXCHANGE [SUB]PARTITION statement are different.

**Action:** Ensure that the block sizes of corresponding pairs of LOB columns of the tables involved in the ALTER TABLE EXCHANGE [SUB]PARTITION statement are the same.

**ORA-14299: total number of partitions/subpartitions exceeds the maximum limit**

**Cause:** The total number of combined fragments specified in partitions /subpartitions exceeds 1048575.

**Action:** Reissue the statement with fewer number of fragments

---

**ORA-14301: table-level attributes must be specified before partition-level attributes**

**Cause:** While processing an ALTER TABLE ADD COLUMN statement, table-level attributes of LOB columns were encountered after processing partition-level attributes of LOB columns or while processing CREATE TABLE statement, table-level attributes of LOB columns were encountered after processing partition descriptions.

**Action:** Modify the SQL statement to specify table-level attributes prior to partition-level attributes or partition descriptions; then retry the statement.

**ORA-14302: only one list of added-LOB-storage-clauses can be specified in a statement**

**Cause:** While parsing an ALTER TABLE ADD COLUMN statement, one list of added-LOB-storage-clauses was parsed when another list of added-LOB-storage-clauses was encountered. There cannot be more than one list of added-LOB-storage-clauses in a statement; all added-LOB-storage-clauses must be combined into one list.

**Action:** Combine all of the lists of added-LOB-storage-clauses into one list and retry the statement.

**ORA-14303: partitions or subpartitions are not in the right order**

**Cause:** User attempted to rebuild a partition of a Composite Range partitioned index which is illegal

**Action:** Re-order the partitions or subpartitions in the added LOB storage clause by partition or subpartition DDL order, and retry the statement.

**ORA-14304: List partitioning method expects a single partitioning column**

**Cause:** number of columns in a partitioning column list exceeded the legal limit of 1 for List partitioned objects

**Action:** modify partitioning column list so that it consists of at most 1 column

**ORA-14305: List value "string" specified twice in partition "string"**

**Cause:** A list value cannot be specified more than once

**Action:** Remove one of the specifications of the value

**ORA-14306: List value "string" specified twice in partitions "string", "string"**

**Cause:** A list value cannot be specified more than once

**Action:** Remove one of the specifications of the value

**ORA-14307: partition contains too many list values**

**Cause:** Partition list contains more than 524288 list values

**Action:** Reduce the number of values to not exceed 524288 values

**ORA-14308: partition bound element must be one of: string, datetime or interval literal, number, or NULL**

**Cause:** Partition bound list contained an element of invalid type (i.e. not a number, non-empty string, datetime or interval literal, or NULL)

**Action:** Ensure that all elements of partition bound list are of valid type

**ORA-14309: Total count of list values exceeds maximum allowed**

**Cause:** Partitioned object contains more than 524288 list values

**Action:** Reduce number of values to less than 524288.

- 
- ORA-14310: VALUES LESS THAN or AT clause cannot be used with List partitioned tables**  
**Cause:** VALUES LESS THAN or AT clause can be used only with Range partitioned tables  
**Action:** Use VALUES (<value list>) clause with List partitioned tables
- ORA-14311: Expecting VALUES LESS THAN or AT clause**  
**Cause:** VALUES (<value list>) clause can be used only with List partitioned tables  
**Action:** Use VALUES LESS THAN clause with Range partitioned tables
- ORA-14312: Value *string* already exists in partition *string***  
**Cause:** One of the list values in the ADD PARTITION or ADD VALUES statement already exists in another partition  
**Action:** Remove the duplicate value from the statement and try again
- ORA-14313: Value *string* does not exist in partition *string***  
**Cause:** One of the list values in the SPLIT PARTITION or DROP VALUES statement does not exist in the partition  
**Action:** Remove the value from the statement and try again
- ORA-14314: resulting List partition(s) must contain atleast 1 value**  
**Cause:** After a SPLIT/DROP VALUE of a list partition, each resulting partition(as applicable) must contain at least 1 value  
**Action:** Ensure that each of the resulting partitions contains atleast 1 value
- ORA-14315: cannot merge a partition with itself**  
**Cause:** The same partition name was specified twice for the merge operation  
**Action:** Re-submit operation with 2 distinct partition names
- ORA-14316: table is not partitioned by List method**  
**Cause:** ALTER TABLE ADD | DROP VALUES can only be performed on List partitioned objects  
**Action:** Re-issue the command against a List partitioned object.
- ORA-14317: cannot drop the last value of partition**  
**Cause:** ALTER TABLE DROP VALUES tried to drop the last value of the partition  
**Action:** Cannot execute the command, unless two or more values exist for partition
- ORA-14318: DEFAULT partition must be last partition specified**  
**Cause:** A partition description follows the one describing the default partition  
**Action:** Ensure that the DEFAULT partition is the last partition description
- ORA-14319: DEFAULT cannot be specified with other values**  
**Cause:** DEFAULT keyword has been specified along with other values when specifying the values for a list partition  
**Action:** Ensure that if DEFAULT is specified, it is the only value specified
- ORA-14320: DEFAULT cannot be specified for ADD/DROP VALUES or SPLIT**  
**Cause:** DEFAULT keyword has been specified when doing a ADD VALUES or DROP VALUES or SPLIT partition or subpartition.

---

**Action:** Ensure that DEFAULT is not specified for ADD/DROP VALUES or SPLIT partition/subpartition operation.

**ORA-14321: cannot add/drop values to DEFAULT partition**

**Cause:** A ADD/DROP VALUES operation is being done on the default partition

**Action:** Ensure that ADD/DROP VALUES is not done on the DEFAULT partition

**ORA-14322: DEFAULT partition already exists**

**Cause:** A partition already exists with DEFAULT value

**Action:** None

**ORA-14323: cannot add partition when DEFAULT partition exists**

**Cause:** An ADD PARTITION operation cannot be executed when a partition with DEFAULT values exists

**Action:** Issue a SPLIT of the DEFAULT partition instead

**ORA-14324: values being added already exist in DEFAULT partition**

**Cause:** An ADD VALUE operation cannot be executed because the values being added exist in the DEFAULT partition

**Action:** Issue a SPLIT of the DEFAULT partition and then MERGE the split partition into the partition to which values need to be added

**ORA-14325: only LOCAL indexes may be specified in this clause**

**Cause:** A global index has been specified in the UPDATE INDEXES (..) clause

**Action:** Only specify local indexes when using this clause

**ORA-14326: Primary index on an IOT, DOMAIN and LOB indexes may not be specified in the UPDATE INDEXES clause**

**Cause:** A Primary index on an IOT, DOMAIN or LOB index has been specified in the UPDATE INDEXES (..) clause

**Action:** Do not specify any of these indexes when using this clause

**ORA-14327: Some index [sub]partitions could not be rebuilt**

**Cause:** The first phase (partition DDL and index [sub]partition placement) completed successfully. During the second phase, some of the index [sub]partitions could not be rebuilt.

**Action:** .

**ORA-14329: domain index [sub]partitions cannot be renamed in this clause**

**Cause:** The user tried to rename a domain index [sub]partition in the UPDATE INDEXES clause of a ALTER TABLE MOVE [SUB]PARTITION operation. This is not allowed.

**Action:** Leave the name blank or use the same name.

**ORA-14330: Cannot drop a partition of a global hash-partitioned index**

**Cause:** An attempt was made to drop a partition of a hash-partitioned global index.

**Action:** Try COALESCE PARTITION instead.

**ORA-14400: inserted partition key does not map to any partition**

**Cause:** An attempt was made to insert a record into, a Range or Composite Range object, with a concatenated partition key that is beyond the concatenated partition

---

bound list of the last partition -OR- An attempt was made to insert a record into a List object with a partition key that did not match the literal values specified for any of the partitions.

**Action:** Do not insert the key. Or, add a partition capable of accepting the key, Or add values matching the key to a partition specification

**ORA-14401: inserted partition key is outside specified partition**

**Cause:** the concatenated partition key of an inserted record is outside the ranges of the two concatenated partition bound lists that delimit the partition named in the INSERT statement

**Action:** do not insert the key or insert it in another partition

**ORA-14402: updating partition key column would cause a partition change**

**Cause:** An UPDATE statement attempted to change the value of a partition key column causing migration of the row to another partition

**Action:** Do not attempt to update a partition key column or make sure that the new partition key is within the range containing the old partition key.

**ORA-14403: cursor invalidation detected after getting DML partition lock**

**Cause:** cursor invalidation was detected after acquiring a partition lock during an INSERT, UPDATE, DELETE statement. This error is never returned to user, because is caught in opiexe() and the DML statement is retried.

**Action:** nothing to be done, error should never be returned to user

**ORA-14404: partitioned table contains partitions in a different tablespace**

**Cause:** An attempt was made to drop a tablespace which contains tables whose partitions are not completely contained in this tablespace

**Action:** find tables with partitions which span the tablespace being dropped and some other tablespace(s). Drop these tables or move partitions to a different tablespace

**ORA-14405: partitioned index contains partitions in a different tablespace**

**Cause:** An attempt was made to drop a tablespace which contains indexes whose partitions are not completely contained in this tablespace, and which are defined on the tables which are completely contained in this tablespace.

**Action:** find indexes with partitions which span the tablespace being dropped and some other tablespace(s). Drop these indexes, or move the index partitions to a different tablespace, or find the tables on which the indexes are defined, and drop (or move) them.

**ORA-14406: updated partition key is beyond highest legal partition key**

**Cause:** At attempt was made to update a record with a concatenated partition key that is beyond the concatenated partition bound list of the last partition.

**Action:** Do not update the key. Or, add a partition capable of accepting the key.

**ORA-14407: partitioned table contains subpartitions in a different tablespace**

**Cause:** An attempt was made to drop a tablespace which contains tables whose subpartitions are not completely contained in this tablespace

**Action:** find tables with subpartitions which span the tablespace being dropped and some other tablespace(s). Drop these tables or move subpartitions to a different tablespace

**ORA-14408: partitioned index contains subpartitions in a different tablespace**

---

**Cause:** An attempt was made to drop a tablespace which contains indexes whose subpartitions are not completely contained in this tablespace, and which are defined on the tables which are completely contained in this tablespace.

**Action:** find indexes with subpartitions which span the tablespace being dropped and some other tablespace(s). Drop these indexes, or move the index partitions to a different tablespace, or find the tables on which the indexes are defined, and drop (or move) them.

**ORA-14409: inserted partition key is outside specified subpartition**

**Cause:** the concatenated partition key of an inserted record is outside the ranges of the two concatenated subpartition bound lists that delimit the subpartition named in the INSERT statement

**Action:** do not insert the key or insert it in another subpartition

**ORA-14411: The DDL cannot be run concurrently with other DDLs**

**Cause:** Another conflicting DDL was already running.

**Action:** Retry after the conflicting DDL has finished.

**ORA-14450: attempt to access a transactional temp table already in use**

**Cause:** An attempt was made to access a transactional temporary table that has been already populated by a concurrent transaction of the same session.

**Action:** do not attempt to access the temporary table until the concurrent transaction has committed or aborted.

**ORA-14451: unsupported feature with temporary table**

**Cause:** An attempt was made to create an IOT, specify physical attributes, specify partition or parallel clause.

**Action:** do not do that.

**ORA-14452: attempt to create, alter or drop an index on temporary table already in use**

**Cause:** An attempt was made to create, alter or drop an index on temporary table which is already in use.

**Action:** All the sessions using the session-specific temporary table have to truncate table and all the transactions using transaction specific temporary table have to end their transactions.

**ORA-14453: attempt to use a LOB of a temporary table, whose data has already been purged**

**Cause:** An attempt was made to use LOB from a temporary table whose data has been dropped either because table was transaction-specific and transaction has committed or aborted, table was truncated or session which created this LOB has ended.

**Action:** This LOB locator is invalid and cannot be used.

**ORA-14454: attempt to reference temporary table in a referential integrity constraint**

**Cause:** An attempt was made to reference temporary table in a referential integrity constraint. This is not supported.

**Action:** Use triggers.

**ORA-14455: attempt to create referential integrity constraint on temporary table**

**Cause:** An attempt was made to create a referential integrity constraint on a temporary table. This is not supported.

---

**Action:** Use triggers.

**ORA-14456: cannot rebuild index on a temporary table**

**Cause:** An attempt was made to rebuild an index on a temp table.

**Action:** The index data is anyway lost at end of session/transaction.

**ORA-14457: disallowed Nested Table column in a Temporary table**

**Cause:** An attempt made to create a Nested Table column in a temporary table. This is not supported.

**Action:** Do not specify these datatypes for temporary tables.

**ORA-14458: attempt was made to create a temporary table with INDEX organization**

**Cause:** An attempt was made to create an Index Organized Temporary table. This is not supported.

**Action:** Create the table with HEAP organization and the primary key.

**ORA-14459: missing GLOBAL keyword**

**Cause:** keyword GLOBAL is missing while creating temporary table.

**Action:** supply keyword.

**ORA-14460: only one COMPRESS or NOCOMPRESS clause may be specified**

**Cause:** COMPRESS was specified more than once, NOCOMPRESS was specified more than once, or both COMPRESS and NOCOMPRESS were specified.

**Action:** specify each desired COMPRESS or NOCOMPRESS clause option only once.

**ORA-14461: cannot REUSE STORAGE on a temporary table TRUNCATE**

**Cause:** REUSE STORAGE was specified with TRUNCATE on a temporary table. This is unsupported as it is meaningless.

**Action:** Specify DROP STORAGE instead (which is the default).

**ORA-14462: cannot TRUNCATE temporary table in an autonomous transaction which is already in use by the parent transaction**

**Cause:** An attempt was made to TRUNCATE a temporary table in an autonomous transaction which is already in use by the parent transaction.

**Action:** Make sure the temporary table is not being used by the parent transaction before trying to TRUNCATE in an autonomous transaction.

**ORA-14463: OPERATIONS keyword not specified**

**Cause:** OPERATIONS keyword was not specified in the Compression Clause.

**Action:** specify OPERATIONS in the Compression Clause.

**ORA-14464: Compression Type not specified**

**Cause:** Compression Type was not specified in the Compression Clause.

**Action:** specify Compression Type in the Compression Clause.

**ORA-14500: LOCAL option not valid without partition name**

**Cause:** Incorrect syntax specified

**Action:** Retry the command

**ORA-14501: object is not partitioned**

**Cause:** Table or index is not partitioned. Invalid syntax.

---

**Action:** Retry the command with correct syntax.

**ORA-14503: only one partition name can be specified**

**Cause:** More than one partition name has been specified for analyze

**Action:** Specify one partition name.

**ORA-14504: syntax not supported for analyze**

**Cause:** A partition/subpartition number or bind variable has been used

**Action:** Specify a valid partition/subpartition name.

**ORA-14505: LOCAL option valid only for partitioned indexes**

**Cause:** Incorrect syntax specified

**Action:** Retry the command

**ORA-14506: LOCAL option required for partitioned indexes**

**Cause:** Incorrect syntax specified

**Action:** Retry the command

**ORA-14507: partition corrupt. all rows do not fall within partition bounds**

**Cause:** The partition contains rows which should really be in some other partition. Possibly due to an exchange partition without validation

**Action:** Delete rows in partition which do not qualify

**ORA-14508: specified VALIDATE INTO table not found**

**Cause:** The specified table either does not exist or user does not have the proper privileges.

**Action:** Specify the correct table to use.

**ORA-14509: specified VALIDATE INTO table form incorrect**

**Cause:** The specified table does not have the proper field definitions.

**Action:** Specify the correct table to use. See utlvalid.sql for more information.

**ORA-14510: can specify VALIDATE INTO clause only for partitioned tables**

**Cause:** The VALIDATE INTO has been specified for a non partitioned table or cluster or index.

**Action:** Use syntax correctly

**ORA-14511: cannot perform operation on a partitioned object**

**Cause:** An attempt was made to perform an operation that is not allowed on partitioned tables or indexes.

**Action:** Retry the command with correct syntax.

**ORA-14512: cannot perform operation on a clustered object**

**Cause:** An attempt was made to perform an operation that is not allowed on clustered tables or indexes.

**Action:** Retry the command with correct syntax.

**ORA-14513: partitioning column may not be of object datatype**

**Cause:** Partitioning column specified by the user was an object datatype (object, REF, nested table, array) which is illegal.

**Action:** Ensure that no partitioning column is an object datatype.

---

**ORA-14514: LOCAL option not valid without subpartition name**

**Cause:** Incorrect syntax specified

**Action:** Retry the command

**ORA-14515: only one subpartition name can be specified**

**Cause:** More than one subpartition name has been specified for analyze

**Action:** Specify one subpartition name.

**ORA-14516: subpartition corrupt. all rows do not fall within subpartition bounds**

**Cause:** The subpartition contains rows which should really be in some other subpartition. Possibly due to an exchange subpartition without validation

**Action:** Delete rows in subpartition which do not qualify

**ORA-14517: subpartition of index "*string.string*" is in unusable state**

**Cause:** An attempt has been made to access an index subpartition that has been marked unusable by a direct load or by a DDL operation

**Action:** REBUILD the unusable index subpartition

**ORA-14518: partition contains rows corresponding to values being dropped**

**Cause:** table partition contains rows for the values being dropped.

**Action:** DELETE all rows for the values being dropped and reissue statement

**ORA-14519: Conflicting tablespace block sizes for *string string*: Tablespace *string* block size *string* [*string*] conflicts with previously specified/implied tablespace *string* block size *string* [*string*]**

**Cause:** An attempt has been made to create a partitioned object in a manner that would require the partitioned object to span tablespaces of more than one block size.

**Action:** Ensure that all tablespaces specified in the DDL command for the given object as well as any tablespaces implicitly assigned to partitions or subpartitions of the object being created are all of the same block size.

**ORA-14520: Tablespace *string* block size [*string*] does not match existing object block size [*string*]**

**Cause:** A DDL statement was issued that would require a tablespace of a block size different from the block size of the specified partitioned object to be assigned either: (1) As the object's default tablespace (or one of the object's partition-level default tablespaces, if composite partitioning is being used) OR (2) To one of the object's partitions/subpartitions.

**Action:** Specify a tablespace of the same block size as the partitioned object.

**ORA-14521: Default tablespace *string* block size [*string*] for *string string* does not match existing *string* block size [*string*]**

**Cause:** A DDL statement was issued that would require creation of a new partition/subpartition in the object-level default tablespace of an existing partitioned object. However, the object-level default tablespace block size does not match the block size of the partitioned object.

**Action:** Either (1) Modify the default tablespace of the partitioned object to a tablespace of the same block size as the object and then retry the DDL command, OR (2) Ensure that tablespaces of the correct block size are specified for all new partitions/subpartitions being created.

---

**ORA-14522: Partition-level default tablespace *string* block size [*string*] for *string* *string* does not match existing *string* block size [*string*]**

**Cause:** A DDL statement was issued that would require creation of a new subpartition in one of the partition-level default tablespaces of an existing composite partitioned object. However, the partition-level default tablespace block size does not match the block size of the partitioned object.

**Action:** Either (1) Modify the partition-level default tablespace of the appropriate partition of the partitioned object to a tablespace of the same block size as the object and then retry the DDL command, OR (2) Ensure that tablespaces of the correct block size are specified for all new subpartitions being created.

**ORA-14523: Cannot co-locate [sub]partition of *string* *string* with table [sub]partition because *string* block size [*string*] does not match table block size [*string*]**

**Cause:** A DDL statement was issued that would require a partition/subpartition of a local index/LOB column to be co-located with the corresponding partition/subpartition of the base table. However, this is not possible because the block sizes of the table and the LOB column/local index are different.

**Action:** Either (1) Specify an object-level default tablespace (or partition-level default tablespace for the appropriate partition, if composite partitioning is used) for the partitioned local index/LOB column and then retry the DDL command, OR (2) Ensure that tablespaces of the correct block size are specified for all new partitions/subpartitions being created. Also ensure that neither of TABLESPACE DEFAULT and STORE IN (DEFAULT) is specified for a local index whose block size does not match that of the base table.

**ORA-14530: row mismatches found in table *string.string* and index *string.string***

**Cause:** rows in table and index inconsistent

**Action:** run complete analyze to determine corrupt rows

**ORA-14551: cannot perform a DML operation inside a query**

**Cause:** DML operation like insert, update, delete or select-for-update cannot be performed inside a query or under a PDML slave.

**Action:** Ensure that the offending DML operation is not performed or use an autonomous transaction to perform the DML operation within the query or PDML slave.

**ORA-14552: cannot perform a DDL, commit or rollback inside a query or DML**

**Cause:** DDL operations like creation tables, views etc. and transaction control statements such as commit/rollback cannot be performed inside a query or a DML statement.

**Action:** Ensure that the offending operation is not performed or use autonomous transactions to perform the operation within the query/DML operation.

**ORA-14553: cannot perform a lob write operation inside a query**

**Cause:** A lob write operation cannot be performed inside a query or a PDML slave.

**Action:** Ensure that the offending lob write operation is not performed or use an autonomous transaction to perform the operation within the query or PDML slave.

**ORA-14554: cannot perform requested operation during database startup**

---

**Cause:** Requested operation requires the Cost Based Optimizer(CBO) which is not available during database startup. Features like partitioning, IOTs, grouping sets, and flashback cursor require the CBO.

**Action:** Retry the query after the database is open.

**ORA-14601: Illegal to specify SUBPARTITIONS or STORE-IN while specifying a subpartition template**

**Cause:** Cannot specify these clauses while specifying a template

**Action:** Correct the subpartition template clause.

**ORA-14602: SUBPARTITION TEMPLATE is legal only for a composite partitioned table**

**Cause:** SUBPARTITION TEMPLATE can be specified only for composite partitioned tables

**Action:** Do not use SUBPARTITION TEMPLATE on non-partitioned or non-composite partitioned tables.

**ORA-14603: [SUBPARTITIONS | SUBPARTITION TEMPLATE] subpartition\_count syntax is valid only for range-hash tables**

**Cause:** This syntax is valid only if subpartitioning dimension is hash

**Action:** None

**ORA-14604: During CREATE TABLE time it is illegal to specify SUBPARTITIONS or STORE IN once a SUBPARTITION TEMPLATE has been specified**

**Cause:** Once a subpartition template has been specified during a CREATE TABLE it is illegal to specify SUBPARTITIONS or STORE IN anywhere else

**Action:** Remove either the SUBPARTITIONS | STORE IN or remove the SUBPARTITION TEMPLATE clause

**ORA-14605: Name missing for subpartition / lob segment in template**

**Cause:** A subpartition / lob segment was not specified a name in the template descriptions

**Action:** All subpartitions / lob segments must have names specified in the template

**ORA-14606: Tablespace was specified for previous subpartitions in template but is not specified for *string***

**Cause:** Tablespaces may either be specified for all subpartitions or must not be specified for any subpartitions

**Action:** Either specify tablespaces for all or for none of the subpartitions

**ORA-14607: Tablespace was not specified for previous subpartitions in template but is specified for *string***

**Cause:** Tablespaces may either be specified for all subpartitions or must not be specified for any subpartitions

**Action:** Either specify tablespaces for all or for none of the subpartitions

**ORA-14608: Tablespace was specified for the previous lob segments of column *string* in template but is not specified for *string***

**Cause:** Tablespaces may either be specified for all lob segments of a column or must not be specified for any lob segments of this column

**Action:** Either specify tablespaces for all or for none of the lob segments

---

**ORA-14609: Tablespace was not specified for the previous lob segments of column *string* in template but is specified for *string***

**Cause:** Tablespaces may either be specified for all lob segments of a column or must not be specified for any lob segments of this column

**Action:** Either specify tablespaces for all or for none of the lob segments

**ORA-14610: Lob attributes not specified for lob column *string* for subpartition *string***

**Cause:** Lob attributes of a column must be specified for all subpartitions or must not be specified at all

**Action:** Ensure lob attributes of a column are specified for all subpartitions or not specified at all

**ORA-14611: Duplicate subpartition name *string* in template**

**Cause:** A subpartition name cannot be duplicated within the template

**Action:** Rename one of the subpartitions.

**ORA-14612: Duplicate lob segment name *string* for lob column *string* in template**

**Cause:** Two lob segments of the same column were given the same name in the template

**Action:** Rename one of the lob segments

**ORA-14613: Attempt to generate name from parent name *string* and template name *string* failed as the combine named would have been longer than allowed**

**Cause:** Any name generated from a partition name and template name must be less than the maximum permissible name for an identifier

**Action:** Shorten either partition or template name.

**ORA-14614: List value "*string*" specified twice in subpartition "*string*"**

**Cause:** A list value cannot be specified more than once

**Action:** Remove one of the specifications of the value

**ORA-14615: List value "*string*" specified twice in subpartitions "*string*", "*string*"**

**Cause:** A list value cannot be specified more than once

**Action:** Remove one of the specifications of the value

**ORA-14616: table is not subpartitioned by List method**

**Cause:** A subpartition maintenance operation, such as ALTER TABLE MODIFY SUBPARTITION ADD | DROP VALUES, was performed on a non-List subpartitioned object.

**Action:** Reissue the command against a List subpartitioned object.

**ORA-14617: cannot add/drop values to DEFAULT subpartition**

**Cause:** A ADD/DROP VALUES operation is being done on the default subpartition

**Action:** Ensure that ADD/DROP VALUES is not done on the DEFAULT subpartition

**ORA-14618: cannot drop the last value of subpartition**

**Cause:** ALTER TABLE DROP VALUES tried to drop the last value of the subpartition

**Action:** Cannot execute the command, unless two or more values exist for subpartition

- 
- ORA-14619: resulting List subpartition(s) must contain at least 1 value**  
**Cause:** After a SPLIT/DROP VALUE of a list subpartition, each resulting subpartition(as applicable) must contain at least 1 value  
**Action:** Ensure that each of the resulting subpartitions contains atleast 1 value
- ORA-14620: DEFAULT subpartition already exists**  
**Cause:** A subpartition already exists with DEFAULT value  
**Action:** Remove the DEFAULT value from the list specified
- ORA-14621: cannot add subpartition when DEFAULT subpartition exists**  
**Cause:** An ADD SUBPARTITION operation cannot be executed when a subpartition with DEFAULT values exists  
**Action:** Issue a SPLIT of the DEFAULT subpartition instead
- ORA-14622: Value *string* already exists in subpartition *string***  
**Cause:** One of the list values in the ADD SUBPARTITION or ADD VALUES statement already exists in another subpartition  
**Action:** Remove the duplicate value from the statement and try again
- ORA-14623: Value *string* does not exist in subpartition *string***  
**Cause:** One of the list values in the SPLIT PARTITION or DROP VALUES statement does not exist in the subpartition  
**Action:** Remove the value from the statement and try again
- ORA-14624: DEFAULT subpartition must be last subpartition specified**  
**Cause:** A subpartition description follows the one describing the default subpartition  
**Action:** Ensure that the DEFAULT subpartition is the last subpartition description
- ORA-14625: subpartition contains rows corresponding to values being dropped**  
**Cause:** table subpartition contains rows for the values being dropped.  
**Action:** DELETE all rows for the values being dropped and reissue statement
- ORA-14626: values being added already exist in DEFAULT subpartition**  
**Cause:** An ADD VALUE operation cannot be executed because the values being added exist in the DEFAULT subpartition  
**Action:** Issue a SPLIT of the DEFAULT subpartition and then MERGE the split subpartition into the subpartition to which values need to be added
- ORA-14627: Invalid operation was specified on a GLOBAL partitioned index**  
**Cause:** An invalid operation such as ALTER INDEX DROP | SPLIT SUBPARTITION was specified on the global index  
**Action:** Ensure that subpartition level operations are not specified on a GLOBAL index, since these are only RANGE partitioned
- ORA-14628: specification of bounds is inconsistent with LIST method**  
**Cause:** An operation such as ALTER TABLE SPLIT | ADD SUBPARTITION specified bounds that were inconsistent with List subpartitioning method  
**Action:** Specify VALUES/subpartition descriptions correctly for SPLIT/ADD of List subpartitions
- ORA-14629: cannot drop the only subpartition of a partition**

---

**Cause:** A drop subpartition command is being executed when there is only one subpartition in the partition

**Action:** None

**ORA-14630: subpartition resides in offlined tablespace**

**Cause:** User attempted an operation requiring that we access data in a subpartition which resides in a tablespace which was taken offline. Such operations include trying to drop a tablespace of a table which has indices defined on it or is referenced by a constraint.

**Action:** Bring tablespace online before attempting the operation.

**ORA-14631: the partition bounds do not match the subpartition bounds of the partition**

**Cause:** When exchanging a partitioned table with a composite partition the bounds that describe the partitions of the table must match the bounds that describe the subpartitions of the composite partition.

**Action:** Ensure that the bounds describing partitions in the partitioned table is the same as the bounds of the subpartitions in the the composite partition.

**ORA-14632: cannot specify PARALLEL clause when adding a List subpartition**

**Cause:** User issued ALTER TABLE ADD SUBPARTITION statement with PARALLEL clause for a List subpartition of a Range/List partitioned object which is illegal

**Action:** Remove the PARALLEL clause.

**ORA-14633: Index maintenance clause not allowed for ADD list subpartition to a Composite partitioned table**

**Cause:** The clause INVALIDATE or UPDATE GLOBAL INDEXES is allowed only for ADD hash subpartition to a composite partitioned table.

**Action:** Remove clause and reissue operation

**ORA-14634: Subpartition descriptions cannot be specified during the SPLIT/MERGE of a partition of a Range-List partitioned table**

**Cause:** During a split or a merge of a partition of a range list partitioned table you cannot specify any subpartitioning information for the resulting partition (s)

**Action:** Remove all subpartitioning information from the DDL.

**ORA-14635: only one resulting subpartition can be specified for MERGE SUBPARTITIONS**

**Cause:** ALTER TABLE MERGE SUBPARTITIONS contained more than one resulting subpartition for the MERGE

**Action:** Ensure that the statement describes exactly one subpartition as the target that need to be MERGE

**ORA-14636: only 2 resulting subpartition can be specified for SPLIT SUBPARTITION**

**Cause:** ALTER TABLE SPLIT SUBPARTITION contained more than 2 resulting subpartition for the SPLIT

**Action:** Ensure that the statement describes exactly 2 subpartitions as the target of the SPLIT operation

**ORA-14637: cannot merge a subpartition with itself**

**Cause:** The same subpartition name was specified twice for the merge operation

---

**Action:** Re-submit operation with 2 distinct subpartition names within the same composite partition

**ORA-14638: cannot MERGE subpartitions in different Range Composite partitions**

**Cause:** Attempted to MERGE subpartitions in different Range Composite partitions

**Action:** Reissue the command after ensuring that the 2 subpartitions being merged lie in the same composite partition

**ORA-14639: SUBPARTITIONS clause can be specified only for Hash, Composite Range Hash table/partition**

**Cause:** Attempted to specify SUBPARTITIONS clause on table that is not partitioned by the Composite Range-Hash method

**Action:** Reissue the command after ensuring that the SUBPARTITIONS clause is not specified, to specify a template for a Composite Range List object use the SUBPARTITION TEMPLATE clause

**ORA-14640: add/coalesce index partition operation is valid only for hash partitioned global indexes**

**Cause:** User attempted to add or coalesce an index partition of a global index not partitioned by hash method.

**Action:** Issue the statement on a global index partitioned by hash method. or if the index is partitioned by range method consider using split/drop instead of add/coalesce.

**ORA-14641: STORE-IN clause can be specified only for a Hash, Composite Range Hash table/partition**

**Cause:** Specifying a STORE-IN clause during CREATE/ALTER of a Range, Composite Range List partitioned table which is not allowed"

**Action:** Re-issue the stament after removing the STORE-IN clause

**ORA-14642: Bitmap index mismatch for tables in ALTER TABLE EXCHANGE PARTITION**

**Cause:** The two tables in the EXCHANGE have usable bitmap indexes, and the INCLUDING INDEXES option has been specified and the tables have different hakan factors.

**Action:** Perform the exchange with the EXCLUDING INDEXES option or alter the bitmap indexes to be unusable.

**ORA-14643: Hakan factor mismatch for tables in ALTER TABLE EXCHANGE PARTITION**

**Cause:** Either records\_per\_block has been minimized for one of the tables to be exchanged, but not the other, or the hakan factors for the tables to be exchanged are not equal.

**Action:** If records\_per\_block has been minimized for one of the tables, but not the other, either perform alter table with the NOMINIMIZE RECORDS\_PER\_BLOCK option for both tables, or perform alter table with the MINIMIZE RECORDS\_PER\_BLOCK for both tables. If the hakan factors do not match perform alter table with the NOMINIMIZE RECORDS\_PER\_BLOCK option for both tables.

**ORA-14644: table is not subpartitioned by Hash method**

---

**Cause:** A subpartition maintenance operation such as ALTER TABLE MODIFY PARTITION COALESCE SUBPARTITION can only be performed on Hash subpartitioned objects

**Action:** Re-issue the command against a Hash subpartitioned object.

**ORA-14645: STORE IN clause cannot be specified for Range List objects**

**Cause:** A STORE IN clause was specified for Range List partitioned object

**Action:** Re-issue the command after removing the STORE IN clause

**ORA-14646: Specified alter table operation involving compression cannot be performed in the presence of usable bitmap indexes**

**Cause:** The first time a table is altered to include compression, it cannot have a usable bitmap index (partition). Subsequent alter table statements involving compression do not have this same restriction.

**Action:** A) Drop any bitmap indexes defined on the table, and re-create them once the operation is complete or, B) Mark all index fragments of all bitmap indexes defined on the table UNUSABLE and rebuild them once the operation is complete.

**ORA-14650: operation not supported for reference-partitioned tables**

**Cause:** Attempted to perform an operation on a reference-partitioned table that was not supported.

**Action:** Do not perform the unsupported operation.

**ORA-14651: reference partitioning constraint is not supported**

**Cause:** The specified partitioning constraint was not supported for reference-partitioned tables. The partitioning constraint must be enabled, validated, and not deferrable. The partitioning constraint must not have ON DELETE SET NULL semantics.

**Action:** Correct the statement to specify a supported partitioning constraint.

**ORA-14652: reference partitioning foreign key is not supported**

**Cause:** The specified partitioning foreign key was not supported for reference-partitioned tables. All columns of the partitioning foreign key must be constrained NOT NULL with enabled, validated, and not deferrable constraints. Furthermore, a virtual column cannot be part of the partitioning foreign key.

**Action:** Correct the statement to specify a supported partitioning foreign key.

**ORA-14653: parent table of a reference-partitioned table must be partitioned**

**Cause:** Attempted to create a reference-partitioned table with a non-partitioned parent table.

**Action:** Correct the statement and reenter.

**ORA-14654: number of partitions of reference-partitioned table must equal that of the parent table**

**Cause:** Attempted to create a reference-partitioned table with a number of partitions which was different from that of the parent table.

**Action:** Correct the CREATE TABLE statement to specify a correct number of partitions.

**ORA-14655: reference partitioning constraint not found**

**Cause:** Partitioning constraint specified in CREATE TABLE ... PARTITION BY REFERENCE was not one of the referential constraints on the table being created.

---

**Action:** Ensure that the specified partitioning constraint is one of the referential constraints on the table being created.

**ORA-14656: cannot drop the parent of a reference-partitioned table**

**Cause:** Attempted to drop the parent of a reference-partitioned table.

**Action:** Drop all reference-partitioned child tables before dropping the parent table.

**ORA-14657: cannot cascade row migration to reference-partitioned child table**

**Cause:** Update of a parent key may require migration of rows in reference-partitioned child tables, however this is not supported because the parent key was not suitably indexed.

**Action:** Replace the existing index on the parent key with a unique index that does not contain any columns in addition to the parent key.

**ORA-14658: specified dependent table is not affected by this operation**

**Cause:** A table has been specified in the DEPENDENT TABLES clause that is not a reference-partitioned table affected by the operation.

**Action:** Correct the statement and reenter.

**ORA-14659: Partitioning method of the parent table is not supported**

**Cause:** An attempt was made to create a reference-partitioned table with an interval partitioned parent table.

**Action:** Do not create a reference-partitioned table with an interval partitioned parent table.

**ORA-14660: parent table of a reference-partitioned table cannot be index-organized**

**Cause:** Attempted to create a reference-partitioned table with a index-organized parent table.

**Action:** Correct the statement and reenter.

**ORA-14661: row movement must be enabled**

**Cause:** Attempted to disable row movement for a reference-partitioned table, although row movement was enabled for its parent table.

**Action:** Disable row movement for parent table before disabling row movement for the reference-partitioned table.

**ORA-14662: row movement cannot be enabled**

**Cause:** Attempted to enable row movement for a partitioned table, although row movement was disabled for a reference-partitioned child table.

**Action:** Enable row movement for reference-partitioned child tables before enabling row movement for the parent table.

**ORA-14663: reference partitioning parent key is not supported**

**Cause:** Parent key of the reference-partitioned table's partitioning constraint contained virtual columns.

**Action:** Correct the statement to specify a partitioning constraint with supported parent key and reenter.

**ORA-14700: Object(s) owned by SYS cannot be locked by non-SYS user**

**Cause:** Attempt to issue a LOCK TABLE statement on SYS owned object(s) by a non-SYS user, user should minimally have DML privileges

---

**Action:** Re-issue LOCK TABLE statement for non-SYS user after granting DML privileges on object, or non-SYS user should connect as SYS

**ORA-14701: partition-extended name or bind variable must be used for DMLs on tables partitioned by the System method**

**Cause:** User attempted not to use partition-extended syntax for a table partitioned by the System method

**Action:** Must use of partition-extended syntax in contexts mentioned above.

**ORA-14702: The partition number is invalid or out-of-range**

**Cause:** Attempted to use nonnumerical value or the number was out of range of the partitions.

**Action:** Use a valid partition number.

**ORA-14703: The AFTER clause can be used to ADD PARTITION only to a System Partitioned table.**

**Cause:** The table is not partitioned by the System method

**Action:** Skip the AFTER clause.

**ORA-14704: Create table as select disallowed for SYSTEM partitioned tables**

**Cause:** User attempted to create a SYSTEM partitioned table by doing a create table as select.

**Action:** Do a create table followed by an insert as select into each partition.

**ORA-14750: Range partitioned table with INTERVAL clause has more than one column**

**Cause:** You attempted to create an interval partitioned table with more than one partitioning column.

**Action:** Use a single partitioning column.

**ORA-14751: Invalid data type for partitioning column of an interval partitioned table**

**Cause:** You attempted to use interval partitioning on a table partitioned on a column of data type other than number or date/time.

**Action:** Use only number or date/time columns as partitioning columns for interval partitioned tables.

**ORA-14752: Interval expression is not a constant of the correct type**

**Cause:** You attempted to use either a nonconstant interval or an interval whose data type does not correspond to the partitioning column

**Action:** Use only constant expressions for the interval. If the data type of partitioning column is numeric, the interval must be a numeric constant. If the data type is of type date/time, the interval must be a constant of interval type

**ORA-14753: Interval cannot be zero**

**Cause:** The interval mapped to zero.

**Action:** You must use a nonzero interval.

**ORA-14754: Interval string is too long**

**Cause:** The interval string was too long

**Action:** Specify interval using a shorter string

---

**ORA-14755: Invalid partition specification for FOR VALUES clause.**

**Cause:** The [SUB]PARTITION FOR VALUES (...) clause can only take constants. In addition it takes as many arguments as there are partitioning columns and the values must be coercible to the partitioning columns.

**Action:** Specify a valid FOR VALUES clause.

**ORA-14756: Table is not partitioned by Interval method.**

**Cause:** The table was not partitioned by Interval method.

**Action:** ALTER TABLE SET STORE IN is only valid for Interval partitioned tables. Ensure that the table by Interval.

**ORA-14757: Table is already a range partitioned table**

**Cause:** SET INTERVAL () is used to convert an interval partitioned table to a range partitioned table. It is not legal on a range partitioned table

**Action:** Use SET INTERVAL () only on an interval partitioned table.

**ORA-14758: Last partition in the range section cannot be dropped**

**Cause:** An attempt was made to drop the last range partition of an interval partitioned table.

**Action:** Do not attempt to drop this partition.

**ORA-14759: SET INTERVAL is not legal on this table.**

**Cause:** ALTER TABLE SET INTERVAL is only legal on a range partitioned table with a single partitioning column. Additionally this table cannot have a maxvalue partition.

**Action:** Use SET INTERVAL only on a valid table

**ORA-14760: ADD PARTITION is not permitted on Interval partitioned objects**

**Cause:** ALTER TABLE ADD PARTITION was attempted on an Interval partitioned object.

**Action:** Do not perform the operation on an Interval partitioned object. Insert a row to create the new partition.

**ORA-14761: MAXVALUE partition cannot be specified for Interval partitioned objects**

**Cause:** An attempt was made to create a partition with a MAXVALUE highbound on an Interval partitioned object.

**Action:** Do not create a partition with a MAXVALUE highbound.

**ORA-14762: Domain index creation on interval partitioned tables is not permitted**

**Cause:** An attempt was made to create a domain index on an interval partitioned table.

**Action:** Do not create a domain index on an interval partitioned table.

**ORA-14763: Unable to resolve FOR VALUES clause to a partition number**

**Cause:** Could not determine the partition corresponding to the FOR VALUES clause.

**Action:** Remove bind variables and dependencies on session parameters from the values specified in the FOR VALUES clause.

**ORA-14764: FOR VALUES clause cannot be specified for only one partition**

---

**Cause:** An attempt was made to specify the FOR VALUES clause for only one of the two partitions being merged.

**Action:** Specify a FOR VALUES clause for each of the two partitions being merged or do not specify the FOR VALUES clause for either.

**ORA-14765: Cannot create a partition while doing a create index**

**Cause:** An attempt was made to create a partition concurrently with index creation.

**Action:** Retry the statement after the index build is finished.

**ORA-14766: Unable to obtain a stable metadata snapshot**

**Cause:** This operation was not able to obtain a stable snapshot of the interval partitioning metadata.

**Action:** Retry the statement.

**ORA-14767: Cannot specify this interval with existing high bounds**

**Cause:** The interval specified conflicts with the existing high bound for the last partition. The combination might lead to invalid dates for high bounds in the future.

**Action:** If this is a CREATE TABLE, try specifying a different high bound value for the last partition, or a different interval. If this is an ALTER TABLE SET INTERVAL, please choose either a different interval, or, modify the table to change the high bound for the last partition.

**ORA-14801: Hash composite partitioning is not supported**

**Cause:** An attempt was made to partition a table using a Hash composite method.

**Action:** Do not partition the table by a Hash composite method.

**ORA-14802: Specified operation is not permitted on Hash composite partitioned objects**

**Cause:** An unsupported operation was attempted on a Hash composite partitioned object.

**Action:** Do not perform the operation on a Hash composite partitioned object.

**ORA-14803: partition bound may not be specified for hash subpartitioned tables**

**Cause:** A VALUES LESS THAN or VALUES clause was specified with a subpartition description.

**Action:** Remove the VALUES LESS THAN or VALUES clause from the subpartition description.

**ORA-15000: command disallowed by current instance type**

**Cause:** The user has issued a command to a conventional RDBMS instance that is only appropriate for an ASM instance. Alternatively, the user has issued a command to an ASM instance that is only appropriate for an RDBMS instance.

**Action:** Connect to the correct instance type and re-issue the command.

**ORA-15001: diskgroup "*string*" does not exist or is not mounted**

**Cause:** An operation failed because the diskgroup specified does not exist or is not mounted by the current ASM instance.

**Action:** Verify that the diskgroup name used is valid, that the diskgroup exists, and that the diskgroup is mounted by the current ASM instance.

- 
- ORA-15002: parameter LOCK\_NAME\_SPACE exceeds limit of *string* characters**  
**Cause:** The LOCK\_NAME\_SPACE initialization parameter contained a value that is too long.  
**Action:** Correct the LOCK\_NAME\_SPACE initialization parameter.
- ORA-15003: diskgroup "*string*" already mounted in another lock name space**  
**Cause:** The diskgroup could not be mounted by the ASM instance because it was operating in a lockspace different than another existing ASM instance which had already mounted the diskgroup.  
**Action:** Check the LOCK\_NAME\_SPACE initialization parameter value, or dismount the diskgroup from the other ASM instances.
- ORA-15004: alias "*string*" does not exist**  
**Cause:** The specified alias did not exist within the diskgroup.  
**Action:** Check the alias name and diskgroup name.
- ORA-15005: name "*string*" is already used by an existing alias**  
**Cause:** An existing alias in the diskgroup used the same name.  
**Action:** Select another alias name, or drop the existing alias.
- ORA-15006: template "*string*" does not exist**  
**Cause:** The specified template did not exist within the diskgroup.  
**Action:** Check the template name and diskgroup name.
- ORA-15007: name is already used by an existing template**  
**Cause:** A template with the same name already exists.  
**Action:** Select another template name, or drop the existing template.
- ORA-15008: cannot drop system template**  
**Cause:** The specified template was created by the system and must always exist for proper operation.  
**Action:** Select another template name.
- ORA-15009: ASM disk "*string*" does not exist**  
**Cause:** The specified ASM disk was not found.  
**Action:** Check the ASM disk name.
- ORA-15010: name "*string*" is already used by an existing ASM disk**  
**Cause:** The specified name was already used in this diskgroup.  
**Action:** Specify a different ASM disk name.
- ORA-15011: failure group "*string*" does not exist in diskgroup "*string*"**  
**Cause:** The specified name did not match the failure group of any disks in the diskgroup. This usually indicates that the failure group name was specified incorrectly.  
**Action:** Check the failure group name.
- ORA-15012: ASM file "*string*" does not exist**  
**Cause:** The ASM file was not found.  
**Action:** Check the ASM file name.
- ORA-15013: diskgroup "*string*" is already mounted**

---

**Cause:** An ALTER DISKGROUP MOUNT command specified the name of a diskgroup which is already mounted by the current ASM instance.

**Action:** Check the name of the diskgroup.

**ORA-15014: path "*string*" is not in the discovery set**

**Cause:** The operating system path specified was outside the set of disks that are discovered by the instance.

**Action:** Specify a operating system path within the set of disks that are discovered based upon the ASM\_DISKSTRING parameter. Alternatively, check the setting of the ASM\_DISKSTRING parameter.

**ORA-15015: Specified path "*string*" conflicts with path "*string*"**

**Cause:** The ASM instance previously discovered specified disk with an ASM library using a different path.

**Action:** Use the discovery string of the ASM library to add the disk.

**ORA-15016: inconsistent respecification of path "*string*"**

**Cause:** The specified path was provided more than once with different properties.

**Action:** Do not provide a path more than once. Alternatively, provide consistent properties.

**ORA-15017: diskgroup "*string*" cannot be mounted**

**Cause:** The specified diskgroup could not be mounted.

**Action:** Check for additional errors reported.

**ORA-15018: diskgroup cannot be created**

**Cause:** The specified diskgroup could not be created.

**Action:** Check for additional errors reported.

**ORA-15019: discovered duplicate path "*string*" for "*string*"**

**Cause:** The discovery encountered multiple paths to the same disk.

**Action:** Check that the ASM\_DISKSTRING parameter specifies only a single path for each disk.

**ORA-15020: discovered duplicate ASM disk "*string*"**

**Cause:** The discovery encountered two disks claiming to be the same named ASM disk.

**Action:** Check that the ASM\_DISKSTRING parameter specifies only a single path for each disk.

**ORA-15021: parameter "*string*" is not valid in *string* instance**

**Cause:** The specified parameter was not supported when starting an instance of this type.

**Action:** Delete the specified parameter from the INIT.ORA file.

**ORA-15023: reached maximum allowable number of disks *string***

**Cause:** An attempt was made to add another disk to a diskgroup which already contains the maximum number of disks allowed.

**Action:** Consider dropping existing disks from the diskgroup before adding additional ones, or create a new diskgroup.

**ORA-15024: discovered duplicately numbered ASM disk *string***

---

**Cause:** The discovery encountered two disks claiming to have the same ASM disk number.

**Action:** Check that the ASM\_DISKSTRING parameter specifies only a single path for each disk.

**ORA-15025: could not open disk "*string*"**

**Cause:** The specified disk could not be opened.

**Action:** Check the additional error messages, if any.

**ORA-15026: disk "*string*" is not an ASM disk**

**Cause:** The disk did not contain a valid ASM disk header.

**Action:** Check to see if the data on the disk has been changed by some system administrator action.

**ORA-15027: active use of diskgroup "*string*" precludes its dismount**

**Cause:** An ALTER DISKGROUP ... DISMOUNT command specified a diskgroup which had database client instances with open files in the diskgroup. Diskgroups cannot be dismounted until all open files in the diskgroup are closed by the database client instances.

**Action:** Stop all clients that are using this diskgroup and retry the ALTER DISKGROUP ... DISMOUNT command. The V\$ASM\_CLIENT fixed view in an ASM instance provides a list of its active database client instances.

**ORA-15028: ASM file "*string*" not dropped; currently being accessed**

**Cause:** An attempt was made to drop an ASM file, but the file was being accessed by one or more database instances and therefore could not be dropped.

**Action:** Shut down all database instances that might be accessing this file and then retry the drop command.

**ORA-15029: disk "*string*" is already mounted by this instance**

**Cause:** An attempt was made to add to a diskgroup a disk that was already mounted by the current instance as part of some (possibly other) diskgroup.

**Action:** Specify a different disk in the command. Note that not even the FORCE option can be used to correct the situation until the diskgroup containing the disk becomes dismounted by this instance.

**ORA-15030: diskgroup name "*string*" is in use by another diskgroup**

**Cause:** A CREATE DISKGROUP command specified a diskgroup name that was already assigned to another diskgroup.

**Action:** Select a different name for the diskgroup.

**ORA-15031: disk specification "*string*" matches no disks**

**Cause:** The device specification string to a CREATE DISKGROUP command did not match any devices which could be discovered.

**Action:** Check the device specification string matches a disk on the system.

**ORA-15032: not all alterations performed**

**Cause:** At least one ALTER DISKGROUP action failed.

**Action:** Check the other messages issued along with this summary error.

**ORA-15033: disk "*string*" belongs to diskgroup "*string*"**

---

**Cause:** An attempt was made to ADD to a diskgroup a disk that was already part of another diskgroup, or an attempt was made to DROP / OFFLINE / ONLINE / CHECK a disk that was not part of the specified diskgroup.

**Action:** For ADD, check the path specifier for the disk. If it is certain that the disk is not in use by another diskgroup, the FORCE option may be used to override this check. For the other commands, check the name of the specified disk.

**ORA-15034: disk "*string*" does not require the FORCE option**

**Cause:** An attempt was made to add the disk to the diskgroup using the FORCE option. The disk was not found to be in use at the present time, so the FORCE option was not permitted.

**Action:** Avoid gratuitous use of the FORCE option.

**ORA-15035: no disks belong to diskgroup "*string*"**

**Cause:** An attempt was made to mount a diskgroup for which no member disks were discovered.

**Action:** Specify a valid diskgroup name that contains disks.

**ORA-15036: disk "*string*" is truncated**

**Cause:** The size of the disk, as reported by the operating system, was smaller than the size of the disk as recorded in the disk header block on the disk.

**Action:** Check if the system configuration has changed.

**ORA-15037: disk "*string*" is smaller than minimum of *string* MBs**

**Cause:** The size of the disk, as reported by the operating system, was too small to allow the disk to become part of the diskgroup.

**Action:** Check if the system configuration is correct.

**ORA-15038: disk "*string*" size mismatch with diskgroup [*string*] [*string*] [*string*]**

**Cause:** An attempt was made to mount into a diskgroup a disk whose recorded allocation unit size, metadata block size, or physical sector size was inconsistent with the other diskgroup members.

**Action:** Check if the system configuration has changed.

**ORA-15039: diskgroup not dropped**

**Cause:** An attempt to drop a diskgroup failed.

**Action:** See the associated messages for details about why the drop was not successful.

**ORA-15040: diskgroup is incomplete**

**Cause:** Some of the disks comprising a diskgroup were not present.

**Action:** Check the hardware to ensure that all disks are functional. Also check that the setting of the ASM\_DISKSTRING initialization parameter has not changed.

Alternatively, for normal or high redundancy diskgroups, use MOUNT FORCE to offline missing disks as part of mounting the diskgroup.

**ORA-15041: diskgroup space exhausted**

**Cause:** The diskgroup ran out of space.

**Action:** Add more disks to the diskgroup, or delete some existing files.

**ORA-15042: ASM disk "*string*" is missing**

---

**Cause:** The specified disk, which is a necessary part of a diskgroup, could not be found on the system.

**Action:** Check the hardware configuration.

**ORA-15043: ASM disk "*string*" is not a diskgroup member**

**Cause:** The specified disk has been removed from the diskgroup, but a disk matching its name was found.

**Action:** Check the hardware configuration.

**ORA-15044: ASM disk "*string*" is incorrectly named**

**Cause:** Either the specified disk had its contents changed such that it no longer contained an ASM disk name in its header that matches the diskgroup information or its FAILGROUP information may have become inconsistent.

**Action:** Drop the disk from the diskgroup.

**ORA-15045: ASM file name "*string*" is not in reference form**

**Cause:** The ASM file name was not in a form that can be used to reference an existing file because a file/incarnation number or an alias name was not present or a template name was included.

**Action:** Correct the specified ASM file name.

**ORA-15046: ASM file name "*string*" is not in single-file creation form**

**Cause:** The ASM file name was not in a form that can be used to create a single file because a file/incarnation number was present.

**Action:** Correct the specified ASM file name.

**ORA-15047: ASM file name "*string*" is not in multiple-file creation form**

**Cause:** The ASM file name was not in a form that can be used to create multiple files because either a fully-qualified file name or an alias name was present.

**Action:** Correct the specified ASM file name.

**ORA-15048: ASM internal files cannot be deleted**

**Cause:** An attempt was made to delete a metadata file used by ASM to manage the diskgroup.

**Action:** Check the specified ASM file name.

**ORA-15049: diskgroup "*string*" contains *string* error(s)**

**Cause:** Errors were discovered by the ALTER DISKGROUP CHECK command.

**Action:** See the alert log for details of the errors.

**ORA-15050: disk "*string*" contains *string* error(s)**

**Cause:** Errors were discovered by the ALTER DISKGROUP CHECK DISK command.

**Action:** See the alert log for details of the errors.

**ORA-15051: file "*string*" contains *string* error(s)**

**Cause:** Errors were discovered by the ALTER DISKGROUP CHECK FILE command.

**Action:** See the alert log for details of the errors.

**ORA-15052: ASM file name "*string*" is not in diskgroup "*string*"**

---

**Cause:** The ASM file name did not contain a diskgroup name that specified the correct diskgroup as implied by the other arguments to the command.

**Action:** Correct the specified ASM file name or diskgroup name.

**ORA-15053: diskgroup "*string*" contains existing files**

**Cause:** An attempt was made to drop a diskgroup that still contains existing files.

**Action:** Specify the INCLUDING CONTENTS option to drop the diskgroup and all of its existing files.

**ORA-15054: disk "*string*" does not exist in diskgroup "*string*"**

**Cause:** An attempt was made to DROP (or CHECK) a disk that is not part of the specified diskgroup.

**Action:** Check the name of the specified disk and the specified diskgroup.

**ORA-15055: unable to connect to ASM instance**

**Cause:** The RDBMS instance was unable to connect to the required ASM instance when accessing a disk group.

**Action:** Check the additional error messages. May need to configure correct ASM sid or make sure the RDBMS instance has OS privileges for ASM SYSDBA.

**ORA-15056: additional error message**

**Cause:** An operating system error occurred.

**Action:** Correct the operating system error and retry the operation.

**ORA-15057: specified size of *string* MB is larger than actual size of *string* MB**

**Cause:** A disk size expression exceeded the amount of storage actually available, as reported by the operating system.

**Action:** Specify a valid size.

**ORA-15058: disk "*string*" belongs to an incompatible diskgroup**

**Cause:** An attempt was made to ADD to a diskgroup a disk which was already part of another diskgroup. The other diskgroup was written by a more recent software release.

**Action:** Check the path specifier for the disk. If it is certain that the disk is not in use by another diskgroup, the FORCE option may be used to override this check.

**ORA-15059: invalid device type for ASM disk**

**Cause:** The device type of the discovered disk was not valid for use as an ASM disk.

**Action:** Check the file path and retry or exclude it from the discovery set. See the accompanying operating system error for additional information.

**ORA-15060: template "*string*" does not exist**

**Cause:** A command specified a template name, either directly or as part of an ASM file name, which did not exist.

**Action:** Check the template specifier in the command.

**ORA-15061: ASM operation not supported [*string*]**

**Cause:** An ASM operation was attempted that is invalid or not supported by this version of the ASM instance.

---

**Action:** This is an internal error code that is used for maintaining compatibility between software versions and should never be visible to the user; contact Oracle support Services.

**ORA-15062: ASM disk is globally closed**

**Cause:** The disk to which the I/O request was issued has gone offline or has been globally closed by the background process. Check other messages in the trace files for more information.

**Action:** Bring the disk online for I/Os to get through.

**ORA-15063: ASM discovered an insufficient number of disks for diskgroup "*string*"**

**Cause:** ASM was unable to find a sufficient number of disks belonging to the diskgroup to continue the operation.

**Action:** Check that the disks in the diskgroup are present and functioning, that the owner of the ORACLE binary has read/write permission to the disks, and that the ASM\_DISKSTRING initialization parameter has been set correctly. Verify that ASM discovers the appropriate disks by querying V\$ASM\_DISK from the ASM instance.

**ORA-15064: communication failure with ASM instance**

**Cause:** There was a failure to communicate with the ASM instance, most likely because the connection went down.

**Action:** Check the accompanying error messages for more information on the reason for the failure. Note that database instances will always return this error when the ASM instance is terminated abnormally.

**ORA-15065: hash collision for diskgroup names "*string*" and "*string*"**

**Cause:** There was a collision in the group name used for the diskgroup. The diskgroup(s) cannot be mounted using colliding names.

**Action:** Use a different diskgroup name and also report to Oracle Support Services the two diskgroup names which collided.

**ORA-15066: offlining disk "*string*" may result in a data loss**

**Cause:** Following I/O failures, the disks holding all copies of a data block were attempted to be taken offline.

**Action:** Check the accompanying error messages for more information on the reason for the disk I/O failures.

**ORA-15067: command or option incompatible with diskgroup redundancy**

**Cause:** An attempt was made to use a feature which is not permitted by the diskgroup's redundancy policy. Common examples are forcibly dropping a disk from an EXTERNAL REDUNDANCY diskgroup, using the FAILGROUP clauses with an EXTERNAL REDUNDANCY diskgroup, or using invalid template attributes.

**Action:** Omit the option from the command.

**ORA-15068: maximum number of diskgroups *string* already mounted**

**Cause:** An attempt was made to mount more diskgroups than the instance is capable of mounting at one time.

**Action:** Dismount a mounted diskgroup and retry the command.

**ORA-15069: ASM file "*string*" not accessible; timed out waiting for lock**

---

**Cause:** An attempt was made to access an ASM file, but the file is currently being created, resized, or deleted and therefore cannot be accessed.

**Action:** No action required, or try again later, after the create or resize has completed.

**ORA-15070: maximum number of files *string* exceeded in diskgroup "*string*"**

**Cause:** The diskgroup ran out of space.

**Action:** Delete some existing ASM files or create files in a new diskgroup.

**ORA-15071: ASM disk "*string*" is already being dropped**

**Cause:** An attempt was made to drop a disk from a diskgroup that was already in the process of being dropped from the diskgroup. Alternatively, an attempt was made to forcibly drop a disk from a diskgroup using the FORCE option that was already being forcibly dropped from the diskgroup.

**Action:** Check the ASM disk name and FORCE option as specified in the command.

**ORA-15072: command requires at least *string* failure groups, discovered only *string***

**Cause:** An attempt was made to create either a normal redundancy diskgroup for which fewer than two failure groups were both specified and discovered, or a high redundancy diskgroup for which fewer than three failure groups were both specified and discovered.

**Action:** Check that the command does specify the required number of failure groups, and that all of the specified disks are discovered by ASM. A query of the V\$ASM\_DISK fixed view will show which disks are discovered by ASM.

**ORA-15073: diskgroup *string* is mounted by another ASM instance**

**Cause:** An attempt was made to drop a diskgroup that is still mounted somewhere in the cluster by another instance.

**Action:** Dismount the diskgroup from all nodes except the one performing the drop diskgroup command.

**ORA-15074: diskgroup *string* requires rebalance completion**

**Cause:** An attempt was made to repeatedly add or drop disks from a diskgroup. ASM could not perform the operation given the current state of the diskgroup.

**Action:** Manually invoke the ALTER DISKGROUP REBALANCE command and allow the rebalance to run to completion. Alternatively, invoke the ALTER DISKGROUP UNDROP DISKS command and allow the rebalance to run to completion. After the rebalance has completed, retry the operation.

**ORA-15075: disk(s) are not visible cluster-wide**

**Cause:** An ALTER DISKGROUP ADD DISK command specified a disk that could not be discovered by one or more nodes in a RAC cluster configuration.

**Action:** Determine which disks are causing the problem from the GV\$ASM\_DISK fixed view. Check operating system permissions for the device and the storage sub-system configuration on each node in a RAC cluster that cannot identify the disk.

**ORA-15076: Emulating I/O errors on the ASM disk**

**Cause:** The disk to which the I/O request was issued is in an error emulation mode.

**Action:** Bring the disk online for I/Os to get through.

---

**ORA-15077: could not locate ASM instance serving a required diskgroup**

**Cause:** The instance failed to perform the specified operation because it could not locate a required ASM instance.

**Action:** Start an ASM instance and mount the required diskgroup.

**ORA-15078: ASM diskgroup was forcibly dismounted**

**Cause:** The diskgroup to which the I/O request was issued was forcibly dismounted (with the ALTER DISKGROUP DISMOUNT FORCE command) so that it could not be accessed.

**Action:** Mount the diskgroup to allow access again.

**ORA-15079: ASM file is closed**

**Cause:** The file to which the I/O request was issued was closed. This could have been a consequence of the diskgroup being dismounted.

**Action:** Make sure the diskgroup is mounted and the file is open.

**ORA-15080: synchronous I/O operation to a disk failed**

**Cause:** A synchronous I/O operation invoked on a disk has failed.

**Action:** Make sure that all the disks are operational.

**ORA-15081: failed to submit an I/O operation to a disk**

**Cause:** A submission of an I/O operation to a disk has failed.

**Action:** Make sure that all the disks are operational.

**ORA-15082: ASM failed to communicate with database instance**

**Cause:** There was a failure when ASM tried to communicate with a database instance (most likely because the connection went down).

**Action:** Check the accompanying error messages for more information on the reason for the failure. Note that the ASM instances may return this error when a database instance is terminated abnormally.

**ORA-15083: failed to communicate with ASMB background process**

**Cause:** A database instance failed to communicate with its ASMB background process when attempting to access an ASM file.

**Action:** Check the alert log for more information on the reason for the failure.

**ORA-15084: ASM disk "*string*" is offline and cannot be dropped.**

**Cause:** An attempt was made to drop a disk that is offline.

**Action:** Check the ASM disk name as specified in the command; or, if needed, use the DROP DISK FORCE option.

**ORA-15090: handle *string* is not a valid descriptor**

**Cause:** The file handle was not valid in this session.

**Action:** Submit a handle obtained from a successful call to DBMS\_DISKGROUP.OPEN().

**ORA-15091: operation incompatible with open handle in this session**

**Cause:** The current session contained an open handle from the DBMS\_DISKGROUP PL/SQL package which precluded performing the command.

**Action:** Close the handle with DBMS\_DISKGROUP.CLOSE() before executing the command, or execute the command in a different session.

---

**ORA-15092: I/O request size *string* is not a multiple of logical block size *string***

**Cause:** The length of the request was not a multiple of logical block size.

**Action:** Correct the error and retry the operation.

**ORA-15093: buffer only contains *string* bytes, I/O requested is *string* bytes**

**Cause:** The buffer supplied for write was too small to satisfy the request.

**Action:** Correct the error and retry the operation.

**ORA-15094: attempted to write to file opened in read only mode**

**Cause:** The file handle passed to DBMS\_DISKGROUP.WRITE() did not have write privileges.

**Action:** Obtain a file handle in read-write mode and retry the write operation.

**ORA-15095: reached maximum ASM file size (*string* GB)**

**Cause:** An ASM file creation or file resize operation exceeded the maximum file size permitted by ASM.

**Action:** Use smaller files.

**ORA-15096: lost disk write detected**

**Cause:** A failure either by disk hardware or disk software caused a disk write to be lost, even though ASM received acknowledgement that the write completed. Alternatively, a clustering hardware failure or a clustering software failure resulted in an ASM instance believing that another ASM instance had crashed, when in fact it was still active.

**Action:** The disk group is corrupt and cannot be recovered. The disk group must be recreated, and its contents restored from backups.

**ORA-15097: cannot SHUTDOWN ASM instance with connected RDBMS instance**

**Cause:** A SHUTDOWN command was issued to an ASM instance that had one or more connected RDBMS instances.

**Action:** Connect to each RDBMS instance and shut it down, and then reissue the SHUTDOWN command to the ASM instance. Alternatively, use the SHUTDOWN ABORT command. Note that issuing the SHUTDOWN ABORT command to an ASM instance results in abnormal termination of all RDBMS instances connected to that ASM instance.

**ORA-15098: file type not recognized by ASM instance**

**Cause:** An attempt was made by DB instance to create a file for a file type that is not recognized by current version of ASM instance.

**Action:** Upgrade ASM to higher version that recognizes this file type.

**ORA-15100: invalid or missing diskgroup name**

**Cause:** The command did not specify a valid diskgroup name.

**Action:** Specify a valid diskgroup name.

**ORA-15101: no action specified**

**Cause:** The ALTER DISKGROUP command did not specify any alterations.

**Action:** Specify at least one operation clause.

**ORA-15102: invalid POWER expression**

**Cause:** The syntax of the POWER expression was invalid.

**Action:** Specify a valid POWER expression.

---

**ORA-15103: conflicting or duplicate REPAIR options**

**Cause:** The command specified conflicting or duplicate REPAIR keywords.

**Action:** Specify only one REPAIR action.

**ORA-15104: conflicting CONTENTS options**

**Cause:** The command specified conflicting or duplicate INCLUDING CONTENTS or EXCLUDING CONTENTS options.

**Action:** Specify only one option.

**ORA-15105: missing or invalid FAILGROUP name**

**Cause:** The command did not specify a valid failure group name.

**Action:** Specify a valid failure group name.

**ORA-15106: missing or invalid operating system disk locator string**

**Cause:** The command did not specify a valid operating system path for the device as a string.

**Action:** Specify a valid operating system path for the device.

**ORA-15107: missing or invalid ASM disk name**

**Cause:** The command did not specify a valid ASM disk name identifier.

**Action:** Specify a valid ASM disk name identifier.

**ORA-15108: missing or invalid template name**

**Cause:** The command did not specify a valid template name identifier.

**Action:** Specify a valid template name identifier.

**ORA-15109: conflicting protection attributes specified**

**Cause:** The command contained an invalid combination of the UNPROTECTED, MIRROR, or PARITY keywords.

**Action:** Specify only one keyword.

**ORA-15110: no diskgroups mounted**

**Cause:** No diskgroups were specified in the ASM\_DISKGROUPS parameter, so instance startup or the ALTER DISKGROUP ALL MOUNT command did not mount any diskgroups.

**Action:** Specify valid diskgroups in the ASM\_DISKGROUPS parameter or ignore the error.

**ORA-15111: conflicting or duplicate STRIPE options**

**Cause:** The command contained both a FINE and COARSE keyword, or contained the FINE keyword more than once, or contained the COARSE keyword more than once.

**Action:** Specify only one keyword.

**ORA-15112: no diskgroups currently mounted**

**Cause:** An ALTER DISKGROUP ALL command did not find any mounted diskgroups upon which to operate. Either instance shutdown or an ALTER DISKGROUP ALL DISMOUNT command did not dismount any diskgroups, or an ALTER DISKGROUP ALL UNDROP DISKS command did not undrop any disks.

**Action:** Mount the diskgroups on which you wish to operate or ignore the error.

**ORA-15113: alias name "*string*" refers to a directory**

---

**Cause:** The name specified referred to a directory in the alias directory and not a valid alias entry.

**Action:** Check the alias name and retry.

**ORA-15114: missing or invalid ASM file name**

**Cause:** The command did not specify a valid ASM file name identifier.

**Action:** Specify a valid ASM file name identifier.

**ORA-15115: missing or invalid ASM disk size specifier**

**Cause:** The command did not specify a valid ASM disk size.

**Action:** Specify a valid ASM disk size.

**ORA-15116: invalid combination of ALTER DISKGROUP options**

**Cause:** The ALTER DISKGROUP options may not be combined in this manner.

**Action:** Issue separate ALTER DISKGROUP commands to accomplish the desired action.

**ORA-15117: command only operates on one diskgroup**

**Cause:** An ALTER DISKGROUP, CREATE DISKGROUP, or DROP DISKGROUP command specified a list of diskgroups or the keyword ALL in a context where only a single diskgroup was permitted.

**Action:** Issue separate ALTER DISKGROUP, CREATE DISKGROUP, or DROP DISKGROUP commands to accomplish the desired action.

**ORA-15120: ASM file name "*string*" does not begin with the ASM prefix character**

**Cause:** A file name was specified to ASM which did not begin with the ASM prefix character (currently "+"). ASM uses the prefix to determine that a file specification is in fact an ASM file.

**Action:** Correct the file name specification.

**ORA-15121: ASM file name "*string*" contains an invalid diskgroup name**

**Cause:** A file name was specified that did not contain a valid diskgroup name. The diskgroup name follows immediately after the ASM prefix character. It must start with an alphabetic character, and consist of up to 30 characters which are alphabetic, numeric, or the characters "\$" and "\_".

**Action:** Correct the file name specification.

**ORA-15122: ASM file name "*string*" contains an invalid file number**

**Cause:** A numeric file name was specified which did not contain a valid ASM file number. The ASM file number follows immediately after the diskgroup name. It must be preceded by a "." character, and contain only numeric characters.

**Action:** Correct the file name specification.

**ORA-15123: ASM file name "*string*" contains an invalid incarnation number**

**Cause:** A numeric file name was specified which did not contain a valid ASM incarnation number. The ASM incarnation number follows immediately after the ASM file number. It must be preceded by a "." character, and contain only numeric characters.

**Action:** Correct the file name specification.

**ORA-15124: ASM file name "*string*" contains an invalid alias name**

---

**Cause:** A file name was specified which did not contain a valid ASM alias name. The ASM alias name, if present, follows immediately after the diskgroup name, in place of the ASM file number. It must be preceded by a slash, start with an alphabetic character, and consist of up to 48 characters which are alphabetic, numeric, or the characters "\$", "\_", "-", or "#". A space can separate two parts of an alias name.

**Action:** Correct the file name specification.

**ORA-15125: ASM file name "*string*" contains an invalid template name**

**Cause:** A file name was specified to ASM which did not contain a valid template name. The template name, if present, follows immediately after the ASM incarnation number or the ASM alias name, if such is used in place of the ASM file number. It must be enclosed in parenthesis, start with an alphabetic character, and consist of up to 30 characters which are alphabetic, numeric, or the characters "\$" and "\_".

**Action:** Correct the file name specification.

**ORA-15126: component within ASM file name "*string*" exceeds maximum length**

**Cause:** The maximum identifier length of 30 characters was exceeded for the diskgroup name, template name, or alias name field within the ASM file name.

**Action:** Correct the file name specification.

**ORA-15127: ASM file name "*string*" cannot use templates**

**Cause:** A fully qualified ASM file name was specified. Such a specification does not permit the inclusion of a template name in the ASM file name.

**Action:** Correct the file name specification.

**ORA-15128: ASM file name "*string*" exceeds maximum length *string***

**Cause:** The maximum ASM file name length of 256 characters was exceeded for the combination of diskgroup name, file number, template name, alias name plus punctuation within the ASM file name.

**Action:** Correct the file name specification.

**ORA-15129: entry "*string*" does not refer to a valid directory**

**Cause:** The entry indicated did not refer to a directory. Attempt was made to access the contents of this directory.

**Action:** Correct the error and try again.

**ORA-15130: diskgroup "*string*" is being dismounted**

**Cause:** The diskgroup is being dismounted by request or because an I/O error was encountered that could not be handled by taking the disks offline. A disk cannot be offlined whenever doing so could result in all copies of a redundant extent being unavailable.

**Action:** Repair the hardware problem and re-mount the diskgroup. Refer to the alert log to determine which disks have failed.

**ORA-15131: block *string* of file *string* in diskgroup *string* could not be read**

**Cause:** A block could not be read because the disk containing the block is either offline or an I/O error occurred while reading the block. If this is mirrored file, then all disks that contain a copy of the block are either offline or received errors.

**Action:** Repair the affected disk and bring it back online. Refer to accompanying error messages to determine which disk has failed.

---

**ORA-15132: block *string* of file *string* in diskgroup *string* could not be written**

**Cause:** A block could not be written because the disk containing the block is either offline or an I/O error occurred while writing the block. If this is mirrored file, then insufficient disks which contain a copy of the block are either offline or received errors.

**Action:** Repair the affected disk and bring it back online. Refer to accompanying error messages to determine which disk has failed.

**ORA-15133: instance recovery required for diskgroup *string***

**Cause:** An instance in the cluster crashed making instance recovery necessary.

**Action:** None. This error should not normally be seen by an ASM client. ASM will trap this error and retry the operation after doing instance recovery automatically.

**ORA-15150: instance lock mode "*string*" conflicts with other ASM instance(s)**

**Cause:** Some other ASM instance used the lock name space in a conflicting mode.

**Action:** Shut down the other instance or start up in compatible mode. Alternatively, set the DB\_UNIQUE\_NAME initialization parameter to avoid the conflict.

**ORA-15151: missing or invalid version number for rolling migration**

**Cause:** The command did not specify a valid version number.

**Action:** Correct the version number in the command. It should be of the form v#.#.#.# or other forms with fewer numbers delimited by a period. The version number must be different from the current software version of the instance.

**ORA-15152: cluster in rolling upgrade**

**Cause:** The cluster was already in the middle of rolling upgrade.

**Action:** Rolling upgrade needs to be stopped before attempting to start again.

**ORA-15153: cluster not in rolling upgrade**

**Cause:** The cluster was not in rolling upgrade.

**Action:** Start the rolling upgrade using the ALTER SYSTEM START ROLLING command.

**ORA-15154: cluster rolling upgrade incomplete**

**Cause:** The cluster was still performing rolling upgrade.

**Action:** Ensure that all the instances in the cluster are upgraded before retrying the command.

**ORA-15155: version incompatible with the cluster**

**Cause:** The current software version of the instance was incompatible with the other members of the cluster.

**Action:** Make sure that all the members of the cluster are at the same version. If you are attempting to perform rolling upgrade, execute ALTER SYSTEM START ROLLING command. Ensure that the version being upgraded to is compatible with the existing version of the cluster.

**ORA-15156: cluster in rolling upgrade from version [*string*] to [*string*]**

**Cause:** The current software version of the instance was incompatible with the rolling upgrade operation of the cluster.

**Action:** The version number of new member instance must be one of the two versions involved in the rolling upgrade.

---

**ORA-15157: rolling migration is not allowed**

**Cause:** The cluster was not capable of handling ASM rolling migration.

**Action:** The Oracle Cluster Services is using vendor clusterware. Oracle cannot perform rolling upgrade or downgrade using vendor cluster ware. Restart ASM instances using Oracle cluster ware and retry the operation.

**ORA-15158: rolling upgrade prevented by *string***

**Cause:** One or more instances were blocking the rolling upgrade.

**Action:** Terminate or wait until the reported operation is complete before attempting the rolling upgrade to the cluster.

**ORA-15160: rolling migration internal fatal error in module *string,string***

**Cause:** Rolling migration experienced a fatal error.

**Action:** Please contact Oracle support services.

**ORA-15161: invalid SYS\_CLUSTER\_PROPERTIES parameter**

**Cause:** The parameter passed in for SYS\_CLUSTER\_PROPERTIES is invalid

**Action:** Pass in the correct parameter, refer to user documentation for a list of allowed parameter values.

**ORA-15162: cluster in rolling downgrade**

**Cause:** The cluster was already in the middle of rolling downgrade.

**Action:** Rolling downgrade needs to be stopped before attempting to start again.

**ORA-15163: cluster not in rolling downgrade**

**Cause:** The cluster was not in rolling downgrade.

**Action:** Start the rolling downgrade using the ALTER SYSTEM START ROLLING command.

**ORA-15164: cluster rolling downgrade incomplete**

**Cause:** The cluster was still performing rolling downgrade.

**Action:** Ensure that all the instances in the cluster are downgraded before retrying the command.

**ORA-15166: cluster in rolling downgrade from version [*string*] to [*string*]**

**Cause:** The current software version of the instance was incompatible with the rolling downgrade operation of the cluster.

**Action:** The version number of new member instance must be one of the two versions involved in the rolling downgrade.

**ORA-15168: rolling downgrade prevented by *string***

**Cause:** One or more instances were blocking the rolling downgrade.

**Action:** Terminate or wait until the reported operation is complete before attempting the rolling downgrade to the cluster.

**ORA-15169: destination "*string*" is a subdirectory of "*string*"**

**Cause:** Attempt to rename directory failed because the new directory name was a subdirectory of the original directory.

**Action:** Correct the path of the destination and try again.

**ORA-15170: cannot add entry "*string*" in directory "*string*"**

**Cause:** Other errors prevented directory/alias creation.

- 
- Action:** Correct the errors and try again.
- ORA-15171: invalid syntax in the alias path after "*string*"**  
**Cause:** An invalid alias/directory name syntax was specified.  
**Action:** Correct the alias path and try again.
- ORA-15173: entry "*string*" does not exist in directory "*string*"**  
**Cause:** The specified alias did not exist in the given directory.  
**Action:** Correct the alias path and try again.
- ORA-15175: cannot create alias for diskgroup metadata file "*string*"**  
**Cause:** An attempt was made to create an alias for a diskgroup metadata file.  
**Action:** Correct the alias path and try again.
- ORA-15176: file "*string*" already has an alias associated with it**  
**Cause:** An attempt was made to create an alias for a file that already had an existing alias.  
**Action:** Correct the file name and try again or drop existing alias.
- ORA-15177: cannot operate on system aliases**  
**Cause:** An attempt was made to modify a system alias.  
**Action:** Correct the alias name and try again.
- ORA-15178: directory "*string*" is not empty; cannot drop this directory**  
**Cause:** An attempt was made to drop a directory that contained valid entries.  
**Action:** Correct the directory path or specify the FORCE option to drop a directory that is not empty.
- ORA-15179: missing or invalid alias name**  
**Cause:** The command did not specify a valid alias identifier.  
**Action:** Specify a valid alias identifier.
- ORA-15180: could not open dynamic library *string*, error [*string*]**  
**Cause:** The library was not accessible  
**Action:** Correct the permissions of the library and try again.
- ORA-15181: symbol [*string*] not found in library *string*, error [*string*]**  
**Cause:** An error was encountered while loading the specified ASMLIB symbol.  
**Action:** Correct the error reported and try again.
- ORA-15182: ASMLIB [*string*] version mismatch, ORACLE version [*string*]**  
**Cause:** The ASMLIB version reported is not supported by the ORACLE binary.  
**Action:** Install the correct library and try again.
- ORA-15183: ASMLIB initialization error [*string*]**  
**Cause:** Unable to initialize the ASMLIB in ORACLE.  
**Action:** Contact ASMLIB library vendor support with the error details.
- ORA-15184: ASMLIB error could not be determined [*string*] [*string*]**  
**Cause:** An error was encountered which cannot be diagnosed further.  
**Action:** Contact ASMLIB library vendor for support.

---

**ORA-15185: could not close dynamic library *string*, error [*string*]**

**Cause:** Could not close the dynamic library.

**Action:** Contact ASMLIB library vendor for support.

**ORA-15186: ASMLIB error function = [*string*], error = [*string*], mesg = [*string*]**

**Cause:** An error occurred during a call to function listed in the error.

**Action:** The detailed message associated with the error is listed along with the error. Correct the error and try again or contact ASMLIB library vendor for support.

**ORA-15192: invalid ASM disk header [*string*] [*string*] [*string*] [*string*] [*string*]**

**Cause:** ASM encountered an invalid disk header.

**Action:** Contact Oracle Support Services.

**ORA-15196: invalid ASM block header [*string:string*] [*string*] [*string*] [*string*] [*string*] [*string*] != *string*]**

**Cause:** ASM encountered an invalid metadata block.

**Action:** Contact Oracle Support Services.

**ORA-15197: suppressing *string* additional ASM messages**

**Cause:** The ASM command generated so many errors that this summary message was reported in place of many individual messages.

**Action:** If the command contained multiple actions, try separating each action into its own command and executing each command by itself. Otherwise, try not to generate so many errors.

**ORA-15198: operation *string* is not yet available**

**Cause:** An unimplemented operation was attempted.

**Action:** Consider upgrading to later releases as they become available.

**ORA-15200: initialization parameter *string* (*string*) is not a power of two**

**Cause:** The value specified for this initialization parameter was not a power of two.

**Action:** Correct the initialization parameter value and restart the instance.

**ORA-15201: disk *string* contains a valid RDBMS file**

**Cause:** A disk specified in a CREATE DISKGROUP or ALTER DISKGROUP ... ADD DISK command appeared to contain a file from an existing database. By default, ASM will not allow a diskgroup to be created using this disk, as a safeguard against damaging an existing database.

**Action:** Check that the ASM disk specification is correct. Otherwise, when storage from a defunct database is reused as part of an ASM diskgroup, specify the FORCE option to the ASM SQL command.

**ORA-15202: cannot create additional ASM internal change segment**

**Cause:** The mount of a diskgroup by an additional instance in a RAC cluster required more space for internal use by ASM than was available in the diskgroup.

**Action:** Delete unused files from the diskgroup or add additional disks to the diskgroup and retry the operation.

**ORA-15203: diskgroup *string* contains disks from an incompatible version of ASM**

---

**Cause:** Diskgroup was created by an ASM instance with a higher compatibility setting.

**Action:** Use an ASM instance with the appropriate software version to mount the diskgroup.

**ORA-15204: database version *string* is incompatible with diskgroup *string***

**Cause:** The database compatibility of the diskgroup was advanced to a later version.

**Action:** Upgrade the database instance to appropriate version of ORACLE.

**ORA-15205: requested mirror side unavailable**

**Cause:** The requested mirror side of a block is either unallocated or allocated on a disk that has been dropped from the diskgroup.

**Action:** Resubmit the request or try another mirror side.

**ORA-15206: duplicate diskgroup *string* specified**

**Cause:** A command specified the same diskgroup twice.

**Action:** Specify each diskgroup only once.

**ORA-15210: conflicting or duplicate PERMISSION options**

**Cause:** The PERMISSION clause contained the USER, GROUP, or OTHER keyword more than once.

**Action:** Specify each keyword, at most, once.

**ORA-15211: conflicting or duplicate OWNERSHIP options**

**Cause:** The OWNERSHIP clause contained either the OWNER or the GROUP keyword more than once.

**Action:** Specify each keyword, at most, once.

**ORA-15212: missing or invalid OWNER or GROUP name**

**Cause:** The command did not specify a valid name for either the OWNER or the GROUP keyword.

**Action:** Specify a valid name for either the OWNER or the GROUP keyword.

**ORA-15213: command operates on only one attribute**

**Cause:** More than one disk group attribute was specified in the ALTER DISKGROUP statement.

**Action:** Specify only one disk group attribute per ALTER DISKGROUP statement.

**ORA-15214: missing or invalid attribute specification**

**Cause:** The command did not specify a valid attribute name or a valid attribute value.

**Action:** Specify a valid attribute name and value pair.

**ORA-15215: missing or invalid user name**

**Cause:** The command did not specify a valid user name.

**Action:** Specify a valid user name.

**ORA-15216: missing or invalid user group name**

**Cause:** The command did not specify a valid user group name.

**Action:** Specify a valid user group name.

---

**ORA-15217: missing or invalid timeout value after DROP AFTER**

**Cause:** The command did not specify a valid timeout value after the DROP AFTER clause.

**Action:** Specify a valid timeout value after the DROP AFTER clause.

**ORA-15218: timeout value exceeded range**

**Cause:** The OFFLINE timeout value exceeded the range of 0-136 years, inclusive. 136 years are 49674 days, 1192176 hours, and 71530560 minutes.

**Action:** Specify a timeout value within the range of 0-136 years, inclusive.

**ORA-15219: conflicting or duplicate ZONE options**

**Cause:** The command contained one or more of the following:

- both the HOT and the COLD keywords
- both the MIRRORHOT and the MIRRORCOLD keywords
- the HOT keyword more than once
- the COLD keyword more than once
- the MIRRORHOT keyword more than once
- the MIRRORCOLD keyword more than once

**Action:** Specify either the HOT or the COLD keyword and either the MIRRORHOT or the MIRRORCOLD keyword, at most, once.

**ORA-15220: invalid file attribute specification**

**Cause:** The keyword UNPROTECTED, MIRROR, HIGH, FINE, or COARSE was specified in a MODIFY FILE clause. These file attributes are immutable once a file is created.

**Action:** Specify a ZONE keyword; for example, HOT, COLD, MIRRORHOT, or MIRRORCOLD.

**ORA-15221: ASM operation requires compatible.asm of *string* or higher**

**Cause:** The ASM operation specified requires a higher disk group attribute value for compatible.asm.

**Action:** Set the disk group attribute compatible.asm to or above the requested version.

**ORA-15230: diskgroup "*string*" does not require the FORCE option**

**Cause:** An attempt was made to MOUNT or DROP a disk group with the FORCE option.

**Action:** MOUNT and DROP diskgroup with the FORCE option are only permitted if the diskgroup cannot be mounted normally.

**ORA-15231: advancing diskgroup compatibility would exclude connected clients**

**Cause:** Disk group compatibility could not be advanced because connected clients were at a lower compatibility than the target value.

**Action:** Make sure all connected clients are at target compatibility level or higher.

**ORA-15232: cannot advance diskgroup compatibility due to offline disks**

**Cause:** Disk group compatibility could not be advanced because some disks are offline.

**Action:** Retry the command after offline disks are dropped.

---

**ORA-15233: cannot advance diskgroup compatibility due to [string]**

**Cause:** Disk group compatibility could not be advanced because of errors.

**Action:** Check the alert log for more information on the reason for the failure.

**ORA-15234: target RDBMS compatibility (string) exceeds ASM compatibility (string)**

**Cause:** An attempt was made to advance RDBMS compatibility beyond the disk group's ASM compatibility.

**Action:** Advance ASM compatibility before advancing RDBMS compatibility.

**ORA-15235: diskgroup string mount mode conflicts with existing mount**

**Cause:** The mode specified in the diskgroup mount command conflicted with the mode in which it was mounted on some other instance.

**Action:** Specify a compatible mode in the diskgroup mount command.

**ORA-15236: diskgroup string mounted in restricted mode**

**Cause:** The specified diskgroup was mounted in restricted mode prohibiting client access.

**Action:** Dismount the diskgroup and remount it in appropriate mode.

**ORA-15237: attribute string cannot be set in CREATE DISKGROUP**

**Cause:** The specified attribute may not be set with the CREATE DISKGROUP command.

**Action:** Check the attribute name or use ALTER DISKGROUP SET ATTRIBUTE.

**ORA-15238: string is not a valid value for attribute string**

**Cause:** The specified value was not valid for the attribute.

**Action:** Check the attribute name and value.

**ORA-15239: allocation unit size higher than string requires RDBMS compatibility string**

**Cause:** The allocation unit size requested exceeded the limit imposed by the RDBMS compatibility setting.

**Action:** Use a smaller allocation unit size or specify a higher RDBMS compatibility setting.

**ORA-15240: attribute name string is invalid**

**Cause:** The attribute name was not valid or was not recognized.

**Action:** Check the attribute name.

**ORA-15241: attribute string is read only**

**Cause:** The attribute value is read-only and cannot be changed.

**Action:** None. The attribute value cannot be changed.

**ORA-15242: could not set attribute string**

**Cause:** An error occurred while setting the attribute.

**Action:** Look at the underlying error(s) on the error stack.

**ORA-15243: string is not a valid version number**

**Cause:** The given version number was not valid.

**Action:** Check the version number.

---

**ORA-15244: new compatibility setting less than current [*string*]**

**Cause:** The compatibility setting was invalid. The compatibility setting can only be advanced.

**Action:** Check the version number.

**ORA-15245: ASM disk *string* is already being brought online**

**Cause:** An attempt was made to bring online a disk that is already being brought online.

**Action:** Change the ONLINE statement to exclude the disk.

**ORA-15246: cannot bring ASM disk *string* both online and then offline in the same statement**

**Cause:** An attempt was made to bring the specified disk both online and offline in the same statement.

**Action:** Revise the statement to either bring the disk online or take the disk offline.

**ORA-15247: cannot specify both WAIT and NOWAIT options in the same statement**

**Cause:** An attempt was made to specify both WAIT and NOWAIT options in the same statement.

**Action:** Revise the statement and include at most one option.

**ORA-15248: ASM attributes feature not enabled**

**Cause:** The ASM attributes feature was not enabled.

**Action:** Advance disk group ASM compatibility to version 11.1.0 or newer.

**ORA-15249: could not locate ASM attribute *string***

**Cause:** The specified attribute could not be accessed.

**Action:** Check the attribute name and examine underlying error(s) on the error stack.

**ORA-15250: insufficient diskgroup space for rebalance completion**

**Cause:** The command attempted to reduce the available diskgroup space below the current space used.

**Action:** Consult V\$ASM\_DISK to determine the space requirements for the diskgroup contents, and repeat the command after making the required storage available.

**ORA-15251: only restricted mount is allowed in the ASM instance**

**Cause:** The ASM instance was started in restricted mode, and an attempt was made to mount a diskgroup in non-restricted mode.

**Action:** Start the ASM instance in non-restricted mode and mount the diskgroup again, or mount the diskgroup in restricted mode.

**ORA-15281: not all specified disks were brought ONLINE**

**Cause:** Some of the disks specified either experienced I/O errors while being brought ONLINE, or were simultaneously brought OFFLINE or dropped in another session, or were full.

**Action:** Query V\$ASM\_DISK or use ASMCMD LSDSK to determine which disks were not brought ONLINE. Inspect any additional error messages and the alert log to determine the exact cause. If some of the disks failed, either fix the cause of

---

the failures or drop the disks. If some of the disks are full, either free space in the disk group or add new disks to the diskgroup.

**ORA-15282: ASM disk "*string*" is not visible cluster-wide**

**Cause:** An ALTER DISKGROUP ONLINE command specified a disk that could not be discovered by one or more nodes in a RAC cluster configuration.

**Action:** Check operating system permissions for the device and the storage sub-system configuration on each node in the RAC cluster that cannot identify the disk.

**ORA-15283: ASM operation requires compatible.rdbms of *string* or higher**

**Cause:** The ASM operation specified requires a higher disk group attribute value for compatible.rdbms.

**Action:** Set the disk group attribute compatible.rdbms to or above the requested version.

**ORA-15284: ASM terminated ALTER DISKGROUP ONLINE**

**Cause:** None of the disks specified by ALTER DISKGROUP ONLINE could be brought ONLINE.

**Action:** Inspect additional error messages and the alert log to determine why the specified disks cannot be brought ONLINE.

**ORA-15285: disk "*string*" violates disk group attribute *string***

**Cause:** Including the specified disk would violate a restriction imposed by the specified disk group attribute.

**Action:** Retry the operation while omitting the offending disk or change the attribute.

**ORA-15286: could not set disk group attribute *string* due to offline disks**

**Cause:** The specified disk group attribute could not be set because the disk group includes offline disks.

**Action:** Retry the operation after the offline disks in this disk group are dropped or brought online.

**ORA-15287: could not set disk group attribute *string* due to incompatible disks**

**Cause:** The specified disk group attribute could not be set because the disk group includes disks that conflict with the new value.

**Action:** Retry the operation after dropping the conflicting disks in this disk group.

**ORA-15288: disk(s) require disk group attribute *string* clause**

**Cause:** Some of the disks specified by the command also require the specified disk group attribute to be stated.

**Action:** Retry the command including an ATTRIBUTE clause for the required disk group attribute. Alternatively, omit the disks that require setting the disk group attribute. See the alert log for additional information on the disks that require setting the disk group attribute.

**ORA-15289: ASM disk *string* cannot be resized beyond *string* M**

**Cause:** A resize disk command specified a size beyond the maximum allowed for this disk.

**Action:** Check alert logs from all ASM instances to identify the reason for the size limitation. If there are any 10g database instances using this disk group, shut down those instances and retry the resize operation.

---

**ORA-15290: operation not permitted on offline disk *string***

**Cause:** An attempt was made to specify an operation that is only permitted on disks that are online. The specified disk was not online.

**Action:** Online the disk or wait for online to complete before retrying the operation.

**ORA-15291: ASM could not add disk "*string*" to disk group "*string*"**

**Cause:** An attempt was made to add a disk to a disk group while the distribution of disks in failure groups was too uneven.

**Action:** Add or drop disks to or from failure groups to balance their distribution in all failure groups and retry the operation.

**ORA-15450: invalid volume name specifier**

**Cause:** The volume name specified was invalid

**Action:** Specify a valid volume name.

**ORA-15451: missing or invalid volume size specifier**

**Cause:** The volume size specified was invalid.

**Action:** Specify a valid volume size.

**ORA-15452: missing or invalid stripe width specifier**

**Cause:** The volume stripe width specified was invalid.

**Action:** Specify a valid volume stripe width.

**ORA-15453: invalid STRIPE\_COLUMNS specifier**

**Cause:** An ADD VOLUME command did not specify a valid number of stripe columns.

**Action:** Specify a valid number of stripe columns.

**ORA-15454: ALTER DISKGROUP ALL cannot use single volume names**

**Cause:** An ALTER DISKGROUP ALL command specified a single volume or a list of volumes

**Action:** Use the ALL keyword when specifying volumes on multiple diskgroups.

**ORA-15455: FORCE option cannot be used when specifying ALL volumes**

**Cause:** The FORCE option was used to disable ALL volumes.

**Action:** Use FORCE option to disable one volume at a time.

**ORA-15456: missing or invalid volume usage specifier**

**Cause:** The command did not specify a valid volume usage string.

**Action:** Specify a valid volume usage string with alphanumeric characters.

**ORA-15457: first letter of the volume name is not alphabetic**

**Cause:** A volume name was specified with a nonalphabetic first character.

**Action:** Set the first character of the volume name to be alphabetic.

**ORA-15458: invalid character in volume name**

**Cause:** A volume name was specified with an invalid character.

**Action:** Use a volume name with only alphanumeric characters.

**ORA-15459: STRIPE\_WIDTH of *string* is not a power of two**

---

**Cause:** An ADD VOLUME command specified a STRIPE\_WIDTH that was not a power of two.

**Action:** Select a STRIPE\_WIDTH that is a power of two; for example, 4K, 8K, etc.

**ORA-15460: volume name "*string*" is already in use**

**Cause:** An ADD VOLUME command specified a volume name that was already used by another volume.

**Action:** Select a different name for the volume.

**ORA-15461: STRIPE\_WIDTH of *string* bytes is less than the minimum of *string* bytes**

**Cause:** An ADD VOLUME command specified a STRIPE\_WIDTH that was too small.

**Action:** Select a larger STRIPE\_WIDTH.

**ORA-15462: STRIPE\_WIDTH of *string* bytes is greater than the maximum of *string* bytes**

**Cause:** An ADD VOLUME command specified a STRIPE\_WIDTH that was too large.

**Action:** Select a smaller STRIPE\_WIDTH.

**ORA-15463: volume size of *string*K is less than the minimum of *string*M**

**Cause:** The volume size specified was too small.

**Action:** Select a larger volume size.

**ORA-15464: STRIPE\_COLUMNS of *string* is greater than the maximum of *string***

**Cause:** An ADD VOLUME command specified a STRIPE\_COLUMNS that was that was too large.

**Action:** Select a smaller STRIPE\_COLUMNS value.

**ORA-15465: STRIPE\_COLUMNS of *string* is less than the minimum of *string***

**Cause:** An ADD VOLUME command specified a STRIPE\_COLUMNS that was too small.

**Action:** Select a larger STRIPE\_COLUMNS value.

**ORA-15466: volume name "*string*" does not exist**

**Cause:** The command specified a volume name that does not exist.

**Action:** Ensure a valid volume name is used.

**ORA-15467: volume operation is already in progress**

**Cause:** Another command is currently operating on the specified volume.

**Action:** Wait a short time before retrying the command.

**ORA-15468: operation not permitted; volume "*string*" currently being accessed**

**Cause:** An attempt was made to communicate with the volume driver. The volume was being accessed by another application and, therefore, could not be changed.

**Action:** Shut down all applications that might be accessing this volume and then retry the command.

**ORA-15469: VBG process terminated with error**

**Cause:** A volume background process terminated with error.

---

**Action:** Wait for process to restart.

**ORA-15470: VDBG process terminated with error**

**Cause:** The volume driver background process terminated with error.

**Action:** Warm start instance.

**ORA-15471: volume redundancy incompatible with diskgroup redundancy**

**Cause:** An ADD VOLUME command specified a volume redundancy that was incompatible with the diskgroups redundancy.

**Action:** Specify a valid volume redundancy. A volume cannot have external redundancy with a high redundancy diskgroup. Also, a volume cannot have high redundancy with an external redundancy diskgroup.

**ORA-15472: volume library cannot be loaded. Platform may not support volume creation.**

**Cause:** The volume library could not be loaded. Either the platform does not support volume operations, or there is a problem with the library.

**Action:** Ensure that the platform supports volumes. If the platform does support volumes, check the alert log for library loading failure information.

**ORA-15473: access to a volume's storage through an unsupported interface**

**Cause:** An attempt was made to access or modify a volume's storage through an unsupported interface.

**Action:** Use supported interfaces for access to volume devices.

**ORA-15474: volume name is greater than *string* characters**

**Cause:** An ADD VOLUME command specified a volume name that was too long.

**Action:** Select a smaller volume name.

**ORA-15475: usage string is greater than *string* characters**

**Cause:** The usage string specified was too long.

**Action:** Select a smaller usage string.

**ORA-15476: resize of OFS volume must use OFS resize command**

**Cause:** An attempt was made to resize an OFS volume through SQL.

**Action:** Use the supported OFS commands to resize the volume.

**ORA-15477: cannot communicate with the volume driver**

**Cause:** An attempt was made to communicate with the volume driver.

**Action:** Check that the ASM volume driver is loaded. If so, check the alert log to identify the reason for failure and take necessary action to prevent such failures in the future.

**ORA-15478: OFSC process terminated with error**

**Cause:** The ofs background process terminated with error

**Action:** Wait for process restart

**ORA-15479: diskgroup version incompatible with ASM volumes**

**Cause:** The diskgroup's version was incompatible with creating volumes.

**Action:** Upgrade the diskgroup version in order to use volume functionality.

**ORA-15480: error reported in the ASM volume driver**

---

**Cause:** An error was reported in the ASM volume driver.

**Action:** Check the operating system log files to identify the reason for the failure and take necessary action to prevent such failures in the future.

**ORA-15481: missing or invalid volume mountpath specifier**

**Cause:** A invalid volume mountpath string was specified.

**Action:** Specify a valid volume mountpath string with alphanumeric characters.

**ORA-15482: failed to create/remove path to volume device file**

**Cause:** Improper driver installation.

**Action:** Check the alert log for device file creation failure information. Reload the driver using the supported installation method.

**ORA-15501: cannot start workload capture on instance *string***

**Cause:** Given instance encountered unexpected errors while trying to start the workload capture.

**Action:** Check the alert log and other diagnostics in the given instance to diagnose the problem.

**ORA-15502: cannot stop workload capture on instance *string***

**Cause:** Given instance encountered unexpected errors while trying to stop the workload capture.

**Action:** Check the alert log and other diagnostics in the given instance to diagnose the problem.

**ORA-15503: cannot startup instance when procedures in "DBMS\_WORKLOAD\_CAPTURE" or "DBMS\_WORKLOAD\_REPLAY" are in the middle of their execution**

**Cause:** The new instance could not be started because the database was executing a procedure in either the DBMS\_WORKLOAD\_CAPTURE or DBMS\_WORKLOAD\_REPLAY package.

**Action:** Start the new instance after such procedures in the given packages have finished execution.

**ORA-15504: cannot start workload capture because instance *string* not present in RESTRICTED SESSION mode**

**Cause:** The NO\_RESTART\_MODE option in DBMS\_WORKLOAD\_CAPTURE.START\_CAPTURE was FALSE, therefore all the active instances were expected to be in the RESTRICTED SESSION mode.

**Action:** Start all instances using STARTUP RESTRICT or execute ALTER SYSTEM ENABLE RESTRICTED SESSION on all active instances before issuing DBMS\_WORKLOAD\_CAPTURE.START\_CAPTURE.

**ORA-15505: cannot start workload capture because instance *string* encountered errors while accessing directory "*string*"**

**Cause:** Given instance could not access the specified CAPTURE directory or the specified CAPTURE directory already had a workload capture in it.

**Action:** Provide a directory object that is valid, empty and accessible from all the instances in the database cluster.

**ORA-15506: cannot prepare instance *string* for replay**

**Cause:** Given instance encountered unexpected errors while trying to prepare for a workload replay.

---

**Action:** Check the alert log and other diagnostics in the given instance to diagnose the problem.

**ORA-15507: cannot start workload replay on instance *string***

**Cause:** Given instance encountered unexpected errors while trying to start a workload replay.

**Action:** Check the alert log and other diagnostics in the given instance to diagnose the problem.

**ORA-15508: cannot cancel workload replay on instance *string***

**Cause:** Given instance encountered unexpected errors while trying to cancel a workload replay.

**Action:** Check the alert log and other diagnostics in the given instance to diagnose the problem.

**ORA-15509: workload replay has been cancelled**

**Cause:** Workload replay was cancelled.

**Action:** Restart the workload replay.

**ORA-15510: cannot perform operation when "STATISTICS\_LEVEL" is "BASIC"**

**Cause:** The STATISTICS\_LEVEL initialization parameter was set to BASIC.

**Action:** Change the STATISTICS\_LEVEL initialization parameter setting to either TYPICAL or ALL.

**ORA-15511: cannot process workload capture because no user sessions were recorded**

**Cause:** No user sessions were recorded in the given workload capture. Processing this capture failed because no user workload was captured.

**Action:** Capture a workload in which at least one user session connects and performs some operations.

**ORA-15512: directory "*string*" does not contain a valid processed workload capture**

**Cause:** One or more files created by DBMS\_WORKLOAD\_REPLAY.PROCESS\_CAPTURE were missing.

**Action:** Process the workload capture using DBMS\_WORKLOAD\_REPLAY.PROCESS\_CAPTURE and then retry the command.

**ORA-15513: cannot access the input directory**

**Cause:** Given input directory is either invalid or inaccessible.

**Action:** Verify that the input directory is valid and accessible and then retry the command.

**ORA-15514: cannot find a match for the remote procedure call during replay**

**Cause:** The corresponding PL/SQL program was either dropped or modified.

**Action:** Verify that the corresponding PL/SQL program is defined the same way during replay as it was defined during workload capture.

**ORA-15515: error while replaying remote procedure call: "*string.string.string*"**

**Cause:** Error encountered during the replay of a remote procedure call.

**Action:** Correct the cause of the preceding error and restart workload replay.

**ORA-15551: workload replay client cannot connect to database server**

---

**Cause:** The server connection identifier was invalid.

**Action:** Restart the client with correct server connection identifier.

**ORA-15552: workload replay client cannot login to database server**

**Cause:** 1) the replay client used an invalid username or password; 2) the replay user does not have the privilege to switch user; 3) the recorded username does not exist in the replay database.

**Action:** 1) restart replay client with correct username and password 2) grant user switching privilege to the replay user 3) verify whether the replay database was restored properly

**ORA-15553: workload replay client cannot execute the DBMS\_WORKLOAD\_REPLAY package**

**Cause:** Workload Replay Client's replay user did not have EXECUTE permission on the DBMS\_WORKLOAD\_REPLAY package.

**Action:** Grant execute permission on the DBMS\_WORKLOAD\_REPLAY package to replay user and restart the Workload Replay Client.

**ORA-15554: cannot start workload replay client because the database server is not in PREPARE mode**

**Cause:** The Workload Replay Client could not connect to the database server because the database server was not in the PREPARE mode.

**Action:** Put the database in PREPARE mode by using DBMS\_WORKLOAD\_REPLAY.PREPARE\_REPLAY, and restart the Workload Replay Client.

**ORA-15555: workload replay client encountered unexpected error: "string"**

**Cause:** Workload Replay Client encountered an unexpected error.

**Action:** Check the Workload Replay Client's log files and the database server alert log to diagnose the problem.

**ORA-15556: invalid input specified to the workload replay client**

**Cause:** Invalid input was specified.

**Action:** Use the Workload Replay Client's HELP=Y option to know more about valid input options.

**ORA-15557: workload replay client cannot access the replay directory or the database version do not match the preprocessing one**

**Cause:** The Workload Replay Client could not access the directory that contained the workload to be replayed, or the workload was preprocessed by a different version of the database.

**Action:** Restart the workload replay after specifying the correct replay directory, or preprocess it with the correct database.

**ORA-15558: replay thread encountered unexpected error**

**Cause:** A single replay thread got disconnected from the server due to an unexpected error.

**Action:** Check the Workload Replay Client's log files and the database server alert log to diagnose the problem.

**ORA-15559: workload replay client cannot open workload capture file**

**Cause:** The Workload Replay Client could not access one or more workload capture files from the replay directory.

---

**Action:** Restart the workload replay after copying all the workload capture files to the replay directory.

**ORA-15560: workload replay client cannot access the work directory**

**Cause:** The Workload Replay Client could not access the work directory to write log files for debug information.

**Action:** Restart the Workload Replay Client after specifying the correct work directory.

**ORA-15561: workload replay client cannot connect to the remapped connection with conn\_id : string**

**Cause:** The specified connection is invalid or the specified host is inaccessible.

**Action:** Test the specified connection using other methods and redefine the connection remapping, if necessary. Consult the view DBA\_WORKLOAD\_CONNECTION\_MAP to inspect connection remappings.

**ORA-15562: workload replay client cannot read the DBA\_WORKLOAD\_CONNECTION\_MAP view**

**Cause:** The DBA\_WORKLOAD\_CONNECTION\_MAP view did not exist or was not accessible.

**Action:** Re-create the workload capture and replay views. For additional information, see the documentation.

**ORA-15563: workload replay client cannot spawn new threads**

**Cause:** The Workload Replay Client does not have enough resource (CPU or memory) to spawn new threads.

**Action:** Restart the workload replay after allocating more resource (CPU and memory) to the Workload Replay Client or use more hosts as replay clients to drive the workload.

**ORA-15564: contents of the replay directory provided to the workload replay client do not match with the replay directory provided to the database server**

**Cause:** The processed workload capture files given to the workload replay client directory did not match the contents of the replay directory given as input to DBMS\_WORKLOAD\_REPLAY.INITIALIZE\_REPLAY.

**Action:** Provide the same processed workload capture files to both the database server and all the workload replay clients and restart the replay. If the same workload capture files were processed more than once, provide a copy of the latest processed workload capture files to all the workload replay clients and the database server.

**ORA-15566: workload replay client cannot replay user call in the current version**

**Cause:** The workload replay client encountered a user call in the captured workload that was not supported for replay in the current version.

**Action:** Look in the DBA\_WORKLOAD\_REPLAY\_DIVERGENCE view for details about the call that encountered this error. Refer to the documentation for more details on the types of workload that are not supported in the current version.

**ORA-15590: encountered an incomplete workload capture file**

**Cause:** The captured workload contained one or more incomplete recording files. This can happen when the original workload capture's FINISH\_CAPTURE command timed out while waiting for all the active sessions to close their workload capture files.

---

**Action:** Incomplete capture files will not interfere with the processing and replaying of the captured workload. This is simply a warning message to point out that some database calls might not have been recorded due to FINISH\_CAPTURE command timing out.

**ORA-15601: Invalid value specified for parameter "string"**

**Cause:** An invalid value was specified for the given parameter.

**Action:** Correct the value being specified for the parameter.

**ORA-15602: Parameter "string" cannot be NULL.**

**Cause:** An attempt was made to call a procedure without a required parameter.

**Action:** Specify a valid value for this parameter.

**ORA-15603: Action cannot be performed when database is in read-only mode.**

**Cause:** A procedure in DBMS\_AUTO\_TASK\_ADMIN package was invoked when database was open in read-only mode.

**Action:** Retry when database is open in read/write mode.

**ORA-15604: Initialization parameters prevent client from being enabled.**

**Cause:** An attempt was made to enable a client that was disabled for automatic execution by an initialization parameter.

**Action:** Check the related client parameters and try again.

**ORA-15605: "string" is not a Maintenance Window**

**Cause:** Window name passed to DBMS\_AUTO\_TASK\_ADMIN.ENABLE procedure must be a member of the MAINTENANCE\_WINDOW\_GROUP.

**Action:** Make the window a member of the MAINTENANCE\_WINDOW\_GROUP and retry the call.

**ORA-16000: database open for read-only access**

**Cause:** The database has been opened for read-only access. Attempts to modify the database using inappropriate DML or DDL statements generate this error.

**Action:** In order to modify the database, it must first be shut down and re-opened for read-write access.

**ORA-16001: database already open for read-only access by another instance**

**Cause:** The database has been opened for read-only access by another instance, and cannot be opened for read-write access by this instance.

**Action:** This instance must be opened for read-write access, or all other instances must first be shut down and re-opened for read-only access.

**ORA-16002: database already open for read-write access by another instance**

**Cause:** The database has been opened for read-write access by another instance, and cannot be opened for read-only access by this instance.

**Action:** This instance must be opened for read-only access, or all other instances must first be shut down and re-opened for read-write access.

**ORA-16003: standby database is restricted to read-only access**

**Cause:** To ensure its integrity, a standby database can only be opened for read-only access.

**Action:** Re-issue the ALTER DATABASE OPEN specifying READ ONLY.

---

**ORA-16004: backup database requires recovery**

**Cause:** The control file is for a backup database which requires recovery, and cannot be opened for read-only access by this instance.

**Action:** Perform the necessary recovery and re-open for read-only access.

**ORA-16005: database requires recovery**

**Cause:** The database requires recovery, and therefore cannot be opened for read-only access by this instance.

**Action:** Perform the necessary recovery and re-open for read-only access.

**ORA-16006: audit\_trail destination incompatible with database open mode**

**Cause:** The audit\_trail initialization parameter was set to "DB" (or TRUE), which is incompatible with a database opened for read-only access.

**Action:** When the database is opened for read-only access, the audit\_trail initialization parameter can only be set to "OS" or "NONE" (FALSE).

**ORA-16007: invalid backup control file checkpoint**

**Cause:** The backup control file being opened for read-only access does not contain a valid control file checkpoint. Therefore the database cannot be opened for read-only access.

**Action:** First open the database for read-write access which will result in valid control file checkpoint. Then re-open the database for read-only access.

**ORA-16008: indeterminate control file checkpoint**

**Cause:** The control file for the database being opened for read-only access was created via CREATE CONTROLFILE. Therefore a control file checkpoint could not be calculated and the database cannot be opened for read-only access.

**Action:** First open the database for read-write access which will result in valid control file checkpoint. Then re-open the database for read-only access.

**ORA-16009: remote archive log destination must be a STANDBY database**

**Cause:** The database associated with the archive log destination service name is other than the required STANDBY type database. Remote archival of redo log files is not allowed to non-STANDBY database instances.

**Action:** Take the necessary steps to create the required compatible STANDBY database before retrying the ARCHIVE LOG processing.

**ORA-16011: Archivelog Remote File Server process in Error state**

**Cause:** The archivelog remote file server (RFS) process at the specified standby database site has experienced an unrecoverable error and is unable to receive further archive log data.

**Action:** Correct the problem at the standby database site.

**ORA-16012: Archive log standby database identifier mismatch**

**Cause:** The database identifiers of the Primary and Standby database do not match. Remote archival of redo log files is not allowed to incompatible STANDBY database instances.

**Action:** Take the necessary steps to create the required compatible STANDBY database before retrying the ARCHIVE LOG processing.

**ORA-16013: log *string* sequence# *string* does not need archiving**

---

**Cause:** An attempt was made to archive the named file manually, but the file did not require archiving. The file had previously been successfully archived.

**Action:** No action is required.

**ORA-16014: log *string* sequence# *string* not archived, no available destinations**

**Cause:** An attempt was made to archive the named log, but the archive was unsuccessful. The archive failed because there were no archive log destinations specified or all destinations experienced debilitating errors.

**Action:** Verify that archive log destinations are being specified and/or take the necessary step to correct any errors that may have occurred.

**ORA-16015: log *string* sequence# *string* not archived, media recovery disabled**

**Cause:** An attempt was made to archive the named log, but the archive was unsuccessful. A standby archive log destination was specified and the database was not media recovery enabled. This is not allowed.

**Action:** Disable the standby destination or enable media recovery and retry.

**ORA-16016: archived log for thread *string* sequence# *string* unavailable**

**Cause:** The managed standby database recovery operation has timed out waiting for the requested archived log file.

**Action:** Verify that the primary database is still archiving redo logs to the standby recovery database site and reissue the RECOVER STANDBY DATABASE WAIT command.

**ORA-16017: cannot use LOG\_ARCHIVE\_DUPLEX\_DEST without a primary archive destination**

**Cause:** The parameter LOG\_ARCHIVE\_DUPLEX\_DEST was set to a non-NULL value when the primary archive destination was set to NULL explicitly.

**Action:** Set the primary archive destination to a valid non-NULL value.

**ORA-16018: cannot use *string* with LOG\_ARCHIVE\_DEST\_n or DB\_RECOVERY\_FILE\_DEST**

**Cause:** One of the following events caused an incompatibility: 1) Parameter LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST was in use when a LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter was encountered while fetching initialization parameters. 2) An ALTER SYSTEM ARCHIVE LOG START TO command was in effect when a LOG\_ARCHIVE\_DEST\_n parameter was encountered while fetching initialization parameters. 3) A LOG\_ARCHIVE\_DEST\_n parameter was in use when an ALTER SYSTEM command was used to define a value for either the LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST parameter. 4) Parameter DB\_RECOVERY\_FILE\_DEST was in use when an attempt was made to use an ALTER SYSTEM or ALTER SESSION command to define a value for LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST.

**Action:** Eliminate any incompatible parameter definitions.

**ORA-16019: cannot use *string* with LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST**

**Cause:** One of the following events caused an incompatibility: 1) Parameter LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST was in use when the specified LOG\_ARCHIVE\_DEST\_n (n = 1...10) or DB\_RECOVERY\_FILE\_DEST parameter was encountered while fetching initialization parameters. 2) Parameter LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST was in use when an attempt was made to use an ALTER SYSTEM or ALTER SESSION command to

---

define a value for the specified LOG\_ARCHIVE\_DEST\_n or DB\_RECOVERY\_FILE\_DEST parameter. 3) An ALTER SYSTEM ARCHIVE LOG START TO command was in effect when the specified LOG\_ARCHIVE\_DEST\_n parameter was encountered while fetching initialization parameters. 4) An ALTER SYSTEM ARCHIVE LOG START TO command was in effect when an attempt was made to use an ALTER SYSTEM or ALTER SESSION command to define a value for the specified LOG\_ARCHIVE\_DEST\_n parameter.

**Action:** Eliminate any incompatible parameter definitions.

**ORA-16020: less destinations available than specified by LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST**

**Cause:** With automatic archiving enabled, the number of archive log destinations that could be used for the database was less than the LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST parameter value.

**Action:** Either adjust the settings of the log archive destination parameters, or lower the value of LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST.

**ORA-16021: session *string* destination cannot be the same as session *string* destination**

**Cause:** An attempt was made to change the first specified archive log parameter using ALTER SESSION to have a destination value that duplicates the session-level destination value of the second specified archive log parameter.

**Action:** Specify a different session destination value for one of the LOG\_ARCHIVE\_DEST\_n parameters.

**ORA-16022: LOG\_ARCHIVE\_DEST cannot be NULL because LOG\_ARCHIVE\_DUPLEX\_DEST is non-NULL**

**Cause:** An attempt was made to change parameter LOG\_ARCHIVE\_DEST to NULL when parameter LOG\_ARCHIVE\_DUPLEX\_DEST is non-NULL.

**Action:** Either set parameter LOG\_ARCHIVE\_DEST to a non-NULL value, or set parameter LOG\_ARCHIVE\_DUPLEX\_DEST to a NULL value.

**ORA-16023: system *string* destination cannot be the same as session *string* destination**

**Cause:** An attempt to change the first specified LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter produced a destination that duplicates the session destination value of the second specified LOG\_ARCHIVE\_DEST\_n parameter. This error can occur when setting a non-NULL value with the ALTER SYSTEM command. Or, this error can occur when setting a NULL value with ALTER SESSION command, because then the associated system destination value may appear as a duplicate.

**Action:** Specify a different destination value for the first specified LOG\_ARCHIVE\_DEST\_n parameter.

**ORA-16024: parameter *string* cannot be parsed**

**Cause:** The value for the indicated LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter could not be parsed. Common causes for this error are a misplaced equal sign, an unrecognized attribute, or an attribute that is missing a required value.

**Action:** Correct the value for the indicated LOG\_ARCHIVE\_DEST\_n parameter.

**ORA-16025: parameter *string* contains repeated or conflicting attributes**

**Cause:** The value for the specified LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter contained either repeated attributes or attributes that conflicted with each other.

---

**Action:** Correct the value for the indicated LOG\_ARCHIVE\_DEST\_n parameter.

**ORA-16026: parameter *string* contains an invalid attribute value**

**Cause:** The value for the specified LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter contained an attribute with an invalid value.

**Action:** Correct the value for the indicated LOG\_ARCHIVE\_DEST\_n parameter.

**ORA-16027: parameter *string* is missing a destination option**

**Cause:** The value for the indicated LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter failed to include a destination option. A destination option is specified using either the LOCATION or SERVICE attribute.

**Action:** Correct the value for the indicated LOG\_ARCHIVE\_DEST\_n parameter.

**ORA-16028: new *string* causes less destinations than LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST requires**

**Cause:** With automatic archiving enabled, an attempt was made to change the indicated LOG\_ARCHIVE\_DEST\_n or a LOG\_ARCHIVE\_DEST\_STATE\_n parameter (n = 1...10) to a value that reduces the number of archive log destinations to less than the specified LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST value.

**Action:** Either select different options for the LOG\_ARCHIVE\_DEST\_n or LOG\_ARCHIVE\_DEST\_STATE\_n parameters, or reduce the value for parameter LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST.

**ORA-16029: cannot change LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST, no archive log destinations**

**Cause:** An attempt was made to change the LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST parameter when there are no archive log destinations.

**Action:** Define one or more log archive destinations using parameters LOG\_ARCHIVE\_DEST, LOG\_ARCHIVE\_DUPLEX\_DEST, or LOG\_ARCHIVE\_DEST\_n (n = 1...10). Then, change the value of parameter LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST.

**ORA-16030: session specific change requires a LOG\_ARCHIVE\_DEST\_n destination**

**Cause:** The following event caused an incompatibility: Parameter LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST was in use when an attempt was made to change the LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST parameter with an ALTER SESSION command.

**Action:** Replace any LOG\_ARCHIVE\_DEST and LOG\_ARCHIVE\_DUPLEX\_DEST parameters with LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameters.

**ORA-16031: parameter *string* destination string exceeds *string* character limit**

**Cause:** The value for the specified parameter contained a destination string that is too long.

**Action:** Replace the destination value for the specified parameter with a character string that has a length below the limit specified in the error message.

**ORA-16032: parameter *string* destination string cannot be translated**

**Cause:** The value for the specified parameter contained a destination string that could not be translated.

**Action:** Use a valid destination string in the specified parameter.

---

**ORA-16033: parameter *string* destination cannot be the same as parameter *string* destination**

**Cause:** An attempt was made to change the first specified archive log parameter to have a destination value that duplicates the system-level destination value of the second specified archive log parameter.

**Action:** Specify a different value for one of the archive log parameters.

**ORA-16034: FROM parameter is incompatible with MANAGED recovery**

**Cause:** Use of the FROM "location" parameter is not allowed when MANAGED recovery has been specified.

**Action:** Correct the syntax and retry the command.

**ORA-16035: missing required keyword *string***

**Cause:** The indicated keyword is required but was not specified.

**Action:** Correct the syntax and retry the command.

**ORA-16036: invalid MANAGED recovery CANCEL option**

**Cause:** A mode other than IMMEDIATE follows the CANCEL keyword in RECOVER MANAGED STANDBY DATABASE statement.

**Action:** Specify either nothing or IMMEDIATE following CANCEL.

**ORA-16037: user requested cancel of managed recovery operation**

**Cause:** The managed standby database recovery operation has been canceled per user request.

**Action:** No action is required.

**ORA-16038: log *string* sequence# *string* cannot be archived**

**Cause:** An attempt was made to archive the named file, but the file could not be archived. Examine the secondary error messages to determine the cause of the error.

**Action:** No action is required.

**ORA-16039: RFS request version mismatch**

**Cause:** A request to archive a redo log to a standby site failed because the request was incompatible with the Remote File Server (RFS) at the standby site.

**Action:** Verify that compatible versions of Oracle are running on the primary and all standby sites.

**ORA-16040: standby destination archive log file is locked**

**Cause:** The target standby destination archive log file is currently locked. This indicates that the file is being archived to by another Remote File Server (RFS) process.

**Action:** Check for and eliminate duplicate standby destination archive log service names defined for the primary database.

**ORA-16041: Remote File Server fatal error**

**Cause:** The Remote File Server (RFS) process at the standby destination archive log site has encountered a disabling error and is no longer available. Further archiving to the standby site may not be possible.

**Action:** Refer to the appropriate RFS trace file located at the standby site for details regarding the error encountered and if possible take corrective action.

---

**ORA-16042: user requested cancel immediate of managed recovery operation**

**Cause:** The managed standby database recovery operation has been canceled immediately per user request. Processing of the current archive log file has been interrupted and therefore the database is in an inconsistent state.

**Action:** No action is required.

**ORA-16043: managed recovery session canceled**

**Cause:** The standby database managed recovery operation has been canceled per user request or operation timeout.

**Action:** More specific messages will accompany this message.

**ORA-16044: destination *string* attribute cannot be specified at session level**

**Cause:** An archive log destination attribute was attempted to be modified at the session level.

**Action:** Use the ALTER SYSTEM command to modify the destination attribute.

**ORA-16045: circular archive log destination dependency chain**

**Cause:** An archive log destination contains a dependency to another archive log destination that also contains a dependency.

**Action:** The parent archive log destination cannot be dependent on another archive log destination. Use the ALTER SYSTEM command to remove one of the dependency attributes.

**ORA-16046: Archive log destination failed due to failed dependent destination**

**Cause:** The archive log destination is dependent upon another destination, which has failed. Therefore, this destination also fails.

**Action:** No action required.

**ORA-16047: DGID mismatch between destination setting and standby**

**Cause:** The DB\_UNIQUE\_NAME specified for the destination does not match the DB\_UNIQUE\_NAME at the destination.

**Action:** Make sure the DB\_UNIQUE\_NAME specified in the LOG\_ARCHIVE\_DEST\_n parameter defined for the destination matches the DB\_UNIQUE\_NAME parameter defined at the destination.

**ORA-16050: destination exceeded specified quota size**

**Cause:** An archive log was attempted to be created in a destination with a specified maximum quota size. The creation of the archive log exceeded the specified quota size. Therefore, the destination has been made inaccessible to future archival operations.

**Action:** No action is required.

**ORA-16051: parameter *string* contains an invalid delay time**

**Cause:** The value for the specified LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter contained a DELAY attribute with an invalid numeric value. The valid range is 0-5760 (in minutes).

**Action:** Correct the value for the indicated LOG\_ARCHIVE\_DEST\_n parameter.

**ORA-16052: DB\_UNIQUE\_NAME attribute is required**

**Cause:** The DB\_UNIQUE\_NAME attribute is required when DG\_CONFIG is enabled.

---

**Action:** Use the DB\_UNIQUE\_NAME attribute to specify a valid Data Guard Name for the destination. The list of valid DB\_UNIQUE\_NAMES can be seen with the V\$DATAGUARD\_CONFIG view.

**ORA-16053: DB\_UNIQUE\_NAME string is not in the Data Guard Configuration**

**Cause:** The specified DB\_UNIQUE\_NAME is not in the Data Guard Configuration.

**Action:** If the DG\_CONFIG attribute of the LOG\_ARCHIVE\_CONFIG parameter is enabled, you must specify a valid DB\_UNIQUE\_NAME. The list of valid DB\_UNIQUE\_NAMES can be seen with the V\$DATAGUARD\_CONFIG view. This problem can also occur when specifying a non-standby destination with an DB\_UNIQUE\_NAME attribute that does not match the DB\_UNIQUE\_NAME initialization parameter for the current instance.

**ORA-16055: FAL request rejected**

**Cause:** FAL server rejects the FAL request from the FAL client. This may be caused by different reasons.

**Action:** to solve the problem.

**ORA-16056: backup control file archival requires proper syntax**

**Cause:** An attempt was made to perform an online log file archival using a backup control file. However, the USING BACKUP CONTROLFILE syntax was not specified.

**Action:** If the archival operation is correct when using a backup control file, then the USING BACKUP CONTROLFILE syntax is required.

**ORA-16057: DGID from server not in Data Guard configuration**

**Cause:** The Data Guard name of the primary database or the FAL server is not in the Data Guard configuration of the standby.

**Action:** In order for the primary database or the FAL server to archive logs to the standby database, the Data Guard name of the primary or FAL server must be in the Data Guard configuration of the standby.

**ORA-16058: standby database instance is not mounted**

**Cause:** The RFS process on the standby database received an internal error.

**Action:** Check the standby alert log and RFS trace files for more information.

**ORA-16059: Log file is empty or invalid next available block**

**Cause:** Archiving not allowed of an empty or invalid log file.

**Action:** No action is required.

**ORA-16060: Log file is current**

**Cause:** The current log file cannot be archived using its file name.

**Action:** No action is required.

**ORA-16061: Log file status has changed**

**Cause:** It is possible the online log file was reclaimed as a new log file either before archival started, or during the archival operation.

**Action:** No action is required.

**ORA-16062: DGID from standby not in Data Guard configuration**

**Cause:** The Data Guard name from the standby is not in the Data Guard configuration of the server.

---

**Action:** In order for the server to be allowed to archive logs to the standby, the Data Guard name of the standby must be in the Data Guard configuration of the server.

**ORA-16063: remote archival is enabled by another instance**

**Cause:** Remote archival of database REDO log files has been enabled by another instance, and cannot be disabled for this instance.

**Action:** Set the REMOTE\_ARCHIVE\_ENABLE parameter to TRUE and restart this instance.

**ORA-16064: remote archival is disabled by another instance**

**Cause:** Remote archival of database REDO log files has been disabled by another instance, and cannot be enabled for this instance.

**Action:** Set the REMOTE\_ARCHIVE\_ENABLE parameter to FALSE and restart this instance.

**ORA-16065: remote archival disabled at standby destination**

**Cause:** Receipt of remote archived REDO log files has been disabled at the associated standby destination host database.

**Action:** If appropriate change the associated archive log parameter to specify a local destination with the LOCATION keyword or defer the associated archive log destination. Or, if possible, set the standby REMOTE\_ARCHIVE\_ENABLE parameter to TRUE, or enable the RECEIVE attribute of the LOG\_ARCHIVE\_CONFIG parameter and restart the standby database instance before further REDO log file archivals occur.

**ORA-16066: remote archival disabled**

**Cause:** An archive log destination parameter has specified a remote destination with the SERVICE keyword. Remote archival of REDO log files has been disabled for this database. The associated archive log destination has been disabled.

**Action:** If appropriate change the archive log parameter to specify a local destination with the LOCATION keyword or (if appropriate) set the REMOTE\_ARCHIVE\_ENABLE parameter to TRUE, or enable the SEND attribute of the LOG\_ARCHIVE\_CONFIG parameter and restart the database instance before further REDO log file archivals occur.

**ORA-16067: activation identifier mismatch in archive log string**

**Cause:** The activation identifier contained in the archive log file header does not match the activation identifier of the database being recovered. The indicated archive log cannot be applied to the database.

**Action:** Locate the appropriate archive log for the database.

**ORA-16068: redo log file activation identifier mismatch**

**Cause:** The activation identifier of the indicated redo log file does not match the activation identifier of the database.

**Action:** None

**ORA-16069: Archive Log standby database activation identifier mismatch**

**Cause:** The activation identifiers of the Primary and Standby database do not match. Remote archival of redo log files is not allowed to incompatible STANDBY database instances. This can occur when trying to apply an incorrect archive log to a standby database, or when trying to archive to a standby database that does not match the primary database.

---

**Action:** Take the necessary steps to create the required compatible STANDBY database before retrying the ARCHIVE LOG processing.

**ORA-16070: parameter *string* contains an invalid REGISTER attribute value**

**Cause:** The value for the specified LOG\_ARCHIVE\_DEST\_n (n = 1...10) parameter contained a REGISTER attribute that specified an invalid file name template string. If specified, the REGISTER file name template string must indicate an O/S-specific file path name including thread and log sequence number substitution directives (%t, %T, %s, %S).

**Action:** Correct the value for the LOG\_ARCHIVE\_DEST\_n parameter.

**ORA-16071: dependency archived log file not found *string***

**Cause:** The specified archived log file was not found at the indicated standby destination.

**Action:** Verify the correctness of the dependency archived log file name template specified for the indicated standby destination against the actual dependency archived log file.

**ORA-16072: a minimum of one standby database destination is required**

**Cause:** No standby database archive log destinations were specified.

**Action:** Specify a standby archive log destination in the initialization parameter file.

**ORA-16073: archiving must be enabled**

**Cause:** Online log file archiving is disabled.

**Action:** Enable log file archiving.

**ORA-16074: ARCH processes must be active**

**Cause:** There are no active ARCH processes.

**Action:** It is required that at least one ARCH process be active.

**ORA-16075: standby database destination mismatch**

**Cause:** A standby database destination was specified that is not accessed by another instance.

**Action:** All database instances must access the same standby databases.

**ORA-16076: unknown standby database destination**

**Cause:** A standby database destination was specified that is not accessed by another instance.

**Action:** All database instances must access the same standby databases.

**ORA-16078: media recovery disabled**

**Cause:** The database is not in ARCHIVELOG mode.

**Action:** Place the database in ARCHIVELOG mode.

**ORA-16079: standby archival not enabled**

**Cause:** The standby database does not have archival enabled.

**Action:** In order to allow the standby database to access the standby log files, the ARCH process must be enabled and active.

**ORA-16080: invalid LogMiner session *string* for APPLY**

---

**Cause:** Logical standby apply engine was started with an invalid LogMiner session identifier.

**Action:** Fix the problem with the LogMiner session or create a new session.

**ORA-16081: insufficient number of processes for APPLY**

**Cause:** Logical standby apply engine was started with fewer processes available than needed.

**Action:** Increase the values of the initialization parameters PROCESSES and or the MAX\_SERVERS parameter seen in the DBA\_LOGSTDBY\_PARAMETERS view.

**ORA-16082: logical standby is not initialized correctly**

**Cause:** Logical standby apply engine was started but it found inconsistencies in its metadata.

**Action:** Look in the trace file for more information.

**ORA-16083: LogMiner session has not been created**

**Cause:** Logical standby apply engine was started without creating a LogMiner session.

**Action:** Create a LogMiner session and restart the apply engine.

**ORA-16084: an apply engine is already running**

**Cause:** A logical standby apply engine was running when another was created.

**Action:** Shut down the previous apply engine before starting a new one.

**ORA-16086: standby database does not contain available standby log files**

**Cause:** The primary database is in "no data loss" mode, but the standby database does not contain any "standby log files".

**Action:** Add one or more standby log files to the standby database. This can be done while the standby database is mounted.

**ORA-16087: graceful switchover requires standby or current control file**

**Cause:** An attempt was made to perform a graceful switchover operation using a backup or clone control file.

**Action:** Convert the backup control file into a current control file prior to attempting a graceful switchover operation. A clone control file cannot be used for a graceful switchover operation.

**ORA-16088: archive log has not been completely archived**

**Cause:** An attempt was made to register an archive log that has not been completely archived. The specified archive log may be a "current" log file.

**Action:** Specify a completed archive log.

**ORA-16089: archive log has already been registered**

**Cause:** An attempt was made to register an archive log that already has a corresponding thread# and sequence# entry in the standby database control file. Duplicate information is not permitted.

**Action:** Use the V\$ARCHIVED\_LOG fixed view to verify the archive log information.

**ORA-16090: archive log to be replaced not created by managed standby process**

---

**Cause:** An attempt was made to replace an archive log entry that was not originally created by the managed standby operation.

**Action:** No user action required.

**ORA-16091: dependent archive log destination already archived**

**Cause:** An archive log destination contains a dependency to another archive log destination that has previously been archived.

**Action:** The parent archive log destination cannot be dependent on another archive log destination. Use the ALTER SYSTEM command to remove one of the dependency attributes.

**ORA-16092: dependent archive log destination is not active**

**Cause:** An archive log destination contains a dependency to another archive log destination that is not active"

**Action:** The child archive log destination cannot be dependent on another invalid archive log destination. Use the ALTER SYSTEM command to remove one of the dependency attributes.

**ORA-16093: dependent archive log destination is not LGWR-enabled**

**Cause:** An archive log destination contains a dependency to another archive log destination that is not enabled for the LGWR process"

**Action:** The child archive log destination cannot be dependent on another archive log destination not archived by the LGWR. Use the ALTER SYSTEM command to change the parent archive log to specify the LGWR process.

**ORA-16094: database shutdown during archival operation**

**Cause:** The database was shut down while an online log file archival was active.

**Action:** None required. The ARCH process is terminated.

**ORA-16095: Dependent destination removal for inactivation**

**Cause:** A dependent archive log destination was inactivated due to the parent archive log destination becoming illegible for archival. This may be due to the parent destination being manually deferred by an application user.

**Action:** None required.

**ORA-16098: inaccessible standby database forced shutdown to protect primary**

**Cause:** No standby database archive log destinations remain accessible and the primary database is in "protected" no-data-loss mode.

**Action:** Specify an alternate standby archive log destination in the initialization parameter file.

**ORA-16099: internal error ORA-00600 occurred at standby database**

**Cause:** The RFS process on the standby database received an internal error.

**Action:** Check the standby alert log and RFS trace files for more information.

**ORA-16100: not a valid Logical Standby database**

**Cause:** This database has not been completely configured as a Logical Standby database.

**Action:** Verify that the database is the intended Logical Standby database. Ensure that you already started logical standby apply with the ALTER DATABASE START LOGICAL APPLY INITIAL statement. See the Oracle8i SQL Reference manual for the statement syntax.

---

**ORA-16101: a valid start SCN could not be found**

**Cause:** An SCN from which to start could not be found.

**Action:** Register the first log file following the backup from which this database was generated. Using the ALTER DATABASE REGISTER LOGFILE statement to register the database is recommended. Alternatively, you can provide a starting SCN value with this statement.

**ORA-16102: remote information is not available on the specified primary**

**Cause:** The new primary has not completed generating the necessary information for the standby to begin consuming its log stream.

**Action:** Verify that the database link provided references a system that is about to become a new primary. Wait a short time before retrying the command to allow the primary some time to generate the necessary information.

**ORA-16103: Logical Standby apply must be stopped to allow this operation**

**Cause:** Logical Standby is currently applying changes. The apply must complete or be stopped to allow the requested operation.

**Action:** Execute the ALTER DATABASE STOP LOGICAL STANDBY APPLY statement, then re-enter or respecify the operation.

**ORA-16104: Invalid Logical Standby parameter**

**Cause:** The specified parameter is not valid.

**Action:** Check spelling or refer to the DBMS\_LOGSTDBY PL/SQL package documentation for the correct statement syntax.

**ORA-16105: Logical Standby is already running in background**

**Cause:** A Logical Standby apply operation is already running.

**Action:** None

**ORA-16107: all log data from primary has been processed**

**Cause:** On the primary system, the log stream has been ended by the ALTER DATABASE COMMIT TO SWITCHOVER TO LOGICAL STANDBY command.

**Action:** Issue one of the following commands to make this standby a primary or resume applying changes from a new primary. ALTER DATABASE COMMIT TO SWITCHOVER TO LOGICAL PRIMARY; ALTER DATABASE START LOGICAL STANDBY APPLY NEW PRIMARY dblink;

**ORA-16108: database is no longer a standby database**

**Cause:** The current database has already been made a primary database.

**Action:** Issue the following commands to make this primary a standby. ALTER DATABASE COMMIT TO SWITCHOVER TO LOGICAL STANDBY; ALTER DATABASE START LOGICAL STANDBY APPLY NEW PRIMARY dblink;

**ORA-16109: failed to apply log data from previous primary**

**Cause:** Log data from previous primary could not be completely applied.

**Action:** . Then, re-issue command.

**ORA-16110: user procedure processing of logical standby apply DDL**

**Cause:** A user provided stored procedure has been called to inspect a DDL statement prior to it being processed.

---

**Action:** No action necessary, this informational statement is provided to record user involvement in the processing of a statement. Additional information can be found in the DBA\_LOGSTDBY\_EVENTS and the DBA\_LOGSTDBY\_SKIP views.

**ORA-16111: log mining and apply setting up**

**Cause:** This logical standby process is setting up to begin processing changes.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16112: log mining and apply stopping**

**Cause:** This logical standby process is cleaning up and stopping Logical Standby apply.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16113: applying change to table or sequence *string***

**Cause:** The process is applying changes to a specific schema object.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16114: applying DDL transaction with commit SCN *string***

**Cause:** The process is applying a DDL change that's committed at the given SCN.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16115: *string*\% of LogMiner dictionary loading is done**

**Cause:** The process is loading dictionary information from the redo stream. This activity may take a few minutes.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16116: no work available**

**Cause:** The process is idle waiting for additional changes to be made available.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16117: processing**

**Cause:** The process is performing its primary function and is not waiting on any significant event.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16119: building transaction at SCN *string***

**Cause:** The transaction being committed at the given SCN is being prepared for apply.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16120: dependencies being computed for transaction at SCN *string***

**Cause:** The transaction committed at the given SCN is being analyzed for dependencies.

---

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16121: applying transaction with commit SCN *string***

**Cause:** The transaction committed at the given SCN is being applied.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16122: applying large dml transaction at SCN *string***

**Cause:** A large transaction is being applied before the commit has been seen. The current redo being applied ends as the given SCN.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16123: transaction *string string string* is waiting for commit approval**

**Cause:** The apply process is waiting for approval to commit a transaction. This transaction may depend on another or other synchronization activity may delay the committing of a transaction.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16124: transaction *string string string* is waiting on another transaction**

**Cause:** The apply process is waiting to apply additional changes. This transaction likely depends on another.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16125: large transaction *string string string* is waiting for more data**

**Cause:** The apply process is waiting until additional changes for a large transaction are retrieved from the log stream.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16126: loading table or sequence *string***

**Cause:** Information on the given table or sequence is being loaded into an in memory cache for future use.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16127: stalled waiting for additional transactions to be applied**

**Cause:** This process is waiting for additional memory before continuing. Additional log information cannot be read into memory until more transactions have been applied to the database, thus freeing up additional memory.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes. If this message occurs often and changes are not being applied quickly, increase available SGA or the number of apply processes.

**ORA-16128: User initiated stop apply successfully completed**

**Cause:** Logical standby was shutdown in an orderly fashion.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16129: unsupported dml encountered**

---

**Cause:** DML to tables in the SYS schema have been updated and are not part of a DDL operation. This may be due to some DBA activity or DML associated with a kernel PL/SQL request that Logical Standby does not yet support.

**Action:** Check the DBA\_LOGSTDBY\_EVENTS table for the name of the table being processed. Possibly use Log Miner to understand the transaction, and provide a compensating transaction on the standby system. Once complete, call DBMS\_LOGSTDBY.SKIP\_TRANSACTION with the associated transaction id, and resume apply.

**ORA-16130: supplemental log information is missing from log stream**

**Cause:** Supplemental logging is not enabled at the primary database.

**Action:** Issue the following command to enable supplemental logging. ALTER DATABASE ADD SUPPLEMENTAL LOG DATA (PRIMARY KEY, UNIQUE INDEX) COLUMNS;

**ORA-16131: An error occurred during a Terminal Recovery of the standby.**

**Cause:** An error occurred during a Terminal Recovery of the standby.

**Action:** Check the standby alert log additional information.

**ORA-16132: An error occurred during activation of the standby.**

**Cause:** An error occurred during activation of the standby database following a Terminal Recovery.

**Action:** Check the standby alert log additional information.

**ORA-16133: Datafile *string* has incorrect terminal recovery stamp.**

**Cause:** After activation of a standby database following a terminal recovery (recovery of standby using current logs), recovery of a datafile from before the activation must have completed the same terminal recovery to avoid corruption.

**Action:** A backup of the datafile taken after the terminal recovery and before activating the standby must be used for recovery.

**ORA-16134: invalid MANAGED recovery FINISH option**

**Cause:** A mode other than NOWAIT follows the FINISH keyword in RECOVER MANAGED STANDBY DATABASE statement.

**Action:** Specify either nothing or NOWAIT following FINISH.

**ORA-16135: Invalid LOG\_ARCHIVE\_CONFIG modification while in protected mode**

**Cause:** The LOG\_ARCHIVE\_CONFIG parameter can not be modified while any RAC instance is open in either maximum protection or maximum availability mode. Also, the parameter can not be modified in such way that would cause all destinations to fail while in maximum protection mode.

**Action:** Make the modification before the database is opened by any instance.

**ORA-16136: Managed Standby Recovery not active**

**Cause:** An attempt was made to cancel a managed recovery session but no managed recovery session was active.

**Action:** No action is necessary.

**ORA-16138: end of log stream not received from primary**

**Cause:** The standby system has not received notification that the primary system log stream has been terminated. A graceful switchover is not possible.

---

**Action:** Verify that the primary log stream has been terminated. Ensure that the standby has applied all necessary redo from the primary system and, if appropriate, reissue the graceful switchover command.

**ORA-16139: media recovery required**

**Cause:** The database has not been recovered through the end of log stream. Graceful switchover is not possible.

**Action:** Ensure that the entire log stream has been applied. If appropriate, reissue the graceful switchover command.

**ORA-16140: standby online logs have not been recovered**

**Cause:** The standby database has online logs containing redo that has not been recovered. Activating the standby would lose redo contained in the online logs.

**Action:** To recover the standby online logs issue the following command: ALTER DATABASE RECOVER MANAGED STANDBY DATABASE FINISH. Then re-issue the ALTER DATABASE ACTIVATE STANDBY DATABASE command. To activate the standby without recovering the online logs, issue the following command: ALTER DATABASE ACTIVATE STANDBY DATABASE SKIP STANDBY LOGFILE.

**ORA-16143: RFS connections not allowed during or after terminal recovery**

**Cause:** An attempt was made, by an RFS process, to access a standby online log file during or after a terminal recovery.

**Action:** The primary must not attempt to archive to the standby after a terminal recovery.

**ORA-16145: archival for thread# *string* sequence# *string* in progress**

**Cause:** The indicated archived log file is not available for recovery due to the fact that it is still being archived.

**Action:** Verify that archival of the indicated log file has completed and reissue the RECOVER STANDBY DATABASE command.

**ORA-16146: standby destination control file enqueue unavailable**

**Cause:** The target standby destination control file is currently unavailable to the Remote File Server (RFS) process. This indicates that the target destination is the primary database itself.

**Action:** Check for and eliminate the standby destination archive log parameter in question.

**ORA-16147: standby database referenced by multiple archive log destinations**

**Cause:** Multiple archive log destinations reference the same standby database, using different service names. This is not allowed.

**Action:** Remove one of the duplicate archive log destinations.

**ORA-16148: user requested expiration of managed recovery operation**

**Cause:** The managed standby database recovery operation has been canceled per user specified EXPIRE option of the RECOVER MANAGED STANDBY DATABASE statement.

**Action:** No action is required.

**ORA-16150: FINISH recovery performed on another, older standby database**

**Cause:** An archive log containing a FINISH recovery indicator was received by a standby database that has received archive logs in the future of the received

---

archive log. Because of the possibility that these future archive logs have been applied to this standby database, the received archive log must be rejected.

**Action:** No action is required.

**ORA-16151: Managed Standby Recovery not available**

**Cause:** The attempted operation failed because of a pending CANCEL of the managed standby recovery operation.

**Action:** Wait for the managed standby recovery session to end. Then retry the operation.

**ORA-16152: standby database is in "no-data-loss" protected mode**

**Cause:** The attempted database operation is not allowed while the standby database is in "no-data-loss" protected mode.

**Action:** Verify that the attempted database operation is warranted, ALTER DATABASE SET STANDBY DATABASE UNPROTECTED and reissue the statement.

**ORA-16154: suspect attribute: *string***

**Cause:** Use of the indicated attribute is illegal in the given context.

**Action:** Make the appropriate changes and reissue the statement.

**ORA-16156: LGWR archive log dependency not allowed if database is standby protected**

**Cause:** The use of a LGWR archive log dependency is not allowed when the primary is protected by a standby database, as this requires use of the standby redo log files.

**Action:** Remove the LGWR archive log dependency and use normal LGWR archival instead.

**ORA-16157: media recovery not allowed following successful FINISH recovery**

**Cause:** A RECOVER MANAGED STANDBY DATABASE FINISH command has previously completed successfully. Another media recovery is not allowed.

**Action:** Issue one of these operations following a FINISH recovery: ALTER DATABASE OPEN READ ONLY or ALTER DATABASE COMMIT TO SWITCHOVER TO PRIMARY.

**ORA-16159: Cannot change protected standby destination attributes**

**Cause:** An attempt was made to change the LGWR/ARCH or SYNC/ASYNCR attributes for a destination that is participating in the standby protection mode of the database.

**Action:** No action is required.

**ORA-16160: Cannot change protected standby database configuration**

**Cause:** An attempt was made to change the standby database configuration when the primary database is in standby protected mode.

**Action:** The standby database must be added to the configuration before the primary database is opened.

**ORA-16161: Cannot mix standby and online redo log file members for group *string***

**Cause:** An attempt was made to add a log file member that does not match the other member types. This problem typically occurs when adding a standby log file member to an online redo logfile group, or adding an online redo log file member to a standby redo log file group.

---

**Action:** Verify the log file group type using the TYPE column of the V\$LOG fixed view.

**ORA-16162: Cannot add new standby databases to protected configuration**

**Cause:** An attempt was made to enable a new standby database destination when the primary database is in standby protected mode.

**Action:** The standby database must be added to the configuration before the primary database is opened.

**ORA-16163: LGWR network server host attach error**

**Cause:** The LGWR network server could not attach to remote host

**Action:** The alert log contains more problem-specific information

**ORA-16164: LGWR network server host detach error**

**Cause:** The LGWR network server could not detach from remote host

**Action:** The alert log contains more problem-specific information

**ORA-16165: LGWR failed to hear from network server**

**Cause:** The LGWR lost its connection to the network server

**Action:** The alert log contains more problem-specific information

**ORA-16166: LGWR network server failed to send remote message**

**Cause:** The LGWR network server could not communicate with the remote host

**Action:** The alert log contains more problem-specific information

**ORA-16167: LGWR network server could not switch to non-blocking mode**

**Cause:** The LGWR network server could not switch to non-blocking mode

**Action:** The alert log contains more problem-specific information

**ORA-16168: LGWR network server could not switch to blocking mode**

**Cause:** The LGWR network server could not switch to blocking mode

**Action:** The alert log contains more problem-specific information

**ORA-16169: LGWR network server invalid parameters**

**Cause:** The LGWR network server could not switch to blocking mode

**Action:** The alert log contains more problem-specific information

**ORA-16170: Terminal recovery may have left the database in an inconsistent state**

**Cause:** When terminal recovery is invoked in a standby database without synchronous log shipping, in the rare case of the recovery session being in an unrecoverable state, terminal recovery cannot bring the standby database to a consistent SCN boundary if the primary database continues to have redo thread(s) open.

**Action:** Continue standby recovery with additional log shipping from primary.

**ORA-16171: RECOVER...FINISH not allowed due to gap for thr string, seq string-string**

**Cause:** See alert log for more details

**Action:** Copy missing archived logs from primary or another standby. Register the logs and re-issue the RECOVER...FINISH command. If the logs are not available, issue the ALTER DATABASE RECOVER MANAGED STANDBY SKIP command to ignore the standby redo log files.

---

**ORA-16172: archive logs detected beyond Terminal End-Of-Redo**

**Cause:** An attempt to archive a Terminal End-Of-Redo archive log to a remote destination failed due the existence, at the remote site, of archive logs containing REDO in the future of the Terminal EOR.

**Action:** None

**ORA-16173: incompatible archival network connections active**

**Cause:** One of two situations can cause this error: 1) An attempt to start a Terminal Incomplete Recovery operation failed due to an active Remote File Server process detected. 2) An attempt to archive a Terminal End-Of-Redo archive log to a remote destination failed due to an active Remote File Server process at the remote site. An active Remote File Server (RFS) process implies connectivity with the primary database which may indicate that a Terminal Incomplete Recovery operation is not warranted.

**Action:** Verify the Managed Standby environment and re-evaluate the necessity of a Terminal Incomplete Recovery operation.

**ORA-16174: user requested thread/sequence termination of managed recovery**

**Cause:** The managed standby database recovery operation has been terminated per user specified THROUGH THREAD/SEQUENCE option of the RECOVER MANAGED STANDBY DATABASE statement.

**Action:** No action is required.

**ORA-16175: cannot shut down database when media recovery is active**

**Cause:** An attempt was made to shut down a standby database while media recovery was active.

**Action:** Cancel media recovery to proceed with the shutdown.

**ORA-16176: background dictionary build cannot be running**

**Cause:** The background process dedicated to dictionary build is active.

**Action:** wait and try it later.

**ORA-16177: media recovery is not required**

**Cause:** The THROUGH LAST SWITCHOVER clause of the ALTER DATABASE RECOVER MANAGED STANDBY DATABASE was specified and the database has been recovered to the most recent End-Of-Redo marker. All known archived logs have been applied. Managed recovery is not required.

**Action:** No action is necessary. The standby database may be activated as a new primary or may continue as a standby.

**ORA-16178: Cannot specify remote destinations in archivelog manual mode**

**Cause:** The database is operating in ARCHIVELOG MANUAL mode. Remote archivelog destinations are not allowed in this mode.

**Action:** Use the ALTER DATABASE ARCHIVELOG command to place the database in automatic archivelog mode, or defer the archivelog destinations that specify the SERVICE= attribute.

**ORA-16179: incremental changes to "string" not allowed with SPFILE**

**Cause:** Incremental changes to a log\_archive\_dest\_n parameter cannot be made when using an SPFILE.

**Action:** Specify either LOCATION or SERVICE plus all other attributes to be set in one ALTER SYSTEM/SESSION SET command.

---

**ORA-16180: number of processes specified is too large**

**Cause:** The number of server processes available for Logical Standby is currently limited to 1024 LogMiner processes and 1024 apply processes or a total of 2048.

**Action:** Retry with a lower value.

**ORA-16181: SGA specified for Logical Standby is too large**

**Cause:** MAX\_SGA is larger than the larger of initialization parameters SHARED\_POOL\_SIZE and SGA\_TARGET.

**Action:** Specify the value of MAX\_SGA to be less than the maximum of SHARED\_POOL\_SIZE and SGA\_TARGET. Likely only 75% or lower.

**ORA-16182: Internal error on internal channel during remote archival**

**Cause:** An internal error was encountered on the internal channel between LGWR and Network Server.

**Action:** No action is required, as an attempt will be made to re-archive the file that had this failure during archival.

**ORA-16184: DB\_UNIQUE\_NAME *string* hashes to the same value as DB\_UNIQUE\_NAME *string***

**Cause:** The internal hash value generated for one DB\_UNIQUE\_NAME collided with the hash value of another DB\_UNIQUE\_NAME.

**Action:** Slightly modify one of the DB\_UNIQUE\_NAMES so it hashes to a different value.

**ORA-16185: REMOTE\_ARCHIVE\_ENABLE and LOG\_ARCHIVE\_CONFIG mutually exclusive**

**Cause:** Both the REMOTE\_ARCHIVE\_ENABLE and LOG\_ARCHIVE\_CONFIG parameters are defined in the initialization file and they are mutually exclusive.

**Action:** The REMOTE\_ARCHIVE\_ENABLE parameter has been made obsolete. Use only the LOG\_ARCHIVE\_CONFIG parameter.

**ORA-16186: Modifying LOG\_ARCHIVE\_CONFIG requires SID="" qualifier**

**Cause:** The setting for the LOG\_ARCHIVE\_CONFIG parameter must be exactly the same on all RAC instances so the SID="" qualifier is required.

**Action:** Re-enter the command using the SID="" qualifier.

**ORA-16187: LOG\_ARCHIVE\_CONFIG contains duplicate, conflicting or invalid attributes**

**Cause:** The LOG\_ARCHIVE\_CONFIG parameter was specified with duplicate, conflicting or invalid attributes.

**Action:** Check the documentation regarding the correct specification of the LOG\_ARCHIVE\_CONFIG parameter.

**ORA-16188: LOG\_ARCHIVE\_CONFIG settings inconsistent with previously started instance**

**Cause:** The settings for the LOG\_ARCHIVE\_CONFIG parameter are inconsistent with the settings of a previously started instance. The settings for this parameter must be exactly the same for all instances.

**Action:** Make sure all instances use the exact same LOG\_ARCHIVE\_CONFIG settings.

**ORA-16191: Primary log shipping client not logged on standby**

---

**Cause:** An attempt to ship redo to standby without logging on to standby or with invalid user credentials.

**Action:** Check that primary and standby are using password files and that both primary and standby have the same SYS password. Restart primary and/or standby after ensuring that password file is accessible and REMOTE\_LOGIN\_PASSWORDFILE initialization parameter is set to SHARED or EXCLUSIVE.

**ORA-16192: Primary and standby network integrity mismatch**

**Cause:** Standby wants sqlnet network integrity for redo shipment which is not configured properly at the primary.

**Action:** Check sqlnet.ora documentation regarding how to setup network integrity and set it up identically on both primary and standby. Restart primary and/or standby.

**ORA-16193: Primary and standby network encryption mismatch**

**Cause:** Standby wants sqlnet network encryption for redo shipment which is not configured properly at the primary.

**Action:** Check sqlnet.ora documentation regarding how to setup network encryption and set it up identically on both primary and standby. Restart primary and/or standby.

**ORA-16194: Modifying DB\_UNIQUE\_NAME requires SID="" qualifier**

**Cause:** The setting for the DB\_UNIQUE\_NAME parameter must be exactly the same on all RAC instances so the SID="" qualifier is required.

**Action:** Re-enter the command using the SID="" qualifier.

**ORA-16195: DG\_CONFIG requires DB\_UNIQUE\_NAME be explicitly defined**

**Cause:** The DG\_CONFIG attribute of the LOG\_ARCHIVE\_CONFIG parameter can only be used if the DB\_UNIQUE\_NAME parameter has been explicitly defined.

**Action:** Explicitly define a valid DB\_UNIQUE\_NAME.

**ORA-16196: database has been previously opened and closed**

**Cause:** The instance has already opened and closed the database, which is allowed only once in its lifetime.

**Action:** Shut down the instance.

**ORA-16197: Invalid DB\_UNIQUE\_NAME parameter specification**

**Cause:** The DB\_UNIQUE\_NAME parameter has an invalid specification. The DB\_UNIQUE\_NAME parameter has a maximum length of 30 characters and the only characters allowed are alpha-numeric characters and "\_", "\$" and "#".

**Action:** Check the documentation and re-enter the parameter.

**ORA-16198: Timeout incurred on internal channel during remote archival**

**Cause:** A timeout was incurred during remote archival.

**Action:** No action is required, as an attempt will be made to re-archive the file that had this failure during archival.

**ORA-16199: Terminal recovery failed to recover to a consistent point**

**Cause:** See alert log for more details

**Action:** Try to resolve the problem. Retry terminal recovery. If the problem occurs repeatedly and cannot be resolved, call Oracle support.

---

**ORA-16200: Skip procedure requested to skip statement**

**Cause:** Logical standby called a skip procedure that requested for a particular statement not to be applied.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16201: Skip procedure requested to apply statement**

**Cause:** Logical standby called a skip procedure that requested for a particular statement to be applied.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16202: Skip procedure requested to replace statement**

**Cause:** Logical standby called a skip procedure that requested for a particular statement to be replaced with a new statement.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16203: Unable to interpret skip procedure return values**

**Cause:** The skip procedure returned conflicting or invalid values.

**Action:** Ensure that the new\_statement output parameter is non-NULL when returning DBMS\_LOGSTDBY.SKIP\_ACTION\_REPLACE and NULL otherwise. Also ensure SKIP\_ACTION is specified correctly.

**ORA-16204: DDL successfully applied**

**Cause:** A DDL statement has successfully committed on the logical standby database.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16205: DDL skipped due to skip setting**

**Cause:** A setting in the logical standby skip table indicates that this type of DDL should always be skipped.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16206: database already configured as Logical Standby database**

**Cause:** This database has been previously configured as a Logical Standby database. A Logical Standby database is not capable of processing the requested operation.

**Action:** Ensure that you entered the command on the correct database as this database is a Logical Standby and is not capable of servicing the request.

**ORA-16207: Logical standby dictionary build not permitted.**

**Cause:** A dictionary build is currently in progress. Only one build can be active at a time.

**Action:** Wait for the active build to complete before invoking a new build.

**ORA-16208: Logical standby dictionary build failed to start.**

**Cause:** Failure to start the logical standby dictionary build process (LSP1)

**Action:** Check the accompanying messages, and the background process trace file. Correct the problem mentioned in the messages. Then shut down and restart the

---

instance. If the trace file mentions any other background process messages, check the trace file for the mentioned process until the root message is found.

**ORA-16209: Logical standby dictionary build failed to complete.**

**Cause:** The logical standby dictionary build process terminated abnormally.

**Action:** Check the accompanying messages, and the background process trace file. Correct the problem mentioned in the messages. Then shut down and restart the instance. If the trace file mentions any other background process messages, check the trace file for the mentioned process until the root message is found.

**ORA-16210: Logical standby coordinator process terminated with error**

**Cause:** The logical standby coordinator process terminated abnormally.

**Action:** Check the accompanying messages, and the background process trace file. Correct the problem mentioned in the messages. Then shut down and restart the instance. If the trace file mentions any other background process messages, check the trace file for the mentioned process until the root message is found.

**ORA-16211: unsupported record found in the archived redo log**

**Cause:** Log apply services encountered a record in the archived redo log that could not be interpreted.

**Action:** 1. Use DBMS\_LOGSTDBY.INSTANTIATE\_TABLE to re-create the table on the standby database or simply drop the table if it's unimportant.

2. ALTER DATABASE START LOGICAL STANDBY APPLY;

3. Examine the current\_scn column in the DBA\_LOGSTDBY\_EVENTS view to determine which log file contains the unsupported record.

4. Provide the log file to Oracle Support Services.

**ORA-16212: number of processes specified for SQL Apply is too great**

**Cause:** Logical standby apply engine was started with more processes requested than are available.

**Action:** Adjust the values of the initialization parameters PROCESSES or the MAX\_SERVERS parameter seen in the DBA\_LOGSTDBY\_PARAMETERS view. If you did not specify MAX\_SERVERS, but instead specified PREPARE\_SERVERS and APPLY\_SERVERS through the dbms\_logstdby.apply\_set procedure, you will need to decrease either one or both of them.

**ORA-16213: ddl encountered, stopping apply engine**

**Cause:** stop\_on\_ddl callout specified and DDL was encountered.

**Action:** Either disable stop\_on\_ddl callout or remove DDL.

**ORA-16214: apply stalled for apply delay**

**Cause:** A delay has been specified on the primary database for this destination.

**Action:** Either turn off the delay on the primary or use DBMS\_LOGSTDBY.APPLY\_UNSET("APPLY\_DELAY"); to override.

**ORA-16215: history metadata inconsistency**

**Cause:** internal error.

**Action:** This is an internal error. Contact Oracle support.

**ORA-16216: Log stream sequence error**

**Cause:** The log stream being processed did not follow the last processed stream.

---

**Action:** If the database is in an active configuration, issue an ALTER DATABASE START LOGICAL STANDBY APPLY NEW PRIMARY command to synchronize log stream data with the current primary database. If the database is not in an active configuration, manually add the next dictionary-begin logfile that followed the previous log stream.

**ORA-16217: prepare to switchover has not completed**

**Cause:** An ALTER DATABASE PREPARE TO SWITCHOVER command was issued, but the prepare activity did not complete.

**Action:** Verify that the standby was prepared properly. You may cancel the prepare and perform an unprepared switchover which requires a database link to complete. Or reissue the prepare operation on the standby.

**ORA-16218: This database is already preparing to switch over.**

**Cause:** The database was already preparing to switch over and was not able to accommodate another prepare attempt.

**Action:** Cancel the current prepare attempt with the ALTER DATABASE PREPARE TO SWITCHOVER CANCEL command, then reissue the prepare request.

**ORA-16219: This database is not preparing to switch over.**

**Cause:** The database was not preparing to switch over. Therefore, it was not possible to cancel the SWITCHOVER command.

**Action:** Preparing for the SWITCHOVER command can be accomplished with the ALTER DATABASE PREPARE TO SWITCHOVER command.

**ORA-16220: no failed transaction found**

**Cause:** No failed transaction was found.

**Action:** Retry the ALTER DATABASE START LOGICAL STANDBY APPLY command without the SKIP FAILED TRANSACTION option.

**ORA-16221: history table synchronization error**

**Cause:** internal error.

**Action:** This is an internal error. Contact Oracle support.

**ORA-16222: automatic Logical Standby retry of last action**

**Cause:** A failure occurred while running Logical Standby apply. A new attempt is automatically being made by Logical Standby apply.

**Action:** No action is necessary. This informational statement is provided to record the event for diagnostic purposes.

**ORA-16223: DDL skipped, unsupported in current version**

**Cause:** The given DDL statement was not supported in the current version of Logical Standby and was skipped.

**Action:** No action is necessary. This informational statement is provided to record the event for diagnostic purposes.

**ORA-16224: Database Guard is enabled**

**Cause:** Operation could not be performed because database guard is enabled

**Action:** Verify operation is correct and disable database guard

**ORA-16225: Missing LogMiner session name for Streams**

---

**Cause:** An attempt was made to register the log file for Streams without a specified LogMiner session name.

**Action:** Specify a valid LogMiner session name to which the log file will be registered.

**ORA-16226: DDL skipped due to lack of support**

**Cause:** Logical Standby does not support this type of DDL in this version, so the DDL is skipped.

**Action:** The DBA may apply the DDL explicitly at a later time or a procedure to handle this type of DDL can be created. see DBMS\_LOGSTDBY.SKIP procedure for details.

**ORA-16227: DDL skipped due to missing object**

**Cause:** A table or other database object upon which this DDL depends is not defined on the Logical Standby database.

**Action:** No action is necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16228: Insufficient recovery for logical standby**

**Cause:** Insufficient amount of recovery was run for logical standby instantiation.

**Action:** Continue to recover the database using ALTER DATABASE RECOVER MANAGED STANDBY DATABASE.

**ORA-16229: PDML child *string string string* for parent *string string string* cannot be skipped.**

**Cause:** A request was made to skip a parallel DML child transaction id. This is not supported.

**Action:** Using the DBMS\_LOGSTDBY.UNSKIP\_TRANSACTION procedure, remove the child transaction id, then specify the parent transaction id using DBMS\_LOGSTDBY.SKIP\_TRANSACTION if appropriate.

**ORA-16230: committing transaction *string string string***

**Cause:** Logical Standby apply was committing changes for the given transaction.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16232: adding Logical Standby skip entry for table *string.string***

**Cause:** Table was previously unsupported due to datatype or storage attribute definitions. Table is now capable of being supported.

**Action:** To have Logical Standby maintain the table, import that table directly from the primary.

**ORA-16233: The table *string.string* is unsupported now**

**Cause:** Table was previously supported but now is unsupported due to altered datatype or storage attribute definitions.

**Action:** None

**ORA-16234: restarting to reset Logical Standby apply**

**Cause:** Logical Standby encountered a work load that required a restart to properly reschedule.

**Action:** No action necessary. This informational statement is provided to record the event for diagnostic purposes.

---

**ORA-16235: DDL skipped because import has occurred**

**Cause:** An object was exported from the primary database and imported into the Logical Standby database. This DDL occurred before the export.

**Action:** No action necessary. This informational statement is provided to record the event for diagnostic purposes.

**ORA-16236: Logical Standby metadata operation in progress**

**Cause:** The requested operation failed because a Logical Standby metadata operation, such as DBMS\_LOGSTDBY.SET\_TABLESPACE or DBMS\_LOGSTDBY.INSTANTIATE\_TABLE, has not finished.

**Action:** Wait for the Logical Standby metadata operation to finish, then re-enter or respecify the operation.

**ORA-16237: SGA specified for Logical Standby is too small**

**Cause:** MAX\_SGA must be at least 10 Megabytes for proper functioning of Logical Standby.

**Action:** Specify the value of MAX\_SGA to be greater than or equal to 10Mb. Alternatively, increase the shared\_pool\_size/sga\_target so that 1/4 of it will amount to 10 Megabytes.

**ORA-16238: attempt to use version 9 log**

**Cause:** Version 9 log files are not supported.

**Action:** Use log files of a supported version.

**ORA-16239: IMMEDIATE option not available without standby redo logs**

**Cause:** The IMMEDIATE option cannot be used without standby redo logs.

**Action:** Do not specify the IMMEDIATE option unless standby redo logs are being used.

**ORA-16240: Waiting for logfile (thread# *string*, sequence# *string*)**

**Cause:** Reader process is idle waiting for additional logfile to be available.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16241: Waiting for gap logfile (thread# *string*, sequence# *string*)**

**Cause:** Reader process is idle waiting for the logfile to fill the log sequence gap.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16242: Processing logfile (thread# *string*, sequence# *string*)**

**Cause:** Reader process is processing the logfile.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16243: paging out *string* bytes of memory to disk**

**Cause:** Builder process is paging out memory to free up space in lcr cache.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16246: User initiated abort apply successfully completed**

**Cause:** SQL Apply was stopped using the abort option.

---

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16247: DDL skipped on internal schema**

**Cause:** Logical Standby ignores DDLs on internal schemas such as SYS and SYSTEM. For a complete list of internal schemas ignored by Logical Standby perform the following query: `SELECT owner FROM dba_logstdby_skip WHERE statement_opt = "INTERNAL SCHEMA"`.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16248: RFS connections not permitted during Terminal Apply**

**Cause:** Writes by RFS are not permitted while Logical Standby is performing Terminal Apply.

**Action:** Permit any outstanding Logical Standby operations to complete.

**ORA-16249: Terminal apply failed to complete during failover**

**Cause:** The logical standby coordinator process terminated abnormally."

**Action:** Examine the `DBA_LOGSTDBY_EVENTS` view for the reason behind the abnormal shutdown, and resolve accordingly. Once the problem has been rectified, reissue the `ALTER DATABASE ACTIVATE LOGICAL STANDBY DATABASE` command to complete the failover.

**ORA-16250: Failed to acquire starting scn of new log stream**

**Cause:** The starting SCN for the new log stream could not be determined.

**Action:** Please reissue the `ACTIVATE LOGICAL STANDBY DATABASE` command.

**ORA-16251: LSP1 Background Build not permitted**

**Cause:** The LSP1 background process is not permitted to start because it had previously been attempted.

**Action:** This is an internal error. Contact Oracle support.

**ORA-16252: Rebuild operation not permitted**

**Cause:** The `REBUILD` operation is not permitted.

**Action:** Only on a primary database that has failed to complete the LogMiner dictionary build may the `REBUILD` operation take place. Reissue the `ACTIVATE LOGICAL STANDBY DATABASE` command if it previously failed to complete.

**ORA-16253: Logical Standby cannot start due to incomplete terminal apply**

**Cause:** A previous `ACTIVATE` of the logical standby failed to complete.

**Action:** Reissue the `ALTER DATABASE ACTIVATE LOGICAL STANDBY DATABASE FINISH APPLY` command.

**ORA-16254: change db\_name to string in the client-side parameter file (pfile)**

**Cause:** An `ALTER DATABASE RECOVER TO LOGICAL STANDBY new-dbname` command was successfully executed without a server parameter file (spfile).

**Action:** The client-side parameter file must be edited so that `db_name` is set to the given name before mounting the database again.

**ORA-16255: Log Auto Delete conflicts with another LogMiner session**

**Cause:** Log Auto Delete cannot be on while another LogMiner session is running on the same database.

---

**Action:** Start Logical Standby without Log Auto Delete or destroy other LogMiner sessions first.

**ORA-16256: Failure to complete standby redo logfile archival after failover**

**Cause:** The standby redo logfiles processed during the failover of a logical standby were not archived.

**Action:** Execute DBMS\_LOGSTDBY.REBUILD to reattempt the archival.

**ORA-16257: Switchover initiated stop apply successfully completed**

**Cause:** SQL Apply was stopped because of a switchover.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16258: marking index unusable due to a constraint violation**

**Cause:** A constraint violation occurred during the apply of a direct path load. The index will be marked unusable and the apply will be restarted.

**Action:** No action necessary. See alert log for index schema and name.

**ORA-16259: Switchover to logical standby requires a log archive destination**

**Cause:** A valid log archive destination was not found to which the local system could archive the EOR logfile. A minimum of one destination is required.

**Action:** Ensure all log archive destinations are properly configured and, if applicable, have network connectivity before re-issuing the ALTER DATABASE COMMIT TO SWITCHOVER TO LOGICAL STANDBY DDL operation.

**ORA-16260: Waiting to replace partial or corrupt logfile (thread# *string*, sequence# *string*)**

**Cause:** LogMiner Reader process reached end of a partial logfile or encountered a corrupted block. It is now waiting for the logfile to be recovered and re-registered.

**Action:** No action necessary. Once the FAL archiver replaces the logfile, standby will automatically restart to process the replaced file.

**ORA-16261: Identification key mismatch for table "*string*"."*string*".**

**Cause:** Internal error in SQL Apply.

**Action:** Contact Oracle Support Services.

**ORA-16262: Invalid value specified for Logical Standby parameter**

**Cause:** The value specified in APPLY\_SET is invalid for the parameter.

**Action:** Specify correct parameter value. Please refer to documentation on DBMS\_LOGSTDBY PL/SQL package for details.

**ORA-16263: Dynamic parameters can only be set on SQL apply instance**

**Cause:** Attempt to set a Logical standby dynamic parameter on an instance other than where SQL apply coordinator is running.

**Action:** Connect to the instance where SQL apply coordinator is running and re-issue the statement.

**ORA-16264: invalid value for PREPARE\_SERVERS parameter**

**Cause:** attempt to set PREPARE\_SERVERS parameter to zero or to a value which would require MAX\_SERVERS to be increased.

**Action:** set PREPARE\_SERVERS parameter to a non zero value and or increase MAX\_SERVERS parameter accordingly.

---

**ORA-16265: Unsupported PL/SQL procedure encountered**

**Cause:** Apply encountered an unsupported procedure from an Oracle supplied PL/SQL package that is otherwise supported

**Action:** Either add a skip rule for this procedure or manually apply the procedure and restart apply skipping the failed transaction Please refer to documentation on the PL/SQL package for details.

**ORA-16266: Cannot instantiate a Logical Standby from another Logical Standby**

**Cause:** An instantiation of a Logical Standby has been attempted for another database with the Logical Standby role, which is not supported.

**Action:** Instantiate a Logical Standby database only from a Primary Database.

**ORA-16267: Cannot instantiate a Logical Standby during a switchover**

**Cause:** An instantiation of a Logical Standby has been attempted for a primary database that is in the middle of a switchover.

**Action:** Execute ALTER DATABASE PREPARE TO SWITCHOVER CANCEL to cancel the switchover, and attempt the instantiation again.

**ORA-16268: user procedure processing of logical standby apply PL/SQL**

**Cause:** A user-provided stored procedure was called to inspect a PL/SQL statement prior to the statement being processed.

**Action:** No action necessary, this informational statement is provided to record user involvement in the processing of a statement. Additional information can be found in the DBA\_LOGSTDBY\_EVENTS and the DBA\_LOGSTDBY\_SKIP views.

**ORA-16269: PL/SQL procedure skipped due to failure on primary database**

**Cause:** Because the PL/SQL procedure failed when executed on the primary database, it could not be executed on the standby database.

**Action:** This informational statement is provided to record the event for diagnostic purposes. The failed PL/SQL procedure needs to be investigated to ensure it did not commit interesting data before it failed.

**ORA-16270: PL/SQL procedure skipped due to unmaintained standby objects**

**Cause:** Because the PL/SQL procedure manipulated objects not being maintained by the standby database, it was skipped.

**Action:** No action necessary. This informational statement is provided to record the event for diagnostic purposes.

**ORA-16271: PL/SQL successfully applied**

**Cause:** A PL/SQL procedure was successfully applied on the logical standby database.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16272: PL/SQL procedure skipped due to skip setting**

**Cause:** A setting in the logical standby skip table indicated that this PL/SQL procedure should always be skipped.

**Action:** No action necessary, this informational statement is provided to record the event for diagnostic purposes.

**ORA-16273: invalid value for APPLY\_SERVERS parameter**

---

**Cause:** attempt to set APPLY\_SERVERS parameter to zero or to a value which would require MAX\_SERVERS to be increased.

**Action:** set APPLY\_SERVERS parameter to a non zero value or increase MAX\_SERVERS parameter accordingly.

**ORA-16274: failure to perform DDL on all RAC instances**

**Cause:** One or more instances encountered an error while performing an operation.

**Action:** Ensure every instance in the RAC meets the requirements for the operation, and retry the operation.

**ORA-16275: prior failed CTAS detected and pre-existing table dropped**

**Cause:** During the processing of a CTAS operation, an existing empty table with the same name and attributes as the CTAS source table was found, and the table was dropped.

**Action:** No action is necessary. This informational statement is provided to record the event for diagnostic purposes.

**ORA-16276: specified database link does not correspond to primary database**

**Cause:** The database link specified to DBMS\_LOGSTDBY.INSTANTIATE\_TABLE did not link to the primary database for this logical standby database.

**Action:** Specify a database link that corresponds to the primary database for this logical standby database. The link should have privileges to read and lock the table being instantiated, as well as the SELECT\_CATALOG\_ROLE.

**ORA-16277: specified table is not supported by logical standby database**

**Cause:** A call was made to DBMS\_LOGSTDBY.INSTANTIATE\_TABLE to instantiate an unsupported table on the logical standby database. Tables with unsupported data types cannot be replicated to a logical standby database.

**Action:** Specify a table which is not listed in the DBA\_LOGSTDBY\_UNSUPPORTED\_TABLE view.

**ORA-16278: specified table has a multi-object skip rule defined**

**Cause:** A table that is instantiated via DBMS\_LOGSTDBY.INSTANTIATE\_TABLE must not have any skip rules defined with wildcard characters.

**Action:** Remove or rewrite any skip rules defined for the specified table so that they no longer contain wildcard characters, or no longer affect the specified table.

**ORA-16279: Supplied dblink must have CONNECT, RESOURCE, and SELECT\_CATALOG\_ROLE roles**

**Cause:** A dblink was specified to DBMS\_LOGSTDBY.INSTANTIATE\_TABLE that lacked one or more of the CONNECT, RESOURCE, or SELECT\_CATALOG\_ROLE roles.

**Action:** Grant the CONNECT, RESOURCE, and SELECT\_CATALOG\_ROLE roles to the specified dblink, and retry the operation.

**ORA-16280: cannot change master key on a logical standby database**

**Cause:** An attempt was made to change the master key for transparent data encryption on a logical standby database.

**Action:** Set GUARD to NONE and reissue the command. This prevents you from replicating tables with encrypted columns from the primary database.

**ORA-16281: missing identification key for table "string"."string".**

---

**Cause:** No identification key was created for specified table.

**Action:** Create a primary key or unique index for specified table.

**ORA-16282: operation not permitted during rolling upgrade**

**Cause:** An operation was attempted that is not supported during a rolling upgrade.

**Action:** Retry the operation upon completion of the upgrade.

**ORA-16400: quota attributes are not allowed with DB\_RECOVERY\_FILE\_DEST**

**Cause:** Quota attributes for the destination parameters are not allowed when the parameter DB\_RECOVERY\_FILE\_DEST is defined.

**Action:** No action is required.

**ORA-16401: archivelog rejected by RFS**

**Cause:** An attempt was made to re-archive an existing archivelog. This usually happens because either a multiple primary database or standby database(s) or both are trying to archive to this standby database.

**Action:** See alert log and trace file for more details. No action is necessary; this is an informational statement provided to record the event for diagnostic purposes.

**ORA-16402: ONDEMAND archival requires FAL\_CLIENT and FAL\_SERVER support**

**Cause:** The archivelog destination TRANSPORT=ONDEMAND attribute was specified on the primary database. Use of the TRANSPORT=ONDEMAND attributes requires that the corresponding standby database explicitly specify the FAL\_CLIENT and FAL\_SERVER initialization parameters.

**Action:** Make sure the FAL\_CLIENT and FAL\_SERVER initialization parameters are explicitly specified on the standby database that received this error.

**ORA-16403: shutdown in progress - remote connection is not permitted**

**Cause:** The SHUTDOWN command was used to shut down a running remote primary or standby ORACLE instance, so the LGWR or ARCH processes cannot connect to ORACLE.

**Action:** Wait for the remote instance to be restarted, or contact your DBA.

**ORA-16406: Primary and standby database software version mismatch**

**Cause:** The primary database and standby database Oracle software is not compatible.

**Action:** Install the correct Oracle software and try again.

**ORA-16407: Standby database is in the future of the archive log**

**Cause:** An archive log, from a different Redo Branch, was received by a standby database that has applied Redo in the future of Redo contained within the archive log. The standby database has rejected the REDO Branch archive logs.

**Action:** No action is required.

**ORA-16408: Incompatible archival Redo Branch lineage**

**Cause:** An archive log, from an incompatible different Redo Branch, was received by a standby database. The standby database has rejected the Redo Branch archive logs.

**Action:** No action is required.

---

**ORA-16409: Archive log switchover reference number mismatch**

**Cause:** The archive log switchover reference numbers of the Primary and Standby database do not match. Remote archival of redo log files is not allowed to incompatible STANDBY database instances.

**Action:** No action is required.

**ORA-16411: ONDEMAND archival requires active managed recovery operation**

**Cause:** The use of the ONDEMAND attribute for a physical standby database destination requires that the managed recovery operation be active prior to establishing the network connection.

**Action:** Start the managed recovery operation on the standby database.

**ORA-16412: ONDEMAND archival requires active SQL apply operation**

**Cause:** The use of the ONDEMAND attribute for a logical standby database destination requires that the SQL apply operation be active prior to establishing the network connection.

**Action:** Start the SQL apply operation on the standby database.

**ORA-16413: Unsupported database type for ONDEMAND archivelog destinations**

**Cause:** The use of the ONDEMAND attribute for a standby database destination is supported for only physical and logical standby database types. Cross-Instance-Archival and repository database types are not valid for the ONDEMAND attribute.

**Action:** Verify the database corresponding to the archivelog destination is either a physical standby database or a logical standby database.

**ORA-16416: Switchover target is not synchronized with the primary**

**Cause:** The switchover target incurred an error or has a gap at the time the switchover operation was attempted.

**Action:** Allow the switchover target to become synchronized and then re-attempt the switchover.

**ORA-16417: Activation occurred after recovery from standby redo log files; a full database backup is required**

**Cause:** Activation occurred after recovery from standby redo log files.

**Action:** Take a full database backup.

**ORA-16419: Snapshot standby must be converted from physical standby**

**Cause:** The database is not physical standby.

**Action:** Convert to physical standby and retry the operation.

**ORA-16420: fast-start failover target cannot be converted to snapshot standby**

**Cause:** The database chosen for conversion to a snapshot standby was the fast-start failover target standby database.

**Action:** Choose another physical standby database and retry the operation.

**ORA-16424: Terminal recovery cannot start due to GAP on Physical Standby**

**Cause:** Terminal Recovery failed because of gap behind the start point of standby recovery.

**Action:** Issue ALTER DATABASE ACTIVATE STANDBY DATABASE

**ORA-16425: Terminal recovery branch *string* older than target branch *string***

---

**Cause:** Terminal Recovery failed because of new branch on Physical Standby.

**Action:** Issue real time apply recovery and see if recovery can proceed on the new branch by checking if logs on the new branch are applied by recovery. If so, issue another terminal recovery. Otherwise, issue ALTER DATABASE ACTIVATE STANDBY DATABASE

**ORA-16426: log requested by recovery is not the correct log**

**Cause:** Media recovery has selected an incorrect log

**Action:** Verify that the proper log has been properly registered and restart media recovery.

**ORA-16427: Potential archive log gap too large to service**

**Cause:** Standby destination is too far behind the primary database for automatic archive log gap detection/resolution to take place.

**Action:** Standby database should be recreated with a recent backup copy of the primary database.

**ORA-16431: Cannot expand control file**

**Cause:** More threads were added on the primary database after this standby control file was created.

**Action:** Shut down the standby database, either replace the control file with a new standby control file from primary database or change the COMPATIBLE parameter to 10.2.0 or above, and restart the standby database.

**ORA-16432: inconsistent set of terminal logs detected**

**Cause:** Media Recovery stopped because it detected an inconsistency between the first log in the new incarnation and the state of the previous incarnation. If this database is a bystander standby database, this is most likely because there was a failover operation, and this database applied terminal logs generated from that failover operation for some redo threads but applied corresponding logs from the old primary database of that failover operation for some other redo threads.

**Action:** Flashback or restore this database to before the standby\_became\_primary\_scn of that failover operation and restart media recovery. The standby\_became\_primary\_scn of the failover operation can be obtained from V\$DATABASE on the new primary.

**ORA-16501: the Data Guard broker operation failed**

**Cause:** The Data Guard broker operation failed.

**Action:** See accompanying messages for details.

**ORA-16502: the Data Guard broker operation succeeded with warnings**

**Cause:** The Data Guard broker operation succeeded with warnings.

**Action:** See accompanying messages for details.

**ORA-16504: the Data Guard configuration already exists**

**Cause:** A request to create a Data Guard configuration was made while connected to a database that is part of an existing configuration.

**Action:** To create a new configuration, the existing configuration must be deleted.

**ORA-16505: site ID is invalid**

**Cause:** The request contained an invalid site ID.

**Action:** Make the request again with a valid site ID.

---

**ORA-16506: out of memory**

**Cause:** Process exceeded private or shared memory limits.

**Action:** Check for memory leaks, increase system parameters and restart.

**ORA-16507: unrecognized request identifier**

**Cause:** The specified request identifier was not recognized by the Data Guard broker.

**Action:** Reissue the request using a valid request identifier.

**ORA-16509: request timed out**

**Cause:** The Data Guard broker timed out the request.

**Action:** Check the Data Guard broker log file for more information. Ensure that the network connections between the databases are functioning properly and retry the request.

**ORA-16513: maximum requests exceeded**

**Cause:** The maximum number of requests that the broker can service

**Action:** Wait for the broker to complete processing the requests before issuing more requests.

**ORA-16514: request was not found**

**Cause:** An attempt was made to read a response but a matching request was not found.

**Action:** Verify request identifier is valid and that it references a previously issued request.

**ORA-16516: current state is invalid for the attempted operation**

**Cause:** The broker may have returned this error for either switchover operations or for database state change operations. If this error was returned for a switchover operation, the broker determined that either:

- The databases changing roles are shut down.

- The primary database is not shipping redo data.

- The standby database that will become the primary database is not applying redo data. If this error was returned for database state change operations, the database state specified was invalid.

**Action:** If this error is returned when attempting a switchover operation, make sure that:

- The databases changing roles are started.

- The primary database is shipping redo data.

- The standby database is applying redo data. If this error is returned when attempting a database state change operation, make sure a valid database state is specified.

**ORA-16523: operation requires the client to connect to instance "*string*"**

**Cause:** The switchover or failover operation required the client to connect to the apply instance of the target database.

**Action:** Connect to the indicated instance and reissue the SWITCHOVER or FAILOVER command.

**ORA-16524: unsupported operation**

---

**Cause:** A command or option was not supported in this release.

**Action:** Contact Oracle Support Services.

**ORA-16525: the Data Guard broker is not yet available**

**Cause:** The Data Guard broker process was either not yet started, was initializing, or failed to start.

**Action:** If the broker has not been started, set the DG\_BROKER\_START initialization parameter to true and allow the broker to finish initializing before making the request. If the broker failed to start, check the Data Guard log for possible errors. Otherwise, retry the operation.

**ORA-16526: unable to allocate task element**

**Cause:** The Data Guard broker was unable to allocate memory for a request.

**Action:** Increase the size of the SGA.

**ORA-16527: unable to allocate broker SGA memory**

**Cause:** The Data Guard broker was unable to allocate memory within the SGA.

**Action:** Increase the size of the SGA memory.

**ORA-16528: unable to allocate PGA memory**

**Cause:** There was insufficient space in PGA to allocate memory.

**Action:** Increase process virtual memory.

**ORA-16530: invalid buffer or length**

**Cause:** A NULL buffer or a length of zero was specified.

**Action:** Correct the command parameters and retry the command.

**ORA-16532: Data Guard broker configuration does not exist**

**Cause:** A broker operation was requested that required a broker configuration to already be created.

**Action:** Create a Data Guard broker configuration prior to performing other broker operations.

**ORA-16534: no more requests accepted**

**Cause:** The Data Guard broker returned this status because either:

- A failover operation was submitted or was in progress.
- A switchover operation was submitted or was in progress.
- An instance restart was pending for one or more databases.

**Action:** Wait until the operation is complete and reissue the request.

**ORA-16535: CRS is preventing execution of a broker operation**

**Cause:** The broker was unable to have CRS stop management of all of the instances of this database.

**Action:** Suspend CRS management of this database using the SRVCTL STOP DATABASE -D <name> -O NONE command. Then reissue the broker request.

**ORA-16541: database is not enabled**

**Cause:** The database specified in the request was not enabled.

**Action:** Select an enabled database and reissue the request.

**ORA-16544: modifying DG\_BROKER\_START requires SID="\*" qualifier**

---

**Cause:** The setting for the DG\_BROKER\_START parameter must be exactly the same on all RAC database instances. The SID="\*" qualifier was required in the command.

**Action:** Reenter the command using the SID="\*" qualifier.

**ORA-16545: unable to get response**

**Cause:** The Data Guard broker was unable to return the result of a previous request.

**Action:** Contact Oracle Support Services.

**ORA-16546: missing or invalid value**

**Cause:** The value of the request to return was not specified or was invalid.

**Action:** Specify the value of the response starting from one.

**ORA-16547: cannot disable the primary database**

**Cause:** An attempt was made to explicitly disable broker management of the primary database.

**Action:** Broker management of the primary database cannot be explicitly disabled. Instead the entire broker configuration must be disabled in order to disable the primary database.

**ORA-16548: database not enabled**

**Cause:** An attempt was made to modify or query a disabled Data Guard database. This error is also returned on an attempt to enable, modify, or query a database that the broker has disabled because of a switchover or failover operation. The broker disables its management of a database when it detects that the database needs to be re-created because of a failover or switchover operation.

**Action:** If broker management of the database is disabled, enable it and reissue the request.

**ORA-16549: invalid string**

**Cause:** An invalid or NULL string value was specified.

**Action:** Correct command parameters and retry.

**ORA-16550: truncated result**

**Cause:** A string property value was truncated due to insufficient buffer size.

**Action:** Specify a larger receive buffer.

**ORA-16551: short string copied**

**Cause:** A string property value that did not fill the receive buffer was placed in the receive buffer.

**Action:** This is an informational message only.

**ORA-16552: an error occurred when generating the CLIENT OPERATION table**

**Cause:** An error occurred while Data Guard broker was generating the CLIENT OPERATION table.

**Action:** See the next error message for more detailed information. Execute the action described in the next error or contact Oracle Support Services.

**ORA-16555: database is not active**

**Cause:** An operation was attempted on a database that was not active. not active.

**Action:** Verify that the database is active and retry the operation.

---

**ORA-16556: observer version mismatch**

**Cause:** This version of the observer was incompatible with the version of the specified Oracle database server to which the observer had been connected. This observer client cannot be used to observe the specified Oracle server.

**Action:** Use a version of the observer that is compatible with the Oracle database server to be observed.

**ORA-16557: database is already in use**

**Cause:** An attempt was made to create a duplicate database in the broker configuration.

**Action:** Check the database to be added to ensure there are no duplicates.

**ORA-16558: database specified for switchover is not a standby database**

**Cause:** An attempt was made to switchover to a database that was not a standby database.

**Action:** Locate an enabled standby database and select that database as the target of the switchover.

**ORA-16561: cannot remove an active instance**

**Cause:** The instance to be removed was running.

**Action:** Shut down the instance and reissue the REMOVE command.

**ORA-16568: cannot set property *string***

**Cause:** The specified property could not be modified because it was either a monitorable property or a property that did not exist.

**Action:** Retry the command with a valid configurable property.

**ORA-16569: Data Guard configuration is not enabled**

**Cause:** The requested operation required that broker management of the Data Guard configuration must be enabled.

**Action:** Enable the Data Guard configuration and reissue the request.

**ORA-16570: database needs restart**

**Cause:** The Data Guard broker operation required this database instance to be shut down and restarted.

**Action:** If DGMGRL or Enterprise Manager has not already done so, shutdown the Oracle instance and then restart it.

**ORA-16571: Data Guard configuration file creation failure**

**Cause:** The Data Guard broker was unable to create the configuration file on permanent storage.

**Action:** Verify space, permissions and file name as indicated by the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters and retry the operation.

**ORA-16572: Data Guard configuration file not found**

**Cause:** The Data Guard broker configuration file was either unavailable or did not exist.

**Action:** Verify that the configuration file was successfully created. If the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters were changed, ensure the file name on disk and the parameter value match, there is space on the device, and the proper permissions are granted.

---

**ORA-16573: attempt to change or access configuration file for an enabled broker configuration**

**Cause:** The operation was rejected because the Data Guard broker configuration file was in use. The attempted operation was unsafe while broker management of the configuration was enabled. For example:

- An attempt was made to alter the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters while the broker was running.

- Non-broker access (such as DBMS\_FILE\_TRANSFER) to the configuration files was attempted. See the alert log for additional information.

**Action:** Disable the broker configuration and shut down the Data Guard broker, then retry the operation. If the operation includes altering the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters, be sure that the new parameter values correctly specify the files at their expected location before reenabling broker management of the configuration.

**ORA-16574: switchover disallowed when required databases are shut down**

**Cause:** Switchover failed because either the primary database or the designated standby database were shut down.

**Action:** Ensure that the primary and standby databases are running and that primary database is shipping redo data to the designated standby database. Also ensure that the designated standby database is applying the redo data received from the primary database.

**ORA-16575: request terminated at broker discretion**

**Cause:** This error was returned when the broker terminated a command because it was processing a failover command.

**Action:** Wait for failover to complete and then retry the command.

**ORA-16576: failed to update Data Guard configuration file**

**Cause:** A failure was encountered while the broker was updating the Data Guard broker configuration file on permanent storage.

**Action:** Verify space, permissions and file name as indicated by the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters.

**ORA-16577: corruption detected in Data Guard configuration file**

**Cause:** The Data Guard broker detected errors while loading the configuration file.

**Action:** Verify space, permissions and file name as indicated by the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters. Contact Oracle Support Services.

**ORA-16578: failed to read Data Guard configuration file**

**Cause:** A failure was encountered while the broker was reading the configuration file on permanent storage.

**Action:** Verify space, permissions and file name as indicated by the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters.

**ORA-16582: cannot change instance-specific property**

**Cause:** An attempt was made to change an instance-specific property for a database that had more than one instance.

**Action:** Retry the command and identify a specific instance whose property value is to be changed.

---

**ORA-16586: cannot change database property with EDIT INSTANCE command**

**Cause:** An attempt was made to change a database property using an EDIT INSTANCE command instead of an EDIT DATABASE command.

**Action:** Use an EDIT DATABASE command to change database properties.

**ORA-16587: ambiguous object specified to Data Guard broker**

**Cause:** An object was specified that the broker could not uniquely distinguish from other objects in the configuration.

**Action:** Try to further distinguish the object specified for the operation and reissue the command.

**ORA-16589: Data Guard broker detected network transfer error**

**Cause:** The Data Guard broker detected an error while transferring data from one database to another. This may happen when:

- the broker detects an inconsistency in the block count of configuration file when the file is transmitted between databases.
- the broker encountered an error when writing the configuration file.

**Action:** Contact Oracle Support Services.

**ORA-16594: DMON background process is not running**

**Cause:** The Data Guard broker background process, DMON, was not running.

**Action:** Check the Data Guard broker log and DMON process trace file to determine why the DMON process is not running.

**ORA-16595: process *string* failed to terminate**

**Cause:** The specified process did not terminate at the request of the Data Guard broker.

**Action:** Contact Oracle Support Services.

**ORA-16596: database not part of the Data Guard broker configuration**

**Cause:** The specified database is not in the Data Guard broker configuration.

**Action:** Retry the command with a database that is in the broker configuration.

**ORA-16597: Data Guard broker detects two or more primary databases**

**Cause:** The Data Guard broker detected two or more primary databases in the broker configuration and could not continue.

**Action:** Contact Oracle Support Services.

**ORA-16598: Data Guard broker detected a mismatch in configuration**

**Cause:** The Data Guard broker detected a significant mismatch while performing configuration membership validation between two or more databases in the broker configuration. This can occur when the primary database has stale broker configuration files.

**Action:** Contact Oracle Support Services.

**ORA-16599: Data Guard broker detected a stale configuration**

**Cause:** The Data Guard broker detected a stale configuration during initialization for this database.

**Action:** The broker will automatically resolve this situation once the primary database completes its initialization.

---

**ORA-16600: not connected to target standby database for failover**

**Cause:** The failover command failed because the client was not connected to the target standby database.

**Action:** Explicitly connect to the standby database to be failed over to and retry the failover command.

**ORA-16602: database must be disabled to perform this operation**

**Cause:** An attempt was made to edit a database property while the database was enabled.

**Action:** Disable the database and retry the command.

**ORA-16603: Data Guard broker detected a mismatch in configuration ID**

**Cause:** There was a mismatch in configuration unique ID. This could occur if the original configuration was re-created while this database was disconnected from the network or the same database was added to two different Data Guard broker configurations.

**Action:** Make sure the database belongs to only one broker configuration. Shut down the broker by setting the DG\_BROKER\_START initialization parameter to false. Then remove the Data Guard broker configuration files. Finally restart the broker by setting the DG\_BROKER\_START initialization parameter to true.

**ORA-16606: unable to find property "*string*"**

**Cause:** The specified property did not exist.

**Action:** Specify a valid property name and reissue the request.

**ORA-16607: one or more databases have failed**

**Cause:** A failure was detected for one or more databases in the Data Guard broker configuration.

**Action:** Locate the database(s) with a failure status and correct it.

**ORA-16608: one or more databases have warnings**

**Cause:** A warning was detected for one or more databases in the Data Guard broker configuration.

**Action:** Locate the database(s) with a warning status and correct it.

**ORA-16609: database is being disabled**

**Cause:** A command was attempted on a database that was being disabled. For example, attempting to reinstate the old primary database, the database that was the primary database prior to the most recent failover, before it was ready to be reinstated.

**Action:** Wait for the Data Guard broker to disable the database and then retry the command.

**ORA-16610: command "*string*" in progress**

**Cause:** The specified broker command was already running and the command issued could not be completed.

**Action:** Wait for the specified command to finish and then retry the command.

**ORA-16611: command aborted at user request**

**Cause:** The command was aborted at the user's request.

**Action:** No action required.

---

**ORA-16612: string value too long for attribute "string"**

**Cause:** The string value for the named attribute was too long.

**Action:** Specify a shorter string value.

**ORA-16613: initialization in progress for database**

**Cause:** A request was made to modify the Data Guard broker configuration before the Data Guard broker had completed initialization.

**Action:** Wait until the Data Guard broker has completed initialization before attempting to modify the broker configuration.

**ORA-16614: Data Guard broker configuration is disabled**

**Cause:** An attempt to enable a database failed because the Data Guard broker configuration was disabled.

**Action:** Enable the Data Guard broker configuration and issue the DGMGRL CLI SHOW CONFIGURATION command to see if there are any databases that are still disabled. If the database you tried to enable is still disabled, issue the DGMGRL CLI SHOW DATABASE command to check the status of the database. If the database status indicates that the database needs to be reinstated then issue the DGMGRL CLI REINSTATE DATABASE command to reinstate and enable the database. If the database does not require reinstatement then issue the DGMGRL CLI ENABLE DATABASE command to enable the database.

**ORA-16617: unknown object identifier specified in request**

**Cause:** Object identifier specified in the request was invalid or unknown.

**Action:** Verify that a valid object identifier is specified and reissue the request.

**ORA-16619: health check timed out**

**Cause:** The standby database could not be reached during a routine health check.

**Action:** This typically indicates a network problem where the standby database is unable to respond to the primary database within a predefined time frame. Check the network connections between the primary and standby databases.

**ORA-16620: one or more databases could not be reached for a delete operation**

**Cause:** One or more standby databases could not be reached for either a DGMGRL CLI REMOVE DATABASE or a REMOVE CONFIGURATION command.

**Action:** This typically indicates a network problem where the standby database is unable to respond to the primary database. In the event of this situation, examine the primary database Data Guard broker log to determine which standby databases could not be reached. For each standby database not reached, connect to that database and shut down the broker by setting the initialization parameter, DG\_BROKER\_START, to false. After the broker has been shut down for the standby database, locate the Data Guard broker configuration files from the standby database DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameter values and delete them. Then restart the broker by setting DG\_BROKER\_START to true.

**ORA-16621: database name for ADD DATABASE must be unique**

**Cause:** An attempt was made to add a database to the broker configuration that already included a database with the specified name. The database names must be unique.

---

**Action:** Verify that a unique name is specified for the new database to be added. Also, the database name must match the DB\_UNIQUE\_NAME initialization parameter of the database.

**ORA-16622: two or more broker database objects resolve to the same database**

**Cause:** Multiple database objects referred to the same database.

**Action:** Examine the details of all databases in the broker configuration and verify that there are not two or more databases referring to the same database. If two or more database profiles in the broker configuration have the same value for the DGConnectIdentifier database property, either:

- Remove and re-add the erroneously defined database(s) to resolve the ambiguity.
- Ensure that the DGConnectIdentifier database property for each database allows the broker to properly connect to that database.

**ORA-16623: database detected role change**

**Cause:** A successful switchover or failover operation had been completed and was detected during database startup or broker health check. If this database was unavailable during a switchover or failover operation, it may not be a viable standby database for the new primary database and was disabled by the Data Guard broker.

**Action:** Connect to the new primary database and examine the broker configuration for databases that were disabled and that may require reinstatement or re-creation.

**ORA-16624: broker protocol version mismatch detected**

**Cause:** A network protocol version number mismatch was detected. This could happen if the databases in the broker configuration were not running the same version of Oracle. The broker would disable standby databases that were not running the same version of Oracle as the primary database if this situation was detected.

**Action:** Examine the version of Oracle installed on all databases in the broker configuration to ensure they are identical. Once all of the databases in the broker configuration are running the same version of Oracle, reenable the standby databases that were disabled.

**ORA-16625: cannot reach the database**

**Cause:** The command could not be executed because the database required to complete the command was not reachable from the database where the command was issued. If the command modifies the configuration, the command must be processed by the copy of the broker running on an instance of the primary database.

**Action:** Check the network connections between all of the databases in the configuration. Alternatively, connect to a different database in the Data Guard broker configuration and retry the command. If an attempt was made to determine the status of a particular database in the configuration, connect to that database and get the current value of the StatusReport property for that database.

**ORA-16626: failed to enable specified database**

**Cause:** This status was returned when attempting to enable a standby database that:

- Could not locate itself in the broker configuration file.
- Failed to distinguish itself from two or more databases in the configuration file.

---

- Determined it missed a role change within the configuration.

**Action:** To correct the problem, try one of these actions:

- Confirm that the host and SID names for the database exactly match the values in the HOST\_NAME and INSTANCE\_NAME columns of V\$INSTANCE.

- Confirm that there are not two or more databases with the same connect identifier. That is, multiple databases in the broker configuration should not reach the same database.

- If a failover had been performed and the old primary database has been re-created (or a standby database has been re-created), make sure the Data Guard broker configuration files have been removed for that database. Do NOT remove the configuration files that are in use by the new primary database.

**ORA-16627: operation disallowed since no standby databases would remain to support protection mode**

**Cause:** This status was returned because of one of the following:

- The broker rejected an attempt to change the overall configuration protection mode since it could not find any enabled standby databases that supported the proposed protection mode.

- The broker rejected an attempt to enable the configuration if it determined that there were no enabled standby databases that supported the overall protection mode.

- The broker rejected an attempt to disable or remove a database that, if disabled or deleted, would result in no remaining standby databases that could support the overall configuration protection mode.

- The broker rejected an attempt to switchover if doing so would violate the overall configuration protection mode.

- Performing automatic health check if the broker determined that no standby databases supported the overall protection mode.

**Action:** - If changing the overall protection mode, confirm that at least one standby database satisfies the new protection mode.

- For enable failures, confirm that at least one standby database has a LogXptMode configurable property setting that supports the current overall protection mode.

- For delete and disable failures, confirm that at least one other standby database has a LogXptMode configurable property setting that supports the overall protection mode.

- For switchover failures that occur when the configuration is operating in maximum protection or maximum availability mode, confirm that at least one other standby database has its LogXptMode configurable property set to the value "SYNC". If the configuration contains a primary database and a single standby database and is operating in either maximum protection or maximum availability mode, ensure that the LogXptMode configurable property of the primary database is set to the value "SYNC". Since the old primary database will become the standby database after switchover completes, its LogXptMode configurable property setting must support the configuration protection mode.

- For health check error, confirm that at least one standby database has a LogXptMode configurable property setting that supports the current overall protection mode.

**ORA-16628: broker protection mode inconsistent with the database setting**

---

**Cause:** The Data Guard broker protection mode saved in the broker configuration file was inconsistent with the actual database setting.

**Action:** Reset the protection mode through the Data Guard broker.

**ORA-16629: database reports a different protection level from the protection mode**

**Cause:** The actual or current database protection level was different from the configured protection mode. This typically is caused by redo transport problems.

**Action:** Check the database alert logs and Data Guard broker logs for more details. Also, check the redo transport status. Ensure that one standby database supports the configured protection mode and that the network to that standby database is working properly.

**ORA-16630: database property has been deprecated**

**Cause:** The property that was specified in the command was deprecated.

**Action:** Check the broker documentation to identify a replacement property or SQL command for the deprecated property.

**ORA-16631: operation requires shutdown of database or instance "string"**

**Cause:** The Data Guard broker operation required a shutdown of the database or instance.

**Action:** If database or instance has not been shutdown by the DGMGRL CLI or Enterprise Manager, shutdown the database or instance manually.

**ORA-16632: instance being added to database profile**

**Cause:** The Data Guard broker determined that an instance successfully found its database profile within the broker configuration file, but lacked an instance-specific profile. The broker automatically created an instance-specific profile and associated the instance with its database profile.

**Action:** No user action is required. The broker will automatically associate the instance with its database profile and incorporate the instance into broker activity.

**ORA-16633: the only instance of the database cannot be removed**

**Cause:** The instance to be removed was the only instance of the corresponding database that was known to the broker.

**Action:** Remove the corresponding database object from the broker configuration instead of the individual instance object of the database.

**ORA-16635: network connection failed during transmission**

**Cause:** The Data Guard broker detected a connection failure to a remote database in the broker configuration. This failure happened in the middle of a transmission session. A transmission session usually requires more than one send operation for sending a large amount of data (for example, the broker configuration file) to the remote database.

**Action:** In most cases, no user action is required. The Data Guard broker always tries to resend the data. This error will be reported if the problem persists. This error indicates there are some problems with the network connection between broker managed databases. Further network troubleshooting should be done to identify and correct the actual problem.

**ORA-16636: fast-start failover target standby in error state, cannot stop observer**

**Cause:** A STOP OBSERVER operation could not be completed when Fast-Start Failover was enabled because the target standby database could not participate in the STOP OBSERVER operation.

---

**Action:** Additional information about this failure is recorded in the Data Guard broker log file for the primary database. This information helps to identify the reason why the target standby database was unable to participate in the STOP OBSERVER operation. If the problem can be corrected by the information in the broker log file, retry the operation. Alternatively, fast-start failover may be forcibly disabled by connecting to the primary database and issuing the DISABLE FAST\_START FAILOVER FORCE command from the DGMGRL CLI. Once fast-start failover has been forcibly disabled, the observer can be stopped regardless of the current state of the target standby database.

**ORA-16637: an instance failed to access the Data Guard broker configuration**

**Cause:** The broker could not access the broker configuration files on one or more database instances. This can happen when the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameter values are not to the same set of file locations for a RAC database.

**Action:** Shut off the broker by setting the DG\_BROKER\_START initialization parameter to false. Then set the DG\_BROKER\_CONFIG\_FILE1 and DG\_BROKER\_CONFIG\_FILE2 initialization parameters to file locations that are shared by all instances of a RAC database. Finally, restart the broker by setting the DG\_BROKER\_START initialization parameter to true.

**ORA-16638: could not get the instance status**

**Cause:** The broker could not determine whether the specified instance was running.

**Action:** See the next error message in the error stack for more detailed information. If the situation described in the next error in the stack can be corrected, do so; otherwise, contact Oracle Support Services.

**ORA-16639: specified instance inactive or currently unavailable**

**Cause:** An attempt was made to perform an operation on an instance that was not running or was unavailable.

**Action:** Ensure that the instance specified in the operation is running and then retry the operation.

**ORA-16640: CRS warns that multiple instances may still be running**

**Cause:** The broker failed to have CRS stop instance monitoring and shut down all but one instance. CRS instance monitoring did stop, but CRS may not have been able to shut down all but one instance. The broker operation was canceled.

**Action:** Suspend CRS management of this database using SRVCTL STOP DATABASE -D <name> -O NONE. Reissue the broker request.

**ORA-16642: DB\_UNIQUE\_NAME mismatch**

**Cause:** The expected DB\_UNIQUE\_NAME value did not match the actual DB\_UNIQUE\_NAME value for the database that the broker contacted using the connect identifier that was associated with that database.

**Action:** Verify that the connect identifier correctly connects to the intended database. Verify that the name of the database the broker expects to find by that connect identifier matches the actual DB\_UNIQUE\_NAME for that database.

**ORA-16643: unable to determine location of broker configuration files**

**Cause:** The Data Guard broker was unable to determine the location of its configuration files from the DG\_BROKER\_CONFIG\_FILE[1 | 2] initialization parameters.

---

**Action:** Retry the operation and, if the error persists, contact Oracle Support Services.

**ORA-16644: apply instance not available**

**Cause:** The broker operation could not finish, because it requires a running apply instance for the standby database, and either there was no such instance designated for the standby database or the designated apply instance was not currently available.

**Action:** Start the designated apply instance or wait until the broker specifies an instance to be the apply instance and reissue the command.

**ORA-16645: unexpected new instance interrupted current operation**

**Cause:** A new instance unexpectedly joined the Data Guard configuration at a point when the current operation may proceed only if the set of known instances is not changing dynamically.

**Action:** Reissue the operation after the new instance has joined the Data Guard configuration.

**ORA-16646: fast-start failover is disabled**

**Cause:** The operation was not allowed because fast-start failover was disabled.

**Action:** Enable fast-start failover and retry the operation.

**ORA-16647: could not start more than one observer**

**Cause:** The observer could not start because there was another observer already observing the Data Guard configuration for which fast-start failover may have been enabled.

**Action:** Stop the running observer. Retry the operation.

**ORA-16648: a new observer registered with identifier *string***

**Cause:** The observer was registered with the Data Guard broker and will begin observing the Data Guard configuration for conditions that warrant doing a fast-start failover.

**Action:** None

**ORA-16649: possible failover to another database prevents this database being opened**

**Cause:** An attempt to open the database was made either when a failover occurred or while fast-start failover was enabled and the fast-start failover status could not be evaluated.

**Action:** Check if a failover did occur. If fast-start failover is enabled, and a failover did not occur, ensure that connectivity exists between this database and either the observer or the target standby database. Then, try opening the database again.

**ORA-16650: command incompatible when fast-start failover is enabled**

**Cause:** An attempt was made to issue a command that is not permitted when fast-start failover is enabled. The command was not issued using the Data Guard broker.

**Action:** The command must be issued using the Data Guard broker.

**ORA-16651: requirements not met for enabling fast-start failover**

**Cause:** The attempt to enable fast-start failover could not be completed because one or more requirements were not met:

- 
- The Data Guard configuration must be in either MaxAvailability or MaxPerformance protection mode.
  - The LogXptMode property for both the primary database and the fast-start failover target standby database must be set to SYNC if the configuration protection mode is set to MaxAvailability mode.
  - The LogXptMode property for both the primary database and the fast-start failover target standby database must be set to ASYNC if the configuration protection mode is set to MaxPerformance mode.
  - The primary database and the fast-start failover target standby database must both have flashback enabled.
  - No valid target standby database was specified in the primary database FastStartFailoverTarget property prior to the attempt to enable fast-start failover, and more than one standby database exists in the Data Guard configuration.

**Action:** Retry the command after correcting the issue:

- Set the Data Guard configuration to either MaxAvailability or MaxPerformance protection mode.
- Ensure that the LogXptMode property for both the primary database and the fast-start failover target standby database are set to SYNC if the configuration protection mode is set to MaxAvailability.
- Ensure that the LogXptMode property for both the primary database and the fast-start failover target standby database are set to ASYNC if the configuration protection mode is set to MaxPerformance.
- Ensure that both the primary database and the fast-start failover target standby database have flashback enabled.
- Set the primary database FastStartFailoverTarget property to the DB\_UNIQUE\_NAME value of the desired target standby database and the desired target standby database FastStartFailoverTarget property to the DB\_UNIQUE\_NAME value of the primary database.

#### **ORA-16652: fast-start failover target standby database is disabled**

**Cause:** The command to enable or disable fast-start failover could not be completed because Data Guard broker management of the Fast-Start Failover target standby database is currently disabled.

**Action:** Enable broker management of the target standby database and reissue the command. If an attempt was made to disable Fast-Start Failover when this error was reported, disable fast-start failover forcibly using the DGMGRL DISABLE FAST\_START FAILOVER FORCE command. Consult the documentation for more information.

#### **ORA-16653: failed to reinstate database**

**Cause:** The Data Guard broker failed to reinstate the specified database because the REINSTATE command failed or because the database is already enabled.

**Action:** Additional information about this failure is recorded in the primary database or the specified database Data Guard broker log files. This information is helpful in determining how to proceed.

#### **ORA-16654: fast-start failover is enabled**

**Cause:** The attempted command was not allowed while fast-start failover was enabled:

- 
- The FastStartFailoverTarget property may not be modified.
  - The LogXptMode property for either the primary database or the fast-start failover target standby database may not be modified.
  - The configuration's protection mode may not be modified.
  - Neither the broker configuration nor the fast-start failover target standby database may be disabled using the DGMGRL CLI DISABLE command.
  - Neither the broker configuration nor the fast-start failover target standby database may be removed using the DGMGRL CLI REMOVE command.
  - The FAILOVER IMMEDIATE command is not allowed.
  - The DG\_BROKER\_START initialization parameter may not be set to FALSE.
- Action:** Disable fast-start failover, using the FORCE option if required. Then retry the attempted command.

**ORA-16655: specified target standby database invalid**

**Cause:** The attempted command was not allowed because fast-start failover was enabled for this Data Guard configuration and the target standby database specified in the command differs from the standby database that was indicated by the FastStartFailoverTarget property associated with the current primary database.

**Action:** Retry the attempted command by specifying the standby database that is indicated by the FastStartFailoverTarget property that is associated with the current primary database. Alternatively, fast-start failover may be disabled. Then retry the command using the originally specified target standby database.

**ORA-16656: Data Guard broker detected role change**

**Cause:** The Data Guard broker detected a role during database startup or health check.

**Action:** Additional information about this failure is recorded in the Data Guard broker log files, one for the primary database and one for each standby database in the Data Guard configuration. This information is helpful in determining how best to proceed from this failure.

**ORA-16657: reinstatement of database in progress**

**Cause:** Reinstatement of this database was in progress.

**Action:** None

**ORA-16658: unobserved fast-start failover configuration**

**Cause:** The fast-start failover configuration was currently unobserved so failover was disallowed.

**Action:** Make sure the observer is running and has connectivity to both the primary and the target standby databases. Otherwise, disable fast-start failover to perform a failover in the absence of the observer process.

**ORA-16659: failover operation in progress**

**Cause:** A primary database that restarted contacted a standby database that is being failed over to.

**Action:** Shut down the primary database and wait for failover to complete on the standby database. Once failover is complete, restart the old primary database. If the failover occurred due to fast-start failover, restarting the primary database after failover is complete allows it to be automatically reinstated as a standby database to the new primary database.

---

**ORA-16660: fast-start failover operation attempted in absence of a broker configuration**

**Cause:** An attempt was made to enable or disable fast-start failover when connected to a standby database for which broker configuration details are currently unavailable. For instance, the standby database may currently require re-creation (or flashback reinstantiation) before it may respond to broker client commands.

**Action:** 1) An attempt to enable or disable (non-FORCE) fast-start failover at this standby database will be rejected until such time that the broker configuration details have been made available to that standby database from the primary database. This normally occurs when the standby database is successfully re-created or flashed back, and then reenabled at the primary database. 2) Use the FORCE option to override fast-start failover that has been enabled at the standby database even when the broker configuration details are currently unavailable to the standby database. In this case, this status message is only a warning. Note that fast-start failover is not formally disabled in the broker configuration. The effect of this command issued under these circumstances may or may not be permanent, depending upon when the primary and standby databases regain full communication between each other and if the state of fast-start failover has been altered at the primary database in the meantime.

**ORA-16661: the standby database needs to be reinstated**

**Cause:** A switchover or failover operation has caused this database to require reinstatement.

**Action:** Use the DGMGRL REINSTATE DATABASE command or Enterprise Manager to reinstate the database. If the target database has flashback enabled and it has sufficient flashback logs, the database will be reinstated as a standby database for the current primary database.

**ORA-16662: network timeout when contacting a database**

**Cause:** In response to the issued command, the Data Guard broker attempted to contact a database in the Data Guard configuration. That attempt failed because there was no response from that database after the period of time specified by the NetTimeout property for that database.

**Action:** Check the Data Guard broker log for the details of the failure. Fix the problem and try the command again.

**ORA-16664: unable to receive the result from a database**

**Cause:** During execution of a command, a database in the Data Guard broker configuration failed to return a result.

**Action:** Check Data Guard broker logs for the details of the failure. Fix any possible network problems and try the command again.

**ORA-16665: timeout waiting for the result from a database**

**Cause:** The Data Guard broker was forced to time out a network connection

**Action:** Check Data Guard broker logs for the details of the failure. Fix any possible network problems and reissue the command.

**ORA-16666: unable to initiate fast-start failover on a standby database**

**Cause:** The request to initiate a fast-start failover using DBMS\_DG.INITIATE\_FS\_FAILOVER was made to a standby database. An application may only request that fast-start failover be initiated by calling DBMS\_DG.INITIATE\_FS\_FAILOVER on a primary database.

---

**Action:** Call DBMS\_DG.INITIATE\_FS\_FAILOVER on the primary database.

**ORA-16667: request Data Guard broker client to reissue command**

**Cause:** The Data Guard broker operation required the same command be issued again from the client.

**Action:** If DGMGRL or Enterprise Manager has not already done so, reissue the same command to the Data Guard broker manually.

**ORA-16668: operation invalid on fast-start failover target database**

**Cause:** The attempted command was not allowed on the fast-start failover target standby database when fast-start failover is currently enabled.

**Action:** Retry the attempted command on a database other than the Fast-Start Failover target standby database. Alternatively, disable fast-start failover and reissue the same command to the fast-start failover target standby database.

**ORA-16669: convert database operation cannot be issued on target database**

**Cause:** This error was returned because a DGMGRL CLI CONVERT DATABASE command was issued on the database to be converted.

**Action:** Explicitly connect to another database in the broker configuration and reissue the CONVERT command.

**ORA-16700: the standby database has diverged from the primary database**

**Cause:** The primary database may have been flashed back or restored from a backup set and then reopened with the RESETLOGS option.

**Action:** Re-create the standby database from the primary database or flash back the standby database to the same point the primary database had been flashed back to.

**ORA-16701: Data Guard broker command failed**

**Cause:** Command to modify or query the database failed.

**Action:** Check the Data Guard broker log for the reason for the failure, and reissue the command.

**ORA-16702: Data Guard broker command warning**

**Cause:** A command to modify or query the database resulted in a warning.

**Action:** Check the Data Guard broker log for the warning and, if necessary, reissue the command.

**ORA-16703: cannot set property while the database is enabled**

**Cause:** An attempt was made to change a database property while the database was enabled.

**Action:** Disable the database first, update the property and then, reenabling the database.

**ORA-16704: cannot modify a read-only property**

**Cause:** An attempt was made to change a read-only property.

**Action:** The property is controlled internally by the Data Guard broker and cannot be modified.

**ORA-16706: no resource guard is available**

**Cause:** Resource guard was not available to service the request.

**Action:** Contact Oracle Support Services.

- 
- ORA-16707: the value of the property *string* is invalid, valid values are *string***  
**Cause:** An invalid property value was entered while broker management of the database was disabled.  
**Action:** Reset the property to a valid value.
- ORA-16708: the state supplied to broker is invalid**  
**Cause:** The state name specified was invalid for the database.  
**Action:** Check the state name and reissue the request.
- ORA-16709: standby archived log location settings conflict with database recovery area**  
**Cause:** The StandbyArchiveLocation or AlternateLocation property was set to USE\_DB\_RECOVERY\_FILE\_DEST, but the initialization parameter DB\_RECOVERY\_FILE\_DEST did not specify a valid destination.  
**Action:** Use a value other than USE\_DB\_RECOVERY\_FILE\_DEST for StandbyArchiveLocation or AlternateLocation, or set up a valid database recovery area by setting DB\_RECOVERY\_FILE\_DEST to a valid destination.
- ORA-16713: the Data Guard broker command timed out**  
**Cause:** The Data Guard broker timed out the command.  
**Action:** Verify that the command is valid for the database and then retry the command.
- ORA-16714: the value of property *string* is inconsistent with the database setting**  
**Cause:** The value of the specified configuration property was inconsistent with database in-memory settings or server parameter file settings. This may be caused by changing an initialization parameter that corresponds to a configuration property.  
**Action:** Query the InconsistentProperties property on the database to determine the which properties are set inconsistently. Reset the properties to make them with the database settings.
- ORA-16715: redo transport-related property *string* of standby database "*string*" is inconsistent**  
**Cause:** The value of the specified redo transport-related configuration property of the given standby database was inconsistent with the primary database redo transport service setting. This may be caused by changing an initialization parameter that corresponds to a configuration property.  
**Action:** Query the InconsistentLogXptProps property on the primary database to determine which redo transport properties are set inconsistently. Reset the properties on the standby database to make them consistent with the primary database redo transport settings.
- ORA-16716: clearing parameter LOG\_ARCHIVE\_DEST failed**  
**Cause:** An attempt to clear the LOG\_ARCHIVE\_DEST parameter failed.  
**Action:** Contact Oracle Support Services.
- ORA-16717: clearing parameter LOG\_ARCHIVE\_DUPLEX\_DEST failed**  
**Cause:** An attempt to clear the LOG\_ARCHIVE\_DUPLEX\_DEST parameter failed.  
**Action:** Contact Oracle Support Services.
- ORA-16718: failed to locate database**

---

**Cause:** The Data Guard broker was unable to locate the database in the broker configuration.

**Action:** Add the database to the broker configuration and then reissue the command.

**ORA-16719: unable to query V\$ARCHIVE\_DEST fixed view**

**Cause:** The broker failed to query the V\$ARCHIVE\_DEST fixed view."

**Action:** Test and clear the problem using SQL\*Plus.

**ORA-16720: no LOG\_ARCHIVE\_DEST\_n initialization parameters available**

**Cause:** All LOG\_ARCHIVE\_DEST\_n initialization parameters were in use.

**Action:** Clear one or more LOG\_ARCHIVE\_DEST\_n initialization parameters so that broker can use them to setup the primary database redo transport.

**ORA-16721: unable to set LOG\_ARCHIVE\_DEST\_n initialization parameters**

**Cause:** The broker was unable to set one or more LOG\_ARCHIVE\_DEST\_n initialization parameters.

**Action:** Check the Data Guard broker log and Oracle alert logs for more details.

**ORA-16722: unable to set LOG\_ARCHIVE\_DEST\_STATE\_n initialization parameters**

**Cause:** The broker was unable to set one or more LOG\_ARCHIVE\_DEST\_STATE\_n initialization parameters.

**Action:** Check the Data Guard broker log and Oracle alert logs for more details.

**ORA-16723: setting AlternateLocation property conflicts with the redo transport setting**

**Cause:** The standby database was not using standby redo logs, and the redo transport service to the standby database is set to a nonzero value for the ReopenSecs property and a value of zero for the MaxFailure property. In this case, the redo transport service will attempt to send redo data to the standby database indefinitely and never switch to the alternate destination.

**Action:** Any one of the following actions will solve the problem:

- add standby redo logs to the standby database.

- set ReopenSecs property to zero.

- set MaxFailure property to a nonzero value. After performing one of the above actions, reset the standby database AlternateLocation property.

**ORA-16727: cannot close database**

**Cause:** The Data Guard broker could not close the database.

**Action:** Terminate any active sessions connected to the database and then reissue the request.

**ORA-16728: consistency check for property *string* found *string* error**

**Cause:** The consistency check for the specified property failed due to the error shown.

**Action:** Check the error message and clear the error.

**ORA-16729: validation of value for property *string* found *string* error**

**Cause:** The property value validation failed due to the error shown.

**Action:** Check the error message and clear the error.

- 
- ORA-16730: error executing DBMS\_LOGSTDBY.SKIP\_TXN procedure**  
**Cause:** Logical standby database package may not be installed.  
**Action:** Install logical standby database packages and reissue the request.
- ORA-16731: error executing DBMS\_LOGSTDBY.UNSKIP\_TXN procedure**  
**Cause:** Logical standby database package may not be installed.  
**Action:** Install logical standby database packages and reissue the request.
- ORA-16732: error executing DBMS\_LOGSTDBY.SKIP procedure**  
**Cause:** Logical standby database package may not be installed.  
**Action:** Install logical standby database packages and reissue the request.
- ORA-16733: error executing DBMS\_LOGSTDBY.UNSKIP procedure**  
**Cause:** Logical standby database package may not be installed.  
**Action:** Install logical standby database packages and reissue the request.
- ORA-16734: error executing DBMS\_LOGSTDBY.SKIP\_ERROR procedure**  
**Cause:** Logical standby database package may not be installed.  
**Action:** Install logical standby database packages and reissue the request.
- ORA-16735: error executing DBMS\_LOGSTDBY.UNSKIP\_ERROR procedure**  
**Cause:** Logical standby database package may not be installed.  
**Action:** Install logical standby database packages and reissue the request.
- ORA-16736: unable to find the destination entry of standby database "*string*" in V\$ARCHIVE\_DEST**  
**Cause:** Either the standby destination was manually changed or deleted outside of Data Guard broker, or no entry was available for the Data Guard broker to use.  
**Action:** Clean up the destination setting, remove the unused settings, and reset the redo transport service.
- ORA-16737: the redo transport service for standby database "*string*" has an error**  
**Cause:** A communication problem with the standby database caused the redo transport to fail.  
**Action:** Query the LogXptStatus property to see the error message. Check the Data Guard broker log and Oracle alert log for more details.
- ORA-16738: redo transport service for database "*string*" is not running**  
**Cause:** The redo transport service for the specified standby database was not running.  
**Action:** Check the Data Guard broker log and/or the alert log for more details. If necessary, start the redo transport service for the standby database.
- ORA-16739: redo transport service for standby database "*string*" is running**  
**Cause:** The redo transport service for the standby database was running.  
**Action:** Check the Data Guard broker log for more details. If necessary, stop the redo transport service for the standby database.
- ORA-16740: redo transport service for standby database "*string*" incorrectly set to ALTERNATE**  
**Cause:** The redo transport service to the standby database was set to ALTERNATE when no other destination was set to alternate to this destination.

---

**Action:** Reenable the standby database or the entire configuration to allow the configuration property settings to be propagated to the initialization parameters.

**ORA-16741: the destination parameter of standby database "*string*" has incorrect syntax**

**Cause:** The destination defined in the server parameter file of the primary database had incorrect syntax and Data Guard broker failed to update the destination when redo transport services were enabled.

**Action:** Fix the syntax error in the primary database server parameter file or remove the entry from the server parameter file. Also, check the values of the redo transport-related properties for the specified standby database.

**ORA-16742: the standby database "*string*" has exhausted its quota**

**Cause:** The standby database exhausted its quota for storing archived redo logs.

**Action:** Remove some archived redo logs from the standby database or increase its quota.

**ORA-16743: cannot determine status of redo transport service for standby database "*string*"**

**Cause:** The status of redo transport to the specified standby database could not be determined.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16744: the DG\_CONFIG list of LOG\_ARCHIVE\_CONFIG parameter is full**

**Cause:** The DG\_CONFIG list of the LOG\_ARCHIVE\_CONFIG attribute was full and the Data Guard broker was not able to add a new DB\_UNIQUE\_NAME to the list.

**Action:** Remove some unused entries in the DG\_CONFIG list, then reenable the database.

**ORA-16745: unable to add DB\_UNIQUE\_NAME "*string*" into the DG\_CONFIG list because it is full**

**Cause:** The DG\_CONFIG list of the LOG\_ARCHIVE\_CONFIG attribute was full and the Data Guard broker was not able to add the specified DB\_UNIQUE\_NAME to the list.

**Action:** Remove some unused entries in the DG\_CONFIG list, then reenable the database.

**ORA-16746: Data Guard broker cannot mount the database**

**Cause:** The Data Guard broker failed to mount the database."

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16747: logical standby database guard could not be turned on**

**Cause:** The Data Guard broker could not turn on the logical standby database guard.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16748: Data Guard broker cannot open the primary database**

**Cause:** The Data Guard broker failed to open the primary database" the database.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16749: switchover to logical standby database failed**

---

**Cause:** The Data Guard broker failed to switch a logical standby database over to a primary database.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16750: failed to activate logical standby database**

**Cause:** The Data Guard broker failed to activate a logical standby database.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16751: failed to switchover to physical standby database**

**Cause:** The Data Guard broker failed to switch a physical standby database over to a primary database.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16753: Data Guard broker cannot open standby database**

**Cause:** The Data Guard broker failed to open the standby database.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16754: failed to activate physical standby database**

**Cause:** The Data Guard broker failed to activate the physical standby database.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16755: failed to set initialization parameter**

**Cause:** The Data Guard broker failed to set an initialization parameter using either the ALTER SYSTEM SET or ALTER SYSTEM RESET command.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16757: failed to get property value**

**Cause:** The Data Guard broker failed to get the value for the specified property.

**Action:** Check the Data Guard broker log for more details.

**ORA-16758: the specified apply instance is not running**

**Cause:** The Data Guard broker could not start apply services on the specified instance because that instance was not running.

**Action:** Start the instance and then retry the command.

**ORA-16759: cannot start SQL Apply with initial SCN**

**Cause:** The Data Guard broker failed to start SQL Apply with an initial SCN.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16760: cannot start SQL Apply**

**Cause:** The Data Guard broker failed to start SQL Apply.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16761: cannot stop SQL Apply**

**Cause:** The Data Guard broker failed to stop SQL Apply.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16762: invalid database state**

**Cause:** Database was not in the intended state.

**Action:** Determine the reason why the database is not running in the intended state and reissue the command.

---

**ORA-16763: redo transport service for a standby database is running**

**Cause:** The redo transport service for a standby database was running.

**Action:** Query the StatusReport property of the primary database for more details. If necessary, stop the redo transport service for the database.

**ORA-16764: redo transport service to a standby database is not running**

**Cause:** The redo transport service to a standby database was not running.

**Action:** Query the StatusReport property of the primary database for more details. If necessary, start the redo transport service.

**ORA-16765: Redo Apply is running**

**Cause:** Redo Apply was running when it should have been stopped.

**Action:** If necessary, stop Redo Apply.

**ORA-16766: Redo Apply is stopped**

**Cause:** Redo Apply was stopped when it should have been running.

**Action:** If necessary, start Redo Apply.

**ORA-16767: SQL Apply is running**

**Cause:** SQL Apply was running when it should have been stopped."

**Action:** If necessary, stop SQL Apply.

**ORA-16768: SQL Apply is stopped**

**Cause:** SQL Apply was stopped when it should have been running."

**Action:** If necessary, start SQL Apply.

**ORA-16769: the physical standby database is open read-only**

**Cause:** All instances in the physical standby database were put into a read-only state instead of APPLY-OFF.

**Action:** Issue the EDIT DATABASE SET STATE command to set the database to the APPLY-OFF state.

**ORA-16770: Redo Apply not started since physical standby database is opening**

**Cause:** Redo Apply services could not be started on the physical standby database because it was being opened. The Data Guard broker will start Redo Apply services once the physical standby database has been opened.

**Action:** No action required.

**ORA-16771: failover to a physical standby database failed**

**Cause:** The Data Guard broker encountered errors when converting a physical standby database to a primary database.

**Action:** Check the Data Guard broker log and the Oracle alert log for more details about the error.

**ORA-16772: switchover to a standby database failed**

**Cause:** The Data Guard broker encountered errors when switching over to the specified standby database.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16773: cannot start Redo Apply**

**Cause:** The Data Guard broker failed to start Redo Apply.

---

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16774: cannot stop Redo Apply**

**Cause:** The Data Guard broker failed to stop Redo Apply.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16775: target standby database in broker operation has potential data loss**

**Cause:** The target standby database specified for the broker operation did not have all the redo data from the primary database.

**Action:** Confirm that the redo transport service on the primary database is functioning correctly by checking its status using the StatusReport monitorable property. Reissue the broker command once all redo data is available on the target standby database.

**ORA-16776: health check of the redo transport service failed**

**Cause:** The Data Guard broker could not complete the health check for the redo transport service.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16777: unable to find the destination entry of a standby database in V\$ARCHIVE\_DEST**

**Cause:** Either a destination was manually deleted or no entry was available for Data Guard.

**Action:** Check the Data Guard broker log and the Oracle alert log for more details. The redo transport service may need to be reset.

**ORA-16778: redo transport error for one or more databases**

**Cause:** The redo transport service was unable to send redo data to one or more standby databases.

**Action:** Check the Data Guard broker log and Oracle alert log for more details. Query the LogXptStatus property to see the errors.

**ORA-16779: the destination parameter of a database is set incorrectly**

**Cause:** The destination was defined in the LOG\_ARCHIVE\_DEST\_n server parameter file with incorrect syntax. The Data Guard broker failed to update the destination when the redo transport was turned on.

**Action:** Check the Data Guard broker log to see which database has the problem. Fix the syntax error in the server parameter file or remove the entry from the server parameter file. Check if the syntax of the redo transport-related properties are correct.

**ORA-16780: a database has exhausted its archived redo log storage quota**

**Cause:** A database has exhausted its quota for storing archived redo logs.

**Action:** Check the Data Guard broker log to see which database has the problem. Remove some archived logs at the standby database or increase its quota.

**ORA-16781: cannot determine status of redo transport service for standby database**

**Cause:** The status of redo transport to the specified standby database could not be determined.

**Action:** Check the Data Guard broker log and Oracle alert log for more details.

**ORA-16782: instance not open for read and write access**

---

**Cause:** The database was mounted on an instance but not opened for read and write access.

**Action:** Check the StatusReport property for more details and, if possible, open the instance manually.

**ORA-16783: instance *string* not open for read and write access**

**Cause:** The database was mounted on an instance but not opened for read and write access.

**Action:** Check the StatusReport property for more details and, if possible open the instance manually.

**ORA-16784: database name specified by Dependency property is incorrect**

**Cause:** The database name, that should be the value of the DB\_UNIQUE\_NAME initialization parameter, specified in the Dependency property was incorrect.

**Action:** Reset the Dependency property to the correct name of the database.

**ORA-16785: the database is in NOARCHIVELOG mode**

**Cause:** The database was in NOARCHIVELOG mode when it was either a primary database or when it was a standby database that was being switched over to be a primary database.

**Action:** Set the database to ARCHIVELOG mode by issuing the ALTER DATABASE ARCHIVELOG command.

**ORA-16786: unable to access Data Guard broker metadata**

**Cause:** The Data Guard broker configuration files did not exist or for some other reason the Data Guard broker configuration metadata could not be accessed.

**Action:** Check the Data Guard broker log for more details.

**ORA-16788: unable to set one or more database configuration property values**

**Cause:** This situation occurred when the broker attempted to set database configurable property values into the database by issuing ALTER SYSTEM or ALTER DATABASE commands. Typical causes of this error are:

- The values of redo transport-related properties contain syntax errors.
- The value of the LogArchiveTrace property was out of range.

**Action:** Check the Data Guard broker log to see which property has the problem and set the property to the correct value.

**ORA-16789: standby redo logs not configured**

**Cause:** Standby redo logs were not configured for the database.

**Action:** Standby redo logs are required when the redo transport mode is set to SYNC or ASYNC. Check the Data Guard documentation to see how to create standby redo logs.

**ORA-16790: the value of the configurable property is invalid**

**Cause:** An invalid property value was entered.

**Action:** Reset the property to a correct value.

**ORA-16791: unable to check the existence of the standby redo logs**

**Cause:** The database may not be mounted, or the query of the V\$STANDBY\_LOG fixed view failed.

---

**Action:** Ensure the database is mounted and query the V\$STANDBY\_LOG fixed view to see if the problem has been corrected, and retry the operation.

**ORA-16792: configurable property value is inconsistent with database setting**

**Cause:** The values of one or more configurable properties were inconsistent with database in-memory settings or server parameter file settings. This may happen by directly altering initialization parameters instead of editing configurable property values using Data Guard broker.

**Action:** Query the InconsistentProperties property on the database or check the Data Guard broker log to find which properties are set inconsistently. Reset these properties to make them consistent with the database settings. Alternatively, enable the database or the entire configuration to allow the configurable property settings to be propagated to the initialization parameters.

**ORA-16793: logical standby database guard is off**

**Cause:** The logical standby database guard was turned off.

**Action:** Issue the ALTER DATABASE GUARD ALL command to turn the guard on and verify that Data Guard health check error or warning is cleared.

**ORA-16794: database guard is on for primary database**

**Cause:** The database guard was turned on for the primary database.

**Action:** Issue the ALTER DATABASE GUARD NONE command to turn off the guard and verify that Data Guard health check error or warning is cleared.

**ORA-16795: the standby database needs to be re-created**

**Cause:** A switchover or failover operation caused this database to require re-creation. The database was marked for re-creation because it was not a viable standby database for the new primary database. Until this error status is resolved for this database, information about this database and the broker configuration to which it belongs is unavailable to a broker client that is connected to this database. Therefore, all commands directed by that client to this database cannot be completed.

**Action:** Re-create (or flash back) the standby database. Connect to the primary database in the broker configuration and reenables broker management of that database. Once enabled, it is possible to connect to that standby database and manage it with the broker. Alternatively, many client commands that cannot be completed at the standby database when in this error state can be completed successfully when issued to the primary database. In this case, simply reconnect to the primary database and retry the command.

**ORA-16796: one or more properties could not be imported from the database**

**Cause:** The broker was unable to import property values for the database being added to the broker configuration. This error indicates:

- The Oracle Net service name specified in DGMGRL CREATE CONFIGURATION or ADD DATABASE command was not one that provides access to the database being added.

- There were no instances running for the database being added.

**Action:** Remove the database from the configuration using the REMOVE CONFIGURATION or REMOVE DATABASE command. Make sure that the database to be added has at least one instance running and that the Oracle Net service name provides access to the running instance. Also check the broker log file for additional information. Then, reissue the CREATE CONFIGURATION or ADD DATABASE command.

---

**ORA-16797: database is not using a server parameter file**

**Cause:** The database was not using a server parameter file or the broker was unable to access the server parameter file.

**Action:** Issue the CREATE SPFILE='..' FROM PFILE='...' command to create a server parameter file and then restart the database to use it.

**ORA-16798: unable to complete terminal recovery on the standby database**

**Cause:** Terminal recovery on the standby database failed during the failover operation.

**Action:** Check the Data Guard broker log and the Oracle alert logs to see more details on the reason for the failure.

**ORA-16799: Redo Apply is not running**

**Cause:** Either the Data Guard broker metadata indicates that Redo Apply was turned off, or the recovery process, MRP0, was not running. As a result, Redo Apply-related properties could not be set.

**Action:** Turn on Redo Apply through Data Guard broker and reissue the command to set a Redo Apply-related property.

**ORA-16800: redo transport service for a standby database incorrectly set to ALTERNATE**

**Cause:** The redo transport service for a standby database was set to ALTERNATE when no other destination is set to alternate to this destination.

**Action:** Reenable the standby database or the entire configuration to allow the configuration property settings to be propagated to the initialization parameters.

**ORA-16801: redo transport-related property is inconsistent with database setting**

**Cause:** The values of one or more redo transport-related configuration properties were inconsistent with database in-memory settings or server parameter file settings. This may happen by directly altering initialization parameters instead of editing configurable property values using Data Guard broker.

**Action:** Query the InconsistentLogXptProps property on the primary database or check the Data Guard broker log to find which properties are set inconsistently. Reset these properties to make them consistent with the database settings. Alternatively, enable the database or the entire configuration to allow the configurable property settings to be propagated to the initialization parameters.

**ORA-16802: downgrading redo transport mode from SYNC disallowed**

**Cause:** An attempt was made to downgrade the redo transport mode of a standby database from SYNC to ASYNC when the configuration was in Maximum Protection or Maximum Availability mode and the primary database was a RAC database. This was not disallowed even though there may have been other standby databases with redo transport modes set to SYNC to support the protection mode.

**Action:** Do one of the following if the redo transport mode of the standby must be downgraded:

- Shut down all instances of the primary database and restart one instance with the initialization parameter CLUSTER\_DATABASE set to FALSE. Downgrade the redo transport mode of the standby database of interest. Then, shutdown the instance, set the the CLUSTER\_DATABASE initialization parameter to TRUE, and restart all primary database instances.

---

- Downgrade the protection mode to Maximum Performance mode and then, downgrade the redo transport mode of the standby database of interest. Finally, upgrade the protection mode. This will require a restart of all primary database instances if upgrading to Maximum Protection mode. Note that the above only works when there is at least one standby database in the configuration that has its redo transport mode set to SYNC.

**ORA-16803: unable to query a database table or fixed view**

**Cause:** Failed to query a database table or fixed view. The database may not be opened or mounted.

**Action:** Check the Data Guard broker log for more details.

**ORA-16804: one or more configuration properties in metadata have invalid values**

**Cause:** Data Guard broker health check detected that one or more configuration properties in the broker configuration had invalid values. The property values were changed while broker management of the database was disabled.

**Action:** Check Data Guard broker log for more details on which properties have invalid values and reset them through the Data Guard broker.

**ORA-16805: change of LogXptMode property violates overall protection mode**

**Cause:** The broker disallowed the attempt to change the LogXptMode configurable property for the standby database because, if allowed, the overall protection mode for the configuration would have been violated.

**Action:** If the LogXptMode configuration property must be changed for the specified standby database, first downgrade the overall protection mode for the broker configuration. After that operation has completed, the LogXptMode configuration property for the standby database can be changed.

**ORA-16806: supplemental logging is not turned on**

**Cause:** Supplemental logging was not turned on while there was a logical standby database in the configuration. This could happen either on the primary database or on the logical standby database that was being switched over to be the primary database.

**Action:** Check the Data Guard broker log for more details. Issue the ALTER DATABASE ADD SUPPLEMENTAL LOG DATA (PRIMARY KEY, UNIQUE INDEX) COLUMNS to add supplemental logging.

**ORA-16807: unable to change database protection mode**

**Cause:** An attempt to issue the ALTER DATABASE SET STANDBY TO MAXIMIZE {PROTECTION | AVAILABILITY | PERFORMANCE} failed.

**Action:** Check the Data Guard broker log and the Oracle log for more information.

**ORA-16809: multiple warnings detected for the database**

**Cause:** The broker detected multiple warnings for the database.

**Action:** Check the StatusReport monitorable property of the specified database to get a detailed status report.

**ORA-16810: multiple errors or warnings detected for the database**

**Cause:** The broker detected multiple errors or warnings for the database.

**Action:** Check the StatusReport monitorable property of the specified database to get a detailed status report.

---

**ORA-16811: apply instance not recorded by the Data Guard broker**

**Cause:** The broker did not register an apply instance for a standby database.

**Action:** Reenable the standby database to clear the error.

**ORA-16812: log apply service not running on apply instance recorded by the broker**

**Cause:** Log apply services were not running on the instance the Data Guard broker expected them to be running upon.

**Action:** Reenable the standby database to clear the error.

**ORA-16813: log apply service not running on apply instance *string* recorded by the broker**

**Cause:** Log apply services were not running on the instance the Data Guard broker expected them to be running upon.

**Action:** Reenable the standby database to clear the error.

**ORA-16814: incorrect redo transport setting for AlternateLocation for standby database**

**Cause:** The Data Guard broker detected an incorrect redo transport setting for a standby database AlternateLocation property. The incorrect setting could be one of the following:

- The AlternateLocation property was empty, but the redo transport to the standby database had an ALTERNATE setting.

- The AlternateLocation property was not empty and the redo transport to the standby database had no ALTERNATE setting.

- The AlternateLocation property did not match the ALTERNATE setting in the redo transport. The mismatch may include service string, directory specification of the alternate location, or the DB\_UNIQUE\_NAME attribute.

- The LOG\_ARCHIVE\_DEST\_STATE\_n parameter corresponding to the alternate location was not set to ALTERNATE.

- The flash recovery area was being used by the standby database for archived logs, but the redo transport to the standby database still had an ALTERNATE setting for the AlternateLocation property. Data Guard broker logs provide more details on which of the above cases caused the error.

**Action:** Reenable the primary database to clear the error.

**ORA-16815: incorrect redo transport setting for AlternateLocation for standby database "*string*"**

**Cause:** The Data Guard broker detected an incorrect redo transport setting for a standby database AlternateLocation property. The incorrect setting could be one of the following:

- The AlternateLocation property was empty, but the redo transport to the standby database had an ALTERNATE setting.

- The AlternateLocation property was not empty and the redo transport to the standby database had no ALTERNATE setting.

- The AlternateLocation property did not match the ALTERNATE setting in the redo transport. The mismatch may include service string, directory specification of the alternate location, or the DB\_UNIQUE\_NAME attribute.

- The LOG\_ARCHIVE\_DEST\_STATE\_n parameter corresponding to the alternate location was not set to ALTERNATE.

---

- The flash recovery area was being used by the standby database for archived logs, but the redo transport to the standby database still had an ALTERNATE setting for the AlternateLocation property. Data Guard broker logs provide more details on which of the above cases caused the error.

**Action:** Reenable the primary database to clear the error.

**ORA-16816: incorrect database role**

**Cause:** The Data Guard broker detected that the specified database had a database role that was different from the database role recorded in the Data Guard configuration. This could be the result of a failed switchover or failover operation, or an out-of-band switchover or failover operation done to the database.

**Action:** Manually fix the database to convert it to the appropriate database role, then issue an ENABLE DATABASE command to reenable the database.

**ORA-16817: unsynchronized fast-start failover configuration**

**Cause:** The fast-start failover target standby database was not synchronized with the primary database. As a result, a Fast-Start Failover could not happen automatically in case of a primary database failure.

**Action:** Ensure that the fast-start failover target standby database is running and that the primary database can ship redo data to it. When the standby database has received all of the redo data from the primary database, the primary and standby databases will then be synchronized. The Data Guard configuration may then fail over automatically to the standby database in the event of loss of the primary database.

**ORA-16818: fast-start failover suspended**

**Cause:** The primary database was intentionally shutdown. As a result, a fast-start failover could not happen automatically.

**Action:** Start the primary database. This effectively restores the ability to automatically perform a fast-start failover in the event of a failure of the primary database.

**ORA-16819: fast-start failover observer not started**

**Cause:** The observer for fast-start failover was not started. As a result, fast-start failover could not happen in the case of a primary database failure.

**Action:** Start the fast-start failover observer by using, for example, the DGMGRL START OBSERVER command.

**ORA-16820: fast-start failover observer is no longer observing this database**

**Cause:** A previously started observer was no longer actively observing this database. A significant amount of time elapsed since this database last heard from the observer. Possible reasons were:

- The host where the observer was running was not available.
- The network connection between the observer and this database was not available.
- The observer process was terminated unexpectedly.

**Action:** Check the reason why the observer cannot contact this database. If the problem cannot be corrected, stop the current observer by connecting to the Data Guard configuration and issue the DGMGRL STOP OBSERVER command. Then, restart the observer on another host. Finally, use the DGMGRL START OBSERVER command to start the observer on the other host.

---

**ORA-16821: logical standby database dictionary not yet loaded**

**Cause:** The logical standby database had not loaded the dictionary. This status was detected by the broker health check mechanism. Alternatively, this status may be returned when attempting to switch or fail over to a logical standby database that had not yet loaded its dictionary.

**Action:** Start SQL Apply on the logical standby database, if it is not already running, and wait for it to reach the APPLYING state.

**ORA-16822: new primary database not yet ready for standby database reinstatement**

**Cause:** The new primary database, as a result of a logical standby database failover operation, had not fully completed the failover operation. An attempt to reinstate a disabled standby database could not be completed until failover completed on the new primary database.

**Action:** Wait until the failover operation has completed on the new primary database. Then retry the reinstate operation.

**ORA-16823: redo transport mode is incompatible for current operation**

**Cause:** The redo transport mode of this database was incompatible for this broker operation.

**Action:** Reset the LogXptMode database property for this database and retry the broker operation.

**ORA-16824: multiple warnings, including fast-start failover-related warnings, detected for the database**

**Cause:** The broker detected multiple warnings for the database. At least one of these warnings may have prevented Fast-Start Failover from occurring.

**Action:** Check the StatusReport monitorable property of the database specified.

**ORA-16825: multiple errors or warnings, including fast-start failover-related errors or warnings, detected for the database**

**Cause:** The broker detected multiple errors or warnings for the database. At least one of these errors or warnings may have prevented a fast-start failover from occurring.

**Action:** Check the StatusReport monitorable property of the database specified.

**ORA-16826: apply service state is inconsistent with the DelayMins property**

**Cause:** This warning was caused by one of the following reasons:

- The apply service was started without specifying the real-time apply option or without the NODELAY option when the DelayMins property was set to zero.
- The apply service was started with the real-time apply option or with the NODELAY option when the DelayMins property was set to a value greater than zero.

**Action:** Reenable the standby database to allow the broker to restart the apply service with the apply options that are consistent with the specified value of the DelayMins property.

**ORA-16827: Flashback Database is disabled**

**Cause:** The broker detected that the Flashback Database feature was disabled. With Flashback Database disabled, the broker would not be able to:

- reinstate a database that required reinstatement.
- convert a physical standby database to a snapshot standby database.

---

- convert a snapshot standby database to a physical standby database. Flashback Database may be disabled manually with the ALTER DATABASE FLASHBACK DATABASE OFF command or automatically by the database in the event of an error.

**Action:** Check the database alert log to determine whether Flashback Database was disabled due to errors and then correct the problem. If Flashback Database had been manually disabled, reenable Flashback Database with the ALTER DATABASE FLASHBACK DATABASE ON command. If, after enabling Flashback Database, the database still cannot be reinstated or converted, you must re-create the database from a copy of the primary database.

**ORA-16828: invalid value specified for REDO\_TRANSPORT\_USER initialization parameter**

**Cause:** An invalid value was specified for the REDO\_TRANSPORT\_USER initialization parameter. The length of the user name exceeded 30 characters.

**Action:** Check the documentation and specify a new value for the REDO\_TRANSPORT\_USER initialization parameter.

**ORA-16829: fast-start failover configuration is lagging**

**Cause:** The fast-start failover target standby database was not within the lag limit specified by the FastStartFailoverLagLimit configuration property. As a result, a fast-start failover could not happen in the event of a primary database failure.

**Action:** Ensure that the fast-start failover target standby database is running and applying redo data and that the primary database is successfully transmitting redo data. If this condition persists consider raising the value of the FastStartFailoverLagLimit configuration property.

**ORA-16830: primary isolated from fast-start failover partners longer than FastStartFailoverThreshold seconds: shutting down**

**Cause:** The primary database was isolated from both the observer and target standby database for longer than the seconds specified by the FastStartFailoverThreshold property. A fast-start failover probably occurred. If the FastStartFailoverPmyShutdown configuration property was set to TRUE, the broker will shut down the primary database in this situation.

**Action:** Ensure one instance of this database is running and the database is mounted on that instance so that the broker may reinstate the old primary database.

**ORA-16831: operation disallowed on this standby database type**

**Cause:** The Data Guard broker operation was disallowed on the standby database type.

**Action:** Check the documentation for the correct standby database type and reissue the Data Guard broker command to another standby database that is of the correct standby database type.

**ORA-16950: Remote mapped cursors are not supported by this feature.**

**Cause:** This cursor is a remote mapped cursor which could not be processed locally.

**Action:** Try to process this statement directly on the remote site.

**ORA-16951: Too many bind variables supplied for this SQL statement.**

**Cause:** Binding this SQL statement failed because too many bind variables were supplied.

---

**Action:** Pass the correct number of bind variables.

**ORA-16952: Failed to bind this SQL statement.**

**Cause:** Binding this SQL statement failed.

**Action:** Check if bind variables for that statement are properly specified.

**ORA-16953: Type of SQL statement not supported.**

**Cause:** This type of SQL statement could not be processed.

**Action:** None

**ORA-16954: SQL parse error.**

**Cause:** The specified SQL statement failed to be parsed.

**Action:** Check if syntax is correct and ensure that this statement can be parsed by the specified user name.

**ORA-16955: Unknown error during SQL analyze.**

**Cause:** The specified SQL statement failed to be analyzed.

**Action:** This is an internal error, please contact Oracle support.

**ORA-16956: Only SELECT or DML statements are supported for test execute.**

**Cause:** The specified SQL statement cannot be tested for execute.

**Action:** None

**ORA-16957: SQL Analyze time limit interrupt**

**Cause:** This is an internal error code used indicate that SQL analyze has reached its time limit.

**Action:** None

**ORA-16958: DML statements running parallel are not supported for test execute.**

**Cause:** The specified DML statement cannot be tested for execute because part of it is running parallel.

**Action:** None

**ORA-16959: Statement type has been disabled for SQL Analyze**

**Cause:** The system attempted to analyze a type of statement that was disabled by the current feature.

**Action:** Try a different feature capable of analyzing this statement type.

**ORA-16960: SQL Analyze could not reproduce the desired plan.**

**Cause:** SQL Analyze failed to reproduce a particular plan using an outline.

**Action:** Check the outline data.

**ORA-16961: SQL statement with SQL patch is ignored**

**Cause:** SQL statements with SQL patches are not supported by SQL tuning advisor.

**Action:** Check the SQL patch information. Rerun SQL repair advisor on that SQL statement for a potential better SQL patch.

**ORA-17500: ODM err:string**

**Cause:** An error returned by ODM library

**Action:** Look at error message and take appropriate action or contact Oracle Support Services for further assistance

---

**ORA-17501: logical block size *string* is invalid**

**Cause:** logical block size for oracle files must be a multiple of the physical block size, and less than the maximum

**Action:** check INIT.ORA file parameters

**ORA-17502: ksfdcre:*string* Failed to create file *string***

**Cause:** file creation failed due to either insufficient OS permission or the file already exists

**Action:** check additional error messages

**ORA-17503: ksfdopn:*string* Failed to open file *string***

**Cause:** file open failed due to either insufficient OS permission or the name of file exceeds maximum file name length.

**Action:** check additional error messages

**ORA-17504: ksfdDEL:Failed to delete file *string***

**Cause:** The file that was being deleted is still in use or the process has insufficient permission to delete file.

**Action:** check additional error messages

**ORA-17505: ksfdrsz:*string* Failed to resize file to size *string* blocks**

**Cause:** There is insufficient space left on the device or the process has insufficient permission to resize file.

**Action:** check additional error messages

**ORA-17506: I/O Error Simulation**

**Cause:** The i/o request is marked with error because the i/o error simulation event is turned on.

**Action:** None

**ORA-17507: I/O request size *string* is not a multiple of logical block size**

**Cause:** i/o's are done in multiple of logical block size

**Action:** Check additional error messages

**ORA-17508: I/O request buffer ptr is not aligned**

**Cause:** i/o request buffer should be aligned, check additional information for buffer ptr value

**Action:** Call Oracle Support Services

**ORA-17509: Attempt to do i/o beyond block1 offset**

**Cause:** When a file is identified with logical block size of 0, only i/o's to block1 is allowed.

**Action:** check additional error messages and call Oracle Support Services

**ORA-17510: Attempt to do i/o beyond file size**

**Cause:** The i/o request points to a block beyond End Of File

**Action:** check additional error messages and call Oracle Support Services

**ORA-17512: Block Verification Failed**

**Cause:** Block Verification after a read operation on a database file failed since the block is media corrupt.

---

**Action:** check additional error messages in the trace file and call Oracle Support Services

**ORA-17610: file "*string*" does not exist and no size specified**

**Cause:** An attempt to create a file found neither an existing file nor a size for creating the file.

**Action:** Specify a size for the file.

**ORA-17611: ksfd: file "*string*" cannot be accessed, global open closed**

**Cause:** An attempt to write to a file which has gone offline/unidentified

**Action:** Check for other errno in the stack

**ORA-17612: Failed to discover Oracle Disk Manager library, return value *string***

**Cause:** Discovery of the odm library by calling odm\_discover() failed

**Action:** Contact your storage vendor who has provided the ODM library or call Oracle Support

**ORA-17613: Failed to initialize Oracle Disk Manager library: *string***

**Cause:** ODM initialization for the thread failed due to insufficient privilege or memory.

**Action:** Make sure there is enough system resources available for the oracle process and it has access to the ODM library

**ORA-17618: Unable to update block 0 to version 10 format**

**Cause:** An attempt was made to update block 0 to version 10 format.

**Action:** Check additional error messages and call Oracle Support Services

**ORA-17619: max number of processes using I/O slaves in a instance reached**

**Cause:** An attempt was made to start large number of processes requiring I/O slaves.

**Action:** There can be a maximum of 35 processes that can have I/O slaves at any given time in a instance.

**ORA-17620: failed to register the network adapter with Oracle Disk Manager library: *string***

**Cause:** The ODM library returned an error while trying to register the network adapter.

**Action:** Make sure the network adapter name given in the fileio\_network\_adapters is a valid name, and that the Oracle user has the correct access privileges.

**ORA-17621: failed to register the memory with Oracle Disk Manager library**

**Cause:** The ODM library returned an error while trying to register the memory.

**Action:** Contact the Oracle Disk Manager Library provider.

**ORA-17622: failed to deregister the memory with Oracle Disk Manager library**

**Cause:** The ODM library returned an error while trying to deregister the memory.

**Action:** Contact the Oracle Disk Manager Library provider

**ORA-17624: Failed to delete directory *string***

**Cause:** The directory that was being deleted is still in use or the process had insufficient permission to delete the directory.

**Action:** check additional error messages.

---

**ORA-17626: ksfdcre: *string* file exists**

**Cause:** trying to create a database file, but file by that name already exists

**Action:** verify that name is correct, specify REUSE if necessary

**ORA-17627: *string***

**Cause:** An error returned by OCI while sending/receiving message from remote instance

**Action:** Look at error message and take appropriate action or contact Oracle Support Services for further assistance

**ORA-17628: Oracle error *string* returned by remote Oracle server**

**Cause:** Oracle server on the remote instance has returned an error.

**Action:** Look at remote instance alert log/trace file for more information and take appropriate action or contact Oracle Support Services for further assistance

**ORA-17629: Cannot connect to the remote database server**

**Cause:** Connecting to the remote server specified by database connect string for network file transfer failed.

**Action:** Check additional error messages

**ORA-17630: Mismatch in the remote file protocol version client *string* server *string***

**Cause:** Cannot communicate with the remote database server as there is a mismatch in the Oracle file protocol version.

**Action:** Check additional error messages

**ORA-17631: dbname "*string*" specified by remote server does not match the instance name "*string*"**

**Cause:** The dbname specified by the remote server is not intended for this instance.

**Action:** Check the dbname specified in the command of the remote instance and look for further error messages.

**ORA-17632: file "*string*" is a formatted ASM disk**

**Cause:** An attempt to create a datafile on a device that was formatted for ASM disk failed.

**Action:** Check that the device specified is not an ASM disk. If you would like to use the disk for datafiles, please clear the disk before you retry the operation.

**ORA-18000: invalid outline name**

**Cause:** The parser detected a missing or invalid outline name

**Action:** None

**ORA-18001: no options specified for ALTER OUTLINE**

**Cause:** The parser detected that no clause was specified on the command Our performance tests, which are not typical as they exercise all branches of the code, have shown approximately a 30% performance increase line for ALTER OUTLINE.

**Action:** Re-issue the command, specifying a valid ALTER OUTLINE clause.

**ORA-18002: the specified outline does not exist**

**Cause:** Either the outline did not exist to begin with, or a timing window allowed for another thread to drop or alter the outline midstream.

**Action:** None

---

**ORA-18003: an outline already exists with this signature**

**Cause:** The signature generation algorithm generates signatures that are 16 bytes in length so it is highly unlikely that any 2 signatures will be identical. This message is raised in such a rare case.

**Action:** Either re-issue the statement that led to the outline being created with some whitespace added or force the outline to be created in a different category.

**ORA-18004: outline already exists**

**Cause:** An outline already exists, either with the specified name, or for the specified SQL text.

**Action:** None

**ORA-18008: cannot find OUTLN schema**

**Cause:** The database creation script that creates this schema must not have been executed.

**Action:** Review the log files to see what happened when the database was created.

**ORA-18009: one or more outline system tables do not exist**

**Cause:** Either the database creation script that creates these tables was not executed or a user accidentally deleted the table

**Action:** Review the log files to see what happened when the database was created.

**ORA-18010: command missing mandatory CATEGORY keyword**

**Cause:** User failed to specify the CATEGORY keyword

**Action:** Re-issue the command with the CATEGORY keyword included

**ORA-18015: invalid source outline signature**

**Cause:** User imported an 8i outline into a 9i database without updating signatures

**Action:** execute `dbms_outln.update_signatures`

**ORA-19000: missing RELATIONAL keyword**

**Cause:** The keyword RELATIONAL in the work OBJECT RELATIONAL is missing in the XMLTYPE storage clause specification.

**Action:** Supply the RELATIONAL keyword in the storage clause

**ORA-19001: Invalid storage option specified**

**Cause:** An invalid storage option was specified for the XMLType.

**Action:** Supply a valid storage option.

**ORA-19002: Missing XMLSchema URL**

**Cause:** A XML schema URL must be specified in the storage option.

**Action:** Specify a URL for the XMLSchema.

**ORA-19003: Missing XML root element name**

**Cause:** A root element in the XMLSchema must be specified if the XML schema is given.

**Action:** Specify a root element in the XML schema.

**ORA-19004: Duplicate XMLType OBJECT RELATIONAL storage option**

**Cause:** A duplicate storage option for the XMLType column was specified

---

**Action:** Specify a single storage option for an XMLType column

**ORA-19005: Duplicate XMLType LOB storage option**

**Cause:** A duplicate storage option for the XMLType column was specified

**Action:** Specify a single storage option for an XMLType column

**ORA-19006: XMLType TYPE storage option not appropriate for storage type**

**Cause:** The TYPE option can only be used in case of OBJECT RELATIONAL storage option

**Action:** Remove the TYPE option or specify an OBJECT RELATIONAL storage for the XMLType column

**ORA-19007: Schema *string* does not match expected *string*.**

**Cause:** The given XML document conformed to a different schema than expected.

**Action:** Insert/Update only the XML documents that conform to that particular schema.

**ORA-19008: Invalid version of the XMLType**

**Cause:** An invalid version of the XMLType was found.

**Action:** This is possible due to data corruption or an internal error or running an older client against a newer version of the database. Make sure that the version of the client can understand the XMLType in the database.

**ORA-19009: Missing XMLSchema keyword**

**Cause:** The XMLSchema keyword is missing

**Action:** Specify the XMLSchema URL and element name.

**ORA-19010: Cannot insert XML fragments**

**Cause:** XML fragments got from extractNode cannot be inserted into the database.

**Action:** Convert the fragment into a proper XML document before insertion.

**ORA-19011: Character string buffer too small**

**Cause:** The string result asked for is too big to return back

**Action:** Get the result as a lob instead

**ORA-19012: Cannot convert XML fragment to the required datatype**

**Cause:** A conversion to a datatype was requested which cannot be performed

**Action:** The XMLType may contain fragments and other elements which cannot be converted to the appropriate datatype.

**ORA-19013: Cannot create VARRAY columns containing XMLType**

**Cause:** An attempt was made to create a VARRAY column which contains a XMLType

**Action:** You cannot store VARRAYs containing XMLTypes in tables. Use nested tables instead

**ORA-19015: Invalid XML tag identifier (*string*)**

**Cause:** An invalid XML identifier was detected during XML generation

**Action:** Fix the offending tag to not contain characters or symbols that are not allowed by the XML specification

---

**ORA-19016: attributes cannot occur after element specifications**

**Cause:** Attributes specified using the "@" identifier can only occur before any other element definition when creating XML

**Action:** Change the order of the types so that the attributes occur in the beginning

**ORA-19017: Attributes can only be simple scalars**

**Cause:** Attribute values can only be simple scalar values

**Action:** Use only simple datatypes for attribute values

**ORA-19018: Invalid character in XML tag "string"**

**Cause:** A tag name was found to have an invalid XML character during XML generation.

**Action:** Rewrite the query so that the generated XML tag, corresponding to a column name or alias, contains only valid characters.

**ORA-19019: Invalid context passed to DBMS\_XMLGEN.GETXML**

**Cause:** The value of context passed to GETXML was invalid.

**Action:** Rewrite the query so that the value of context passed to GETXML is valid.

**ORA-19020: invalid dereference of XMLType columns**

**Cause:** An attempt was made to dereference the attributes of an XMLType column which is not part of a base table

**Action:** You can only dereference the attributes of a base table XMLType column

**ORA-19023: The first argument to UPDATEXML operator has to be an XMLTYPE**

**Cause:** The first argument passed to the update value operator was not an XMLTYPE.

**Action:** Rewrite the query so that the first argument to the UPDATEXML operator is XMLTYPE.

**ORA-19024: Cursor expression must be named**

**Cause:** The value of context passed to GETXML was invalid.

**Action:** Rewrite the query so that the value of context passed to GETXML is valid.

**ORA-19025: EXTRACTVALUE returns value of only one node**

**Cause:** Given XPath points to more than one node.

**Action:** Rewrite the query so that exactly one node is returned.

**ORA-19026: EXTRACTVALUE can only retrieve value of leaf node**

**Cause:** Given XPath does not point to a leaf node.

**Action:** Rewrite the query so that a leaf node is returned.

**ORA-19028: Invalid ADT parameter passed to toObject() function**

**Cause:** The object passed as ADT parameter to sys.XMLType.toObject() is not the same type, or a super-type, of the mapped type.

**Action:** Pass an object of the correct type to toObject().

**ORA-19029: Cannot convert the given XMLType to the required type**

**Cause:** The passed in XMLType could not be convert to the required type

**Action:** Binary XMLType instances or other objects cannot be converted to the required object or collection types.

---

**ORA-19030: Method invalid for non-schema based XML Documents.**

**Cause:** The method can be invoked on only schema based xmltype objects.

**Action:** Don't invoke the method for non schema based xmltype objects.

**ORA-19031: XML element or attribute *string* does not match any in type *string.string***

**Cause:** The passed in XML tag does not match any in the object type

**Action:** Pass a valid canonical XML that can map to the given object type

**ORA-19032: Expected XML tag *string* got *string***

**Cause:** When converting XML to object, a wrong tag name was present

**Action:** Pass a valid canonical XML that can map to the given object type

**ORA-19033: schema specified in the XML document does not match the schema parameter**

**Cause:** When creating schema-based XML, the schema specified in the XML document is different from the schema passed in as the "schema" parameter.

**Action:** Change the schema parameter to match the schema specified in the XML document.

**ORA-19034: Type not supported during schema generation**

**Cause:** The object type contained a type that is not supported for schema generation.

**Action:** Use a different type or do not generate a schema.

**ORA-19035: Invalid select item of the query in newContextFromHierarchy()**

**Cause:** The query does not have a number select item followed by an XMLType select item only.

**Action:** Make sure the result set of the query used in the newContextFromHierarchy() must have only two selected items: the first item must be number type and the second item must be XMLType.

**ORA-19036: Invalid query result set in newContextFromHierarchy()**

**Cause:** The result set of the query used in the newContextFromHierarchy() does not have the same property as the result set generated by a CONNECT BY query.

**Action:** Make sure the query used in newContextFromHierarchy() is a CONNECT BY query or the query returns the result set have the same property as the result set generated by a CONNECT BY query.

**ORA-19037: XMLType result can not be a fragment**

**Cause:** The select item of the query in newContextFromHierarchy() is an XML fragment.

**Action:** Make sure the select item of the query in newContextFromHierarchy() is NOT an XML fragment

**ORA-19038: Invalid operations on query context**

**Cause:** SetMaxRows, SetSkipRows, SetRowTagName operations are applied to a query context created from newContextFromHierarchy().

**Action:** SetMaxRows, SetSkipRows, SetRowTagName operations can not be applied to a query context created from newContextFromHierarchy().

**ORA-19039: Keyword *string* reserved for future use**

**Cause:** The keyword is reserved for future use as a builtin function.

---

**Action:** Change the name mentioned above to a different one.

**ORA-19040: Element *string* does not match expected *string*.**

**Cause:** The given XML document had a different root element than expected.

**Action:** Insert/Update only the XML documents that conform to that particular schema and element.

**ORA-19041: Comment data cannot contain two consecutive "-"s**

**Cause:** The given comment string expression has two consecutive "-"s.

**Action:** Modify comment string to eliminate one or both of the consecutive "-"s.

**ORA-19042: Enclosing tag *string* cannot be xml in any case combination**

**Cause:** The given enclosing tag matched "xml" in some case combination

**Action:** Modify the enclosing tag so that it is not xml in any case combination.

**ORA-19043: Multiply nested XMLROOT function disallowed**

**Cause:** An XMLROOT function has an operand that is also an XMLROOT function.

**Action:** Modify the query so that there are no multiply nested XMLROOT functions.

**ORA-19044: character length specified for XMLSerialize is too small.**

**Cause:** An XMLSerialize function was called with a type of character type (e.g. VARCHAR2(27)), and the length specified (27 in the example) was too small.

**Action:** Modify the query so that the character length specified is larger.

**ORA-19045: character set id specified for XMLSerialize not valid**

**Cause:** An XMLSerialize function was called with an invalid value for the character set id.

**Action:** Modify the query so that the character set id is valid.

**ORA-19100: PASSING or RETURNING keyword expected**

**Cause:** The keyword PASSING or RETURNING was missing.

**Action:** Specify the PASSING or RETURNING keyword.

**ORA-19101: CONTENT keyword expected**

**Cause:** The keyword CONTENT was missing.

**Action:** Specify the CONTENT keyword.

**ORA-19102: XQuery string literal expected**

**Cause:** The string literal containing the XQuery expression was missing.

**Action:** Specify the XQuery expression as a string literal.

**ORA-19103: VALUE keyword keyword**

**Cause:** The keyword VALUE was missing.

**Action:** Specify the VALUE keyword.

**ORA-19104: invalid XQueryX: missing attribute *string***

**Cause:** The XQueryX expression was not assigned the expected attribute.

**Action:** Specify a valid XQueryX.

**ORA-19105: invalid XQueryX: expected text node - got *string***

- 
- Cause:** The XQueryX expression did not contain a text node as expected.  
**Action:** Specify a valid XQueryX.
- ORA-19106: invalid XQueryX: expected *string* - got *string***  
**Cause:** The XQueryX expression did not contain the node as expected.  
**Action:** Specify a valid XQueryX.
- ORA-19107: invalid XQueryX - unsupported construct - *string***  
**Cause:** The given XQuery expression contains an unsupported construct.  
**Action:** Specify a valid XQueryX.
- ORA-19108: WHITESPACE keyword expected**  
**Cause:** The keyword WHITESPACE was missing.  
**Action:** Specify the WHITESPACE keyword.
- ORA-19109: RETURNING keyword expected**  
**Cause:** The keyword RETURNING was missing.  
**Action:** Specify the RETURNING keyword.
- ORA-19110: unsupported XQuery expression**  
**Cause:** The program specified an XQuery expression that is not supported.  
**Action:** Rewrite the XQuery with a expression that is supported.
- ORA-19111: error during evaluation of the XQuery expression**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19112: error raised during evaluation: *string***  
**Cause:** The error function was called during evaluation of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19113: trace function called during evaluation: *string***  
**Cause:** The trace function was called during evaluation of the XQuery expression.  
**Action:** Check the log file for the trace message.
- ORA-19114: XPST0003 - error during parsing the XQuery expression: *string***  
**Cause:** An error occurred during the parsing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19115: too many context items specified**  
**Cause:** More than one context item was specified as input to the XMLQuery function.  
**Action:** Specify a single context item for the XMLQuery function.
- ORA-19116: too many xmlspace declarations**  
**Cause:** The query prolog contained multiple xmlspace declarations.  
**Action:** Remove the duplicate xmlspace declarations.
- ORA-19117: XQST0070 - invalid redefinition of predefined namespace prefix "*string*"**  
**Cause:** The given predefined namespace was being redefined in a namespace declaration.

---

**Action:** Remove the namespace declaration that redefines the predefined namespace prefix.

**ORA-19118: XQST0066 - duplicate default namespace definition - *string***

**Cause:** More than one default namespace declaration used the given namespace URI.

**Action:** Remove the duplicate default namespace definition.

**ORA-19121: duplicate attribute definition - *string***

**Cause:** More than one attribute with the same name.

**Action:** Remove the duplicate attribute definition.

**ORA-19122: unsupported XQuery declaration**

**Cause:** The program specified an XQuery declaration that is not supported.

**Action:** Rewrite the XQuery with a declaration that is supported.

**ORA-19123: FORG0003: fn:zero-or-one() called with a sequence containing more than one item**

**Cause:** sequence with more than one item was passed into fn:zero-or-one() function

**Action:** correct input argument to fn:zero-or-one() function

**ORA-19124: FORG0004: fn:one-or-more() called with a sequence containing no items**

**Cause:** sequence containing no items was passed into fn:one-or-more() function

**Action:** correct input argument to fn:one-or-more() function

**ORA-19125: FORG0005: fn:exactly-one() called with a sequence containing zero or more than one item**

**Cause:** sequence containing zero or more than one item was passed into fn:exactly-one() function

**Action:** correct input argument to fn:exactly-one() function

**ORA-19126: XQuery extension expression contains neither a pragma that is recognized by the implementation nor an expression enclosed in curly braces**

**Cause:** No expression was enclosed in curly braces for the extension expression or the pragma content was not recognized.

**Action:** Correct inputs to extension expression.

**ORA-19127: XQST0067: XQST0067: A static error is raised if a Prolog contains more than one construction declaration**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19128: XQST0068: A static error is raised if a Prolog contains more than one boundary-space declaration**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19129: XQST0069: A static error is raised if a Prolog contains more than one empty order declaration**

**Cause:** An error occurred during the processing of the XQuery expression.

---

**Action:** Check the detailed error message for the possible causes.

**ORA-19130: XQST0070: A static error is raised if the predefined namespace prefix xml or xmlns is redeclared by a namespace declaration or namespace declaration attribute**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19131: XQST0071: A static error is raised if the namespace declaration attributes of a direct element constructor do not have distinct names**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19132: XQDY0072: It is a dynamic error if the result of the content expression of a computed comment constructor contains two adjacent hyphens or ends with a hyphen**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19133: XQST0073: It is a static error if the graph of module imports contains a cycle (that is, if there exists a sequence of modules M1 ... Mn such that each Mi imports Mi+1 and Mn imports M1), unless all the modules in the cycle share a common namespace**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19134: XQDY0074: It is a dynamic error if the value of the name expression in a computed element constructor cannot be converted to an expanded QName (for example, because it contains a namespace prefix not found in statically known namespaces.)**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19135: XQST0075: An implementation that does not support the Validation Feature must raise a static error if it encounters a validate expression**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19136: XQST0076: It is a static error if a collation subclause in an order by clause of a FLWOR expression does not identify a collation that is present in statically known collations**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19137: XQST0079: It is a static error if an extension expression contains neither a pragma that is recognized by the implementation nor an expression enclosed in curly braces**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19138: The target type of a cast or castable expression must be an atomic type that is in the in-scope schema types and is not xs:NOTATION or**

---

**xs:anyAtomicType, optionally followed by the occurrence indicator "?"; otherwise a static error is raised**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19139: XPST0081: It is a static error if a QName used in a query contains a namespace prefix that cannot be expanded into a namespace URI by using the statically known namespaces**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19140: XPST0083: It is a static error if the target type of a cast expression or constructor function is xs:QName or a type derived from xs:QName or xs:NOTATION, and the argument of the cast expression or constructor function is not a string literal**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19141: XQDY0084: It is a dynamic error if the element validated by a validate statement does not have a top-level element declaration in the in-scope element declarations, if validation mode is strict**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19142: FONC0001 = FONC0001: undefined context item**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19143: XQTY0086: It is a type error if the typed value of a copied element or attribute node is namespace-sensitive when construction mode is preserve and copy-namespaces mode is no-preserve**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19145: XQST0087: It is a static error if the encoding specified in a Version Declaration does not conform to the definition of EncName specified in [XML 1.0]**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19146: XQST0088: It is a static error if the literal that specifies the target namespace in a module import or a module declaration is of zero length**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19147: XQST0089: It is a static error if a variable bound in a for clause of a FLWOR expression, and its associated positional variable, do not have distinct names (expanded QNames)**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

- 
- ORA-19148: XQST0090: It is a static error if a character reference does not identify a valid character in the version of XML that is in use**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19149: XQDY0091: An implementation may raise a dynamic error if an xml:id error, as defined in [XML ID], is encountered during construction of an attribute named xml:id**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19150: XQDY0092: An implementation may raise a dynamic error if a constructed attribute named xml:space has a value other than preserve or default**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19151: XQST0093: It is a static error to import a module M1 if there exists a sequence of modules M1 ... Mi ... M1 such that each module directly depends on the next module in the sequence (informally, if M1 depends on itself through some chain of module dependencies.)**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19152: FOCH0001 = FOCH0001: codepoint not valid**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19153: FOCH0002: unsupported collation**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19154: FOCH0003: unsupported normalization form**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19155: FOCH0004: collation does not support collation units**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19156: FODC0001: no context document**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19157: FODC0002: error retrieving resource**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19158: FODC0004: invalid argument to fn:collection()**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.

---

**ORA-19159: FODC0005: invalid argument to fn:doc**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19160: XPST0003 - syntax error: invalid variable name *string***

**Cause:** The given XQuery variable does not begin with the "\$" sign

**Action:** Fix the variable name to start with the "\$" sign.

**ORA-19161: XPTY0004 - XQuery type mismatch: invalid argument type *"string"* for function *"string"***

**Cause:** The type of the argument that was passed to the given function was not valid.

**Action:** Fix the argument to be of a type supported by the given function.

**ORA-19162: XPTY0004 - XQuery type mismatch: invalid argument types *"string"*, *"string"* for function *"string"***

**Cause:** The type of the arguments that were passed to the given function was not valid.

**Action:** Fix the arguments to be of a type appropriate for the given function.

**ORA-19163: XPTY0004 - XQuery type mismatch: argument type mismatch: expected *"string"* got *"string"* for function *"string"***

**Cause:** The type of the arguments that were passed to the given function was not valid.

**Action:** Fix the arguments to be of a type appropriate for the given function.

**ORA-19164: XQST0085 - It is a static error if the namespace URI in a namespace declaration attribute is a zero-length string, and the implementation does not support [XML Names 1.1].**

**Cause:** There was a zero-length URI in namespace declaration.

**Action:** Fix the namespace declaration.

**ORA-19165: FONS0003: no prefix defined for namespace**

**Cause:** There was a zero-length URI in namespace declaration.

**Action:** Fix the namespace declaration.

**ORA-19166: FONS0003: FONS0004: no namespace found for prefix**

**Cause:** There was a zero-length URI in namespace declaration.

**Action:** Fix the namespace declaration.

**ORA-19167: FONS0005: base uri not defined in the static context**

**Cause:** There was a zero-length URI in namespace declaration.

**Action:** Fix the namespace declaration.

**ORA-19168: FORG0002: invalid argument to fn:resolve-uri()**

**Cause:** There was a zero-length URI in namespace declaration.

**Action:** Fix the namespace declaration.

**ORA-19169: FORG0006: invalid argument type in *"string"***

**Cause:** There was a zero-length URI in namespace declaration.

**Action:** Fix the namespace declaration.

- 
- ORA-19171: FORG0007: invalid argument to aggregate function**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19172: FORG0008: both arguments to fn:dateTime have a specified timezone**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19173: FORG0009: error in resolving a relative URI against a base URI in fn:resolve-uri**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19174: FORX0001: invalid regular expression flags**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19175: FORX0002: invalid regular expression**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19176: FORX0003: regular expression matches zero-length string**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19177: FORX0004: invalid replacement string**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19178: FOTY0001: type error**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19179: FOTY0011: Type error. Context item is not a node**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19180: FOTY0012: argument node does not have a typed value**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19181: FOTY0014: type exception**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19182: FORT0001: invalid number of parameters**  
**Cause:** An error occurred during the processing of the XQuery expression.  
**Action:** Check the detailed error message for the possible causes.
- ORA-19183: FOTY0002: type definition not found**  
**Cause:** An error occurred during the processing of the XQuery expression.

---

**Action:** Check the detailed error message for the possible causes.

**ORA-19184: FOTY0021: invalid node type**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19185: FOAR0002: numeric operation overflow/unflow**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19186: FOCA0001: input value too large for decimal**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19187: FOCA0002: invalid lexical value**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19188: FOCA0003: input value too large for integer**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19189: FOCA0005: NaN supplied as float/double value**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19190: FOER0000: Unidentified error**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19191: FOAR0001: division by zero**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19192: XQST0047: It is a static error if multiple module imports in the same Prolog specify the same target namespace**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19193: XQST0045: It is a static error if the function name in a function declaration is in one of the following namespaces:**

<http://www.w3.org/XML/1998/namespace>, <http://www.w3.org/2001/XMLSchema>,  
<http://www.w3.org/2001/XMLSchema-instance>,  
<http://www.w3.org/2005/04/xpath-functions>,  
<http://www.w3.org/2005/04/xpath-datatypes>

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19194: XQDY0026: It is a dynamic error if the result of the content expression of a computed processing instruction constructor contains the string ">"**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

---

**ORA-19200: Invalid column specification**

**Cause:** All input arguments must be valid columns

**Action:** Specify a valid list of columns

**ORA-19201: Datatype not supported**

**Cause:** The particular datatype is not supported in the XMLGEN operator

**Action:** Specify only supported datatypes as arguments to the XMLGEN operator

**ORA-19202: Error occurred in XML processingstring**

**Cause:** An error occurred when processing the XML function

**Action:** Check the given error message and fix the appropriate problem

**ORA-19203: Error occurred in DBMS\_XMLGEN processingstring**

**Cause:** An error occurred when processing the DBMS\_XMLGEN functions

**Action:** Check the given error message and fix the appropriate problem

**ORA-19204: Non-scalar value "string" is marked as XML attribute**

**Cause:** Only scalar values (i.e. values which are not of object or collection type) can be marked as XML attribute, i.e. is prefixed by "@". In this case, a non-scalar value was prefixed with "@"

**Action:** Remove the "@" sign, or make the value a scalar.

**ORA-19205: Attribute "string" qualifies a non-scalar value in the select list**

**Cause:** The attribute immediately follows a value of object or collection type in the select list or type definition.

**Action:** Remove the "@" sign, or make the previous value a scalar.

**ORA-19206: Invalid value for query or REF CURSOR parameter**

**Cause:** The queryString argument passed to DBMS\_XMLGEN.newContext was not a valid query, or REF CURSOR.

**Action:** Rewrite the query so that the queryString argument is a valid query or REF CURSOR.

**ORA-19207: scalar parameter string of XMLELEMENT cannot have an alias.**

**Cause:** The scalar parameter to XMLELEMENT has been qualified with an alias.

**Action:** Remove the AS clause of the scalar element.

**ORA-19208: parameter string of function string must be aliased**

**Cause:** The indicated parameter of the XML generation function has not been aliased, although it is an expression.

**Action:** Specify an alias for the expression using the AS clause.

**ORA-19209: invalid or unsupported formatting argument**

**Cause:** An invalid or unsupported formatting argument was supplied

**Action:** Change the formatting argument to legal supported values

**ORA-19210: column "string", specified to be a key or update column for DBMS\_XMLSTORE, does not exist in table "string"**

**Cause:** The column specified using setKeyColumn()/setUpdateColumn() did not exist in the table.

**Action:** Change the column specified to be a column in the table

---

**ORA-19211: column "string", specified as key using DBMS\_XMLSTORE.setKeyColumn() , must be of scalar type**

**Cause:** The column specified using setKeyColumn() was a non-scalar type column.

**Action:** Change the column specified to be a scalar column in the table

**ORA-19212: no key columns specified before call to DBMS\_XMLSTORE.updateXML()**

**Cause:** No columns were specified as key columns before the call to DBMS\_XMLSTORE.updateXML.

**Action:** Use DBMS\_XMLSTORE.setKeyColumn() to specify key columns

**ORA-19221: XPST0001 - XQuery static context component *string* not initialized**

**Cause:** An uninitialized static context component was encountered during the static analysis of the expression.

**Action:** initialize the given static context.

**ORA-19222: XPDY0002 - XQuery dynamic context component *string* not initialized**

**Cause:** An uninitialized dynamic context component was encountered during the evaluation of the expression.

**Action:** Initialize the particular dynamic context component.

**ORA-19223: XPST0003 - syntax error in XQuery expression**

**Cause:** The given XQuery expression contains syntax errors.

**Action:** Fix the syntax error in the XQuery expression.

**ORA-19224: XPTY0004 - XQuery static type mismatch: expected - *string* got - *string***

**Cause:** The expression could not be used because it's static type is not appropriate for the context in which it was used.

**Action:** Fix the expression to be of the required type or add appropriate cast functions around the expression.

**ORA-19225: XPST0005 - XQuery static type error: expected non empty type got empty sequence**

**Cause:** The static type assigned to an expression other than the () expression must not be the empty type.

**Action:** Fix the expression so it does not return empty sequences.

**ORA-19226: XPTY0006 - XQuery dynamic type mismatch: expected *string* got *string***

**Cause:** The expression could not be used because it's dynamic type did not match the required type as specified by XQuery sequencetype matching rules.

**Action:** Fix the expression to return the expected type or use appropriate cast functions.

**ORA-19227: XPTY0007 - fn:data function is applied to a node (type (*string*)) whose type annotation denotes a complex type with non-mixed complex content.**

**Cause:** The input node for atomization contained a type annotation that denoted a complex type with non-mixed complex content.

**Action:** Fix the input expression to fn:data to be a node that does not contain non-mixed complex content.

**ORA-19228: XPST0008 - undeclared identifier: prefix "*string*" local-name "*string*"**

---

**Cause:** The given identifier refers to either a type name, function name, namespace prefix, or variable name that is not defined in the static context.

**Action:** Fix the expression to remove the identifier, or declare the appropriate variable, type, function or namespace.

**ORA-19229: XQST0009 - schema import not supported**

**Cause:** A schema import was encountered in the query.

**Action:** remove the schema import.

**ORA-19230: XPST0010 - unsupported axis *string***

**Cause:** An unsupported axis was encountered in the given expression.

**Action:** Remove the unsupported axis from the expression.

**ORA-19232: XQST0012 - imported schemas violate validity rules**

**Cause:** The imported schemas did not satisfy the conditions for schema validity specified in the XMLSchema specification.

**Action:** Fix the imported schemas to satisfy the validity rules. In particular, the definitions must be valid, complete, and unique -- that is, the pool of definitions must not contain two or more schema components with the same name and target namespace.

**ORA-19233: XQST0013 - invalid pragma**

**Cause:** A pragma was specified whose contents are invalid.

**Action:** Specify the pragma with the correct contents.

**ORA-19234: XQST0014 - invalid or unsupported must-understand extension**

**Cause:** The must-understand extension specified was either invalid or unsupported.

**Action:** remove the unsupported must-understand extension or fix the error.

**ORA-19235: XQST0015 - unsupported must-understand extension**

**Cause:** The XQuery flagger was enabled and the query contained a must-understand extension.

**Action:** remove the unsupported must-understand extension.

**ORA-19236: XQST0016 - module declaration or import not supported**

**Cause:** The given query had a module declaration or module import.

**Action:** Remove the import module or module declaration.

**ORA-19237: XPST0017 - unable to resolve call to function - *string:string***

**Cause:** The name and arity of the function call given could not be matched with any in-scope function in the static context.

**Action:** Fix the name of the function or the number of parameters to match the list of in-scope functions.

**ORA-19238: XPTY0018 - It is a type error if the result of the last step in a path expression contains both nodes and atomic values**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19239: XPTY0019 - It is a type error if the result of an step (other than the last step) in a path expression contains an atomic value**

---

**Cause:** The step expression returned a sequence containing an atomic value.

**Action:** Fix the path expression to return only nodes.

**ORA-19240: XPTY0020 - context item must be node in an axis expression**

**Cause:** The context item that was used in the axis expression is not a node.

**Action:** Change the context item to be a node.

**ORA-19241: XPDY0021 - cast to type *string* failed**

**Cause:** The value inside a cast expression could not be cast to the required type.

**Action:** Fix the input to the cast expression to be of a castable type.

**ORA-19242: XQST0022 - namespace declaration attribute must be a literal**

**Cause:** The namespace declaration attribute was not a literal string.

**Action:** Fix the namespace declaration to be a literal string.

**ORA-19243: XQTY0023 - invalid document node content in element constructor**

**Cause:** The content sequence in an element constructor contained a document node.

**Action:** Change the content of the element constructor so that it does not contain a document node.

**ORA-19244: XQTY0024 - invalid attribute node in element constructor**

**Cause:** The content sequence in an element constructor contained an attribute node following a node that was not an attribute node.

**Action:** Change the content sequence of the element constructor so that it does not contain the attribute node.

**ORA-19245: XQDY0025 - duplicate attribute name *string***

**Cause:** The content sequence of the element constructor contained more than one attribute that had the same name.

**Action:** Remove the duplicate attributes.

**ORA-19246: validation failed - element *string* not found in in-scope element declarations**

**Cause:** The validation mode was strict and the element-constructor contained an element name that was not present in the in-scope element declarations.

**Action:** Fix the validation mode to be lax or import the schema definition that contains the required element declaration.

**ORA-19247: XQDY0027 - validation error**

**Cause:** An error was encountered during the validation of the expression.

**Action:** Fix the validation error.

**ORA-19248: XQTY0028 - invalid node in document constructor**

**Cause:** The content sequence in a document constructor contained either a document or an attribute node.

**Action:** Fix the content so it does not contain any of the above node types.

**ORA-19249: XQDY0029 - value does not match facet of the target type**

**Cause:** The input value to a cast expression did not satisfy the facets of the target type.

**Action:** Fix the value to conform to the facets of the target type.

---

**ORA-19250: XQTY0030 - too many values to validate expression**

**Cause:** The argument of a validate expression returned more than one element or document node.

**Action:** Fix the argument of the validate expression to return a single element or document node.

**ORA-19251: XQST0031 - unsupported query version**

**Cause:** The query version specified in the prolog was not supported.

**Action:** Supply the version of the query that is supported.

**ORA-19252: XQST0032 - too many declarations for base URI**

**Cause:** The query prolog contained multiple declarations for the base URI.

**Action:** Remove the duplicate definitions for the base URI.

**ORA-19253: XQST0033 - too many declarations for namespace prefix *string***

**Cause:** The query prolog contained multiple declarations for the same namespace prefix.

**Action:** Remove the duplicate definitions for the namespace prefix.

**ORA-19254: XQST0034 - too many declarations for function *string***

**Cause:** The query module contained more than one function, either declared or imported, which have the same expanded QName.

**Action:** Remove the duplicate function definitions.

**ORA-19255: XQST0035 - too many declarations of *string* in imported schemas**

**Cause:** Two schemas were imported that defined the same name in the same symbol space and in the same scope.

**Action:** Fix the schema imports to remove the name conflict.

**ORA-19256: XQST0036 - missing type definitions in imported module**

**Cause:** A module was imported, which contains references to type names that are not defined in the in-scope type definitions inside the module.

**Action:** Fix the module definition to include the in-scope type definition.

**ORA-19257: XQST0037 - function or variable *string* in module already defined**

**Cause:** A module being imported contained the function or variable that is already declared in the static context of the importing module.

**Action:** Remove the conflicting declarations.

**ORA-19258: XQST0038 - unsupported or duplicate default collation specified**

**Cause:** The query prolog either specified more than one default collation or the collation specified was not supported.

**Action:** Remove the duplicate definition or specify a supported collation.

**ORA-19259: XQST0039 - duplicate parameter name *string* in function declaration**

**Cause:** The function declaration contained more than one parameter with the same name.

**Action:** Fix the function declaration to remove the duplicate parameters.

**ORA-19260: XQST0040 - invalid namespace node in element constructor**

**Cause:** The content sequence in an element constructor contained a namespace node following a node that was not a namespace node.

---

**Action:** Remove the namespace node in the element constructor.

**ORA-19261: XQDY0041 - non empty URI in QName**

**Cause:** The name expression in a computed processing instruction or computed namespace constructor returned a QName whose URI part was not empty.

**Action:** Fix the processing instruction or computed namespace constructor to return the QName with an empty URI part.

**ORA-19262: XQST0042 - namespace constructor not inside an element constructor**

**Cause:** The enclosing expression of a computed namespace constructor was not a computed element constructor.

**Action:** Fix the namespace constructor to be inside an element constructor.

**ORA-19263: XQST0043 - duplicate namespace prefix *string***

**Cause:** Two or more computed namespace constructors within the same computed element constructor attempted to bind the same namespace prefix.

**Action:** Remove the duplicate namespace definitions.

**ORA-19264: XQDY0044 - invalid namespace in attribute constructors**

**Cause:** A computed attribute constructor returned a QName that is in the pre-defined XML namespace (corresponding to namespace prefix `xmlns`).

**Action:** Change the namespace for the computed attribute constructor.

**ORA-19265: XQST0045 - invalid or unknown prefix *string* in function declaration**

**Cause:** The declared function name in a function declaration had no namespace prefix or had one of the predefined namespace prefixes other than local.

**Action:** Fix the function declaration to have the correct prefix.

**ORA-19266: XQST0046 - invalid URI**

**Cause:** The given URI contained a lexical form that was not valid according to the definition of `xs:anyURI` in XML Schema.

**Action:** Fix the URI.

**ORA-19267: module *string* not found**

**Cause:** The module with the given target URI could not be found.

**Action:** Fix the prolog to import only available modules.

**ORA-19268: XQST0048 - namespace *string* does not match target namespace *string***

**Cause:** The module contained a function or variable whose namespace did not match the target namespace of the module.

**Action:** Fix the namespace of the function or variable to match the target namespace of the module.

**ORA-19269: XQST0049 - variable *string* defined multiple times**

**Cause:** The module defined or imported the same variable multiple times.

**Action:** Fix the import or the module definition to remove duplicate definitions.

**ORA-19270: XPDY0050 - treat failed - expected *string* got *string***

**Cause:** The type of the operand to the treat expression did not match the required type.

**Action:** Fix the input operand to be of the correct type.

---

**ORA-19271: XPST0051 - invalid atomic type definition**

**Cause:** The QName used as an AtomicType in a SequenceType was not defined in the in-scope type definitions as an atomic type.

**Action:** Use the correct atomic type name.

**ORA-19272: XQDY0052 - invalid atomic value in attribute or element constructor**

**Cause:** The content of the element or attribute constructor included an atomic value that could not be cast into a string.

**Action:** Fix the content to contain atomic values that can be cast to a string.

**ORA-19273: XQST0053 - empty string in namespace declaration**

**Cause:** An empty string was used in a namespace declaration.

**Action:** Fix the namespace declaration to have a non-empty string.

**ORA-19274: XQST0054 - variable initialization failed due to circularity**

**Cause:** A circular definition was encountered when the variable was initialized.

**Action:** Remove the circularity in the initialization.

**ORA-19275: XQST0055 - schema path *string* not found in list of in-scope schema definitions**

**Cause:** The ElementTest specified a schema path that could not be found in the list of in-scope schema definitions.

**Action:** Include the appropriate schema that can be used to resolve the ElementTest.

**ORA-19276: XPST0005 - XPath step specifies an invalid element/attribute name: (*string*)**

**Cause:** The XPath step specified invalid element or attribute name that did not match any nodes according to the input XML schema or structure.

**Action:** Correct the element or attribute name as the name may be mis-spelled.

**ORA-19277: XPST0005 - XPath step specifies an item type matching no node: (*string*)**

**Cause:** The XPath step specified an item type that did not match any nodes according to the input XML schema or structure.

**Action:** Correct the item type definition as node of such type does not exist in the input XML schema or structure.

**ORA-19278: Invalid value: (*string*) for type: (*string*)**

**Cause:** The value was invalid for the type.

**Action:** Correct the value or change the type.

**ORA-19279: XPTY0004 - XQuery dynamic type mismatch: expected singleton sequence - got multi-item sequence**

**Cause:** The XQuery sequence passed in had more than one item.

**Action:** Correct the XQuery expression to return a single item sequence.

**ORA-19280: XQuery dynamic type mismatch: expected atomic value - got node**

**Cause:** A node was passed in to the expression where an atomic value was expected.

**Action:** Correct the XQuery expression to return an atomic value.

---

**ORA-19281: XQST0055 - It is a static error if a Prolog contains more than one copy-namespaces declaration**

**Cause:** The query prolog contained multiple copy-namespaces declarations.

**Action:** Remove the duplicate copy-namespaces declarations.

**ORA-19282: XQST0068 - It is a static error if a Prolog contains more than one xmlspace declaration**

**Cause:** The query prolog contained multiple xmlspace declarations.

**Action:** Remove the duplicate xmlspace declarations.

**ORA-19283: XQST0031 - It is a static error if the version number specified in a version declaration is not supported by the implementation.**

**Cause:** The query contained a version declaration not supported by this implementation.

**Action:** Change the version declaration to 1.0 which is the version supported by this implementation.

**ORA-19284: Encoding specification in version declaration not supported**

**Cause:** The query contained an encoding specification.

**Action:** Remove the encoding specification.

**ORA-19285: FODC0002 - error retrieving resource**

**Cause:** The URI provided could not be resolved to a valid resource.

**Action:** Provide a valid URI for a resource.

**ORA-19286: XPST0017 - unable to resolve call to function - *string***

**Cause:** The name and arity of the function call given could not be matched with any in-scope function in the static context.

**Action:** Fix the name of the function or the number of parameters to match the list of in-scope functions.

**ORA-19287: XPST0017 - invalid number of arguments to function - *string:string***

**Cause:** The name and arity of the function call given could not be matched with any in-scope function in the static context.

**Action:** Fix the name of the function or the number of parameters to match the list of in-scope functions.

**ORA-19288: XPST0017 - invalid number of arguments to function - *string***

**Cause:** The name and arity of the function call given could not be matched with any in-scope function in the static context.

**Action:** Fix the name of the function or the number of parameters to match the list of in-scope functions.

**ORA-19289: XQST0034 - function *string:string* declared or defined multiple times**

**Cause:** Multiple functions declared or imported by a module had the same expanded QName and the same number of arguments.

**Action:** Fix the function declaration or definition to remove duplicates.

**ORA-19290: XQST0069 - more than one empty order declaration declared in the prolog**

**Cause:** A prolog had more than one empty order declaration.

**Action:** Fix the prolog to have just one empty order declaration.

---

**ORA-19291: XPST0081 - specified QName cannot be expanded into a namespace URI**

**Cause:** The namespace prefix of the QName could not be expanded into a namespace URI by using the statically known namespaces.

**Action:** Use a namespace prefix that can be resolved into a namespace URI from the statically known namespaces.

**ORA-19292: XQST0057: It is a static error if a schema import binds a namespace prefix but does not specify a target namespace other than a zero-length string**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19293: XQST0058: It is a static error if multiple schema imports specify the same target namespace**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19294: XQST0059: It is a static error if an implementation is unable to process a schema or module import by finding a schema or module with the specified target namespace**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19295: XQST0060: It is a static error if the name of a function in a function declaration is not in a namespace (expanded QName has a null namespace URI)**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19296: XQDY0061: It is a dynamic error if the operand of a validate expression is a document node whose children do not consist of exactly one element node and zero or more comment and processing instruction nodes, in any order**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19297: XQDY0064: It is a dynamic error if the value of the name expression in a computed processing instruction constructor is equal to "XML" (in any combination of upper and lower case)**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19298: XQST0065: A static error is raised if a Prolog contains more than one ordering mode declaration**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19299: XQST0066: A static error is raised if a Prolog contains more than one default element/type namespace declaration, or more than one default function namespace declaration**

**Cause:** An error occurred during the processing of the XQuery expression.

**Action:** Check the detailed error message for the possible causes.

**ORA-19300: Error occurred in uri processing***string*

- 
- Cause:** An error occurred when processing the URL  
**Action:** Check the given error message and fix the appropriate problem
- ORA-19320: Host name not specified in HTTP URL**  
**Cause:** A host name was not specified in the HTTP url  
**Action:** Specify a host name in the HTTP url when creating the URL string
- ORA-19321: Could not open HTTP connection to host (string): port (string)**  
**Cause:** A HTTP connection could not be opened to the host  
**Action:** Specify a valid host name and port to connect to
- ORA-19322: An error occurred while reading from host (string): port (string)**  
**Cause:** An error occurred while reading from the HTTP host  
**Action:** Specify a valid host name and port to read from
- ORA-19323: Invalid url string**  
**Cause:** The URL must be a valid URL string  
**Action:** Specify a valid url string
- ORA-19330: Type "string"."string" not installed. Please install the type before using the CREATE\_DBURI operator**  
**Cause:** The type required for the CREATE\_DBURI operator has not been installed correctly.  
**Action:** Read the installation notes to install the type correctly.
- ORA-19331: Last argument to CREATE\_DBURI operator must be a column**  
**Cause:** The final argument to the CREATE\_DBURI operator must be a column to which the reference is being created.  
**Action:** Specify a valid column name in the query.
- ORA-19332: Invalid column in the CREATE\_DBURI operator**  
**Cause:** The argument to the CREATE\_DBURI operator can only be a column.  
**Action:** Specify a valid column name for the operator
- ORA-19333: Invalid flags for the CREATE\_DBURI operator**  
**Cause:** The flags argument given to the DBURI operator is invalid  
**Action:** Specify a valid flag value (TEXT) for the DBURI operator
- ORA-19334: Invalid column specification for CREATE\_DBURI operator**  
**Cause:** All columns must be valid and pointing to the same table or view  
**Action:** Specify valid list of columns that are from the same table or view.
- ORA-19335: Invalid format type object**  
**Cause:** An invalid format type object was specified for the XML function  
**Action:** Specify a valid format type object
- ORA-19336: Missing XML root element**  
**Cause:** The XML being generated does not have an enclosing root element.  
**Action:** The XML generated must have a root element
- ORA-19361: ONLINE option not allowed with this type of index**

---

**Cause:** The ONLINE option was specified to validate the structure of a system-generated metadata index

**Action:** The ONLINE option can not be used with system-generated metadata indexes such as an LOB index, an IOT Top index, an Index on Clusters etc., Run query without using the ONLINE option.

**ORA-19371: invalid update option**

**Cause:** The user attempted to call load\_sqlset with an update option that is different than REPLACE and ACCUMULATE.

**Action:** Adjust the update option and retry the operation.

**ORA-19372: invalid update condition**

**Cause:** The user attempted to call load\_sqlset with an invalid update condition.

**Action:** Check the update condition (e.g., NEW.COL1\_NAME >= OLD.COL2\_NAME) and retry the operation.

**ORA-19373: invalid staging table or tablespace**

**Cause:** The user attempted to create a staging table and specified an invalid staging table (or one that already exists) or tablespace

**Action:** Check the arguments and try again.

**ORA-19374: invalid staging table**

**Cause:** The user specified an invalid staging table to one of the pack, unpack, or remap stgtab routines, or the user does not have the correct privileges on the staging table

**Action:** Provide a correct staging table or grant the appropriate privileges

**ORA-19375: no CREATE TABLE privilege on schema "*string*"**

**Cause:** The user tried to create a staging table when he is missing the CREATE TABLE privilege on the specified schema.

**Action:** Grant the privilege to the user and retry

**ORA-19376: no privileges on tablespace provided or tablespace is offline**

**Cause:** The user tried to create a staging table on a tablespace on which he does not have any space allocated, or it is offline

**Action:** Allocate space on the tablespace, bring it online, and retry

**ORA-19377: no "SQL Tuning Set" with name like "*string*" exists for owner like "*string*"**

**Cause:** The user specified a filter to a pack/unpack function for the SQL Tuning Set that targets no STS in the SYS schema or the staging table, respectively

**Action:** Provide a different filter after checking the state of the system

**ORA-19378: invalid mode**

**Cause:** The user specified an invalid mode argument to the capture function.

**Action:** Provide a mode argument that was defined in the dbmssqlt file

**ORA-19379: invalid time\_limit or repeat\_interval**

**Cause:** The user specified a NULL value for either the time\_limit or the repeat\_interval, or a repeat\_interval that is greater than the time\_limit

**Action:** Provide a non-null value and make sure time\_limit >= repeat\_interval

---

**ORA-19380: invalid plan filter**

**Cause:** The user specified an invalid filter for the plan when calling the `select_sqlset` table function.

**Action:** Adjust the the filter to be one of the following values and retry the operation: `MAX_ELAPSED_TIME`, `MAX_CPU_TIME`, `MAX_DISK_READS`, `MAX_OPTIMIZER_COST`, `MAX_BUFFER_GETS`, `FIRST_LOADED` `LAST_LOADED`, `FIRST_GENERATED`, or `LAST_GENERATED`.

**ORA-19381: cannot create staging table in SYS schema**

**Cause:** The user attempted to create a staging table in the `sys` schema

**Action:** Create the table in another schema.

**ORA-19384: cannot pack into staging table from previous version**

**Cause:** An attempt was made to perform a pack operation on a staging table from a previous version.

**Action:** Create a staging table in the current version and retry the operation.

**ORA-19385: staging table is empty**

**Cause:** An attempt was made to perform an operation on an empty staging table.

**Action:** Check the staging table to make sure that it has rows.

**ORA-19386: target object already exists for tuning task "*string*"**

**Cause:** An attempt was made to set a target object for a tuning task when one had already been set.

**Action:** Create a new task if another target object is needed.

**ORA-19387: "SQL Tuning Set" "*string*" belongs to another tuning task**

**Cause:** The user attempted to tune a task-managed SQL Tuning Set belonging to one task within the scope of another task.

**Action:** Check the SQL Tuning Set and retry the operation.

**ORA-19388: operation not supported for "SQL Tuning Set" type**

**Cause:** The attempted operation was unsupported for the type of the given SQL Tuning Set.

**Action:** Check the SQL Tuning Set and retry the operation.

**ORA-19400: System type conflict with object `SYS.string`**

**Cause:** The user had an object with the same name as one of the system types. The system types were not initialized properly.

**Action:** Remove the conflicting object and rerun migration.



---

## ORA-19500 to ORA-19960

**ORA-19500: device block size *string* is invalid**

**Cause:** the device block size returned by sequential I/O OSD is invalid

**Action:** If the block size was set by using the PARMs option of the Recovery Manager ALLOCATE CHANNEL command, then the specified block size must be changed. If no PARMs option was specified on the ALLOCATE CHANNEL command, then this is an internal error that should be reported to Oracle.

**ORA-19501: read error on file "*string*", block number *string* (block size=*string*)**

**Cause:** read error on input file

**Action:** check the file

**ORA-19502: write error on file "*string*", block number *string* (block size=*string*)**

**Cause:** write error on output file

**Action:** check the file

**ORA-19503: cannot obtain information on device, name="*string*", type="*string*", parms="*string*"**

**Cause:** call to get device information returned an error

**Action:** check device name, type and parameters

**ORA-19504: failed to create file "*string*"**

**Cause:** call to create file returned an error

**Action:** check additional messages, check access permissions

**ORA-19505: failed to identify file "*string*"**

**Cause:** call to identify the file returned an error

**Action:** check additional messages, and check if the file exists

**ORA-19506: failed to create sequential file, name="*string*", parms="*string*"**

**Cause:** call to create the sequential file returned an error

**Action:** check additional messages, check access permissions

**ORA-19507: failed to retrieve sequential file, handle="*string*", parms="*string*"**

**Cause:** call to retrieve the sequential file returned an error

**Action:** check additional messages, and check if the file exists

**ORA-19508: failed to delete file "*string*"**

**Cause:** call to delete the file returned an error

---

**Action:** check additional messages

**ORA-19509: failed to delete sequential file, handle="string", parms="string"**

**Cause:** call to delete the sequential file returned an error

**Action:** check additional messages

**ORA-19510: failed to set size of string blocks for file "string" (block size=string)**

**Cause:** call to resize the file returned an error

**Action:** check additional messages

**ORA-19511: Error received from media manager layer, error text: string**

**Cause:** An error occurred in the media management software which is linked with the Oracle server to perform backup and restore in cooperation with Recovery Manager.

**Action:** If the text of message 19511 does not provide enough information to resolve the problem, then you should contact the vendor of the media management software.

**ORA-19512: file search failed**

**Cause:** Recovery manager or Oracle Server attempted to discover files that matched the specified pattern but failed.

**Action:** Check errors on the error stack for an explanation why the search for files could not be successfully executed.

**ORA-19513: failed to identify sequential file**

**Cause:** Unable to identify the sequential file.

**Action:** Check additional messages, and check if the file exists on media.

**ORA-19525: tempfile for the clone database must be renamed**

**Cause:** Opening a clone database failed because Oracle server forces the tempfile to be renamed, in order to avoid overwriting the primary tempfile.

**Action:** Rename the tempfiles manually or automatically by using the DB\_FILE\_NAME\_CONVERT initialization parameter.

**ORA-19526: only one location allowed for parameter string**

**Cause:** A list of default locations was provided in an Oracle-managed files parameter.

**Action:** Edit the parameter to include a single location.

**ORA-19527: physical standby redo log must be renamed**

**Cause:** The CLEAR LOGFILE command was used at a physical standby database. This command cannot be used at a physical standby database unless the LOG\_FILE\_NAME\_CONVERT initialization parameter is set. This is required to avoid overwriting the primary database's log files.

**Action:** Set the LOG\_FILE\_NAME\_CONVERT initialization parameter.

**ORA-19528: redo logs being cleared may need access to files**

**Cause:** The redo logs are being cleared. This procedure may need the files this operation is being applied to.

**Action:** Wait for the redo logs to be cleared.

---

**ORA-19529: Pattern *string* in initialization parameter *string* has an Oracle Managed Files file name.**

**Cause:** An attempt was made to convert a database file name to an Oracle Managed Files file name using DB\_FILE\_NAME\_CONVERT or LOG\_FILE\_NAME\_CONVERT initialization parameter. This was not a valid operation.

**Action:** Retry the operation with a pattern template instead of a full Oracle Managed Files file name.

**ORA-19550: cannot use backup/restore functions while using dispatcher**

**Cause:** Attempted to use backup/restore functions while connected to the dispatcher in a shared server. This is not allowed because the device that is used for backup and restore must remain allocated to a single process.

**Action:** Connect directly to the instance then re-execute the backup or restore function.

**ORA-19551: device is busy, device type: *string*, device name: *string***

**Cause:** The indicated device could not be allocated because it is allocated to another session, or no device was named, or all devices of the requested type are busy.

**Action:** Either attempt to allocate another device or wait until the required device is no longer busy.

**ORA-19552: device type *string* is invalid**

**Cause:** The device type indicated is invalid.

**Action:** Supply a correct device type and retry the allocation.

**ORA-19553: device name *string* is invalid**

**Cause:** The device name indicated is invalid.

**Action:** Supply a correct device name and retry the allocation.

**ORA-19554: error allocating device, device type: *string*, device name: *string***

**Cause:** The specified device could not be allocated.

**Action:** One or more other messages should be displayed to help pinpoint the cause of the error. Correct the error and retry the allocation.

**ORA-19555: invalid LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST parameter value**

**Cause:** The value of parameter LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST was not set within the valid range.

**Action:** Specify a correct value for parameter LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST. If the archive log parameters LOG\_ARCHIVE\_DEST or LOG\_ARCHIVE\_DUPLEX\_DEST are in use, set parameter LOG\_ARCHIVE\_MIN\_SUCCEED\_DEST to either 1 or 2.

**ORA-19556: required destination LOG\_ARCHIVE\_DUPLEX\_DEST currently is deferred**

**Cause:** The destination for parameter LOG\_ARCHIVE\_DUPLEX\_DEST was deferred when it was required to be enabled. The destination was deferred automatically when an ALTER SYSTEM command for parameter LOG\_ARCHIVE\_DEST defined a destination which duplicated an existing LOG\_ARCHIVE\_DUPLEX\_DEST parameter destination.

**Action:** Change the destination value for the LOG\_ARCHIVE\_DUPLEX\_DEST parameter.

- 
- ORA-19557: device error, device type: *string*, device name: *string***  
**Cause:** An error occurred in the platform-specific device code  
**Action:** One or more other messages should be displayed to help pinpoint the cause of the error. Correct the error and retry the allocation.
- ORA-19558: error de-allocating device**  
**Cause:** The specified device could not be de-allocated.  
**Action:** One or more other messages should be displayed to help pinpoint the cause of the error. Correct the error and retry the allocation.
- ORA-19559: error sending device command: *string***  
**Cause:** An error occurred while sending the indicated command to the session device.  
**Action:** One or more other messages should be displayed to help pinpoint the cause of the error. Correct the error and retry the allocation.
- ORA-19560: *string* is not a valid device limit**  
**Cause:** An invalid type of device limit was specified in a call to DBMS\_BACKUP\_RESTORE.SETLIMIT.  
**Action:** Use one of the documented limits: KBYTES, READRATE, or PARALLEL.
- ORA-19561: *string* requires a DISK channel**  
**Cause:** The attempted command requires that a DISK device channel be allocated to the session, but a non-DISK device was found.  
**Action:** Deallocate the current device and allocate a DISK channel, then then retry the command.
- ORA-19562: file *string* is empty**  
**Cause:** The indicated file, which is an archived log, control file, or datafile was found to be empty during a copy, backup, or scan] operation.  
**Action:** Ensure that the correct files are being specified for the copy or backup operation.
- ORA-19563: *string* header validation failed for file *string***  
**Cause:** When opening the file to be placed in a copy or backup set, to be inspected, or used as the target for an incremental restore, its header was not recognized as a valid file header for a file of the indicated type (datafile, archived log, or control file) belonging to the current database.  
**Action:** Ensure that the correct files are being specified for the copy or backup operation.
- ORA-19564: error occurred writing *string* bytes at block number *string***  
**Cause:** An error occurred while writing to a file.  
**Action:** One or more other messages should be displayed to help pinpoint the cause of the error. Correct the error if possible, then retry the copy, backup, or restore operation.
- ORA-19565: BACKUP\_TAPE\_IO\_SLAVES not enabled when duplexing to sequential devices**  
**Cause:** An attempt was made to specify duplexing to sequential devices, but the BACKUP\_TAPE\_IO\_SLAVES initialization parameter was not enabled.

---

**Action:** Specify `BACKUP_TAPE_IO_SLAVES=TRUE` in the `INIT.ORA` file, or do not specify duplexing to sequential devices.

**ORA-19566: exceeded limit of *string* corrupt blocks for file *string***

**Cause:** The user specified limit of allowable corrupt blocks was exceeded while reading the specified datafile for a datafile copy or backup.

**Action:** None. The copy or backup operation fails. The session trace file contains detailed information about which blocks were corrupt.

**ORA-19567: cannot shrink file *string* because it is being backed up or copied**

**Cause:** An `ALTER` statement attempted to reduce the size of the indicated file while the same file is being backed up or copied.

**Action:** Retry the resize after the backup or copy is complete.

**ORA-19568: a device is already allocated to this session**

**Cause:** A device cannot be allocated to a session if another device is already allocated.

**Action:** Deallocate the current device

**ORA-19569: no device is allocated to this session**

**Cause:** An operation was attempted which requires a device to be allocated to the current session, and there is no device allocated.

**Action:** Allocate a device then retry the operation.

**ORA-19570: file number *string* is outside valid range of 1 through *string***

**Cause:** A file number used in a copy, backup, or restore operation is not valid for the current database.

**Action:** Specify a valid file number.

**ORA-19571: *string* RECID *string* STAMP *string* not found in control file**

**Cause:** The input file specified for a copy or backup operation could not be opened because the record describing the file is not found in the control file.

**Action:** Specify a correct RECID/STAMP and retry the copy or backup.

**ORA-19572: cannot process file *string*, file is being being resized**

**Cause:** The input file specified for a copy or backup operation could not be opened because the file is being resized.

**Action:** Wait for the resize to complete then retry the copy or backup.

**ORA-19573: cannot obtain *string* enqueue for datafile *string***

**Cause:** The file access enqueue could not be obtained for a file specified in a backup, copy or restore operation. If the enqueue type shown is "shared", then the file is the input file for a backup or copy. If the type is "exclusive", then the file is the output file for a datafile copy or restore which is attempting to overwrite the currently active version of that file - in this case, the file must be offline or the database must be closed. If the type is "read-only", then you are attempting to back up or copy this file while the database is in `NOARCHIVELOG` mode.

**Action:** Wait until the conflicting operation is complete, then retry the copy or backup. If the database is in `NOARCHIVELOG` mode, then all files being backed up must be closed cleanly.

**ORA-19574: output file name must be specified**

**Cause:** This type of copy or restore requires an output file name.

---

**Action:** Specify an output file name and retry the copy.

**ORA-19575: expected *string* blocks in file *string*, found *string***

**Cause:** During a backup, restore, copy, or scan operation, the indicated file did not contain as many blocks as were indicated in the file header.

**Action:** The input copy or backup piece is probably corrupt. If another backup or copy exists of the file that is being restored, then the corrupt file can be deleted from the recovery catalog and the operation can be restarted.

**ORA-19576: datafile *string* not defined in control file**

**Cause:** The specified file number was not found in the control file.

**Action:** Specify a correct file number and retry the operation.

**ORA-19577: file *string* is MISSING**

**Cause:** A COPYDATAFILECOPY, RESTOREDATAFILETO or PROXYRESTOREDATAFILE function specified a file number but no output file name, indicating that the output file name should be taken from the control file. However, the control file entry for this file indicates that it was created for a file that was present in the data dictionary but not named during the last CREATE CONTROLFILE statement, so the name in the control file cannot be used for restoration.

**Action:** Either specify an output file name or issue a SQL RENAME command to enter a valid name for this file in the control file.

**ORA-19578: end of volume while duplexing to sequential files, backup piece incomplete**

**Cause:** An end of volume (EOV) condition was detected while duplexing to sequential files, and this condition cannot be handled currently.

**Action:** Before retrying the backup, make sure the backup pieces will fit in the volume, or disable duplexing.

**ORA-19579: archived log record for *string* not found**

**Cause:** No archived log record corresponding to input file could be found in the control file.

**Action:** Specify a valid archived log file name and retry the operation.

**ORA-19580: *string* conversation not active**

**Cause:** A backup or restore operation was attempted before a conversation was started.

**Action:** Start a conversation then retry the operation.

**ORA-19581: no files have been named**

**Cause:** An attempt was made to proceed from the file naming phase to the piece processing phase of a backup or restore conversation before any files have been specified for backup or restore.

**Action:** Specify some files then retry the operation.

**ORA-19582: archived log file header validation for *string* failed**

**Cause:** Archived log file header is corrupt and could not be validated.

**Action:** Provide a valid archived log file and retry the operation.

**ORA-19583: conversation terminated due to error**

---

**Cause:** An error occurred which forced the termination of the current backup or restore conversation.

**Action:** There should be other error messages to help identify the cause of the problem. Correct the error and begin another conversation.

**ORA-19584: file *string* already in use**

**Cause:** The indicated file, which was specified as the target for a copy, restore, or delete operation is already in use by the database.

**Action:** Specify a different name and retry the operation.

**ORA-19585: premature end of volume on piece *string***

**Cause:** While creating the indicated backup piece, an end-of-volume condition was encountered before all of the backup set control data was written to the backup piece. This is most likely a media error, because the amount of backup set control data is very small in relation to the total amount of data in a backup set.

**Action:** Retry the piece with a larger piece of output media.

**ORA-19586: *string* k-byte limit is too small to hold piece directory**

**Cause:** The user-specified limit of k-bytes per backup piece is not enough to hold the backup set control data.

**Action:** Use the SETLIMIT procedure to increase the k-byte limit and retry the operation.

**ORA-19587: error occurred reading *string* bytes at block number *string***

**Cause:** An error occurred while reading from a file.

**Action:** One or more other messages should be displayed to help pinpoint the cause of the error. Correct the error then retry the copy, backup, or restore operation.

**ORA-19588: *string* RECID *string* STAMP *string* is no longer valid**

**Cause:** The indicated record has been marked as deleted. This indicates that the corresponding file has either been overwritten by another copy or restore, or that the copy was "consumed" by a SWITCHTOCOPY operation.

**Action:** If you know the name of the file you wish to copy, then inspect it and then retry the copy specifying the new RECID.

**ORA-19589: *string* is not a snapshot or backup control file**

**Cause:** The control file that is the source for a backup or copy operation is not a snapshot or backup control file.

**Action:** Specify the name of a snapshot or backup control file.

**ORA-19590: conversation already active**

**Cause:** You tried to begin a backup or restore conversation, but another conversation is already active in this session.

**Action:** Either continue the current conversation, or call BACKUPCANCEL or RESTORECANCEL to end the current conversation before starting a new one.

**ORA-19591: backup aborted because job time exceeded duration time**

**Cause:** You tried to backup with duration option and the time provided was not sufficient to complete the backup.

**Action:** Adjust the duration time and re-run the command. Or run the backup command without duration option.

---

**ORA-19592: wrong *string* conversation type**

**Cause:** You attempted to specify a type of file to be backed-up or restored, but the current conversation cannot process this type of file. For example, you specified an archived log to be included in a datafile backup set. The specified file will not be included in the backup or restore operation.

**Action:** No action required - the conversation is still active, and more files can be specified.

**ORA-19593: datafile number *string* already included as *string***

**Cause:** This datafile is already specified for inclusion in this backup or restore conversation. A backup or restore conversation may process only a single instance of a datafile.

**Action:** No action required - the conversation is still active, and more files can be specified.

**ORA-19594: control file already included as *string***

**Cause:** The control file is already specified for inclusion in this backup or restore conversation. A backup or restore conversation may process only a single instance of the control file.

**Action:** No action required - the conversation is still active, and more files can be specified.

**ORA-19595: archived log *string* already included in backup conversation**

**Cause:** The indicated archived log has already been specified for inclusion in this backup conversation.

**Action:** No action required - the conversation is still active, and more files can be specified.

**ORA-19596: SPFILE already included**

**Cause:** The SPFILE is already specified for inclusion in this backup or restore conversation. A backup or restore conversation may process only a single instance of the SPFILE.

**Action:** No action required - the conversation is still active, and more files can be specified.

**ORA-19597: file *string* block size *string* does not match set block size of *string***

**Cause:** A file was specified for inclusion in a backup set but it has a logical block size different from the rest of the files in the backup set. All files in a backup set must have the same logical block size.

**Action:** Specify a file that has the same block size as the rest of the files in the backup set. The conversation is still active and more files can be specified.

**ORA-19598: can not backup SPFILE because the instance was not started with SPFILE**

**Cause:** A backup command requested a backup of the SPFILE, but no SPFILE was used to startup the instance.

**Action:** Create an SPFILE and re-start the instance using the SPFILE.

**ORA-19599: block number *string* is corrupt in *string string***

**Cause:** A corrupt block was found in a control file, archived log, or backup piece that is being read for a backup or copy. Corruption shall not be tolerated in control files, archived logs, or backup pieces.

---

**Action:** None. The copy or backup operation fails. Note that in the case of a backup set, the conversation is still active and the piece may be retried.

**ORA-19600: input file is *string string* (*string*)**

**Cause:** This message identifies the input file for a failed copy operation. Both the file number and name (if the name has been determined) are shown. For a datafile, the file number refers to the datafile's absolute file number as shown in the DBA\_DATA\_FILES view. For a datafile copy, the file number refers to the copy's control file record number as shown in the RECID column of the V\$DATAFILE\_COPY view. For an archived log, the file number refers to the log's control file record number as shown in the RECID column of the V\$ARCHIVED\_LOG view.

**Action:** See other error message.

**ORA-19601: output file is *string string* (*string*)**

**Cause:** This message identifies the output file for a failed copy operation. The fields are as described in message 19600. When creating a new datafile copy, its control file record number may not have been determined when the message is printed. In that case, the record number shown is zero.

**Action:** See other error message.

**ORA-19602: cannot backup or copy active file in NOARCHIVELOG mode**

**Cause:** You tried to copy or backup a file that was not closed cleanly, and the database was in NOARCHIVELOG mode. This is not allowed because when restored, the file will require redo application before it is usable, and redo is not currently being saved beyond the contents of the online redo logs.

**Action:** Take the tablespace offline clean or close the database and retry the copy or backup.

**ORA-19603: cannot backup or copy active file with KEEP .. UNRECOVERABLE option**

**Cause:** The user tried to copy or backup a file that was not closed cleanly, with KEEP .. UNRECOVERABLE option. This is not allowed because when restored, the file will require redo application before it is usable, and redo will not be saved because of KEEP .. UNRECOVERABLE option.

**Action:** Take the tablespace offline cleanly, or close the database and retry the copy or backup.

**ORA-19604: conversation file naming phase is over**

**Cause:** A call was made to specify a file to be backed up or restored after the first backup piece has been processed.

**Action:** You cannot specify more files to be processed during a backup or restore conversation after the first backup piece has been processed. If more files must be specified, you must begin a new conversation.

**ORA-19605: input file name must be specified**

**Cause:** The input file name was not specified for a control file copy operation.

**Action:** Specify an input file name and retry the operation.

**ORA-19606: Cannot copy or restore to snapshot control file**

**Cause:** A control file copy or restore operation specified the name of the snapshot control file as the output file. It is not permitted to overwrite the snapshot control file in this manner. Other methods are available to create the snapshot control file.

---

**Action:** Specify a different file name and retry the operation. If this is a restore, then the restore conversation remains active and more files may be specified.

**ORA-19607: *string* is an active control file**

**Cause:** A control file copy, restore, or backup specified the name of a control file named in the INIT.ORA file as the input or output file.

**Action:** Specify a different file name and retry the operation. If this is a backup or restore conversation, then the conversation remains active and more files may be specified.

**ORA-19608: *string* is not a backup piece**

**Cause:** The specified file is not a backup piece produced by the DBMS\_BACKUP\_RESTORE package. Either the first block of the backup piece is corrupt or this file is not a backup piece.

**Action:** Specify a different file name and retry the operation.

**ORA-19609: *string* is from different backup set: stamp *string* count *string***

**Cause:** The specified file is not from the backup set which is currently being processed. It is part of a different backup set. The identification of the set containing this piece is shown.

**Action:** Specify the correct backup piece and retry the operation.

**ORA-19610: directory block *string* is corrupt**

**Cause:** The indicated directory block failed checksum validation. This backup piece is unusable.

**Action:** Supply another copy of the same backup piece, or terminate the restore conversation.

**ORA-19611: backup piece out of order. Expected *string* but found *string***

**Cause:** This backup piece is out of sequence.

**Action:** Supply the correct backup piece.

**ORA-19612: datafile *string* not restored due to *string***

**Cause:** The indicated file could not be restored, because all of its data blocks were not found in the backup piece.

**Action:** The restore conversation remains active, and the current piece must be re-processed. If the failure cannot be resolved by re-processing the current piece, then the restore conversation must be cancelled.

**ORA-19613: datafile *string* not found in backup set**

**Cause:** The indicated file could not be restored, because it is not in this backup set. If the file number is zero, then this refers to the control file.

**Action:** This message is issued when the directory from the first backup piece is read and one or more files named for restoration were not found. The restore conversation is still active, but no data has been read and you must supply the first backup piece of a backup set that contains all of the requested files.

**ORA-19614: archived log thread *string* sequence *string* not found in backup set**

**Cause:** The indicated archived log file was named explicitly for restoration but is not contained in this backup set.

**Action:** This message is issued when the directory from the first backup piece is read and one or more files named for restoration were not found. The restore

---

conversation is still active, but no data has been read and you must supply the first backup piece of a backup set that contains all of the requested files.

**ORA-19615: some files not found in backup set**

**Cause:** Some files that were specified for restoration were not found in the backup set directory. Message 19613 or 19614 is issued for each file that was not found.

**Action:** See the instructions for message 19613.

**ORA-19616: output file name must be specified if database not mounted**

**Cause:** A datafile restore specified no target file name, but the database is not mounted. The database must be mounted when no target file name is specified, so that the target file name can be obtained from the control file.

**Action:** The restore conversation remains active. If you wish to restore datafiles without their target file names, then mount the database before continuing. Otherwise, a target file name must be specified on all datafile restoration calls.

**ORA-19617: file *string* contains different RESETLOGS data**

**Cause:** The indicated file contains RESETLOGS data which is different from the archived log files which are already included in the backup set. All archived log files in a backup set must have the same RESETLOGS data.

**Action:** The restore conversation remains active, and you may continue to specify archived log files for inclusion in the backup set.

**ORA-19618: cannot name files after RESTOREVALIDATE has been called**

**Cause:** A call was made to specify a file to restore from a backup set, but a previous call to RESTOREVALIDATE has already been made.

**Action:** You must cancel and restart the conversation if you wish to specify files to restore.

**ORA-19619: cannot call RESTOREVALIDATE after files have been named**

**Cause:** RESTOREVALIDATE was called after some files had already been specified for restoration.

**Action:** You must cancel and restart the conversation if you wish to call RESTOREVALIDATE.

**ORA-19620: *string* is not of *string* type**

**Cause:** When opening the file to be placed in a copy or backup set, to be inspected, or used as the target for an incremental restore, its header was not recognized as a valid file header for a file of the indicated type (datafile, archived log, or control file) belonging to the current database.

**Action:** The indicated file cannot be processed. Ensure that the correct files are being specified for the copy or backup operation.

**ORA-19621: archived log range has already been specified**

**Cause:** A range of logs has already been specified. Only one SCN range may be specified per conversation.

**Action:** The restore conversation remains active and more logs may be specified by thread and sequence number, if desired.

**ORA-19622: archived log thread *string* sequence *string* not restored due to *string***

**Cause:** The indicated file could not be restored, because all of its data blocks were not found in the backup piece.

---

**Action:** The restore conversation remains active, and the current piece must be re-processed. If the failure cannot be resolved by re-processing the current piece, then the restore conversation must be cancelled.

**ORA-19623: file *string* is open**

**Cause:** A SWITCHTOCOPY operation specified a datafile copy whose parent datafile is open.

**Action:** Take the owning tablespace offline or close the database, then retry the operation.

**ORA-19624: operation failed, retry possible**

**Cause:** A backup, restore or image copy operation failed with an I/O error. If the source of the I/O error can be corrected, then the operation may be retried.

**Action:** This message is used by recovery manager to decide whether or not to retry the operation.

**ORA-19625: error identifying file *string***

**Cause:** A file specified as input to a copy or backup operation, or as the target for an incremental restore, could not be identified as an Oracle file. An OS-specific error accompanies this error to help pinpoint the problem.

**Action:** Specify an different file and retry the operation.

**ORA-19626: backup set type is *string* - can not be processed by this conversation**

**Cause:** The data in the backup set is not compatible with the current conversation.

**Action:** Either supply the first piece from a backup set that matches the current conversation or start a new restore conversation which can process this backup set.

**ORA-19627: cannot read backup pieces during control file application**

**Cause:** This is a control file restore conversation, which is using the offline range information from one or more control files to update datafile checkpoint data. Backup sets are not used during this type of conversation.

**Action:** The conversation is still active and more control files may be applied.

**ORA-19628: invalid SCN range**

**Cause:** The starting SCN for RESTOREREDOLOGRANGE is greater than the ending SCN.

**Action:** Specify a starting SCN which is less than or equal to the ending SCN.

**ORA-19629: no files in specified archived log SCN range**

**Cause:** This backup set contains no files in the specified range.

**Action:** Either supply a backup set that contains files in the correct range or start a new conversation and specify a range which will select some files from this backup set.

**ORA-19630: end of volume encountered while copying backup piece**

**Cause:** While copying a backup piece from the OS native file system to an output device, the output device encountered end-of-volume.

**Action:** The copy fails. This could happen if a tape was used which is not large enough to hold the entire backup piece.

**ORA-19631: archived log record contains no file name**

**Cause:** This archived log record represents a switch into an active log that took place without archiving its prior contents. The prior contents of the log file are lost.

---

**Action:** Specify the RECID of an archived log record that contains a file name. Fixed view v\$archived\_log can be used to examine the archived logs.

**ORA-19632: file name not found in control file**

**Cause:** The name passed to GETFNO was not found in the control file.

**Action:** Supply a valid file name.

**ORA-19633: control file record *string* is out of sync with recovery catalog**

**Cause:** The control file record describing the file to be deleted in a call to DELETEBACKUPPIECE, DELETEDATAFILECOPY, PROXYDELETE or DELETEARCHIVEDLOG does not match the validation data supplied by recovery manager.

**Action:** contact Oracle support

**ORA-19634: file name required for this function**

**Cause:** The FNAME or HANDLE parameter was not specified for DELETEPIECE, DELETEDATAFILECOPY, DELETEREDOLOG or PROXYDELETE.

**Action:** Specify the FNAME or HANDLE parameter when calling these functions.

**ORA-19635: input and output file names are identical: *string***

**Cause:** Identical input and output file names were specified for a datafile copy operation.

**Action:** Specify an output file name which is different from the input file name.

**ORA-19636: archived log thread *string* sequence *string* already included**

**Cause:** The indicated archived log has already been specified for inclusion in this restore conversation. A restore conversation may process only one copy of any archived log.

**Action:** No action required - the conversation is still active, and more files can be specified.

**ORA-19637: BACKUPPIECECREATE requires file name when using DISK device**

**Cause:** The session device is currently allocated to disk, and so a file name is required.

**Action:** Supply a file name and retry the operation.

**ORA-19638: file *string* is not current enough to apply this incremental backup**

**Cause:** The checkpoint of the target for this incremental backup is less than the start of the incremental backup. If this backup were applied, then any changes made between the datafile checkpoint and the start of the incremental backup could be lost.

**Action:** Supply a backup set that can be applied and retry the operation.

**ORA-19639: file *string* is more current than this incremental backup**

**Cause:** The checkpoint of the target for this incremental backup is greater than or equal to the checkpoint of the file in the incremental backup set. This backup cannot advance the checkpoint of the target file, so there is no point in applying it.

**Action:** Supply a backup set that can be applied and retry the operation.

**ORA-19640: datafile checkpoint is SCN *string* time *string***

**Cause:** This message identifies the datafile checkpoint for a datafile that was too old to take an incremental backup from, or the target of an incremental restore that could not be applied.

---

**Action:** See other error message.

**ORA-19641: backup datafile checkpoint is SCN *string* time *string***

**Cause:** This message identifies the checkpoint of a datafile in an incremental backup set that could not be applied.

**Action:** See other error message.

**ORA-19642: start SCN of incremental backup is *string***

**Cause:** This message identifies the starting SCN of an incremental backup that could not be applied.

**Action:** See other error message.

**ORA-19643: datafile *string*: incremental-start SCN is too recent**

**Cause:** The incremental-start SCN which was specified when starting an incremental datafile backup is greater than the datafile checkpoint SCN, which could cause some blocks to be missed.

**Action:** Specify a smaller incremental-start SCN.

**ORA-19644: datafile *string*: incremental-start SCN is prior to RESETLOGS SCN *string***

**Cause:** The incremental-start SCN which was specified when starting an incremental datafile backup is less than the RESETLOGS SCN.

**Action:** Specify a larger incremental-start SCN.

**ORA-19645: datafile *string*: incremental-start SCN is prior to creation SCN *string***

**Cause:** The incremental-start SCN which was specified when starting an incremental datafile backup is less than the datafile's creation SCN.

**Action:** Specify a larger incremental-start SCN.

**ORA-19646: cannot change size of datafile *string* from *string* to *string***

**Cause:** Restore needs to adjust the size of the file as indicated, but the file size adjustment failed.

**Action:** Examine the other messages which should be present to indicate the cause of the failure.

**ORA-19647: non-zero LEVEL cannot be specified when INCREMENTAL is FALSE**

**Cause:** BACKUPSETDATAFILE was called with a non-zero backup\_level and a FALSE incremental indication.

**Action:** Either set incremental to TRUE or change backup\_level to zero.

**ORA-19648: datafile *string*: incremental-start SCN equals checkpoint SCN**

**Cause:** The incremental-start SCN which was specified when starting an incremental datafile backup is equal to the datafile's checkpoint SCN. Since an incremental backup can only be applied to a datafile whose checkpoint SCN is between the backup set incremental-start SCN (inclusive) and the backup set checkpoint SCN (exclusive), there is no datafile that this backup set could ever be applied to.

**Action:** Specify a smaller incremental-start SCN. NOTE that this message will usually only be encountered by the user while taking an incremental backup with Recovery Manager. Recovery Manager should intercept all usual cases of this error and simply ignore the incremental backup for this file. So, if you do encounter this error, please report it to Oracle Support.

- 
- ORA-19649: offline-range record RECID *string* STAMP *string* not found in file *string***  
**Cause:** APPLYOFFLINERANGE was called with a RECID/STAMP which was not found in the indicated control file. This probably means that the specified control file is no longer the same control file that Recovery Manager thinks it is.  
**Action:** Specify the RECID/STAMP of a record that exists in the control file copy.
- ORA-19650: Offline-range record RECID *string* STAMP *string* in file *string* has SCN *string***  
**Cause:** This messages identifies the offline-clean SCN from the indicated offline-range record in the indicated file.  
**Action:** See other error message.
- ORA-19651: cannot apply offline-range record to datafile *string*: SCN mismatch**  
**Cause:** APPLYOFFLINERANGE cannot apply an offline-range record to a target datafile unless the datafile's checkpoint SCN exactly matches the offline-clean SCN in the specified offline-range record.  
**Action:** Specify an offline-range record whose offline-clean SCN matches the target datafile's checkpoint.
- ORA-19652: cannot apply offline-range record to datafile *string*: file is fuzzy**  
**Cause:** The target datafile for an APPLYOFFLINERANGE call is fuzzy.  
**Action:** Specify a target datafile that is closed cleanly.
- ORA-19653: cannot switch to older file incarnation**  
**Cause:** SWITCHTOCOPY was called with a datafile copy for a datafile that was dropped prior to the time this control file was backed up.  
**Action:** Restore and mount an earlier control file. It is acceptable to use a control file that was backed up prior to the creation of the specified datafile.
- ORA-19654: must use backup control file to switch file incarnations**  
**Cause:** This SWITCHTOCOPY operation is attempting to switch incarnations of a datafile, but the currently mounted control file is not a backup control file.  
**Action:** Restore and mount a backup control file.
- ORA-19655: cannot switch to incarnation with different RESETLOGS data**  
**Cause:** This SWITCHTOCOPY operation is attempting to switch to a datafile which comes from a different RESETLOGS version of the database.  
**Action:** Either restore a backup control file that was taken from the same database version as the target datafile copy, or switch to a different datafile copy.
- ORA-19656: cannot backup, copy, or delete online log *string***  
**Cause:** The indicated log file is an active log. You can only backup, copy, or delete archived logs.  
**Action:** The indicated log file cannot be processed - select another file.
- ORA-19657: cannot inspect current datafile *string***  
**Cause:** The file being inspected is already part of the currently mounted database.  
**Action:** None - the file is already part of the database.
- ORA-19658: cannot inspect *string* - file is from different RESETLOGS**  
**Cause:** The RESETLOGS data in the log file being inspected does not match that in the currently mounted control file.

---

**Action:** The indicated file cannot be processed - inspect another file.

**ORA-19659: incremental restore would advance file *string* past RESETLOGS**

**Cause:** This incremental backup cannot be applied to the specified datafile, because the datafile is from an earlier incarnation of the database, and its checkpoint would be advanced too far to be recoverable in the current incarnation of the database.

**Action:** This incremental cannot be applied to this datafile. If you wish to recover the file to the RESETLOGS SCN so that the database can be opened with the RESETLOGS option, then you must use redo-log recovery, not incremental restore, to continue recovering this file.

**ORA-19660: some files in the backup set could not be verified**

**Cause:** A restore conversation was made to verify all the files in a backup set, and the files which were printed in messages 19661 or 19662 could not be verified because corrupt blocks for those files were found in the backup set.

**Action:** Unless the damage to the backup set can be repaired, the indicated files cannot be restored from this backup set.

**ORA-19661: datafile *string* could not be verified**

**Cause:** Some data blocks for the indicated datafile were corrupt in the backup set.

**Action:** Unless the damage to the backup set can be repaired, the indicated datafile cannot be restored from this backup set.

**ORA-19662: archived log thread *string* sequence *string* could not be verified**

**Cause:** Some data blocks for the indicated archived log were corrupt in the backup set.

**Action:** Unless the damage to the backup set can be repaired, the indicated archived log cannot be restored from this backup set.

**ORA-19663: cannot apply current offline range to datafile *string***

**Cause:** An attempt was made to apply the current offline range to the specified datafile, but the datafile is either not current enough or is not at the correct SCN to apply the offline range.

**Action:** The datafile remains unchanged.

**ORA-19664: file type: *string*, file name: *string***

**Cause:** This message is issued to identify the file which is the subject of an error.

**Action:** None - this is an informational message. There should be other Oracle messages explaining the cause of the error.

**ORA-19665: size *string* in file header does not match actual file size of *string***

**Cause:** The size of the file as indicated in the file header does not match the true size of the file. The two differing sizes are shown in units of logical blocks.

**Action:** This file is not usable - it has most likely been truncated.

**ORA-19666: cannot do incremental restore of the control file**

**Cause:** The control file was included in an incremental restore conversation

**Action:** If you wish to restore the control file, you must do a full restore of the control file

**ORA-19667: cannot do incremental restore of datafile *string***

**Cause:** The backup of the datafile is a full backup

---

**Action:** If you wish to restore the datafile, you must do a full restore of the datafile

**ORA-19668: cannot do full restore of datafile *string***

**Cause:** The backup of the datafile is an incremental backup

**Action:** If you wish to restore the datafile, you must do an incremental restore of the datafile

**ORA-19669: proxy copy functions cannot be run on DISK channel**

**Cause:** A proxy copy procedure was called, but the device which is allocated to the current session has type DISK.

**Action:** Allocate a non-DISK channel and retry the operation. Note that proxy copy requires a 3rd-party media management software product that supports the this backup/restore feature.

**ORA-19670: file *string* already being restored**

**Cause:** A proxy restore function has already named this file as a restore destination.

**Action:** Use a different file name. If this message occurs during a recovery manager job, then this is an internal error in recovery manager, and you should contact Oracle support.

**ORA-19671: media management software returned invalid proxy handle**

**Cause:** During a proxy backup or restore, the media management software returned an invalid file handle.

**Action:** This is an internal error in the media management software which is linked with Oracle to provide backup/restore services. Contact the media management software vendor.

**ORA-19672: media management software returned invalid file status**

**Cause:** During a proxy backup or restore, the media management software returned an invalid file status.

**Action:** This is an internal error in the media management software which is linked with Oracle to provide backup/restore services. Contact the media management software vendor.

**ORA-19673: error during proxy copy of file *string***

**Cause:** During a proxy backup or restore, an error occurred while copying this file, but other files may have been copied successfully.

**Action:** There should be other errors on the error stack which explain why the file could not be successfully copied.

**ORA-19674: file *string* is already being backed up with proxy copy**

**Cause:** Recovery manager attempted to back up the specified file with proxy copy, but the file is already being backed up by another recovery manager job.

**Action:** Wait until the other recovery manager backup of this file is complete, then retry the backup.

**ORA-19675: file *string* was modified during proxy copy**

**Cause:** A proxy backup of the specified file failed because the file was brought on-line or otherwise modified while the proxy backup was in progress. This file was off-line or read-only when the backup began, so the file was not put into hot-backup mode, therefore no modifications are permitted while the backup is in progress.

---

**Action:** Take another backup of this file.

**ORA-19676: one or more files failed during proxy backup or restore**

**Cause:** During a proxy backup or restore, errors were encountered while processing some files. The files for which no error messages are shown were processed successfully.

**Action:** Examine the messages regarding the specific files to determine the cause of the problems.

**ORA-19677: RMAN configuration name exceeds maximum length of *string***

**Cause:** The configuration name string exceeds maximum length.

**Action:** Supply a correct configuration name and retry the function.

**ORA-19678: RMAN configuration value exceeds maximum length of *string***

**Cause:** The configuration value string exceeds maximum length.

**Action:** Supply a correct configuration value and retry the operation.

**ORA-19679: RMAN configuration number *string* is outside valid range of 1 through *string***

**Cause:** An invalid RMAN Configuration number was specified.

**Action:** Specify a correct datafile number and retry the operation.

**ORA-19680: some blocks not recovered. See trace file for details**

**Cause:** Some blocks are not recovered during block media recovery.

**Action:** See trace files for details of the problem.

**ORA-19681: block media recovery on control file not possible**

**Cause:** file number 0 specified in block media recovery

**Action:** check file number

**ORA-19682: file *string* not in block media recovery context**

**Cause:** Internal error

**Action:** None

**ORA-19683: real and backup block size of file *string* are unequal**

**Cause:** block size changed between backup & real file

**Action:** use right backup

**ORA-19684: block media recovery failed because database is suspended**

**Cause:** Database is suspended, probably by an ALTER SYSTEM SUSPEND statement

**Action:** Execute ALTER SYSTEM RESUME then retry block media recovery

**ORA-19685: SPFILE could not be verified**

**Cause:** Some data blocks for the SPFILE were corrupt in the backup set.

**Action:** Unless the damage to the backup set can be repaired, the SPFILE cannot be restored from this backup set.

**ORA-19686: SPFILE not restored due to *string***

**Cause:** The indicated file could not be restored, because some of its data blocks were not found in the backup piece.

---

**Action:** Unless the damage to the backup set can be repaired, the SPFILE cannot be restored from this backup set.

**ORA-19687: SPFILE not found in backup set**

**Cause:** The SPFILE could not be restored, because it is not in this backup set.

**Action:** This message is issued when the directory from the first backup piece is read and one or more files named for restoration were not found in the piece. You must supply the first backup piece of a backup set that contains the requested file.

**ORA-19688: control file AUTOBACKUP format(*string*) for *string* does not have %F**

**Cause:** control file AUTOBACKUP format must contain %F for the device.

**Action:** Change control file format using RMAN command CONFIGURE CONTROLFILE BACKUP FORMAT FOR DEVICE TYPE <type> TO <format>.

**ORA-19689: cannot have more than one %F in control file AUTOBACKUP format(*string*) for *string***

**Cause:** control file AUTOBACKUP format contains more than one %F for the device.

**Action:** Change control file format using RMAN command CONFIGURE CONTROLFILE BACKUP FORMAT FOR DEVICE TYPE <type> TO <format>.

**ORA-19690: backup piece release *string* incompatible with Oracle release *string***

**Cause:** The backup piece was created by incompatible software.

**Action:** Either restart with a compatible software release or create another backup using the current release.

**ORA-19691: *string* is from different database: id=*string*, name=*string***

**Cause:** The database name or database id in backup piece header does not match the one in control file.

**Action:** Supply the correct backup piece belonging to this database.

**ORA-19692: missing creation stamp on piece *string***

**Cause:** The backup piece doesn't have information about creation stamp.

**Action:** Supply another backup piece which is created by oracle 9i or later version.

**ORA-19693: backup piece *string* already included**

**Cause:** This backup piece was already specified for inclusion in the restore conversation. A restore conversation may process only a single instance of a backup piece.

**Action:** Remove the specified duplicate backup piece in restore steps and restart the conversation.

**ORA-19694: some changed blocks were not found in the change tracking file**

**Cause:** A backup or copy found that some changed blocks had not been recorded in the change tracking file. The details of which files and blocks are affected will be in an Oracle trace file.

**Action:** This indicates that there is a problem with the change tracking feature. Disable change tracking and re-start the backup.

**ORA-19695: fixed table X\$KRBMSFT has not been populated**

**Cause:** This is an internal error. The fixed table X\$KRBMAFT was not populated using the function DBMS\_BACKUP\_RESTORE.SEARCHFILES.

---

**Action:** Internal error - contact Oracle Customer Support.

**ORA-19696: control file not found in backup set**

**Cause:** The control file could not be restored because it is not in this backup set.

**Action:** This message is issued when the directory from the first backup piece is read and one or more files named for restoration were not found in the piece. You must supply the first backup piece of a backup set that contains the requested file.

**ORA-19697: standby control file not found in backup set**

**Cause:** The standby control file could not be restored because it is not in this backup set.

**Action:** This message is issued when the directory from the first backup piece is read and one or more files named for restoration were not found in the piece. You must supply the first backup piece of a backup set that contains the requested file.

**ORA-19698: *string* is from different database: id=*string*, db\_name=*string***

**Cause:** Catalog failed because the database id in file header does not match the one in control file.

**Action:** Supply the correct file belonging to this database.

**ORA-19699: cannot make copies with compression enabled**

**Cause:** Datafile copies with compression are not supported.

**Action:** If the function DBMS\_BACKUP\_RESTORE.BACKUPPIECECREATE is called outside RMAN, then the incompatible values are being passed for the parameters DOCOMPRESS and IMAGCP. If this message occurs during an RMAN job, then this is an internal error in RMAN, and you should contact Oracle support.

**ORA-19700: device type exceeds maximum length of *string***

**Cause:** The device type indicated is invalid.

**Action:** Supply a correct device type and retry the allocation.

**ORA-19701: device name exceeds maximum length of *string***

**Cause:** The device name indicated is invalid.

**Action:** Supply a correct device name and retry the allocation.

**ORA-19703: device command string exceeds maximum length of *string***

**Cause:** The device command string exceeds maximum length.

**Action:** Correct the command and retry the operation.

**ORA-19704: file name exceeds maximum length of *string***

**Cause:** The specified file name, which was a parameter to a copy, backup, or restore operation, exceeds the maximum file name length for this operating system.

**Action:** Retry the operation with a shorter file name.

**ORA-19705: tag value exceeds maximum length of *string* characters**

**Cause:** During a backup or copy operation, the user supplied a tag value too long to fit in the file header.

**Action:** Supply a shorter tag and retry the operation.

**ORA-19706: invalid SCN**

---

**Cause:** The input SCN is either not a positive integer or too large.

**Action:** Check the input SCN and make sure it is a valid SCN.

**ORA-19707: invalid record block number - *string***

**Cause:** The input number is either negative or too large.

**Action:** Check the input record block number and make sure it is a valid number clauses in the create database statement.

**ORA-19708: log destination exceeds maximum length of *string* characters**

**Cause:** When starting a restore conversation, the user specified a log restore destination longer than the port-specific maximum.

**Action:** Supply a shorter destination and retry the operation.

**ORA-19709: numeric parameter must be non-negative integer**

**Cause:** A numeric parameter to an DBMS\_BACKUP\_RESTORE procedure is negative or contains a fractional portion.

**Action:** Supply a valid numeric parameter.

**ORA-19710: unsupported character set *string***

**Cause:** When the target database is not mounted, RMAN sets the target database character set to the value specified in the users environment.

**Action:** Specify a valid character set in the environment. This is usually done via the NLS\_LANG environment variable.

**ORA-19711: cannot use RENORMALIZEALLFILENAME while database is open**

**Cause:** An attempt was made to re-normalize all the file names in the control file while the database is open.

**Action:** Close the database before using the RENORMALIZEALLFILENAME procedure.

**ORA-19712: table name exceeds maximum length of *string***

**Cause:** The table name string exceeds maximum length.

**Action:** Retry the operation with a shorter table name.

**ORA-19713: invalid copy number: *string***

**Cause:** The copy number is not in a valid range or you have reached maximum limit.

**Action:** Report the error and other information to support.

**ORA-19714: length for generated name longer than *string***

**Cause:** The specified format exceeds the maximum length for the piece name.

**Action:** Change the format to create shorter piece names.

**ORA-19715: invalid format *string* for generated name**

**Cause:** A restricted format or undefined format was used incorrectly.

**Action:** Change the format specified in the additional information by removing the restricted format.

**ORA-19716: error processing format *string* to generate name for backup**

**Cause:** There were errors while processing the format to generate name for backup.

**Action:** Change the format.

---

**ORA-19717: for non-OMF search the pattern must be specified**

**Cause:** The procedure DBMS\_BACKUP\_RESTORE.SEARCHFILES was called with an empty pattern while the parameter OMF was set to FALSE.

**Action:** Either specify the pattern or set the parameter OMF to TRUE.

**ORA-19718: length for command id longer than *string***

**Cause:** The specified command id exceeds the maximum length for command id.

**Action:** Supply a shorter command id and retry the operation.

**ORA-19719: length for operation name longer than *string***

**Cause:** The specified operation name exceeds the maximum length for operation name.

**Action:** Supply a shorter operation name and retry the operation.

**ORA-19720: Error occurred when converting an OCI number into an SCN**

**Cause:** This is most likely caused by an invalid SCN number that came from an external file, such as an export file.

**Action:** See other errors on the error stack to look for the source of the problem.

**ORA-19721: Cannot find datafile with absolute file number *string* in tablespace *string***

**Cause:** Can not find one of the datafile that should be in the Pluggable Set.

**Action:** Make sure all datafiles are specified via import command line option or parameter files.

**ORA-19722: datafile *string* is an incorrect version**

**Cause:** The datafile is an incorrect version. It contains either less or more changes than the desired version.

**Action:** Make sure the right datafiles are transported. Make sure the datafile is copied while its tablespace is read only.

**ORA-19723: Cannot recreate plugged in read-only datafile *string***

**Cause:** The datafile is plugged in read only. It can not be recreated.

**Action:** Use ALTER DATABASE RENAME FILE command instead.

**ORA-19724: snapshot too old: snapshot time is before file *string* plug-in time**

**Cause:** The snapshot SCN is before the SCN at which the referred datafile is plugged into the database.

**Action:** retry the query.

**ORA-19725: can not acquire plug-in enqueue**

**Cause:** There maybe another "ALTER DATABASE RESET COMPATIBILITY" command issued concurrently, preventing this process from acquiring the plug-in enqueue.

**Action:** retry the operation.

**ORA-19726: cannot plug data [*string*] at level *string* into database running at compatibility level *string***

**Cause:** Some of the data in the pluggable set requires a compatibility level higher than what is currently allowed by the database. The string in square bracket is the name of the compatibility type associated with the data.

**Action:** Raise the "compatible" init.ora parameter and retry the operation.

---

**ORA-19727: cannot plug data [*string*] at level *string* into database running Oracle *string***

**Cause:** Some of the data in the pluggable set requires a compatibility level higher than the release level of the Oracle executable. The string in square bracket is the name of the compatibility type associated with the data.

**Action:** Upgrade Oracle and retry the operation.

**ORA-19728: data object number conflict between table *string* and partition *string* in table *string***

**Cause:** The non-partitioned table has the same data object number as one of the partitions in the partitioned table. One can not exchange the table with the partition in this case.

**Action:** Use "alter table move partition" command to move the offending partition, so that the partition will get a new data object number. Retry the operation then.

**ORA-19729: File *string* is not the initial version of the plugged in datafile**

**Cause:** The file is not the initial version of the plugged in datafile.

**Action:** Use the correct initial version of the plugged in datafile.

**ORA-19730: can not convert offline plugged-in datafile *string***

**Cause:** As part of making a tablespace read-write, we need to convert datafiles that are plugged in read-only. The file must be online.

**Action:** Online the datafile and retry the operation.

**ORA-19731: cannot apply change to unverified plugged-in datafile *string***

**Cause:** Recovery was not able to verify the referred datafile according to information in the control file. Before encountering this change vector for this file, somehow recovery did not encounter the file conversion redo that is supposed to verify the file. This may happen due to corrupted or incorrect control file used for media recovery.

**Action:** Use the correct control file and continue recovery.

**ORA-19732: incorrect number of datafiles for tablespace *string***

**Cause:** d by a user editing the export file.

**Action:** Use the correct export file and retry the operation.

**ORA-19733: COMPATIBLE parameter needs to be *string* or greater**

**Cause:** The COMPATIBLE initialization parameter is not high enough to allow the operation. Allowing the command would make the database incompatible with the release specified by the current COMPATIBLE parameter.

**Action:** Shutdown and startup with a higher compatibility setting.

**ORA-19734: wrong creation SCN - control file expects converted plugged-in datafile**

**Cause:** When a tablespace is plugged into a database, the tablespace is initially read-only. Oracle converts the header of the plugged-in datafiles (assign them a new creation SCN) when the tablespace is first made read-write. This error occurs when the creation SCN in the file header is different from the creation SCN in the control file, possibly because this is the initial version of plugged-in datafile.

**Action:** Either restore the converted datafile or continue recovering the datafile.

**ORA-19735: wrong creation SCN - control file expects initial plugged-in datafile**

---

**Cause:** When a tablespace is plugged into a database, the tablespace is initially read-only. Oracle converts the header of the plugged-in datafiles (assign them a new creation SCN) when the tablespace is first made read-write. This error occurs when the creation SCN in the file header is different from the creation SCN in the control file, possibly because this is the converted datafile.

**Action:** Either restore the initial version of the plugged-in datafile, or continue database recovery, which will recover the control file.

**ORA-19736: can not plug a tablespace into a database using a different national character set**

**Cause:** Oracle does not support plugging a tablespace into a database using a different national character set.

**Action:** Use import/export or unload/load to move data instead.

**ORA-19738: cannot find language information for character set: "string"**

**Cause:** The compatibility check failed because a character set name that was provided is not valid.

**Action:** Correct the character set name and retry.

**ORA-19740: text is longer than string**

**Cause:** The specified text exceeds the maximum length for text.

**Action:** Supply a shorter text and retry the operation.

**ORA-19750: change tracking file: "string"**

**Cause:** This message reports the name of a file involved in other messages.

**Action:** See associated error messages for a description of the problem.

**ORA-19751: could not create the change tracking file**

**Cause:** It was not possible to create the change tracking file.

**Action:** Check that there is sufficient disk space and no conflicts in file names and try to enable block change tracking again.

**ORA-19752: block change tracking is already enabled**

**Cause:** The ALTER DATABASE ENABLE BLOCK CHANGE TRACKING command was issued, but block change tracking is already turned on for this database.

**Action:** None, this is an informative message only.

**ORA-19753: error writing to change tracking file**

**Cause:** An I/O error occurred while writing to the change tracking file.

**Action:** There will be other messages on the error stack that show details of the problem.

**ORA-19754: error reading from change tracking file**

**Cause:** An I/O error occurred while reading from the change tracking file.

**Action:** There will be other messages on the error stack that show details of the problem.

**ORA-19755: could not open change tracking file**

**Cause:** The change tracking file could not be opened.

**Action:** There will be other messages on the error stack that show details of the problem.

---

**ORA-19756: corrupt block number *string* found in change tracking file**

**Cause:** The specified block number is corrupt in the change tracking file.

**Action:** There will be other messages on the error stack that show details of the problem. There will also be a trace file that contains a complete dump of the corrupt block.

**ORA-19757: could not resize change tracking file to *string* blocks**

**Cause:** An error occurred while trying to change the size of the change tracking file.

**Action:** There will be other messages on the error stack that show details of the problem.

**ORA-19758: failed to enable/disable block change tracking: out of SGA memory**

**Cause:** out of SGA memory

**Action:** Increase SGA and restart the instance.

**ORA-19759: block change tracking is not enabled**

**Cause:** A command was entered that requires block change tracking to be enabled, but block change tracking is not enabled.

**Action:** None, this is an informative message only.

**ORA-19760: error starting change tracking**

**Cause:** Change tracking is enabled, but a problem was encountered while enabling the change tracking subsystem in this instance. The alert log and the trace file from the CTWR process will contain more information about the error.

**Action:** Examine the trace and alert files. Correct the error if possible, otherwise disable change tracking.

**ORA-19761: block size *string* is not valid for change tracking file**

**Cause:** While opening the specified change tracking file, it was found that the file header did not contain a valid logical block size. This probably means that the file is corrupt.

**Action:** If the file can be repaired, do so, otherwise disable and re-enable change tracking to re-initialize the file.

**ORA-19762: invalid file type *string***

**Cause:** An invalid file type was found in the change tracking file. Some other file was put in place of the change tracking file, or the file is corrupt.

**Action:** Disable then re-enable change tracking.

**ORA-19763: compatibility version *string* is higher than maximum allowed: *string***

**Cause:** The compatibility version in the change tracking file is greater than what can be used by the current release of Oracle. This can happen when you upgrade, use change tracking with a new release, then downgrade.

**Action:** Disable then re-enable change tracking.

**ORA-19764: database id *string* does not match database id *string* in control file**

**Cause:** The change tracking file is not the correct one for this database. This can happen when the database ID for this database has been changed.

**Action:** Disable then re-enable change tracking.

**ORA-19765: mount id *string* does not match mount id *string* in control file**

---

**Cause:** d by having a change tracking file that cannot be consistently updated by all instances.

**Action:** In RAC, ensure that the name specified for the change tracking file truly represents the same disk location for all nodes in the cluster. Disable then re-enable change tracking.

**ORA-19766: missing CHANGE keyword**

**Cause:** Syntax error.

**Action:** Use the correct syntax: ENABLE/DISABLE BLOCK CHANGE TRACKING

**ORA-19767: missing TRACKING keyword**

**Cause:** Syntax error.

**Action:** Use the correct syntax: ENABLE/DISABLE BLOCK CHANGE TRACKING

**ORA-19768: USING clause only valid with ENABLE CHANGE TRACKING**

**Cause:** The USING clause was specified with DISABLE CHANGE TRACKING

**Action:** Correct the statement.

**ORA-19769: missing FILE keyword**

**Cause:** Syntax error.

**Action:** Use the correct syntax: ENABLE/DISABLE BLOCK CHANGE TRACKING

**ORA-19770: invalid change tracking file name**

**Cause:** The USING clause was specified with ALTER DATABASE ENABLE BLOCK CHANGE TRACKING, but no file name was given.

**Action:** Specify the change tracking file name, or omit the USING clause to allow Oracle to create a default name for the change tracking file.

**ORA-19771: cannot rename change tracking file while database is open**

**Cause:** The ALTER DATABASE RENAME FILE command was used to rename the change tracking file, and the database is open by one or more instances. The database must be mounted, and not open, to rename the change tracking file.

**Action:** Close the database and reissue the command.

**ORA-19772: change tracking file name exceeds limit of *string* characters**

**Cause:** The name specified for the change tracking file is too long.

**Action:** Specify a shorter change tracking file name.

**ORA-19773: must specify change tracking file name**

**Cause:** No file name was specified with the ALTER DATABASE ENABLE CHANGE TRACKING command, and the DB\_CREATE\_FILE\_DEST parameter was not set.

**Action:** Either specify a file name, or set the DB\_CREATE\_FILE\_DEST parameter.

**ORA-19776: PROXY restore to ASM disk group "*string*" is not supported.**

**Cause:** An attempt was made to proxy restore a file to ASM disk group using RMAN command. This is not supported.

**Action:** Use a different file name and reissue RMAN command.

---

**ORA-19777: ASM file *string* cannot be proxy backed up.**

**Cause:** An attempt was made to proxy backup a ASM file. This is not supported.

**Action:** Use a different file name and reissue RMAN command.

**ORA-19779: could not obtain resilvering status for change tracking file**

**Cause:** An error occurred while obtaining the mirror resilvering status of the change tracking file.

**Action:** Refer to other error messages shown for additional details of the problem.

**ORA-19800: Unable to initialize Oracle Managed Destination**

**Cause:** The name given for an Oracle managed files destination cannot be initialized.

**Action:** , if possible, and retry the command or use a different name for destination.

**ORA-19801: initialization parameter DB\_RECOVERY\_FILE\_DEST is not set**

**Cause:** An attempt was made to create a file in DB\_RECOVERY\_FILE\_DEST when DB\_RECOVERY\_FILE\_DEST was not set. There are number of possible causes of this error, including: 1) A LOG\_ARCHIVE\_DEST\_n parameter was specified using a LOCATION attribute whose value was DB\_RECOVERY\_FILE\_DEST and an archived log file creation was attempted. 2) STANDBY\_ARCHIVE\_DEST parameter was specified using a LOCATION attribute whose value was DB\_RECOVERY\_FILE\_DEST and an archived log file creation was attempted.

**Action:** Specify a valid destination for DB\_RECOVERY\_FILE\_DEST in initialization parameter file or with the ALTER SYSTEM SET command.

**ORA-19802: cannot use DB\_RECOVERY\_FILE\_DEST without DB\_RECOVERY\_FILE\_DEST\_SIZE**

**Cause:** There are two possible cause for this error: 1) The DB\_RECOVERY\_FILE\_DEST parameter was in use when no DB\_RECOVERY\_FILE\_DEST\_SIZE parameter was encountered while fetching initialization parameter. 2) An attempt was made to set DB\_RECOVERY\_FILE\_DEST with the ALTER SYSTEM command when no DB\_RECOVERY\_FILE\_DEST\_SIZE was in use.

**Action:** Correct the dependency parameter definitions and retry the command.

**ORA-19803: Parameter DB\_RECOVERY\_FILE\_DEST\_SIZE is out of range (1 - *string*)**

**Cause:** Parameter DB\_RECOVERY\_FILE\_DEST\_SIZE specified was not valid.

**Action:** Specify a valid number within the range.

**ORA-19804: cannot reclaim *string* bytes disk space from *string* limit**

**Cause:** Oracle cannot reclaim disk space of specified bytes from the DB\_RECOVERY\_FILE\_DEST\_SIZE limit.

**Action:** There are five possible solutions: 1) Take frequent backup of recovery area using RMAN. 2) Consider changing RMAN retention policy. 3) Consider changing RMAN archived log deletion policy. 4) Add disk space and increase DB\_RECOVERY\_FILE\_DEST\_SIZE. 5) Delete files from recovery area using RMAN.

**ORA-19805: RECID *string* of *string* was deleted to reclaim disk space**

**Cause:** The file described by the record in control file was deleted in order to reclaim disk space from flash recovery area for other operations.

**Action:** Wait and try again.

---

**ORA-19806: cannot make duplex backups in recovery area**

**Cause:** Duplex backup to recovery area is not supported.

**Action:** Remove duplex option and try again.

**ORA-19808: recovery destination parameter mismatch**

**Cause:** The value of parameters DB\_RECOVERY\_FILE\_DEST and DB\_RECOVERY\_FILE\_DEST\_SIZE must be same in all instances. All databases must have same recovery destination parameters.

**Action:** Check DB\_RECOVERY\_FILE\_DEST and DB\_RECOVERY\_FILE\_DEST\_SIZE values in all instances.

**ORA-19809: limit exceeded for recovery files**

**Cause:** The limit for recovery files specified by the DB\_RECOVERY\_FILE\_DEST\_SIZE was exceeded.

**Action:** The error is accompanied by 19804. See message 19804 for further details.

**ORA-19810: Cannot create temporary control file *string* in DB\_RECOVERY\_FILE\_DEST**

**Cause:** An attempt was made to create a control file for a temporary purpose in DB\_RECOVERY\_FILE\_DEST.

**Action:** Retry the operation with a new file name.

**ORA-19811: cannot have files in DB\_RECOVERY\_FILE\_DEST with keep attributes**

**Cause:** An attempt was made to 1) Create a backup piece or image copy in the recovery area with KEEP option. 2) Update the KEEP attributes of an existing backup piece or image copy in the recovery area.

**Action:** Reissue RMAN command without KEEP options.

**ORA-19812: cannot use *string* without DB\_RECOVERY\_FILE\_DEST**

**Cause:** There are three possible cause for this error: 1) The indicated parameter was in use when no DB\_RECOVERY\_FILE\_DEST parameter was encountered while fetching the initialization parameter. 2) An attempt was made to set indicated the parameter with the ALTER SYSTEM command when no DB\_RECOVERY\_FILE\_DEST was in use. 3) An attempt was made to clear DB\_RECOVERY\_FILE\_DEST with the ALTER SYSTEM command when the indicated parameter was in use.

**Action:** Eliminate any incompatible parameter definitions.

**ORA-19813: cannot have unavailable file *string* in DB\_RECOVERY\_FILE\_DEST**

**Cause:** An attempt was made to change a backup piece or image copy in recovery area to UNAVAILABLE.

**Action:** Correct and resubmit the RMAN command. Do not use messages 19814; it is used for simulating crash.

**ORA-19815: WARNING: *string* of *string* bytes is *string*% used, and has *string* remaining bytes available.**

**Cause:** DB\_RECOVERY\_FILE\_DEST is running out of disk space.

**Action:** One of the following:

1. Add disk space and increase DB\_RECOVERY\_FILE\_DEST\_SIZE.
2. Backup files to tertiary device using RMAN.
3. Consider changing RMAN retention policy.

- 
4. Consider changing RMAN archived log deletion policy.
  5. Delete files from recovery area using RMAN.

**ORA-19816: WARNING: Files may exist in *string* that are not known to database.**

**Cause:** One of the following events caused this:

1. A database crash happened during file creation.
2. A backup control file was restored.
3. The control file was re-created.
4. DB\_RECOVERY\_FILE\_DEST has previously been enabled and then disabled.

**Action:** Use RMAN command CATALOG RECOVERY AREA to re-catalog any such files. If the file header is corrupted, then delete those files using an OS utility. Do not use messages 19817; it is used for simulating lock failure Do not use messages 19818; it is used for space reclamation before backup Do not use messages 19819; it is used to disable clearing file name

**ORA-19830: error from target database: *string***

**Cause:** This error should be followed by other errors indicating the cause of the problem.

**Action:** No action required.

**ORA-19831: incompatible *string.string.string.string* DBMS\_BACKUP\_RESTORE package: *string.string.string.string* required**

**Cause:** This version of database was incompatible with the the indicated DBMS\_BACKUP\_RESTORE package installed in the database.

**Action:** If the database has been upgraded from an earlier version, ensure that the catxxx.sql script has been run successfully. Re-install dbmsbkrs.sql and prvtbkrs.plb if necessary.

**ORA-19851: OS error while managing auxiliary database *string***

**Cause:** An OS error was received while managing the automatic auxiliary instance.

**Action:** Check the accompanying errors.

**ORA-19852: error creating services for auxiliary instance *string* (error *string*)**

**Cause:** An error was received while managing the services of the auxiliary instance.

**Action:** Check the accompanying errors.

**ORA-19853: error preparing auxiliary instance *string* (error *string*)**

**Cause:** An error was received while managing the automatic auxiliary instance.

**Action:** Check the accompanying errors.

**ORA-19854: error obtaining connect string from target**

**Cause:** Could not obtain the connect string from the target database

**Action:** Check the accompanying errors.

**ORA-19860: piece validation cannot be performed more than once**

**Cause:** The user attempted to validate a list of backup pieces more than once. Validation may only be performed once for a given validation conversation.

**Action:** Do not attempt to validate the pieces more than once.

- 
- ORA-19861: additional backup pieces cannot be validated in this conversation**  
**Cause:** The user tried to add new pieces to the list of files being validated after the validation had already been performed. In a validation conversation, the list can only be validated once.  
**Action:** Add all the backup pieces to the list before validating, or start a new validation conversation for the remaining pieces.
- ORA-19862: backup pieces must be validated before accessing results**  
**Cause:** The user tried to get validation results for backup pieces before the pieces were actually validated.  
**Action:** Validate the pieces before trying to access the results.
- ORA-19863: device block size *string* is larger than max allowed: *string***  
**Cause:** The user specified a device BLKSIZE that is larger than the device BLKSIZE specified during compressed backup.  
**Action:** Change the device BLKSIZE to be smaller than the maximum allowed.
- ORA-19865: Backup piece *string* has no data**  
**Cause:** No data was returned for the specified backup piece.  
**Action:** This normally indicates a problem with the media management software which is linked with Oracle to provide backup and restore services. Contact the media management software vendor.
- ORA-19866: error writing file header for datafile *string***  
**Cause:** During a block recovery, the header of the datafile could not be updated.  
**Action:** Contact Oracle Support Services.
- ORA-19870: error while restoring backup piece *string***  
**Cause:** This error should be followed by other errors indicating the cause of the problem.  
**Action:** See other errors actions.
- ORA-19873: cannot apply this backup section to file *string***  
**Cause:** RMAN cannot restore a multi-section backup to the indicated file, because this section is not a backup of this file, or the file was not prepared correctly for this restore.  
**Action:** If this error occurs while running RMAN, then it is an internal error and you should contact Oracle support.
- ORA-19874: cannot finish multi-section restore to file *string***  
**Cause:** During a multi-section restore, the file being restored is not a file in which a multi-section restore is in progress.  
**Action:** If this error occurs while running RMAN, then it is an internal error and you should contact Oracle support.
- ORA-19875: multi-section restore not complete for file *string***  
**Cause:** While completing a multi-section restore, it was found that all required sections for this file were not correctly applied.  
**Action:** If this error occurs while running RMAN, then it is an internal error and you should contact Oracle support.
- ORA-19880: Corrupted space header for datafile *string*, block *string***

---

**Cause:** When reading the space header block to use Unused Block Optimization for the backup of the datafile, the space header block had corrupted information.

**Action:** The corrupt space header must be fixed before Unused Block Optimization can be used for this file. Note that you should fix the corruption in any case because it will affect the availability of the data in the file, beyond just taking backups.

**ORA-19881: Corrupted space bitmap for datafile *string*, block *string***

**Cause:** When reading a space bitmap block to use Unused Block Optimization for the backup of the datafile, the space bitmap block had corrupted information.

**Action:** The corrupt space bitmap must be fixed before Unused Block Optimization can be used for this file. Note that you should fix the corruption in any case because it will affect the availability of the data in the file, beyond just taking backups.

**ORA-19882: datafile *string* checkpoint *string* is ahead of space bitmap datafile *string* checkpoint *string***

**Cause:** When checkpointing the datafile containing the space bitmaps for the datafile being backed up in order to use Unused Block Optimization, the checkpoint of the datafile containing the space bitmaps did not advance.

**Action:** Examine the trace and alert files for possible causes. Fix underlying problem to use Unused Block Optimization for datafile's backup.

**ORA-19883: Unused Block Optimization stopped for datafile *string***

**Cause:** Accompanying errors detail the problem that prevented Unused Block Optimization from being used.

**Action:** See accompanying errors for appropriate action.

**ORA-19900: RESETLOGS must be specified after recovery to new incarnation**

**Cause:** Recovery was done to an incarnation after changing the destination incarnation using RMAN's RESET DATABASE command.

**Action:** Open the database with the RESETLOGS option.

**ORA-19901: database needs more recovery to create new incarnation**

**Cause:** Recovery was done to an incarnation after changing the destination incarnation using RMAN's RESET DATABASE command, but one or more of the recovered datafiles still belongs to the parent incarnation. This usually happens when recovery is ended before any logs from the desired incarnation have been applied.

**Action:** Continue recovery.

**ORA-19902: incarnation key *string* not found**

**Cause:** The specified incarnation was not found in the control file.

**Action:** Resubmit request with known incarnation key. To see which incarnations are available for this target database, query V\$DATABASE\_INCARNATION or use RMAN's LIST INCARNATION command.

**ORA-19903: test recovery not allowed when recovering to new incarnation**

**Cause:** Either a new incarnation was set using RMAN's RESET DATABASE command for a control file that was CURRENT, or the control file is from a prior incarnation. As recovery to a new incarnation requires changing the control file, test recovery is not allowed.

---

**Action:** Perform actual recovery or RESET DATABASE to incarnation that was last opened using the control file to do test recovery.

**ORA-19904: test recovery not allowed for datafile *string***

**Cause:** The specified datafile has been restored from a backup that was taken before the last RESETLOGS. Recovering this datafile will require a file header update that is incompatible with test recovery.

**Action:** Perform actual recovery.

**ORA-19905: log\_archive\_format must contain %s, %t and %r**

**Cause:** log\_archive\_format is missing a mandatory format element. Starting with Oracle 10i, archived log file names must contain each of the elements %s(sequence), %t(thread), and %r(RESETLOGS ID) to ensure that all archived log file names are unique.

**Action:** Add the missing format elements to log\_archive\_format.

**ORA-19906: recovery target incarnation changed during recovery**

**Cause:** While a media recovery was active, a new incarnation was detected by the server due to inspection or cataloging of archived logs or backup files.

**Action:** If you want recovery to use the new incarnation, restart recovery. This is the most common action on a standby database when RESETLOGS is done in primary. If you do not want recovery to use the new incarnation, change the recovery destination using RMAN's RESET DATABASE TO INCARNATION <incarnation#> command. To see which incarnations are available for this target database, query V\$DATABASE\_INCARNATION or use RMAN's LIST INCARNATION command.

**ORA-19907: recovery time or SCN does not belong to recovered incarnation**

**Cause:** A point-in-time recovery to an SCN or time stamp prior to the last RESETLOGS was requested.

**Action:** Either change the specified recovery time/SCN, or change the recovery destination using RMAN's RESET DATABASE command.

**ORA-19908: datafile *string* has invalid checkpoint**

**Cause:** The specified datafile has an invalid checkpoint.

**Action:** Restore the datafile from a backup.

**ORA-19909: datafile *string* belongs to an orphan incarnation**

**Cause:** Either the specified datafile was restored from a backup that was taken during a period of time that has already been discarded by a RESETLOGS operation, or Oracle cannot identify which database incarnation the file belongs to. The alert log contains more information.

**Action:** Restore a backup of this file that belongs to either the current or a prior incarnation of the database. If you are using RMAN to restore, RMAN will automatically select a correct backup.

**ORA-19910: can not change recovery target incarnation in control file**

**Cause:** The RESET DATABASE TO INCARNATION command was used while the database is open. This is not allowed.

**Action:** Close the database then re-issue the command.

**ORA-19911: datafile *string* contains future changes at the incarnation boundary**

---

**Cause:** The file did not hit end backup marker redo during recovery at the incarnation boundary, hence may contain changes discarded by new incarnation.

**Action:** Use older backup of the file and then re-issue the command.

**ORA-19912: cannot recover to target incarnation *string***

**Cause:** The control file is not in the recovery path of the target incarnation, and does not contain enough information as to how to recover to the target incarnation.

**Action:** Restore the latest control file from the target incarnation and retry.

**ORA-19913: unable to decrypt backup**

**Cause:** A backup piece could not be decrypted. This message is accompanied with another message that indicates the name of the encrypted backup that could not be restored. The reason could be either that an invalid password was entered, or that, when using transparent decryption, the database external security device is not open.

**Action:** If password-based restore was enabled for this backup, then supply the correct password using the RMAN SET DECRYPTION command. If transparent restore was enabled for this backup, then ensure that the database external security device is open.

**ORA-19914: unable to encrypt backup**

**Cause:** RMAN could not create an encrypted backup. This message will be accompanied by other messages that give more details about why the encrypted backup could not be created. The most common reason for this message is that you are trying to create a backup that can be transparently decrypted, and the database external security device is not open.

**Action:** If the external security device is not open, then open it. If the external security device is not configured, then the only type of encrypted backup that you can create is a password-based backup.

**ORA-19915: unable to encrypt pre-10.2 files**

**Cause:** An RMAN encrypted backup was requested, but this backup includes one or more archived logs that were generated by an older release of Oracle. These archived logs cannot be encrypted.

**Action:** Back up the older logs without encryption. Logs created with Oracle release 10.2 and greater can be encrypted.

**ORA-19916: *string***

**Cause:** An error occurred when processing user request.

**Action:** Do not use message 19917; it is used internally for testing purpose. Do not use message 19918; it is an internal event used by encryption.

**ORA-19919: encrypted backups to tertiary storage require Oracle Secure Backup**

**Cause:** RMAN was configured to create encrypted backups, but the channel is neither a DISK channel nor an Oracle Secure Backup channel.

**Action:** Allocate a DISK channel or an Oracle Secure Backup channel to use backup encryption.

**ORA-19921: maximum number of *string* rows exceeded**

**Cause:** The maximum number of rows in the V\$RMAN\_STATUS or V\$RMAN\_OUTPUT table has been exceeded.

**Action:** Close some of existing and unused RMAN connections and sessions.

---

**ORA-19922: there is no parent row with id *string* and level *string***

**Cause:** RMAN tried to add a new V\$RMAN\_STATUS row, but the parent row did not exist.

**Action:** This is an internal error. Contact Oracle Support.

**ORA-19923: the session for row with id *string* is not active**

**Cause:** RMAN tried to update an V\$RMAN\_STATUS row but the process which owns this row died.

**Action:** This is an internal error. Contact Oracle Support.

**ORA-19924: there are no row with id *string***

**Cause:** RMAN tried to update an V\$RMAN\_STATUS row, but the row don't exist.

**Action:** This is an internal error. Contact Oracle Support.

**ORA-19926: Database cannot be converted at this time**

**Cause:** Another CONVERT DATABASE operation is already in progress.

**Action:** Retry CONVERT DATABASE command later.

**ORA-19927: CONVERT DATABASE operation cannot proceed**

**Cause:** An error occurred earlier during CONVERT DATABASE operation.

**Action:** Retry CONVERT DATABASE command.

**ORA-19930: file *string* has invalid checkpoint SCN *string***

**Cause:** When opening the file to be placed in a copy or backup set, to be inspected, the file header was not recognized as a valid header because it contained a invalid checkpoint SCN. The indicated file cannot be processed.

**Action:** Ensure that the correct files are being specified for the catalog or backup operation.

**ORA-19931: file *string* has invalid creation SCN *string***

**Cause:** When opening the file to be placed in a copy or backup set, to be inspected, the file header was not recognized as a valid header because it contained a invalid creation SCN. The indicated file cannot be processed.

**Action:** Ensure that the correct files are being specified for the catalog or backup operation.

**ORA-19932: control file is not clone or standby**

**Cause:** The operation failed because the control file was not mounted as standby or clone.

**Action:** Mount the database as standby or clone and retry.

**ORA-19941: invalid blocksize in cross platform datafile *string***

**Cause:** Blocksize in header of datafile copy being converted at target was invalid. Either datafile has not been made read/write with compatibility 10.0 or greater at source database or datafile copy is corrupted.

**Action:** Make a new datafile copy taken after tablespace has been made read/write with compatibility 10.0 at source database and retry conversion.

**ORA-19942: datafile copy *string* not created with compatibility 10.0 or greater**

**Cause:** The specified datafile copy to be converted at the target was not produced after making the tablespace in read/write mode with compatibility 10.0 or greater at the source database.

---

**Action:** Make a new datafile copy taken after tablespace has been made read/write with compatibility 10.0 at source database and retry conversion.

**ORA-19951: cannot modify control file until DBNEWID is completed**

**Cause:** An operation requiring to modify the control file was attempted, but a NID change is in progress.

**Action:** Wait until NID completes before attempting the operation.

**ORA-19952: database should be mounted exclusively**

**Cause:** The database was started in parallel mode. To change the DBID, the database must be mounted exclusively.

**Action:** Shut down the database and start it in exclusive mode.

**ORA-19953: database should not be open**

**Cause:** The database was open. To change the DBID, the database must be mounted exclusively.

**Action:** Shut down the database and mount it in exclusive mode.

**ORA-19954: control file is not current**

**Cause:** The operation failed because a non-current, non-standby control file was mounted.

**Action:** Make the control file current and retry.

**ORA-19955: only one open thread is allowed to change the DBID**

**Cause:** The operation failed because there were active threads in the database. The most likely cause is that the database crashed the last time it was shut down.

**Action:** Ensure that all threads are closed before retrying the operation. Start and open the database to perform crash recovery, then shut down with the NORMAL or IMMEDIATE options to close it cleanly. Finally, try running the utility again.

**ORA-19956: database should have no offline immediate datafiles**

**Cause:** The operation failed because the database had one or more datafiles that were in OFFLINE IMMEDIATE mode.

**Action:** Drop the datafiles or recover them and bring them online.

**ORA-19957: database should have no datafiles in unknown state**

**Cause:** The operation failed because the database had one or more datafiles that were in an unknown state.

**Action:** Drop the datafiles or recover them and bring them online.

**ORA-19958: potential deadlock involving DIAG process**

**Cause:** DIAG requested a control file operation that may lead to a deadlock

**Action:** Try last operation later when the control file is released

**ORA-19960: Internal use only**

**Cause:** NID usage

**Action:** None



---

---

## ORA-19999 to ORA-24279

**ORA-19999: skip\_row procedure was called**

**Cause:** The skip\_row procedure was called which raises this error

**Action:** Skip\_row should only be called within a trigger or a procedure called by a trigger.

**ORA-20000: string**

**Cause:** The stored procedure "raise\_application\_error" was called which causes this error to be generated.

**Action:** Correct the problem as described in the error message or contact the application administrator or DBA for more information.

**ORA-21300: objects option not installed**

**Cause:** The objects option is not installed at this site. object types and other object features are, therefore, unavailable.

**Action:** Install the objects option. The objects option is not part of the Oracle Server product and must be purchased separately. Contact an Oracle sales representative if the objects option needs to be purchased.

**ORA-21301: not initialized in object mode**

**Cause:** This function requires the OCI process to be initialized in object mode.

**Action:** Specify OCI\_OBJECT mode when calling OCIInitialize().

**ORA-21500: internal error code, arguments: [string], [string], [string], [string], [string], [string], [string], [string]**

**Cause:** This is the generic error number for the OCI environment (client-side) internal errors. This indicates that the OCI environment has encountered an exceptional condition.

**Action:** Report as a bug - the first argument is the internal error number.

**ORA-21501: program could not allocate memory**

**Cause:** The operating system has run out of memory.

**Action:** Take action to make more memory available to the program.

**ORA-21503: program terminated by fatal error**

**Cause:** A program is in an unrecoverable error state.

**Action:** Report as a bug.

**ORA-21520: database server driver not installed**

---

**Cause:** User attempted to access a database server through an object-mode OCI environment but the necessary driver for supporting such access to the database server is not installed or linked in.

**Action:** Check if the driver corresponding to the database server has been installed/linked in and entered in the server driver table.

**ORA-21521: exceeded maximum number of connections in OCI (object mode only)**

**Cause:** User exceeded the maximum number of connections (255) that can be supported by an OCI environment in object mode.

**Action:** Close some of existing and unused connections before opening more connections.

**ORA-21522: attempted to use an invalid connection in OCI (object mode only)**

**Cause:** User attempted to use an invalid connection or a connection that has been terminated in an OCI environment (object mode), or user attempted to dereference a REF obtained from a connection which has been terminated.

**Action:** Ensure that the connection exists and is still valid.

**ORA-21523: functionality not supported by the server (object mode only)**

**Cause:** User attempted to use a functionality that the server does not support.

**Action:** Upgrade the server

**ORA-21524: object type mismatch**

**Cause:** The object type of the object is different from what is specified.

**Action:** Check the type of the object and correct it.

**ORA-21525: attribute number or (collection element at index) *string* violated its constraints**

**Cause:** Attribute value or collection element value violated its constraint.

**Action:** Change the value of the attribute or collection element such that it meets its constraints. The constraints are specified as part of the attribute or collection element's schema information.

**ORA-21526: initialization failed**

**Cause:** The initialization sequence failed. This can happen, for example, if an environment variable such as NLS\_DATE\_FORMAT is set to an invalid value.

**Action:** Check that all NLS environment variables are well-formed.

**ORA-21527: internal OMS driver error**

**Cause:** A process has encountered an exceptional condition. This is the generic internal error number for Oracle object management services exceptions.

**Action:** Report this as a bug to Oracle Support Services.

**ORA-21560: argument *string* is null, invalid, or out of range**

**Cause:** The argument is expecting a non-null, valid value but the argument value passed in is null, invalid, or out of range. Examples include when the LOB/FILE positional or size argument has a value outside the range 1 through (4GB - 1), or when an invalid open mode is used to open a file, etc.

**Action:** Check your program and correct the caller of the routine to not pass a null, invalid or out-of-range argument value.

**ORA-21561: OID generation failed**

---

**Cause:** The handles passed in may not be valid

**Action:** Check the validity of the env, svc handles

**ORA-21600: path expression too long**

**Cause:** The path expression that is supplied by the user is too long. The path expression is used to specify the position of an attribute in an object. This error occurs when one of the intermediate elements in the path expression refers to an attribute of a built-in type. Thus, the OCI function cannot proceed on to process the rest of the elements in the path expression.

**Action:** User should pass in the correct path expression to locate the attribute.

**ORA-21601: attribute is not an object**

**Cause:** The user attempts to perform an operation (that is valid only for an object) to an attribute of a built-in type. An example of such an illegal operation is to dynamically set a null structure to an attribute of a built-in type.

**Action:** User should avoid performing such operation to an attribute of built-in type.

**ORA-21602: operation does not support the specified typecode**

**Cause:** The user attempts to perform an operation that does not support the specified typecode.

**Action:** User should use the range of valid typecodes that are supported by this operation.

**ORA-21603: property id [*string*] is invalid**

**Cause:** The specified property id is invalid.

**Action:** User should specify a valid property id. Valid property ids are enumerated by OCIObjectPropId.

**ORA-21604: property [*string*] is not a property of transient or value instances**

**Cause:** Trying to get a property which applies only to persistent objects.

**Action:** User should check the lifetime and only get this property for persistent objects.

**ORA-21605: property [*string*] is not a property of value instances**

**Cause:** Trying to get a property which applies only to persistent and transient objects.

**Action:** User should check the lifetime and only get this property for persistent and transient objects.

**ORA-21606: can not free this object**

**Cause:** Trying to free an object that is persistent and dirty and the OCI\_OBJECTFREE\_FORCE flag is not specified.

**Action:** Either flush the persistent object or set the flag to OCI\_OBJECTFREE\_FORCE

**ORA-21607: memory cartridge service handle not initialized**

**Cause:** Attempt to use the handle without initializing it.

**Action:** Initialize the memory cartridge service handle.

**ORA-21608: duration is invalid for this function**

**Cause:** Attempt to use a duration not valid for this function.

---

**Action:** Use a valid duration - a previously created user duration or OCI\_DURATION\_STATEMENT or OCI\_DURATION\_SESSION. For callout duration or external procedure duration, use OCIExtProcAllocCallMemory.

**ORA-21609: memory being resized without being allocated first**

**Cause:** Attempt to resize memory without allocating it first.

**Action:** Allocate the memory first before resizing it.

**ORA-21610: size [*string*] is invalid**

**Cause:** Attempt to resize memory with invalid size.

**Action:** Pass in a valid size (must be a positive integer).

**ORA-21611: key length [*string*] is invalid**

**Cause:** Attempt to use an invalid key length.

**Action:** Key length is invalid and valid range is 0 to 64

**ORA-21612: key is already being used**

**Cause:** Attempt to use a key that is already used.

**Action:** Use a new key that is not yet being used.

**ORA-21613: key does not exist**

**Cause:** Attempt to use a non-existent key

**Action:** Use a key that already exists.

**ORA-21614: constraint violation for attribute number [*string*]**

**Cause:** Constraints on the attribute were violated

**Action:** Correct the value (of the attribute) so that it satisfies constraints

**ORA-21615: copy of an OTS (named or simple) instance failed**

**Cause:** see following message

**Action:** Check that no attribute value violates constraints.

**ORA-21700: object does not exist or is marked for delete**

**Cause:** User attempted to perform an inappropriate operation to an object that is non-existent or marked for delete. Operations such as pinning, deleting and updating cannot be applied to an object that is non-existent or marked for delete.

**Action:** User needs to re-initialize the reference to reference an existent object or the user needs to unmark the object.

**ORA-21701: attempt to flush objects to different servers**

**Cause:** User attempted to flush objects to different servers in one function call. These objects are obtained by calling a callback functions provided by the program.

**Action:** User should avoid performing such operation.

**ORA-21702: object is not instantiated or has been de-instantiated in cache**

**Cause:** User attempted to perform an inappropriate operation to a transient object that is not instantiated in the object cache. Operations that cannot be applied to a not-instantiated transient object include deleting or pinning such an object.

**Action:** User should check their code to see if they are performing such an operation without instantiating the object first, or performing such an operation after the allocation duration of the object has expired.

---

**ORA-21703: cannot flush an object that is not modified**

**Cause:** See the error message.

**Action:** The object should not be flushed.

**ORA-21704: cannot terminate cache or connection without flushing first**

**Cause:** See the error message.

**Action:** The transaction should be aborted or committed before terminating the cache or connection.

**ORA-21705: service context is invalid**

**Cause:** The service context that is supplied by the user is not valid.

**Action:** User needs to establish the service context.

**ORA-21706: duration does not exist or is invalid**

**Cause:** The duration number that is supplied by the user is not valid.

**Action:** User needs to establish the duration or use a correct predefined duration.

**ORA-21707: pin duration is longer than allocation duration**

**Cause:** The pin duration supplied by the user is longer than the allocation duration. This affects operations such as pinning and setting default parameters.

**Action:** User should use a shorter pin duration or use the null duration.

**ORA-21708: inappropriate operation on a transient object**

**Cause:** User attempted to perform an inappropriate operation on a transient object. Operations that cannot be applied to a transient object include flushing and locking.

**Action:** User should avoid performing such operation on a transient object.

**ORA-21709: cannot refresh an object that has been modified**

**Cause:** User attempted to refresh an object that has been marked for delete, update or insert (new).

**Action:** User should unmark the object before refreshing it.

**ORA-21710: argument is expecting a valid memory address of an object**

**Cause:** The object memory address that is supplied by the user is invalid. The user may have passed in a bad memory address to a function that is expecting a valid memory address of an object.

**Action:** User should pass in a valid memory address of an object to the function.

**ORA-21779: duration not active**

**Cause:** User is trying to use a duration that has been terminated.

**Action:** User should avoid performing such operation.

**ORA-21780: Maximum number of object durations exceeded.**

**Cause:** This typically happens if there is infinite recursion in the PL/SQL function that is being executed.

**Action:** User should alter the recursion condition in order to prevent infinite recursion.

**ORA-22053: overflow error**

**Cause:** This operation's result is above the range of Oracle number.

---

**Action:** Decrease the input value(s) so that the result is in the range of Oracle number.

**ORA-22054: underflow error**

**Cause:** This operation's result is below the range of Oracle number.

**Action:** Increase the input value(s) so that the result is in the range of Oracle number.

**ORA-22055: unknown sign flag value [*string*]**

**Cause:** Signed flag used is not OCI\_NUMBER\_SIGNED or OCI\_NUMBER\_UNSIGNED.

**Action:** Use either OCI\_NUMBER\_SIGNED or OCI\_NUMBER\_UNSIGNED as sign flag.

**ORA-22056: value [*string*] is divided by zero**

**Cause:** Given value is divided by zero.

**Action:** Modify divisor value to be non-zero.

**ORA-22057: bad integer length [*string*]**

**Cause:** The length of the integer (ie number of bytes) to be converted to or from an Oracle number is invalid.

**Action:** Use integer length 1, 2, 4 or 8 bytes only.

**ORA-22059: buffer size [*string*] is too small - [*string*] is needed**

**Cause:** The buffer to hold the resulting text string is too small.

**Action:** Provide a buffer of the required size.

**ORA-22060: argument [*string*] is an invalid or uninitialized number**

**Cause:** An invalid or uninitialized number is passed in.

**Action:** Use a valid number. To initialize number call OCINumberSetZero().

**ORA-22061: invalid format text [*string*]**

**Cause:** The numeric format string for converting characters to or from an Oracle number is invalid.

**Action:** Use valid format string as documented in OCI Programmer's Guide.

**ORA-22062: invalid input string [*string*]**

**Cause:** The text string for converting to numbers is invalid.

**Action:** Use a valid input string as documented in OCI Programmer's Guide.

**ORA-22063: reading negative value [*string*] as unsigned**

**Cause:** Attempt to convert a negative number to an unsigned integer.

**Action:** Use the sign flag ORLTSB to convert a signed number.

**ORA-22064: invalid NLS parameter string [*string*]**

**Cause:** The NLS parameter string for converting characters to or from an Oracle number is invalid.

**Action:** Use valid format string as documented in OCI Programmer's Guide.

**ORA-22065: number to text translation for the given format causes overflow**

**Cause:** Rounding done due to the given string format causes overflow.

**Action:** Change the string format such that overflow does not occur.

---

**ORA-22130: buffer size [*string*] is less than the required size [*string*]**

**Cause:** The size of the buffer into which the hexadecimal REF string is to be written is too small.

**Action:** Provide a buffer of the required size.

**ORA-22131: hexadecimal string length is zero**

**Cause:** The given hexadecimal string length must be greater than zero.

**Action:** Specify a length greater than zero.

**ORA-22132: hexadecimal string does not correspond to a valid REF**

**Cause:** The given hexadecimal string is invalid.

**Action:** Provide a valid hexadecimal string which was previously returned by a call to OCISRefToHex().

**ORA-22140: given size [*string*] must be in the range of 0 to [*string*]**

**Cause:** The given resize size is invalid.

**Action:** Ensure that the given size is in the required range.

**ORA-22150: variable-length array has not been initialized**

**Cause:** An un-initialized variable-length array is being operated upon.

**Action:** Initialize the variable-length array prior to calling this function.

**ORA-22151: cannot resize non-zero variable-length array to zero elements**

**Cause:** Trying to resize a non-zero variable-length array to 0 elements.

**Action:** Specify a non-zero size.

**ORA-22152: destination variable-length array is not initialized**

**Cause:** The variable-length array on the right-hand-side of an assignment or the destination array of an append is not initialized.

**Action:** Initialize the destination variable-length array prior to calling this function.

**ORA-22153: source variable-length array is not initialized**

**Cause:** The variable-length array on the left-hand-side of an assignment or the source array of an append is not initialized.

**Action:** Initialize the destination variable-length array prior to calling this function.

**ORA-22160: element at index [*string*] does not exist**

**Cause:** Collection element at the given index does not exist.

**Action:** Specify the index of an element which exists.

**ORA-22161: type code [*string*] is not valid**

**Cause:** Given type code is not valid.

**Action:** Use one of the typecodes enumerated in OCISTypeCode.

**ORA-22162: element at index [*string*] has been previously deleted**

**Cause:** Trying to delete a non-existent collection element.

**Action:** Check for the existence of the element prior to calling this function.

**ORA-22163: left hand and right hand side collections are not of same type**

---

**Cause:** Left hand and right side collections are not of same type.

**Action:** Ensure that the same collection type is passed for both left hand and right hand side of this function.

**ORA-22164: delete element operation is not allowed for variable-length array**

**Cause:** Trying to delete an element of a variable-length array.

**Action:** Ensure that the collection is not a variable-length array prior to calling this function.

**ORA-22165: given index [*string*] must be in the range of [*string*] to [*string*]**

**Cause:** Given index is not in the required range.

**Action:** Ensure that the given index is in the required range.

**ORA-22166: collection is empty**

**Cause:** Given collection is empty.

**Action:** Test if collection is empty prior to invoking this function.

**ORA-22167: given trim size [*string*] must be less than or equal to [*string*]**

**Cause:** Given trim size is greater than the current collection size.

**Action:** Ensure that the given size is less than or equal to the collection size prior to calling this function.

**ORA-22275: invalid LOB locator specified**

**Cause:** There are several causes: (1) the LOB locator was never initialized; (2) the locator is for a BFILE and the routine expects a BLOB/CLOB/NCLOB locator; (3) the locator is for a BLOB/CLOB/NCLOB and the routine expects a BFILE locator; (4) trying to update the LOB in a trigger body -- LOBs in trigger bodies are read only; (5) the locator is for a BFILE/BLOB and the routine expects a CLOB/NCLOB locator; (6) the locator is for a CLOB/NCLOB and the routine expects a BFILE/BLOB locator;

**Action:** For (1), initialize the LOB locator by selecting into the locator variable or by setting the LOB locator to empty. For (2),(3), (5) and (6)pass the correct type of locator into the routine. For (4), remove the trigger body code that updates the LOB value.

**ORA-22276: invalid locator for LOB buffering**

**Cause:** There are several causes: (1) the locator was never enabled for buffering (2) it is not an updated locator but is being used for a write/flush operation

**Action:** For (1) enable the locator for buffering; (2) ensure that only an updated locator is used for a LOB update operation

**ORA-22277: cannot use two different locators to modify the same LOB**

**Cause:** LOB buffering is enabled and an attempt was made to modify the LOB using two different LOB locators.

**Action:** When using LOB buffering, modify the LOB through one LOB locator only.

**ORA-22278: must update the LOB only through the LOB buffers**

**Cause:** LOB buffering is enabled for this LOB and there are buffers for this LOB in the buffer pool. Thus, updating the LOB through means other than the LOB buffers is not allowed.

---

**Action:** Update the LOB through the LOB buffers using the locator that has LOB buffering enabled. If this operation is required, buffers associated with this LOB should either be flushed as necessary or buffering should be disabled. Once this is done, reissue the command.

**ORA-22279: cannot perform operation with LOB buffering enabled**

**Cause:** The operation attempted is not allowed when LOB buffering is enabled.

**Action:** If the operation is required, LOB buffering should not be used. In this case, flush buffers associated with the input LOB locator as necessary, disable buffering on the input LOB locator and reissue the command.

**ORA-22280: no more buffers available for operation**

**Cause:** There are two causes: (1) All buffers in the buffer pool have been used up by previous operations (2) Attempt to flush a LOB without any previous buffered update operations.

**Action:** For (1), flush the LOB(s) through the locator that is being used to update the LOB. For (2), write to the LOB through a locator enabled for buffering before attempting to flush buffers.

**ORA-22281: cannot perform operation with an updated locator**

**Cause:** The input locator has buffering enabled and was used to update the LOB value through the LOB buffering subsystem. The modified buffer has not been flushed since the write that was performed by the the input locator; thus, the input locator is considered an updated locator. Updated locators cannot be the source of a copy operation. Only one locator per LOB may be used to modify the LOB value through the LOB buffering subsystem.

**Action:** Depending on whether the modifications made through the input locator to the LOB buffering subsystem should be written to the server, either flush the buffer to write the modifications, or, disable buffering on the locator to discard the modifications. Then, reissue the command.

**ORA-22282: non-contiguous append to a buffering enabled LOB not allowed**

**Cause:** The buffered write operation has an input offset value more than one byte or character past the end of the LOB.

**Action:** Specify an input offset value which is exactly one character or byte greater than the length of the LOB that you are attempting to update through a buffered write operation.

**ORA-22283: filename contains characters that refer to parent directory**

**Cause:** Filename contains a path "../" which references a parent directory

**Action:** Ensure that the filename does not contain characters which reference a parent directory.

**ORA-22285: non-existent directory or file for *string* operation**

**Cause:** Attempted to access a directory that does not exist, or attempted to access a file in a directory that does not exist.

**Action:** Ensure that a system object corresponding to the specified directory exists in the database dictionary, or make sure the name is correct.

**ORA-22286: insufficient privileges on file or directory to perform *string* operation**

**Cause:** The user does not have the necessary access privileges on the directory alias and/or the file for the operation.

---

**Action:** Ask the database/system administrator to grant the required privileges on the directory alias and/or the file.

**ORA-22287: invalid or modified directory occurred during *string* operation**

**Cause:** The directory alias used for the current operation is not valid if being accessed for the first time, or has been modified by the DBA since the last access.

**Action:** If you are accessing this directory for the first time, provide a valid directory name. If you have been already successful in opening a file under this directory before this error occurred, then close the file and retry the operation with a valid directory alias as modified by your DBA. Oracle recommends that directories should be modified only during quiescent periods.

**ORA-22288: file or LOB operation *string* failed *string***

**Cause:** The operation attempted on the file or LOB failed.

**Action:** See the next error message in the error stack for more detailed information. Also, verify that the file or LOB exists and that the necessary privileges are set for the specified operation. If the error still persists, report the error to the DBA.

**ORA-22289: cannot perform *string* operation on an unopened file or LOB**

**Cause:** The file or LOB is not open for the required operation to be performed.

**Action:** Precede the current operation with a successful open operation on the file or LOB.

**ORA-22290: operation would exceed the maximum number of opened files or LOBs**

**Cause:** The number of open files or LOBs has reached the maximum limit.

**Action:** Close some of the opened files or LOBs and retry the operation.

**ORA-22291: Open LOBs exist at transaction commit time**

**Cause:** An attempt was made to commit a transaction with open LOBs at transaction commit time.

**Action:** Close the LOBs before committing the transaction.

**ORA-22292: Cannot open a LOB in read-write mode without a transaction**

**Cause:** An attempt was made to open a LOB in read-write mode before a transaction was started.

**Action:** Start a transaction before opening the LOB in read-write mode. Ways to start a transaction include issuing a SQL DML or SELECT FOR UPDATE command. Opening the LOB in read-only mode does not require a transaction.

**ORA-22293: LOB already opened in the same transaction**

**Cause:** An attempt was made to open a LOB that already is open in this transaction.

**Action:** Close the LOB before attempting to re-open it.

**ORA-22294: cannot update a LOB opened in read-only mode**

**Cause:** An attempt was made to write to or update a LOB opened in read-only mode.

**Action:** Close the LOB and re-open it in read-write mode before attempting to write to or update the LOB.

**ORA-22295: cannot bind more than 4000 bytes data to LOB and LONG columns in 1 statement**

---

**Cause:** An attempt was made to bind data more than 4000 bytes of data to both LOB and LONG columns in the same insert or update statement. You can bind more than 4000 bytes of data to either a LONG column or one or more LOB columns but not both.

**Action:** Bind more than 4000 bytes of data to either the LONG column or one or more LOB columns but not both.

**ORA-22296: invalid ALTER TABLE option for conversion of LONG datatype to LOB**

**Cause:** An attempt was made to specify ALTER TABLE options which are disallowed during conversion of LONG datatype to LOB. The only ALTER TABLE options allowed during conversion of LONG datatype to LOB are the default clause and LOB storage clause for the column being converted to LOB.

**Action:** Remove the disallowed options.

**ORA-22297: warning: Open LOBs exist at transaction commit time**

**Cause:** An attempt was made to commit a transaction with open LOBs at transaction commit time.

**Action:** This is just a warning. The transaction was committed successfully, but any domain or functional indexes on the open LOBs were not updated. You may want to rebuild those indexes.

**ORA-22298: length of directory alias name or file name too long**

**Cause:** The length of directory alias name or file name given for a BFILE is too long.

**Action:** Use a shorter alias or file name.

**ORA-22303: type "*string*"."*string*" not found**

**Cause:** The user is trying to obtain information for a type that cannot be found.

**Action:** Check that the schema is correct and that the type has been created correctly.

**ORA-22304: input type is not an object type**

**Cause:** The user is trying to obtain the supertype information for a non-object type.

**Action:** Pass in only an object type.

**ORA-22305: attribute/method/parameter "*string*" not found**

**Cause:** Type element with the given name is not found in the type.

**Action:** Check to make sure that the type element exists.

**ORA-22306: type "*string*"."*string*" already exists**

**Cause:** The user is trying to create a type that already exists.

**Action:** Check to make sure that the type has not been created prior to this.

**ORA-22307: operation must be on a user-defined type**

**Cause:** attempt to perform an operation that is allowed only on a user-defined type, and the type is not a user-defined type.

**Action:** Check to make sure that only user-defined types are being operated on.

**ORA-22308: operation not allowed on evolved type**

**Cause:** An attempt was made to replace a type whose attribute definition been altered.

---

**Action:** Submit ALTER TYPE ADD/DROP statement instead of ALTER TYPE REPLACE.

**ORA-22309: attribute with name "*string*" already exists**

**Cause:** The user is attempting to create an object type where more than one attributes have the same name.

**Action:** Check to make sure that all attribute names are unique.

**ORA-22310: ALTER TYPE error. Refer to table "*string*".*string*" for errors**

**Cause:** An invalid alter type statement was submitted.

**Action:** Correct the errors listed in specified table and resubmit statement.

**ORA-22311: type for attribute "*string*" does not exist**

**Cause:** The type of the attribute does not exist.

**Action:** No types were created/modified for this DDL transaction. Redo the DDL transaction and add the creation of the attribute's type in the DDL transaction.

**ORA-22312: must specify either CASCADE or INVALIDATE option**

**Cause:** An attempt was made to alter a type which has a dependent type or table without specifying the CASCADE or INVALIDATE option.

**Action:** Resubmit the statement with either the CASCADE or INVALIDATE option. Specify CASCADE if you want to cascade the type change to dependent types and tables; otherwise, specify INVALIDATE to invalidate all dependents.

**ORA-22313: cannot use two versions of the same type "*string*"**

**Cause:** The version of this type conflicts with the version of this type used by another library that was linked in with the application. An application may only use one version of a type.

**Action:** Check that the libraries being linked with this application and use the same versions of the type.

**ORA-22314: method information mismatch in ALTER TYPE**

**Cause:** The number of methods or the method signature do not match that of the original type declaration. This is not supported.

**Action:** Make sure the method signature stay identical for the previously declared method. Do not drop existing methods.

**ORA-22315: type "*string*" does not contain a map or order function**

**Cause:** The input type does not contain a map or order function so one cannot be returned.

**Action:** Add a map or order function to the type or catch this error.

**ORA-22316: input type is not a collection type**

**Cause:** The user is trying to obtain information for collection types on a non-named collection type.

**Action:** Use a named collection type for the function.

**ORA-22317: typecode *number* is not legal as a number type**

**Cause:** The user is trying to use a number typecode that is not valid.

**Action:** Use only OCI\_TYPECODE\_SMALLINT, OCI\_TYPECODE\_INTEGER, OCI\_TYPECODE\_REAL, OCI\_TYPECODE\_DOUBLE, OCI\_TYPECODE\_FLOAT, OCI\_TYPECODE\_NUMBER, or OCI\_TYPECODE\_DECIMAL.

---

**ORA-22318: input type is not an array type**

**Cause:** The user is trying to obtain the number of elements for a non-array type.

**Action:** Pass in only a named collection type which is an array.

**ORA-22319: type attribute information altered in ALTER TYPE**

**Cause:** The type attribute information does not match that of the original type declaration when altering type. Attributes cannot be altered during ALTER TYPE. Only new methods can be added.

**Action:** Check that all type alterations are legal.

**ORA-22320: missing user version string**

**Cause:** The VERSION option is specified without a user version string.

**Action:** Resubmit the statement with the version string following the VERSION keyword.

**ORA-22321: method does not return any result**

**Cause:** OCTypeResult() was called on a method that does not return any results.

**Action:** Check that you are passing in the correct method descriptor, or that your method creation was done correctly.

**ORA-22322: error table "*string*"."*string*" has incorrect structure**

**Cause:** The specified error table does not have the expected table structure.

**Action:** Execute the DBMS\_UTILITY.CREATE\_ALTER\_TYPE\_ERROR\_TABLE procedure to create an error table, then resubmit the statement using the new error table.

**ORA-22323: error table "*string*"."*string*" does not exist**

**Cause:** The error table does not exist.

**Action:** Resubmit the statement with a correct error table name.

**ORA-22324: altered type has compilation errors**

**Cause:** The use of the ALTER TYPE statement caused a compilation error.

**Action:** Correct the error reported and resubmit the statement.

**ORA-22326: cannot change a type to FINAL if it has subtypes**

**Cause:** An attempt was made to change a type with subtypes to FINAL.

**Action:** Drop all subtypes of the target type before changing it to FINAL.

**ORA-22327: cannot change a type to NOT INSTANTIABLE if it has dependent tables**

**Cause:** An attempt was made to change a type with dependent tables to NOT INSTANTIABLE.

**Action:** Drop all dependent tables of the target type and resubmit the statement.

**ORA-22328: object "*string*"."*string*" has errors. *string***

**Cause:** Altering the target type causes errors in its dependent object.

**Action:** Correct the problem in the dependent object and resubmit the statement.

**ORA-22329: cannot alter a non-object type**

**Cause:** An attempt was made to execute ALTER TYPE on a non-object type.

**Action:** Drop the non-object type first, then re-create it as an object type.

---

**ORA-22330: cannot alter a type that is not valid**

**Cause:** An attempt was made to perform ALTER TYPE on an invalid type.

**Action:** Use the CREATE OR REPLACE TYPE command to modify the type.

**ORA-22331: cannot alter an incomplete type**

**Cause:** An attempt was made to perform ALTER TYPE on an incomplete type.

**Action:** Use CREATE TYPE to completely define the original type before executing the ALTER TYPE.

**ORA-22332: a dependent object in schema "*string*" has errors. *string***

**Cause:** Altering the target type causes errors in its dependent object.

**Action:** Correct the problem in the dependent object and resubmit the statement.

**ORA-22333: cannot reset type "*string*".*string*" due to invalid dependent types and tables**

**Cause:** An attempt was made to reset the type version with invalid dependent types and tables.

**Action:** Use the ALTER TYPE COMPILE statement to compile all invalid dependent types and use the ALTER TABLE UPGRADE INCLUDING DATA to upgrade all the dependent tables then resubmit the statement.

**ORA-22334: cannot reset type "*string*".*string*". Dependent tables must be upgraded to latest version**

**Cause:** An attempt was made to reset the type version when the data in the dependent table has not been upgraded to the latest type version.

**Action:** Use the ALTER TABLE UPGRADE INCLUDING DATA statement to upgrade the data in the dependent tables then resubmit the statement.

**ORA-22335: The client cannot work with an altered type**

**Cause:** A pre 8.2 client has requested a type that has been altered on the server.

**Action:** Only 8.2 or higher clients could access altered types

**ORA-22336: table contained 8.0 image format, must specify INCLUDING DATA**

**Cause:** One of the following: 1) An attempt was made to alter a type with a dependent table in 8.0 image format and the NOT INCLUDING TABLE DATA option was specified. 2) An attempt was made to upgrade a table in 8.0 image format with the NOT INCLUDING DATA option specified.

**Action:** Resubmit the statement with INCLUDING DATA option.

**ORA-22337: the type of accessed object has been evolved**

**Cause:** The type of the accessed object has been altered and the client's object is based on an earlier type definition.

**Action:** The user needs to exit application and modify application to accommodate the type change. From SQL/PLUS, reconnect and resubmit statement.

**ORA-22338: must specify CASCADE INCLUDING DATA when altering the final property**

**Cause:** An attempt was made to alter the final property of a type with dependent table(s) without specifying the CASCADE INCLUDING DATA . option.

**Action:** Resubmit the statement with the CASCADE INCLUDING DATA option.

---

**ORA-22339: cannot alter to not final since its attribute column is substitutable**

**Cause:** An attempt was made to alter a type to not final when its embedded attribute is defined as substitutable in some tables. Note, this is a restriction in 9.0 version because when a type is altered to not final, column of that type is set to not substitutable at all levels; thus, it is an error if one of its embedded attribute column is already marked substitutable.

**Action:** Recreate the table and specify NOT SUBSTITUTABLE AT ALL LEVELS for all columns of non final type. Then resubmit the ALTER TYPE statement.

**ORA-22340: cannot string type "string"."string". Dependent tables must be upgraded to latest version**

**Cause:** An attempt was made to reset the version, drop or alter a type when the data in dependent table has not been upgraded to the latest version.

**Action:** Use the ALTER TABLE UPGRADE INCLUDING DATA statement to upgrade the data in the dependent tables then resubmit the statement.

**ORA-22341: cannot assign supertype instance to subtype**

**Cause:** An attempt was made to assign or copy a supertype instance to a container (destination) that can only hold a subtype instance.

**Action:** Make sure the runtime type of the source of the assignment or copy is the same type as the destination or is a subtype of the destination type

**ORA-22342: dependent VARRAY column exceeds the maximum inline column size**

**Cause:** An attempt was made to alter a type (add or modify attribute) which causes the size of its dependent VARRAY column to exceed the maximum inline column size. However, the VARRAY column was not specified to be stored as LOB at the table level when the table was created.

**Action:** Specify the VARRAY column to be stored as LOB at the table level when the table is created.

**ORA-22343: Compilation error for type invalidated by ALTER TYPE**

**Cause:** Compilation failed for a type which was invalidated by ALTER TYPE. We throw this error and rollback the compilation effort so that the user may be able to fix whatever is causing the compilation error and try again. It is important that we do not change status here and modify the dependency information as this will affect the creation of versions.

**Action:** Check what is causing the compilation error and correct it and try again.

**ORA-22344: can not specify CONVERT TO SUBSTITUTABLE option for ALTER TYPE other than NOT FINAL change**

**Cause:** An attempt was made to specify CONVERT TO SUBSTITUTABLE option for ALTER TYPE other than NOT FINAL change.

**Action:** Specify CONVERT TO SUBSTITUTABLE option only for ALTER TYPE NOT FINAL change.

**ORA-22345: recompile type string.string before attempting this operation**

**Cause:** An attempt was made to perform an operation which requires the specified datatype to be valid, but the datatype is invalid

**Action:** Recompile the specified type and retry the operation

**ORA-22346: Type has cyclical dependency. Should use CASCADE option**

**Cause:** An attempt was made to alter a type which has a cyclical dependency, with invalidate option.

---

**Action:** Give CASCADE option instead of INVALIDATE

**ORA-22347: No changes to type specified for ALTER TYPE**

**Cause:** The ALTER TYPE does not contain any changes to the type.

**Action:** If any change is required for the type, modify the ALTER TYPE to specify the change. Else no need for the ALTER.

**ORA-22369: invalid parameter encountered in method *string***

**Cause:** An invalid parameter is being passed to this method of SYS.AnyType ,SYS.AnyData or SYS.AnyDataSet

**Action:** Check the parameters being passed to this method and make sure that the parameters are allowed.

**ORA-22370: incorrect usage of method *string***

**Cause:** This method of SYS.AnyType or SYS.AnyData or SYS.AnyDataSet is being used inappropriately.

**Action:** Check the documentation for correct usage.

**ORA-22371: Table contains data of type *string.string*, version *string*, which does not exist**

**Cause:** Some of the older versions of the type may have got deleted because one or more of the types it were referencing was dropped.

**Action:** These data could not be read as the whole ADT. Read the data at individual scalar attribute level.

**ORA-22372: Event for type dictionary upgrade**

**Cause:** This is an internally used event for type dictionary upgrades from 8.0 to 8.1.

**Action:** None

**ORA-22373: Older version hashcode encountered**

**Cause:** An older version HC is encountered when creating a new version hahscode. Currently this is handled internally.

**Action:** None

**ORA-22600: encountered 8.0.2 (Beta) VARRAY data that cannot be processed**

**Cause:** Production Oracle8 (8.0.3 and beyond) encounters some VARRAY data which was created and stored by Oracle8 8.0.2 (Beta 2). Production Oracle8 cannot understand or process such VARRAY data.

**Action:** Delete the VARRAY data from the table by dropping the table, deleting the rows, or nulling out the VARRAY columns, and then re-insert the VARRAY data. There is no provided script or tool to help automate this conversion.

**ORA-22601: pickler TDS context [*string*] is not initialized**

**Cause:** Attempt to use the pickler TDS context without initializing it.

**Action:** Use OCIPicklerTdsCtxInit to initialize the context.

**ORA-22602: pickler TDS handle [*string*] is not well-formed**

**Cause:** Attempt to use the pickler TDS handle without initializing/ constructing it.

**Action:** Use OCIPicklerTdsInit to initialize the handle before it is constructed. Use OCIPicklerTdsGenerate to generate the TDS before its attributes can be accessed.

---

**ORA-22603: cannot add an attribute to the already generated TDS handle**

**Cause:** Attempt to add an attribute to the already constructed TDS.

**Action:** Use a TDS handle that is initialized but not yet constructed.

**ORA-22604: TDS handle already generated**

**Cause:** Attempt to generate TDS that is already generated.

**Action:** Use a TDS handle that is initialized but not yet generated.

**ORA-22605: FDO handle [*string*] is not initialized**

**Cause:** Attempt to use an uninitialized FDO handle.

**Action:** Use OCIPicklerFdoInit to initialize FDO handle".

**ORA-22606: pickler image handle [*string*] is not well-formed**

**Cause:** Attempt to use the image handle without initializing/ constructing it.

**Action:** Use OCIPicklerImageInit to initialize the handle before it is constructed.  
Use OCIPicklerImageGenerate to generate the image before its attributes can be accessed.

**ORA-22607: image handle already generated**

**Cause:** Attempt to generate image that is already generated.

**Action:** Use a image handle that is initialized but not yet generated.

**ORA-22608: cannot add an attribute to the already generated image handle**

**Cause:** Attempt to add an attribute to the already constructed image.

**Action:** Use a image handle that is initialized but not yet constructed.

**ORA-22609: error *string* during initialization of FDO**

**Cause:** Error during FDO initialization.

**Action:** Take an action based on the specified error.

**ORA-22610: error while adding a scalar to the image handle**

**Cause:** Error while adding a scalar attribute to the image handle

**Action:** Make sure image handle is initialized before adding scalar

**ORA-22611: TDS version is not recognized**

**Cause:** Incorrect TDS handle is passed

**Action:** Make sure image handle is initialized with the correct TDS

**ORA-22612: TDS does not describe a collection TDS**

**Cause:** collection construct/access routines are being on an image but the TDS does not describe that a collection TDS

**Action:** Make sure a collection TDS is used before invoking collection routines on the image handle

**ORA-22613: buflen does not match the size of the scalar**

**Cause:** buflen is incorrect

**Action:** Make sure buflen is correct and matches the size of the scalar

**ORA-22614: error while construction the collection in the image**

**Cause:** Error during the construction of collection

---

**Action:** Make sure image handle is initialized and OCIPicklerImageCollBegin is called to begin collection

**ORA-22615: attribute is not a collection**

**Cause:** collection routine is invoked upon a non-collection attribute

**Action:** Make sure attribute is a collection

**ORA-22616: image is not of Oracle 8.1 format**

**Cause:** The function being invoked is applicable only for 8.1 images

**Action:** Make sure image is of 8.1 format

**ORA-22617: error while accessing the image handle collection**

**Cause:** Error while accessing collection in the image handle

**Action:** Make sure image is initialized correctly and the collection is constructed properly.

**ORA-22618: attribute is a BAD NULL in the image handle**

**Cause:** attribute in question is probably the attribute of a null embedded image

**Action:** Make sure attribute number is valid or it is NULL or NOT NULL.

**ORA-22619: all collection elements have already been accessed**

**Cause:** Accessing a collection element after all the collection elements are already accessed

**Action:** This function should not be invoked any more.

**ORA-22620: buffer size too small to hold the value**

**Cause:** Buffer size is not enough to hold the value. Most likely while doing the character set conversion, a bigger buffer is needed.

**Action:** Pass in a bigger buffer. If the client character set format differs from that of server, doing the conversion may result in 4X expansion.

**ORA-22621: error transferring an object from the agent**

**Cause:** Any error returned from pickler routines on the agent side.

**Action:** Contact Oracle Support.

**ORA-22625: OCIAnyData is not well-formed**

**Cause:** Attempt to use the OCIAnyData without initializing constructing it.

**Action:** Use OCIAnyDataBeginConstruct to initialize the handle before it is adding attributes. Use OCIAnyDataEndConstruct to complete the construction. Or use OCIAnyDataConvert to do the construction. Make sure it is properly constructed before accessing attributes.

**ORA-22626: Type Mismatch while constructing or accessing OCIAnyData**

**Cause:** Type supplied is not matching the type of the AnyData. If piece wise construction or access is being attempted, the type supplied is not matching the type of the current attribute.

**Action:** Make sure the type supplied matches the type of object to to be constucted or accessed.

**ORA-22627: tc [*string*] must be that of object/varray/nested table**

**Cause:** Type code is not that of object/varray/nested table

---

**Action:** Make sure the type code is OCI\_TYPECODE\_OBJECT or OCI\_TYPECODE\_VARRAY or OCI\_TYPECODE\_TABLE

**ORA-22628: OCIAnyData already constructed**

**Cause:** Attempt to add attributes to OCIAnyData that is already constructed.

**Action:** Use the OCIAnyData that is initialized but not yet constructed.

**ORA-22629: OCIAnyData is null**

**Cause:** Attempting an operation that is not valid on null OCIAnyData

**Action:** Make sure OCIAnyData is not null.

**ORA-22630: attribute [*string*] is null or it is not well-formed**

**Cause:** Passing an attribute that is null or not well-formed

**Action:** Make sure the attribute is not null or is well-formed.

**ORA-22631: attribute [*string*] is is not well-formed or does not match the type**

**Cause:** Passing an attribute that is not well-formed or does not match the input type.

**Action:** Make sure the attribute is well-formed and matches the type specified.

**ORA-22632: AnyDataSet parameter is not valid for the current operation**

**Cause:** The AnyDataSet parameter is null or it is somehow invalid for the current operation.

**Action:** Check the documentation for the current operation.

**ORA-22633: Error freeing AnyDataSet**

**Cause:** AnyDataSet that is passed in may not be valid.

**Action:** Check all the AnyDataSet parameters.

**ORA-22634: Error adding new instance to AnyDataSet**

**Cause:** Current instance in the AnyDataSet has not been fully constructed.

**Action:** Make sure that the current instance is fully constructed before adding new instance.

**ORA-22800: invalid user-defined type**

**Cause:** An attempt was made to use an incomplete type as a constructor.

**Action:** Complete the type definition before using it in a query.

**ORA-22801: invalid object row variable**

**Cause:** The specified object row variable is not available in the scope of name resolution.

**Action:** Verify the specified object row variable is correct, or use an object row variable visible in scope.

**ORA-22803: object type contains zero attributes**

**Cause:** An attempt was made to create or specify a column or constructor of an object type that has no attributes. Only object types that have at least one attribute are allowed in this context.

**Action:** specify a valid object type

**ORA-22804: remote operations not permitted on object tables or user-defined type columns**

---

**Cause:** An attempt was made to perform queries or DML operations on remote object tables or on remote table columns whose type is one of object, REF, nested table or VARRAY.

**Action:** None

**ORA-22805: cannot insert NULL object into object tables or nested tables**

**Cause:** An attempt was made to insert a NULL object into an object table or a Nested Table.

**Action:** Ensure that a non-NULL object is inserted into the table or insert an object with attributes whose values are NULL.

**ORA-22806: not an object or REF**

**Cause:** An attempt was made to extract an attribute from an item that is neither an object nor a REF.

**Action:** Use an object type or REF type item and retry the operation.

**ORA-22807: cannot resolve to a scalar type or a collection type**

**Cause:** Invalid use of a non-scalar (for example, object type) item.

**Action:** Change the item's data type and retry the operation.

**ORA-22808: REF dereferencing not allowed**

**Cause:** An attempt was made to access an object type's attributes by dereferencing a REF item.

**Action:** Make the item an object type instead of a REF to an object type.

**ORA-22809: nonexistent attribute**

**Cause:** An attempt was made to access a non-existent attribute of an object type.

**Action:** Check the attribute reference to see if it is valid. Then retry the operation.

**ORA-22810: cannot modify object attributes with REF dereferencing**

**Cause:** An attempt was made to modify the attributes an object by dereferencing a REF column in an UPDATE statement.

**Action:** Update the table containing the object that the REF points to, or change the REF column to an object type column.

**ORA-22812: cannot reference nested table column's storage table**

**Cause:** An attempt to access the nested table column's storage table is not allowed in the given context.

**Action:** Issue the statement against the parent table containing the nested table column.

**ORA-22813: operand value exceeds system limits**

**Cause:** Object or Collection value was too large. The size of the value might have exceeded 30k in a SORT context, or the size might be too big for available memory.

**Action:** Choose another value and retry the operation.

**ORA-22814: attribute or element value is larger than specified in type**

**Cause:** Value provided for the object type attribute or collection element exceeded the size specified in the type declaration.

**Action:** Choose another value and retry the operation.

**ORA-22816: unsupported feature with RETURNING clause**

---

**Cause:** RETURNING clause is currently not supported for object type columns, LONG columns, remote tables, INSERT with subquery, and INSTEAD OF Triggers.

**Action:** Use separate select statement to get the values.

**ORA-22817: subquery not allowed in the default clause**

**Cause:** An attempt was made to use a subquery in the column default clause expression.

**Action:** Remove the subquery from the default clause.

**ORA-22818: subquery expressions not allowed here**

**Cause:** An attempt was made to use a subquery expression where these are not supported.

**Action:** Rewrite the statement without the subquery expression.

**ORA-22819: scope of input value does not correspond to the scope of the target**

**Cause:** An attempt to operate on a REF value scoped to a different table than the expected one

**Action:** Use a ref which is scoped to the expected table and retry the operation

**ORA-22826: cannot construct an instance of a non instantiable type**

**Cause:** An attempt was made to use a non instantiable type as a constructor.

**Action:** None

**ORA-22828: input pattern or replacement parameters exceed 32K size limit**

**Cause:** Value provided for the pattern or replacement string in the form of VARCHAR2 or CLOB for LOB SQL functions exceeded the 32K size limit.

**Action:** Use a shorter pattern or process a long pattern string in multiple passes.

**ORA-22833: Must cast a transient type to a persistent type**

**Cause:** An attempt was made to use the transient type in the query result.

**Action:** Cast the transient type to a structurally equivalent persistent type.

**ORA-22835: Buffer too small for CLOB to CHAR or BLOB to RAW conversion  
(actual: *string*, maximum: *string*)**

**Cause:** An attempt was made to convert CLOB to CHAR or BLOB to RAW, where the LOB size was bigger than the buffer limit for CHAR and RAW types. Note that widths are reported in characters if character length semantics are in effect for the column, otherwise widths are reported in bytes.

**Action:** Do one of the following:

1. Make the LOB smaller before performing the conversion, for example, by using SUBSTR on CLOB

2. Use DBMS\_LOB.SUBSTR to convert CLOB to CHAR or BLOB to RAW.

**ORA-22837: Relational hint or keyword is disallowed for user-level DML**

**Cause:** An attempt was made to use relational hint or keyword in user-level DML.

**Action:** Avoid using DML with relational hint or keyword.

**ORA-22839: Direct updates on SYS\_NC columns are disallowed**

**Cause:** An attempt was made to update SYS\_NC columns directly.

---

**Action:** Avoid direct updates on SYS\_NC columns.

**ORA-22850: duplicate LOB storage option specified**

**Cause:** A LOB storage option (CHUNK, PCTVERSION, CACHE, NOCACHE, TABLESPACE, STORAGE, INDEX, SECUREFILE/BASICFILE, [A]SYNC) was specified more than once.

**Action:** Specify all LOB storage options only once.

**ORA-22851: invalid CHUNK LOB storage option value**

**Cause:** The specified CHUNK LOB storage option value must be an integer.

**Action:** Choose an appropriate integer value and retry the operation.

**ORA-22852: invalid PCTVERSION LOB storage option value**

**Cause:** The specified PCTVERSION LOB storage option value must be an integer.

**Action:** Choose an appropriate integer value and retry the operation.

**ORA-22853: invalid LOB storage option specification**

**Cause:** A LOB storage option was not specified

**Action:** Specify one of CHUNK, PCTVERSION, CACHE, NOCACHE, TABLESPACE, STORAGE, INDEX, [A]SYNC or DATA SYNC as part of the LOB storage clause.

**ORA-22854: invalid option for LOB storage index**

**Cause:** A valid LOB store index option was not specified.

**Action:** Specify one of (INITRANS, MAXTRANS, TABLESPACE, STORAGE) as part of the LOB storage index.

**ORA-22855: optional name for LOB storage segment incorrectly specified**

**Cause:** The optional name for LOB storage segment was specified with multiple columns in the column list.

**Action:** Specify each column LOB storage only with optional name(s).

**ORA-22856: cannot add columns to object tables**

**Cause:** An attempt was made to add columns to an object table. Object tables cannot be altered to add columns since its definition is based on an object type.

**Action:** Create a new type with additional attributes, and use the new type to create an object table. The new object table will have the desired columns.

**ORA-22857: cannot modify columns of object tables**

**Cause:** An attempt was made to alter the object table by modifying existing columns. An object table cannot be altered to modify existing columns since it is based on an object type. The table definition must be in sync with the corresponding type.

**Action:** Create a new type with the desired attribute types and use it to create an object table. The new object table will have the desired columns.

**ORA-22858: invalid alteration of datatype**

**Cause:** An attempt was made to modify the column type to object, REF, nested table, VARRAY or LOB type.

**Action:** Create a new column of the desired type and copy the current column data to the new type using the appropriate type constructor.

---

**ORA-22859: invalid modification of columns**

**Cause:** An attempt was made to modify an object, REF, VARRAY, nested table, or LOB column type.

**Action:** Create a new column of the desired type and copy the current column data to the new type using the appropriate type constructor.

**ORA-22860: object type expected**

**Cause:** An attempt was made to create an object table using a non-object type, or to create a column that is a REF to a non-object type.

**Action:** Use a valid object type in the table or column definition.

**ORA-22861: invalid user-defined type**

**Cause:** An attempt was made to create a column or object table of a non-existent type.

**Action:** Specify a valid type in the table or column definition.

**ORA-22862: specified object identifier doesn't match existing object identifier**

**Cause:** An attempt was made to specify an object identifier for the type that does not match the existing identifier of the incomplete type of the same name.

**Action:** Specify the correct object identifier or leave it out of the statement.

**ORA-22863: synonym for datatype *string.string* not allowed**

**Cause:** A synonym specification for a datatype is not supported

**Action:** do not use the synonym for the datatype

**ORA-22864: cannot ALTER or DROP LOB indexes**

**Cause:** An attempt was made to ALTER or DROP a LOB index.

**Action:** Do not operate directly on the system-defined LOB index. Perform operations on the corresponding LOB column.

**ORA-22865: more than one column specified**

**Cause:** An attempt was made to specify multiple columns where only one is allowed.

**Action:** Specify a single column and retry the operation.

**ORA-22868: table with LOBs contains segments in different tablespaces**

**Cause:** An attempt was made to drop a tablespace which contains the segment(s) for the LOB columns of a table but does not contain the table segment.

**Action:** Find table(s) with LOB columns which have non-table segments in this tablespace. Drop these tables and reissue drop tablespace.

**ORA-22869: depth of type dependency hierarchy exceeds maximum limit**

**Cause:** The type dependency hierarchy was structured to have depth greater than 1024.

**Action:** Re-structure the type dependency hierarchy to a shorter depth.

**ORA-22870: ALTER TYPE with REPLACE option a non-object type**

**Cause:** attempt to perform ALTER TYPE with REPLACE option a non-object type

**Action:** drop the non-object type first, then re-create it as an object type

**ORA-22871: ALTER TYPE with REPLACE is not allowed for pure incomplete types**

---

**Cause:** An attempt to perform ALTER TYPE with REPLACE option for a pure incomplete type

**Action:** Completely define the original type, before using the ALTER TYPE with REPLACE option.

**ORA-22872: OID INDEX clause not allowed on tables with primary key based object identifiers**

**Cause:** An attempt to create an OID INDEX on a table with primary key based object identifiers.

**Action:** Remove the OID INDEX clause

**ORA-22873: primary key not specified for primary key based object table**

**Cause:** An attempt to create a primary key based object table without specifying a primary key

**Action:** Specify a primary key and retry the operation

**ORA-22874: attribute "string" is not part of the type "string"**

**Cause:** Attribute specified in the user\_defined clause is not an attribute of the REF type

**Action:** Ensure that the name specified in the user\_defined clause is the name of a valid attribute of the REF type

**ORA-22875: cannot drop primary key of an object table whose object identifier is primary key based**

**Cause:** An attempt to drop the primary key of an object table which has a primary key based object identifier

**Action:** Remove the drop primary key clause

**ORA-22876: this user-defined type is not allowed or it cannot be used in this context**

**Cause:** An attempt to create a kind of user-defined type which is not allowed, or an attempt to create table columns or use default constructor with a type on which these are not supported.

**Action:** Ensure that the type is permitted in this context.

**ORA-22877: invalid option specified for a HASH partition or subpartition of a LOB column**

**Cause:** One or more invalid options were encountered while parsing the physical attributes of a LOB partition or subpartition. Either the LOB partition is in a table partitioned using the HASH method, or the LOB subpartition is in a table subpartitioned using the HASH method. TABLESPACE is the only valid option for a HASH partition or subpartition.

**Action:** Remove the invalid option(s).

**ORA-22878: duplicate LOB partition or subpartition specified**

**Cause:** An attempt was made to specify a partition or subpartition that has already been specified for the LOB column.

**Action:** Remove the duplicate specification.

**ORA-22879: cannot use the LOB INDEX clause for partitioned tables**

**Cause:** An attempt was made to specify a LOB INDEX clause in a CREATE TABLE or ALTER TABLE statement for a partitioned table.

**Action:** Remove the LOB INDEX clause.

---

**ORA-22880: invalid REF**

**Cause:** An invalid REF was accessed.

**Action:** Modify the REF and retry the operation.

**ORA-22881: dangling REF**

**Cause:** The object corresponding to the REF that was accessed does not exist.

**Action:** Ensure that the REF value is pointing to an existing object.

**ORA-22882: object creation failed**

**Cause:** The object cannot be created in the database.

**Action:** Check to see if the object table exists and the object size is not too big. Then retry the operation.

**ORA-22883: object deletion failed**

**Cause:** The object could not be deleted from the database.

**Action:** Check to see if the object table exists. Then retry the operation.

**ORA-22884: object modification failed**

**Cause:** The object could not be modified in the database.

**Action:** Check to see if the object table exists and the object size is not too big. Then retry the operation.

**ORA-22885: cannot get REF to a non-persistent object**

**Cause:** An attempt was made to get a REF for something other than an object in an object table. REFs can only be taken for objects in object tables.

**Action:** Rewrite the query to obtain REF values from object tables.

**ORA-22886: scoped table "*string*" in schema "*string*" is not an object table**

**Cause:** The scoped table specified for a REF column is not an object table.

**Action:** Ensure that the scoped table is an object table. Then retry the operation.

**ORA-22887: type of REF column is not the same as that of its scoped table**

**Cause:** The type specified for the REF column and the type specified for the scope table are different.

**Action:** Ensure that the types of a REF column and its scoped table are the same.

**ORA-22888: duplicate SCOPE clauses for a REF column**

**Cause:** Multiple SCOPE clauses were specified for a single REF column.

**Action:** Remove the duplicate SCOPE clauses and retry the operation.

**ORA-22889: REF value does not point to scoped table**

**Cause:** An attempt was made to insert a REF value that does not point to the scoped table.

**Action:** Ensure that the REF values point to the scoped table.

**ORA-22890: cannot specify name for REF column constraint**

**Cause:** An attempt was made to specify a constraint name for a constraint on a REF column.

**Action:** Remove the constraint name and retry the operation.

**ORA-22891: cannot have multiple columns in REF constraint**

---

**Cause:** An attempt was made to specify multiple columns in a single REF constraint.

**Action:** Specify separate constraints for each column and retry the operation.

**ORA-22892: scoped table "*string*" does not exist in schema "*string*"**

**Cause:** The scoped table specified for a REF column does not exist.

**Action:** Ensure that the scoped table exists and retry the operation.

**ORA-22893: constraint can be specified only for REF columns**

**Cause:** The constraint specified does not apply to non-REF columns.

**Action:** Remove the constraint and retry the operation.

**ORA-22894: cannot add constraint on existing unscoped REF columns of non-empty tables**

**Cause:** An attempt was made to add a constraint to existing unscoped REF columns of a table which contains one or more rows.

**Action:** Remove the constraint specification or add the constraint after emptying the table.

**ORA-22895: referenced table "*string*" in schema "*string*" is not an object table**

**Cause:** The referenced table specified for a REF column is not an object table.

**Action:** Ensure that the referenced table is an object table. Then retry the operation.

**ORA-22896: cannot have both scope and referential constraint on REF column "*string*"**

**Cause:** REF column has both a referential and a scope constraint. A referential constraint implies a scope constraint.

**Action:** Remove either the referential or scope constraint and then retry the operation.

**ORA-22897: no scope clause specified for user-defined REF column "*string*"**

**Cause:** User-defined REF column does not have a scope constraint.

**Action:** Specify a scope constraint for the user-defined REF column and retry the operation.

**ORA-22898: existing scope clause on "*string*" points to a table other than the one mentioned in the referential constraint**

**Cause:** Table mentioned in the referential integrity constraint is different from the scope table of the REF column.

**Action:** Specify the scope table of the REF column in the referential integrity constraint and then retry the operation.

**ORA-22899: cannot specify both scope and rowid constraint on ref column**

**Cause:** An attempt was made to specify both a scope and a rowid constraint on a REF column.

**Action:** Remove either the rowid or scope constraint and then retry the operation.

**ORA-22900: the SELECT list item of THE subquery is not a collection type**

**Cause:** The THE subquery must SELECT a nested table or VARRAY item.

**Action:** change the subquery to SELECT a nested table or VARRAY item.

---

**ORA-22901: cannot compare nested table or VARRAY or LOB attributes of an object type**

**Cause:** Comparison of nested table or VARRAY or LOB attributes of an object type was attempted in the absence of a MAP or ORDER method.

**Action:** define a MAP or ORDER method for the object type.

**ORA-22902: CURSOR expression not allowed**

**Cause:** CURSOR on a subquery is allowed only in the top-level SELECT list of a query.

**Action:** None

**ORA-22903: MULTISET expression not allowed**

**Cause:** MULTISET expressions are allowed only inside a CAST to a nested table or VARRAY type.

**Action:** put the MULTISET(subquery) expression inside a CAST to a nested table or VARRAY type.

**ORA-22904: invalid reference to a nested table column**

**Cause:** invalid use of a nested table column

**Action:** remove invalid reference to the nested table column

**ORA-22905: cannot access rows from a non-nested table item**

**Cause:** attempt to access rows of an item whose type is not known at parse time or that is not of a nested table type

**Action:** use CAST to cast the item to a nested table type

**ORA-22906: cannot perform DML on expression or on nested table view column**

**Cause:** Attempted to perform a DML on an expression or on a nested table view column where a nested table column of a base table is expected.

**Action:** Only nested table column of a base table is allowed in the DML.

**ORA-22907: invalid CAST to a type that is not a nested table or VARRAY**

**Cause:** Attempted to CAST to a type that is not a nested table or VARRAY

**Action:** Re-specify CAST to a nested table or VARRAY type.

**ORA-22908: reference to NULL table value**

**Cause:** The evaluation of the THE subquery or nested table column resulted in a NULL value implying a NULL table instance. The THE subquery or nested table column must identify a single non-NULL table instance.

**Action:** Ensure that the evaluation of the THE subquery or nested table column results in a single non-null table instance. If happening in the context of an insert statement where the THE subquery is the target of an insert, then ensure that an empty nested table instance is created by updating the nested table column of the parent table's row specifying an empty nested table constructor.

**ORA-22909: exceeded maximum VARRAY limit**

**Cause:** The total number of elements used in VARRAY construction exceeds the specified VARRAY limit.

**Action:** Don't use the more than the specified limit of elements for VARRAY construction.

**ORA-22910: cannot specify schema name for nested tables**

---

**Cause:** Table name was qualified with schema name in the nested table column's (or attribute's) storage clause.

**Action:** Re-specify the nested table item's storage clause without the schema name qualification. By default, the storage table for the nested table item is created in the same schema as the containing table.

**ORA-22911: duplicate storage specification for the nested table item**

**Cause:** The storage clause is specified more than once for the NESTED TABLE column.

**Action:** Remove the duplicate storage specification.

**ORA-22912: specified column or attribute is not a nested table type**

**Cause:** The storage clause is specified for a column or attribute that is not a nested table column or attribute.

**Action:** Specify a valid nested table column or attribute.

**ORA-22913: must specify table name for nested table column or attribute**

**Cause:** The storage clause is not specified for a nested table column or attribute.

**Action:** Specify the nested table storage clause for the nested table column or attribute.

**ORA-22914: DROP of nested tables not supported**

**Cause:** Attempted to DROP a nested table.

**Action:** nested tables cannot be explicitly dropped. nested tables can only be dropped by dropping their containing parent table.

**ORA-22915: cannot ALTER a nested table's storage table to ADD/MODIFY columns**

**Cause:** any such change.

**Action:** Columns cannot be added or modified for a nested table's storage table. You must alter the parent table's nested table column to

**ORA-22916: cannot do an exact FETCH on a query with Nested cursors**

**Cause:** Exact FETCH on a query was specified which is not allowed if the query returns any cursors.

**Action:** Do not use an exact FETCH.

**ORA-22917: use VARRAY to define the storage clause for this column or attribute**

**Cause:** Not using VARRAY to define storage clause for VARRAY column or attribute.

**Action:** Specify VARRAY before the column storage clause and resubmit statement.

**ORA-22918: specified column or attribute is not a VARRAY type**

**Cause:** Attempt to define a VARRAY storage clause for a column or attribute which is not VARRAY type.

**Action:** Specify VARRAY storage clause for a VARRAY column or attribute.

**ORA-22919: dangling REF error or lock object failed for no wait request**

**Cause:** The error could be one of the following. The object corresponding to the REF does not exist or the object was locked by another user and the lock with nowait request failed.

---

**Action:** Ensure that the REF value is pointing to an existing object or issue a lock request without the nowait option.

**ORA-22920: row containing the LOB value is not locked**

**Cause:** The row containing the LOB value must be locked before updating the LOB value.

**Action:** Lock the row containing the LOB value before updating the LOB value.

**ORA-22921: length of input buffer is smaller than amount requested**

**Cause:** The buffer length is not big enough to hold the amount of data requested.

**Action:** Verify that the number of bytes/characters specified in the input amount parameter is not bigger than the number of bytes specified in the input buffer length parameter. Allocate more space for the input buffer if necessary.

**ORA-22922: nonexistent LOB value**

**Cause:** The LOB value associated with the input locator does not exist. The information in the locator does not refer to an existing LOB.

**Action:** Repopulate the locator by issuing a select statement and retry the operation.

**ORA-22923: amount of data specified in streaming LOB write is 0**

**Cause:** Trying to write LOB value via the streaming mechanism (i.e. unlimited write) but the input amount of data to stream was specified as 0. Thus, the user is trying to write 0 bytes to the LOB value.

**Action:** Write more than 0 bytes to the LOB value.

**ORA-22924: snapshot too old**

**Cause:** The version of the LOB value needed for the consistent read was already overwritten by another writer.

**Action:** Use a larger version pool.

**ORA-22925: operation would exceed maximum size allowed for a LOB value**

**Cause:** Trying to write too much data to the LOB value. LOB size is limited to 4 gigabytes.

**Action:** Either start writing at a smaller LOB offset or write less data to the LOB value.

**ORA-22926: specified trim length is greater than current LOB value's length**

**Cause:** The input length for which to trim the LOB value to is greater than the current length of the LOB value.

**Action:** May not need to trim the LOB value because it's already smaller than the trim length specified. Or, if trimming the LOB value really is required, use a smaller trim length.

**ORA-22927: invalid LOB locator specified**

**Cause:** There are several causes: (1) the LOB locator was never initialized; (2) the locator is for a BFILE and the routine expects a BLOB/CLOB/NCLOB locator; (3) the locator is for a BLOB/CLOB/NCLOB and the routine expects a BFILE locator; (4) trying to update the LOB in a trigger body -- LOBs in trigger bodies are read only.

**Action:** For (1), initialize the LOB locator by selecting into the locator variable or by setting the LOB locator to empty. For (2) and (3), pass the correct type of locator into the routine. For (4), remove the trigger body code that updates the LOB value.

---

**ORA-22928: invalid privilege on directories**

**Cause:** An attempt was made to grant or revoke an invalid privilege on a directory.

**Action:** Only CREATE, DELETE, READ and WRITE privileges can be granted or revoked on directories. Do not grant or revoke other privileges.

**ORA-22929: invalid or missing directory name**

**Cause:** The required directory name is invalid or missing.

**Action:** Specify a valid name.

**ORA-22930: directory does not exist**

**Cause:** Attempt to access a directory that does not exist.

**Action:** Make sure the name is correct.

**ORA-22933: cannot change object with type or table dependents**

**Cause:** Attempt to replace, drop or rename an object with type or table dependents.

**Action:** Drop depending objects or use FORCE option if available.

**ORA-22950: cannot ORDER objects without MAP or ORDER method**

**Cause:** an object type must have a MAP or ORDER method defined for all comparisons other than equality and inequality comparisons.

**Action:** Define a MAP or ORDER method for the object type

**ORA-22951: NULL returned by ORDER method**

**Cause:** ORDER method used to compare two object values returned NULL which is not allowed.

**Action:** Redefine the ORDER method to not return a NULL.

**ORA-22952: Nested Table equality requires a map method on the element ADT**

**Cause:** Nested Table equality was tried where the element ADT did not have a map method defined on it.

**Action:** Define a map method on the element ADT..

**ORA-22953: Cardinality of the input to powermultiset exceeds maximum allowed**

**Cause:** The cardinality of the input nested table to the powermultiset should not exceed 32 elements

**Action:** Reduce the number of elements to the input.

**ORA-22954: This multiset operation is not supported for this element type.**

**Cause:** The multiset operation attempted was not supported for the nested table element type.

**Action:** Use a supported element type.

**ORA-22955: The cardinality parameter is not within the allowed limits**

**Cause:** The cardinality parameter has to be greater than 1 and less than or equal to the cardinality of the input.

**Action:** Give a valid cardinality value.

**ORA-22956: The set contains no elements**

**Cause:** An empty set was given as input to the powermultiset function.

---

**Action:** Give a non-empty set as input

**ORA-22957: NULL is an invalid input to powermultiset and COLLECT functions**

**Cause:** NULL was given as input to the powermultiset or COLLECT function.

**Action:** Give a non-null value as input

**ORA-22958: This operation is not allowed in check constraints or triggers**

**Cause:** An invalid operation is used in a check constraint or trigger

**Action:** Do not use the operation

**ORA-22970: name does not correspond to an object view**

**Cause:** Either the expression is not a view name or the name specified does not correspond to an object view.

**Action:** Replace the expression with the name of an object view.

**ORA-22971: invalid datatype for PRIMARY KEY-based object identifier**

**Cause:** When creating an object view, the datatype of an expression in the WITH OBJECT OID clause is not allowed for PRIMARY KEY-based OID.

**Action:** Replace the expression with one of appropriate scalar datatype.

**ORA-22972: NULL value not allowed in PRIMARY KEY-based object identifier**

**Cause:** A value constituting the PRIMARY KEY-based object identifier is NULL.

**Action:** Ensure the expressions in MAKE\_REF system function or attributes in the WITH OBJECT OID clause of an object view do not evaluate to NULL.

**ORA-22973: size of object identifier exceeds maximum size allowed**

**Cause:** Size of the PRIMARY KEY-based object identifier of an object view exceeds the maximum size of 4000 bytes.

**Action:** Specify fewer or smaller PRIMARY KEY attributes in the WITH object OID clause when creating the object view.

**ORA-22974: missing WITH OBJECT OID clause**

**Cause:** WITH OBJECT OID clause is not specified when creating an object view.

**Action:** Specify the WITH OBJECT OID clause.

**ORA-22975: cannot create a PRIMARY KEY-based REF to this object view**

**Cause:** The object view specified in the MAKE\_REF function does not have a PRIMARY KEY-based object identifier. A PRIMARY KEY-based REF cannot be created for such a view.

**Action:** Specify an object view that has a PRIMARY KEY-based object identifier in the MAKE\_REF function.

**ORA-22976: incorrect number of arguments to MAKE\_REF**

**Cause:** Number of arguments for MAKE\_REF is different from the number of PRIMARY KEY attributes of the object view.

**Action:** Specify all the necessary arguments for MAKE\_REF.

**ORA-22977: missing or invalid attribute**

**Cause:** Either the attribute name is missing in the WITH OBJECT OID clause or it is invalid.

**Action:** Specify a valid attribute of the object type of the object view.

---

**ORA-22978: only simple attribute name is allowed in the WITH OBJECT OID clause**

**Cause:** Attempted to specify a Nested attribute in the WITH OBJECT OID clause.

**Action:** Specify a top-level attribute of the object type of the object view.

**ORA-22979: cannot INSERT object view REF or user-defined REF**

**Cause:** Attempt to insert an object view REF or user-defined REF in a REF column created to store system generated REF values"

**Action:** Make sure the REF to be inserted is not from an object view or from a user-defined REF column

**ORA-22980: must specify a set of attributes for the WITH OBJECT OID clause**

**Cause:** The WITH OBJECT OID DEFAULT clause was used, but the underlying view or table does not have a OID.

**Action:** Specify attributes for the WITH OBJECT OID clause to create a primary key based object identifier for the object view.

**ORA-22981: must specify a table/view having system generated OID**

**Cause:** The super-view is based on a table/view having the system generated OID and the sub-view must also be based on a similar table/view.

**Action:** Specify table/view having system generated OID and retry the the operation.

**ORA-22982: cannot create sub-view under this view**

**Cause:** The view derives its OID from a table/view having primary key based OID and sub-views cannot be created under such views.

**Action:** Specify view having system generated OID or a view created with the specification of attributes in the WITH OBJECT ID clause and retry the operation.

**ORA-22983: not a user-defined REF**

**Cause:** Attempt to use a system generated REF value where a user-defined REF value should be used.

**Action:** Make sure the REF value is user-defined.

**ORA-22984: view query cannot contain references to a super view**

**Cause:** The query defining the view contains references to a super-view of the view being created.

**Action:** Make sure that the view query does not reference a super-view.

**ORA-22990: LOB locators cannot span transactions**

**Cause:** A LOB locator selected in one transaction cannot be used in a different transaction.

**Action:** Re-select the LOB locator and retry the operation.

**ORA-22991: insufficient space allocated for argument *string***

**Cause:** The data to be returned in the argument is greater than the amount of space allocated for the argument.

**Action:** Allocate more space for the argument.

**ORA-22992: cannot use LOB locators selected from remote tables**

**Cause:** A remote LOB column cannot be referenced.

**Action:** Remove references to LOBs in remote tables.

---

**ORA-22993: specified input amount is greater than actual source amount**

**Cause:** (1) For LOB write, the amount of data received is different from the amount that was indicated would be sent. (2) For LOB copy and loadfromfile, the end of the source LOB/FILE value was reached before the specified input amount was copied/loaded.

**Action:** (1) will happen when using OCI's piecewise mechanism with polling or with a callback function. Modify the code either to send the amount specified or to pass 0 as the input amount so that any amount of data can be sent. (2) will happen if the specified input amount is too large for the source LOB/FILE given the starting source offset. Either decrease the starting source offset, or decrease the amount to copy/load.

**ORA-22994: source offset is beyond the end of the source LOB**

**Cause:** The source offset for a LOB COPY or LOB LOADFROMFILE is beyond the end of the source LOB.

**Action:** Check the length of the LOB and then adjust the source offset.

**ORA-22995: TABLESPACE DEFAULT option is invalid in this context**

**Cause:** TABLESPACE DEFAULT option can be specified for LOB columns only in the following contexts:

- at the table level for a partitioned table
- at the partition level for a composite partition. An attempt was made to use the TABLESPACE DEFAULT option in a different context.

**Action:** Remove the TABLESPACE DEFAULT option.

**ORA-22996: NEXT extent size is smaller than LOB chunksize**

**Cause:** An attempt was made to create or alter a LOB segment so that its NEXT extent size was less than the LOB chunksize

**Action:** Specify a NEXT extent size that is greater than or equal to the LOB chunksize

**ORA-22997: VARRAY | OPAQUE stored as LOB is not specified at the table level**

**Cause:** An attempt was made to specify a VARRAY | OPAQUE column to be stored as LOB at the partition/subpartition/template level. However the VARRAY | OPAQUE column was not specified to be stored as LOB at the table level when the table was created.

**Action:** Specify the VARRAY | OPAQUE column to be stored as LOB at the table level when the table is created. Alternatively, do not specify the VARRAY | OPAQUE column to be stored as LOB at the partition/subpartition/template level if it is not specified at the table level when the table is created.

**ORA-22998: CLOB or NCLOB in multibyte character set not supported**

**Cause:** A CLOB or NCLOB in a fixed-width or varying-width multibyte character set was passed to a SQL character function which does not support multibyte LOB data.

**Action:** Use DBMS\_LOB functions such as DBMS\_LOB.INSTR() and DBMS\_LOB.SUBSTR()

**ORA-22999: CLOB or NCLOB data may have been corrupted**

**Cause:** CLOB or NCLOB contains invalid character data. One possible cause is that the wrong csid was specified for the external file when calling DBMS\_

---

LOB.LOADCLOBFROMFILE or DBMS\_XSLPROCESSOR.READ2CLOB to load CLOB or NCLOB data from external files.

**Action:** Reload the CLOB/NCLOB data with the correct csid specified for the external file.

**ORA-23290: This operation may not be combined with any other operation**

**Cause:** ALTER TABLE RENAME COLUMN/CONSTRAINT operation was given in conjunction with another ALTER TBALE Operation. This is not allowed.

**Action:** Ensure that RENAME COLUMN/CONSTRAINT is the only operation specified in the ALTER TABLE.

**ORA-23291: Only base table columns may be renamed**

**Cause:** Tried to rename a column of a non-base table, like object table/ nested table/ materialized view table.

**Action:** None. This is not allowed.

**ORA-23292: The constraint does not exist**

**Cause:** The given constraint name does not exist.

**Action:** Give an existing constraint's name.

**ORA-23293: Cannot rename a column which is part of a join index**

**Cause:** The column participates in a join index.

**Action:** If you need to rename the column, you need to drop the join index.

**ORA-23300: *string***

**Cause:** The stored procedure "raise\_system\_error" was called which causes this error to be generated.

**Action:** Correct the problem as described in the error message or contact the application administrator or DBA for more information.

**ORA-23301: mixed use of deferred rpc destination modes**

**Cause:** Replication catalog determined deferred RPC destinations were mixed with destination determined by other mechanisms in the same transaction.

**Action:** Do not mix destination types in the same transaction.

**ORA-23302: application raised communication failure during deferred RPC**

**Cause:** An application declared a communication failure during a defered RPC.

**Action:** Retry the application when communication is restored.

**ORA-23303: application raised generic exception during deferred RPC**

**Cause:** An application declared a generic failure during a defered RPC.

**Action:** Determined by the application

**ORA-23304: malformed deferred rpc at arg *string* of *string* in call *string*, in tid *string***

**Cause:** A deferred RPC call was issued without the correct number of arguments as determined by the count parameter to dbms\_defer.call

**Action:** Be sure the number of actuals matches the count.

**ORA-23305: internal deferred RPC error: *string***

**Cause:** An internal error occurred in deferred rpc.

**Action:** Report the error and other information to support.

---

**ORA-23306: schema *string* does not exist**

**Cause:** The schema name was null or misspelled, or the schema does not exist locally.

**Action:** Specify the schema correctly, or create it with CREATE USER.

**ORA-23307: replicated schema *string* already exists**

**Cause:** The given database already replicates the given schema.

**Action:** Choose a different schema or a different database.

**ORA-23308: object *string.string* does not exist or is invalid**

**Cause:** The given name was null or misspelled, the given type was wrong, the object does not exist as a valid database object, or the object does not exist as a replicated object with the appropriate status.

**Action:** Ensure the object is valid in the database, is visible to the user, and, if appropriate, is a valid object in all\_repobject.

**ORA-23309: object *string.string* of type *string* exists**

**Cause:** An object in the same namespace exists, perhaps with a different type or shape, or the same object has already been registered as an repobject in another object group.

**Action:** Remove the offending object with the SQL DROP command, unregister the offending object with dbms\_repat.drop\_master\_repobject(), or reinvoke the request using TRUE for a boolean parameter such as retry or use\_existing\_object.

**ORA-23310: object group "*string*"."*string*" is not quiesced**

**Cause:** The requested operation requires the object group to be suspended.

**Action:** Invoke suspend\_master\_activity at the repgroup's masterdef, wait until the status has changed to quiesced, and then retry the original request.

**ORA-23312: not the masterdef according to *string***

**Cause:** The group name is null, the group name is misspelled, the invocation or given database is not the masterdef, or one of the masters does not believe the invocation database is the masterdef.

**Action:** If the given group name and masterdef were both correct, connect to the masterdef and retry the request, or relocate the masterdef at the (errant) databases using relocate\_masterdef.

**ORA-23313: object group "*string*"."*string*" is not mastered at *string***

**Cause:** The group name is null, the group name is misspelled, the invocation database is not a master, or the invocation database does not believe the given database is a master.

**Action:** If the given group name was correct, connect to a current master and retry the request, make the invocation database a master with add\_master\_database, or use switch\_mview\_master if the invocation database is a materialized view site.

**ORA-23314: database is not a materialized view site for "*string*"."*string*"**

**Cause:** The invocation database is not a materialized view database for the given object group.

**Action:** Connect to the desired materialized view database and retry the request, or make the invocation database a materialized view site with create\_mview\_repschema or create\_mview\_repgroup.

**ORA-23315: repcatlog version or request *string* is not supported by version *string***

---

**Cause:** Either incompatible repcat versions are used, or a repcatlog record has been corrupted.

**Action:** Convert the master to a compatible version of repcat or retry the request.

**ORA-23316: the masterdef is *string***

**Cause:** The requested operation is not permitted on a masterdef site.

**Action:** Relocate the masterdef to another master and retry the operation.

**ORA-23317: a communication failure has occurred**

**Cause:** The remote database is inaccessible.

**Action:** Ensure the remote database is running, the communications network is functioning, and the appropriate database links are present.

**ORA-23318: a ddl failure has occurred**

**Cause:** User-supplied or system-generated ddl did not execute successfully.

**Action:** Examine ddl, database state, repcatlog, and all\_errors to determine why the failure occurred.

**ORA-23319: parameter value *string* is not appropriate**

**Cause:** The given value of a parameter is either null, misspelled, or not supported.

**Action:** Refer to the documentation and use parameter values that are appropriate for the given situation.

**ORA-23320: the request failed because of values *string* and *string***

**Cause:** A missing ddl record for a repcatlog record, or inconsistency in repcat views.

**Action:** Retry the request, or make the views consistent.

**ORA-23321: Pipename may not be null**

**Cause:** You called dbms\_pipe with a null pipe name.

**Action:** Find out the name of the pipe and call function with non-null pipename.

**ORA-23322: Privilege error accessing pipe**

**Cause:** You either tried to create a pipe that already existed and belonged to someone else, or remove a pipe that you were not authorized to use, or put a message into a pipe that you were not authorized for, or get a message from a pipe that you were not authorized for.

**Action:** You may have to use a different pipename.

**ORA-23323: parameter length exceeds deferred RPC limits**

**Cause:** A deferred rpc parameter was longer than the deferred rpc limits of 4000 bytes for char/varchar2 parameters and 2000 bytes for raw parameters.

**Action:** Use smaller parameters.

**ORA-23324: error *string*, while creating deferror entry at "*string*" with error *string***

**Cause:** The given error was encountered while attempting to create a deferror entry for the give error code and the give database.

**Action:** Correct the cause of the given error.

**ORA-23325: parameter type is not *string***

**Cause:** A conflict resolution priority function was given a type different than the type assigned to the priority group; or the priority group has no type assigned or a

---

function; or `dbms_defer_sys_query` was called to retrieve a deferred rpc parameter from the deferred rpc queue, but the type of the parameter does not match the return type of the function.

**Action:** Use the function corresponding to the parameter type.

**ORA-23326: object group "*string*"."*string*" is quiesced**

**Cause:** Either `suspend_master_activity` has been called before the object group has resumed normal operation or a (deferred) rpc operation was attempted while the object group was quiesced.

**Action:** If `suspend_master_activity` has been called and a `resume_master_activity` request is pending, wait until it completes, and then reinvoke `suspend_master_activity`. Otherwise, resume database activity with the `resume_master_activity` call.

**ORA-23327: imported deferred rpc data does not match *string* of importing db**

**Cause:** Deferred rpc queues were imported from a database with a different global name or operating system than importing database.

**Action:** Deferred rpc data should only be imported into a database with the same global name and hardware and operating system.

**ORA-23328: mview base table "*string*"."*string*" differs from master table "*string*"."*string*"**

**Cause:** When creating a materialized view through `repcat`, the materialized view base table name did not match a replicated table name at the master.

**Action:** Change the materialized view ddl to use the same base table as the replicated table name at the master.

**ORA-23329: successful user-provided ddl but no materialized view "*string*"."*string*"**

**Cause:** The DDL provided by the user to create a materialized view was executed without error, but materialized view does not exist.

**Action:** Manually back-out the DDL, and reregister with matching ddl and materialized view.

**ORA-23330: column group *string* already exists**

**Cause:** The column group was already registered in the object group.

**Action:** Use a column group name not yet registered in the replicated object group.

**ORA-23331: column group *string* does not exist**

**Cause:** The given column group is either null, misspelled or not registered.

**Action:** Use a registered column group.

**ORA-23332: group *string* is in use; cannot drop**

**Cause:** The given column group or priority group is being used to resolve conflicts.

**Action:** Call `dbms_repcat` procedures `drop_update_resolution`, `drop_delete_resolution`, `drop_unique_resolution` so that the column group or priority group is no longer in use before dropping.

**ORA-23333: column *string* is already part of a column group**

**Cause:** Attempted to add a column to a column group when the column was already a member of a column group.

---

**Action:** Drop the column from its existing column group before trying to add it to another.

**ORA-23334: column *string* does not exist in table or column group**

**Cause:** The given column is either null, misspelled or is not part of the given table or column group.

**Action:** Use a column that is a member of the table or column group.

**ORA-23335: priority group *string* already exists**

**Cause:** The priority group was already registered in the object group.

**Action:** Use a column group name not yet registered in the object group.

**ORA-23336: priority group *string* does not exist**

**Cause:** The priority group was already registered in the object group.

**Action:** Use a priority group name not yet registered in the object group.

**ORA-23337: priority or value not in priority group *string***

**Cause:** The specified value or priority has not been registered as part of the priority group.

**Action:** Either specify a different value or priority that is already part of the priority group, or add the value to the priority group.

**ORA-23338: priority or value already in priority group *string***

**Cause:** The specified value or priority has already been registered as part of the priority group.

**Action:** Either specify a different value or priority that not already part of the priority group, or drop the value to the priority group.

**ORA-23339: duplicate conflict resolution information**

**Cause:** The specified combination of column group, sequence, conflict type and/or parameter table name, parameter column name, and parameter sequence number has already been registered.

**Action:** Verify that additional conflict resolution information needs to be added and provide a new sequence number. If modifying existing information, the existing information must be dropped first.

**ORA-23340: incorrect resolution method *string***

**Cause:** User function is specified when conflict resolution method was not "USER FUNCTION" or specified resolution method is not one of the predefined methods.

**Action:** If user function is specified when conflict resolution method was not "USER FUNCTION", either reregister function with method as "USER FUNCTION" or specify a NULL user function. Otherwise Specify one of the documented supported conflict resolution methods.

**ORA-23341: user function required**

**Cause:** A NULL user function was specified for the "USER FUNCTION" method.

**Action:** Provide user function name (e.g., "schema"."package"."function") that conforms to the documented user function specifications or specify one of the documented supported conflict resolution methods.

**ORA-23342: invalid parameter column *string***

**Cause:** The parameter column name is null or misspelled, the invocation database is not a master, or is of the wrong type for the specified conflict resolution method.

---

**Action:** Specify a parameter column from the specified column group that has a correct type for the conflict resolution method.

**ORA-23343: no match for specified conflict resolution information**

**Cause:** The specified combination of column group, sequence, conflict type has not been registered (e.g., for adding a comment).

**Action:** Specify a combination of column group, sequence, conflict type has been registered.

**ORA-23344: constraint (*string.string*) does not exist**

**Cause:** A null, misspelled or nonexistent constraint was specified when registering a uniqueness conflict.

**Action:** Register a named constraint for the specified table.

**ORA-23345: table "*string*"."*string*" not registered to collect statistics**

**Cause:** A procedure that deals with conflict resolution statistics-gathering was called for a table that was not registered to collect statistics.

**Action:** Call `dbms_repcat.register_statistics` to register the table.

**ORA-23346: primary key or object ID is undefined for table or materialized view *string***

**Cause:** Trying to generate replication support for a table or materialized view without a primary key (as defined by a constraint or `dbms_repcat.set_columns`) or an object ID.

**Action:** For a table, add a primary key constraint or define a primary key using `dbms_repcat.set_columns` or use object tables. For a ROWID materialized view, set `min_communication` to false or use primary key or object ID materialized views.

**ORA-23347: datatype *string* for column *string* table *string* not supported**

**Cause:** The table has a column whose datatype is not supported by `repcat`.

**Action:** Remove the column from the table, or alter the column to have one of the supported datatypes.

**ORA-23348: cannot replicate procedure *string*; only IN parameters supported**

**Cause:** Trying to generate replication support for a package that has a procedure with OUT or IN OUT parameters.

**Action:** Remove the procedure from the package, or remove the OUT or IN OUT parameters from the procedure.

**ORA-23349: cannot generate replication support for functions**

**Cause:** Trying to generate replication support for a package that has a public function, or for a stand-alone function.

**Action:** Remove the public function from the package, or alter the function to be a procedure.

**ORA-23350: maximum number of recursive calls exceeded**

**Cause:** This usually occurs when trying to resolve conflicts in a table while concurrent updates to the same row create more conflicts.

**Action:** Re-execute the deferred transaction from `DefError` using `dbms_defer_sys.execute_error`

**ORA-23351: parameter datatype *string* for procedure *string* not supported**

---

**Cause:** The procedure has a parameter whose datatype is not supported by repcat.

**Action:** Remove the parameter from the procedure, or alter the parameter to have one of the supported datatypes.

**ORA-23352: duplicate destination for deferred transaction**

**Cause:** A duplicate destination was specified for a deferred transaction either in a dbms\_defer.call call or an earlier dbms\_defer.transaction call or a dbms\_defer\_sys.add\_default\_dest call.

**Action:** Remove the duplicate entry

**ORA-23353: deferred RPC queue has entries for object group "*string*"."*string*"**

**Cause:** The requested action cannot be performed until the queue is empty for the given object group

**Action:** Use dbms\_defer\_sys.execute or dbms\_defer\_sys.delete\_tran to empty the queue.

**ORA-23354: deferred RPC execution disabled for "*string*" with "*string*"**

**Cause:** Deferred RPC can not be executed at the destination with the specified catchup value because their propagation has been disabled.

**Action:** Enable deferred RPC execution with the dbms\_defer\_sys.set\_disabled call.

**ORA-23355: object *string.string* does not exist or is invalid at master site**

**Cause:** The given name was null or misspelled, the given type was wrong, the object does not exist as a valid database object at the master site, or the object does not exist as a replicated object with the appropriate status.

**Action:** Ensure the object is valid in the master database, and is visible to the user, and, if appropriate, is a valid object in all\_repobject.

**ORA-23356: masterdef recognizes a master which does not recognize the masterdef**

**Cause:** Possibly drop\_master\_repgroup was run at a master site but remove\_master\_databases was not run at master definition site for that master.

**Action:** Run remove\_master\_databases from master definition site to remove the appropriate master (see associated error messages).

**ORA-23357: the propagator does not exist**

**Cause:** The propagator does not exist.

**Action:** Register a new propagator.

**ORA-23358: invalid remote user**

**Cause:** The local user does not match the remote user connected via a database link.

**Action:** Drop and recreate the identified database link with the connect-to user identical to the owner of the database link.

**ORA-23359: error on creating a ddl record for a repcatlog record**

**Cause:** The userid in the repcatlog record does not match the userid of the connected user.

**Action:** Retry the operation with a different user.

**ORA-23360: only one materialized view for master table "*string*" can be created**

---

**Cause:** Trying to create more than one materialized view on a given master table in the same rep group.

**Action:** Create these other materialized views in a different rep group at another site.

**ORA-23361: materialized view "*string*" does not exist at master site**

**Cause:** The materialized view does not exist at the master site for offline instantiation of the materialized view.

**Action:** The correct procedure is to create the materialized view in a different schema at the master site, and then follow the instructions for offline instantiation of materialized views.

**ORA-23362: invalid user**

**Cause:** The given user does not exist.

**Action:** None

**ORA-23363: mismatch of mview base table "*string*" at master and mview site**

**Cause:** The name of the base table of the materialized view at the master site is different from the base table at the materialized view site. This error may arise during offline instantiation of materialized views.

**Action:** Retry offline instantiation with a materialized view name less than 24 bytes

**ORA-23364: Feature not enabled: Advanced replication**

**Cause:** The Advanced Replication feature is not enabled at this site. Updatable materialized views, deferred RPCs, and other replication features are, therefore, unavailable.

**Action:** Do not attempt to use this feature. Contact an Oracle Customer Support representative if the Advanced Replication feature has been purchased but not enabled.

**ORA-23365: site *string* does not exist**

**Cause:** site specified in argument "reference\_site" or argument "comparison\_site" in call to "differences()" routine or "rectify()" routine does not name an existing site.

**Action:** Make sure that database sites specified really do exist, and re-run the routine.

**ORA-23366: integer value *string* is less than 1**

**Cause:** Value of argument "max\_missing" to routine "differences()" cannot be less than 1. Value of argument "commit\_rows" to routines "differences()" and "rectify()" cannot be less than 1.

**Action:** Choose an integer value for those arguments to be 1 or greater.

**ORA-23367: table *string* is missing the primary key**

**Cause:** Table specified in argument "oname1" or "oname2" in call to "differences()" routine does not contain either a primary key or a virtual primary key (defined through dbms\_repat package under symmetric replication).

**Action:** Make sure the tables specified have a primary key defined.

**ORA-23368: name *string* cannot be null or the empty string**

**Cause:** Argument "sname1," "sname2," "oname1," "oname2," "missing\_rows\_sname," "missing\_rows\_oname1," "missing\_rows\_oname2" to "differences()" or "rectify()" cannot be NULL or "" (empty string).

---

**Action:** Change argument to non-null or non-empty string.

**ORA-23369: value of "string" argument cannot be null**

**Cause:** Argument "max\_missing" to "differences()" routine cannot be NULL.

**Action:** Legal values for "max\_missing" are integers 1 or greater.

**ORA-23370: table *string* and table *string* are not shape equivalent (*string*)**

**Cause:** The tables specified are not shape equivalent, which means intuitively that the number of columns, the names, their datatypes and lengths are not the same. Specifically, problem is in the parentheses and is one of the following: the number of columns are not equal, datatypes of columns with same name in different tables are different, lengths of varchar2 and char columns are not equal, precision and scale of number datatypes are not equal.

**Action:** Make sure the two tables being compared have the same number of columns, same column names, and same datatypes.

**ORA-23371: column *string* unknown in table *string***

**Cause:** Some column in "array\_columns" argument (or "column\_list" argument) to "differences()" routine does not correspond to a column in the specified table.

**Action:** Make sure that all the columns in either "array\_columns" or "column\_list" are present in the specified table.

**ORA-23372: type *string* in table *string* is unsupported**

**Cause:** Certain types in the table comparison utility are not supported.

**Action:** Make sure that the types of columns in the tables to be compared are the ones supported by symmetric replication.

**ORA-23373: object group "*string*"."*string*" does not exist**

**Cause:** The group name was null or misspelled, or the group does not exist locally.

**Action:** Specify the group correctly, or create it with dbms\_repcat.create\_master\_repgroup().

**ORA-23374: object group "*string*"."*string*" already exists**

**Cause:** The given database already replicates the given object group. A materialized view repgroup cannot be created at a given site where a master repgroup with the same name already exists.

**Action:** Choose a different group or a different database.

**ORA-23375: feature is incompatible with database version at *string***

**Cause:** A feature not compatible with the specified database was used

**Action:** Set or raise the value of the "compatible" INIT.ORA parameter to match the necessary compatibility level.

**ORA-23376: node *string* is not compatible with replication version "*string*"**

**Cause:** A feature not compatible with the remote database was used

**Action:** Upgrade the remote database and retry the operation

**ORA-23377: bad name *string* for missing\_rows\_ownership1 argument**

**Cause:** An attempt was made to use the name of the reference site table as the name of the missing\_rows\_ownership1 argument.

---

**Action:** Provide a separately created table with a different name for missing\_rows\_ename1 argument. The separately created table will contain the differences between the tables being compared.

**ORA-23378: connection qualifier "*string*" is not valid for object group "*string*".*string*"**

**Cause:** The connection qualifier used in the database link for the specified object group does not match the qualifier specified for the group in create\_master\_repgroup.

**Action:** Use or create a database link which contains the correct connection qualifier.

**ORA-23379: connection qualifier "*string*" is too long**

**Cause:** The maximum length of a database link, including the connection qualifier, is 128 bytes.

**Action:** Use a shorter connection qualifier, or shorten the name of the database link

**ORA-23380: propagation mode "*string*" is not valid**

**Cause:** The specified propagation may be misspelled, or is not supported. For materialized view sites, all materialized view object groups at the same materialized view site with the same master object group must all have the same propagation method.

**Action:** Refer to the manual on replicated data for valid propagation modes. For materialized view sites, also ensure that the propagation modes of all materialized view object groups with the same master object group are the same.

**ORA-23381: generated object for base object *string.string@string* does not exist**

**Cause:** The system generated object(s) for the specified base object do not exist at the specified site. The current operation requires the base object to have generated replication support.

**Action:** Ensure that the generated replication object(s) for the base object exist and are valid at the specified site. If the generated object(s) do not exist, then the procedure dbms\_repcat.generate\_replication\_support() needs to be called from the master definition site for the base object. missing\_rows\_ename1 argument. The separately created table will contain the differences between the tables being compared.

**ORA-23382: materialized view repgroup "*string*".*string*" is not registered at site *string***

**Cause:** The materialized view repgroup is not currently registered at the master and so cannot be unregistered.

**Action:** None

**ORA-23383: registration for materialized view repgroup "*string*".*string*" failed at site *string***

**Cause:** Insertion into local repschema table failed.

**Action:** None

**ORA-23384: replication parallel push *string* argument out of range**

**Cause:** Specified numeric argument to dbms\_defer\_sys.push is invalid.

**Action:** Fix the argument value and try again.

- 
- ORA-23385: replication parallel push *string* argument not valid**  
**Cause:** Specified string argument to dbms\_defer\_sys.push is invalid.  
**Action:** Fix the argument value and try again.
- ORA-23386: replication parallel push cannot create slave processes**  
**Cause:** An error was occurred while creating slave processes for parallel push.  
**Action:** None
- ORA-23387: replication parallel push dequeue error**  
**Cause:** An attempt to dequeue a deferred transaction failed while trying to assign a new queue batch number.  
**Action:** None
- ORA-23388: replication parallel push watermark error**  
**Cause:** An error occurred during parallel push while trying to update the high-water-mark information in system.def\$\_destination.  
**Action:** None
- ORA-23389: obsolete procedure; drop objects and recreate using new master**  
**Cause:** dbms\_repcat.switch\_mview\_master is no longer supported.  
**Action:** Drop the objects in the object group and recreate them using the new master.
- ORA-23392: could not find materialized view to be associated with "*string*"."*string*"**  
**Cause:** Could not find materialized view associated with a trigger or index that is being pulled from the master site.  
**Action:** Ensure that materialized view, master, and master index or trigger is registered as replicated objects.
- ORA-23393: the user is already the propagator**  
**Cause:** The given user is already the current propagator.  
**Action:** None
- ORA-23394: duplicate propagator**  
**Cause:** More than one valid propagator exist.  
**Action:** Unregister any duplicate propagator.
- ORA-23395: object "*string*"."*string*" of type "*string*" does not exist or is invalid**  
**Cause:** The given name was null or misspelled, the given type was wrong, the object does not exist as a valid database object, or the object does not exist as a replicated object with the appropriate status.  
**Action:** Ensure the object is valid in the database, is visible to the user, and, if appropriate, is a valid object in all\_reobject.
- ORA-23396: database link "*string*" does not exist or has not been scheduled**  
**Cause:** the database link does not exist in the schema of the replication propagator or has not been scheduled.  
**Action:** Ensure that the database link exists in the database, is accessible and is scheduled for execution.
- ORA-23397: global name "*string*" does not match database link name "*string*"**

---

**Cause:** the database link name at the local node does not match the global name of the database that the link accesses.

**Action:** Ensure that global names is set to true and the link name matches the global name.

**ORA-23398: user name "*string*" at database link "*string*" does not match local user name "*string*"**

**Cause:** the user name of the replication administration user at the local node and the user name at the node corresponding to the database link are not the same. Symmetric replication expects the two users to be the same.

**Action:** Ensure that the user ID of the replication administration user at the local node and the user ID at the node corresponding to the database link are the same.

**ORA-23399: generation of replication support for "*string*".*string*" is not complete**

**Cause:** Replication support for the specified object has not been generated or the generation process is not yet complete.

**Action:** Ensure that replication support has been generated for the object. Use DBMS\_REPCAT.GENERATE\_REPLICATION\_SUPPORT() to generate replication support for the object.

**ORA-23400: invalid materialized view name "*string*"**

**Cause:** A null, misspelled, or badly formed materialized view name was given to dbms\_mview.refresh.

**Action:** Provide a valid materialized view name to dbms\_mview.refresh.

**ORA-23401: materialized view "*string*".*string*" does not exist**

**Cause:** A materialized view name was given to dbms\_mview.refresh that is not in sys.snap\$ or its associated views.

**Action:** Provide a materialized view name that is in sys.snap\$, all\_mviews or user\_mviews.

**ORA-23402: refresh was aborted because of conflicts caused by deferred txns**

**Cause:** There are outstanding conflicts logged in the DefError table at the materialized view's master.

**Action:** Resolve the conflicts in the master DefError table and refresh again after the table is empty. Alternatively, refresh with refresh\_after\_errors set to TRUE, which will proceed with the refresh even if there are conflicts in the master's DefError table. Proceeding despite conflicts can result with an updatable materialized view's changes appearing to be temporarily lost (until a refresh succeeds after the conflicts are resolved).

**ORA-23403: refresh group "*string*".*string*" already exists**

**Cause:** Making a new refresh group when there is already a group of the same name in sys.rgroup\$.

**Action:** Choose a different refresh group name.

**ORA-23404: refresh group "*string*".*string*" does not exist**

**Cause:** A refresh group name was given that is not in sys.rgroup\$.

**Action:** Provide a refresh group name that is in sys.rgroup\$ or dbs\_rgroup.

**ORA-23405: refresh group number *string* does not exist**

**Cause:** A refresh group number was given that is not in sys.rgroup\$.

---

**Action:** Provide a refresh group number that is in sys.rgroup\$ or dbs\_rgroup.

**ORA-23406: insufficient privileges on user "*string*"**

**Cause:** The caller is not the owner of the materialized view and does not have ALTER ANY MATERIALIZED VIEW privileges.

**Action:** Perform the operation as the owner of the materialized view or as a user with ALTER ANY MATERIALIZED VIEW privileges.

**ORA-23407: object name *string* must be shaped like "schema"."object" or "object"**

**Cause:** The object name (e.g., the rollback segment, the materialized view name, the refresh group) was incorrectly specified.

**Action:** Retry the operation with the object name properly specified (like "schema"."object" or "object")

**ORA-23408: this replication operation is not supported in a mixed configuration**

**Cause:** operation is not supported if the object group is replicated at a pre-V8 node.

**Action:** Ensure that all nodes of the replicated object group are V8.

**ORA-23409: could not find an unused refresh group number**

**Cause:** 1000 consecutive refresh group numbers, as defined by the rgroupseq number, were already used by rows in sys.rgroup\$.

**Action:** Alter the sequence number to be within a legal unused range and destroy unneeded refresh groups.

**ORA-23410: materialized view "*string*"."*string*" is already in a refresh group**

**Cause:** A materialized view of the same name is already in a refresh group.

**Action:** Subtract the materialized view from the current refresh group and add it to its new refresh group, or combine the two refresh groups into a single refresh group.

**ORA-23411: materialized view "*string*"."*string*" is not in refresh group "*string*"."*string*"**

**Cause:** The specified materialized view is not in the specified refresh group.

**Action:** Try again with the proper materialized view and refresh group names.

**ORA-23412: master table's primary key columns have changed**

**Cause:** The master table's primary key constraint was modified after the primary key materialized view was created.

**Action:** Drop and recreate the primary key materialized view

**ORA-23413: table "*string*"."*string*" does not have a materialized view log**

**Cause:** The fast refresh can not be performed because the master table does not contain a materialized view log.

**Action:** Use the CREATE MATERIALIZED VIEW LOG command to create a materialized view log on the master table.

**ORA-23414: materialized view log for "*string*"."*string*" does not record rowid values**

**Cause:** A rowid materialized view is being fast refreshed, but the materialized view log does not record rowid information.

**Action:** Use the CREATE MATERIALIZED VIEW LOG...ADD ROWID command to begin recording rowid information in the materialized view log.

---

**ORA-23415: materialized view log for "string"."string" does not record the primary key**

**Cause:** A primary key materialized view is being fast refreshed, but the materialized view log does not record primary key information.

**Action:** Use the CREATE MATERIALIZED VIEW LOG...ADD PRIMARY KEY command to begin recording primary key information in the materialized view log.

**ORA-23416: table "string"."string" does not contain a primary key constraint**

**Cause:** The master table does not contain a primary key constraint or the primary key constraint has been disabled.

**Action:** Create a primary key constraint on the master table or enable the existing constraint.

**ORA-23417: unknown materialized view type: string**

**Cause:** A fast refresh is being performed on a materialized view of an unknown or unsupported type.

**Action:** Check all\_mvviews and ensure that the materialized view being refreshed is a valid materialized view.

**ORA-23418: cannot unregister the propagator who is currently in use**

**Cause:** The propagator is currently used in propagating replication RPCs.

**Action:** Try again later when there is no transaction active in propagating replication RPCs.

**ORA-23419: regenerate replication support before resuming master activity**

**Cause:** There are tables in the object group that require regeneration of replication support.

**Action:** Check the generation\_status column in the all\_reobjects view. Regenerate replication support for any table in the object group with a "NEEDSGEN" status. Resume master activity.

**ORA-23420: interval must evaluate to a time in the future**

**Cause:** The parameter "interval" evaluates to a time earlier than SYSDATE.

**Action:** Choose an expression that evaluates to a time later than SYSDATE.

**ORA-23421: job number string is not a job in the job queue**

**Cause:** There is no job visible to the caller with the given job number.

**Action:** Choose the number of a job visible to the caller.

**ORA-23422: Oracle Server could not generate an unused job number**

**Cause:** Oracle Server could not generate a job number that was not used to identify another job.

**Action:** Retry the operation.

**ORA-23423: job number string is not positive**

**Cause:** The given job number is less than 1.

**Action:** Choose a positive integer.

**ORA-23424: materialized view "string"."string" at string not registered**

**Cause:** The specified materialized view has not been successfully registered at this site.

---

**Action:** Register the materialized view manually at either the master site or the materialized view site.

**ORA-23425: invalid materialized view identifier *string***

**Cause:** The argument provided to `dbms_mview.purge_mview_from_log` is an invalid materialized view identifier or it does not identify an Oracle 8 fast refreshable materialized view or the materialized view has been already purged.

**Action:** If the materialized view is an Oracle 8 fast refreshable materialized view then provide `purge_mview_from_log` with its valid materialized view identifier.

**ORA-23426: deferred RPC queue has entries for *string***

**Cause:** The requested action cannot be performed until the queue is empty for the given site/dblink

**Action:** Use `dbms_defer_sys.push`, `dbms_defer_sys.purge_queue` or `dbms_defer_sys.delete_tran` to empty the queue.

**ORA-23427: deferred purge queue argument *string* out of range**

**Cause:** Specified numeric argument to `dbms_defer_sys.purge_queue` is invalid.

**Action:** Fix the argument value and try again.

**ORA-23428: job associated instance number *string* is not valid**

**Cause:** A job is associated with an instance that is not running.

**Action:** Choose a running instance for job affinity, or set force parameter to TRUE.

**ORA-23430: argument "*string*" cannot be NULL or empty string**

**Cause:** The caller has provided an argument whose value cannot be NULL or the empty string.

**Action:** Check that the `varchar2` value provided is not NULL or the empty string, and retry the call.

**ORA-23431: wrong state: *string***

**Cause:** The routine was executed against a replicated object group that was in the wrong state.

**Action:** Make sure that the replicated object group is in the state given in the error message.

**ORA-23432: master site *string* already exists**

**Cause:** An attempt was made to instantiate a replicated object group at a master site that was already a part of the object group.

**Action:** If you were trying to add this site, do nothing because it already exists; otherwise, pick the name of another site, and re-run the routine.

**ORA-23433: executing against wrong master site *string***

**Cause:** An attempt was made to execute the routine at a site that is different from the site specified in the argument of the routine.

**Action:** Provide an argument to the routine that correctly indicates the site against which the routine should be executing.

**ORA-23434: master site *string* not known for object group**

**Cause:** The site name given as an argument to a routine was not already known to the replicated object group.

---

**Action:** Execute the `dbms_offline_og.begin_instantiation()` routine to add a new site to the replicated object group.

**ORA-23435: cannot create an updatable ROWID materialized view with LOB columns**

**Cause:** The propagation of LOB data from materialized view sites to the master site requires a primary key on the replicated table. Thus updatable ROWID materialized views that contain LOB columns are not supported.

**Action:** Create a primary key materialized view instead of a ROWID materialized view. If the materialized view already exists, it can be converted to a primary key materialized view using the ALTER MATERIALIZED VIEW DDL command.

**ORA-23436: missing template authorization for user**

**Cause:** The specified template authorization does not exist.

**Action:** Check the values for user name and refresh template name to ensure a valid row exists in the `DBA_REPCAT_USER_AUTHORIZATIONS` view.

**ORA-23437: template authorization already exists for user**

**Cause:** The specified user already has been authorized to use the specified refresh group template.

**Action:** Check the values for user name and refresh template name or query the `DBA_REPCAT_USER_AUTHORIZATIONS` view to ensure that the correct values were passed as parameters.

**ORA-23438: missing refresh group template**

**Cause:** The specified refresh group template does not exist.

**Action:** Verify that the refresh group template does not exist by querying the `DBA_REPCAT_REFRESH_TEMPLATES` view.

**ORA-23439: refresh group template already exists**

**Cause:** The specified refresh group template already exists.

**Action:** Verify that the refresh group template exists by querying the `DBA_REPCAT_REFRESH_TEMPLATES` view.

**ORA-23440: incorrect public template value**

**Cause:** The public template parameter is not "Y", "N" or NULL.

**Action:** Correct the value of the public template parameter. It must be "Y", "N" or NULL.

**ORA-23441: object does not exist for refresh group template**

**Cause:** The specified object does not exist in the refresh group template.

**Action:** Correct the object name and object type parameters. Check the `DBA_REPCAT_TEMPLATE_OBJECTS` view to verify the correct name and type of the object.

**ORA-23442: object already exists for the refresh group template**

**Cause:** The specified object already exists in the refresh group template.

**Action:** Change the object name and object type parameters. Query the `DBA_REPCAT_REMPLATE_OBJECTS` view to verify the correct name and type of the object.

**ORA-23443: missing template parameter**

**Cause:** The specified template parameter does not exist.

---

**Action:** Correct the template parameter value and execute the procedure again. Use the DBA\_REPCAT\_TEMPLATE\_PARAMS view to verify the name of the refresh group template and parameter name.

**ORA-23444: duplicate template parameter**

**Cause:** The template parameter already exists for the specified refresh group template.

**Action:** Correct the template parameter value and execute the procedure again. Use the DBA\_REPCAT\_TEMPLATE\_PARAMS view to verify the name of the refresh group template and parameter name.

**ORA-23445: missing template site**

**Cause:** The template site specified by the site name, user name and refresh group template name does not exist.

**Action:** Correct the invalid parameter and execute the procedure again. Use the DBA\_REPCAT\_TEMPLATE\_SITES view to query the existing template sites.

**ORA-23446: duplicate template site**

**Cause:** The template site specified by the site name, user name and refresh group template name already exists.

**Action:** Correct the invalid parameter and execute the procedure again. Use the DBA\_REPCAT\_TEMPLATE\_SITES view to query the existing template sites.

**ORA-23447: missing user parameter value**

**Cause:** The user parameter value specified by the user name, parameter name and refresh group template name does not exist.

**Action:** Correct the invalid parameter and execute the procedure again. Use the DBA\_REPCAT\_USER\_PARAMS view to query the existing user parameters.

**ORA-23448: duplicate user parameter value**

**Cause:** The user parameter value specified by the user name, parameter name and refresh group template name already exists.

**Action:** Correct the invalid parameter and execute the procedure again. Use the DBA\_REPCAT\_USER\_PARAMS view to query the existing user parameters.

**ORA-23449: missing user name**

**Cause:** The user specified by the user name parameter does not exist in the database.

**Action:** Correct an invalid user name or create the user in the master database. Use the DBA\_USERS view to select the valid database users.

**ORA-23450: flavor already contains object "*string*"."*string*"**

**Cause:** The flavor already contains the specified object.

**Action:** Check that the specified object is correct. To add all columns of a table object, delete the object from the flavor and then add it again.

**ORA-23451: flavor *string* already defined for object group "*string*"."*string*"**

**Cause:** The given object group already contains a (possibly unpublished) definition of the specified flavor.

**Action:** Check the spelling of the flavor name. Check for an unpublished flavor of the desired name.

**ORA-23452: flavor *string* of object group "*string*"."*string*" is already published**

---

**Cause:** The given object group already contains a (published) definition of the specified flavor.

**Action:** Check the spelling of the flavor name.

**ORA-23453: requested operation is not supported on top flavor**

**Cause:** The TOP flavor has a NULL name and may not be directly defined or deleted.

**Action:** Supply the name of a flavor other than the TOP flavor or use `dbms_repat` routines to implicitly change the TOP flavor.

**ORA-23454: flavor *string* not defined for object group "*string*".*string*"**

**Cause:** The given object group does not contain a (published) definition of the specified flavor.

**Action:** Check the spelling of the flavor name. Ensure the flavor has been defined (and published) for the object group.

**ORA-23455: flavor *string* contains object "*string*"**

**Cause:** The given flavor contains the object to be dropped.

**Action:** Purge the flavor or choose another object to drop.

**ORA-23456: flavor *string* does not contain "*string*"**

**Cause:** The flavor does not contain the given object, column, or attribute.

**Action:** Either drop the flavor or choose a different object, column, or attribute.

**ORA-23457: invalid flavor ID *string***

**Cause:** The given flavor ID is invalid.

**Action:** Make sure this flavor has been instantiated. If the flavor ID is outside the range (-2147483647, 2147483647), contact customer support.

**ORA-23458: inappropriate flavor *string* at *string***

**Cause:** The given flavor at the given database prevents the operation from succeeding.

**Action:** Either change the database flavor or choose a different operation.

**ORA-23459: flavor *string* must contain "*string*"**

**Cause:** The flavor must contain the given object, column, or attribute.

**Action:** Either choose a different database flavor or ensure the object, column, or attribute is available.

**ORA-23460: missing value for column *string* in resolution method "*string*" for "*string*".*string*".*string*"**

**Cause:** before resolving conflicts, some values necessary resolving conflicts are not available, or after resolving conflicts, some values necessary for re-trying of the SQL are not available

**Action:** define appropriate flavors, provide necessary values through availability vector in USER FLAVOR FUNCTION for conflict resolution

**ORA-23462: flavor *string* in use at site *string***

**Cause:** The given flavor cannot be deleted because it is being used at the given site.

**Action:** Change the flavor of the site, or unregister it if it is a materialized view site.

- 
- ORA-23463: flavor incompatible with object "string"."string"**  
**Cause:** An existing flavor includes the specified object with an incompatible type.  
**Action:** Change the type of the object, or delete the flavor if it is not in use.
- ORA-23464: flavor lacks column *string* of "string"."string"**  
**Cause:** The flavor includes some columns of an object group but not all the required columns.  
**Action:** Change the flavor definition to include all required columns.
- ORA-23465: flavor already includes column *string* of "string"."string"**  
**Cause:** The flavor includes the specified column which is being added.  
**Action:** Check that the specified column is correct.
- ORA-23466: flavor requires missing object "string"."string"**  
**Cause:** The flavor includes the specified object which does not exist  
**Action:** Check that the specified object name is correct, and create the object if appropriate.
- ORA-23467: flavor lacks object "string"."string"**  
**Cause:** The flavor does not include the specified object which is being dropped.  
**Action:** Check that the specified object is correct.
- ORA-23468: missing *string string***  
**Cause:** The template is missing the object with the specified key.  
**Action:** Add the object to the template.
- ORA-23469: *string* is different between templates**  
**Cause:** The values for the specified columns are different in each template for the same key values.  
**Action:** Correct the column values to make the templates the same.
- ORA-23470: invalid status**  
**Cause:** The status should be DELETED, INSTALLING or INSTALLED. Any other status is invalid.  
**Action:** Check that the specified status value is correct.
- ORA-23471: template not authorized for user**  
**Cause:** The refresh template is private and the user has not been authorized to instantiate the template.  
**Action:** Authorize the user to use the template.
- ORA-23472: materialized view "string"."string" must be atomically refreshed**  
**Cause:** Non-atomic refresh is not supported for the specified materialized view.  
**Action:** Set the value of the ATOMIC parameter to FALSE in the refresh procedure being used or remove the specified materialized view from the set of materialized views being refreshed.
- ORA-23473: replication RPC processing for "string"."string" is disabled**  
**Cause:** The processing of replication RPCs for the object group that contains this object is disabled. This includes RPCs in the error queue.

---

**Action:** Processing of replication RPCs is disabled when the object group is being offline instantiated. Wait until offline instantiation is finished.

**ORA-23474: definition of "*string*"."*string*" has changed since generation of replication support**

**Cause:** The current columns in the specified table and their column types do not match the columns and column types when replication support was last generated.

**Action:** Regenerate replication support for the affected table. All flavors that include the specified table should be checked for validity. Types for any UDT columns should also be checked for validity.

**ORA-23475: key column *string* must be sent and compared**

**Cause:** The specified column is a key column and must be sent and compared during replication propagation.

**Action:** Make sure every key column is sent and compared.

**ORA-23476: cannot import from *string* to *string***

**Cause:** This object was imported from a database with a different global name than the importing database.

**Action:** Only import this object into a database with the same global name.

**ORA-23477: unable to alter propagation mode for object group "*string*"."*string*"**

**Cause:** The propagation method of a materialized view object group can only be altered when no other object groups with the same master object group are sharing the materialized view site.

**Action:** Ensure that there are no other materialized view object groups at the local site with the same master object group.

**ORA-23478: object group "*string*" is already mastered at *string***

**Cause:** There is at least one other materialized view repgroup at the local site with the same group name but a different master site.

**Action:** Ensure that all materialized view repgroups at the local site with the same group name have the same master.

**ORA-23480: Column *string* is not a top-level column of "*string*"."*string*".**

**Cause:** The column is either not a top-level column or is not present in the table or materialized view.

**Action:** Ensure only valid top-level columns are used.

**ORA-23482: column *string* of "*string*"."*string*": object types not allowed.**

**Cause:** The column is of Object Type.

**Action:** Ensure that all the columns are not of Object Type.

**ORA-23483: object "*string*"."*string*" not allowed in this operation.**

**Cause:** The specified operation does not support the given object.

**Action:** Do not invoke the operation for this object.

**ORA-23484: internal internet Application Server error: *string***

**Cause:** An internal error occurred in internet Application Server.

**Action:** Report the error and other information to support.

- 
- ORA-23485: Column group "string" must consist of a single numeric column only**  
**Cause:** The column group doesn't contain only one numeric column.  
**Action:** Use a column group containing a single numeric column.
- ORA-23487: object groups "string"."string" and "string"."string" do not have the same connection qualifier**  
**Cause:** The specified two object groups do not have the same connection qualifier.  
**Action:** Do not invoke the operation on the above object groups, or ensure they have the same connection qualifier.
- ORA-23488: propagation mode "string" for "string" is not allowed for this operation**  
**Cause:** This operation does not support the specified dblink in the above propagation mode.  
**Action:** Do not invoke the operation for this dblink, or change the propagation mode for this dblink.
- ORA-23489: duplicate entry "string"**  
**Cause:** The specified value is duplicated in the parameter list.  
**Action:** Remove duplicated entries in the parameter list.
- ORA-23490: extension request "string" with status "string" not allowed in this operation**  
**Cause:** The specified operation is not allowed for the extension request with the specified status.  
**Action:** Ensure the extension request has the appropriate status before retrying this operation.
- ORA-23491: no valid extension request at "string"**  
**Cause:** The specified database does not have a valid extension request.  
**Action:** Ensure there is a valid extension request in DBA\_REPEXTENSIONS view before retrying this operation.
- ORA-23492: no new sites for extension request "string"**  
**Cause:** There is no new site with the specified extension request.  
**Action:** Ensure there is at least one new site in DBA\_REPSITES\_NEW view for this request before retrying this operation.
- ORA-23493: "string" is not a new site for extension request "string"**  
**Cause:** The specified extension request does not include the specified site as a new site.  
**Action:** Ensure the specified site is a new site for this extension request before retrying this operation.
- ORA-23494: too many rows for destination "string"**  
**Cause:** The specified destination has too many rows in system.def\$\_destination table.  
**Action:** Ensure the specified destination has at most two valid rows before retrying this operation.
- ORA-23495: serial propagation can not be used for "string"**  
**Cause:** The sites involved may be in the process of adding a new site without quiescing.

---

**Action:** Check the def\$\_destination table for this destination and try parallel propagation.

**ORA-23496: can not change disabled status for "string" and "string"**

**Cause:** The disabled status for this site is set internally for synchronization during adding a new master without quiescing.

**Action:** Ensure adding a new master without quiescing finished before invoking this procedure.

**ORA-23497: repgroup name cannot be null**

**Cause:** The array of Repgroup names contains a null value.

**Action:** Ensure that the array of Repgroup names is dense and is not null terminated.

**ORA-23498: repgroups specified must have the same masters**

**Cause:** The Repgroup names specified do not have the same masters.

**Action:** Ensure that the Repgroup names specified have the same masters.

**ORA-23500: cannot switch master for a multi-tier materialized view repgroup "string"."string"**

**Cause:** An attempt was made to switch master for a materialized view repgroup when its parent repgroup is also a materialized view repgroup. This is not allowed.

**Action:** Drop and recreate the materialized view repgroup based on a proper parent repgroup.

**ORA-23501: refresh template cannot be instantiated for database with compatibility equal to or less than 8.0**

**Cause:** Instantiation of a refresh template is not supported for database compatibility 8.0 or less.

**Action:** Be sure the database compatibility is 8.1 or above.

**ORA-23502: valid directory for offline instantiation is not specified**

**Cause:** An attempt was made to offline instantiate to a directory which is not specified or null.

**Action:** There are two ways to specify the directory: o As a parm offline\_dirpath to the API o As an init.ora parm named utl\_file\_dir Make sure you have specified an appropriate directory in which the offline file can be created.

**ORA-23503: error occurred during IAS instantiation**

**Cause:** An attempt was made to instantiate a IAS site. Error occurred during IAS instantiation.

**Action:** See other errors on the error stack to look for the source of the problem. If the error still persists, contact Oracle Support.

**ORA-23504: columns added to table do not match list of columns to be added**

**Cause:** The list of columns passed as a parameter does not match the columns to be added to the table.

**Action:** Correct the DDL string or list of columns and reexecute.

**ORA-23505: Object "string"."string" is missing.**

**Cause:** The specified object does not exist.

---

**Action:** Check that the specified object is correct.

**ORA-23514: invalid or incorrect number of arguments**

**Cause:** The arguments passed to the online redefinition API were invalid or missing.

**Action:** Call the online redefinition API with the right number of valid arguments.

**ORA-23515: materialized views and/or their indices exist in the tablespace**

**Cause:** An attempt was made to drop a tablespace which contains materialized views and/or their indices.

**Action:** Drop the materialized views in this tablespace. Also, find indices belonging to materialized views in this tablespace and drop them. Then try dropping the tablespace.

**ORA-23531: site owner already exists in the template.**

**Cause:** Site owner for the template already exists.

**Action:** Do not create multiple siteowners for this template.

**ORA-23532: tables with different synchronization mechanisms are in the same group**

**Cause:** Tables belonging to the same replication group were specified to be cached with different synchronization mechanisms.

**Action:** Do not specify different synchronization mechanisms while caching tables belonging to the same replication group.

**ORA-23533: object "*string*"."*string*" can not be cached**

**Cause:** An attempt was made to cache an object which is not supported.

**Action:** Do not cache an object which is not supported.

**ORA-23534: missing column in materialized view container table "*string*"."*string*"**

**Cause:** After import, the materialized view container table has missing columns.

**Action:** Check if materialized view container table was imported correctly.

**ORA-23535: instantiating templates from multiple back ends is not allowed.**

**Cause:** An attempt was made to set a new non-null back end database for an iAS site.

**Action:** Call `dbms_ias_configure.set_back_end_db` procedure with null `dblink`. Then, call the same procedure with the new non-null `dblink`.

**ORA-23536: the object "*string*"."*string*" is not cached at the middle tier as expected.**

**Cause:** The object may have been dropped or renamed at the back end after `dbms_ias_inst.start_ias_inst` was executed.

**Action:** Check the validity of the object at the back end and retry the instantiation.

**ORA-23537: function or procedure *string* is not allowed to be invoked from this site.**

**Cause:** This function or procedure is restricted to the backend or middle tier site

**Action:** Connect to the proper site before calling this function or procedure.

**ORA-23538: cannot explicitly refresh a NEVER REFRESH materialized view ("*string*")**

**Cause:** An attempt was made to explicitly refresh a NEVER REFRESH MV.

**Action:** Do not perform this refresh operation or remove the MV(s) from the list.

---

**ORA-23539: table "*string*"."*string*" currently being redefined**

**Cause:** An attempt was made to redefine a table which is currently involved in an ongoing redefinition.

**Action:** Do not perform this redefinition operation on this table or wait till the ongoing redefinition of the table is completed.

**ORA-23540: Redefinition not defined or initiated**

**Cause:** An attempt was made to continue or complete a redefinition which was not defined or initiated.

**Action:** Define or initiate the redefinition before performing this operation.

**ORA-23541: tables do not match tables used while defining the redefinition**

**Cause:** An attempt was made to continue or complete a redefinition by providing different tables than those used while defining or initiating the redefinition.

**Action:** Repeat this operation and specify the same tables as those that were specified while defining or initiating the redefinition.

**ORA-23542: dependent object "*string*"."*string*" already registered**

**Cause:** An attempt was made to register an already registered dependent object to an ongoing redefinition.

**Action:** Do not attempt to register an already registered dependent object to an ongoing redefinition.

**ORA-23543: materialized view log on "*string*"."*string*" is in an inconsistent state**

**Cause:** There was an error while creating the materialized view log and the log is currently in an inconsistent state. A possible cause could be that schema redefinition has occurred on the master table while the log was being created. Another possible cause could be that there were DMLs being applied on the master table concurrently in another session at the time the materialized view log creation started and those DML transactions haven't committed even after a very long period of time.

**Action:** Drop the materialized view log and recreate it.

```
////////////////////////////////////  
//////////////////////////////////// 23600-23999 Reserved for Log Based Replication PL/SQL  
packages  
////////////////////////////////////  
////////////////////////////////////
```

**ORA-23600: cannot create PROPAGATION, *string* already exists**

**Cause:** The propagate\_name already exists.

**Action:** Drop the propagate\_name usign DROP\_PROPAGATEcommand or specify propagate\_name.

**ORA-23601: PROPAGATION\_NAME *string* does not exist**

**Cause:** Propagation does not exist.

**Action:** Query DBA\_PROPAGATION view to find existing propagation\_name

**ORA-23602: Invalid streams process type *string***

**Cause:** Specified streams process type is not valid.

**Action:** Specify either capture or apply.

**ORA-23603: STREAMS enqueue aborted due to low SGA**

---

**Cause:** An attempt to enqueue a STREAMS message was aborted because ORACLE is running low on memory allotted for STREAMS.

**Action:** Either start consuming messages by enabling any STREAMS propagation or apply which might be disabled. An alternative is to allot more memory to STREAMS, which can be done by increasing the `streams_pool_size` initialization parameter if one was defined or by increasing the `shared_pool_size`.

**ORA-23605: invalid value "string" for STREAMS parameter *string***

**Cause:** An attempt was made to specify an invalid parameter value.

**Action:** Specify a valid value for the parameter. Check the documentation for valid parameter values.

**ORA-23606: invalid object *string***

**Cause:** An attempt was made to specify an invalid object.

**Action:** Specify a valid object.

**ORA-23607: invalid column "string"**

**Cause:** An invalid column was specified in the column list.

**Action:** Check the columns in the object and specify the right column name.

**ORA-23608: invalid resolution column "string"**

**Cause:** An invalid column was specified as the resolution column. The resolution column must belong to the list of columns specified in the `"column_list"` parameter.

**Action:** Check the columns in the `column_list` and specify the right resolution column name.

**ORA-23609: unable to find directory object for directory *string***

**Cause:** There was no entry in `ALL_DIRECTORIES` corresponding to the specified directory.

**Action:** Grant to the current user appropriate privileges on either a new directory object or an existing directory object.

**ORA-23610: internal dbms\_streams\_tablespaces error: [string] [string] [string] [string]**

**Cause:** Streams detected an erroneous result.

**Action:** Look for information in the session trace file and contact customer support.

**ORA-23611: tablespace "string" has more than one data file**

**Cause:** The specified tablespace had more than one data file and hence did not qualify as a simple tablespace.

**Action:** Choose a self-contained tablespace with a single data file, or use a procedure that supports any tablespace.

**ORA-23612: unable to find tablespace "string"**

**Cause:** Either the tablespace did not exist, or the current user did not have sufficient privileges on the tablespace.

**Action:** Grant appropriate privileges on the tablespace to the current user or choose a different tablespace.

**ORA-23613: Script *string* already exists**

---

**Cause:** A script for the specified invoking package already existed.

**Action:** Complete the previous invocation or drop the previous invocation before proceeding with the current invocation.

**ORA-23614: Script *string* does not exist**

**Cause:** The named script did not exist.

**Action:** Create the script.

**ORA-23615: Block number *string* does not exist for script *string***

**Cause:** The specified block number did not exist for the script.

**Action:** Add the block or check the block number and reexecute.

**ORA-23616: Failure in executing block *string* for script *string* with *string***

**Cause:** The execution of specified block failed.

**Action:** Check the error. Query DBA\_RECOVERABLE\_SCRIPT\_BLOCKS to view the failed block. Rectify and rerun the block or script.

**ORA-23617: Block *string* for script *string* has already been executed**

**Cause:** The specified block was already executed.

**Action:** Check the block number and reissue the command.

**ORA-23618: Generation of script *string* is not complete.**

**Cause:** Script generation for the specified script was not completed in a prior invocation.

**Action:** Purge the specified script by calling the RECOVER\_OPERATION API in the package DBMS\_STREAMS\_ADM and reattempt the entire operation.

**ORA-23619: non-Oracle system error: *string***

**Cause:** A non-Oracle database has returned an error message to STREAMS when attempting to apply a DML statement. The non-Oracle system error message is a parameter to this Oracle error.

**Action:** Corrective action may or may not be possible (depending on the non-Oracle system error). If corrective action is possible, correct the problem and try applying the transaction again.

**ORA-23620: bind value size too large for PL/SQL CALL operation**

**Cause:** In a PL/SQL CALL to a stored procedure, the bind string size exceeded 4K.

**Action:** Either make the bind string size shorter (less than 4K) or use BEGIN-END to call the procedure instead of CALL.

**ORA-23621: Operation corresponding to script *string* is in progress.**

**Cause:** The script was already being run in a different session or was terminated before status for the script was updated to ERROR or EXECUTED.

**Action:** Make sure the script is not being run in a parallel session. Then call the RECOVER\_OPERATION API in the DBMS\_STREAMS\_ADM package with the appropriate OPERATION\_MODE argument.

**ORA-23622: Operation *string.string.string* is in progress.**

**Cause:** An attempt was made to execute a procedure which was being executed in a parallel session or failed execution.

---

**Action:** Query the DBA\_RECOVERABLE\_SCRIPT view to identify the operation that is currently in progress for the specified invoking procedure. Complete the operation before proceeding.

**ORA-23623: internal DBMS\_COMPARISON error: [string] [string] [string] [string]**

**Cause:** DBMS\_COMPARISON detected an erroneous result.

**Action:** Look for information in the session trace file and contact Oracle Support Services.

**ORA-23624: A comparison operation is currently in progress for string.**

**Cause:** Another session was already performing an operation on this object.

**Action:** Retry the operation once other sessions are done with the specific comparison object.

**ORA-23625: Table shapes of string.string and string.string@string did not match.**

**Cause:** Table shapes of local and remote tables to compare did not match.

**Action:** Retry by explicitly specifying columns that match in column\_list or create views on the tables as appropriate.

**ORA-23626: No eligible index on table string.string**

**Cause:** Table did not have an eligible index to use for comparison.

**Action:** For a table to be compared using DBMS\_COMPARISON, the table must have an appropriate index on a column of certain data types. Check the documentation for supported data types.

**ORA-23627: Comparison object string already existed.**

**Cause:** A comparison object by the specified name already exists.

**Action:** Retry with a different name.

**ORA-23628: Comparison query too long (actual string, allowed string).**

**Cause:** A generated query for comparison was too long.

**Action:** Comparison is unsupported for very large tables with long column names. Retry with a subset of columns or with shorter column names.

**ORA-23629: string.string is not an eligible index on table string.string for comparison**

**Cause:** The specified index was not an eligible index to use for comparison.

**Action:** For a table to be compared using DBMS\_COMPARISON, the table must have an appropriate index. Please specify an eligible index for the table to be compared.

**ORA-23630: Cannot switch to checkpoint-free mode (value "string", STREAMS parameter string), due to the following reason:**

**Cause:** Could not switch to checkpoint-free mode, or already in checkpoint-free mode.

**Action:** Can switch to checkpoint-free mode only if the capture is new (it never ran), the capture wasn't cloned from a capture with checkpoints, the capture doesn't include any extra attributes, and combined capture and apply is enabled.

**ORA-23631: Checkpoint-free mode cannot change (value "string", STREAMS parameter string)**

**Cause:** Could not switch to checkpoints because checkpoint-free mode was set.

---

**Action:** Drop the checkpoint-free capture and create a new one that will / take checkpoints.

**ORA-23632: Cannot force checkpoints in checkpoint-free mode (value "*string*", STREAMS parameter *string*)**

**Cause:** The capture process was in checkpoint-free mode.

**Action:** Cannot take checkpoints in checkpoint-free mode.

**ORA-23633: Cannot turn off combined capture and apply mode in checkpoint-free mode (value "*string*", STREAMS parameter *string*)**

**Cause:** The capture was running in checkpoint-free mode and had to run in combined capture and apply mode also.

**Action:** Ensure that this capture runs in combined capture and apply by dropping additional propagation or apply processes for the same queue.

**ORA-23634: Cannot include extra attributes in checkpoint-free mode**

**Cause:** The capture process was in checkpoint-free mode.

**Action:** Extra attributes are not supported in checkpoint-free mode.

**ORA-23635: MAINTAIN\_TTS: tablespace(s) already exist(s) in target database.**

**Cause:** The tablespaces were already in existence in the target database when the streams MAINTAIN\_TTS APIs were called."

**Action:** Check whether you can drop the tablespaces to be maintained in the target database. If not, don't use streams MAINTAIN\_TTS APIs to setup streams. Check the Oracle documentation on how to setup streams.

**ORA-23636: MAINTAIN\_TTS: Invalid tablespace name, reason: *string*.**

**Cause:** The tablespace name was either NULL or too long when the streams MAINTAIN\_TTS APIs were called.

**Action:** Check that the specified tablespace names are not NULL and are spelled correctly. If there are too many tablespaces, group them together and call the streams MAINTAIN\_TTS APIs for the group.

**ORA-23642: Cannot switch to checkpoint mode (value "*string*", STREAMS parameter *string*)**

**Cause:** Capture was cloned from a capture in checkpoint-free mode.

**Action:** Clone from a capture with checkpoints.

**ORA-23644: Cannot switch to checkpoint-free mode (Capture *string*)**

**Cause:** Switch to checkpoint-free mode was prevented by a previous error.

**Action:** See the previous error for the appropriate action.

**ORA-23645: Cannot switch to checkpoints (Capture *string*)**

**Cause:** Switch to checkpoints was prevented by a previous error.

**Action:** See the previous error for the appropriate action.

**ORA-23646: Streams *string* process *string* does not exist**

**Cause:** Capture or Apply did not exist.

**Action:** Create a Capture or Apply process, then try again.

**ORA-23647: Streams *string* process *string* is not running**

**Cause:** Capture or Apply were not running.

---

**Action:** Start Capture or Apply process, then try again

**ORA-23648: Capture *string* is for Change Data Capture**

**Cause:** Capture was for Change Data Capture, and checkpoints were required.

**Action:** None

**ORA-23649: Capture *string* is for Audit Vault**

**Cause:** Capture was for Audit Vault, and checkpoints were required.

**Action:** None

**ORA-23650: No progress Capture *string***

**Cause:** Capture was not capturing changes.

**Action:** Make sure Capture is running and capturing changes.

**ORA-23651: Capture *string* is already in *string* mode**

**Cause:** Capture was already in the desired mode.

**Action:** None

**ORA-23652: The oldest SCN could not be updated at Apply *string***

**Cause:** The oldest SCN was not updated before the switch was performed.

**Action:** Make sure Apply is running and the switch package version is the same at both databases.

**ORA-23653: LogMiner session does not exist**

**Cause:** LogMiner session did not exist.

**Action:** Make sure the Capture process exists.

**ORA-23654: Attempting to set the oldest SCN to a greater value (*string*) than the current one (*string*) at Apply *string***

**Cause:** The new value for the oldest SCN was not computed correctly.

**Action:** Make sure Capture and Apply are running, and Capture is making progress.

**ORA-23655: The SCN range cannot be smaller than 0, (SCN range = *string*)**

**Cause:** The function was invoked with a negative SCN range.

**Action:** Use a positive SCN range.

**ORA-23656: Timeout occurred while *string* Streams process *string***

**Cause:** The Streams process could not be stopped or started.

**Action:** Call the switch procedure again.

**ORA-23657: the converted file *string* already exists**

**Cause:** The converted file was already in existence. CONVERT FILE call does not overwrite the existing file.

**Action:** Check whether the existing file can be deleted. If the existing file can be deleted, delete it. Otherwise, specify a different directory or file extension.

**ORA-24000: invalid value *string*, *string* should be of the form [SCHEMA.]NAME**

**Cause:** An invalid value was specified for the parameter.

**Action:** Specify a string of the form [SCHEMA.]NAME .

**ORA-24001: cannot create QUEUE\_TABLE, *string* already exists**

- 
- Cause:** The queue table already exists in the queueing system.
- Action:** Drop the table first using the DROP\_QUEUE\_TABLE() command or specify another table.
- ORA-24002: QUEUE\_TABLE *string* does not exist**
- Cause:** Queue\_table not exist.
- Action:** Query on the user view USER\_QUEUE\_TABLES to find out existing queue tables.
- ORA-24003: Queue table index *string* inconsistent with queue table *string***
- Cause:** The queue table index has not yet been successfully imported.
- Action:** Import the queue table index before attempting to use the queue table. If the import failed, correct the problem and try to import the queue table index again.
- ORA-24004: invalid column name *string* in SORT\_LIST, should be ENQ\_TIME or PRIORITY**
- Cause:** Invalid column name was specified in the SORT\_LIST.
- Action:** The valid column names are ENQ\_TIME and PRIORITY.
- ORA-24005: must use DBMS\_AQADM.DROP\_QUEUE\_TABLE to drop queue tables**
- Cause:** An attempt was made to use the SQL command DROP TABLE for queue tables, but DROP TABLE is not supported for queue tables.
- Action:** Use the DBMS\_AQADM.DROP\_QUEUE\_TABLE procedure instead of the DROP TABLE command.
- ORA-24006: cannot create QUEUE, *string* already exists**
- Cause:** The queue requested to be created already exists.
- Action:** Specify another queue name. Query USER\_QUEUES for all the existing queues in the users's schema.
- ORA-24007: invalid value *string*, MAX\_RETRIES should be non-negative integer**
- Cause:** An invalid value was specified for MAX\_RETRIES.
- Action:** Specify a non-negative integer.
- ORA-24008: queue table *string.string* must be dropped first**
- Cause:** An error was detected when dropping a queue table in a cluster, tablespace, or schema.
- Action:** Use the DBMS\_AQADM.DROP\_QUEUE\_TABLE procedure to drop the specified queue table first; then, retry the operation.
- ORA-24009: invalid value *string*, QUEUE\_TYPE should be NORMAL\_QUEUE or EXCEPTION\_QUEUE**
- Cause:** Invalid queue type parameter
- Action:** Valid values are NORMAL\_QUEUE for normal queue and EXCEPTION\_QUEUE for exception queue.
- ORA-24010: QUEUE *string* does not exist**
- Cause:** The specified queue does not exist.
- Action:** Specify a valid queue. Query USER\_QUEUES for all the valid queues.

---

**ORA-24011: cannot drop QUEUE, *string* should be stopped first**

**Cause:** The queue has not been stopped i.e. either enqueue or dequeue is still enabled.

**Action:** Stop the queue first using the STOP\_QUEUE command and disable it from both enqueueing and dequeueing.

**ORA-24012: cannot drop QUEUE\_TABLE, some queues in *string* have not been dropped**

**Cause:** A queue exists in the queue table which has not been dropped. All queues need to be dropped first.

**Action:** Drop all queues belonging to this queue table using the drop\_queue() command. Be sure to stop the queues appropriately before dropping them. Alternately, use the force option in drop\_queueable.

**ORA-24013: invalid value *string*, RETRY\_DELAY should be non-negative**

**Cause:** A negative value was specified for RETRY\_DELAY.

**Action:** Specify a non-negative value for RETRY\_DELAY.

**ORA-24014: invalid value *string*, RETENTION\_TIME should be FOREVER or non-negative**

**Cause:** Queue retention was specified, but the retention time was specified to be less than zero.

**Action:** Specify the retention time to be non-negative or FOREVER. Alternately don't specify retention.

**ORA-24015: cannot create QUEUE\_TABLE, QUEUE\_PAYLOAD\_TYPE *string.string* does not exist**

**Cause:** An invalid QUEUE\_PAYLOAD\_TYPE specified during create\_queue\_table.

**Action:** The QUEUE\_PAYLOAD\_TYPE should be RAW or an object type that already exists in the database.

**ORA-24016: cannot create QUEUE\_TABLE, user *string* does not have execute privileges on QUEUE\_PAYLOAD\_TYPE *string.string***

**Cause:** An invalid object type specified for QUEUE\_PAYLOAD\_TYPE during create\_queue\_table.

**Action:** The user should have execute privileges on the object type specified for the queue.

**ORA-24017: cannot enable enqueue on QUEUE, *string* is an exception queue**

**Cause:** User tried to enable enqueueing to an exception queue.

**Action:** None

**ORA-24018: STOP\_QUEUE on *string* failed, outstanding transactions found**

**Cause:** There were outstanding transactions on the queue, and WAIT was set to false, so STOP\_QUEUE was unsuccessful in stopping the queue.

**Action:** Set WAIT to TRUE and try STOP\_QUEUE again. It will hang till all outstanding transactions are completed.

**ORA-24019: identifier for *string* too long, should not be greater than *string* characters**

**Cause:** The identifier specified is too long.

- 
- Action:** Try again with a shorter identifier.
- ORA-24020: Internal error in DBMS\_AQ\_IMPORT\_INTERNAL, string**  
**Cause:** Internal Error occurred in the package DBMS\_AQ\_IMPORT\_INTERNAL.  
**Action:** Internal error, call Oracle Support.
- ORA-24021: queue table definition not imported for string.string**  
**Cause:** The queue definition is not updated because the queue table was not imported properly  
**Action:** Import the queue table again.
- ORA-24022: the specified parameters has no effect on the queue**  
**Cause:** The parameter combination will not cause the queue to be started or stopped.  
**Action:** None. This is just a warning.
- ORA-24023: Internal error in DBMS\_AQ\_EXP\_INTERNAL.string [string] [string]**  
**Cause:** Internal Error occurred in the package DBMS\_AQ\_EXP\_INTERNAL.  
**Action:** Internal error, call Oracle Support.
- ORA-24024: Internal error in DBMS\_AQ\_IMP\_INTERNAL.string [string] [string]**  
**Cause:** Internal Error occurred in the package DBMS\_AQ\_IMP\_INTERNAL.  
**Action:** Internal error, call Oracle Support.
- ORA-24025: invalid value string, QUEUE\_PAYLOAD\_TYPE should be RAW or an object type**  
**Cause:** Parameter queue\_payload\_type has invalid value.  
**Action:** Specify a valid object type or RAW.
- ORA-24026: operation failed, queue string.string has errors**  
**Cause:** An attempt was made to enqueue, dequeue or administer a queue which has errors.  
**Action:** Drop the queue table setting the force option to true.
- ORA-24027: AQ HTTP propagation encountered error, status-code string, string**  
**Cause:** AQ propagation's HTTP request to the propagation servlet at the specified address encountered an error  
**Action:** Specify a valid address in the connect string of the propagation destination dblink, the dblink user has the correct permissions, check if the AQ propagation servlet was properly installed.
- ORA-24028: cannot create a receiver non-repudiable single consumer queue**  
**Cause:** Tried to create a receiver non-repudiable single consumer queue  
**Action:** This feature is not supported
- ORA-24029: operation not allowed on a single-consumer queue**  
**Cause:** Tried an operation not allowed on a single-consumer queue.  
**Action:** Specify the operation on a multi-consumer queue.
- ORA-24030: Only one of rule or rule-set must be specified**  
**Cause:** Specified both a rule and rule-set for the operation.  
**Action:** Specify only one of rule or rule-set.

---

**ORA-24031: invalid value, *string* should be non-NULL**

**Cause:** Parameter is NULL.

**Action:** Specify a non NULL value for the parameter.

**ORA-24032: object *string* exists, index could not be created for queue table *string***

**Cause:** Oracle AQ tried to create an index with the name specified in the error message. The index could not be created for the specified queue table because a object exists with the same name.

**Action:** Drop the object specified in the error message and retry the command. You can also choose a different name for the queue table.

**ORA-24033: no recipients for message**

**Cause:** An enqueue was performed on a queue that has been set up for multiple dequeuers but there were neither explicit recipients specified in the call nor were any queue subscribers determined to be recipients for this message.

**Action:** Either pass a list of recipients in the enqueue call or add subscribers to the queue for receiving this message.

**ORA-24034: application *string* is already a subscriber for queue *string***

**Cause:** An application name that was already a subscriber for the queue was specified in the dbms\_aq.subscribe call.

**Action:** None

**ORA-24035: AQ agent *string* is not a subscriber for queue *string***

**Cause:** An AQ agent that was not a subscriber for the queue was specified.

**Action:** Check the name and/or address of the agent and retry the call.

**ORA-24036: invalid SORT\_ORDER column *string* specified for queue table**

**Cause:** The create queue table command was issued with message\_grouping set to TRANSACTIONAL and a sort order column other than priority. Only the priority column can be specified in the sort order for queue tables with transactional grouping.

**Action:** Change the sort order list in the create queue table command and retry the call.

**ORA-24037: schema *string* in QUEUE\_NAME is not same as schema *string* in QUEUE\_TABLE**

**Cause:** The schema specified in the QUEUE\_NAME parameter of CREATE\_QUEUE is not the same as the schema specified in the QUEUE\_TABLE parameter.

**Action:** Use the same schema name for both the QUEUE\_NAME and QUEUE\_TABLE parameters and retry the command.

**ORA-24038: RETRY\_DELAY and MAX\_RETRIES cannot be used for a 8.0 compatible multiple consumer queue**

**Cause:** The CREATE\_QUEUE or ALTER\_QUEUE command was issued with a non-zero RETRY\_DELAY and a QUEUE\_TABLE that was created for multiple consumers and with COMPATIBLE parameter set to "8.0".

**Action:** Either set the RETRY\_DELAY to zero or upgrade the queue table to 8.1 compatible using the DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE procedure.

**ORA-24039: Queue *string* not created in queue table for multiple consumers**

---

**Cause:** Either an ADD\_SUBSCRIBER, ALTER\_SUBSCRIBER, or REMOVE\_SUBSCRIBER procedure, or an ENQUEUE with a non-empty recipient list, was issued on a queue that was not created for multiple consumers.

**Action:** Create the queue in a queue table that was created for multiple consumers and retry the call. NLS\_DO\_NOT\_TRANSLATE [24040,24040]

**ORA-24041: propagation schedule exists for QUEUE *string* and DESTINATION *string***

**Cause:** A SCHEDULE\_PROPAGATION was issued for a queue and destination pair which has an existing propagation schedule.

**Action:** Issue UNSCHEDULE\_PROPAGATION to remove the existing schedule and then reissue the SCHEDULE\_PROPAGATION call.

**ORA-24042: no propagation schedule exists for QUEUE *string* and DESTINATION *string***

**Cause:** AN UNSCHEDULE\_PROPAGATION was issued for a queue and destination pair which has no existing propagation schedule.

**Action:** Verify the spelling of the specified QUEUE and DESTINATION and then reissue the call with the correct spelling.

**ORA-24043: destination *string* uses a reserved name, names with AQ\$\_ prefix are not valid**

**Cause:** An attempt was made to specify a reserved name for a destination.

**Action:** Enter a different value or NULL for the local destination. Then retry the operation.

**ORA-24044: source *string* and destination *string* object types do not match**

**Cause:** A message recipient's queue has a different object structure than the sender's queue. The message cannot be propagated.

**Action:** Either remove the recipient from the subscriber's list for the sender's queue or create the destination queue with an object type that matches the source queue's object type.

**ORA-24045: invalid agent address *string*, agent address should be of the form [SCHEMA.]NAME[@DATABASE LINK]**

**Cause:** An invalid value was specified for the agent address parameter.

**Action:** Specify a string of the form [SCHEMA.]NAME[@DATABASE LINK].

**ORA-24046: protocol attribute reserved for future use**

**Cause:** The protocol attribute of the AQ agent object type is reserved for future use.

**Action:** Do not specify the protocol attribute in the agent object type.

**ORA-24047: invalid agent name *string*, agent name should be of the form NAME**

**Cause:** An invalid value was specified for the agent name parameter.

**Action:** Specify a string of the form NAME. Then retry the operation.

**ORA-24048: cannot create QUEUE\_TABLE, user does not have access to AQ object types**

**Cause:** An attempt was made to issue the CREATE\_QUEUE\_TABLE command, but the user who issued the command does not have access to internal AQ object types.

---

**Action:** Use the DBMS\_AQADM.GRANT\_TYPE\_ACCESS procedure to grant the user access to the AQ object types.

**ORA-24049: invalid agent name *string*, names with AQ\$\_ prefix are not valid**

**Cause:** An attempt was made to use a reserved prefix in the agent name.

**Action:** Enter a different value for the agent name. Then, retry the operation.

**ORA-24050: subscribers are not supported for exception queue *string***

**Cause:** An ADD\_SUBSCRIBER, ALTER\_SUBSCRIBER, or REMOVE\_SUBSCRIBER procedure was issued on a queue that was created as an EXCEPTION\_QUEUE.

**Action:** Specify a NORMAL\_QUEUE in the procedure.

**ORA-24051: cannot propagate object type payloads that have a REF attribute**

**Cause:** An ADD\_SUBSCRIBER or ENQUEUE procedure with a non-NULL address field in the agent type was issued on a queue whose payload has a REF attribute. Propagation of object type payloads that have a REF attribute currently is not supported.

**Action:** Specify an agent with a NULL address field so that the agent can dequeue from the same queue. Or, change the object type definition to one that does not use REF attributes.

**ORA-24052: cannot propagate object type payloads with LOB attributes to an 8.0 release**

**Cause:** The recipient of a message with LOB attributes was using an Oracle 8.0 release. Propagation of LOB attributes is supported only in Oracle 8.1 and higher releases.

**Action:** Upgrade the target release to Oracle 8.1 and retry. Or, change the object type definition to one that does not use LOBs.

**ORA-24053: PRIMARY\_INSTANCE and SECONDARY\_INSTANCE must be non-negative**

**Cause:** One of PRIMARY\_INSTANCE or SECONDARY\_INSTANCE was negative.

**Action:** Specify non-negative integers for PRIMARY\_INSTANCE and SECONDARY\_INSTANCE.

**ORA-24054: cannot propagate to an Oracle 8.0.3 release or lower release**

**Cause:** The recipient of a message was using an Oracle 8.0.3 release or lower release. Propagation is supported only in Oracle 8.0.4 and higher releases.

**Action:** Upgrade the target release to Oracle 8.0.4 or higher and retry.

**ORA-24055: cannot delete propagation status rows that are in prepared state**

**Cause:** An attempt was made to use the internal administration procedure to delete status rows from the SYS.AQ\$\_PROPAGATION\_STATUS table that were in the prepared state.

**Action:** Wait for the propagation to complete successfully before retrying the operation.

**ORA-24056: internal inconsistency for QUEUE *string* and destination *string***

**Cause:** The sequence numbers used in the SYS.AQ\$\_PROPAGATION\_STATUS table were inconsistent for the given queue and destination.

**Action:** Contact Oracle Worldwide Support.

---

**ORA-24057: cannot define subscriber with rule for queue *string***

**Cause:** An ADD\_SUBSCRIBER or ALTER\_SUBSCRIBER procedure with a rule was issued on a queue for which rule based subscribers are not supported. Rule based subscribers currently are supported only for NORMAL (persistent) multi-consumer queues created using an Oracle release 8.1.0 or higher compatible queue table.

**Action:** Create a NORMAL multi-consumer queue in an Oracle release 8.1.0 or higher compatible queue table, and retry the call. Or, if the queue is a normal (persistent) multi-consumer queue, convert the queue table to Oracle 8.1.0 or higher compatibility and retry.

**ORA-24058: cannot downgrade QUEUE\_TABLE that has propagation in a prepared state**

**Cause:** An attempt was made to downgrade the queue table when there were messages being propagated that were in the prepared state.

**Action:** Wait for the propagation to complete before retrying the operation.

**ORA-24059: invalid COMPATIBLE parameter setting *string* specified in DBMS\_AQADM.*string***

**Cause:** An invalid compatible parameter was specified in the DBMS\_AQADM procedure. The parameter setting must be of the form "8.x.y" where x is the release number and y is the update number.

**Action:** Specify a valid COMPATIBLE parameter setting, and retry the operation.

**ORA-24060: cannot convert QUEUE\_TABLE, *string* already is compatible with release *string***

**Cause:** The source queue table in the DBMS\_AQADM procedure is compatible with the specified COMPATIBLE parameter setting.

**Action:** Choose a different COMPATIBLE parameter setting to convert the queue table to the desired compatibility.

**ORA-24061: cannot specify non-zero SECONDARY\_INSTANCE if PRIMARY\_INSTANCE was zero**

**Cause:** A non-zero value was specified for SECONDARY\_INSTANCE when PRIMARY\_INSTANCE was zero.

**Action:** Specify a non-zero primary instance before you specify a non-zero secondary instance.

**ORA-24062: Subscriber table *string* inconsistent with queue table *string***

**Cause:** The subscriber table has not yet been successfully imported.

**Action:** Import the subscriber table before attempting to use the queue table. If the import failed, correct the problem and try to import the subscriber table again.

**ORA-24063: cannot downgrade QUEUE\_TABLE that has queues with rule-based subscribers**

**Cause:** An attempt was made to downgrade the queue table when there were queues on which rule based subscribers are defined.

**Action:** Remove the rule based subscribers for all queues in this queue table and retry.

**ORA-24064: propagation for QUEUE *string* and DESTINATION *string* already enabled**

---

**Cause:** An ENABLE\_SCHEDULE\_PROPAGATION command was issued for a queue and destination pair whose propagation schedule already was enabled.

**Action:** Make sure the QUEUE and DESTINATION are correct when you issue the ENABLE\_SCHEDULE\_PROPAGATION command.

**ORA-24065: propagation for QUEUE *string* and DESTINATION *string* already disabled**

**Cause:** A DISABLE\_SCHEDULE\_PROPAGATION command was issued for a queue and destination pair whose propagation schedule already was disabled.

**Action:** Make sure the QUEUE and DESTINATION are correct when you issue the DISABLE\_SCHEDULE\_PROPAGATION command.

**ORA-24066: invalid privilege specified**

**Cause:** An invalid privilege is specified for granting or revoking privilege

**Action:** Specify a valid privilege.

**ORA-24067: exceeded maximum number of subscribers for queue *string***

**Cause:** An attempt was made to add new subscribers to the specified, but the number of subscribers for this queue has exceeded the maximum number (1024) of subscribers allowed per queue.

**Action:** Remove existing subscribers before trying to add new subscribers.

**ORA-24068: cannot start queue *string*, queue table *string* is being migrated**

**Cause:** An attempt was made to start a queue in a queue table that is being migrated.

**Action:** Complete the queue table migration, and retry the operation.

**ORA-24069: cannot downgrade queue table *string* while it is being upgraded**

**Cause:** An attempt was made to downgrade a queue table, but a previous command to upgrade the queue table has not yet completed successfully.

**Action:** Complete the upgrade of the queue table by re-executing the DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE procedure. Then, downgrade the queue table.

**ORA-24070: cannot upgrade queue table *string* while it is being downgraded**

**Cause:** An attempt was made to upgrade a queue table, but a previous command to downgrade the queue table has not yet completed successfully.

**Action:** Complete the downgrade of the queue table by re-executing the DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE procedure. Then, upgrade the queue table.

**ORA-24071: cannot perform operation *string*, queue table *string* is being migrated**

**Cause:** An attempt was made to perform an operation on a queue in a queue table that is being migrated.

**Action:** Complete the queue table migration, and retry the operation.

**ORA-24072: cannot execute MIGRATE\_QUEUE\_TABLE procedure; must own queue table**

**Cause:** An attempt was made to upgrade or downgrade a queue table using the DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE procedure, but the user who executed the procedure does not own the queue.

**Action:** Reconnect as the owner of the queue table, and then execute the DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE procedure.

---

**ORA-24073: cannot specify RETENTION\_TIME on exception queue *string.string***

**Cause:** An attempt was made to create or alter an exception queue by specifying a non-zero RETENTION\_TIME.

**Action:** Use the default RETENTION\_TIME parameter value for exception queues.

**ORA-24074: RETRY\_DELAY and MAX\_RETRIES cannot be used for exception queue *%.string***

**Cause:** The CREATE\_QUEUE or ALTER\_QUEUE command was issued with a non-zero RETRY\_DELAY and an exception queue.

**Action:** Do not specify RETRY\_DELAY or MAX\_RETRIES for exception queues.

**ORA-24075: cannot specify agent with NULL address and non-NULL protocol**

**Cause:** An ADD\_SUBSCRIBER or enqueue was attempted with an agent that had a NULL address and a non-NULL protocol.

**Action:** Either specify a non-NULL address or set the protocol to NULL.

**ORA-24076: cannot perform operation *string* for NON\_PERSISTENT queue *string.string***

**Cause:** One of the operations, SCHEDULE\_PROPAGATION, ALTER\_QUEUE, LISTEN, DEQUEUE was issued for a NON\_PERSISTENT queue.

**Action:** Do not specify a NON\_PERSISTENT queue for these operations.

**ORA-24077: cannot create propagation schedule for EXCEPTION queue *string.string***

**Cause:** A SCHEDULE\_PROPAGATION was issued for an EXCEPTION queue. Propagation schedules can be created only for NORMAL queues.

**Action:** To propagate messages from a queue specify the queue type as NORMAL.

**ORA-24078: cannot specify a non-NULL SECONDARY\_INSTANCE if PRIMARY\_INSTANCE was NULL**

**Cause:** A non-NULL value was specified for SECONDARY\_INSTANCE when PRIMARY\_INSTANCE was NULL.

**Action:** Specify a non-NULL primary instance before you specify a non-NULL secondary instance.

**ORA-24079: invalid name *string*, names with AQ\$\_ prefix are not valid for *string***

**Cause:** An attempt was made to use a reserved prefix for the object name.

**Action:** Enter a different name for this object. Then, retry the operation.

**ORA-24080: unschedule\_propagation pending for QUEUE *string* and DESTINATION *string***

**Cause:** A propagation administration command was issued for a queue and destination pair whose propagation is being unscheduled.

**Action:** Do not issue propagation administration commands for a propagation schedule on which there is a pending unschedule request.

**ORA-24081: compatible parameter needs to be *string* or greater**

**Cause:** The compatible parameter was not high enough to allow the operation.

**Action:** shutdown and startup with a higher compatibility setting.

---

**ORA-24082: propagation may still be happening for the schedule for QUEUE *string* and DESTINATION *string***

**Cause:** The snapshot process executing the propagation schedule did not respond to the disable propagation command.

**Action:** Make sure that the job for the propagation schedule has been ended.

**ORA-24083: cannot specify remote subscribers for *string* QUEUE *string***

**Cause:** An add\_subscriber call with a non-null address field was issued on a queue which does not support remote subscribers. Remote subscribers are not supported for NON\_PERSISTENT QUEUES.

**Action:** Specify a null address field and retry the call.

**ORA-24084: DBLINK name in address field of agent *string* is not unique within the first 24 bytes**

**Cause:** Advanced Queuing requires that the agent's dblink name should be unique within the first 24 bytes (for 8.0 compatible queue tables)

**Action:** Specify a dblink name that is unique within the first 24 bytes or migrate to 8.1 compatible queue tables where this restriction is not there.

**ORA-24085: operation failed, queue *string* is invalid**

**Cause:** An attempt was made to enqueue, dequeue or administer a queue which is invalid. This could have occurred because the payload type of the queue's queue table was dropped.

**Action:** Drop the queue table setting the force option to true.

**ORA-24086: cannot create a 8.0 compatible *string* queue**

**Cause:** An attempt was made to create a 8.0 compatible queue table and enable a feature that is supported only on 8.1 style queue tables

**Action:** This feature is not supported

**ORA-24087: Invalid database user *string***

**Cause:** An invalid database username was specified

**Action:** Specify a valid database user

**ORA-24088: AQ Agent *string* does not exist**

**Cause:** This AQ Agent does not exist

**Action:** Specify a valid AQ agent. Check the DBA\_AQ\_AGENTS view for a list of valid aq agents

**ORA-24089: AQ Agent *string* already exists**

**Cause:** This AQ agent has already been created

**Action:** Specify another agent name or use the ALTER api to modify the agent information.

**ORA-24090: at least one protocol must be enabled**

**Cause:** No protocol was enabled for aq agent

**Action:** Enable one of the protocols by setting one of the enable parameters to true.

**ORA-24091: Destination queue *string* is the same as the source queue**

**Cause:** Propagation cannot be scheduled when the destination queue is the same as the source queue.

---

**Action:** Specify a different destination queue.

**ORA-24092: invalid value *string* specified**

**Cause:** A queue, queue table, rule, or ruleset name that requires double quotes was specified when the database compatibility was less than 10.0.

**Action:** Specify a value that does not require double quotes and retry the operation.

**ORA-24093: AQ agent *string* not granted privileges of database user *string***

**Cause:** The specified AQ agent does not have privileges of the specified database user

**Action:** Specify a valid combination of AQ agent and database user. Check the DBA\_AQ\_AGENT\_PRIVS or USER\_AQ\_AGENT\_PRIVS view for user/agent mappings

**ORA-24094: invalid transformation, target type does not match that of the queue**

**Cause:** The target type of the transformation specified was different from the type of the queue.

**Action:** Provide a valid transformation whose target type is the same as the queue type.

**ORA-24095: invalid transformation, source type does not match that of the queue**

**Cause:** The source type of the transformation specified was different from the type of the queue.

**Action:** Provide valid transformation whose source type is the same as the queue type.

**ORA-24096: invalid message state specified**

**Cause:** Invalid value is specified for message state

**Action:** Provide a valid message state as specified in the documentation

**ORA-24097: Invalid value *string*, *string* should be non-negative**

**Cause:** A negative value or NULL was specified for the parameter.

**Action:** Specify a non negative integer.

**ORA-24098: invalid value *string* for *string***

**Cause:** An Invalid value or NULL was specified for the parameter.

**Action:** Check the documentation for valid values.

**ORA-24099: operation not allowed for 8.0 compatible queues**

**Cause:** The specified operation is only supported for queues with compatibility 8.1 or greater

**Action:** Upgrade the 8.0 compatible queue to release 8.1 using DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE or specify a queue with compatibility 8.1

**ORA-24100: error in ktz testing layer**

**Cause:** There is an error in the Transaction layer test ICDS

**Action:** None

**ORA-24101: stopped processing the argument list at: *string***

---

**Cause:** One of the arguments of the requested operation contained a list of scheduler objects. While processing this list an error was encountered with the specified item.

**Action:** Resolve the error for this element of the list and then re-issue the command with the remainder of the argument list. See the rest of the error stack to find out what the exact error is.

**ORA-24102: invalid prefix for generate\_job\_name**

**Cause:** generate\_job\_name was called with a prefix longer than 18 characters or a prefix ending in a digit.

**Action:** Re-issue the command using a prefix no longer than 18 characters and not ending in a digit.

**ORA-24120: invalid string parameter passed to DBMS\_REPAIR.string procedure**

**Cause:** An invalid parameter was passed to the specified DBMS\_REPAIR procedure.

**Action:** Specify a valid parameter value or use the parameter's default.

**ORA-24121: both cascade and a block range passed to DBMS\_REPAIR.CHECK\_OBJECT procedure**

**Cause:** Both cascade and a block range were specified in a call to DBMS\_REPAIR.CHECK\_OBJECT.

**Action:** Use either cascade or a block range, or do not use either one.

**ORA-24122: invalid block range specification**

**Cause:** An incorrect block range was specified.

**Action:** Specify correct values for the BLOCK\_START and BLOCK\_END parameters.

**ORA-24123: feature string is not yet implemented**

**Cause:** An attempt was made to use the specified feature, but the feature is not yet implemented.

**Action:** Do not attempt to use the feature.

**ORA-24124: invalid ACTION parameter passed to DBMS\_REPAIR.string procedure**

**Cause:** An invalid ACTION parameter was specified.

**Action:** Specify CREATE\_ACTION, PURGE\_ACTION or DROP\_ACTION for the ACTION parameter.

**ORA-24125: Object string.string has changed**

**Cause:** An attempt was made to fix corrupt blocks on an object that has been dropped or truncated since DBMS\_REPAIR.CHECK\_OBJECT was run.

**Action:** Use DBMS\_REPAIR.ADMIN\_TABLES to purge the repair table and run DBMS\_REPAIR.CHECK\_OBJECT to determine whether there are any corrupt blocks to be fixed.

**ORA-24126: invalid CASCADE\_FLAG passed to DBMS\_REPAIR.string procedure**

**Cause:** CASCADE\_FLAG was specified for an object that is not a table.

**Action:** Use CASCADE\_FLAG only for tables.

**ORA-24127: TABLESPACE parameter specified with an ACTION other than CREATE\_ACTION**

---

**Cause:** The TABLESPACE parameter can only be used with CREATE\_ACTION.

**Action:** Do not specify TABLESPACE when performing actions other than CREATE\_ACTION.

**ORA-24128: partition name specified for a non-partitioned object**

**Cause:** A partition name was specified for an object that is not partitioned.

**Action:** Specify a partition name only if the object is partitioned.

**ORA-24129: table name *string* does not start with *string* prefix**

**Cause:** An attempt was made to pass a table name parameter without the specified prefix.

**Action:** Pass a valid table name parameter.

**ORA-24130: table *string* does not exist**

**Cause:** An attempt was made to specify a map, repair, or sync table that does not exist.

**Action:** Specify a valid table name parameter.

**ORA-24131: table *string* has incorrect columns**

**Cause:** An attempt was made to specify a map, repair, or sync table that does not have a correct definition.

**Action:** Specify a table name that refers to a properly created table.

**ORA-24132: table name *string* is too long**

**Cause:** An attempt was made to specify a table name is greater than 30 characters long"

**Action:** Specify a valid table name parameter.

**ORA-24141: rule set *string.string* does not exist**

**Cause:** An attempt to access or modify a ruleset was made, which failed because the ruleset does not exist.

**Action:** Only access or modify existing rulesets.

**ORA-24142: invalid ruleset name**

**Cause:** An attempt to create a ruleset with an invalid name was made. The ruleset name can not be NULL, and can not be more than 26 characters, unless a rules\_table\_name is also specified, in which case the ruleset name may be up to 30 characters.

**Action:** Retry the create with a valid ruleset name.

**ORA-24143: invalid evaluation context name**

**Cause:** An attempt to create a rule/ruleset on an invalid evaluation name was made. The evaluation\_context can not be more than 30 characters. The evaluation context with the name specified must exist.

**Action:** Retry the create with a valid evaluation context name.

**ORA-24144: rules engine internal error, arguments: [*string*], [*string*]**

**Cause:** An internal error occurred in the rules engine. This indicates that the rules engine has encountered an exception condition.

**Action:** Please report this error as a bug. The first argument is the error and the second argument is the package.

---

**ORA-24145: evaluation context *string.string* already exists**

**Cause:** An evaluation context of the given name already exists

**Action:** Specify another name for the evaluation context being created

**ORA-24146: rule *string.string* already exists**

**Cause:** A rule of the given name already exists

**Action:** Specify another name for the rule being created.

**ORA-24147: rule *string.string* does not exist**

**Cause:** The rule of the given name does not exist

**Action:** create the rule or specify one that exists

**ORA-24148: cannot drop rule *string.string* with dependents**

**Cause:** The rule still belongs to some rulesets, cannot be dropped

**Action:** do not drop a rule that belongs to rulesets without force option

**ORA-24149: invalid rule name**

**Cause:** An attempt to create a rule with an invalid name was made. The rule name can not be NULL, and can not be more than 30 characters

**Action:** None

**ORA-24150: evaluation context *string.string* does not exist**

**Cause:** The evaluation context of the given name does not exist

**Action:** create the evaluation context or specify one that exists

**ORA-24151: no evaluation context is associated with rule *string.string* or rule set *string.string***

**Cause:** Whening adding a rule to a rule set, either the rule or the rule set must have an evaluation context associated with it

**Action:** do not add a rule without an evaluation context to a ruleset that does not have a default evaluation context

**ORA-24152: cannot drop evaluation context *string.string* with dependents**

**Cause:** The evaluation context still belongs to some rules or rule sets, cannot be dropped

**Action:** do not drop an evaluation context with dependents without force option

**ORA-24153: rule set *string.string* already exists**

**Cause:** A rule set of the given name already exists

**Action:** Specify another name for the rule set being created.

**ORA-24154: rule *string.string* already in rule set *string.string***

**Cause:** a rule can be added to a rule set only once

**Action:** do not add a rule to a rule set that already contains this rule

**ORA-24155: rule *string.string* not in rule set *string.string***

**Cause:** the rule to be removed from the rule set is not in the rule set

**Action:** do not remove a rule from a rule set that does not contain the rule

**ORA-24156: duplicate table alias *string***

**Cause:** there is a table alias of the same name in the evaluation context

- 
- Action:** do not add two table aliases of the same name to an evaluation context
- ORA-24157: duplicate variable name *string***  
**Cause:** there is a variable of the same name in the evaluation context  
**Action:** do not add two variables of the same name to an evaluation context
- ORA-24158: invalid table alias**  
**Cause:** table alias name or base table name is not specified in the table alias definition  
**Action:** specify both alias name and alias base table in the table alias structure
- ORA-24159: invalid variable definition**  
**Cause:** variable name or variable type is not specified in the variable definition  
**Action:** specify both variable name and variable type in the variable definition structure
- ORA-24160: name *string* already exists in the name value pair list**  
**Cause:** there is already a name-value pair with the same name in the NVlist  
**Action:** try another name.
- ORA-24161: name *string* does not exist in the name value pair list**  
**Cause:** there is not such a name-value pair in the NVlist  
**Action:** check the name-value pair exists in the NVList.
- ORA-24162: name value pair list is full, cannot add another entry**  
**Cause:** The NVList is full (1024 elements) and cannot hold more elements  
**Action:** do not add elements to a full list.
- ORA-24163: dblink is not supported in rules engine DDLs**  
**Cause:** the object name has a database link in it, which is not supported  
**Action:** Do not specify remote objects in rules engine DDLs.
- ORA-24164: invalid rule engine system privilege: *string***  
**Cause:** no such system privilege number for rule engine objects  
**Action:** check specification of dbms\_rule\_adm for valid system privilege numbers
- ORA-24165: invalid rule engine object privilege: *string***  
**Cause:** no such object privilege number for rule engine objects  
**Action:** check specification of dbms\_rule\_adm for valid object privilege numbers
- ORA-24166: evaluation context *string.string* has errors**  
**Cause:** cannot resolve the table aliases and the variable types specified in the evaluation context  
**Action:** make sure all base tables exist and all variable types correct
- ORA-24167: incompatible rule engine objects, cannot downgrade**  
**Cause:** there are rule engine objects in the database that cannot be downgraded.  
**Action:** check utlincmp.sql and remove all incompatible rules engine objects before downgrade.
- ORA-24168: rule *string.string* cannot have default evaluation context**

---

**Cause:** If a rule is added to a rule set with more than one evaluation contexts, it must not have an evaluation context itself.

**Action:** Do not set the evaluation context of such rules to a not-null value

**ORA-24169: rule condition has unrecognized variables**

**Cause:** The rule references variables not in the evaluation context.

**Action:** Modify the rule condition to remove illegal reference.

**ORA-24170: *string.string* is created by AQ, cannot be dropped directly**

**Cause:** This object is created by AQ, thus cannot be dropped directly

**Action:** use `dbms_aqadm.drop_subscriber` to drop the object

**ORA-24171: creation properties are only for internal use**

**Cause:** user specified not null creation properties when creating rules engine objects, which are not for external use

**Action:** do not set creation properties when creating rules engine objects

**ORA-24172: rule set *string.string* has errors**

**Cause:** The rule references variables not in the evaluation context.

**Action:** Modify the rule condition to remove illegal reference.

**ORA-24173: nested query not supported for rule condition**

**Cause:** user specified nested query in rule condition.

**Action:** do not use nested query in rule condition.

**ORA-24180: invalid transformation expression, the transformation expression does not evaluate to the target type/attribute**

**Cause:** The transformation expression does not evaluate to the target type or the target type"s specified attribute.

**Action:** Provide valid transformation expression which evaluates to the target type or the target type"s specified attribute.

**ORA-24181: The type *string* does not exist**

**Cause:** The source or destination type for the transformation does not exist

**Action:** Create the type or specify one that exists

**ORA-24182: attribute number specified does not exist**

**Cause:** The target type of the transformation does not have the attribute number specified in the `ADD_ATTRIBUTE_TRANSFORMATION` command

**Action:** check the target type definition and specify a valid attribute number

**ORA-24183: invalid transformation**

**Cause:** The transformation specified is invalid because the source or the target type have been dropped/modified.

**Action:** Drop and recreate the transformation

**ORA-24184: transformation *string.string* already exists**

**Cause:** The named transformation already exists.

**Action:** Specify another name for the transformation being created.

**ORA-24185: transformation *string.string* does not exist**

**Cause:** The specified transformation does not exist.

---

**Action:** Create the transformation before using it or specify an existing transformation.

**ORA-24186: wrong object type, could not transform message**

**Cause:** The object type of the message to be transformed does not match the source type of the specified transformation.

**Action:** Specify another transformation, or specify a message of the correct type.

**ORA-24190: length of payload exceeds *string***

**Cause:** the length of payload being taken exceeds the limit of varchar2 or raw.

**Action:** use clob type or blob type to call `get_text` or `get_bytes`.

**ORA-24191: the property name *string* has existed**

**Cause:** the property name being set has existed.

**Action:** use another property name.

**ORA-24192: the property name cannot be null**

**Cause:** the property name cannot be null.

**Action:** make sure the property name not null.

**ORA-24193: the property value exceeds the valid range *string***

**Cause:** the property value being set exceeds the valid range.

**Action:** make sure the property value is within the valid range.

**ORA-24194: attempt to read data in a message as the wrong type**

**Cause:** According to JMS specification, some type conversions were not allowed.

**Action:** Make sure to use the correct READ function to retrieve message data.

**ORA-24195: attempt to retrieve the name list of a map message with size exceeding 1024**

**Cause:** The GET\_NAMES function returns the names in a varray with a size limit of 1024.

**Action:** Retrieve in several smaller steps using the GET\_NAMES function with OFFSET and LENGTH parameters.

**ORA-24196: access the message in a wrong access mode**

**Cause:** StreamMessage and BytesMessage could not be read when they were in write only mode and vice versa.

**Action:** Change the access mode using PREPARE, CLEAR\_BODY and RESET procedures.

**ORA-24197: JAVA stored procedure throws JAVA exceptions**

**Cause:** The JAVA stored procedure threw some exceptions that could not be categorized.

**Action:** Use GET\_EXCEPTION procedure to see what the exception is about.

**ORA-24198: attempt to use an invalid operation ID**

**Cause:** An attempt was made to use an invalid operation ID to access messages.

**Action:** Use the correct operation ID returned by PREPARE or CLEAR\_BODY procedure.

**ORA-24199: message store is overflow**

---

**Cause:** An attempt was made to access too many messages at the same time.

**Action:** Use the CLEAN procedure to clean up some of the messages.

**ORA-24201: duplicate publisher, publisher already added to the queue**

**Cause:** Attempted to add a publisher to the queue again.

**Action:** Specify another publisher or user DBMS\_AQADM.ALTER\_PUBLISHER to alter the publisher's properties.

**ORA-24202: publisher does not exist for the queue**

**Cause:** Attempted to alter or drop a non-existent publisher from a queue.

**Action:** Specify another publisher.

**ORA-24203: operation failed, queue table *string.string* has errors**

**Cause:** An operation attempt was made to a queue table which has errors.

**Action:** Drop the queue table setting the force option to true.

**ORA-24204: existing *string* propagation schedules**

**Cause:** A propagation administrative interface was called when the existing propagation schedules were running in different mode (10.2/11g).

**Action:** Set appropriate internal parameter and un-schedule existing schedules if required.

**ORA-24230: input to DBMS\_DDL.WRAP is not a legal PL/SQL unit**

**Cause:** The input supplied to DBMS\_DDL.WRAP or DBMS\_DDL.CREATE\_WRAPPED did not specify a legal PL/SQL package specification, package body, type specification, type body, function or procedure. This error can occur if you used incorrect syntax in the CREATE OR REPLACE statement or specified a unit that cannot be wrapped (e.g., a trigger or anonymous block).

**Action:** Provide a legal PL/SQL unit as input.

**ORA-24231: database access descriptor (DAD) *string* not found**

**Cause:** The specified Database Access Descriptor (DAD) did not exist.

**Action:** Make sure the name of the Database Access Descriptor (DAD) is correct and the DAD exists.

**ORA-24232: unknown Embedded PL/SQL Gateway attribute *string***

**Cause:** The specified Embedded PL/SQL Gateway attribute was not known.

**Action:** Make sure the name of the Embedded PL/SQL Gateway attribute is correct.

**ORA-24233: argument passed to DBMS\_UTILITY.VALIDATE is not legal**

**Cause:** One or more input arguments to the DBMS\_UTILITY.VALIDATE routine was not legal. This error occurred because the object name or owner or namespace arguments (if specified) were NULL or illegal.

**Action:** Identify and correct the illegal argument.

**ORA-24234: unable to get source of *string* "*string*".*string*, insufficient privileges or does not exist**

**Cause:** The specified PL/SQL object in a DBMS\_PREPROCESSOR subprogram did not exist or you did not have the privileges necessary to view its source.

**Action:** Make sure the specified object exists and you have the privileges necessary to view its source.

---

**ORA-24235: bad value for object type: *string***

**Cause:** The specified object type was not appropriate.

**Action:** Make sure the specified object type is one of the following: package, package body, procedure, function, trigger, type, and type body.

**ORA-24236: source text is empty**

**Cause:** The input source text supplied to a DBMS\_PREPROCESSOR subprogram was empty.

**Action:** Pass a non-empty input source text as the input.

**ORA-24237: object id argument passed to DBMS\_UTILITY.INVALIDATE is not legal**

**Cause:** This error occurred because the p\_object\_id argument passed to the DBMS\_UTILITY.INVALIDATE routine was NULL, there was no object with the specified object id, or the user calling the routine did not have sufficient privileges to invalidate the object.

**Action:** Correct the illegal argument.

**ORA-24238: object settings argument passed to DBMS\_UTILITY.INVALIDATE is not legal**

**Cause:** This error occurred because the p\_plsql\_object\_settings argument passed to the DBMS\_UTILITY.INVALIDATE routine was NULL or malformed.

**Action:** Correct the illegal argument.

**ORA-24239: object could not be invalidated**

**Cause:** A call to the DBMS\_UTILITY.INVALIDATE routine failed. This error occurred because the object type of the object specified by the p\_object\_id argument is not one of the types that can be handled by this routine. Alternately, the object was an object type specification with table dependents, or the object was the specification of the STANDARD, DBMS\_STANDARD, DBMS\_UTILITY package, or the body of the DBMS\_UTILITY package.

**Action:** Call DBMS\_UTILITY.INVALIDATE only on supported object types.

**ORA-24240: invalid database access descriptor (DAD) name**

**Cause:** The specified Database Access Descriptor (DAD) name was invalid.

**Action:** Make sure the name of the Database Access Descriptor (DAD) is valid and its length does not exceed its limit.

**ORA-24241: source text is in wrapped format**

**Cause:** The input source text supplied to a DBMS\_PREPROCESSOR subprogram was in wrapped format.

**Action:** Pass a nonwrapped source text as the input.

**ORA-24242: anonymous access through a dynamically authenticated Database Access Descriptor (DAD) prohibited**

**Cause:** An attempt to allow anonymous access through a dynamically authenticated Database Access Descriptor (DAD) was prohibited.

**Action:** Make sure the Database Access Descriptor (DAD) is not dynamically authenticated before allowing anonymous access through it.

**ORA-24243: access control entry (ACE) already exists**

---

**Cause:** An access control entry (ACE) for the principal with the same grant or deny attribute in the IS\_GRANT argument already existed.

**Action:** Add the privilege to the existing access control entry (ACE) instead.

**ORA-24244: invalid host or port for access control list (ACL) assignment**

**Cause:** The host or port to which the access control list (ACL) was assigned was invalid.

**Action:** Ensure the host and port to which you are assigning the access control list (ACL) are valid.

**ORA-24245: invalid network privilege**

**Cause:** The network privilege being added to the access control list (ACL) was invalid.

**Action:** Ensure the network privilege that you are adding to the access control list (ACL) is valid.

**ORA-24246: empty access control list (ACL) not allowed**

**Cause:** An attempt was made to store an empty access control list (ACL).

**Action:** Ensure that the access control list (ACL) has at least one

**ORA-24247: network access denied by access control list (ACL)**

**Cause:** No access control list (ACL) has been assigned to the target host or the privilege necessary to access the target host has not been granted to the user in the access control list.

**Action:** Ensure that an access control list (ACL) has been assigned to the target host and the privilege necessary to access the target host has been granted to the user.

**ORA-24248: XML DB extensible security not installed**

**Cause:** XML DB extensible security necessary for this operation has not been installed.

**Action:** Ensure that XML DB has been installed.

**ORA-24265: Insufficient privileges for SQL profile operation**

**Cause:** A DDL operation was attempted on a SQL profile by a session without the proper privileges.

**Action:** Grant the user the appropriate privilege.

**ORA-24270: a row already exists in the *string* table for these parameters**

**Cause:** A call was made to create a new row in the specified table. A row already exists in the table with the specified values.

**Action:** Delete the existing row using the appropriate API or check the parameters used to create the row.

**ORA-24271: translation type must be either T, S or M**

**Cause:** The translation type parameter is not a T, S or an M. A value other than T, S or M was specified.

**Action:** Correct the translation type and reexecute the API call.

**ORA-24272: initialization value must be either F or T**

**Cause:** The initialization value must be either F or T. A value other than F or T was specified.

---

**Action:** Correct the initialization value and reexecute the API call.

**ORA-24273: translation text is required if translation type is T or S**

**Cause:** If a translation type of T or S is specified, translation text must be supplied.

**Action:** Provide translation text and reexecute the API call.

**ORA-24274: no row exists in the *string* table for these parameters**

**Cause:** A call was made to update a row that does not exist or a foreign key value supplied to create a table does not exist.

**Action:** Create the row using the appropriate API or check the parameters used to create the new row to ensure that all specified values exist.

**ORA-24275: function "*string*" parameter "*string*" missing or invalid**

**Cause:** The function <pkgname.funcname> was called with a parameter <parmname> that was null, 0 length, or had an invalid value.

**Action:** Correct the parameter to supply values that comply with its datatype and limits as specified in the documentation.

**ORA-24276: function "*string*" output "*string*" maximum value exceeded**

**Cause:** The function <pkgname.funcname> computed a value for the output <parmname> that exceeded the maximum allowed. This can occur when multiple input parameters, each valid separately, combine to specify an invalid result. For example, when a length parameter multiplied by a copies parameter yields a total length exceeding the maximum for the output datatype.

**Action:** Correct the input values to produce a result that will comply with the limits as specified in the documentation.

**ORA-24277: invalid database link *string***

**Cause:** The database link did not exist.

**Action:** Make sure the database link name is correct.

**ORA-24278: remote table *string* not found**

**Cause:** The table did not exist in the remote database.

**Action:** Make sure the remote table name is correct.

**ORA-24279: view *string* is not a parallel access view**

**Cause:** The view was not created by CREATE\_OR\_REPLACE\_VIEW API.

**Action:** Provide the correct view name that was created by CREATE\_OR\_REPLACE\_VIEW API.



---

---

## ORA-24280 to ORA-28674

**ORA-24280: invalid input value for parameter *string***

**Cause:** The parameter has been provided a negative, out of range, or NULL input value.

**Action:** Correct the input value such that it is valid, and is within the range as specified in the documentation.

**ORA-24281: invalid access past the maximum size of LOB parameter *string***

**Cause:** The value of positional or size parameters exceeds the maximum allowed LOB size of 4 Gigabytes.

**Action:** Correct the input values for amount and offset such that their sum is less than or equal to 4 Gigabytes. If error occurs in a read or write loop, check the looping conditions and/or offset increments.

**ORA-24292: no more tables permitted in this sorted hash cluster**

**Cause:** A sorted hash cluster only supports a maximum of 2 tables

**Action:** None

**ORA-24295: max key length (*string*) for sorted hash cluster exceeded**

**Cause:** Sorted hash clusters have a maximum key size

**Action:** None

**ORA-24300: bad value for mode**

**Cause:** An undefined mode value was specified.

**Action:** Check that the correct mode is selected and that an allowed value for that mode is specified.

**ORA-24301: null host specified in thread-safe logon**

**Cause:** An HDA was not specified in the logon call while running in a thread safe environment.

**Action:** Make sure that HDA is not NULL when calling the logon routine.

**ORA-24302: host connection in use by another thread**

**Cause:** An attempt was made to use the host connection while it was in use by another thread.

**Action:** Wait for another thread to finish before using this connection.

**ORA-24303: call not supported in non-deferred linkage**

**Cause:** One of the calls that is supported in deferred mode linkage exclusively was invoked when the client was linked non-deferred.

---

**Action:** Use this call in deferred mode of linkage.

**ORA-24304: datatype not allowed for this call**

**Cause:** Data of this datatype cannot be sent or fetched in pieces.

**Action:** Use other bind or define calls for this datatype.

**ORA-24305: bad bind or define context**

**Cause:** The call was executed on a cursor for which this is invalid.

**Action:** Verify that this call is valid for this cursor. For example, Get piece information and set piece information are valid on a cursor if appropriate binds and defines have been done on this cursor.

**ORA-24306: bad buffer for piece**

**Cause:** A zero length buffer or a null buffer pointer was provided.

**Action:** Verify that the buffer pointing to this piece or its length is non-zero. The buffer pointer for the next piece or its length can be zero if it is the last piece to be inserted and there are no more data for the column.

**ORA-24307: invalid length for piece**

**Cause:** The length of the piece exceeded the maximum possible size.

**Action:** Verify that the length of this piece and the cumulative length of all the previous pieces is not more than the desired value supplied by the application.

**ORA-24308: illegal define position**

**Cause:** Call to modify attributes was done for a non-existent position

**Action:** Verify that a define has been done for this position

**ORA-24309: already connected to a server**

**Cause:** This server handle is already attached to a server.

**Action:** Disconnect from the server and then retry the call to establish a connection.

**ORA-24310: length specified for null connect string**

**Cause:** The connect string is null, but a length was specified for it.

**Action:** Set length to zero if connect string is null.

**ORA-24311: memory initialization failed**

**Cause:** Cannot initialize user memory.

**Action:** Contact customer support.

**ORA-24312: illegal parameters specified for allocating user memory**

**Cause:** An illegal size or null pointer was specified for user memory.

**Action:** Specify a legal size and a valid pointer for user memory.

**ORA-24313: user already authenticated**

**Cause:** A user has already been authenticated on this service handle.

**Action:** Terminate the service context before using it for another user.

**ORA-24314: service handle not initialized**

**Cause:** The server context does not exist.

**Action:** Establish the server context in the service context.

---

**ORA-24315: illegal attribute type**

**Cause:** An illegal attribute type was specified for the handle.

**Action:** Consult user manual to specify an attribute valid for this handle.

**ORA-24316: illegal handle type**

**Cause:** An illegal handle type was specified.

**Action:** Consult user manual to specify a valid handle type.

**ORA-24317: define handle used in a different position**

**Cause:** A define was done with an existing handle on a different position.

**Action:** Specify the same position as before on a re-define.

**ORA-24318: call not allowed for scalar data types**

**Cause:** This call is valid only for object types.

**Action:** Verify that the data-type for this variable is an object type

**ORA-24319: unable to allocate memory**

**Cause:** Process was unable to allocate memory to store diagnostics.

**Action:** Terminate other processes in order to reclaim needed memory.

**ORA-24320: unable to initialize a mutex**

**Cause:** An attempt to initialize a mutex failed.

**Action:** Contact customer support.

**ORA-24321: inconsistent parameters passed**

**Cause:** One of the three memory function pointers is null or non-null.

**Action:** Verify that either all the memory functions are null or non-null.

**ORA-24322: unable to delete an initialized mutex**

**Cause:** An attempt to delete an initialized mutex failed.

**Action:** Contact customer support.

**ORA-24323: value not allowed**

**Cause:** A null value or a bogus value was passed in for a mandatory parameter.

**Action:** Verify that all mandatory parameters are properly initialized.

**ORA-24324: service handle not initialized**

**Cause:** An attempt was made to use an improper service context handle.

**Action:** Verify that the service context handle has all the parameters initialized prior to this call.

**ORA-24325: this OCI operation is not currently allowed**

**Cause:** An attempt was made to use a context handle outside its scope.

**Action:** Verify that the context handle is set to a service context handle that has been converted to a logon data area for other OCI calls. The logon data area must be converted back to a service context before it can be used.

**ORA-24326: handle passed in is already initialized**

**Cause:** An attempt was made to pass an initialized handle.

**Action:** Verify that the parameter passed in to retrieve a handle does not already point to a handle.

---

**ORA-24327: need explicit attach before authenticating a user**

**Cause:** A server context must be initialized before creating a session.

**Action:** Create and initialize a server handle.

**ORA-24328: illegal attribute value**

**Cause:** The attribute value passed in is illegal.

**Action:** Consult the users manual and specify a legal attribute value for the handle.

**ORA-24329: invalid character set identifier**

**Cause:** The character set identifier specified is invalid

**Action:** Specify a valid character set identifier in the OCI call.

**ORA-24330: internal OCI error**

**Cause:** An internal OCI error has occurred.

**Action:** Please contact Oracle customer support.

**ORA-24331: user buffer too small**

**Cause:** The user buffer to contain the output data is too small.

**Action:** Specify a bigger buffer.

**ORA-24332: invalid object type**

**Cause:** An invalid object type is requested for the describe call.

**Action:** Specify a valid object type to the describe call.

**ORA-24333: zero iteration count**

**Cause:** An iteration count of zero was specified for the statement

**Action:** Specify the number of times this statement must be executed

**ORA-24334: no descriptor for this position**

**Cause:** The application is trying to get a descriptor from a handle for an illegal position.

**Action:** Check the position number.

**ORA-24335: cannot support more than 1000 columns**

**Cause:** The number of columns exceeds the maximum number supported.

**Action:** None

**ORA-24336: invalid result set descriptor**

**Cause:** The result set descriptor should have valid data fetched into it before it can be converted to a statement handle

**Action:** Fetch valid data into the descriptor before attempting to convert it into a statement handle

**ORA-24337: statement handle not prepared**

**Cause:** A statement cannot be executed before making preparing a request.

**Action:** Prepare a statement before attempting to execute it.

**ORA-24338: statement handle not executed**

**Cause:** A fetch or describe was attempted before executing a statement handle.

**Action:** Execute a statement and then fetch or describe the data.

---

**ORA-24339: cannot set server group name after connecting to server**

**Cause:** An attempt was made to set the server group in a server handle after connecting to the server. However, once the connection is established to a server, the server group name cannot be set anymore.

**Action:** Attach to the server after setting the server group name in the server handle.

**ORA-24340: cannot support more than 255 columns**

**Cause:** The number of columns exceeds maximum supported by the server.

**Action:** Limit your operation to 255 columns.

**ORA-24341: bad mode specified**

**Cause:** OCI\_ENV\_NO\_MUTEX mode was specified for a non-threaded client.

**Action:** OCI\_ENV\_NO\_MUTEX may be specified when OCI\_THREADED had been specified at process initialization.

**ORA-24342: unable to destroy a mutex**

**Cause:** An attempt to destroy a mutex failed.

**Action:** None

**ORA-24343: user defined callback error**

**Cause:** The only valid return value for a user defined callback function is OCI\_CONTINUE or OCI\_ROWCBK\_DONE. Any other value will cause this error.

**Action:** Please insure that OCI\_CONTINUE or OCI\_ROWCBK\_DONE is returned from the user defined callback function.

**ORA-24344: success with compilation error**

**Cause:** A sql/plsql compilation error occurred.

**Action:** Return OCI\_SUCCESS\_WITH\_INFO along with the error code

**ORA-24345: A Truncation or null fetch error occurred**

**Cause:** A truncation or a null fetch error"

**Action:** Please ensure that the buffer size is long enough to store the returned data.

**ORA-24346: cannot execute without binding variables**

**Cause:** None of the bind variables in the SQL statement are bound.

**Action:** Please bind all the variables before the execute is done.

**ORA-24347: Warning of a NULL column in an aggregate function**

**Cause:** A null column was processed by an aggregate function

**Action:** An OCI\_SUCCESS\_WITH\_INFO is returned.

**ORA-24348: Update or Delete without Where**

**Cause:** An update or delete was executed without where clause

**Action:** An OCI\_SUCCESS\_WITH\_INFO is returned.

**ORA-24350: OCI call not allowed**

**Cause:** OCI used is not permitted from external procedures.

**Action:** Refer to user manual for usage restrictions.

**ORA-24351: invalid date passed into OCI call**

---

**Cause:** A bad date was passed into one of the OCI calls.

**Action:** Check your date bind values and correct them.

**ORA-24352: invalid COBOL display type passed into OCI call**

**Cause:** A bad COBOL display type was passed into one of the OCI calls.

**Action:** Check your COBOL display type bind values and correct them.

**ORA-24353: user buffer too small to accommodate COBOL display type**

**Cause:** User supplied buffer for a COBOL display type was too small to accommodate fetched number.

**Action:** Increase the allocation for COBOL display type buffer.

**ORA-24354: number fetched too large to fit in COBOL display type buffer.**

**Cause:** The number fetched was beyond the range that can be displayed.

**Action:** Please check the number in the database.

**ORA-24355: attempt to store a negative number in an Unsigned Display type.**

**Cause:** An attempt was made to convert a negative number into an unsigned display type.

**Action:** Please check the number in the database or change the defined datatype.

**ORA-24356: internal error while converting from to COBOL display type.**

**Cause:** An internal error was encountered during conversion to COBOL display type.

**Action:** Contact customer support.

**ORA-24357: internal error while converting from to OCIDate.**

**Cause:** An internal error was encountered during conversion to OCIDate type.

**Action:** Contact customer support.

**ORA-24358: OCIBindObject not invoked for a Object type or Reference**

**Cause:** OCIBindObject was not invoked resulting in an incomplete bind specification for a Object Type or Reference.

**Action:** Please invoke the OCIBindObject call for all Object Types and References.

**ORA-24359: OCIDefineObject not invoked for a Object type or Reference**

**Cause:** OCIDefineObject was not invoked resulting in an incomplete bind specification for a Object Type or Reference.

**Action:** Please invoke the OCIDefineObject call for all Object Types and References.

**ORA-24360: Type Descriptor Object not specified for Object Bind/Define**

**Cause:** Type Descriptor Object is a mandatory parameter for Object Types Binds and Defines.

**Action:** Please invoke the OCIBindObject() or OCIDefineObject() call with a valid Type Descriptor Object.

**ORA-24361: basic bind call not invoked before invoking advanced bind call**

**Cause:** One of the basic bind calls was not invoked on this bind handle before performing an advanced bind call.

**Action:** Please invoke the advanced bind call on this bind handle only after performing a basic bind call.

---

**ORA-24362: improper use of the character count flag**

**Cause:** When the character count flag is set, then the maximum size of the buffer in the server should be specified as a non-zero value.

**Action:** Please use a non-zero value for the maximum size of the buffer in the server.

**ORA-24363: measurements in characters illegal here**

**Cause:** Measurements in characters instead of bytes are illegal if either the server's or client's character set is varying width.

**Action:** If either the client's or server's character set is varying width then do not use the OCI\_ATTR\_CHAR\_COUNT attribute for the bind handle. Use OCI\_ATTR\_MAXDATA\_SIZE instead.

**ORA-24364: internal error while padding blanks**

**Cause:** An internal error has occurred while attempting to blank pad string data. This error should not occur normally.

**Action:** Contact customer support.

**ORA-24365: error in character conversion**

**Cause:** This usually occurs during conversion of a multibyte character data when the source data is abnormally terminated in the middle of a multibyte character.

**Action:** Make sure that all multibyte character data is properly terminated.

**ORA-24366: migratable user handle is set in service handle**

**Cause:** This occurs during user authentication, a migratable user handle has been set in the service handle.

**Action:** Service handle must not be set with migratable user handle when it is used to authenticate another user.

**ORA-24367: user handle has not been set in service handle**

**Cause:** This occurs during authentication of a migratable user. the service handle has not been set with non-migratable user handle.

**Action:** Service handle must be set with non-migratable user handle when it is used to authenticate a migratable user.

**ORA-24368: OCI mutex counter non-zero when freeing a handle**

**Cause:** This is an internal OCI error.

**Action:** Contact customer support.

**ORA-24369: required callbacks not registered for one or more bind handles**

**Cause:** No callbacks have been registered for one or more of the bind handles which are part of the RETURNING clause.

**Action:** The bind handles which are to receive data in a DML statement with a RETURNING clause must have their mode set as DATA\_AT\_EXEC and callback functions must be registered for these bind handles using OCIBindDynamic.

**ORA-24370: illegal piecewise operation attempted**

**Cause:** Data of a certain datatype that does not support piecewise operation is being sent or fetched in pieces.

**Action:** Always set the piece value to OCI\_ONE\_PIECE for datatypes that does not support piecewise operation.

---

**ORA-24371: data would not fit in current prefetch buffer**

**Cause:** An internal OCI error has occurred.

**Action:** Please contact Oracle customer support.

**ORA-24372: invalid object for describe**

**Cause:** The object to be described is not valid. It either has compilation or authorization errors.

**Action:** The object to be described must be valid.

**ORA-24373: invalid length specified for statement**

**Cause:** The length specified for the statement is either 0 or too large.

**Action:** Specify a valid length for the statement.

**ORA-24374: define not done before fetch or execute and fetch**

**Cause:** The application did not define output variables for data being fetched before issuing a fetch call or invoking a fetch by specifying a non-zero row count in an execute call.

**Action:** Issue OCI define calls for the columns to be fetched.

**ORA-24375: Cannot use V6 syntax when talking to a V8 server**

**Cause:** V6 syntax is no longer supported in V8 server.

**Action:** Change syntax to V7 syntax or higher.

**ORA-24376: cannot register/get user callback for non-environment handle**

**Cause:** A user callback registration or get was attempted on a handle which is not an environment handle.

**Action:** Pass the environment handle to register/get user callback.

**ORA-24377: invalid OCI function code**

**Cause:** An invalid function code was used to register or get user callback"

**Action:** Use a valid OCI function code.

**ORA-24378: user callbacks not allowed for this call**

**Cause:** An attempt was made to register a user callback for an OCI call for which it not allowed to register user callbacks.

**Action:** Do not register user callback for this OCI call.

**ORA-24379: invalid user callback type**

**Cause:** An invalid type of user callback was specified.

**Action:** Specify a valid user callback type.

**ORA-24380: invalid mode specification**

**Cause:** The mode parameter in an OCIU\* call is invalid

**Action:** Use only valid mode parameter

**ORA-24381: error(s) in array DML**

**Cause:** One or more rows failed in the DML.

**Action:** Refer to the error stack in the error handle.

**ORA-24382: statement handled already executed or described**

**Cause:** The Statement handle was executed or described successfully before.

---

**Action:** Perform a OCISstmtPrepare again before OCI\_PARSE\_ONLY.

**ORA-24383: Overflow segment of an IOT cannot be described**

**Cause:** The name specified in the OCIDescribeAny call referred to an IOT overflow segment.

**Action:** Use OCIDescribeAny to describe only documented objects.

**ORA-24384: Application context size is not initialized**

**Cause:** The size of the application context must be initialized before populating each context element.

**Action:** Issue OCIAAttrSet with OCI\_ATTR\_CTX\_SIZE to initialize context size

**ORA-24385: Application context size or index is not valid**

**Cause:** The size or index of the application context must be non-zero and non-negative.

**Action:** Use an appropriate value for the size.

**ORA-24386: statement/server handle is in use when being freed**

**Cause:** This is an internal OCI error.

**Action:** The user should reset in-use flag in statement handle before freeing the handle.

**ORA-24387: Invalid attach driver**

**Cause:** Trying to attach using the wrong driver

**Action:** Relink the application in the right mode

**ORA-24388: Unsupported functionality in fast path mode**

**Cause:** Feature not supported in fast path mode

**Action:** Avoid using the functionality in this mode

**ORA-24389: Invalid scrollable fetch parameters**

**Cause:** All the requested rows in this fetch could not be received.

**Action:** Check the fetch orientation, scroll offset, OCI\_ATTR\_CURRENT\_POSITION and number of rows in OCISstmtFetch2 call. If required, change some of above parameters and fetch again.

**ORA-24390: Unsupported scrollable cursor operation**

**Cause:** The scrollable cursor execute or fetch has failed.

**Action:** Check the documentation for supported types, and other restrictions while using scrollable cursors.

**ORA-24391: invalid fetch operation**

**Cause:** Scrollable cursor operation requested with non-scrollable cursor.

**Action:** Check if the statement was executed in the scrollable mode. Else the only acceptable orientation is OCI\_FETCH\_NEXT that ignores the scroll offset parameter.

**ORA-24392: no connection pool to associate server handle**

**Cause:** OCIServerAttach called in OCI\_POOL mode but no connection pool found to associate the server handle.

---

**Action:** 1) Verify that OCIConnectionPoolCreate is called before calling OCIServerAttach. 2) Verify that the database link specified in OCIServerAttach matches with that of the connection pool database link.

**ORA-24393: invalid mode for creating connection pool**

**Cause:** Mode specified in OCIConnectionPoolCreate is invalid.

**Action:** Use a valid mode.

**ORA-24394: invalid mode for destroying connection pool**

**Cause:** Mode specified in OCIConnectionPoolDestroy is invalid.

**Action:** Use a valid mode.

**ORA-24395: cannot reinitialize non-existent pool**

**Cause:** OCIConnectionPoolCreate was not called in OCI\_DEFAULT mode for this pool handle.

**Action:** Create a connection pool prior to reinitializing it.

**ORA-24396: invalid attribute set in server handle**

**Cause:** Attribute OCI\_ATTR\_NONBLOCKING\_MODE has been set on the server handle and attached in OCI\_POOL mode. Connection pooling does not support non blocking mode.

**Action:** Do not set the OCI\_ATTR\_NONBLOCKING\_MODE attribute on the server handle while attaching in OCI\_POOL mode.

**ORA-24397: error occurred while trying to free connections**

**Cause:** An internal error occurred while trying to free connections.

**Action:** Contact customer support.

**ORA-24398: connection pool already exists**

**Cause:** A connection pool has already been created for the specified pool handle.

**Action:** 1) Specify a different pool handle to create a new connection pool. 2) If you wish to modify the pool parameters, call OCIConnectionPoolCreate in OCI\_CPOOL\_REINITIALIZE mode.

**ORA-24399: invalid number of connections specified**

**Cause:** An invalid combination of minimum, maximum and increment number of connections was specified in the OCIConnectionPoolCreate call.

**Action:** Specify a valid combination of parameters.

**ORA-24400: error occurred while creating connections in the pool**

**Cause:** The database link specified in OCIConnectionPoolCreate might be an invalid one.

**Action:** Specify a valid database link.

**ORA-24401: cannot open further connections**

**Cause:** Sufficient number of connections are not present in the pool to execute the call. No new connections can be opened as the connMax parameter supplied in OCIConnectionPoolCreate has been reached.

**Action:** Call OCIConnectionPoolCreate in OCI\_CPOOL\_REINITIALIZE mode and increase the value of the connMax parameter.

**ORA-24402: error occurred while creating connections in the pool**

---

**Cause:** The username and password specified in OCIConnectionPoolCreate might be invalid.

**Action:** Specify a valid username and password.

**ORA-24403: error occurred while trying to destroy the connection pool**

**Cause:** Some connections in the pool were busy when an attempt to destroy the connection pool was made.

**Action:** Ensure no connections from the pool are being used.

**ORA-24404: connection pool does not exist**

**Cause:** An attempt was made to use the connection pool before creating it.

**Action:** Create the connection pool.

**ORA-24405: error occurred while trying to create connections in the pool**

**Cause:** An internal error occurred while creating connections in the pool.

**Action:** Contact customer support.

**ORA-24406: API mode switch is disallowed when a call is in progress.**

**Cause:** A mode switch from OCI8 to OCI7 was attempted in a callback.

**Action:** The user should perform the API mode switch either prior to initiating the top call or after the main call is done.

**ORA-24407: connection pool already exists**

**Cause:** A connection pool has already been created for the specified pool name.

**Action:** Specify a different pool name to create a new connection pool.

**ORA-24408: could not generate unique server group name**

**Cause:** An internal error occurred while generating unique server group name.

**Action:** Contact customer support.

**ORA-24409: client cannot understand the object**

**Cause:** The client cannot process all the new features in the object.

**Action:** Upgrade the client so that features like inheritance and SQLJ objects can be used.

**ORA-24410: scrollable cursor max size exceeded**

**Cause:** Result set size exceeded the max limits.

**Action:** Check the documentation for allowable maximum result set size for scrollable cursors. Re-execute with a smaller expected result set size or make the cursor non-scrollable.

**ORA-24411: Session pool already exists.**

**Cause:** A session pool has already been created for the specified pool handle.

**Action:** 1) Specify a different pool handle to create a new session pool. 2) If you wish to modify the pool parameters, call OCISessionPoolCreate in OCI\_SPOOL\_REINITIALIZE mode.

**ORA-24412: Cannot reinitialize non-existent pool**

**Cause:** OCISessionPoolCreate was not called in OCI\_DEFAULT mode for this pool handle.

**Action:** Create a session pool prior to reinitializing it.

---

**ORA-24413: Invalid number of sessions specified**

**Cause:** An invalid combination of minimum, maximum and increment number of sessions was specified in the OCISessionPoolCreate call.

**Action:** Specify a valid combination of parameters.

**ORA-24414: Only *number* sessions could be started.**

**Cause:** The number of sessions specified by the minSess parameter of OCISessionPoolCreate could not be started, possibly because the value supplied was larger than that supported by the server."

**Action:** This is a warning. Check the maximum number of sessions allowed on the server.

**ORA-24415: Missing or null username.**

**Cause:** Username and password must be specified when pool is created in this mode.

**Action:** Specify a valid username and password.

**ORA-24416: Invalid session Poolname was specified.**

**Cause:** An attempt was made to use a Session Pool that does not exist.

**Action:** Create a Session Pool before using it.

**ORA-24417: Session pool size has exceeded the maximum limit**

**Cause:** The number of sessions has exceeded the maximum size of the Session Pool.

**Action:** This is a warning. You can tune the session pool with appropriate minimum and maximum parameters.

**ORA-24418: Cannot open further sessions.**

**Cause:** Sufficient number of sessions are not present in the pool to execute the call. No new sessions can be opened as the sessMax parameter supplied in OCISessionPoolCreate has been reached.

**Action:** Call OCISessionPoolCreate in OCI\_SPOOL\_REINITIALIZE mode and increase the value of the sessMax parameter.

**ORA-24419: Proxy sessions are not supported in this mode.**

**Cause:** A proxy session was requested for from a Session Pool which does not support proxy sessions.

**Action:** Do not specify mode OCI\_CRED\_PROXY.

**ORA-24420: OCISessionRelease must be used to release this session.**

**Cause:** The session was retrieved using OCISessionGet, and an attempt has been made to release it using a call other than OCISessionRelease.

**Action:** Call OCISessionRelease.

**ORA-24421: OCISessionRelease cannot be used to release this session.**

**Cause:** The session was not retrieved using OCISessionGet, and an attempt has been made to release it using OCISessionRelease.

**Action:** Release the session using an appropriate call.

**ORA-24422: error occurred while trying to destroy the Session Pool**

**Cause:** An attempt was made to destroy the session pool while some sessions in the pool were busy.

---

**Action:** Ensure that no sessions from the pool are being used OR call OCISessionPoolDestroy with mode set to OCI\_SPD\_FORCE.

**ORA-24423: Cannot set the ROWID attribute - OCI\_ATTR\_FETCH\_ROWID**

**Cause:** An attempt was made to set the implicit ROWID attribute.

**Action:** Use a SELECT ... FOR UPDATE statement that has not previously been described or executed before setting this ROWID attribute.

**ORA-24424: Invalid attempt to define at position 0**

**Cause:** An invalid attempt was made to call OCIDefineByPos for position 0.

**Action:** Ensure that the implicit ROWID attribute, OCI\_ATTR\_FETCH\_ROWID, is set on the statement handle before doing the execute.

**ORA-24425: Invalid mode passed when defining at position 0**

**Cause:** An invalid mode was passed to OCIDefineByPos.

**Action:** Ensure a valid mode is passed to OCIDefineByPos when defining at position 0.

**ORA-24430: Null values for sqltext and key were specified.**

**Cause:** An attempt was made to call OCISmtPrepare2 and neither sqltext nor key were specified.

**Action:** Specify valid values for sqltext or key or both.

**ORA-24431: Statement does not exist in the cache**

**Cause:** The statement that was requested for does not exist in the statement cache.

**Action:** Please request for a valid statement.

**ORA-24432: The statement that was returned is not tagged.**

**Cause:** A tagged statement was requested for, but an untagged statement has been returned.

**Action:** This is a warning. Please modify and tag the statement as desired.

**ORA-24433: This statement has already been prepared using OCISmtPrepare2.**

**Cause:** A statement that was earlier prepared using OCISmtPrepare2 is now being reprepared using OCISmtPrepare."

**Action:** Please use a different statement handle.

**ORA-24434: OCISmtRelease called before OCISmtPrepare2.**

**Cause:** An attempt was made to release a statement without first preparing it using OCISmtPrepare2.

**Action:** Call OCISmtPrepare2 before OCISmtRelease.

**ORA-24435: Invalid Service Context specified.**

**Cause:** The statement was prepared using a service context that is different from the one specified in OCISmtExecute.

**Action:** Please specify the same service context that the statement was prepared with.

**ORA-24436: Invalid statement Handle.**

**Cause:** OCIHandleFree called on a statement that was prepared using OCISmtPrepare2.

**Action:** Release the statement using OCISmtRelease.

---

**ORA-24437: OCISmtExecute called before OCISmtPrepare2.**

**Cause:** An attempt was made to execute a statement without first preparing it using OCISmtPrepare2.

**Action:** Call OCISmtPrepare2 before OCISmtExecute.

**ORA-24438: Invalid Authentication Handle specified.**

**Cause:** The statement was prepared using an authentication handle that is different from the one specified in OCISmtExecute.

**Action:** None

**ORA-24439: success with PLSQL compilation warning**

**Cause:** A plsql compilation warning occurred.

**Action:** Return OCI\_SUCCESS\_WITH\_INFO along with the error code.

**ORA-24440: OCI Easy Install mode cannot be initialized**

**Cause:** An internal OCI error has occurred.

**Action:** Please contact Oracle customer support.

**ORA-24441: Invalid cookie, resend sql text**

**Cause:** An internal OCI error has occurred.

**Action:** Please contact Oracle customer support.

**ORA-24450: Cannot pre-process OCI statement**

**Cause:** An error occurred during statement pre-processing. E.g., SQL statement has invalid usage of N" or Q" literals.

**Action:** Correct the SQL statement.

**ORA-24451: *string*, Maximum call depth exceeded**

**Cause:** Your program has too many levels of recursion.

**Action:** Restructure your program to eliminate some levels of recursion.

**ORA-24460: Native Net Internal Error**

**Cause:** Internal error .

**Action:** This error should not normally occur. If it persists, please contact your customer service representative.

**ORA-24500: invalid UTF16 mode**

**Cause:** UTF16 mode is allowed only at environment handle creation time.

**Action:** Remove UTF16 mode for functions other than OCIEnvCreate()

**ORA-24501: invalid UTF16 string passed in**

**Cause:** Non-UTF16 string is passed in while UTF16 string is expected

**Action:** Check the parameter which is actually a string

**ORA-24502: codepoint length overflows**

**Cause:** Returned buffer has more codepoints than allowed

**Action:** Set OCI\_MAXCHAR\_SIZE large enough to accommodate

**ORA-24503: codepoint length overflows for piecewise operation**

**Cause:** Accumulated codepoint length exceeds allowed codepoint length

**Action:** Set OCI\_MAXCHAR\_SIZE large enough to accommodate

---

**ORA-24504: data length larger than expected**

**Cause:** Incoming data larger than receiving buffer

**Action:** Set OCI\_MAXDATA/MAXCHAR\_SIZE appropriately or remove the setting

**ORA-24505: cannot change character set id on the handle**

**Cause:** Attempts to change character set id on non-environment handles

**Action:** Only try to change character set id on environment handles

**ORA-24506: invalid attempt to change character set id on env handle**

**Cause:** Attempts to change character set id after other handles have been allocated from the env handle

**Action:** Change character set id after creating environment handle but before allocating any handles from it.

**ORA-24507: invalid combination of character set ids**

**Cause:** Attempts to set one character set id as zero

**Action:** Set both charset and ncharset as zero or non-zero in OCIEnvNlsCreate()

**ORA-24508: Buffer is not aligned correctly.**

**Cause:** Alignment error occurred in buffer when converting between character sets.

**Action:** Align buffer appropriately. For UTF16 buffer, pass a ub2 pointer.

**ORA-24550: unhandled signal #*number* received. *string***

**Cause:** Serious error: signal received

**Action:** Refer to the platform-specific signal code, and see if the application code caused the error. Otherwise, record all error state and notify Oracle Support Services.

**ORA-24750: incorrect size of attribute**

**Cause:** Transaction ID attribute size is incorrect.

**Action:** Verify that the size parameter is correct.

**ORA-24752: OCI\_TRANS\_NEW flag must be specified for local transactions**

**Cause:** Application attempted to start a local transaction without using OCI\_TRANS\_NEW.

**Action:** Use OCI\_TRANS\_NEW when starting local transactions.

**ORA-24753: local transactions cannot be detached**

**Cause:** An attempt to detach a local transaction was made.

**Action:** Local transactions may only be committed or rolled back.

**ORA-24754: cannot start new transaction with an active transaction**

**Cause:** An attempt to start a new transaction was made when there was an active transaction.

**Action:** Commit, rollback or detach the existing transaction before starting a new transaction.

**ORA-24755: OCI\_TRANS\_NOMIGRATE, OCI\_TRANS\_JOIN options are not supported**

**Cause:** These flags are currently not supported.

---

**Action:** None

**ORA-24756: transaction does not exist**

**Cause:** An invalid transaction identifier or context was used or the transaction has completed.

**Action:** Supply a valid identifier if the transaction has not completed and retry the call.

**ORA-24757: duplicate transaction identifier**

**Cause:** An attempt was made to start a new transaction with an identifier already in use by an existing transaction.

**Action:** Verify that the identifier is not in use.

**ORA-24758: not attached to the requested transaction**

**Cause:** An attempt was made to detach or complete a transaction that is not the current transaction.

**Action:** Verify that the transaction context refers to the current transaction.

**ORA-24759: invalid transaction start flags**

**Cause:** An invalid transaction start flag was passed.

**Action:** Verify that only one of the following values is specified: OCI\_TRANS\_NEW, OCI\_TRANS\_JOIN, OCI\_TRANS\_RESUME, or OCI\_TRANS\_PROMOTE.

**ORA-24760: invalid isolation level flags**

**Cause:** An invalid isolation level flag was passed.

**Action:** Verify that only one of following values - OCI\_TRANS\_READONLY, OCI\_TRANS\_READWRITE, OCI\_TRANS\_SERIALIZABLE is used.

**ORA-24762: server failed due to unspecified error**

**Cause:** An internal error has occurred in the server commit protocol.

**Action:** Contact customer support.

**ORA-24763: transaction operation cannot be completed now**

**Cause:** The commit or rollback cannot be performed now because the session cannot switch to the specified transaction.

**Action:** Retry the operation later.

**ORA-24767: transaction branch prepare returns read-only**

**Cause:** The transaction is read-only, or this is the outcome of an optimization for two-phase commit protocol.

**Action:** None. Informational only.

**ORA-24769: cannot forget an active transaction**

**Cause:** Transaction identifier refers to an active transaction.

**Action:** Verify that the identifier of an active transaction was not passed as an argument.

**ORA-24770: cannot forget a prepared transaction**

**Cause:** Transaction identifier refers to a prepared transaction.

**Action:** Verify that the identifier of a prepared transaction was not passed as an argument.

---

**ORA-24771: cannot detach, prepare or forget a local transaction**

**Cause:** Service handle contains a local transaction context.

**Action:** Verify that the transaction context does not refer to a local transaction.

**ORA-24772: Cannot mix tightly-coupled and loosely-coupled branches**

**Cause:** Application attempted to start a transaction with a global transaction identifier and a wrong option.

**Action:** Verify that all branches of a global transaction are started with either OCI\_TRANS\_TIGHT or OCI\_TRANS\_LOOSE option. If the application is correct and uses distributed updates, contact customer support.

**ORA-24773: invalid transaction type flags**

**Cause:** OCI\_TRANS\_TIGHT or OCI\_TRANS\_LOOSE mode was not specified.

**Action:** Verify that the right parameters are being used.

**ORA-24774: cannot switch to specified transaction**

**Cause:** The transaction specified in the call refers to a transaction created by a different user.

**Action:** Create transactions with the same authentication so that they can be switched.

**ORA-24775: cannot prepare or commit transaction with non-zero lock value**

**Cause:** An attempt was made to detach the transaction with a non-zero lock value.

**Action:** Detach the transaction with lock value set to zero and then try to prepare or commit the transaction.

**ORA-24776: cannot start a new transaction**

**Cause:** An attempt was made to start a new transaction when session was already attached to an existing transaction.

**Action:** End the current transaction before creating a new transaction.

**ORA-24777: use of non-migratable database link not allowed**

**Cause:** The transaction, which needs to be migratable between sessions, tried to access a remote database from a non-multi threaded server process.

**Action:** Perform the work in the local database or open a connection to the remote database from the client. If multi threaded server option is installed, connect to the Oracle instance through the dispatcher.

**ORA-24778: cannot open connections**

**Cause:** The migratable transaction tried to access a remote database when the session itself had opened connections to remote database(s).

**Action:** Close the connection(s) in the session and then try to access the remote database from the migratable transaction. If the error still occurs, contact Oracle customer support.

**ORA-24779: detach not allowed with open remote cursor**

**Cause:** The migratable transaction tried to detach from the current session while having an open remote cursor.

**Action:** Close any open remote cursor prior to detach.

**ORA-24780: cannot recover a transaction while in an existing transaction**

---

**Cause:** An attempt was made to commit or roll back a transaction while in a different transaction, and the transaction for which the action is requested is in a recovery state (this happens if it is idle too long).

**Action:** Detach from the current transaction and retry the operation.

**ORA-24781: branches don't belong to the same global transaction**

**Cause:** The list of xids passed into kpotxmp() don't have the same gtrid

**Action:** None

**ORA-24782: Cannot detach from a non-migratable transaction**

**Cause:** An attempt was made to detach from a non-migrateable transaction.

**Action:** Either commit or rollback the transaction.

**ORA-24783: Cannot switch non-migratable transactions**

**Cause:** An attempt was made to prepare/commit a txn different from current.

**Action:** None

**ORA-24784: Transaction exists**

**Cause:** An attempt was made to start a transaction, while attached to a non-migrateable transaction

**Action:** None

**ORA-24785: Cannot resume a non-migratable transaction**

**Cause:** An attempt was made to resume a non-migrateable transaction.

**Action:** None

**ORA-24786: separated transaction has been completed**

**Cause:** The current transaction has been completed by another process.

**Action:** Start a new transaction

**ORA-24787: remote cursors must be closed before a call completes**

**Cause:** The previous operation did not close all the remote cursors it opened. Since separated transactions are enabled, this is not allowed.

**Action:** Close all remote cursors in each call, or start a regular (non-separated) transaction.

**ORA-24788: cannot switch to specified transaction (server type)**

**Cause:** The transaction specified was created by a shared server and the requestor is a dedicated server, or the transaction was created by a dedicated server and the requestor is a shared server.

**Action:** All parts of this application should connect as dedicated or as shared.

**ORA-24789: start not allowed in recursive call**

**Cause:** Oracle RM will not start/resume a branch in a recursive call

**Action:** Reconsider your application stack design

**ORA-24790: cannot mix OCI\_TRANS\_RESUME and transaction isolation flags**

**Cause:** An attempt was made to change the isolation level of an existing transaction.

**Action:** No action required

**ORA-24791: invalid transaction start flags**

---

**Cause:** An invalid transaction start flag was passed.

**Action:** Verify that OCI\_TRANS\_LOOSE was not passed along with OCI\_TRANS\_JOIN, OCI\_TRANS\_RESUME. Also, verify that other flags (such as OCI\_TRANS\_SEPARABLE) passed by the client are supported by the version of the Oracle server.

**ORA-24792: cannot mix services in a single global transaction**

**Cause:** Oracle RM will not serve global (distributed) transaction requests if branches are created using different services

**Action:** Configure clients such that those participating in the same distributed transaction use the same service name.

**ORA-24794: no active DTP service found**

**Cause:** Oracle RM will not serve global (distributed) transaction requests until DTP services are configured in RAC. It is possible that a service was stopped while transactions were in-flight.

**Action:** Provision/Start DTP services first.

**ORA-24795: Illegal *string* attempt made**

**Cause:** An illegal attempt was made to commit/rollback current transaction

**Action:** Use appropriate commit/rollback mechanism

**ORA-24796: operation completed; resume of original transaction rolled back**

**Cause:** The commit, rollback, or prepare completed successfully, but the current transaction for this thread was rolled back.

**Action:** If desired, retry the current transaction. If the operation was prepare, then end transaction appropriately with a commit or rollback operation.

**ORA-24797: cannot promote the current transaction to a distributed transaction**

**Cause:** An illegal attempt was made to promote the current transaction.

**Action:** Verify that OCI\_ATTR\_XID, OCI\_ATTR\_INTERNAL\_NAME, and OCI\_ATTR\_EXTERNAL\_NAME attributes have been set properly, and verify that the current transaction has neither performed IDL or PDML operations, nor already been a distributed transaction. Also, verify that the local transaction is in the same isolation level if the isolation flag value is set.

**ORA-24798: cannot resume the distributed transaction branch on another instance**

**Cause:** An attempt was made to resume a distributed transaction branch that is physically located on another RAC instance.

**Action:** Get a connection to the instance where the transaction branch is located.

**ORA-24801: illegal parameter value in OCI lob function**

**Cause:** One of the parameter values in the OCI lob function is illegal.

**Action:** Check every parameter in the OCI Lob function call to make sure they are correct. Offsets should be greater than or equal to one.

**ORA-24802: user defined lob read callback error**

**Cause:** The only valid return value for a user defined lob read callback function is OCI\_CONTINUE. Any other value will cause this error.

**Action:** Verify that OCI\_CONTINUE is returned from the user defined lob read callback function.

---

**ORA-24803: illegal parameter value in lob read function**

**Cause:** Internal error .

**Action:** This error should not normally occur. If it persists, please contact your customer service representative.

**ORA-24804: Lob read/write functions called while another OCI LOB read/write streaming is in progress**

**Cause:** Internal error.

**Action:** Wait for the ongoing LOB streaming call to finish before issuing the next server call, or use OCIBreak() abort the current LOB streaming call.

**ORA-24805: LOB type mismatch**

**Cause:** When copying or appending LOB locators, both source and destination LOB locators should be of the same type.

**Action:** Pass the same type of LOB locators for copying or appending.

**ORA-24806: LOB form mismatch**

**Cause:** When reading from or writing into LOBs, the character set form of the user buffer should be same as that of the LOB.

**Action:** Make sure that the buffer you are using to read or write has the same form as that of the LOB.

**ORA-24807: LOB form mismatch**

**Cause:** When copying or appending LOBs, both source and destination LOB locators should have the same character set form.

**Action:** Pass locators of the same character set form for copying or appending LOBs.

**ORA-24808: streaming of lob data is not allowed when using lob buffering**

**Cause:** Attempted to stream lob data via the polling mode or a callback when lob buffering was enabled for the input lob locator.

**Action:** Lob buffering is useful when reading/writing small amounts of lob data so streaming should not be necessary. Rewrite the OCILobRead/OCILobWrite call so that it does not use streaming. If streaming of data is required, lob buffering should not be used. In this case, flush buffers associated with the input lob locator as necessary, disable buffering on the input lob locator and reissue the OCILobRead/OCILobWrite call.

**ORA-24809: amount specified will not fit in the lob buffers**

**Cause:** LOB buffering is enabled for the input lob locator so buffering will be used. However, the amount of lob data to read or write is larger than what the lob buffers can hold.

**Action:** Either disable buffering on the input lob locator and reissue the command or pass a smaller amount.

**ORA-24810: attempting to write more data than indicated**

**Cause:** While writing into a LOB, more data was supplied than indicated.

**Action:** If data is written in pieces, then make sure that you do not provide more data in the pieces (cumulatively), than you indicated.

**ORA-24811: less data provided for writing than indicated**

**Cause:** While writing into a LOB, less data was provided than indicated.

---

**Action:** If writing data in single pieces, then make sure that the buffer length specified is big enough to accommodate the data being provided. If data is written in pieces, then make sure that all the data has been provided before specifying OCI\_LAST\_PIECE.

**ORA-24812: character set conversion to or from UCS2 failed**

**Cause:** If the database character set is varying-width, the CLOB/NCLOB value is implicitly converted to or from UCS2. This implicit conversion failed.

**Action:** Contact Oracle Worldwide Support.

**ORA-24813: cannot send or receive an unsupported LOB**

**Cause:** An attempt was made to send a LOB across the network, but either the server does not support the LOB sent by the client, or the client does not support the LOB sent by the server. This error usually occurs when the client and server are running different versions of Oracle.

**Action:** Use a version of the Oracle that supports the LOB on both the client and the server.

**ORA-24814: operation not allowed for temporary LOBs**

**Cause:** Temporary LOB locators are not allowed in the operation. For example: OCILobAssign only takes persistent LOB locators as parameters, not temporary LOBs.

**Action:** Use OCILobLocatorAssign for temporary LOBs instead. Note that OCILobLocatorAssign can also be used for persistent LOBs, in which case it will behave the same as OCILobAssign.

**ORA-24815: Invalid character set form**

**Cause:** An invalid character set form was passed into an OCI LOB function. For example, the only valid cs form for OCILobCreateTemporary() is OCI\_DEFAULT(0), SQLCS\_IMPLICIT(1) or SQLCS\_NCHAR(2).

**Action:** Specify a valid character set form.

**ORA-24816: Expanded non LONG bind data supplied after actual LONG or LOB column**

**Cause:** A Bind value of length potentially > 4000 bytes follows binding for LOB or LONG.

**Action:** Re-order the binds so that the LONG bind or LOB binds are all at the end of the bind list.

**ORA-24817: Unable to allocate the given chunk for current lob operation**

**Cause:** The given size is increased to accommodate the number of bytes from server due to varying width db char/nchar set.

**Action:** Use smaller chunk sizes when you have character set conversion between client/server or perform piece-wise read or write.

**ORA-24850: failed to startup shared subsystem**

**Cause:** While attempting to initialize OCI in shared mode, a problem was encountered in starting up the shared subsystem.

**Action:** Contact Oracle Customer support.

**ORA-24851: failed to connect to shared subsystem**

**Cause:** While attempting to initialize OCI in shared mode, a problem was encountered in connecting the process to the shared subsystem.

---

**Action:** Contact Oracle Customer Support.

**ORA-24852: protocol error during statement execution**

**Cause:** An internal protocol error occurred while receiving describe data from the server during execution of a statement.

**Action:** Contact Oracle Customer Support.

**ORA-24853: failed to connect thread to shared subsystem**

**Cause:** While attempting to initialize OCI in shared mode, a problem was encountered in connecting the thread to the shared subsystem.

**Action:** Contact Oracle Customer Support.

**ORA-24854: invalid pieceinfo provided**

**Cause:** While making the first call to write LOB data, an invalid pieceinfo value provided.

**Action:** Correct the call to use OCI\_ONE\_PIECE or OCI\_FIRST\_PIECE. If using OCCI, make sure to call writeBuffer before calling writeLastBuffer.

**ORA-24900: invalid or unsupported mode parameter passed in call**

**Cause:** The mode parameter passed into the OCI Client Notification call is incorrect.

**Action:** Please correct the mode parameter passed into OCI.

**ORA-24901: handles belonging to different environments passed into an OCI call**

**Cause:** All handles passed into an OCI call should belong to the same environment. In the call that returned this error, handles belonging to different environments were passed in.

**Action:** Please ensure that the handle parameters in the call to come from the same OCI Environment.

**ORA-24902: invalid subscription name or name-length in subscription handle**

**Cause:** The subscription handle passed into the OCI call does not have a proper name or name-length attribute.

**Action:** Please set the name and name-length attributes using the OCIAttrSet() call.

**ORA-24903: invalid namespace attribute passed into OCI call**

**Cause:** The subscription handle passed into the OCI call does not have a proper namespace attribute.

**Action:** Please set the namespace attribute using the OCIAttrSet() call.

**ORA-24904: invalid callback attribute passed into OCI call**

**Cause:** The subscription handle passed into the OCI call does not have a proper callback attribute.

**Action:** Please set the callback attribute using the OCIAttrSet() call.

**ORA-24905: invalid recipient protocol attribute passed into OCI call**

**Cause:** The subscription handle passed into the OCI call did not have a proper recipient protocol attribute.

**Action:** Please set the recipient protocol attribute using the OCIAttrSet() call.

**ORA-24906: invalid recipient attribute passed into OCI call**

---

**Cause:** The subscription handle passed into the OCI call did not have a proper recipient attribute.

**Action:** Please set the recipient attribute using the OCIAttrSet() call.

**ORA-24907: invalid pair of callback and recipient protocol attributes**

**Cause:** The subscription handle passed into the OCI call can't have both the callback defined and a recipient protocol other than OCI\_SUBSCR\_PROTO\_OCI at the same time.

**Action:** Please set the appropriate callback and recipient protocol attributes using the OCIAttrSet() call.

**ORA-24908: invalid recipient presentation attribute**

**Cause:** The subscription handle passed into the OCI call does not have a valid recipient presentation attribute.

**Action:** Set the recipient presentation attribute using the OCIAttrSet() call

**ORA-24909: call in progress. Current operation cancelled**

**Cause:** The OCI call was invoked when another call on the connection was in progress.

**Action:** Check if the OCI call is supported when the call is in progress under special conditions; for example, if it is being used by a signal handler. NLS\_DO\_NOT\_TRANSLATE [24910,24910]

**ORA-24911: Cannot start listener thread at specified port**

**Cause:** Thread already running at a different port.

**Action:** Set the correct port in the environment handle or let the system choose the port.

**ORA-24912: Listener thread failed. *string***

**Cause:** Thread listening for event notification exited because of an error. The error encountered is appended to the error message.

**Action:** The client needs to be restarted.

**ORA-24940: invalid combination of *string* namespace, *string* presentation and *string* receive protocol**

**Cause:** An invalid combination of namespace, presentation and receive protocol was specified during notification registration. Currently, only AQ namespace is supported with XML presentation. Non-AQ namespace is not supported for e-mail and HTTP receive protocols.

**Action:** Please change the register call appropriately.

**ORA-24941: invalid combination of notification grouping attributes**

**Cause:** An invalid combination of notification grouping attributes was specified. Currently, only TIME notification grouping class is supported. If notification grouping class is zero, all other notification grouping attributes must be zero.

**Action:** Refer to documentation and change the attributes appropriately.

**ORA-24942: cannot use ntfn grouping attributes on before release 11.0 compatible ntfns**

**Cause:** An attempt was made to use notification grouping on before release 11.0 compatible notifications.

**Action:** Change the compatibility to 11.0.

---

**ORA-24943: cannot use ntfn grouping with this receive protocol, presentation and/or QoS**

**Cause:** An attempt was made to use notification grouping with e-mail or HTTP receive protocol or XML presentation or payload delivery or reliable QoS. Currently, only OCI and PLSQL receive protocols and default presentation are supported with notification grouping.

**Action:** Refer to documentation and change the call appropriately.

**ORA-24944: cannot use timeout or grouping with ANONYMOUS namespace**

**Cause:** An attempt was made to use timeout or grouping with ANONYMOUS namespace. Currently, timeout and grouping are supported only with AQ and DBCHANGE namespaces.

**Action:** Refer to documentation and change the call appropriately.

**ORA-24945: cannot use context, QOS and timeout attributes of notification on lower than 10.2 compatible notifications**

**Cause:** An attempt was made to use context, QOS and timeout attributes of notification on lower than 10.2 compatible notifications.

**Action:** Change the database compatibility to 10.2.

**ORA-24950: unregister failed, registration not found**

**Cause:** The registration that was asked to be unregistered could not be found.

**Action:** Please check the callback function name and the subscription name in the unregister call.

**ORA-24952: register, unregister or post has incorrect collection count**

**Cause:** The register, unregister or post function was invoked with a collection that was smaller than the size specified by the parameter to the function.

**Action:** Please check the function's use and ensure that the size parameter is correct.

**ORA-24960: the attribute *string* is greater than the maximum allowable length of *number***

**Cause:** The user attempted to pass an attribute that is too long

**Action:** Shorten the specified attribute and retry the operation.

**ORA-25000: invalid use of bind variable in trigger WHEN clause**

**Cause:** A bind variable was used in the when clause of a trigger.

**Action:** Remove the bind variable. To access the table columns use (new/old).column\_name.

**ORA-25001: cannot create this trigger type on this type of view**

**Cause:** INSTEAD OF triggers can be created on any view which is not an Editioning View, while BEFORE and AFTER triggers may only be created on Editioning Views.

**Action:** Change the trigger type to INSTEAD OF or change the view on which you are attempting to create a DML trigger.

**ORA-25002: cannot create INSTEAD OF triggers on tables**

**Cause:** Only BEFORE or AFTER triggers can be created on a table.

**Action:** Change the trigger type to BEFORE or AFTER.

---

**ORA-25003: cannot change NEW values for this column type in trigger**

**Cause:** Attempt to change NEW trigger variables of datatype object, REF, nested table, VARRAY or LOB datatype which is not supported.

**Action:** Do not change the NEW trigger variables in the trigger body.

**ORA-25004: WHEN clause is not allowed in INSTEAD OF triggers**

**Cause:** WHEN clause is specified in an INSTEAD OF trigger.

**Action:** Remove the WHEN clause when creating an INSTEAD OF trigger.

**ORA-25005: cannot CREATE INSTEAD OF trigger on a read-only view**

**Cause:** attempt to create an INSTEAD OF trigger on a view created with read-only option. The view cannot be updated using INSTEAD OF triggers.

**Action:** Do not create the trigger.

**ORA-25006: cannot specify this column in UPDATE OF clause**

**Cause:** Attempt to create a trigger on update of a column whose datatype is disallowed in the clause, such as LOB and nested table.

**Action:** Remove the UPDATE OF clause.

**ORA-25007: functions or methods not allowed in WHEN clause**

**Cause:** PLSQL function call or method invocation is not allowed in the WHEN clause when creating a trigger.

**Action:** Remove the function call or method invocation from the WHEN clause.

**ORA-25008: no implicit conversion to LOB datatype in instead-of trigger**

**Cause:** When inserting or updating a view using instead-of trigger, the new value for a LOB view column is of a different datatype.

**Action:** Specified a LOB value as the new value for the LOB view column.

**ORA-25009: Nested table clause allowed only for INSTEAD OF triggers**

**Cause:** Triggers on nested tables can only be created on view columns using INSTEAD OF triggers.

**Action:** Use view nested table columns for defining nested table triggers.

**ORA-25010: Invalid nested table column name in nested table clause**

**Cause:** The column name specified in the nested table clause of an INSTEAD OF trigger does not correspond to a nested table column.

**Action:** Specify a nested table column on which the trigger is to be defined.

**ORA-25011: cannot create trigger on internal AQ table**

**Cause:** An attempt was made to try to create a trigger on a table that is used internally to support the Advanced Queueing (AQ) feature.

**Action:** Do not create the trigger.

**ORA-25012: PARENT and NEW values cannot be identical**

**Cause:** The referencing clause specifies identical values for PARENT and OLD.

**Action:** Re-specify either the PARENT or NEW referencing value.

**ORA-25013: OLD and PARENT values cannot be identical**

**Cause:** The referencing clause specifies identical values for OLD and PARENT.

**Action:** Re-specify either the OLD or PARENT referencing value.

---

**ORA-25014: cannot change the value of a PARENT reference variable**

**Cause:** Parent values can only be read and not changed.

**Action:** Do not attempt to change a Parent variable.

**ORA-25015: cannot perform DML on this nested table view column**

**Cause:** DML cannot be performed on a nested table view column except through an INSTEAD OF trigger

**Action:** Create an INSTEAD OF trigger over the nested table view column and then perform the DML.

**ORA-25016: cannot specify column list for insert into nested table view column**

**Cause:** A column list cannot be specified for inserts into the nested table view column.

**Action:** Specify all the columns for insert into the nested table.

**ORA-25017: cannot reference NEW ROWID for movable rows in before triggers**

**Cause:** NEW ROWID was referenced in a before row trigger which is defined on an index-organized table, or a partitioned table with enabled movement of rows. The ROWID cannot be computed in a before row update trigger because it depends on the actual values of the row

**Action:** Remove references to NEW ROWID from the trigger definition.

**ORA-25018: conflicting trigger *string* already exists**

**Cause:** Conflicting instead of DDL trigger on schema/database already exists.

**Action:** Remove the old trigger

**ORA-25019: too much concurrency**

**Cause:** cannot pin the database/schema because of too much concurrency

**Action:** try the operation later

**ORA-25020: renaming system triggers is not allowed**

**Cause:** renaming system triggers is not allowed

**Action:** Drop the trigger, and create a new one for the same

**ORA-25021: cannot reference a trigger defined on another table**

**Cause:** Referenced trigger in the FOLLOWS clause was defined on another table.

**Action:** Create the referenced trigger on the same table

**ORA-25022: cannot reference a trigger of a different type**

**Cause:** Referenced trigger in the FOLLOWS or PRECEDES clause was either a different type or not a compound trigger.

**Action:** Create the referenced trigger as the same type or a compound trigger.

**ORA-25023: Cyclic trigger dependency is not allowed**

**Cause:** A cycle of trigger dependency can be formed.

**Action:** Do not create a trigger that can formed a cyclic dependency.

**ORA-25024: cannot specify FOLLOWS for a REVERSE CROSSSESSION trigger**

**Cause:** The FOLLOWS clause was specified when creating the REVERSE CROSSSESSION trigger.

---

**Action:** Do not create a REVERSE CROSSEDITION trigger with a FOLLOWS clause.

**ORA-25025: cannot specify PRECEDES clause**

**Cause:** The PRECEDES clause was specified when creating a FORWARD CROSSEDITION trigger or a regular trigger.

**Action:** Do not create a FORWARD CROSSEDITION or a regular trigger with a PRECEDES clause.

**ORA-25026: FOR EACH ROW was specified with compound triggers**

**Cause:** FOR EACH ROW is not allowed with compound triggers.

**Action:** Remove the FOR EACH ROW clause.

**ORA-25027: compound triggers cannot be used as system triggers**

**Cause:** Compound trigger was defined as system trigger.

**Action:** Do not use compound trigger as system trigger.

**ORA-25028: regular trigger body can not start with keyword COMPOUND**

**Cause:** Regular triggers body should start with BEGIN/DECLARE etc .

**Action:** Fix the syntax and recompile.

**ORA-25029: compound triggers should always start with keyword COMPOUND**

**Cause:** Compound trigger body was started with incorrect keyword.

**Action:** Fix the syntax and recreate.

**ORA-25030: crossedition trigger cannot be created by a non-editioned user**

**Cause:** An attempt was made to create crossedition trigger by a non-editioned user.

**Action:** Enable editions for the user and then create the crossedition trigger.

**ORA-25031: only a forward crossedition trigger may be specified**

**Cause:** The trigger specified was not a forward crossedition trigger.

**Action:** Specify a forward crossedition trigger.

**ORA-25032: crossedition trigger cannot be created in ORA\$BASE**

**Cause:** An attempt was made to create crossedition trigger in the ORA\$BASE edition.

**Action:** Do not create a crossedition trigger in the ORA\$BASE edition.

**ORA-25100: TABLESPACE option can only be used with ALTER INDEX REBUILD**

**Cause:** The TABLESPACE option to ALTER INDEX was used without the REBUILD option.

**Action:** Use ALTER INDEX REBUILD TABLESPACE tablespace name.

**ORA-25101: duplicate REBUILD option specification**

**Cause:** The REBUILD option to ALTER INDEX is specified more than once.

**Action:** Specify the option at most once.

**ORA-25102: PARALLEL option can only be used with ALTER INDEX REBUILD**

**Cause:** The PARALLEL option to ALTER INDEX was used without the REBUILD option.

**Action:** Use ALTER INDEX REBUILD.

---

**ORA-25103: NOPARALLEL option can only be used with ALTER INDEX REBUILD**

**Cause:** The NOPARALLEL option to ALTER INDEX was used without the REBUILD option.

**Action:** Use ALTER INDEX REBUILD.

**ORA-25104: UNRECOVERABLE option can only be used with ALTER INDEX REBUILD**

**Cause:** The UNRECOVERABLE option to ALTER INDEX was used without the REBUILD option.

**Action:** Use ALTER INDEX REBUILD.

**ORA-25105: RECOVERABLE option can only be used with ALTER INDEX REBUILD**

**Cause:** The RECOVERABLE option to ALTER INDEX was used without the REBUILD option.

**Action:** Use ALTER INDEX REBUILD.

**ORA-25106: only one of PARALLEL or NOPARALLEL clause may be specified**

**Cause:** PARALLEL was specified more than once, NOPARALLEL was specified more than once, or both PARALLEL and NOPARALLEL were specified in an ALTER INDEX REBUILD statement.

**Action:** Remove all but one of the PARALLEL or NOPARALLEL clauses.

**ORA-25107: duplicate TABLESPACE option specification**

**Cause:** the TABLESPACE was specified more than once in an ALTER INDEX REBUILD statement.

**Action:** Remove all but one of the TABLESPACE clauses.

**ORA-25108: standby lock name space exceeds size limit of *string* characters**

**Cause:** The lock name space for the standby database exceeded the maximum string length.

**Action:** Change initialization parameter `_STANDBY_LOCK_NAME_SPACE` to a character string of less than the specified characters.

**ORA-25109: standby lock name space has illegal character "*string*"**

**Cause:** An invalid lock name space was specified for the standby database. The lock name space for the standby database can only contain A-Z, 0-9, "\_", "#", "\$", "." and "@" characters.

**Action:** Change initialization parameter `_STANDBY_LOCK_NAME_SPACE` to a valid character string.

**ORA-25110: NOSORT may not be used with a bitmap index**

**Cause:** An attempt was made to create a bitmap index using the NOSORT option.

**Action:** Remove NOSORT from the CREATE BITMAP INDEX statement.

**ORA-25111: creation of BITMAP cluster indices is not supported**

**Cause:** An attempt was made to create a cluster index with the BITMAP attribute.

**Action:** Remove BITMAP from the CREATE INDEX statement.

**ORA-25112: maximum number of BITMAP index columns is 30**

**Cause:** Too many columns were specified for the index.

**Action:** Create an index on fewer columns.

---

**ORA-25113: GLOBAL may not be used with a bitmap index**

**Cause:** An attempt was made to create a bitmap index using the GLOBAL option.

**Action:** Remove GLOBAL from the CREATE BITMAP INDEX statement, and/or add a LOCAL partition descriptor if the table is partitioned.

**ORA-25114: invalid file number specified in the DUMP DATAFILE/TEMPFILE command**

**Cause:** An invalid file number was used in dumping a datafile or tempfile.

**Action:** Specify a valid file number.

**ORA-25115: duplicate BLOCK option specification**

**Cause:** BLOCK (MIN/MAX) was specified more than once in the DUMP DATAFILE/TEMPFILE command.

**Action:** Specify only one BLOCK option.

**ORA-25116: invalid block number specified in the DUMP DATAFILE/TEMPFILE command**

**Cause:** An invalid block number was used in dumping a datafile or tempfile.

**Action:** Specify a valid block number.

**ORA-25117: MIN/MAX/Block Number expected**

**Cause:** A value other than MIN/MAX, or a block number was entered in the DUMP DATAFILE/TEMPFILE command.

**Action:** Correct the syntax.

**ORA-25118: invalid DUMP DATAFILE/TEMPFILE option**

**Cause:** An invalid option was specified for the DUMP DATAFILE/TEMPFILE command.

**Action:** Correct the syntax.

**ORA-25119: LOGGING/NOLOGGING option already specified**

**Cause:** In CREATE TABLESPACE, the LOGGING and/or NOLOGGING options were specified more than once.

**Action:** Remove all but one of the logging specifications.

**ORA-25120: MINIMUM EXTENT option already specified**

**Cause:** In CREATE TABLESPACE, the MINIMUM EXTENT option was specified more than once.

**Action:** Remove all but one of the MINIMUM EXTENT specifications.

**ORA-25121: MINIMUM EXTENT value greater than maximum extent size**

**Cause:** In CREATE/ALTER TABLESPACE, the value specified for the MINIMUM EXTENT option was greater than the maximum extent size.

**Action:** Choose a lower value for the MINIMUM EXTENT option.

**ORA-25122: Only LOCAL bitmap indexes are permitted on partitioned tables**

**Cause:** An attempt was made to create a global bitmap index on a partitioned table.

**Action:** create a local bitmap index instead.

**ORA-25123: Too many components specified in the name.**

**Cause:** Specifying more components to a name than allowed.

---

**Action:** Check the name specified for the operation.

**ORA-25124: Database link name not allowed.**

**Cause:** Specifying a database link name when it is not permitted.

**Action:** Check the name specified for the operation.

**ORA-25125: BUFFER\_POOL storage option not allowed**

**Cause:** The user attempted to specify the BUFFER\_POOL storage option. This option may only be specified during CREATE/ALTER TABLE/CLUSTER/INDEX.

**Action:** Remove this option and retry the statement.

**ORA-25126: Invalid name specified for BUFFER\_POOL**

**Cause:** The name of the buffer pool specified by the user is invalid. The only valid names are KEEP, RECYCLE and DEFAULT.

**Action:** Use a valid name or remove the BUFFER\_POOL clause.

**ORA-25127: RELY not allowed in NOT NULL constraint**

**Cause:** An attempt to set RELY on for NOT NULL constraint.

**Action:** only NORELY may be specified for a NOT NULL constraint.

**ORA-25128: No insert/update/delete on table with constraint (*string.string*) disabled and validated**

**Cause:** Try to insert/update/delete on table with DISABLE VALIDATE constraint.

**Action:** Change the constraint's states.

**ORA-25129: cannot modify constraint (*string*) - no such constraint**

**Cause:** the named constraint does not exist for this table.

**Action:** Obvious

**ORA-25130: cannot modify primary key - primary key not defined for table**

**Cause:** Attempted to modify a primary key that is not defined for the table.

**Action:** None

**ORA-25131: cannot modify unique(*string*) - unique key not defined for table**

**Cause:** attempted to modify a unique key that is not defined for the table.

**Action:** None

**ORA-25132: UNIQUE constraint (*string.string*) disabled and validated in ALTER TABLE EXCHANGE PARTITION**

**Cause:** cannot ALTER TABLE EXCHANGE PARTITION when the partition and the table have a disabled and validated unique constraints AND the unique keys in the partition is not mutually exclusive from the rest of the table.

**Action:** Change the constraint's status.

**ORA-25133: duplicate SINGLE TABLE option specified**

**Cause:** The SINGLE TABLE option was specified more than once.

**Action:** Specify the SINGLE TABLE option only once.

**ORA-25134: keyword TABLE expected**

**Cause:** The keyword TABLE is missing from the SINGLE TABLE option.

---

**Action:** Place the keyword TABLE after the keyword SINGLE in the command.

**ORA-25135: cannot use the SINGLE TABLE option**

**Cause:** The SINGLE TABLE option is only valid for hash clusters.

**Action:** Do not specify the SINGLE TABLE option.

**ORA-25136: this cluster can contain only one table**

**Cause:** An attempt was made to store more than one table in a cluster that was created with the SINGLE TABLE option.

**Action:** Do not attempt to store more than one table in the cluster.

**ORA-25137: Data value out of range**

**Cause:** Value from cast operand is larger than cast target size.

**Action:** Increase size of cast target.

**ORA-25138: string initialization parameter has been made obsolete**

**Cause:** An obsolete initialization parameter has been specified

**Action:** The system will come up, but parameters must be examined

**ORA-25139: invalid option for CREATE TEMPORARY TABLESPACE**

**Cause:** An invalid option appears.

**Action:** Specify one of the valid options: TEMPFILE, EXTENT MANAGEMENT LOCAL, UNIFORM

**ORA-25140: string space policy cannot be specified for the string extent management**

**Cause:** An invalid option appears.

**Action:** Make sure that for LOCAL extent management UNIFORM or AUTOALLOCATE is specified, and for DICTIONARY extent management UNIFORM or AUTOALLOCATE are not specified

**ORA-25141: invalid EXTENT MANAGEMENT clause**

**Cause:** An invalid option appears for EXTENT MANAGEMENT clause

**Action:** Specify one of the valid options: UNIFORM SIZE, AUTOALLOCATE

**ORA-25142: default storage clause specified twice**

**Cause:** default storage clause was specified twice for create tablespace

**Action:** Specify it once.

**ORA-25143: default storage clause is not compatible with allocation policy**

**Cause:** default storage clause was specified for a tablespace with AUTOALLOCATE or UNIFORM policy

**Action:** Omit the storage clause

**ORA-25144: invalid option for CREATE TABLESPACE with TEMPORARY contents**

**Cause:** An invalid option appears.

**Action:** Specify one of the valid options: EXTENT MANAGEMENT DICTIONARY, USER

**ORA-25145: allocation policy already specified**

**Cause:** In CREATE TABLESPACE, the allocation policy was specified more than once, for example, AUTOALLOCATE and UNIFORM.

**Action:** Remove all but one of the allocation policy specifications.

---

**ORA-25146: EXTENT MANAGEMENT option already specified**

**Cause:** In CREATE TABLESPACE, the EXTENT MANAGEMENT option was specified more than once.

**Action:** Remove all but one of the EXTENT MANAGEMENT specifications.

**ORA-25147: UNIFORM SIZE value greater than maximum extent size**

**Cause:** In CREATE/ALTER TABLESPACE, the value specified for the UNIFORM SIZE option was greater than the maximum extent size.

**Action:** Choose a lower value for the UNIFORM SIZE option.

**ORA-25148: ONLINE option not permitted**

**Cause:** An attempt was made to specify ONLINE for ALTER TABLE MOVE on a table that is not index-organized. The ONLINE option is currently supported only for index-organized tables.

**Action:** Remove the ONLINE option from the command.

**ORA-25149: Columns of UROWID type may not be indexed**

**Cause:** An attempt was made to create an index on a column of UROWID type

**Action:** Remove the column from the list of indexed columns

**ORA-25150: ALTERING of extent parameters not permitted**

**Cause:** An attempt was made to alter the extent parameters for a segment in a tablespace with autoallocate or uniform extent allocation policy.

**Action:** Remove the appropriate extent parameters from the command.

**ORA-25151: Rollback Segment cannot be created in this tablespace**

**Cause:** An attempt was made to create a rollback segment in a tablespace with autoallocate extent allocation policy.

**Action:** Specify a different tablespace for the rollback segment

**ORA-25152: TEMPFILE cannot be dropped at this time**

**Cause:** An attempt was made to drop a TEMPFILE being used by online users

**Action:** The TEMPFILE has been taken offline. Try again, later.

**ORA-25153: Temporary Tablespace is Empty**

**Cause:** An attempt was made to use space in a temporary tablespace with no files.

**Action:** Add files to the tablespace using ADD TEMPFILE command.

**ORA-25154: column part of USING clause cannot have qualifier**

**Cause:** Columns that are used for a named-join (either a NATURAL join or a join with a USING clause) cannot have an explicit qualifier.

**Action:** Remove the qualifier.

**ORA-25155: column used in NATURAL join cannot have qualifier**

**Cause:** Columns that are used for a named-join (either a NATURAL join or a join with a USING clause) cannot have an explicit qualifier.

**Action:** Remove the qualifier.

**ORA-25156: old style outer join (+) cannot be used with ANSI joins**

**Cause:** When a query block uses ANSI style joins, the old notation for specifying outer joins (+) cannot be used.

---

**Action:** Use ANSI style for specifying outer joins also.

**ORA-25157: Specified block size *string* is not valid**

**Cause:** An attempt was made to create a tablespace with a block size which is not supported.

**Action:** Specify one of the valid block sizes i.e the standard block size or one of (2k, 4k, 8k, 16k, 32k) subject to the maximum and minimum block sizes supported by the platform.

**ORA-25158: Cannot specify RELY for foreign key if the associated primary key is NORELY**

**Cause:** RELY is specified for the foreign key constraint, when the associated primary key constraint is NORELY.

**Action:** Change the option of the primary key also to RELY.

**ORA-25175: no PRIMARY KEY constraint found**

**Cause:** A PRIMARY KEY constraint must be defined for a table with this organization

**Action:** Define a PRIMARY KEY

**ORA-25176: storage specification not permitted for primary key**

**Cause:** Storage parameters cannot be defined for a PRIMARY KEY constraint for a table with this organization

**Action:** Remove storage specification for primary key

**ORA-25177: UNRECOVERABLE option not permitted**

**Cause:** The UNRECOVERABLE option may not be specified for a primary key for a table with this organization

**Action:** Remove UNRECOVERABLE option for primary key

**ORA-25178: duplicate PCTTHRESHOLD storage option specification**

**Cause:** The storage option PCTTHRESHOLD is specified more than once.

**Action:** Specify storage options at most once.

**ORA-25179: invalid PCTTHRESHOLD storage option value**

**Cause:** The specified value must be a positive integer.

**Action:** Specify an appropriate value.

**ORA-25180: PCTTHRESHOLD only valid for certain table organizations**

**Cause:** PCTTHRESHOLD can only be specified for tables with certain organizations.

**Action:** Remove the PCTTHRESHOLD option.

**ORA-25181: missing ON keyword for NESTED INDEX**

**Cause:** ON keyword required to specify nested index column nest

**Action:** Add ON keyword

**ORA-25182: feature not currently available for index-organized tables**

**Cause:** An attempt was made to use one or more of the following feature(s) not currently supported for index-organized tables: CREATE TABLE with LOB/BFILE/VARRAY columns, partitioning/PARALLEL/CREATE TABLE AS

---

SELECT options, ALTER TABLE with ADD/MODIFY column options, CREATE INDEX

**Action:** Do not use the disallowed feature(s) in this release.

**ORA-25183: index-organized table top index segment is in a different tablespace**

**Cause:** An attempt was made to drop a tablespace which contains an index only table's overflow segment but not the top index segment"

**Action:** find index-organized tables which span the tablespace being dropped and some other tablespace(s). Drop these tables.

**ORA-25184: column name expected**

**Cause:** A column name is not present where required by the CREATE TABLE for specifying last column to be included in the index segment of the index-organized table

**Action:** Specify a column name where required by the syntax.

**ORA-25185: index column other than last can not be specified for INCLUDE clause**

**Cause:** An index column name other than the last is specified as including column

**Action:** Specify either a column name which is not part of index-organized table primary key index , or the last key column of the primary key for the INCLUDING clause.

**ORA-25186: INCLUDING clause specified for index-organized table without OVERFLOW**

**Cause:** INCLUDING clause of a CREATE TABLE is a valid option only for index-organized tables with OVERFLOW clause (at creation time) or if an OVERFLOW segment already exists (at ALTER time).

**Action:** Specify OVERFLOW clause for the index-organized table : For ALTER, perform ADD OVERFLOW first.

**ORA-25187: specified exceptions table form incorrect**

**Cause:** The specified table does not have the proper field definitions.

**Action:** Specify the correct table to use.

**ORA-25189: illegal ALTER TABLE option for an index-organized table**

**Cause:** During ALTER of a index-organized table, the user attempted to enter one or more of the following options: TABLESPACE, ALLOCATE/DEALLOCATE EXTENT, PCTFREE/PCTUSED for IOT top index segment

**Action:** Remove the illegal option(s).

**ORA-25190: an index-organized table maintenance operation may not be combined with other operations**

**Cause:** ALTER TABLE statement attempted to combine an index-organized table maintenance operation (e.g. changing physical attributes) with some other operation (e.g. ADD constraint) which is illegal

**Action:** Ensure that a index-organized table maintenance operation is the sole operation specified in ALTER TABLE statement;

**ORA-25191: cannot reference overflow table of an index-organized table**

**Cause:** An attempt to directly access the overflow table of an index-organized table

---

**Action:** Issue the statement against the parent index-organized table containing the specified overflow table.

**ORA-25192: invalid option for an index-organized table**

**Cause:** An attempt to specify one or more of the following options for an index-organized table: [NO]CACHE, NO LOGGING, CLUSTER

**Action:** Remove the illegal option(s)

**ORA-25193: cannot use COMPRESS option for a single column key**

**Cause:** An attempt to use COMPRESS option on single column key

**Action:** Remove the COMPRESS option.

**ORA-25194: invalid COMPRESS prefix length value**

**Cause:** The specified value must be a positive integer less than the number of key columns

**Action:** Specify an appropriate value.

**ORA-25195: invalid option for index on an index-organized table**

**Cause:** An attempt to specify one or more of the following options for index on an IOT: BITMAP, REVERSE, PCTUSED

**Action:** None

**ORA-25196: keyword MOVE in ALTER TABLE MOVE must immediately follow <table name>**

**Cause:** MOVE specified after one/more other ALTER options

**Action:** Remove the illegal option(s)

**ORA-25197: an overflow segment already exists for the indexed-organized table**

**Cause:** An attempt was made to ADD OVERFLOW segment on an index-organized table that already has an overflow segment

**Action:** None

**ORA-25198: only range, list, and hash partitioning are supported for index-organized table**

**Cause:** System, or Composite partitioning schemes are not supported yet

**Action:** Select a different partitioning scheme

**ORA-25199: partitioning key of a index-organized table must be a subset of the primary key**

**Cause:** An attempt to specify a partitioning key which is not a prefix of the primary key of the index-organized table

**Action:** Select a different partitioning key

**ORA-25200: invalid value *string*, QUEUE\_NAME should be [SCHEMA.]NAME**

**Cause:** A NULL parameter was specified for QUEUE\_NAME.

**Action:** Specify a non-NULL queue name.

**ORA-25201: invalid value, VISIBILITY should be ON\_COMMIT or IMMEDIATE**

**Cause:** An invalid value specified for parameter VISIBILITY.

**Action:** Specify either ON\_COMMIT or IMMEDIATE.

**ORA-25202: invalid value NULL, *string* should be non-NULL**

---

**Cause:** A NULL value was specified for the parameter.

**Action:** Specify a non-NULL value.

**ORA-25203: invalid value *string*, DELAY should be non-negative**

**Cause:** A negative value or NULL was specified for DELAY.

**Action:** Specify a non negative integer for DELAY.

**ORA-25204: invalid value, SEQUENCE\_DEVIATION should be BEFORE or TOP**

**Cause:** An invalid SEQUENCE\_DEVIATION was specified.

**Action:** Specify either the option "BEFORE" or "TOP".

**ORA-25205: the QUEUE *string.string* does not exist**

**Cause:** The specified queue does not exist.

**Action:** Create the queue first before specifying it for enqueue or dequeue.

**ORA-25206: enqueue failed, enqueue to exception queue *string.string* not permitted**

**Cause:** An attempt was made to enqueue to an exception queue.

**Action:** Try enqueueing to another queue.

**ORA-25207: enqueue failed, queue *string.string* is disabled from enqueueing**

**Cause:** The queue has been stopped to prevent any further enqueueing.

**Action:** Enable the queue first by using an administrative operation.

**ORA-25208: RELATIVE\_MSGID must be specified if SEQUENCE\_DEVIATION is BEFORE**

**Cause:** A relative message identifier should be specified if sequence deviation is specified as BEFORE.

**Action:** Either specify an existing relative message identifier or don't specify sequence deviation as BEFORE.

**ORA-25209: invalid value *string*, EXPIRATION should be non-negative or NEVER**

**Cause:** The expiration is less than zero or NULL.

**Action:** Specify a valid value for `expire_after` which should be greater than or equal to zero or NEVER.

**ORA-25210: invalid value for RELATIVE\_MSGID, no message in queue with that msgid**

**Cause:** No message in the queue with the msgid equal to the specified RELATIVE\_MSGID.

**Action:** Try again with a valid RELATIVE\_MSGID.

**ORA-25211: invalid DELAY specified when using sequence deviation**

**Cause:** The DELAY specified in the enqueue is greater than the delay of the message with the given relative message id.

**Action:** Set the DELAY to be less than or equal to the delay of the message with the given relative message id. If the TOP option is used the delay must be less than or equal to the delay of all the messages in the queue.

**ORA-25212: invalid PRIORITY specified when using sequence deviation**

**Cause:** The PRIORITY specified in the enqueue is less than the priority of the message with the given relative message id.

---

**Action:** Set the PRIORITY to be less than the delay of the message with the given relative message id. If the TOP option is used the priority must be greater than or equal to the priority of all the messages in the queue.

**ORA-25213: message with specified RELATIVE\_MSGID has been dequeued**

**Cause:** The message specified by the RELATIVE\_MSGID field in the sequence deviation BEFORE option has been dequeued.

**Action:** None

**ORA-25214: cannot specify delay or expiration for enqueue to exception queue**

**Cause:** A message was enqueued to the exception queue with either delay or expiration specified.

**Action:** Enqueue a message without delay or expiration.

**ORA-25215: user\_data type and queue type do not match**

**Cause:** A user tries to enqueue an object to a queue that was created for objects of different type.

**Action:** Try enqueue again with an object of the right type.

**ORA-25216: invalid recipient, either NAME or ADDRESS must be specified**

**Cause:** Both attributes, NAME and ADDRESS, were specified null for one of the recipients in the recipient list.

**Action:** Specify a non-null NAME or ADDRESS for the recipient.

**ORA-25217: enqueue failed, visibility must be IMMEDIATE for queue *string.string***

**Cause:** An attempt was made to enqueue to a non-persistent queue without setting visibility to IMMEDIATE.

**Action:** Set visibility to IMMEDIATE.

**ORA-25218: enqueue failed, delay must be zero for queue *string.string***

**Cause:** An attempt was made to enqueue to a non-persistent queue with delay greater than zero seconds.

**Action:** Set delay to zero.

**ORA-25219: enqueue failed, sequence deviation not allowed for queue *string.string***

**Cause:** An attempt was made to enqueue to a non-persistent queue with sequence deviation specified.

**Action:** Do not specify sequence deviation.

**ORA-25220: enqueue failed, signature not specified for a non-repudiable queue**

**Cause:** An attempt was made to enqueue to a non-repudiable queue without specifying the signature

**Action:** Give the signature

**ORA-25221: enqueue failed, signature specified queue not supporting non-repudiation**

**Cause:** An attempt was made to enqueue to a queue specifying the signature for a queue not supporting non-repudiation

**Action:** Remove the signature

**ORA-25222: enqueue failed, complete sender info. not provided for a queue supporting non-repudiation**

---

**Cause:** An attempt was made to enqueue to a queue without giving the complete sender information (name) for a queue supporting non-repudiation

**Action:** Provide the sender information

**ORA-25223: user\_data type used is not supported**

**Cause:** An attempt was made to enqueue data into a non persistent queue that is of a type other than the supported raw or object type.

**Action:** Enqueue the message again with data of raw or object type.

**ORA-25224: sender name must be specified for enqueue into secure queues**

**Cause:** An attempt was made to enqueue into a secure queue without specifying a sender name.

**Action:** Enqueue the message with sender name specified.

**ORA-25225: invalid value *string*, DEQUEUE\_MODE should be REMOVE or BROWSE or LOCKED**

**Cause:** An invalid parameter has been specified for DEQUEUE\_MODE.

**Action:** Specify either REMOVE, BROWSE or LOCKED.

**ORA-25226: dequeue failed, queue *string.string* is not enabled for dequeue**

**Cause:** The queue has not been enabled for dequeue.

**Action:** Enable the queue using START\_QUEUE.

**ORA-25227: Propagation job *string* doesn't exist**

**Cause:** The job doesn't exist in AQ\$\_SCHEDULES or cache.

**Action:** None

**ORA-25228: timeout or end-of-fetch during message dequeue from *string.string***

**Cause:** User-specified dequeue wait time has passed or the end of the queue has been reached but no message has been retrieved.

**Action:** Try dequeue again with the appropriate WAIT\_TIME or the FIRST\_MESSAGE option.

**ORA-25229: error on transformation of message *string string***

**Cause:** There was an error when transforming a message at enqueue, dequeue or propagation time.

**Action:** Correct the transformation function.

**ORA-25230: invalid value *string*, WAIT should be non-negative**

**Cause:** A negative value has been specified for WAIT.

**Action:** specify a non negative value or FOREVER.

**ORA-25231: cannot dequeue because CONSUMER\_NAME not specified**

**Cause:** A user tried to dequeue from a queue that has been created for multiple consumers but a CONSUMER\_NAME was not been specified in the dequeue options.

**Action:** Specify the CONSUMER\_NAME in the dequeue options.

**ORA-25232: duplicate recipients specified for message**

**Cause:** An enqueue was performed with duplicate queue agents in the recipients parameter.

**Action:** Remove the duplicate queue agent and retry the call.

---

**ORA-25233: invalid parameter specified for NAVIGATION**

**Cause:** An invalid parameter has been specified for NAVIGATION.

**Action:** Choose one of FIRST\_MESSAGE, NEXT\_MESSAGE or NEXT\_TRANSACTION. Use FIRST\_MESSAGE for dequeuing the first message that satisfies the criterion, NEXT\_MESSAGE for dequeuing the next message that satisfies the criterion and NEXT\_TRANSACTION for moving to a set of messages enqueued by another transaction.

**ORA-25234: NEXT\_TRANSACTION navigation option invalid for queue table *string.string***

**Cause:** The NEXT\_TRANSACTION navigation option was used in a dequeue from a queue in a queue table that was not created for transactional grouping.

**Action:** Specify either FIRST\_MESSAGE or NEXT\_MESSAGE as the navigation option. If you want to dequeue messages using transactional grouping create the queue in a queue table that has transactional grouping enabled.

**ORA-25235: fetched all messages in current transaction from *string.string***

**Cause:** The NEXT\_TRANSACTION navigation option was used in a dequeue when there were no more messages that belong to the same transaction.

**Action:** Use the NEXT\_TRANSACTION navigation option to move to the next also use the FIRST\_MESSAGE option to start from the head of the queue again.

**ORA-25236: buffer too small for user data**

**Cause:** The variable or buffer used for the out parameter payload is too small for the user data dequeued.

**Action:** Increase the size of the buffer or the size of the variable. Maximum size allowed is 32K.

**ORA-25237: navigation option used out of sequence**

**Cause:** The NEXT\_MESSAGE or NEXT\_TRANSACTION option was specified after dequeuing all the messages.

**Action:** Reset the dequeuing position using the FIRST\_MESSAGE navigation option and then specify the NEXT\_MESSAGE or NEXT\_TRANSACTION option.

**ORA-25238: too many recipients specified for message destination *string***

**Cause:** An ENQUEUE was performed with more than 32 recipients for the given destination (address).

**Action:** Reduce the number of recipients to 32 or less, and retry the call.

**ORA-25239: message ID not supplied when dequeuing from exception queue *string.string***

**Cause:** An attempt was made to dequeue from a release 8.0-compatible exception queue without including a message ID in the dequeue options.

**Action:** Check the application to ensure that the queue name has been specified correctly. If the queue name is correct supply a message ID when dequeuing from a release 8.0-compatible exception queue. Otherwise, upgrade the queue\_table containing the queue to release 8.1-compatible using the DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE procedure.

**ORA-25240: message ID and dequeue condition/correlation ID specified in dequeue options**

**Cause:** An attempt was made to dequeue by including both a message ID and a dequeue condition/correlation ID in the dequeue options. In the dequeue options,

---

you are permitted to specify either message ID or dequeue condition/correlation ID, or neither.

**Action:** To dequeue a message, specify a message ID or a dequeue condition/correlation ID in the dequeue options, but do not specify both. If you want to dequeue in the queue's sort order, then do not specify either the message ID or dequeue condition/correlation ID in the dequeue options.

**ORA-25241: cannot change correlation ID from *string* to *string* without FIRST\_MESSAGE option**

**Cause:** An attempt was made to change the correlation ID while using the NEXT\_MESSAGE or NEXT\_TRANSACTION option for dequeuing.

**Action:** To use a correlation ID that is different from the previous dequeue call, reset the dequeuing position by using the FIRST\_MESSAGE navigation option.

**ORA-25242: cannot change subscriber name from *string* to *string* without FIRST\_MESSAGE option**

**Cause:** An attempt was made to change the subscriber name while using the NEXT\_MESSAGE or NEXT\_TRANSACTION option for dequeuing.

**Action:** To use a subscriber name that is different from the previous dequeue call, reset the dequeuing position by using the FIRST\_MESSAGE navigation option.

**ORA-25243: CONSUMER\_NAME cannot be specified when dequeuing from exception queue *string.string***

**Cause:** An attempt was made to dequeue from an exception queue by specifying the CONSUMER\_NAME in the dequeue options. CONSUMER\_NAME can only be specified when dequeuing from a normal queue created for multiple consumers.

**Action:** Specify only the message id in the dequeue options to dequeue a message from an exception queue.

**ORA-25244: dequeue index key not found, QUEUE *string*, rowid *string***

**Cause:** An internal error was encountered. There may be an inconsistency in the queue table index.

**Action:** Contact your Oracle customer support representative. You may need to provide the trace file and information about reproducing the error.

**ORA-25245: agent name cannot be specified if address is a single-consumer queue or an exception queue**

**Cause:** The agent name for the agent in the LISTEN call was specified when the agent address was a single-consumer queue or an exception queue.

**Action:** Do not specify the agent name.

**ORA-25246: listen failed, the address *string* is an 8.0 style exception queue**

**Cause:** An 8.0 style exception queue was specified in the agent-list for the LISTEN call.

**Action:** Specify a normal 8.0 style queue or an 8.1 style queue in the agent-list.

**ORA-25247: *string* is not a recipient of specified message**

**Cause:** The consumer name specified in the dequeue options is not a recipient of the message specified by the message id.

**Action:** Ensure that the agent specified by the consumer name is a recipient of the message specified by the message id.

---

**ORA-25248: duplicate agent specified in the agent list**

**Cause:** An agent was specified more than once in the agent list of the LISTEN call.

**Action:** Remove the duplicate agent specification(s), and retry the call.

**ORA-25249: dequeue failed, dequeue not allowed for queue *string.string***

**Cause:** An attempt was made to dequeue from a non-persistent queue.

**Action:** Dequeue from a different queue.

**ORA-25250: Cannot specify a remote recipient for the message**

**Cause:** A recipient for the message enqueued to a non-persistent queue had a non-local address.

**Action:** Do not specify the address field or specify the queue which is the target of the enqueue

**ORA-25251: exceeded maximum number of recipients for message**

**Cause:** An attempt was made to issue an ENQUEUE call that exceeded the the maximum number (1024) of recipients per message.

**Action:** Reduce the number of recipients to 1024 or less, and retry the call.

**ORA-25252: listen failed, the address *string* is a non-persistent queue**

**Cause:** A non-persistent queue was specified as an address for an agent in the LISTEN call.

**Action:** Specify a normal queue as address for the agent, and retry the the LISTEN call.

**ORA-25253: listen failed, queue *string.string* is not enabled for dequeue**

**Cause:** An attempt was made to specify a queue that is not enabled for dequeue in a LISTEN call.

**Action:** Enable the queue for dequeue using START\_QUEUE, and retry the LISTEN call.

**ORA-25254: time-out in LISTEN while waiting for a message**

**Cause:** The specified wait time has elapsed and there were no messages for any of the agents in the agent-list.

**Action:** Try the LISTEN call with an appropriate time-out.

**ORA-25255: incorrect subscription string *string***

**Cause:** An incorrect subscription string was specified with OCIRegister.

**Action:** Specify a subscription string using the [CONSUMER:]SCHEMA.QUEUE form.

**ORA-25256: consumer cannot be specified with a single-consumer queue or an exception queue**

**Cause:** An attempt was made to specify a consumer in the subscription string when registering for notification on a single-consumer queue or an exception queue.

**Action:** Do not specify the consumer in the subscription string.

**ORA-25257: consumer must be specified with a multi-consumer queue**

**Cause:** An attempt was made to register on a multi-consumer queue without specifying a consumer in the subscription string.

**Action:** Specify a consumer in the subscription string.

- 
- ORA-25258: cannot register for notifications on an 8.0 style exception queue**  
**Cause:** An attempt was made to specify an 8.0 style exception queue in the subscription string of OCIRegister.  
**Action:** Specify a normal queue or a non-persistent queue.
- ORA-25259: cannot specify protocol for agent**  
**Cause:** The user specified the protocol attribute for an agent in the agent list.  
**Action:** Do not specify the protocol attribute of the agent object type.
- ORA-25261: JOB\_QUEUE\_PROCESSES must be at least 2 for AQ propagation**  
**Cause:** AQ Propagator encountered a setting for JOB\_QUEUE\_PROCESSES that is insufficient for AQ propagation.  
**Action:** Set the number of JOB\_QUEUE\_PROCESSES to at least 2 for AQ propagation.
- ORA-25262: agent name cannot be NULL if address is a multi-consumer queue**  
**Cause:** The name for the agent in the LISTEN call was not specified when the agent address was a multi-consumer queue.  
**Action:** Specify a non-NULL name for the agent.
- ORA-25263: no message in queue *string.string* with message ID *string***  
**Cause:** An attempt was made to dequeue a message with a specific message ID, but no such message exists in the queue.  
**Action:** Try dequeue again with a valid message ID.
- ORA-25264: cant get signature for this queue**  
**Cause:** An attempt was made to dequeue the signature from this queue, which is not reciever non-repidiable.  
**Action:** Try dequeue again without the get signature option
- ORA-25265: specified signature for a queue which does not support reciever non-repudiation**  
**Cause:** An attempt was made to dequeue the message from a queue which does not support reciever non-repudiation, but the signature was specified for verification  
**Action:** Try dequeue again without the signature
- ORA-25266: didnt try to dequeue by message id. with the signature**  
**Cause:** The signature was specified for a queue, but the dequeue was not done by message id.  
**Action:** Try dequeue again by message id.
- ORA-25267: didnt specify the signature for a reciever non-repudiable queue**  
**Cause:** The signature was not specified for a reciever non-repudiable queue  
**Action:** Try dequeue again along with the signature
- ORA-25268: didnt dequeue in browse mode with get signature option**  
**Cause:** The dequeue was not performed in browse mode with get signature option  
**Action:** Try dequeue again in browse mode
- ORA-25269: cant specify sognature with get signature option**

- 
- Cause:** The signature is not required for the dequeue with get signature option  
**Action:** Try dequeue again without the signature in dequeue options
- ORA-25270: sender info does not match with the actual sender of the message**  
**Cause:** The sender info. and the message id. do not match  
**Action:** Try dequeue again without the signature in dequeue options
- ORA-25271: queue table not found for the given queue**  
**Cause:** The queue table does not exist for the given queue  
**Action:** Provide the right queue name
- ORA-25272: Signature does not exist for the given receiver and message id.**  
**Cause:** Signature does not exist for the given receiver and message id.  
**Action:** Check the message id. and the receiver's information
- ORA-25276: table specified is not a queue table**  
**Cause:** An invalid queue table name is specified.  
**Action:** Check the dictionary views to see if the table is a queue table.
- ORA-25277: cannot grant or revoke object privilege on release 8.0 compatible queues**  
**Cause:** An attempt was made to grant or revoke object privilege on release 8.0 style queues.  
**Action:** Convert the release 8.0 compatible queue table to release 8.1 compatible using DBMS\_AQADM.MIGRATE\_QUEUE\_TABLE before granting or revoking object privilege.
- ORA-25278: grantee name cannot be NULL**  
**Cause:** An attempt was made to specify NULL for the grantee parameter.  
**Action:** Specify a valid grantee parameter.
- ORA-25279: dequeue as select not supported before 8.2**  
**Cause:** Dequeue as select not supported before 8.2.  
**Action:** Don't use select condition while dequeuing
- ORA-25280: complete sender information not provided to non-repudiate sender**  
**Cause:** complete sender information not provided to non-repudiate sender  
**Action:** Provide the complete sender information
- ORA-25281: complete receiver information not provided to non-repudiate receiver**  
**Cause:** complete receiver information not provided to non-repudiate receiver  
**Action:** Provide the complete receiver information
- ORA-25282: message id. not provided for non-repudiation**  
**Cause:** message id. was not provided  
**Action:** Provide the message id.
- ORA-25283: either agent's name or address needed for non-repudiation**  
**Cause:** neither agent's name nor address provided for non-repudiation"  
**Action:** Provide the agent info.

---

**ORA-25284: Invalid value *string* for *string***

**Cause:** An Invalid value or NULL was specified for the parameter.

**Action:** Check the documentation for valid values.

**ORA-25285: Invalid value *string* for *array\_mode***

**Cause:** An Invalid value or NULL was specified for the *array\_mode*.

**Action:** Check the documentation for valid values.

**ORA-25286: Invalid number of elements in the message properties array**

**Cause:** Number of elements in the message properties array do not match the number of elements in the payload array.

**Action:** Create a message property array with one element (that applies for all the elements in the payload array) or create a message property array with the same number of elements as there are in the payload array.

**ORA-25287: Invalid value *string*, *string* should be non-negative**

**Cause:** An Invalid value or NULL was specified for the parameter.

**Action:** Specify a non negative integer.

**ORA-25288: AQ HTTP propagation encountered error, status-code *number*, *string***

**Cause:** AQ propagation's HTTP request to the propagation servlet at the specified address encountered an error

**Action:** Specify a valid address in the connect string of the propagation destination *dblink*, the *dblink* user has the correct permissions, check if the AQ propagation servlet was properly installed.

**ORA-25289: Buffer Already Exists**

**Cause:** Buffer already exists for the specified queue.

**Action:** None

**ORA-25290: Cannot complete operation on queue *string* with existing messages**

**Cause:** Queue already has messages. Cannot complete operation

**Action:** Truncate the queue before adding/dropping a buffer

**ORA-25291: Buffer does not exist for the specified queue**

**Cause:** Buffer does not exist for the specified queue

**Action:** Operation on the buffer cannot be performed. create the buffer

**ORA-25292: Buffer operations are not supported on the queue**

**Cause:** Buffer operations are not supported on the specified queue type

**Action:** Buffered operations are only supported on to 8.1 style queues, which do not have transaction grouping.

**ORA-25293: Lob attributes must be null for buffered operations**

**Cause:** Enqueue of a buffered message with a non-null lob attribute was attempted

**Action:** Set the lob attributes to null before enqueueing the buffered message

**ORA-25294: Cannot propagate user buffered messages to a database with version lower than 10.2**

**Cause:** Propagation of user buffered messages was attempted to a database with version lower than 10.2.

---

**Action:** Do not propagate buffered messages to the database.

**ORA-25295: Subscriber is not allowed to dequeue buffered messages**

**Cause:** Subscriber is only allowed to dequeue persistent messages

**Action:** Drop the subscriber and re-create it, or dequeue only persistent messages for the subscriber

**ORA-25296: Queue Table *string* has a buffered queue *string***

**Cause:** Buffered message was enqueued by specifying delay or sequence deviation.

**Action:** Do not specify delay of sequence deviation when enqueueing buffered messages.

**ORA-25298: Only immediate visibility mode supported for buffered message enqueue or dequeue**

**Cause:** A visibility of dbms\_aq.ON\_COMMIT was supplied with the buffered message enqueue or dequeue

**Action:** Supply a visibility of dbms\_aq.IMMEDIATE

**ORA-25299: Invalid message delivery\_mode**

**Cause:** Invalid value was specified for delivery mode

**Action:** Specify dbms\_aq.BUFFERED or dbms\_aq.PERSISTENT during Enqueue or dbms\_aq.BUFFERED, dbms\_aq.PERSISTENT or dbms\_aq.PERSISTENT\_OR\_BUFFERED during Dequeue and Listen.

**ORA-25300: Cannot drop buffer for queue with buffered subscribers**

**Cause:** Cannot drop buffer for queue with buffered subscribers

**Action:** Either drop buffered subscribers or forcibly drop the buffer

**ORA-25301: Cannot enqueue or dequeue user buffered messages to a database with version lower than 10.2**

**Cause:** Enqueue or dequeue of user buffered messages was attempted to queues in a database with version lower than 10.2.

**Action:** Do not attempt to enqueue or dequeue user buffered messages.

**ORA-25302: Operation not possible for non-buffered queue *string***

**Cause:** Last enqd/ackd message is only supported for buffered queues

**Action:** The operation is not supported.

**ORA-25303: Buffered operation allowed only on the owner instance**

**Cause:** Operation was not performed on the owner instance.

**Action:** Perform operation on the owner instance.

**ORA-25304: Cannot use priority order queues for capture LCRs**

**Cause:** Capture LCRs can only use commit time or enqueue time ordered queues.

**Action:** Use the appropriate type of queue for captured LCRs.

**ORA-25305: enqueue failed, expiration must be zero for queue *string.string***

**Cause:** An attempt was made to enqueue to a buffered queue with expiration greater than zero seconds.

**Action:** Set expiration to zero.

- 
- ORA-25306: Cannot connect to buffered queue's owner instance**  
**Cause:** cannot connect to the owner instance of the buffered queue  
**Action:** set listener information in REMOTE\_LISTENERS or LOCAL\_LISTENERS initialization parameter.
- ORA-25307: Enqueue rate too high, flow control enabled**  
**Cause:** Subscribers could not keep pace with the enqueue rate.  
**Action:** Try enqueue after waiting for some time.
- ORA-25310: Subscriber is Notification only; dequeue not supported**  
**Cause:** Notification only subscribers are not allowed to dequeue.  
**Action:** Recreate subscriber if necessary.
- ORA-25311: string not supported for non-persistent queue**  
**Cause:** Specified QOS is not supported for non-persistent queues.  
**Action:** Specify the right QOS.
- ORA-25312: Cannot specify nonzero sender protocol**  
**Cause:** Sender protocol was specified during an enqueue operation.  
**Action:** Specify the enqueue sender protocol as null or zero.
- ORA-25313: a queue may not subscribe to itself for propagation**  
**Cause:** The specified subscriber had a NULL name and an address equal to the queue name.  
**Action:** Provide a valid subscriber and retry the operation.
- ORA-25314: a commit-time queue table cannot be migrated to 8.0**  
**Cause:** An attempt was made to migrate a commit-time queue table to an unsupported compatibility level.  
**Action:** Provide an appropriate compatibility level, and retry the operation.
- ORA-25315: unsupported configuration for propagation of buffered messages**  
**Cause:** An attempt was made to propagate buffered messages with the database link pointing to an instance in the destination database which is not the owner instance of the destination queue.  
**Action:** Use queue to queue propagation for buffered messages.
- ORA-25316: Late in the current transaction to begin an Enqueue/Dequeue operation**  
**Cause:** Check if the Enqueue/Dequeue operation is performed via triggers on Materialized Views which isn't supported.  
**Action:** Triggers on materialized views aren't supported. Workarounds are on-demand materialized views or execution of trigger code within an autonomous txn.
- ORA-25317: Propagation stopped because of instance shutdown**  
**Cause:** A propagation job has stopped because the instance is shutting down.  
**Action:** No user action is required.
- ORA-25318: Propagation stopped because of instance affinity change**  
**Cause:** A propagation job has stopped because its instance affinity has changed.

---

**Action:** No user action is required. The job will restart on the appropriate instance.

**ORA-25321: enqueue failed, user property specified but queue *string.string* is not an 8.1 style queue**

**Cause:** user properties can only be specified when enqueueing into 8.1 style queues.

**Action:** Specify an 8.1 style queue or pass user property as NULL.

**ORA-25326: Array *string* operation failed for message at index *string***

**Cause:** Array operation fails for the message at specified index. Look at the remainder of the error stack to see what the problem was.

**Action:** Fix cause of error and retry array operation.

**ORA-25327: Array size is invalid**

**Cause:** Array size must be a positive, non-zero integer.

**Action:** Use corrected array size and retry array operation.

**ORA-25328: *string* argument size *string* is smaller than array size**

**Cause:** The size of the argument is smaller than the given array size.

**Action:** Lower array size or use a larger sized input argument.

**ORA-25329: AQ array operations not allowed on 8.0 queues**

**Cause:** An array enqueue/dequeue was attempted on an 8.0 queue.

**Action:** Use single enqueue/dequeue with this queue.

**ORA-25330: PL/SQL associative arrays may not be used with AQ array operations**

**Cause:** A PL/SQL associative array was provided for the payload parameter in an enqueue/dequeue array operation.

**Action:** Use VARRAY or NESTED TABLE types with AQ array operations.

**ORA-25331: cannot downgrade because there are commit-time queue tables**

**Cause:** An attempt was made to downgrade a database that has commit-time queue tables.

**Action:** Drop all commit-time queue tables before attempting the downgrade.

**ORA-25332: Invalid release value *string* for queue table compatible parameter**

**Cause:** The release level given for the queue table compatible parameter is invalid

**Action:** Specify a valid release value for the queue table compatible parameter

**ORA-25333: Buffered Queue to Queue propagation did not connect to the correct instance**

**Cause:** Queue to Queue propagation for buffered messages didn't connect to the correct instance, most likely because service was not started for the destination queue.

**Action:** No user action is required. Propagation will start the service for the destination queue and retry.

**ORA-25334: Buffered propagation must restart as the destination queue was recreated/moved**

**Cause:** Buffered propagation destination queue was recreated or its ownership was moved to another instance during propagation.

---

**Action:** No user action is required. Propagation will reinitialize its metadata and retry.

**ORA-25335: AQ array operations not allowed for buffered messages**

**Cause:** An array enqueue/dequeue was attempted for buffered messages

**Action:** Use single enqueue/dequeue for buffered messages or an array size of one.

**ORA-25336: Cannot contact instance *string* during Streams AQ operation**

**Cause:** The specified instance was not responding to AQ requests.

**Action:** Set parameter `aq_tm_processes` to a non-zero value. If the problem persists, contact Oracle Support Services.

**ORA-25337: Cannot propagate in queue-to-queue mode to a database with version lower than 10.2**

**Cause:** Remote subscriber with `queue_to_queue` mode set to TRUE was added. The remote subscriber is on a database version lower than 10.2. Propagation was scheduled to a destination database with version lower than 10.2.

**Action:** Remove the remote subscriber with `queue_to_queue` mode and add the subscriber back with `queue_to_queue` set to FALSE. Unschedule the queue-to-queue propagation and schedule propagation in queue-to-dblink mode.

**ORA-25338: operation "*string*" is not allowed for sync\_capture "*string*"**

**Cause:** An attempt was made to execute the specified operation for a `sync_capture` process.

**Action:** Remove the offending call.

**ORA-25339: STREAMS "*string*" must be sync\_capture**

**Cause:** The specified capture STREAMS did not exist or was not a `sync_capture` process.

**Action:** Remove the offending call.

**ORA-25340: must use commit-time queue for sync\_capture**

**Cause:** An attempt was made to create a `sync_capture` without using a commit-time queue.

**Action:** Rerun statement with a commit-time queue.

**ORA-25341: sync\_capture does not support "*string*".*string*" because of the following reason:**

**Cause:** `sync_capture` encountered a table with an unsupported property. The most common reason is an unsupported column data type.

**Action:** Revise the Capture rules to skip over the table in question. One option is to remove the rule that captures changes from the unsupported table. Check `DBA_STREAMS_TABLE_RULES` to determine the rule on the table specified in the error. Also query the `DBA_STREAMS_UNSUPPORTED` view to determine which tables are not supported by STREAMS and for what reason. For potential workarounds to certain unsupported properties, see Metalink.

**ORA-25342: cannot downgrade because there are apply processes for user buffered messages**

**Cause:** An attempt was made to downgrade a database that has apply process for user-buffered messages.

---

**Action:** Drop all the apply processes for user-buffered messages before attempting the downgrade.

**ORA-25350: maximum number of concurrent transaction branches exceeded**

**Cause:** the limit on the number of concurrent transaction branches has been reached

**Action:** Increase the INIT.ORA parameter "transactions" and restart the system.

**ORA-25351: transaction is currently in use**

**Cause:** The transaction is currently used by a different session.

**Action:** Do not switch to a transaction attached to some other session.

**ORA-25352: no current transaction**

**Cause:** The user session is not attached to any transaction.

**Action:** Do not attempt to detach when there is no current transaction.

**ORA-25353: branch marked for deletion**

**Cause:** The branch specified cannot be killed immediately because another session is using the branch, but it has been marked for kill. This means it will be deleted as soon as possible after the current uninterruptable operation is completed.

**Action:** No action is required for the branch to be deleted.

**ORA-25400: must replay fetch**

**Cause:** A failure occurred since the last fetch on this statement. Failover was able to bring the statement to its original state to allow continued fetches.

**Action:** This is an internally used error message and should not be seen by the user.

**ORA-25401: can not continue fetches**

**Cause:** A failure occurred since the last fetch on this statement. Failover was unable to bring the statement to its original state to allow continued fetches.

**Action:** Reexecute the statement and start fetching from the beginning

**ORA-25402: transaction must roll back**

**Cause:** A failure occurred while a transaction was active on this connection.

**Action:** The client must roll back.

**ORA-25403: could not reconnect**

**Cause:** The connection to the database has been lost, and attempts to reconnect have failed.

**Action:** Manually reconnect.

**ORA-25404: lost instance**

**Cause:** The primary instance has died.

**Action:** This is an internally used error message and should not be seen by the user.

**ORA-25405: transaction status unknown**

**Cause:** A failure occurred while a transaction was attempting to commit. Failover could not automatically determine instance status.

**Action:** The user must determine the transaction's status manually.

---

**ORA-25406: could not generate a connect address**

**Cause:** Failover was unable to generate an address for a backup instance.

**Action:** Contact Oracle customer support.

**ORA-25407: connection terminated**

**Cause:** The connection was lost while doing a fetch.

**Action:** This is an internally used error message and should not be seen by the user.

**ORA-25408: can not safely replay call**

**Cause:** The connection was lost while doing this call. It may not be safe to replay it after failover.

**Action:** Check to see if the results of the call have taken place, and then replay it if desired.

**ORA-25409: failover happened during the network operation,cannot continue**

**Cause:** The connection was lost when fetching a LOB column.

**Action:** Failover happened when fetching LOB data directly or indirectly. Please replay the top level statement.

**ORA-25425: connection lost during rollback**

**Cause:** The connection was lost while issuing a rollback and the application failed over.

**Action:** The connection was lost and failover happened during rollback. If the transaction is not externally coordinated, then Oracle implicitly rolled back, so no action is required. Otherwise examine `pending_trans$` to determine if "rollback force" is required.

**ORA-25426: remote instance does not support shared dblinks**

**Cause:** A shared dblink is being used to connect to a remote instance that does not support this feature because it is an older version.

**Action:** Use a normal dblink if you need to connect to this instance.

**ORA-25427: cannot downgrade database links after database link data dictionary has been upgraded**

**Cause:** An attempt was made to downgrade after the upgrade of the database link data dictionary.

**Action:** Drop the database links before attempting the downgrade.

**ORA-25436: invalid table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because one of the table values specified had an invalid alias.

**Action:** Check the valid table aliases in the evaluation context, and try again with a valid alias.

**ORA-25437: duplicate table value for table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because some of the table values specified had the same table alias.

**Action:** Check the table values specified, and try again with only one value per table.

**ORA-25438: invalid variable name: *string***

---

**Cause:** An attempt to evaluate was made, which failed because one of the variable values specified had an invalid name.

**Action:** Check the valid variable names in the evaluation context, and try again with a valid name.

**ORA-25439: duplicate variable value for variable: *string***

**Cause:** An attempt to evaluate was made, which failed because some of the variable values specified had the same variable name.

**Action:** Check the variable names specified, and try again with only one value per variable.

**ORA-25440: invalid table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because one of the column values specified had an invalid table alias.

**Action:** Check the valid table aliases in the evaluation context, and try again with a valid name.

**ORA-25441: duplicate column value for table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because one of the column values supplied a value for a table alias, which already had a table value supplied.

**Action:** Check the table and column values specified, and try again with either a table value or column values for each table alias.

**ORA-25442: too many column values for table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because too many column values were supplied for the specified table alias.

**Action:** Check the column values specified, and try again with the right number of column values.

**ORA-25443: duplicate column value for table alias: *string*, column number: *string***

**Cause:** An attempt to evaluate was made, which failed because duplicate column values were supplied for the specified table alias and column number.

**Action:** Check the column values specified, and try again with only one column value for each table alias, and column number.

**ORA-25444: invalid ROWID: *string* for table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because an invalid ROWID was supplied for the specified table alias.

**Action:** Check the column values specified, and try again with only one column value for each table alias, and column number.

**ORA-25445: invalid column number: *string* for table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because an invalid column number was supplied for the specified table alias as a part of a column value.

**Action:** Check the column values specified, and try again with a valid column number.

**ORA-25446: duplicate column value for table alias: *string*, column: *string***

**Cause:** An attempt to evaluate was made, which failed because duplicate column values were supplied for the specified table alias and column name.

**Action:** Check the column values specified, and try again with only one column value for each table alias, and column name.

---

**ORA-25447: encountered errors during evaluation of rule *string.string***

**Cause:** An attempt to evaluate was made, which failed during the evaluation of the specified rule.

**Action:** Check the rule and the values passed to evaluate, and try again with valid values.

**ORA-25448: rule *string.string* has errors**

**Cause:** An attempt to load the specified rule failed due to errors in the rule.

**Action:** Check the rule and retry the operation.

**ORA-25449: invalid variable name: *string***

**Cause:** An attempt to evaluate was made, which failed because one of the attribute values specified had an invalid variable name.

**Action:** Check the valid variable names in the evaluation context, and try again with a valid name.

**ORA-25450: error *string* during evaluation of rule set *string.string***

**Cause:** The specified error occurred during evaluation of the rule set.

**Action:** Check the error and take appropriate action.

**ORA-25451: too many attribute values for variable: *string***

**Cause:** An attempt to evaluate was made, which failed because too many attribute values were supplied for the specified variable.

**Action:** Check the attribute values specified, and try again with the right number of attribute values.

**ORA-25452: duplicate attribute value for variable: *string*, attribute: *string***

**Cause:** An attempt to evaluate was made, which failed because duplicate attribute values were supplied for the specified variable and attribute name.

**Action:** Check the attribute values specified, and try again with only one attribute value for each variable, and attribute name.

**ORA-25453: invalid iterator: *string***

**Cause:** An attempt to get rule hits or to close an iterator was made, which failed because an invalid iterator was passed in.

**Action:** Check the iterator, and try again with a valid iterator.

**ORA-25454: error during evaluation of rule set: *string.string* for iterator: *string***

**Cause:** An attempt to get rule hits for an iterator was made, which failed because of an error in evaluation of the specified rule set.

**Action:** Check the validity of the rule set and try again.

**ORA-25455: evaluation error for rule set: *string.string*, evaluation context: *string.string***

**Cause:** An attempt to evaluate the specified rule set using the evaluation context specified failed due to some errors.

**Action:** Check additional errors signalled to determine the problem.

**ORA-25456: rule set was modified or evaluation terminated for iterator: *string***

**Cause:** An attempt to get rule hits was made, which failed because the underlying rule set was modified after the iterator was returned.

**Action:** Try again after re-evaluating the rule set.

---

**ORA-25457: evaluation function *string* returns failure**

**Cause:** The specified evaluation function returned a failure during evaluation, causing evaluation to terminate.

**Action:** Check arguments to evaluate and retry.

**ORA-25461: rule set not specified**

**Cause:** An attempt to evaluate was made, which failed because the ruleset name specified was null.

**Action:** Check the rule set name, and try again with a valid name.

**ORA-25462: evaluation context not specified**

**Cause:** An attempt to evaluate was made, which failed because the evaluation context specified was null.

**Action:** Check the evaluation context name, and try again with a valid name.

**ORA-25463: table alias not specified**

**Cause:** An attempt to evaluate was made, which failed because one of the table values specified had a NULL alias name.

**Action:** Check the list of table values, and try again with a valid alias name.

**ORA-25464: ROWID not specified for table alias: *string***

**Cause:** An attempt to evaluate was made, which failed because the table value for the specified table alias had a NULL ROWID.

**Action:** Check the list of table values, and try again with a valid ROWID.

**ORA-25465: variable name not specified**

**Cause:** An attempt to evaluate was made, which failed because one of the variable values specified had a NULL variable name.

**Action:** Check the list of variable values, and try again with a valid variable name.

**ORA-25466: data not specified for variable name: *string***

**Cause:** An attempt to evaluate was made, which failed because the variable value for the specified variable name had NULL data.

**Action:** Check the list of variable values, and try again with valid data.

**ORA-25467: table alias not specified**

**Cause:** An attempt to evaluate was made, which failed because one of the column values specified had a NULL alias name.

**Action:** Check the list of column values, and try again with a valid alias name.

**ORA-25468: column name not specified for alias: *string***

**Cause:** An attempt to evaluate was made, which failed because one of the column values for the specified alias name had a NULL column name.

**Action:** Check the list of column values, and try again with a valid column name.

**ORA-25469: data not specified for alias: *string* column name: *string***

**Cause:** An attempt to evaluate was made, which failed because the column value for the specified alias and column name had NULL data.

**Action:** Check the list of column values, and try again with valid data.

**ORA-25470: duplicate attribute value for variable: *string***

---

**Cause:** An attempt to evaluate was made, which failed because one of the attribute values supplied a value for a variable, which already had a variable value supplied.

**Action:** Check the variable and attribute values specified, and try again with either a variable value or attribute values for each variable.

**ORA-25471: attribute name not specified for variable: *string***

**Cause:** An attempt to evaluate was made, which failed because one of the attribute values for the specified variable had a NULL attribute name.

**Action:** Check the list of attribute values, and try again with a valid attribute name.

**ORA-25472: maximum open iterators exceeded**

**Cause:** The open rule hit iterators in the session exceeded 2 \* OPEN\_CURSORS.

**Action:** Close some rule hit iterators.

**ORA-25473: cannot store *string* in rule action context**

**Cause:** The user attempted to put unsupported data types, such as LOBs and evolved ADTs, into the rule action context.

**Action:** Use only supported data types in rule action context.

**ORA-25500: database is not open**

**Cause:** Database must be open to perform ALTER SYSTEM QUIESCE RESTRICTED command.

**Action:** Open the database and retry this command.

**ORA-25501: ALTER SYSTEM QUIESCE RESTRICTED command failed**

**Cause:** Database resource manager failed to change plan.

**Action:** Look at the alert logs to see detailed description of the error.

**ORA-25502: concurrent ALTER SYSTEM QUIESCE/UNQUIESCE command is running**

**Cause:** There is a concurrent ALTER SYSTEM QUIESCE RESTRICTED or ALTER SYSTEM UNQUIESCE command running in the system.

**Action:** Contact the database administrator who is responsible for the concurrent command.

**ORA-25503: cannot open database because the database is being quiesced**

**Cause:** Database cannot be opened because the system is being or has been quiesced.

**Action:** Open the database after the system has been quiesced.

**ORA-25504: the system is already in quiesced state**

**Cause:** Cannot quiesce the system because the system is already quiesced.

**Action:** None

**ORA-25505: the system is not in quiesced state**

**Cause:** Cannot unquiesce the system because the system is not in quiesced state.

**Action:** None

**ORA-25506: resource manager has not been continuously on in some instances**

---

**Cause:** Cannot quiesce the system because resource manager has not been continuously on since startup in this or some other instances.

**Action:** None

**ORA-25507: resource manager has not been continuously on**

**Cause:** Cannot quiesce the system because resource manager has not been continuously on since startup.

**Action:** None

**ORA-25508: database is not mounted**

**Cause:** Database must be mounted to perform ALTER SYSTEM UNQUIESCE command.

**Action:** Mount the database and retry this command.

**ORA-25509: operation on "string"."string".string not allowed**

**Cause:** A column has been added to a replicated table, but replication support processing has not completed.

**Action:** Wait until replication support processing has completed before updating the column

**ORA-25526: bad format of \_DB\_MTTR\_SIM\_TARGET: string**

**Cause:** One value in \_DB\_MTTR\_SIM\_TARGET is not a valid MTTR.

**Action:** Alter the value of \_DB\_MTTR\_SIM\_TARGET.

**ORA-25527: bad format of \_DB\_MTTR\_SIM\_TARGET**

**Cause:** One value in \_DB\_MTTR\_SIM\_TARGET is empty.

**Action:** Set the value of \_DB\_MTTR\_SIM\_TARGET properly.

**ORA-25528: too many candidate MTTRs are specified in \_DB\_MTTR\_SIM\_TARGET**

**Cause:** Too many candidate MTTRs are specified in \_DB\_MTTR\_SIM\_TARGET.

**Action:** Alter the value of \_DB\_MTTR\_SIM\_TARGET.

**ORA-25530: FAST\_START\_MTTR\_TARGET is not specified**

**Cause:** An attempt to start MTTR advisory was made, which failed because FAST\_START\_MTTR\_TARGET was not specified.

**Action:** Set FAST\_START\_MTTR\_TARGET.

**ORA-25531: MTTR specified is too small: string**

**Cause:** The current FAST\_START\_MTTR\_TARGET setting or a candidate MTTR setting is too small for MTTR advisory.

**Action:** Set a larger FAST\_START\_MTTR\_TARGET or candidate MTTR.

**ORA-25532: MTTR specified is too large: string**

**Cause:** The current FAST\_START\_MTTR\_TARGET setting or a candidate MTTR setting is too large for MTTR advisory.

**Action:** Set a smaller FAST\_START\_MTTR\_TARGET or candidate MTTR.

**ORA-25533: FAST\_START\_IO\_TARGET or LOG\_CHECKPOINT\_INTERVAL is specified**

**Cause:** An attempt to start MTTR advisory was made, which failed because either FAST\_START\_IO\_TARGET or LOG\_CHECKPOINT\_INTERVAL was specified.

---

**Action:** Set FAST\_START\_IO\_TARGET and LOG\_CHECKPOINT\_INTERVAL to 0.

**ORA-25950: missing where clause in join index specification**

**Cause:** An attempt to create a join index was made, which failed because no valid where clause was found.

**Action:** Ensure that a where clause with valid join conditions is specified in the create index statement.

**ORA-25951: join index where clause cannot contain OR condition**

**Cause:** An attempt to create a join index was made, which failed because there was an OR branch in the where clause.

**Action:** Reformulate the where clause without using ORs.

**ORA-25952: join index must only contain inner equi-joins**

**Cause:** An attempt to create a join index was made, which failed because it included a predicate which wasn't an equi-inner join.

**Action:** Remove the inappropriate predicate.

**ORA-25953: join index cannot be a functional index**

**Cause:** An attempt to create a join index was made, which failed because a functional index was requested or necessary (such as is the case for indexing columns using timezone).

**Action:** Remove any functional indexing columns.

**ORA-25954: missing primary key or unique constraint on dimension**

**Cause:** An attempt to create a join index was made, which failed because one or more dimensions did not have an appropriate constraint matching the join conditions.

**Action:** Ensure that the where clause is correct (contains all of the constraint columns) and that an enforced constraint is on each dimension table.

**ORA-25955: all tables must be joined in the where clause**

**Cause:** An attempt to create a join index was made, which failed because one of the tables in the from clause did not appear in the where clause.

**Action:** Ensure that the where clause contains all from clause tables.

**ORA-25956: join index cannot be created on tables owned by SYS**

**Cause:** An attempt to create a join index was made, which failed because one of the tables was owned by SYS.

**Action:** Ensure that no join index related table is owned by SYS.

**ORA-25957: join index where clause cannot contain cycles**

**Cause:** An attempt to create a join index was made, which failed because the where clause contains a cycle.

**Action:** Ensure that the where clause is in the form of a star or snowflake schema.

**ORA-25958: join index where clause predicate may only contain column references**

**Cause:** An attempt to create a join index was made, which failed because a predicate in the where clause contained something other than a simple column.

**Action:** Ensure that the where clause only contains columns.

---

**ORA-25959: join index must be of the bitmap type**

**Cause:** An attempt to create a join index was made, which failed because no bitmap keyword was used.

**Action:** Make the index a bitmap index.

**ORA-25960: join index cannot be based on a temporary table**

**Cause:** An attempt to create a join index was made, which failed because one of the tables was temporary.

**Action:** Ensure no underlying tables are temporary.

**ORA-25961: join index prevents dml cascade constraint operation**

**Cause:** An attempt to execute dml resulted in the need to perform dml on another table because of a cascade constraint. The join index only allows one of its underlying tables to be modified at a time.

**Action:** Drop the join index or remove the constraint.

**ORA-25962: join index prevents multitable insert or merge**

**Cause:** An attempt to execute an merge or multitable insert on a table that was used to create a bitmap join index was made. Merge and multitable inserts are not supported on tables that were used to create a bitmap join index.

**Action:** Drop the join index.

**ORA-25963: join index must be created on tables**

**Cause:** An attempt to create a join index was made, which failed because the from clause contains non table object.

**Action:** Ensure that the from clause only contains tables.

**ORA-25964: column type incompatible with join column type**

**Cause:** The datatype of the join column is incompatible with the datatype of the joined column.

**Action:** Select a compatible datatype for the join column.

**ORA-25965: fact table must be included in the from clause**

**Cause:** An attempt to create a join index was made, which failed because the from clause does not contain the fact table.

**Action:** Ensure that the from clause contains the fact table.

**ORA-25966: join index cannot be based on an index organized table**

**Cause:** An attempt to create a join index was made, which failed because one of the tables was an index organized table.

**Action:** Ensure no underlying tables are index organized.

**ORA-26000: partition load specified but table *string* is not partitioned**

**Cause:** The Loader control file contains a PARTITION clause but the table being loaded is not partitioned.

**Action:** Remove the partition specification from the SQL\*Loader control file and retry the load.

**ORA-26001: Index *string* specified in SORTED INDEXES does not exist on table *string***

**Cause:** A nonexistent index was specified in the SORTED INDEXES clause.

**Action:** Do not specify as a SORTED INDEX.

---

**ORA-26002: Table *string* has index defined upon it.**

**Cause:** Parallel load was specified into a table which has index defined upon it.

**Action:** Drop index(es) defined upon table, or don't use parallel load, or use SKIP\_INDEX\_MAINTENANCE option.

**ORA-26003: parallel load not supported for index-organized table *string*.**

**Cause:** Parallel load is not supported for index-organized tables.

**Action:** load the index-organized table without the PARALLEL option.

**ORA-26004: Tables loaded through the direct path may not be clustered**

**Cause:** User attempted to load a clustered table via the direct path.

**Action:** Use the conventional path.

**ORA-26005: Invalid handle for direct path load**

**Cause:** In direct path load, the handle passed in does not match the type listed.

**Action:** Verify the handle and type are correct.

**ORA-26006: Incorrect bind variable in column *string*'s sql expression - *string***

**Cause:** In direct path load, the bind variables listed in the sql expression do not match the input argument column names.

**Action:** Verify all the input arguments are listed in the expression as bind variables, and all the bind variables are listed as input arguments to the expression. Or verify that there were no errors in executing the OCI statements when getting the bind variable list.

**ORA-26007: invalid value for SETID or OID column**

**Cause:** The value passed in a Direct Path API stream for a column containing a SETID or OID has an invalid value. SETIDs and Object IDs must be either 16 bytes of RAW data or 32 bytes of hexadecimal characters.

**Action:** Regenerate the Direct Path API stream with a valid value for the SETID column.

**ORA-26008: Invalid syntax or bind variable in SQL string for column *string*. *string***

**Cause:** See following error message for more information. A SQL string cannot have quoted strings improperly terminated. A bind variable in a SQL string cannot have a length of 0, cannot exceed maximum length of 30 characters, and cannot be missing a double quote.

**Action:** Fix the SQL string. See following error for more information.

**ORA-26010: Column *string* in table *string* is NOT NULL and is not being loaded**

**Cause:** A column which is NOT NULL in the database is not being loaded and will cause every row to be rejected.

**Action:** Load the column by specifying the NOT NULL column in the INTO TABLE clause in the SQL\*Loader control file.

**ORA-26011: Cannot load type *string* into column *string* in table *string***

**Cause:** A column can only store data of type declared for that column. And a substitutable column can only store data of valid subtypes of the supertype declared for that column.

**Action:** Check that the type or subtype specified is valid for that column.

**ORA-26012: header in file *string* has an incompatible version number**

---

**Cause:** A dump file was specified for a load operation whose version number is incompatible with the dump file version currently produced by the Oracle server on the system. Usually this message indicates that the dump file was produced by a newer version of the Oracle server.

**Action:** Load this dump file using the same version of the Oracle server that created the file.

**ORA-26013: List allocated may not be big enough**

**Cause:** There seems to be a discrepancy between the size for a list or buffer allocated by direct path api and the size needed.

**Action:** Contact Oracle Customer Support.

**ORA-26014: unexpected error on *string string* while retrieving *string string***

**Cause:** The SQL error was returned from an OCISstmtExecute call.

**Action:** Correct the SQL error that was returned.

**ORA-26015: Array column *string* in table *string* is not supported by direct path**

**Cause:** User attempted to load an array column via the direct path.

**Action:** Use the conventional path.

**ORA-26016: Virtual column *string* in table *string.string* cannot be loaded by direct path**

**Cause:** You attempted to load an virtual column using the direct path.

**Action:** Virtual columns cannot be loaded using the direct path.

**ORA-26017: global indexes not allowed for direct path load of table partition *string***

**Cause:** Global indexes are defined on a table when direct path loading a single partition of the table.

**Action:** None

**ORA-26018: Column *string* in table *string* does not exist**

**Cause:** Column specified in the loader control file does not exist.

**Action:** Make sure the column exists and that you have privileges on it. Correct the loader control file if it is wrong.

**ORA-26019: Column *string* in table *string* of type *string* not supported by direct path**

**Cause:** The Specified column of SQL column type %s is not supported by the direct path loader.

**Action:** If the column is NULLable, remove it from the control file description. Then it will be loaded as a NULL.

**ORA-26020: index *string.string* loaded successfully with *string* keys**

**Cause:** Non-partitioned index information put to loader log file.

**Action:** None. Informational only.

**ORA-26021: index *string.string* partition *string* loaded successfully with *string* keys**

**Cause:** Partitioned index information put to loader log file.

**Action:** None. Informational only.

**ORA-26022: index *string.string* was made unusable due to:**

**Cause:** A Non-partitioned index was made index unusable due to the error displayed below this error.

---

**Action:** Depending on the error, either rebuild the index, or drop and re-create it.

**ORA-26023: index *string.string* partition *string* was made unusable due to:**

**Cause:** A partition of a partitioned index was made index unusable due to error displayed below this error.

**Action:** Depending on the error, either rebuild the index partition, or drop and re-create the entire index.

**ORA-26024: SKIP\_UNUSABLE\_INDEXES requested and index segment was initially unusable**

**Cause:** User requested SKIP\_UNUSABLE\_INDEXES option, and the index segment

\* was in unusable state prior to the beginning of the load.

**Action:** Informational only. User will need to either rebuild the index

\* or index partition, or re-create the index.

**ORA-26025: SKIP\_INDEX\_MAINTENANCE option requested**

**Cause:** User requested that index maintenance be skipped on a direct path load.

**Action:** The listed index was put into Index Unusable state due to the user requesting that index maintenance be skipped. Either rebuild the index or index partitions, or drop and re-create the index.

**ORA-26026: unique index *string.string* initially in unusable state**

**Cause:** A unique index is in IU state (a unique index cannot have

\* index maintenance skipped via SKIP\_UNUSABLE\_INDEXES).

**Action:** Either rebuild the index or index partition, or use

\* SKIP\_INDEX\_MAINTENANCE if the client is SQL\*Loader.

**ORA-26027: unique index *string.string* partition *string* initially in unusable state**

**Cause:** A partition of a unique index is in IU state (a unique index

\* cannot have index maintenance skipped via SKIP\_UNUSABLE\_INDEXES).

**Action:** Either rebuild the index or index partition, or use

\* SKIP\_INDEX\_MAINTENANCE if the client is SQL\*Loader.

**ORA-26028: index *string.string* initially in unusable state**

**Cause:** An index is in IU state prior to the beginning of a direct

\* path load, it cannot be maintained by the loader.

**Action:** Either rebuild the index, re-create the index, or use either

\* SKIP\_UNUSABLE\_INDEXES or SKIP\_INDEX\_MAINTENANCE (Sql\*Loader only).

**ORA-26029: index *string.string* partition *string* initially in unusable state**

**Cause:** A partition of an index is in IU state prior to the beginning

\* of a direct path load, it cannot be maintained by the loader.

**Action:** Either rebuild index partition, re-create the index, or use either

\* SKIP\_UNUSABLE\_INDEXES or SKIP\_INDEX\_MAINTENANCE (Sql\*Loader only).

---

**ORA-26030: index *string.string* had *string* partitions made unusable due to:**

**Cause:** A logical index error occurred on a partitioned index which

\* affected one or more index partitions, which are listed below

\* this message.

**Action:** The affected index partitions will have to be re-built, or, the

\* entire index dropped and re-created.

**ORA-26031: index maintenance error, the load cannot continue**

**Cause:** A index error occurred during the index maintenance phase of

\* a direct path load. The load cannot continue. See error message

\* below this message.

**Action:** See action for the error message which follows this one.

**ORA-26032: index *string.string* loading aborted after *string* keys**

**Cause:** An index error occurred during direct-load of an index-organized table.

\* Loading had to be aborted. No rows were loaded.

**Action:** Check the key just following the number of keys mentioned above.

\* This key caused the index problem mentioned in an earlier message. \*

**ORA-26033: column *string.string* encryption properties differ for source or target table**

**Cause:** The source and destination columns did not have the same

\* encryption properties.

**Action:** For security reasons, check that the source and target table have

\* the same encryption properties. \*

**ORA-26034: Column *string* does not exist in stream**

**Cause:** Column specified in the column list does not exist in the stream.

**Action:** Make sure the column exists or remove it from the list.

**ORA-26035: Error attempting to encrypt or decrypt column**

**Cause:** An error occurred while attempting to encrypt or decrypt

\* a database column.

**Action:** Verify correct encryption key was specified. \*

**ORA-26036: subpartition load specified but table *string* is not subpartitioned**

**Cause:** The Loader control file contains a PARTITION clause but the table being loaded is not subpartitioned.

**Action:** Remove the subpartition specification from the SQL\*Loader control file and retry the load.

**ORA-26037: must specify partition name(s) for system partitioned table *string***

**Cause:** An attempt was made to load a system partitioned table with no partition name(s) specified.

**Action:** Specify the partition name(s) explicitly.

**ORA-26040: Data block was loaded using the NOLOGGING option**

---

**Cause:** Trying to access data in block that was loaded without  
\* redo generation using the NOLOGGING/UNRECOVERABLE option

**Action:** Drop the object containing the block.

**ORA-26041: DATETIME/INTERVAL datatype conversion error**

**Cause:** The column could not be converted from DATETIME  
\* datatype to internal DATETIME/CHARACTER datatype.

**Action:** Contact Oracle Customer Support.

**ORA-26045: REF column *string* expects *string* arguments; found *string*.**

**Cause:** The number of arguments for the REF column is incorrect.

**Action:** Specify the correct number of input arguments for REFs.

1. Unscoped system-generated REFs can have exactly 1 or 2 input arguments. a) It has exactly 1 input argument (one for the OID value) if a fixed table name was specified through OCI\_DIRPATH\_EXPR\_REF\_TBLNAME. b) It has exactly 2 input arguments (one for the table name and one for the OID value) if a fixed table name was not specified through OCI\_DIRPATH\_EXPR\_REF\_TBLNAME.

2. Scoped system-generated REFs can have 1 or 2 input arguments. Because a table name argument is not needed for a scoped ref, only 1 argument (OID value) is expected. But if the table name argument is given, it's still accepted.

3. Scoped primary-key REFs with N columns in its primary-key OID can have N or N+1 input arguments. Because a table name argument is not needed for a scoped ref, only N arguments (making up the OID value) is expected. But if the table name argument is given, it's still accepted.

**ORA-26046: REF column *string* expects scoped table name *string*; user passed in *string*.**

**Cause:** The scoped table name passed in by the user does not match the name in the schema.

**Action:** Specify the correct table name for the scoped REF column.

**ORA-26048: Scoped REF column has wrong table name.**

**Cause:** The scoped table name passed in by the user does not match the name in the schema.

**Action:** Specify the correct table name for the scoped REF column.

**ORA-26049: Unscoped REF column has non-existent table name.**

**Cause:** The table name passed in by the user does not exist in the schema.

**Action:** Specify a valid table name for the unscoped REF column.

**ORA-26050: Direct path load of domain index is not supported for this column type.**

**Cause:** Direct path can not load a domain index of that column type.

**Action:** Drop the index and try again or load using conventional path.

**ORA-26051: internal error parsing packed decimal format string**

**Cause:** A packed decimal field with a non-zero scale factor is mapped to a character column. In order to perform the datatype conversion, a numeric format string must be created based on the input field's precision and scale specifications. Direct path loader encountered an error in creating this format string.

---

**Action:** Examine the packed decimal field's precision and scale specifications and make sure that they contain valid values.

**ORA-26052: Unsupported type *number* for SQL expression on column *string*.**

**Cause:** The direct path api does not support a SQL expression on a column of that type.

**Action:** Make sure the types are correct.

**ORA-26053: Row was not loaded due to conversion error.**

**Cause:** The current row was not loaded due to a conversion error.

**Action:** Continue with the load anyways. 260xx - 260xx Direct Path API

**ORA-26054: Direct Path Context prepared for a different mode than operation requested.**

**Cause:** The user prepared the direct path context for one operation (Load, Unload, Convert), but then tried to perform a different operation.

**Action:** Make sure the direct path context mode and operation matches.

**ORA-26055: Invalid buffer specified for direct path unload**

**Cause:** The user specified a zero length or null buffer to be used for the Direct Path Unload operation.

**Action:** Specify a valid buffer and length.

**ORA-26056: Requested direct path operation on a view is not supported.**

**Cause:** User attempted to unload or load from/into a view via direct path.

**Action:** Unload from or load into a normal table.

**ORA-26057: Conversion is not necessary for this direct path stream.**

**Cause:** User attempted to convert a direct path stream that does not require conversion.

**Action:** Load the stream without conversion it.

**ORA-26058: unexpected error fetching metadata for column *string* in table *string***

**Cause:** The direct path API encountered an unexpected error while retrieving metadata for a column.

**Action:** Contact Oracle support.

**ORA-26059: Data is too large for column *string***

**Cause:** The direct path API encountered a column that can not be loaded because the input data is too large for a column.

**Action:** Make the target column larger.

**ORA-26060: Can not convert type identifier for column *string***

**Cause:** The direct path API encountered a type identifier for a column that can not be loaded because a mapping can not be found for the input value.

**Action:** Verify the input data.

**ORA-26061: Concurrent direct unloads is not allowed.**

**Cause:** User attempted a direct unload when another is still in progress.

**Action:** Complete the current direct unload before starting another.

**ORA-26062: Can not continue from previous errors.**

---

**Cause:** User attempted to continue a direct path load after receiving an error which indicates the load can not continue.

**Action:** Address the original error that was returned.

**ORA-26063: Can not flashback to specified SCN value - Wrap: *string* Base: *string*.**

**Cause:** User specified an SCN which occurs before the last time the table definition was modified.

**Action:** Specify a more recent SCN.

**ORA-26064: Invalid SCN specified - Wrap: *string* Base: *string*.**

**Cause:** User specified an invalid SCN.

**Action:** Specify a valid SCN.

**ORA-26065: check constraint cannot reference column, *string*, in direct path load**

**Cause:** An enabled check constraint was found on a column stored as a lob.

**Action:** Either disable the check constraint before loading the table data

\* using the direct path mode, or use the conventional path mode

\* instead.

**ORA-26076: cannot set or reset value after direct path structure is allocated**

**Cause:** Client attempted to set or reset the number of rows in a direct path

\* structure after it has already been allocated and initialized.

\* Attributes used is one of the following:

\* - OCI\_ATTR\_NUM\_ROWS: to set # of rows in a direct path column array

\* - OCI\_ATTR\_DIRPATH\_DCACHE\_SIZE: to set size of a date cache

\* (default is 0)

\* - OCI\_ATTR\_DIRPATH\_DCACHE\_DISABLE: to set whether date cache will be

\* disabled on overflow (default is FALSE)

**Action:** Set the following attributes before:

\* - OCI\_ATTR\_NUM\_ROWS: before calling OCIHandleAlloc for column array

\* - OCI\_ATTR\_DIRPATH\_DCACHE\_SIZE: before calling OCIDirPathPrepare

\* - OCI\_ATTR\_DIRPATH\_DCACHE\_DISABLE: before calling OCIDirPathPrepare

**ORA-26077: direct path column array is not initialized**

**Cause:** Client attempted to allocate a column array for a direct path

\* function context before allocating a column array for the

\* table-level direct path context.

**Action:** Allocate the table-level direct path context's column array

\* via OCIHandleAlloc before allocating column arrays for

\* direct path function contexts.

**ORA-26078: file "*string*" is not part of database being loaded**

**Cause:** A parallel load file was specified which is not part

\* of the database.

---

**Action:** Check filename and pathname for correctness.

**ORA-26079: file "*string*" is not part of table *string.string***

**Cause:** A parallel load file was specified which is not in the  
\* tablespace of the table being loaded.

**Action:** Check to make sure that the specified parallel load file  
\* is in the tablespace of the table being loaded.

**ORA-26080: file "*string*" is not part of table *string.string* partition *string***

**Cause:** A parallel load file was specified which is not in the  
\* tablespace of the table (partition, subpartition) being loaded.

\* When a partitioned table is being loaded, the file must be  
\* in the tablespace of every partition or subpartition  
\* (i.e. each (sub)partition must be in the same tablespace).

**Action:** Specify a different parallel load file, or no file at all.

**ORA-26082: load of overlapping segments on table *string.string* is not allowed**

**Cause:** Client application is attempting to do multiple direct path load  
\* operations on the same table, but the segments overlap.

**Action:** Check the partition names (subname attribute of the direct path  
\* context) being loaded. Make sure you are not loading a table,  
\* and a partition of the same table. Make sure you are not  
\* loading a partition, and a sub-partition within the same  
\* partition.

**ORA-26083: unsupported direct path stream version *string***

**Cause:** The stream version requested is not supported by the server.

**Action:** Check to make sure that the VERSION attribute of the direct  
\* stream is not being set to an invalid value.

**ORA-26084: direct path context already finished**

**Cause:** An OCIDirPathLoadStream operation was attempted after  
\* OCIDirPathFinish was called. Once a direct path operaton  
\* has been finished, no more data can be loaded.

**Action:** Check program logic to make sure OCIDirPathLoadStream is  
\* not called after OCIDirPathFinish.

**ORA-26085: direct path operation must start its own transaction**

**Cause:** A direct path operation is being attempted within a transaction  
\* that has already been started.

**Action:** Commit the transaction and Prepare the direct path operation again.

**ORA-26086: direct path does not support triggers**

**Cause:** A direct path operation is being attempted on a table which  
\* has enabled triggers.

---

**Action:** Disable the triggers on the table and try again.

**ORA-26088: scalar column "string" must be specified prior to LOB columns**

**Cause:** All scalar columns (i.e. non-LOB and non-LONG columns) must be

\* specified by the client of the direct path API prior to

\* specifying any LOB columns.

**Action:** Specify all scalar columns prior to specifying any LOB columns.

**ORA-26089: LONG column "string" must be specified last**

**Cause:** A client of the direct path API specified a LONG column to be

\* loaded, but the LONG column was not the last column to be

\* specified.

**Action:** Specify the LONG column last.

**ORA-26090: row is in partial state**

**Cause:** A direct path operation is being finished or a data save request

\* has been made, but the table for which the request is being made

\* on has a row in partial state. The row must be completed before

\* the segment high water marks can be moved.

**Action:** Either complete the row, or abort the direct path operation.

**ORA-26091: requested direct path operation not supported**

**Cause:** A direct path operation was requested that is not supported

**Action:** Do not use that operation. Currently, UNLOAD is not supported.

**ORA-26092: only LONG or LOB types can be partial**

**Cause:** A column which is not a LONG or LOB had the

\* OCI\_DIRPATH\_COL\_PARTIAL flag associated with it.

\* Only LONG or LOB type columns can be loaded in pieces.

**Action:** Do not use the OCI\_DIRPATH\_COL\_PARTIAL flag for the column.

**ORA-26093: input data column size (number) exceeds the maximum input size (number)**

**Cause:** The user attempted to specify a column size (%d) that exceeded

\* the maximum allowable input size (%d)."

**Action:** Make sure the input column metadata matches the column definition.

**ORA-26094: stream format error: input column overflow**

**Cause:** An input stream contained data for more input columns

\* than specified by the client of the direct path API.

**Action:** Make sure that the stream being loaded is for the

\* correct table. Check initialization sequence.

**ORA-26095: unprocessed stream data exists**

**Cause:** Either a OCIDirPathLoadStream call was made which provided

\* more stream data prior to the server being able to fully

- 
- \* process the stream data that it already has, or a
  - \* OCIDirPathFinish call was made when the server had
  - \* unprocessed stream data.

**Action:** Most likely an application mis-use of the direct path API.

- \* Make sure that the stream is not being reset inadvertently
- \* prior to any previous stream data being processed, or, that
- \* OCIDirPathFinish is not being called prematurely (i.e. stream
- \* pushed, error encountered and LoadStream not called to process
- \* the remainder of the stream before Finish is called.)

**ORA-26096: transfer size too small for row data (*number* bytes required)**

**Cause:** Either the transfer buffer size specified, or the default

- \* transfer buffer size (if you did not specify a size), is
- \* too small to contain a single row of the converted row data.

**Action:** Set the transfer buffer size attribute of the direct path

- \* context to be larger.

**ORA-26097: unsupported conversion for column *string* (from type *number* to type *number*)**

**Cause:** The direct path api does not support the required conversion.

**Action:** Make sure the types are correct. \*

**ORA-26098: direct path context is not prepared**

**Cause:** A direct path api function was called with a direct path

- \* context which has not been prepared.

**Action:** Make sure all necessary attributes in the direct path

- \* context have been set, and the context is prepared via
- \* OCIDirPathPrepare.

**ORA-26099: direct path context is already prepared**

**Cause:** OCIDirPathPrepare was called with a context that has already

- \* been prepared.

**Action:** Free the direct path context, set necessary attributes, and

- \* call OCIDirPathPrepare.

**ORA-26101: tablespace # in file header is *string* rather than *string* for file *string***

**Cause:** The tablespace number in the file header is inconsistent with that in the control file.

**Action:** Check if the control file has been migrated correctly. Retry with the correct control file and data file.

**ORA-26102: relative file # in file header is *string* rather than *string* for file *string***

**Cause:** The relative file number in the file header is inconsistent with that in the control file.

---

**Action:** Check if the control file has been migrated correctly. Retry with the correct control file and data file.

**ORA-26103: V6 or V7 data file used to create control file**

**Cause:** The file header of the referenced file is in V6 or V7 format.

**Action:** Either remove the file from the create control file command, or somehow migrate the file header to V8 format.

**ORA-26500: error on caching "string"."string"**

**Cause:** Attempt to cache the replication information which is unavailable in the catalog for the object.

**Action:** Use `dbms_reutil.sync_up_rep` to validate the replication catalog, or use `dbms_reutil.make_internal_pkg` to validate internal package.

**ORA-26501: RepAPI operation failure**

**Cause:** An external RepAPI operation failed.

**Action:** consult detail error message.

**ORA-26502: error resignal**

**Cause:** An internal service failed and signalled an error"

**Action:** consult detail error message.

**ORA-26503: internal RepAPI operation failure on object *string.string***

**Cause:** An unexpected internal RepAPI failure was detected

**Action:** Contact Oracle support.

**ORA-26504: operation not implemented**

**Cause:** The caller requested a RepAPI operation that was not implemented

**Action:** Do not issue this call.

**ORA-26505: unexpected internal null**

**Cause:** An internal buffer control structure was NULL

**Action:** Verify that sufficient memory resources are available to RepAPI.

**ORA-26506: null global context**

**Cause:** An internal buffer control structure was NULL

**Action:** Verify that sufficient memory resources are available to RepAPI.

**ORA-26507: null master connection**

**Cause:** The master connection handle was or became invalid.

**Action:** Verify that the master connection is valid.

**ORA-26508: null materialized view connection**

**Cause:** The client connection handle was or became invalid.

**Action:** Verify that the client connection is valid.

**ORA-26509: null materialized view control structure**

**Cause:** An internal materialized view control structure could not be obtained.

**Action:** Check that the owner and users provided are correct.

**ORA-26510: materialized view name: "string" is greater than max. allowed length of *string* bytes**

---

**Cause:** The specified materialized view name was too long.

**Action:** Shorten the materialized view name.

**ORA-26511: master table "*string.string*" not found**

**Cause:** A RepAPI operation was attempted against a non-existent or invalid master table

**Action:** Verify that the master table object exists.

**ORA-26512: error pushing transaction to def\$error**

**Cause:** An unexpected error occurred while sending an def\$error rpc to the master site

**Action:** Verify that the DBMS\_DEFER package is valid and executable by the RepAPI client. Contact the local or master site administrator, if necessary.

**ORA-26513: push error: master proc. *string*\$RP.*string* failed for trans:*string* seq:*string***

**Cause:** A conflict/error occurred at the master site while executing a \$RP.rep\_insert(), rep\_update(), or rep\_delete() function which was not handled by conflict resolution logic at the master.

**Action:** Notify master site system administrator or DBA.

**ORA-26514: object "*string.string*" not found**

**Cause:** The specified object was expected but not found.

**Action:** Verify that the specified object exists and is valid.

**ORA-26515: no master log available for "*string.string*"**

**Cause:** The specified master log was not found or available for the named table.

**Action:** Create the master log at the master site or correct any problems that may exist with the log.

**ORA-26516: no push transaction acknowledgement**

**Cause:** RepAPI was unable to confirm that the last pushed transaction was successfully committed by the master site.

**Action:** Verify that the communications link between the local site and the master site is still valid. If the transaction has not been committed at the master, repush the transaction.

**ORA-26517: materialized view control entry for "*string.string*" was not found**

**Cause:** The specified materialized view catalog control reocrd was not found.

**Action:** Verify that the local materialized view catalog is valid and that the local materialized view is properly defined.

**ORA-26518: push queue synchronization error detected**

**Cause:** Client tried to repush a transaction has already been committed at the master site. A common cause of this problem is an error at the local site in initializing or updating the local site transaction sequence mechanism.

**Action:** Verify that transaction data that RepAPI was attempting to repushed to the master site exists at the master table and is valid and consistent with the local site. If this error occurs, redundantly identified transactions are ignored and then purged from the local updatable materialized view logs. Check that the local site is correctly assigning new transactionIDs and is not accidentally generating non-unique values.

---

**ORA-26519: no memory available to allocate**

**Cause:** There was no memory left for the RepAPI process. This error may occur when RepAPI is trying to allocate a new table buffer area.

**Action:** Shutdown one or more local applications to attempt to free heap memory and retry the RepAPI operation.

**ORA-26520: internal memory failure**

**Cause:** An internal memory error was detected.

**Action:** Check if other errors have occurred or determine if any local application may have corrupted the memory subsystem.

**ORA-26521: rpc initialization error**

**Cause:** An error occurred during the initialization of a PL/SQL rpc.

**Action:** Verify that the procedure to be invoked exists and is valid at the master site and is executable by the RepAPI user.

**ORA-26522: rpc execution error**

**Cause:** An error occurred during the execution of a PL/SQL rpc.

**Action:** Check the error messages from the remote procedure and fix any remote site problems that may be preventing the execution of the invoked rpc.

**ORA-26523: rpc termination error**

**Cause:** An error occurred during the termination of a PL/SQL rpc. This is usually caused by master site being unable to close an opened cursor or if RepAPI cannot deallocate internal memory.

**Action:** Fix any server side problems first, determine if the RepAPI memory subsystem has been corrupted.

**ORA-26524: nls subsystem initialization failure for product=*string*, facility=*string***

**Cause:** The NLS product/facility error message file could not be located or properly initialized.

**Action:** Check that the error message directory and file(s) have been properly installed.

**ORA-26525: session connection attempt failed for *string* (@*string*)**

**Cause:** A connection could not be established to the specified database using the provided connection string.

**Action:** Check that the user, password, connect string, names services, network, and any remote site listener process are properly installed and working.

**ORA-26526: materialized view sql ddl parse/expansion failed for *string.string***

**Cause:** The client sql materialized view definition query could not be properly parsed by the master Oracle site.

**Action:** Check that materialized view ddl sql is compatible with the currently connected version of Oracle and does not violate any of the RepAPI sql limitations or restrictions.

**ORA-26527: local store callback init phase failed for "*string.string*"**

**Cause:** The client callback failed during its INIT phase for the named object.

**Action:** Verify that the objects referenced by the client callback exist and are valid. Refer to the vendor-specific callback error code reference to diagnose the local problem. Record all error state and notify Oracle support.

---

**ORA-26528: local store callback proc phase failed for "string.string"**

**Cause:** The client callback failed during its PROC phase for the named object.

**Action:** Refer to the vendor-specific callback error code reference to diagnose the local problem. Record all error state and notify Oracle support.

**ORA-26529: local store callback term phase failed for "string.string"**

**Cause:** The client callback failed during its TERM phase for the named object.

**Action:** Refer to the vendor-specific callback error code reference to diagnose the local problem. Record all error state and notify Oracle support.

**ORA-26530: unable to build materialized view refresh control list**

**Cause:** The materialized view control list could not be constructed. This is generally the result of an error while accessing the local materialized view catalog.

**Action:** Verify that the named materialized view(s) are properly defined and valid.

**ORA-26532: replication parallel push simulated site failure**

**Cause:** A parallel push executed with event 26531 enabled raises this error to simulation failure of network or destination site.

**Action:** Do not enable the event for normal operation.

**ORA-26534: collision: tranID number ignored and purged**

**Cause:** A transaction that was pushed had a transaction ID that collided with a transaction that was previously pushed and committed at the master site.

**Action:** See the action section for E\_QUEUESYNC (26518).

**ORA-26535: number byte row cache insufficient for table with rowsize=number**

**Cause:** A transaction that was pushed had a transaction ID that collided with a transaction that was previously pushed and committed at the master site.

**Action:** Increase the RepAPI row buffer size or reduce the width of the replicated tables.

**ORA-26536: refresh was aborted because of conflicts caused by deferred transactions**

**Cause:** There are outstanding conflicts logged in the DEFERROR table at the materialized view's master site.

**Action:** Resolve the conflicts in the master DEFERROR table and refresh again after the table is empty. Alternatively, refresh with REFRESH\_AFTER\_ERRORS, even if there are conflicts in the master's DEFERROR table. Proceeding despite conflicts can result in an updatable materialized view's changes appearing to be temporarily lost, until a refresh succeeds after the conflicts are resolved.

**ORA-26563: renaming this table is not allowed**

**Cause:** Attempt to rename a replicated table, an updatable materialized view table or the master table of a materialized view for which a materialized view log has been created.

**Action:** If desired, unregister the replicated table with `dbms_repcat.drop_master_repobject`, or use the recommended procedure to rename the master table of a materialized view.

**ORA-26564: string argument is not of specified type**

---

**Cause:** User passed type of the given argument number doesn't match with the type of the argument in the stored arguments.

**Action:** Invoke correct type procedure (i.e. get\_XXX\_arg)

**ORA-26565: Call to <type>\_arg made before calling dbms\_defer.call**

**Cause:** User invoked <type>\_arg procedure before starting a deferred call

**Action:** Invoke various procedures in the correct order.

**ORA-26566: Couldn't open connect to *string***

**Cause:** Failed to open connection using given dblink

**Action:** Make sure that the dblink is valid and remote m/c is up.

**ORA-26571: *string.string.string*: number of arguments (*string*) does not match replication catalog**

**Cause:** number of arguments does not match replication catalog

**Action:** examine total number of arguments for the rpc call

**ORA-26572: *string.string.string*: argument *string* does not match replication catalog**

**Cause:** the (rpc) call is corrupted

**Action:** examine total number of arguments and each argument for the rpc call

**ORA-26575: remote database does not support replication parallel propagation**

**Cause:** The remote database has a version lower than Oracle 8.0 and hence does not understand replication parallel propagation.

**Action:** Use serial propagation or upgrade the remote database to Oracle 8.0 or above.

**ORA-26576: cannot acquire SR enqueue**

**Cause:** An attempt to acquire the SR enqueue in exclusive mode failed.

**Action:** None

**ORA-26577: PRESERVE TABLE can not be used when dropping old style materialized view *string.string***

**Cause:** The materialized view consists of a view and a container table.

**Action:** Drop the materialized view without PRESERVE TABLE option.

**ORA-26650: *string* background process *string* might not be started successfully**

**Cause:** An error occurred during creation of a capture or apply background process.

**Action:** Please review V\$Capture and V\$Apply\_coordinator views for the status of these processes. Please also check the trace file for more information.

**ORA-26651: Unable to start or stop capture process *string***

**Cause:** An attempt was made to start or stop a capture process while another capture process was concurrently starting or stopping.

**Action:** You cannot concurrently start or stop capture processes. Wait before attempting to start or stop additional capture processes.

**ORA-26660: Invalid action context value for *string***

**Cause:** The value specified in the action context is invalid for use in STREAMS.

**Action:** Check that the type and value are correct.

---

**ORA-26662: unable to process STREAMS Data Dictionary information for object**

**Cause:** The database is unable to process STREAMS Data Dictionary for this object.

**Action:** Check that the compatibility for the database supports the object, and check the trace file for information about the object.

**ORA-26663: error queue for apply process *string* must be empty**

**Cause:** The error queue for this apply process contains error entries.

**Action:** Execute or delete errors in the error queue.

**ORA-26664: cannot create STREAMS process *string***

**Cause:** An attempt was made to create a STREAMS process when another was being created concurrently.

**Action:** Wait for the creation of the other STREAMS process to finish before attempting to create the STREAMS process.

**ORA-26665: STREAMS process *string* already exists**

**Cause:** An attempt was made to create a STREAMS process that already exists.

**Action:** Either specify another STREAMS process or remove the existing STREAMS process.

**ORA-26666: cannot alter STREAMS process *string***

**Cause:** An attempt was made to alter a STREAMS process that is currently running.

**Action:** Stop the STREAMS process with FORCE parameter set to TRUE and reissue the command.

**ORA-26667: invalid STREAMS parameter *string***

**Cause:** An attempt was made to specify an invalid parameter.

**Action:** Check the documentation for valid parameters.

**ORA-26668: STREAMS process *string* exists**

**Cause:** An attempt to remove the component failed because it is associated with the STREAMS process.

**Action:** Either remove the process manually or specify the "cascade" option in `dbms_streams_adm.remove_queue`.

**ORA-26669: parameter *string* inconsistent with parameter *string***

**Cause:** An attempt was made to specify a subprogram parameter value that is inconsistent with another parameter value.

**Action:** Check the documentation for valid parameter values.

**ORA-26671: maximum number of STREAMS processes exceeded**

**Cause:** Cannot create additional STREAMS processes since the maximum number of STREAMS processes has been reached.

**Action:** Remove existing STREAMS processes and retry the operation.

**ORA-26672: timeout occurred while stopping STREAMS process *string***

**Cause:** Timeout occurred while waiting for a STREAMS process to shut down.

**Action:** Retry the operation. If the error persists, try stopping the process with the FORCE option, or contact Oracle Support Services.

---

**ORA-26673: duplicate column name *string***

**Cause:** An attempt was made to specify a duplicate column name in an LCR.

**Action:** Remove the duplicate column and retry the operation.

**ORA-26674: Column mismatch in "*string.string*" (LCR: *string* type=*string*; DB: *string* type=*string*)**

**Cause:** The columns in the LCR were not the same or not found in the database table.

**Action:** Alter the database table.

**ORA-26675: cannot create Streams capture process *string***

**Cause:** Streams capture process could not be created because one or more parameters contain invalid value.

**Action:** Refer to trace file for more details.

**ORA-26676: Table "*string.string*" has *string* columns in the LCR and *string* columns in the replicated site**

**Cause:** The number of columns in the LCR was not the same as the the replicated site.

**Action:** Alter the table structure

**ORA-26677: Streams downstream capture process *string* cannot proceed**

**Cause:** Database global name has been set to a value which is same as the source database name of the downstream capture process.

**Action:** Change database global name to a value other than the source database name for the downstream capture.

**ORA-26678: Streams capture process must be created first**

**Cause:** Must create Streams capture process before attempting this operation.

**Action:** Create a Streams capture process, then retry the operation.

**ORA-26679: operation not allowed on LOB or LONG columns in LCR**

**Cause:** Certain operations on LOB/LONG columns of the LCR through rule-based transformations, DML handlers, or error handlers were not allowed.

**Action:** Do not perform restricted operations on LOB or LONG columns in LCRs. See the documentation for operations that are restricted on LOB/LONG columns in LCRs.

**ORA-26680: object type not supported**

**Cause:** The specified object type is not supported.

**Action:** Retry with a supported object type.

**ORA-26681: command type not supported**

**Cause:** The specified command type is not supported.

**Action:** Retry with a supported command type.

**ORA-26682: invalid value for publication\_on**

**Cause:** The publication\_on parameter should be either "Y" or "N"

**Action:** Retry with a proper value for publication\_on.

**ORA-26683: invalid value for value\_type**

**Cause:** The value\_type parameter should be either "OLD" or "NEW"

---

**Action:** Retry with proper value\_type.

**ORA-26684: invalid value for value\_type**

**Cause:** The value\_type parameter should be one of "OLD", "NEW" or "\*"

**Action:** Retry with proper value\_type.

**ORA-26685: cannot apply transactions from multiple sources**

**Cause:** Transactions from multiple sources were sent to the same apply process.

**Action:** Create multiple apply processes and create appropriate rules so that transactions from only one source reach an apply process.

**ORA-26686: cannot capture from specified SCN**

**Cause:** An attempt was made to specify an invalid SCN.

**Action:** Retry with a valid SCN.

**ORA-26687: no instantiation SCN provided for "string"."string" in source database "string"**

**Cause:** Object SCN was not set. If the object is a table, then both fields will be filled, for example "SCOTT"."EMP". If the object is a schema, only one field will be set, for example "SCOTT"."". And if the object is the entire database, no fields will be set, for example ""."".

**Action:** Set the SCN by calling DBMS\_APPLY\_ADM.SET\_%\_INSTANTIATION\_SCN

**ORA-26688: missing key in LCR**

**Cause:** Metadata mismatch, or not enough information in the user generated LCR.

**Action:** Alter the database object, or provide all defined keys in the LCR.

**ORA-26689: column datatype mismatch in LCR**

**Cause:** The datatypes of columns in the LCR are not the same as the datatypes in the database object.

**Action:** Alter the database object.

**ORA-26690: datatype not supported at non-Oracle system**

**Cause:** One of the columns of the LCR being applied was of a datatype not supported by either the target non-Oracle system or by the Oracle transparent gateway through which the apply is being done.

**Action:** Do not apply data of this type. If possible, filter out columns containing such datatypes before applying.

**ORA-26691: operation not supported at non-Oracle system**

**Cause:** The apply process attempted an operation that is either not supported by the non-Oracle system or by the Oracle transparent gateway through which the apply is being done. Some kinds of DML (like procedure and function calls) and all DDL will cause this error to be raised.

**Action:** Do not attempt to apply such LCRs to non-Oracle systems. If possible, filter out such LCRs before applying.

**ORA-26692: invalid value string, string should be in string format**

**Cause:** The parameter specified was not in the correct format.

**Action:** Specify the parameter value in the correct format.

- 
- ORA-26693: STREAMS *string* process dropped successfully, but error occurred while dropping rule set *string***  
**Cause:** An attempt to drop an unused rule set failed after dropping the STREAMS process successfully.  
**Action:** Check existence of rule set and manually drop if necessary.
- ORA-26694: error while enqueueing into queue *string.string***  
**Cause:** An error occurred while enqueueing a message.  
**Action:** If the situation described in the next error on the stack can be corrected, do so.
- ORA-26695: error on call to *string*: return code *string***  
**Cause:** A locking related call failed.  
**Action:** Try the call again after fixing the condition indicated by the return code.
- ORA-26696: no streams data dictionary for object with number *string* and version number *string* from source database *string***  
**Cause:** An attempt to access the database object failed because the data dictionary for the object was either never populated or it was purged.  
**Action:** Make sure the streams data dictionary is created by calling DBMS\_CAPTURE\_ADM.PREPARE\_%\_INSTANTIATION.
- ORA-26697: LCR contains extra column "*string*"**  
**Cause:** The LCR contained more columns than the replicated table.  
**Action:** Alter the database object.
- ORA-26698: *string* did not have a *string* rule set**  
**Cause:** The STREAMS client does not have a rule set of the indicated type.  
**Action:** Verify that the Streams client has a rule set of the specified type, and retry the operation.
- ORA-26699: STREAMS message consumer *string* already exists**  
**Cause:** An attempt was made to create a STREAMS message consumer that already exists.  
**Action:** Either specify another STREAMS message consumer or remove the existing STREAMS message consumer.
- ORA-26701: STREAMS process *string* does not exist**  
**Cause:** An attempt was made to access a STREAMS process which does not exist.  
**Action:** Check with the relevant security views for the correct name of the object.
- ORA-26705: cannot downgrade capture process after Streams data dictionary has been upgraded**  
**Cause:** An attempt was made to downgrade a capture process after it has upgraded the Streams data dictionary.  
**Action:** Drop the capture process before attempting the downgrade.
- ORA-26706: cannot downgrade capture process**  
**Cause:** An attempt was made to downgrade a capture process that has a higher version than the downgrade release version.  
**Action:** Drop the capture process after capture has finished consuming all the redo logs before attempting the downgrade.

---

**ORA-26708: remote DDL not supported by STREAMS : dblink *string***

**Cause:** The apply process attempted to apply a DDL LCR via a dblink. This is not supported.

**Action:** Do not attempt to apply DDL LCRs via a dblink. If possible, filter out DDL LCRs before applying.

**ORA-26709: Streams RFS restart**

**Cause:** Remote file server (RFS) process was restarted to reflect a change in DOWNSTREAM\_REAL\_TIME\_MINE option of the Streams capture process.

**Action:** No action required. This is an informational message only.

**ORA-26710: incompatible version marker encountered during Capture**

**Cause:** Capture process cannot mine redo from a version higher than the current software release version.

**Action:** Drop and recreate the capture process.

**ORA-26711: remote table does not contain a primary key constraint**

**Cause:** The master table for remote apply does not contain a primary key constraint or the primary key constraint has been disabled.

**Action:** Create a primary key constraint on the master table or enable the existing constraint.

**ORA-26712: remote object is "*string*"."*string*"\@"*string*"**

**Cause:** See the preceding error message to identify the cause. This message names the remote object, usually a table or view, for which an error occurred when Streams tried to access it for remote apply.

**Action:** See the preceding error message.

**ORA-26713: remote object does not exist or is inaccessible**

**Cause:** Streams replication could not access the named table or view at a remote database to apply changes.

**Action:** Confirm that the given remote table or view exists and is accessible through the given database link. When using a Heterogeneous Services database link to access a non-Oracle system, it may be necessary to check administration details for network connections at the non-Oracle system.

**ORA-26714: User error encountered while applying**

**Cause:** An error was encountered while applying.

**Action:** Query the dba\_apply\_error view to determine the error and take the appropriate action.

**ORA-26715: time limit reached**

**Cause:** The specified time limit was reached for the STREAMS process.

**Action:** Restart the STREAMS process, increasing the TIME\_LIMIT parameter if necessary.

**ORA-26716: message limit reached**

**Cause:** The specified message limit was reached for the Capture process.

**Action:** Restart the Capture process, increasing the MESSAGE\_LIMIT parameter if necessary.

**ORA-26717: SCN limit reached**

---

**Cause:** The specified SCN limit was reached for the STREAMS process.

**Action:** Change the MAXIMUM\_SCN parameter, then restart the STREAMS process.

**ORA-26718: transaction limit reached**

**Cause:** The specified transaction limit was reached for the Apply process.

**Action:** Restart the Apply process, increasing the TRANSACTION\_LIMIT parameter if necessary.

**ORA-26721: enqueue of the LCR not allowed**

**Cause:** An apply process attempted to enqueue an LCR with a LONG column. This is not supported.

**Action:** Modify rules or unset the enqueue destination to prevent LCRs with LONG columns from being enqueued by the apply process.

**ORA-26723: user "string" requires the role "string"**

**Cause:** The caller did not have the specified role or called the procedure from a definer's rights package or procedure.

**Action:** Grant the specified role to the caller. If the procedure is called from a definer's rights package or procedure, change the definer's rights package or procedure to an invoker's rights package or procedure. Or grant all the privileges for the specified role explicitly.

**ORA-26724: only SYS is allowed to set the Capture or Apply user to SYS.**

**Cause:** The Capture or Apply user was specified as SYS by a user other than SYS.

**Action:** Set SYS as the Capture or Apply user while logged in as SYS.

**ORA-26725: cannot downgrade apply handlers**

**Cause:** An attempt was made to downgrade apply handlers that are not associated with a local database object, or the apply handlers are associated with a specific apply process.

**Action:** Drop the associated apply handlers before attempting the downgrade.

**ORA-26726: logical standby and DOWNSTREAM\_REAL\_TIME\_MINE are incompatible**

**Cause:** An attempt was made to set the logical standby database and DOWNSTREAM\_REAL\_TIME\_MINE option of the Streams capture process on the same database.

**Action:** Do not attempt to set the DOWNSTREAM\_REAL\_TIME\_MINE option for a Streams capture process on a logical standby database. Do not attempt to make a database logical standby if there exists a Streams capture process with the DOWNSTREAM\_REAL\_TIME\_MINE parameter set to Y.

**ORA-26727: Cannot alter queue\_to\_queue property of existing propagation.**

**Cause:** The queue\_to\_queue property was specified for an existing propagation.

**Action:** Pass NULL for the queue\_to\_queue argument.

**ORA-26730: string "string" already exists**

**Cause:** An attempt to use FILE GROUP, FILE GROUP VERSION, or FILE GROUP FILE failed because the item in question already exists.

**Action:** Remove the object if appropriate and re-attempt the operation.

---

**ORA-26731: *string* "string" does not exist**

**Cause:** A FILE GROUP, FILE GROUP VERSION, or FILE GROUP FILE was specified that does not exist.

**Action:** Make sure the object exists and re-attempt the operation.

**ORA-26732: invalid file group *string* privilege**

**Cause:** The specified privilege number that was specified is invalid.

**Action:** Check specification of `dbms_file_group` for valid privileges.

**ORA-26733: timed-out waiting for file group lock**

**Cause:** The procedure waited too long while getting a lock to perform a file group repository operation.

**Action:** Retry the operation.

**ORA-26734: different `datafiles_directory_object` parameter must be specified**

**Cause:** The attempted operation involved datafiles platform conversion which required the `datafiles_directory_object` parameter to be specified for placing the converted data files.

**Action:** Retry the operation after specifying a valid `datafiles_directory_object` parameter. This directory must be different from the directory objects for any of the datafiles for the specified file group version.

**ORA-26735: operation not allowed on the specified file group version**

**Cause:** One or more datafiles or export dump file(s) were missing from the specified file group version.

**Action:** Retry the operation after adding all the data files and Data Pump dump file(s) to the specified version.

**ORA-26736: Data Pump error**

**Cause:** A Data Pump error occurred when the procedure performed a File Group Repository operation.

**Action:** Check the error stack and trace file for error details.

**ORA-26737: version *string* already has an export dump file**

**Cause:** A Data Pump dump file was added to a file group version that already has a dump file.

**Action:** Remove the existing dump file if appropriate, and retry the operation.

**ORA-26738: *string* "string" is not empty**

**Cause:** The FILE GROUP or FILE GROUP VERSION being dropped contained objects.

**Action:** Remove the child objects, then retry the operation.

**ORA-26740: cannot downgrade because there are file groups**

**Cause:** An attempt was made to downgrade a database that has file groups.

**Action:** Drop all file groups before attempting the downgrade.

**ORA-26741: cannot assemble lobs**

**Cause:** An attempt was made to assemble lobs, but the compatibility of the source database for the LOB information is lower than 10.2.0.

---

**Action:** Set ASSEMBLE\_LOBS to FALSE in the DML or error handler while this handler is processing LOB information from a source database with a compatibility level lower than 10.2.0.

**ORA-26742: Maximum number of ignored transactions exceeded**

**Cause:** An attempt was made to add more than the allowed number of ignored transactions.

**Action:** Please clear the current list of ignored transactions.

**ORA-26744: STREAMS capture process "*string*" does not support "*string*".*string*" because of the following reason: *string***

**Cause:** STREAMS capture encountered a table with an unsupported property. The most common reason is an unsupported column data type.

**Action:** Revise the Capture rules to skip over the table in question. One way might be to add a negative rule excluding changes from the unsupported table from being captured. Also query the DBA\_STREAMS\_UNSUPPORTED view to determine which tables are not supported by STREAMS and for what reason. Consider adding negative rules for any tables that may be captured, but are present in this view. For potential workarounds to certain unsupported properties, see Metalink.

**ORA-26745: cursors (*string*) are not sufficient**

**Cause:** The maximum number of open cursors was too small for Streams Apply.

**Action:** Increase the value of open\_cursors.

**ORA-26746: DDL rule "*string*".*string*" not allowed for this operation**

**Cause:** A DDL rule was specified for this operation.

**Action:** Specify a non-DDL rule for this operation.

**ORA-26747: The one-to-many transformation function *string* encountered the following error: *string***

**Cause:** The specified transformation function encountered an error.

**Action:** Ensure that the function does not process or return DDL LCRs. Also ensure that the function does not return NULL.

**ORA-26748: The one-to-one transformation function *string* encountered the following error: *string***

**Cause:** The specified transformation function encountered an error.

**Action:** Ensure that the function does not return an LCR that has a different type from the LCR which was passed to the function. Also ensure that the function does not return NULL. For DDL transformation functions, creating and returning a new DDL LCR is not allowed.

**ORA-26752: Unsupported LCR received for "*string*".*string*"**

**Cause:** Streams capture process received an LCR with unsupported operation from LogMiner.

**Action:** If this object is listed in DBA\_STREAMS\_UNSUPPORTED view, modify rules to prevent changes made to this object from getting captured.

**ORA-26753: Mismatched columns found in "*string.string*"**

**Cause:** The columns in the LCR were not the same as the table in the database.

**Action:** Alter the database table.

---

**ORA-26754: cannot specify both one-to-one transformation function *string* and one-to-many transformation function *string***

**Cause:** Both a one-to-one transformation function and a one-to-many transformation function were specified for a rule.

**Action:** Remove either the one-to-one transformation function, or the one-to-many transformation function.

**ORA-26760: Could not find message number *string* for transaction with id *string***

**Cause:** Error

**Action:** Contact Oracle support"

**ORA-26761: Standby Redo Logs not available for real time mining**

**Cause:** Standby Redo Logs required for real time mining by downstream capture process were not available.

**Action:** Check the configuration of Standby Redo Logs and retry the operation at a later time. To start the capture process without real time mining property, reset `DOWNSTREAM_REAL_TIME_MINE` parameter of the capture process and retry the operation.

**ORA-26762: Cannot autogenerate name for parameter *string* because of the following reason: *string***

**Cause:** An error was encountered while attempting to generate a name for a parameter which was passed a NULL value.

**Action:** If possible, fix the error, otherwise specify the parameter name explicitly.

**ORA-26763: invalid file type "*string*"**

**Cause:** An invalid file type was specified for the ASM file.

**Action:** Check documentation for valid ASM file types.

**ORA-26764: invalid parameter "*string*" for local capture "*string*"**

**Cause:** An invalid parameter was specified for the local capture process.

**Action:** Check documentation for valid parameters.

**ORA-26765: invalid parameter "*string*" for downstream capture "*string*"**

**Cause:** An invalid parameter was specified for the downstream capture process.

**Action:** Check documentation for valid parameters.

**ORA-26785: Object has a NULL value**

**Cause:** A method was invoked on a NULL object.

**Action:** Initialize the object with a non-NULL value.

**ORA-26786: A row with key *string* exists but has conflicting column(s) *string* in table *string***

**Cause:** The row to update or delete exists in the table but had conflicting value for some columns.

**Action:** For Streams, please define a conflict resolution, or resolve the conflict and execute the error transaction using `DBMS_APPLY_ADM.EXECUTE_ERROR`. For logical standby, please verify the status of the database guard to ensure local modifications are not allowed, then re-instantiate the table and contact support if the problem persists.

**ORA-26787: The row with key *string* does not exist in table *string***

---

**Cause:** The row to update or delete does not exist in the table.

**Action:** For Streams, please define a conflict resolution, or resolve the conflict and execute the error transaction using DBMS\_APPLY\_ADM.EXECUTE\_ERROR. For logical standby, please verify the status of the database guard to ensure local modifications are not allowed, then re-instantiate the table and contact support if the problem persists.

**ORA-26788: The column *string* is not encrypted in the local database.**

**Cause:** The column in the destination database is NOT encrypted while it is encrypted in the source database.

**Action:** Set the corresponding column property in the destination database to "encrypted" or change the apply parameter, PRESERVE\_ENCRYPTED\_COLS, to "N" to suppress the error.

**ORA-26789: Cannot split propagation *string* because only one propagation originates from its source queue "*string*".*string*"**

**Cause:** Only one propagation originated from the propagation source queue.

**Action:** Please do not split this propagation.

**ORA-26790: Requesting a lock on *string* "*string*" timed out**

**Cause:** Could not get a lock on the object because another process was holding the lock.

**Action:** Please try later.

**ORA-26791: Cannot split or merge propagation "*string*"**

**Cause:** A process tried to split or merge this propagation, but failed and left STREAMS in an inconsistent state.

**Action:** Query DBA\_RECOVERABLE\_SCRIPT\_BLOCKS view, and roll back the script which tried to split or merge this propagation.

**ORA-26792: Invalid source database name *string***

**Cause:** The value for the source database global name was not valid.

**Action:** Specify a valid database global name. If the source database is not the local database, check the listener is up and running.

**ORA-26793: Number of capture processes that enqueued message to queue "*string*".*string*" not equal to one**

**Cause:** Split-merge API requires only one capture process enqueued message to the queue where the propagation originated

**Action:** Please drop one capture, or split or merge another propagation.

**ORA-26794: Hierarchically enabled tables not supported**

**Cause:** Hierarchically enabled tables are not supported.

**Action:** Disable hierarchy for the table.

**ORA-26800: Apply not the only subscriber for "*string*".*string*".**

**Cause:** The combined capture and apply optimization could not be used since Apply was not the lone subscriber to the queue.

**Action:** Apply has to be the only subscriber to the queue.

**ORA-26801: More than one subscriber for "*string*".*string*".**

---

**Cause:** The combined capture and apply optimization could not be used since there was more than one subscriber to the queue.

**Action:** Configure a single subscriber - apply or propagation for the queue.

**ORA-26802: Queue "*string*"."*string*" has messages.**

**Cause:** The combined capture and apply optimization could not be used since the queue had messages.

**Action:** Make sure queue is empty before starting apply and capture.

**ORA-26803: Subscribers have changed for queue "*string*"."*string*".**

**Cause:** The combined capture and apply optimization could not be used since the subscribers had changed.

**Action:** Optimization can be used only if the queue has a single subscriber.

**ORA-26804: Apply "*string*" is disabled.**

**Cause:** The apply process was disabled or aborted.

**Action:** Start the apply process.

**ORA-26805: Queue "*string*"."*string*" has rule based subscribers.**

**Cause:** The combined capture and apply optimization could not be used since the queue had rule based subscribers.

**Action:** Make sure queue has no rule based subscribers before starting apply and capture.

**ORA-26806: Remote database could not support combined capture and apply optimization.**

**Cause:** The remote database has a version lower than Oracle 11.0 and hence does not understand combined capture and apply optimization.

**Action:** Upgrade the remote database to Oracle 11.0 or above in order to use the combined capture and apply optimization.

**ORA-26807: Database link is not NULL for Apply with the name "*string*".**

**Cause:** The combined capture and apply optimization could not be used since `apply_database_link` was not NULL.

**Action:** Drop and recreate the apply with NULL value for `apply_database_link`.

**ORA-26808: Apply process *string* died unexpectedly.**

**Cause:** Apply process died unexpectedly.

**Action:** Check your system for anomalies and restart apply. If this error persists, contact Oracle Support Services. See trace file for more details.

**ORA-26809: Capture aborted: checkpoint-free mode requires combined capture and apply mode.**

**Cause:** The requirements for combined capture and apply mode were broken.

**Action:** Restore the combined capture and apply mode and then restart the capture. If combined capture and apply mode is no longer desired, drop the existing checkpoint-free capture and create another one that will take checkpoints.

**ORA-26810: Apply "*string*" on database "*string*" is in the mode of combined capture and apply.**

**Cause:** The combined capture and apply optimization could not be used because Apply was already in the mode of combined capture and apply.

---

**Action:** Do not configure two captures for one apply.

**ORA-26811: Client has already attached to apply "*string*".**

**Cause:** The client has already attached to the specified apply process.

**Action:** Detach apply process before re-attach.

**ORA-26812: Too many sessions currently attached to apply "*string*".**

**Cause:** Only one active external session is allowed per apply process.

**Action:** More than one active external session attempted to attach to apply process. Wait until there is no active external sessions before attempting to attach again.

**ORA-26813: The value for argument "ARRAY\_SIZE" is too small**

**Cause:** The value for argument "ARRAY\_SIZE" was less than the number of columns in the requested column list.

**Action:** Check the return value for "NUM\_COLUMNS" parameter then allocate all input arrays to at least that size and invoke the same OCI function again.

**ORA-26814: The value for argument "*string*" exceeds maximum *string***

**Cause:** The value for specified value exceeded the maximum allowed.

**Action:** Correct the value of specified argument.

**ORA-26815: Error from Apply Network Receiver for Apply "*string*" and Capture "*string*".**

**Cause:** The Apply Network Receiver aborted due to an unexpected error.

**Action:** Query DBA\_APPLY\_ERROR to determine the error and then restart the Capture and Apply.

**ORA-26816: STREAMS apply process "*string*" (OS id *string*) is exiting due to ORA-*number*.**

**Cause:** An apply process encountered an unexpected error.

**Action:** Query DBA\_APPLY to examine the status of Apply and restart Apply if needed.

**ORA-27000: skgfsbi: failed to initialize storage subsystem (SBT) layer**

**Cause:** sbtinit returned an error, additional information indicates error

**Action:** verify that vendor's storage subsystem product is operating correctly

**ORA-27001: unsupported device type**

**Cause:** the specified device type is supported on this platform

**Action:** check V\$BACKUP\_DEVICE for supported device types

**ORA-27002: function called with invalid device structure**

**Cause:** internal error, additional information indicates which function encountered error

**Action:** check for trace file and contact Oracle Support

**ORA-27003: cannot open file on device allocated with NOIO option**

**Cause:** internal error, a file is being created/retrieved on a device allocated with NOIO option, additional information indicates which function encountered error

**Action:** check for trace file and contact Oracle Support

---

**ORA-27004: invalid blocksize specified**

**Cause:** internal error, blocksize specified is incorrect for the device on which file is being created, additional information indicates blocksize specified, and the function that encountered the error

**Action:** check for trace file and contact Oracle Support

**ORA-27005: cannot open file for async I/O on device not supporting async**

**Cause:** internal error, a file is being opened for async I/O on a device that does not support async I/O, additional information indicates which function encountered error

**Action:** check for trace file and contact Oracle Support

**ORA-27006: sbtremove returned error**

**Cause:** additional information indicates error returned by sbtremove, and the function that encountered the error

**Action:** verify that vendor's storage subsystem product is operating correctly

**ORA-27007: failed to open file**

**Cause:** sbtopen returned error, additional information indicates error returned from sbtopen, and the function that encountered the error

**Action:** verify that vendor's storage subsystem product is operating correctly

**ORA-27008: function called with invalid file structure**

**Cause:** internal error, additional information indicates which function encountered error

**Action:** check for trace file and contact Oracle Support

**ORA-27009: skgfwrt: cannot write to file opened for read**

**Cause:** internal error

**Action:** check for trace file and contact Oracle Support

**ORA-27010: skgfwrt: write to file failed**

**Cause:** sbtwrite returned error, additional information indicates error returned from sbtwrite

**Action:** verify that vendor's storage subsystem product is operating correctly

**ORA-27011: skgfrd: cannot read from file opened for write**

**Cause:** internal error

**Action:** check for trace file and contact Oracle Support

**ORA-27012: skgfrd: read from file failed**

**Cause:** sbtread returned error, additional information indicates error returned from sbtread

**Action:** verify that vendor's storage subsystem product is operating correctly

**ORA-27013: skgfdel: cannot delete an open file**

**Cause:** internal error

**Action:** check for trace file and contact Oracle Support

**ORA-27014: skgfpini: translation error while expanding SS\_UDMPDIR**

**Cause:** Failure of sltln in skgfpini

---

**Action:** Check additional return error for more information.

**ORA-27015: skgfcls: failed to close the file**

**Cause:** sbtclose returned error, additional information indicates error returned from sbtclose

**Action:** verify that vendor's storage subsystem product is operating correctly

**ORA-27016: skgfcls: sbtinfo returned error**

**Cause:** additional information indicates error returned from sbtinfo

**Action:** verify that vendor's storage subsystem product is operating correctly

**ORA-27017: skgfcls: media handle returned by sbtinfo exceeds max length(SSTMXQMH)**

**Cause:** media handle string length exceeds SSTMXQMH

**Action:** verify that vendor's storage subsystem product is operating correctly, and that the platform limit (SSTMXQMH) is at least 64 (the limit specified for sbtinfo). additional information indicates the media handle string length returned by sbtinfo, and the limit (SSTMXQMH)

**ORA-27018: BLKSIZE is not a multiple of the minimum physical block size**

**Cause:** User-specified BLKSIZE (blocking factor) is not a multiple of the minimum block size that is permitted on this platform.

**Action:** Two ADDITIONAL INFORMATION messages are displayed which show the blocking factor provided by the user and the minimum physical block size. Specify a BLKSIZE that is an integral multiple of the minimum block size.

**ORA-27019: tape filename length exceeds limit (SBTOPMXF)**

**Cause:** length of tape filename provided to sequential I/O OSD functions is too long

**Action:** additional information indicates in which function this error is encountered, the length of filename provided, and the limit on filename

**ORA-27020: named devices not supported**

**Cause:** the platform or the specified device type does not support named devices

**Action:** do not specify device name or use a device type that supports named devices. Use V\$BACKUP\_DEVICE view to see what device types and names (if any) are available.

**ORA-27021: sequential file handle must be specified**

**Cause:** The filename which will be passed to sbtopen was not specified.

**Action:** Specify a filename and continue. If this is a backup set being created via Recovery Manager, use the "format" option to specify the backup piece handle name.

**ORA-27022: skgfqsbi: could not allocate memory for media manager**

**Cause:** Oracle could not allocate memory required by the media management software which is linked with Oracle to provide backup/restore services.

**Action:** Increase the amount of memory available to the Oracle process and retry the backup/restore.

**ORA-27023: skgfqsbi: media manager protocol error**

**Cause:** The media management software which is linked with Oracle to provide backup/restore services did not provide its function pointer structure to Oracle.

---

**Action:** This is an internal error in the media management product. Contact the media management vendor.

**ORA-27024: skgfsbi: sbtinit2 returned error**

**Cause:** sbtinit2 returned an error. This happens during a backup or restore operation.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27025: skgfsbi: invalid media manager context area size**

**Cause:** The media management software requested a context area size which is greater than the maximum allowable size.

**Action:** This is an internal error in the media management product. Contact the media management vendor.

**ORA-27026: skgfrls: sbtend returned error**

**Cause:** sbtend returned an error. This happens during a backup or restore operation.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27027: sbtremove2 returned error**

**Cause:** sbtremove2 returned an error. This happens when deleting a backup file.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27028: skgfcrc: sbtbackup returned error**

**Cause:** sbtbackup returned an error. This happens when creating a backup file during a backup operation.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27029: skgfrtrv: sbtrestore returned error**

**Cause:** sbtrestore returned an error. This happens when retrieving a backup file during a restore operation.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27030: skgfwrt: sbtwrite2 returned error**

**Cause:** sbtwrite2 returned an error. This happens while writing a backup file during a backup operation.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27031: mirror resilvering functions not supported**

**Cause:** internal error

**Action:** check for trace file and contact Oracle Support

---

**ORA-27032: failed to obtain file size limit**

**Cause:** getrlimit system call returned an error

**Action:** check errno

**ORA-27033: failed to obtain file size limit**

**Cause:** ulimit system call returned an error

**Action:** check errno

**ORA-27034: maximum length of ORACLE\_SID exceeded**

**Cause:** too many characters in the ORACLE\_SID string

**Action:** rename the ORACLE\_SID to a string of up to the maximum number of characters specified for your system

**ORA-27035: logical block size is invalid**

**Cause:** logical block size for oracle files must be a multiple of the physical block size, and less than the maximum

**Action:** block size specified is returned as additional information, check init.ora parameters, additional information also indicates which function encountered the error

**ORA-27036: translation error, unable to expand file name**

**Cause:** additional information indicates sltln/slnrm error, and also indicates which function encountered the error

**Action:** check additional information

**ORA-27037: unable to obtain file status**

**Cause:** stat system call returned an error, additional information indicates which function encountered the error

**Action:** check errno

**ORA-27038: created file already exists**

**Cause:** trying to create a database file, but file by that name already exists

**Action:** verify that name is correct, specify reuse if necessary

**ORA-27039: create file failed, file size limit reached**

**Cause:** an attempt was made to create a file that exceeds the process's file size limit, additional information indicates which function encountered the error

**Action:** raise the file size limit

**ORA-27040: file create error, unable to create file**

**Cause:** create system call returned an error, unable to create file

**Action:** verify filename, and permissions

**ORA-27041: unable to open file**

**Cause:** open system call returned an error, additional information indicates which function encountered the error

**Action:** check errno

**ORA-27042: not enough space on raw partition to fulfill request**

**Cause:** internal error, file too large for raw partition, additional information indicates which function encountered the error

---

**Action:** check for trace file and contact Oracle Support

**ORA-27043: unable to seek to beginning of file**

**Cause:** seek system call failed, additional information indicates which function encountered the error

**Action:** check errno

**ORA-27044: unable to write the header block of file**

**Cause:** write system call failed, additional information indicates which function encountered the error

**Action:** check errno

**ORA-27045: unable to close the file**

**Cause:** close system call failed, additional information indicates which function encountered the error

**Action:** check errno

**ORA-27046: file size is not a multiple of logical block size**

**Cause:** file size as indicated by stat is not correct, additional information indicates which function encountered the error

**Action:** verify that the file has not been overwritten or truncated

**ORA-27047: unable to read the header block of file**

**Cause:** read system call failed, additional information indicates which function encountered the error

**Action:** check errno

**ORA-27048: skgfifi: file header information is invalid**

**Cause:** possibly trying to use a non-database file as a database file

**Action:** verify that file is a database file

**ORA-27049: unable to seek to and read the last block**

**Cause:** an attempt was made to seek to and read the last block in file, additional information indicates which function encountered error

**Action:** check errno

**ORA-27050: function called with invalid FIB/IOV structure**

**Cause:** internal error, additional information indicates which function encountered error

**Action:** check for trace file and contact Oracle Support

**ORA-27052: unable to flush file data**

**Cause:** fsync system call returned error, additional information indicates which function encountered the error

**Action:** check errno

**ORA-27053: blocksize in file header not a multiple of logical block size**

**Cause:** the logical block size is invalid, additional information indicates the logical block size and the blocksize in the file header

**Action:** use a different logical block size, or do not reuse file

---

**ORA-27054: NFS file system where the file is created or resides is not mounted with correct options**

**Cause:** The file was on an NFS partition and either reading the mount tab file failed or the partition was not mounted with the correct mount option.

**Action:** Make sure mount tab file has read access for Oracle user and the NFS partition where the file resides is mounted correctly. For the list of mount options to use refer to your platform specific documentation.

**ORA-27056: could not delete file**

**Cause:** unlink system call returned error

**Action:** check errno

**ORA-27057: cannot perform async I/O to file**

**Cause:** internal error, query is being asked about async vector I/O when the file does not support async I/O

**Action:** check for trace file and contact Oracle Support

**ORA-27058: file I/O question parameter is invalid**

**Cause:** internal error, invalid query is being asked

**Action:** check for trace file and contact Oracle Support

**ORA-27059: could not reduce file size**

**Cause:** ftruncate system call returned error

**Action:** check errno

**ORA-27060: could not set close-on-exec bit on file**

**Cause:** fcntl system call returned error

**Action:** check errno

**ORA-27061: waiting for async I/Os failed**

**Cause:** aiowait function returned error

**Action:** check errno

**ORA-27062: could not find pending async I/Os**

**Cause:** There should have been some async I/Os in the system but a blocking aiowait indicates that there are no more I/Os. It could be either because of an Oracle bug or the vendor OS bug or due to a NFS server not responding

**Action:** check Oracle trace file, OS message files and contact Oracle Support

**ORA-27063: number of bytes read/written is incorrect**

**Cause:** the number of bytes read/written as returned by aiowait does not match the original number, additional information indicates both these numbers

**Action:** check errno

**ORA-27064: cannot perform async I/O to file**

**Cause:** internal error, asked to perform async I/O when IOV indicates that it cannot be performed on the file

**Action:** check for trace file and contact Oracle Support

**ORA-27065: cannot perform async vector I/O to file**

**Cause:** internal error, asked to perform async vector I/O when it cannot be performed on the file

---

**Action:** check for trace file and contact Oracle Support

**ORA-27066: number of buffers in vector I/O exceeds maximum**

**Cause:** internal error, number of buffers in vector I/O exceeds maximum allowed by the OSD, additional information indicates both these numbers

**Action:** check for trace file and contact Oracle Support

**ORA-27067: size of I/O buffer is invalid**

**Cause:** internal error, buffer size is either 0, or greater than SSTIOMAX or not a multiple of logical block size, additional information indicates where in function the error was encountered and the buffer size

**Action:** check for trace file and contact Oracle Support

**ORA-27068: I/O buffer is not aligned properly**

**Cause:** internal error, buffer is not aligned to SSIOALIGN boundary, additional information indicates where in function the error was encountered and the buffer pointer

**Action:** check for trace file and contact Oracle Support

**ORA-27069: attempt to do I/O beyond the range of the file**

**Cause:** internal error, the range of blocks being read or written is outside the range of the file, additional information indicates the starting block number, number of blocks in I/O, and the last valid block in the file

**Action:** check for trace file and contact Oracle Support

**ORA-27070: async read/write failed**

**Cause:** aioread/aiowrite system call returned error, additional information indicates starting block number of I/O

**Action:** check errno

**ORA-27071: unable to seek to desired position in file**

**Cause:** lseek system call returned error, additional information indicates block number in file to which seek was attempted

**Action:** check errno

**ORA-27072: File I/O error**

**Cause:** read/write/readv/writev system call returned error, additional information indicates starting block number of I/O

**Action:** check errno

**ORA-27073: Trying to close a file which has async I/Os pending to be dequeued**

**Cause:** internal error, the file is being closed but not all async I/Os to the file have been dequeued, additional information indicates number of I/Os pending on the file

**Action:** check for trace file and contact Oracle Support

**ORA-27074: unable to determine limit for open files**

**Cause:** The getrlimit() system call returned an error.

**Action:** Check errno.

**ORA-27075: SSTMOFRC constant too large**

**Cause:** internal error

---

**Action:** check for trace file and contact Oracle Support

**ORA-27076: unable to set limit for open files**

**Cause:** The setrlimit() system call returned an error.

**Action:** Check errno.

**ORA-27077: too many files open**

**Cause:** internal error, the number of files opened through skgfofi has reached the limit

**Action:** Check for trace file and contact Oracle Support.

**ORA-27078: unable to determine limit for open files**

**Cause:** The getrlimit() system call returned an error.

**Action:** Check errno.

**ORA-27080: too many files open**

**Cause:** The number of files opened has reached the system limit.

**Action:** Check the error, and set system configuration values.

**ORA-27081: unable to close the file**

**Cause:** The close() system call failed.

**Action:** Check errno.

**ORA-27083: waiting for async I/Os failed**

**Cause:** The aio\_waitn() library call returned an error.

**Action:** Check errno.

**ORA-27084: unable to get/set file status flags**

**Cause:** The fcntl() system call with F\_GETFL/F\_SETFL flag returned an error.

**Action:** Check errno.

**ORA-27086: unable to lock file - already in use**

**Cause:** the file is locked by another process, indicating that it is currently in use by a database instance.

**Action:** determine which database instance legitimately owns this file.

**ORA-27087: unable to get share lock - file not readable**

**Cause:** share lock request was made on a file not open for read access.

**Action:** file must be open read-only or read-write to get a share lock.

**ORA-27088: unable to get file status**

**Cause:** file not open or file descriptor is invalid.

**Action:** None

**ORA-27089: unable to release advisory lock**

**Cause:** release of file lock failed

**Action:** see errno

**ORA-27091: unable to queue I/O**

**Cause:** read/write/readv/writev system call returned error, additional information indicates starting block number of I/O

---

**Action:** check errno

**ORA-27092: size of file exceeds file size limit of the process**

**Cause:** an attempt was made to open a file that exceeds the process's file size limit (ulimit), additional information shows the current limit (logical blocks) and the size of the file (logical blocks)

**Action:** increase the processes file size limit (ulimit) and retry

**ORA-27093: could not delete directory**

**Cause:** rmdir system call returned error

**Action:** check errno

**ORA-27094: raw volume used can damage partition table**

**Cause:** A raw device with VTOC information was provided as a database file.

**Action:** Make sure the disk partition that is provided to Oracle does not start at sector 0

**ORA-27100: shared memory realm already exists**

**Cause:** Tried to start duplicate instances, or tried to restart an instance that had not been properly shutdown

**Action:** Use a different instance name, or cleanup the failed instance's SGA

**ORA-27101: shared memory realm does not exist**

**Cause:** Unable to locate shared memory realm

**Action:** Verify that the realm is accessible

**ORA-27102: out of memory**

**Cause:** Out of memory

**Action:** Consult the trace file for details

**ORA-27103: internal error**

**Cause:** internal error

**Action:** contact Oracle support

**ORA-27120: unable to removed shared memory segment**

**Cause:** shmctl() call failed

**Action:** check permissions on segment, contact Oracle support

**ORA-27121: unable to determine size of shared memory segment**

**Cause:** shmctl() call failed

**Action:** check permissions on segment, contact Oracle support

**ORA-27122: unable to protect memory**

**Cause:** mprotect() call failed

**Action:** contact Oracle support

**ORA-27123: unable to attach to shared memory segment**

**Cause:** shmat() call failed

**Action:** check permissions on segment, contact Oracle support

**ORA-27124: unable to detach from shared memory segment**

**Cause:** shmdt() call failed

---

**Action:** contact Oracle support

**ORA-27125: unable to create shared memory segment**

**Cause:** shmget() call failed

**Action:** contact Oracle support

**ORA-27126: unable to lock shared memory segment in core**

**Cause:** insufficient privileges to lock shared memory segment in core

**Action:** make sure process is running with necessary privileges.

**ORA-27127: unable to unlock shared memory segment**

**Cause:** insufficient privileges to unlock shared memory segment

**Action:** make sure process is running with necessary privileges.

**ORA-27128: unable to determine pagesize**

**Cause:** sysconf() call failed

**Action:** contact Oracle support

**ORA-27140: attach to post/wait facility failed**

**Cause:** The program attempted to initialize the post/wait facility, but the facility could not be attached.

**Action:** Check for additional errors and contact Oracle Support.

**ORA-27141: invalid process ID**

**Cause:** process operation attempted using invalid process ID

**Action:** contact Oracle Support

**ORA-27142: could not create new process**

**Cause:** OS system call

**Action:** check errno and if possible increase the number of processes

**ORA-27143: OS system call failure**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle support

**ORA-27144: attempt to kill process failed**

**Cause:** OS system call error

**Action:** check errno and contact Oracle Support

**ORA-27145: insufficient resources for requested number of processes**

**Cause:** OS system call error

**Action:** check errno and contact Oracle Support

**ORA-27146: post/wait initialization failed**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle Support

**ORA-27147: post/wait reset failed**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle Support

---

**ORA-27148: spawn wait error**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle Support

**ORA-27149: assignment out of range**

**Cause:** internal error, requested conversion too large for type

**Action:** contact Oracle Support

**ORA-27150: attempt to notify process of pending oradebug call failed**

**Cause:** OS system call

**Action:** check errno contact Oracle Support

**ORA-27151: buffer not large enough to hold process ID string**

**Cause:** internal error

**Action:** contact Oracle Support

**ORA-27152: attempt to post process failed**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle Support

**ORA-27153: wait operation failed**

**Cause:** OS system called failed

**Action:** check errno contact Oracle Support

**ORA-27154: post/wait create failed**

**Cause:** internal error, multiple post/wait creates attempted simultaneously

**Action:** check errno and contact Oracle Support

**ORA-27155: could not execute file**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle Support

**ORA-27156: request for process information failed**

**Cause:** internal error

**Action:** contact Oracle Support

**ORA-27157: OS post/wait facility removed**

**Cause:** the post/wait facility for which the calling process is awaiting

**Action:** check errno and contact Oracle Support

**ORA-27158: process control failure**

**Cause:** Oracle was unable to set the specified process control.

**Action:** Consult the Oracle Administrator's Guide.

**ORA-27159: failure setting process scheduling priority**

**Cause:** Oracle was unable to set the scheduling priority desired.

**Action:** Consult the Oracle Administrator's Guide.

**ORA-27160: process requested to perform operation**

**Cause:** The current process was requested to perform an operation by another process.

---

**Action:** This is used internally; no action is required.

**ORA-27161: request for Oracle binary information failed**

**Cause:** The program was unable to get information about the Oracle binary.

**Action:** Check for additional errors and contact Oracle support.

**ORA-27162: thread creation failed**

**Cause:** The program was unable to create a thread.

**Action:** Check errno and contact Oracle support.

**ORA-27163: out of memory**

**Cause:** The program ran out of memory when allocating a temporary data structure.

**Action:** Increase the amount of memory on the system.

**ORA-27164: tried to join detached thread**

**Cause:** The program tried to join a detached thread.

**Action:** This is an internal error; contact Oracle support.

**ORA-27165: tried to join thread that does not exist**

**Cause:** The program tried to join a thread that does not exist.

**Action:** This is an internal error; contact Oracle support.

**ORA-27166: tried to join current thread**

**Cause:** A thread in the program tried to join itself.

**Action:** This is an internal error; contact Oracle support.

**ORA-27167: Attempt to determine if Oracle binary image is stored on remote server failed**

**Cause:** OS dependent operation failed

**Action:** None

**ORA-27190: skgfrd: sbtread2 returned error**

**Cause:** sbtread returned an error. This happens while reading a backup file during a restore operation.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27191: sbtinfo2 returned error**

**Cause:** sbtinfo2 returned an error. This happens while retrieving backup file information from the media manager's catalog.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27192: skgfcls: sbtclose2 returned error - failed to close file**

**Cause:** sbtclose2 returned an error. This happens while closing a backup file during a backup or restore operation.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

---

**ORA-27193: sbtinfo2 did not return volume label**

**Cause:** sbtinfo2 did not return the volume label information for the backup file that was just created.

**Action:** This is an internal error in the media management product. Contact the media management vendor.

**ORA-27194: skgfdvcm: sbtcommand returned error**

**Cause:** sbtcommand returned an error. This happens when an rman SEND command is issued.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27195: proxy copy not supported**

**Cause:** An attempt was made to do a proxy backup or restore, but the media management software installed with Oracle does not support proxy copy.

**Action:** Re-run the backup in non-proxy mode, or contact the media management vendor if the software is supposed to support proxy copy.

**ORA-27196: skgfpbk: sbtpcbackup returned error**

**Cause:** sbtpcbackup returned an error. This happens when a proxy backup is begun.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27197: skgfprs: sbtpcrestore returned error**

**Cause:** sbtpcrestore returned an error. This happens when a proxy restore is begun.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27198: skgfpvl: sbtpcvalidate returned error**

**Cause:** sbtpcvalidate returned an error. This happens during a proxy backup or restore.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27199: skgfpst: sbtpcstatus returned error**

**Cause:** sbtpcstatus returned an error. This happens during a proxy backup or restore.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27200: skgfpgo: sbtpcstart returned error**

**Cause:** sbtpcstart returned an error. This happens during a proxy backup or restore.

---

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27201: skgfpcm: sbtpccommit returned error**

**Cause:** sbtpccommit returned an error. This happens during a proxy backup or restore.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27202: skgfpen: sbtpcend returned error**

**Cause:** sbtpcend returned an error. This happens during a proxy backup or restore.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27203: skgfpcb: sbtpcquerybackup returned error**

**Cause:** sbtpcquerybackup returned an error. This happens during a proxy backup.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27204: skgfpcr: sbtpcqueryrestore returned error**

**Cause:** sbtpcqueryrestore returned an error. This happens during a proxy restore.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27205: skgfpcn: sbtpccancel returned error**

**Cause:** sbtpccancel returned an error. This happens during a proxy restore.

**Action:** This error is returned from the media management software which is linked with Oracle. There should be additional messages which explain the cause of the error. This error usually requires contacting the media management vendor.

**ORA-27206: requested file not found in media management catalog**

**Cause:** A backup file used in a recovery manager catalog maintenance command was not found in the media management catalog.

**Action:** Retry the command with a different file.

**ORA-27207: syntax error in device PARMS - parentheses mismatch or missing**

**Cause:** User-supplied PARMS value has incorrect syntax.

**Action:** Retry the command with correct syntax: ENV=(..) BLKSIZE=nnnn

**ORA-27208: syntax error in device PARMS - environment variable value missing**

**Cause:** User-supplied PARMS value has incorrect syntax.

**Action:** Retry the command with correct syntax: ENV=(var1=val1,var2=val2,..)

**ORA-27209: syntax error in device PARMS - unknown keyword or missing =**

**Cause:** User-supplied PARMS value has incorrect syntax. The server expected to find ENV or BLKSIZE, but found an unknown keyword.

---

**Action:** Retry the command with correct syntax: ENV=(..) BLKSIZE=nnnn

**ORA-27210: syntax error in device PARMS**

**Cause:** User-supplied PARMS value has incorrect syntax.

**Action:** Retry the command with correct syntax: ENV=(..) BLKSIZE=nnnn

**ORA-27211: Failed to load Media Management Library**

**Cause:** User-supplied SBT\_LIBRARY or libobk.so could not be loaded. Call to dlopen for media library returned error. See Additional information for error code.

**Action:** Retry the command with proper media library. Or re-install Media management module for Oracle.

**ORA-27212: some endpoints in Media Management Library are missing**

**Cause:** media library does not have one of the following endpoints : sbtinfo, sbtread, sbtwrite, sbtremove, sbtopen, sbtclose, sbtinit

**Action:** Retry the command with proper media library.

**ORA-27213: failed to unload Media Management Library**

**Cause:** dlclose for media library returned error. See Additional Additional information for error code.

**Action:** contact Oracle Support.

**ORA-27214: skgfrsfe: file search failed**

**Cause:** The FindNextFile function returned unexpected error.

**Action:** Check errors on the error stack for an explanation why the search for files could not be successfully executed.

**ORA-27215: skgfgsmcs: sbtinfo2 returned unknown file**

**Cause:** During an sbtinfo2() call, the media management software returned information about an unknown backup file.

**Action:** Contact the media management vendor.

**ORA-27216: skgfgsmcs: sbtinfo2 returned a malformed response**

**Cause:** The media management software returned a malformed response during an sbtinfo2() call.

**Action:** Contact the media management vendor.

**ORA-27217: failed to load Media Management Library from secure location**

**Cause:** SBT libraries were not installed in a secure location.

**Action:** Remove SBT\_SECURE parameter or Request third party vendors to provide patch that installs SBT libraries in secured locations as mandated by Oracle.

**ORA-27230: OS system call failure**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle support

**ORA-27250: OS system call failure**

**Cause:** OS system call failed

**Action:** check errno and contact Oracle support

**ORA-27300: OS system dependent operation: *string* failed with status: *string***

---

**Cause:** OS system call error

**Action:** contact Oracle Support

**ORA-27301: OS failure message: *string***

**Cause:** OS system call error

**Action:** contact Oracle Support

**ORA-27302: failure occurred at: *string***

**Cause:** OS system call error

**Action:** contact Oracle Support

**ORA-27303: additional information: *string***

**Cause:** OS system call error

**Action:** contact Oracle Support

**ORA-27351: conflicting values of job attributes *string* and *string***

**Cause:** The values of two attributes passed in to the CREATE\_JOBS call or the JOB object constructor conflicted with each other. This is usually because both attributes cannot be non-NULL at the same time.

**Action:** Resolve the conflict by changing the value of one of the attributes and issue the call again.

**ORA-27353: job attribute *string* is missing**

**Cause:** An attribute needed to fully specify a job was not passed in to a call to CREATE\_JOBS or the JOB object constructor.

**Action:** Issue the call again with the required attribute set.

**ORA-27354: attribute *string* cannot be set for lightweight jobs**

**Cause:** The CREATE\_JOBS call or the JOB object constructor was called with an argument that is illegal in the case of lightweight jobs.

**Action:** Set the argument to the default value and issue the call again.

**ORA-27356: invalid job argument**

**Cause:** An invalid job argument was passed into either the CREATE\_JOBS call or the JOB object constructor.

**Action:** Correct the argument value and issue the call again.

**ORA-27357: duplicate reference to job object *string***

**Cause:** The scheduler CREATE\_JOBS call had two or more references to the same job.

**Action:** Eliminate the duplicate references and issue the call again.

**ORA-27359: duplicate reference to attribute *string* of job *string***

**Cause:** The scheduler SET\_JOB\_ATTRIBUTES call had two or more references to a specific attribute of a job.

**Action:** Eliminate the duplicate references and issue the call again.

**ORA-27361: scheduler API invoked with illegal or inconsistent arguments**

**Cause:** A DBMS\_SCHEDULER API call was invoked with either illegal or inconsistent arguments.

**Action:** Refer to scheduler documentation for the call, make the necessary changes and issue the call again.

---

**ORA-27362: batch API call completed with errors**

**Cause:** Some of the commands submitted to a scheduler batch API call could not be successfully carried out because of errors. Other commands in the batch may have completed successfully.

**Action:** Check the view SCHEDULER\_JOB\_ERRORS to see which commands failed and why. Make the appropriate corrections and submit the failed commands again.

**ORA-27363: invalid program for lightweight job**

**Cause:** You tried to create a lightweight job using an invalid program. A program used in a lightweight job has to be enabled, has to be in the same schema as the job, and the program action has to be either a PL/SQL block or a stored procedure.

**Action:** Use a valid program for the lightweight job.

**ORA-27364: remote database *string* already registered as *string***

**Cause:** The user attempted to register a remote database that was already registered.

**Action:** To update the registration information, the REPLACE argument of the REGISTER\_REMOTE\_DATABASE procedure should be set to TRUE. If the registration information is already current, no further action is needed.

**ORA-27365: job has been notified to stop, but failed to do so immediately**

**Cause:** The job specified in the stop\_job command cannot be stopped immediately (because it is rolling back or blocked on a network operation), but it has been notified to stop. This means it will be stopped as soon as possible after its current uninterruptable operation is done.

**Action:** No action is required for the job to be stopped, but calling stop\_job with force (if you have the privilege) may cause the job to be stopped sooner.

**ORA-27366: job "*string.string*" is not running**

**Cause:** An attempt was made to stop a job that was not running.

**Action:** Verify the status of the job. If the job is running but this message is still being returned, contact Oracle support.

**ORA-27367: program "*string.string*" associated with this job is disabled**

**Cause:** An attempt was made to run a job whose program has been disabled.

**Action:** Reenable the program before running the job.

**ORA-27369: job of type EXECUTABLE failed with exit code: *string***

**Cause:** A problem was encountered while running a job of type EXECUTABLE. The cause of the actual problem is identified by the exit code.

**Action:** Correct the cause of the exit code and reschedule the job.

**ORA-27370: job slave failed to launch a job of type EXECUTABLE**

**Cause:** The scheduler ran into an error when the job slave tried to start a job of type EXECUTABLE. The rest of the error stack will provide more detailed information on what the exact problem was.

**Action:** Correct the problem specified in the error stack and reschedule the job.

**ORA-27371: jobs of type EXECUTABLE are not supported on this platform**

**Cause:** The user tried to create a job or program of type EXECUTABLE on a platform where such jobs are not supported.

---

**Action:** Switch to a different platform or create a different type of job or program.

**ORA-27372: length of action and arguments exceeds platform limit *string***

**Cause:** The total length of the job or program action and the arguments exceeds the platform limit specified.

**Action:** Reduce the total length by specifying fewer and/or shorter arguments

**ORA-27373: unknown or illegal event source queue**

**Cause:** The source queue specified for the event based job or event based schedule was either not found or was of the wrong type.

**Action:** Check if the queue exists. If it does make sure it is a multiple consumer queue and it is a post 8.1 compatible queue. Single consumer queues and old-style queues cannot be used as event source queues.

**ORA-27374: insufficient privileges on event source queue**

**Cause:** The job owner had insufficient privileges on the event source queue that was specified for the job.

**Action:** The job owner has to have dequeue privileges on event source queue or he has to have manage queue or dequeue any queue system privileges. Make sure one of these privileges is granted.

**ORA-27375: valid agent name must be specified for secure queues**

**Cause:** The queue specified for the event based job or schedule was a secure queue and either no agent name was specified or an invalid agent name was specified.

**Action:** If no agent name was specified, retry the call with a valid agent name. If the agent name was valid, check if the agent is currently subscribed to the queue and, in the case of jobs, check if the agent has been authorized to act as the job owner.

**ORA-27376: event condition cannot be NULL**

**Cause:** A null event condition was passed in for an event based job or schedule. This is not allowed.

**Action:** Pass in a legal event condition.

**ORA-27377: windows cannot have event based schedules**

**Cause:** Event based schedules for windows are currently not supported.

**Action:** Use a time-based schedule instead.

**ORA-27378: cannot stop jobs of type EXECUTABLE on this platform**

**Cause:** An attempt was made to stop a job of type EXECUTABLE on a platform where the stop operation was not supported.

**Action:** If the attempt to stop the job was made with the FORCE option set to FALSE, try again but change the FORCE option to TRUE.

**ORA-27379: INSTANCE\_ID attribute conflicts with job class settings**

**Cause:** The value of the INSTANCE\_ID attribute of the job conflicted with the value of the SERVICE attribute of its job class.

**Action:** Change the value of the INSTANCE\_ID attribute or place the job in a job class whose settings do not conflict with the INSTANCE\_ID attribute. Then re-enable the job.

---

**ORA-27399: job type EXECUTABLE requires the CREATE EXTERNAL JOB privilege**

**Cause:** The owner of a job of type EXECUTABLE does not have the CREATE EXTERNAL JOB system privilege.

**Action:** Grant the CREATE EXTERNAL JOB system privilege to the job owner or create another job in a schema which does have the CREATE EXTERNAL JOB system privilege.

**ORA-27411: empty string is not a valid repeat interval.**

**Cause:** An empty string "" was provided as a repeat interval for a window or a schedule.

**Action:** Specify a valid repeat interval, e.g., "FREQ=DAILY;BYHOUR=8;BYMINUTE=0;BYSECOND=0" for a job that executes daily at 8am.

**ORA-27412: repeat interval or calendar contains invalid identifier: *string***

**Cause:** The calendar string or calendar definition for the repeat interval of a job, schedule or window contained an unsupported keyword or reference to an undefined calendar.

**Action:** Correct the repeat interval such that it no longer contains the invalid keyword.

**ORA-27413: repeat interval is too long**

**Cause:** The repeat interval consisted of a calendar string larger than the maximum size allowed.

**Action:** Use a shorter calendar string for the repeat interval.

**ORA-27414: Invalid BY value type**

**Cause:** The type of BY value was not allowed for the frequency specified

**Action:** Ommitt BY values of this type or alter the frequency

**ORA-27415: repeat interval or calendar must start with the FREQ= clause**

**Cause:** The specified calendar string for the repeat interval did not start with the frequency clause.

**Action:** Create a repeat interval that starts with a frequency clause, e.g. "FREQ=YEARLY;BYMONTH=FEB"

**ORA-27416: BYDAY= clause in repeat interval or calendar contains an invalid weekday**

**Cause:** The BYDAY clause of the repeat interval contained a value that doesn't properly represent a weekday.

**Action:** Use the correct three letter abbreviations for weekdays, e.g. MON for Monday and FRI for Friday.

**ORA-27417: BYWEEKNO clause is only supported when FREQ=YEARLY**

**Cause:** A repeat interval or calendar contained a BYWEEKNO clause with a frequency other than yearly.

**Action:** Remove the BYWEEKNO clause or change the frequency to yearly.

**ORA-27418: syntax error in repeat interval or calendar**

**Cause:** The repeat interval or calendar definition could not be recognized as a valid syntax.

---

**Action:** Specify a valid repeat interval.

**ORA-27419: unable to determine valid execution date from repeat interval**

**Cause:** The specified repeat interval contained conflicting clauses that made it impossible to ever find a matching date, e.g., "FREQ=YEARLY;BYMONTH=FEB;BYMONTHDAY=31". Alternatively, the scheduler reached its maximum number of attempts to try to find a valid execution date. This occurs when theoretically there is a valid execution date far in the future, but the scheduler took too many attempts to determine this date.

**Action:** Remove the conflicting clauses, or simplify the repeat interval so that it is easier to determine the next execution date.

**ORA-27421: usage of *string* not supported in a calendar definition**

**Cause:** The calendar definition contained a clause that is specific for a repeat interval

**Action:** Specify a valid calendar definition.

**ORA-27431: chain *string.string* has a user-managed rule set**

**Cause:** An attempt was made to modify a rule set that is not managed by the Scheduler.

**Action:** Modify the rule set directly using the `dbms_rule_adm` package or create another chain without specifying a rule set.

**ORA-27432: step *string* does not exist for chain *string.string***

**Cause:** The step specified does not exist for the given chain.

**Action:** Reissue the command using a step that exists for this chain.

**ORA-27433: cannot alter state of step *string* for job *string.string* to *string***

**Cause:** The step cannot be changed to the requested state. The state of a running step cannot be changed. A step which is running or has already run cannot be run again.

**Action:** Wait until the step has finished running.

**ORA-27434: cannot alter chain step job *string.string.string***

**Cause:** A step job of a running chain cannot be altered, only stopped or dropped.

**Action:** Stop or drop the chain step job or alter the running chain step instead.

**ORA-27435: chain job terminated abnormally**

**Cause:** A chain job has ended abnormally. The error code for the running chain could not be retrieved.

**Action:** No action necessary. The job will run again when it is scheduled to.

**ORA-27451: *string* cannot be NULL**

**Cause:** An attempt was made to set a NOT NULL scheduler attribute to NULL.

**Action:** Reissue the command using a non-NULL value for the specified attribute.

**ORA-27452: *string* is an invalid name for a database object.**

**Cause:** An invalid name was used to identify a database object.

**Action:** Reissue the command using a valid name.

**ORA-27453: *string* is an invalid job or program argument name.**

**Cause:** An invalid job or program argument name was specified.

---

**Action:** Reissue the command using a valid name for this argument.

**ORA-27454: argument name and position cannot be NULL**

**Cause:** The name or position of a program or job argument was defined as NULL.

**Action:** Reissue the command providing either a valid argument name or valid argument position.

**ORA-27455: Only "SYS" is a valid schema for a *string*.**

**Cause:** A non-SYS schema was specified for an object that must be in the SYS schema.

**Action:** Reissue the command, leaving out the schema name or using the schema name of SYS.

**ORA-27456: not all arguments of program "*string.string*" have been defined**

**Cause:** The `number_of_arguments` attribute of the named program did not match the actual number of arguments that have been defined.

**Action:** Define as many arguments as the number of arguments, or change the number of arguments.

**ORA-27457: argument *string* of job "*string.string*" has no value**

**Cause:** No value was provided for the job argument with the specified position.

**Action:** Provide a value for the job argument using any of the `set_job_xxxx_value()` routines. Or, when using a named program, specify a default value for the corresponding argument of the program.

**ORA-27458: A program of type PLSQL\_BLOCK cannot have any arguments.**

**Cause:** An attempt was made to create or enable a program of type PLSQL\_BLOCK with arguments. This is not allowed.

**Action:** Change the number of arguments to zero, or change the type of the program.

**ORA-27459: A program of type EXECUTABLE must have character-only arguments.**

**Cause:** A program of type EXECUTABLE was created or enabled with one or more arguments of non-character datatypes.

**Action:** Change the arguments to be of character-only datatypes.

**ORA-27460: cannot execute disabled job "*string.string*"**

**Cause:** An attempt was made to run a job that is disabled.

**Action:** Enable the job and then reschedule the job.

**ORA-27461: The value for attribute *string* is too large.**

**Cause:** The value that was provided for the specified attribute was too large.

**Action:** Reissue the command using a smaller or shorter value.

**ORA-27463: invalid program type *string***

**Cause:** An invalid program type was specified.

**Action:** Reissue the command using a valid program type.

**ORA-27464: invalid schedule type *string***

**Cause:** An invalid schedule type was specified.

**Action:** Reissue the command using a valid schedule type.

---

**ORA-27465: invalid value *string* for attribute *string***

**Cause:** An invalid value was provided for the specified attribute.

**Action:** Reissue the command using a valid value for this attribute.

**ORA-27467: invalid datatype for *string* value**

**Cause:** The value provided for the named scheduler attribute was of an invalid datatype.

**Action:** Reissue the command using a value of the correct datatype.

**ORA-27468: "*string.string*" is locked by another process**

**Cause:** An attempt was made to read or modify the state of the named scheduler object when another process was also updating the same object and held the lock.

**Action:** Retry the operation. Scheduler locks are held for a very short duration. If the error persists, contact Oracle Support.

**ORA-27469: *string* is not a valid *string* attribute**

**Cause:** A non-existent attribute was specified.

**Action:** Reissue the command using a valid attribute for that specific scheduler object.

**ORA-27470: failed to re-enable "*string.string*" after making requested change**

**Cause:** A change was made to an enabled scheduler object that caused it to become disabled.

**Action:** Alter the object so that it becomes valid and then enable it.

**ORA-27471: window "*string.string*" is already closed**

**Cause:** An attempt was made to close a window that was not open.

**Action:** No action required.

**ORA-27472: invalid metadata attribute *string***

**Cause:** An invalid metadata attribute was specified.

**Action:** Reissue the command using a valid metadata attribute.

**ORA-27473: argument *string* does not exist**

**Cause:** An argument which was specified does not exist.

**Action:** Reissue the command using an argument name defined by the program or using a valid argument position.

**ORA-27474: cannot give both an argument name and an argument position**

**Cause:** An argument was specified using both a name and a position.

**Action:** Reissue the command using either the argument name or the argument position but not both.

**ORA-27475: "*string.string*" must be a *string***

**Cause:** An object of the wrong type was specified. For example, a table could have been passed to the `drop_job()` procedure.

**Action:** Reissue a different command applicable to this object type or reissue the same command using an object of the valid type.

**ORA-27476: "*string.string*" does not exist**

**Cause:** A database object was specified that does not exist.

---

**Action:** Reissue the command using an object that exists or create a new object and then reissue this command.

**ORA-27477: "string.string" already exists**

**Cause:** An attempt was made to create an object with a name that has already been used by another object in the same schema.

**Action:** Reissue the command using a different name or schema.

**ORA-27478: job "string.string" is running**

**Cause:** An attempt was made to drop a job that is currently running.

**Action:** Stop the job and then reissue the command, or reissue the command specifying the force option to stop the job first.

**ORA-27479: Cannot string "string.string" because other objects depend on it**

**Cause:** An attempt was made to drop or disable a scheduler object that has jobs associated with it without specifying the force option.

**Action:** Alter the associated jobs so they do not point to the scheduler object being dropped or disabled and then reissue the command. Alternatively reissue the command specifying the force option. If the force option is specified and a scheduler object is being dropped, all associated jobs will be disabled.

**ORA-27480: window "string" is currently open**

**Cause:** An attempt was made to drop a window that is currently open, or to manually open a window while another window is already open.

**Action:** Close the window that is open and then reissue the command, or reissue the command while setting the force option to TRUE.

**ORA-27481: "string.string" has an invalid schedule**

**Cause:** An attempt was made to enable a job or window that has an invalid schedule.

**Action:** Alter the schedule of the job or window so that it is valid and then reissue the enable command.

**ORA-27483: "string.string" has an invalid END\_DATE**

**Cause:** An attempt was made to enable a job or window that has an invalid end\_date. Either the end\_date is before the start\_date or the end\_date is in the past.

**Action:** Alter the job or window so that the end date becomes valid (possibly null) and then reissue the command.

**ORA-27484: Argument names are not supported for jobs without a program.**

**Cause:** An attempt was made to set or reset a job argument by using the name of the argument. Identifying job arguments by their name is only supported in combination with jobs that are based on programs. Jobs that are not using a program cannot have named arguments.

**Action:** Use argument position instead of name and then issue the command again.

**ORA-27485: argument string already exists at a different position**

**Cause:** An attempt was made to create or replace an argument with a name that is already used by an argument at a different position.

**Action:** Use a different name for the argument or drop or alter the argument which already exists with this name and then reissue the command.

---

**ORA-27486: insufficient privileges**

**Cause:** An attempt was made to perform a scheduler operation without the required privileges.

**Action:** Ask a sufficiently privileged user to perform the requested operation, or grant the required privileges to the proper user(s).

**ORA-27487: invalid object privilege for a *string***

**Cause:** The granted object privilege is not valid for the specified scheduler object.

**Action:** Check the scheduler documentation to verify which object privileges can be granted on which scheduler objects.

**ORA-27488: unable to set *string* because *string* was/were already set**

**Cause:** An attempt was made to set an object's attribute even though one or more conflicting attributes of the same object had already been set.

**Action:** Set the other conflicting attributes to NULL and then reissue the command.

**ORA-27489: unable to process job "*string.string*" from job class "*string*"**

**Cause:** An error was encountered while processing the named job from the specified job class.

**Action:** Resolve the error for this job and then reissue the command. See the next error message on the stack to find out what the error for the job is.

**ORA-27490: cannot open disabled window "*string.string*"**

**Cause:** The user tried to open a disabled window.

**Action:** Enable the window and then try to open it again.

**ORA-27491: repeat\_interval and start\_date cannot both be NULL**

**Cause:** An attempt was made to set both repeat\_interval and start\_date to equal NULL for a Scheduler window or schedule.

**Action:** If either repeat\_interval or start\_date is set to equal NULL, the other should be set to a non-NULL value.

**ORA-27500: inter-instance IPC error**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the extra information and contact Oracle Support Services.

**ORA-27501: IPC error creating a port**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27502: IPC error deleting OSD context**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27503: IPC error attempting to cancel request**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27504: IPC error creating OSD context**

**Cause:** This is an operating system/cluster interconnect error.

---

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27505: IPC error destroying a port**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27506: IPC error connecting to a port**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27507: IPC error disconnecting from a port**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27508: IPC error sending a message**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27509: IPC error receiving a message**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27510: IPC error waiting for a request to complete**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27512: IPC error posting a process**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27513: parameter *string* contains invalid value *string***

**Cause:** The program could not identify the value as an IP address.

**Action:** Change the value to be a valid IP address.

**ORA-27542: Failed to unprepare a buffer prepared for remote update**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27543: Failed to cancel outstanding IPC request**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27544: Failed to map memory region for export**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

**ORA-27545: Fail to prepare buffer for remote update**

**Cause:** This is an operating system/cluster interconnect error.

**Action:** Check the value of errno and contact Oracle Support Services.

---

**ORA-27546: Oracle compiled against IPC interface version *string.string* found version *string.string***

**Cause:** A misconfiguration or installation error occurred.

**Action:** Install the IPC library for this release of Oracle.

**ORA-27547: Unable to query IPC OSD attribute *string***

**Cause:** This is an operating system-dependent IPC error.

**Action:** Contact Oracle support Services.

**ORA-27548: Unable to unprepare IPC buffer**

**Cause:** This is an operating system-dependent IPC error.

**Action:** Contact Oracle support Services.

**ORA-27550: Target ID protocol check failed. tid vers=*number*, type=*number*, remote instance number=*number*, local instance number=*number***

**Cause:** The local Oracle Real Application Cluster instance and remote instance are running with incompatible implementation of the inter-instance IPC protocol library. A misconfiguration or installation error occurred.

**Action:** Check additional error messages in the alert log and the process trace file.

**ORA-28000: the account is locked**

**Cause:** The user has entered wrong password consequently for maximum number of times specified by the user's profile parameter FAILED\_LOGIN\_ATTEMPTS, or the DBA has locked the account

**Action:** Wait for PASSWORD\_LOCK\_TIME or contact DBA

**ORA-28001: the password has expired**

**Cause:** The user's account has expired and the password needs to be changed

**Action:** change the password or contact the DBA

**ORA-28002: the password will expire within *string* days**

**Cause:** The user's account is about to expire and the password needs to be changed

**Action:** change the password or contact the DBA

**ORA-28003: password verification for the specified password failed**

**Cause:** The new password did not meet the necessary complexity specifications and the password\_verify\_function failed

**Action:** Enter a different password. Contact the DBA to know the rules for choosing the new password

**ORA-28004: invalid argument for function specified in PASSWORD\_VERIFY\_FUNCTION *string***

**Cause:** The password verification function does not have the required number and type of input/output arguments and/or the return argument

**Action:** Check the manual to find out the format of the password verification function

**ORA-28005: invalid logon flags**

**Cause:** The flags are not properly set or conflicting flags are set in making calls

**Action:** Call the function with appropriate flags set.

---

**ORA-28006: conflicting values for parameters *string* and *string***

**Cause:** The parameters PASSWORD\_REUSE\_TIME and PASSWORD\_REUSE\_MAX cannot both be set. One parameter should be unlimited while other is set

**Action:** Set one value to UNLIMITED explicitly

**ORA-28007: the password cannot be reused**

**Cause:** The password cannot be reused for the specified number of days or for the specified number of password changes

**Action:** Try the password that you have not used for the specified number of days or the specified number of password changes Refer to the password parameters in the CREATE PROFILE statement

**ORA-28008: invalid old password**

**Cause:** old password supplied is wrong; Hence user cannot be authenticated using old password

**Action:** Supply the correct old password for authentication

**ORA-28009: connection as SYS should be as SYSDBA or SYSOPER**

**Cause:** connect SYS/<password> is no longer a valid syntax

**Action:** Try connect SYS/<password> as SYSDBA or connect SYS/<password> as SYSOPER

**ORA-28010: cannot expire external or global accounts**

**Cause:** If a user account is created as IDENTIFIED EXTERNALLY, or IDENTIFIED GLOBALLY, this account cannot be expired

**Action:** Try to expire the password of the user that has database password

**ORA-28011: the account will expire soon; change your password now**

**Cause:** The user's account is marked for expiry; the expiry period is unlimited.

**Action:** Change the password or contact the DBA.

**ORA-28012: Manual commit not allowed here**

**Cause:** An attempt was made to commit a non-autonomous transaction from within a change password trigger or password verification routine

**Action:** Remove the COMMIT from the password trigger or password verification routine

**ORA-28020: IDENTIFIED GLOBALLY already specified**

**Cause:** The IDENTIFIED GLOBALLY clause was specified twice.

**Action:** Use only one IDENTIFIED GLOBALLY clause.

**ORA-28021: cannot grant global roles**

**Cause:** A role granted was IDENTIFIED GLOBALLY. Global roles can only be granted via a central authority for the domain.

**Action:** Use ALTER ROLE to change the type of role (from IDENTIFIED GLOBALLY to other, such as IDENTIFIED BY password), or allocate it to a global user via the central authority.

**ORA-28022: cannot grant external roles to global user or role**

**Cause:** A role granted was IDENTIFIED EXTERNALLY. External roles cannot be granted to global users or global roles.

---

**Action:** Use ALTER ROLE to change the type of the role being granted (from IDENTIFIED EXTERNALLY to other, such as IDENTIFIED BY password), or use ALTER ROLE or ALTER USER to change the type of the user or role that is the grantee.

**ORA-28023: must revoke grants of this role to other user(s) first**

**Cause:** The role altered to IDENTIFIED GLOBALLY was granted to one or more other users and/or roles. Global roles cannot be granted to any user or role.

**Action:** Use REVOKE to revoke the role from other users or roles first.

**ORA-28024: must revoke grants of external roles to this role/user**

**Cause:** The user or role altered to IDENTIFIED GLOBALLY has external roles directly granted - these must be revoked, since external roles cannot be granted to global users or roles.

**Action:** Use REVOKE to revoke the external roles from the user or role to be ALTERed.

**ORA-28025: missing or null external name**

**Cause:** The IDENTIFIED EXTERNALLY AS or IDENTIFIED GLOBALLY AS clause was specified with a valid external name.

**Action:** Provide a valid external name.

**ORA-28026: user with same external name already exists**

**Cause:** The external name specified for the user being created or altered already exists for another user.

**Action:** External names must be unique among users. Specify another.

**ORA-28027: privileged database links may be used by global users**

**Cause:** Only users IDENTIFIED GLOBALLY may use a privileged database link.

**Action:** Either change the user to a global user or try to use a different database link.

**ORA-28028: could not authenticate remote server**

**Cause:** During the course of opening a privileged database link, the remote server was not securely identified using the network security service. Additional errors should follow.

**Action:** Consult the network security service documentation on how to properly configure the remote server.

**ORA-28029: could not authorize remote server for user *string***

**Cause:** During the course of opening a privileged database link, the remote server was found to lack the necessary authorizations to connect as the current global user. This may be because the server was not authorized by the network security service. Or it may be because the local server is restricting access by the remote server using the DBMS\_SECURITY\_DOMAINS\_ADMIN package.

**Action:** Grant the remote server the proper authorization to connect as the given global user, and check that the local server is not restricting access.

**ORA-28030: Server encountered problems accessing LDAP directory service**

**Cause:** Unable to access LDAP directory service

**Action:** Please contact your system administrator

**ORA-28031: maximum of *string* enabled roles exceeded**

---

**Cause:** The user attempted to enable too many roles.

**Action:** Enable fewer roles.

**ORA-28035: Cannot Get Session Key for Authentication**

**Cause:** Client and server cannot negotiate shared secret during logon

**Action:** User should not see this error. Please contact your system administrator

**ORA-28037: Cannot Get Session Key for RACF Authentication**

**Cause:** Client and server cannot negotiate shared secret during logon

**Action:** User should not see this error. Please contact your system administrator

**ORA-28038: disallow O2LOGON**

**Cause:** turn off O2LOGON

**Action:** None

**ORA-28039: cannot validate Kerberos service ticket**

**Cause:** The Kerberos service ticket provided was invalid or expired

**Action:** Provide a valid, unexpired service ticket.

**ORA-28040: No matching authentication protocol**

**Cause:** No acceptable authentication protocol for both client and server

**Action:** Administrator should set `SQLNET_ALLOWED_LOGON_VERSION` parameter on both client and servers to values that matches the minimum version supported in the system.

**ORA-28041: Authentication protocol internal error**

**Cause:** Authentication protocol failed with an internal error

**Action:** None

**ORA-28042: Server authentication failed**

**Cause:** Server failed to authenticate itself to the client

**Action:** Confirm that the server is a valid database server.

**ORA-28043: invalid bind credentials for DB-OID connection**

**Cause:** The Database password stored in the wallet did not match the one in OID .

**Action:** Use DBCA to reset the database password so that it is the same in database wallet and in OID.

**ORA-28044: unsupported directory type**

**Cause:** The database tried to work with a directory which is not OID.

**Action:** Enterprise User Security works only with Oracle Internet Directory. Update the `ldap.ora` file to reflect an appropriate OID.

**ORA-28045: SSL authentication between database and OID failed**

**Cause:** Server failed to authenticate itself to the Directory.

**Action:** Make sure the `sqlnet.ora` used is pointing to the wallet with the right certificate.

**ORA-28046: Password change for SYS disallowed**

**Cause:** `REMOTE_LOGIN_PASSWORDFILE` is set to `SHARED`, prohibiting SYS password changes.

---

**Action:** Change setting of REMOTE\_LOGIN\_PASSWORDFILE to EXCLUSIVE or NONE.

**ORA-28047: database is not a member of any enterprise domain in OID**

**Cause:** An enterprise user login was attempted on a database that is not a member of any enterprise domain in OID.

**Action:** An administrator should put the database into an enterprise domain in OID, and then the user should reconnect.

**ORA-28048: database is a member of multiple enterprise domains in OID**

**Cause:** An enterprise user login was attempted on a database that is a member of multiple enterprise domains in OID.

**Action:** An administrator should put the database into only one enterprise domain in OID, and then the user should reconnect.

**ORA-28049: the password has expired**

**Cause:** The enterprise user's password has expired and the password needs to be changed.

**Action:** change the password in the directory or contact the directory administrator.

**ORA-28051: the account is locked**

**Cause:** The enterprise user has consecutively entered the wrong password for maximum number of times specified in the realm's password policy profile.

**Action:** Contact the directory administrator.

**ORA-28052: the account is disabled**

**Cause:** The enterprise user's account in the directory has been disabled.

**Action:** Contact the directory administrator.

**ORA-28053: the account is inactive**

**Cause:** The enterprise user's account in the directory is currently not active.

**Action:** Contact the directory administrator.

**ORA-28054: the password has expired. *string* Grace logins are left**

**Cause:** The enterprise user's password has expired. The user is able to login because he has gracelogins left.

**Action:** change the password in the directory or contact the directory administrator.

**ORA-28055: the password will expire within *string* days**

**Cause:** The enterprise user's password is about to expire.

**Action:** Change the password in the directory or contact the directory administrator.

**ORA-28100: policy function schema *string* is invalid**

**Cause:** The schema was dropped after the policy associated with the function had been added to the object.

**Action:** Drop the policy and re-create it with a policy function owned by a valid user. Or re-create the user and the policy function under the new user.

**ORA-28101: policy already exists**

- 
- Cause:** A policy with the same name for the same object already exists.  
**Action:** Check if the policy has already been added or use a different policy name.
- ORA-28102: policy does not exist**  
**Cause:** Try to drop/enable/refresh a non-existent policy.  
**Action:** Correct the policy name argument.
- ORA-28103: adding a policy to an object owned by SYS is not allowed**  
**Cause:** Try to add a policy to a table or a view owned by SYS.  
**Action:** You can not perform this operation.
- ORA-28104: input value for *string* is not valid**  
**Cause:** Input value for the argument is not valid  
**Action:** specify a valid argument value.
- ORA-28105: cannot create security relevant column policy in an object view**  
**Cause:** Security relevant column argument is not null in policy creation for an object view  
**Action:** None
- ORA-28106: input value for argument #*string* is not valid**  
**Cause:** Input values for the argument is missing or invalid.  
**Action:** Correct the input values.
- ORA-28107: policy was disabled**  
**Cause:** Try to flush a disabled policy.  
**Action:** If the policy is supposed to be enforced, it must be enabled.
- ORA-28108: circular security policies detected**  
**Cause:** Policies for the same object reference each other.  
**Action:** Drop the policies
- ORA-28109: the number of related policies has exceeded the limit of 16**  
**Cause:** Too many policies are involved in the same objects.  
**Action:** Drop one or more policies. Or combine a few of them into one.
- ORA-28110: policy function or package *string.string* has error**  
**Cause:** The policy function may have been dropped, or is no longer valid.  
**Action:** Check the status of the function and correct the problem. Or re-create the policy with a valid function.
- ORA-28111: insufficient privilege to evaluate policy predicate**  
**Cause:** Predicate has a subquery which contains objects that the owner of policy function does not have privilege to access.  
**Action:** Grant appropriate privileges to the policy function owner.
- ORA-28112: failed to execute policy function**  
**Cause:** The policy function has one or more error during execution.  
**Action:** Check the trace file and correct the errors.
- ORA-28113: policy predicate has error**

---

**Cause:** Policy function generates invalid predicate.

**Action:** Review the trace file for detailed error information.

**ORA-28115: policy with check option violation**

**Cause:** Policy predicate was evaluated to FALSE with the updated values.

**Action:** None

**ORA-28116: insufficient privileges to do direct path access**

**Cause:** Users with insufficient privileges attempting to do direct path access of tables with fine grain access control policies.

**Action:** Ask the database administrator to do the operation. Note that users can work with security administrator to temporarily drop/disable the policies at time of export, import, or load, but this has security implication, and thus access of the database must be controlled carefully.

**ORA-28117: integrity constraint violated - parent record not found**

**Cause:** try to update/insert a child record with new foreign key values, but the corresponding parent row is not visible because of fine-grained security in the parent.

**Action:** make sure that the updated foreign key values must also visible in the parent

**ORA-28118: policy group already exists**

**Cause:** try to create a policy group that already exists

**Action:** None

**ORA-28119: policy group does not exist**

**Cause:** try to drop a policy group that does not exist

**Action:** None

**ORA-28120: driving context already exists**

**Cause:** try to create a driving context that already exists

**Action:** None

**ORA-28121: driving context does not exist**

**Cause:** try to drop a driving context that does not exist

**Action:** None

**ORA-28132: Merge into syntax does not support security policies.**

**Cause:** Merge into syntax currently does not support a security policy on the destination table.

**Action:** use the insert / update DML stmts on the table that has a security policy defined on it.

**ORA-28134: object cannot have fine-grained access control policy**

**Cause:** Only tables, views, or synonyms of tables or views may have VPD policies

**Action:** None

**ORA-28137: Invalid FGA audit Handler**

**Cause:** An invalid audit handler was specified.

**Action:** Specify a valid audit handler.

---

**ORA-28138: Error in Policy Predicate**

**Cause:** An invalid policy predicate was specified.

**Action:** Please specify a valide policy Predicate for the FGA policy

**ORA-28139: Maximum allowed Fine Grain Audit Policies Exceeded**

**Cause:** A maximum of 256 policies can be enabled on an object

**Action:** Drop or disable an existing policy before creating more

**ORA-28140: Invalid column specified**

**Cause:** Column name specified during policy creation is invalid

**Action:** Please specify a valid column name. Object columns are not supported

**ORA-28141: error in creating audit index file**

**Cause:** ORACLE was not able to create the file being used to hold audit file names.

**Action:** Examine the directory pointed to by the initialization parameter "audit\_file\_dest." Make sure that all of the following is true:

1. The directory exists.
2. The name indeed points to a directory and not a file.
3. The directory is accessible and writable to the ORACLE user.

**ORA-28142: error in accessing audit index file**

**Cause:** ORACLE was not able to access the file being used to hold audit file names.

**Action:** Make sure the file exists in the directory pointed to by the initialization parameter "audit\_file\_dest" and is readable by the ORACLE user.

**ORA-28150: proxy not authorized to connect as client**

**Cause:** A proxy user attempted to connect as a client, but the proxy was not authorized to act on behalf of the client.

**Action:** Grant the proxy user permission to perform actions on behalf of the client by using the ALTER USER ... GRANT CONNECT command.

**ORA-28151: more than one user name specified for command**

**Cause:** More than one user name was specified for an ALTER USER command.

**Action:** Try the command again with only one user name.

**ORA-28152: proxy user "string" may not specify initial role "string" on behalf of client "string"**

**Cause:** A proxy user attempted to specify an initial role for a client, but the client does not possess the role.

**Action:** Change the proxy user so that it does not specify the role or grant the role to the client.

**ORA-28153: Invalid client initial role specified: "string"**

**Cause:** A role specified by a proxy user as an initial role to be activated upon connecting on behalf of a client is invalid.

**Action:** Connect again as the client specifying a valid role.

**ORA-28154: Proxy user may not act as client "string"**

---

**Cause:** A proxy user may not assume the identity of a privileged user in order to limit the privileges that a proxy may possess.

**Action:** Execute the statement again specify a client other than a privileged user.

**ORA-28155: user "string" specified as a proxy is actually a role**

**Cause:** A user specified in an AUDIT <operation> BY <proxy> ON BEHALF OF <client> is actually a role.

**Action:** Execute the statement again with a valid proxy user.

**ORA-28156: Proxy user "string" not authorized to set role "string" for client "string"**

**Cause:** A proxy user has not been granted the right to use a role on behalf of a client.

**Action:** Execute the command ALTER USER <client> GRANT CONNECT THROUGH PROXY <proxy> to grant the needed role.

**ORA-28157: Proxy user "string" forbidden to set role "string" for client "string"**

**Cause:** A proxy user was forbidden to use a role on behalf of a client through the command ALTER USER <client> GRANT CONNECT THROUGH <proxy> WITH ALL ROLES EXCEPT <role>

**Action:** Execute the command ALTER USER <client> GRANT CONNECT THROUGH PROXY <proxy> to grant the needed role.

**ORA-28163: GRANT already specified**

**Cause:** The GRANT clause was specified twice.

**Action:** Use only one GRANT clause.

**ORA-28164: REVOKE already specified**

**Cause:** The REVOKE clause was specified twice.

**Action:** Use only one REVOKE clause.

**ORA-28165: proxy "string" may not specify password-protected role "string" for client "string"**

**Cause:** A proxy user attempted to activate a role on behalf of a client which has a password associated with it. Since the proxy does not have a password, this activation cannot be allowed.

**Action:** Attempt to activate a different role or change the role administratively so that there is no password.

**ORA-28166: duplicate rolename in list**

**Cause:** The name of a role was specified more than once in a list.

**Action:** Repeat the command specifying the role once.

**ORA-28168: attempted to grant password-protected role**

**Cause:** An ALTER USER ... GRANT CONNECT command was attempted specifying a role that is protected by a password as a role which the proxy may execute on behalf of a client.

**Action:** Either specify a role that does not have a password or alter the role so that a password is not required.

**ORA-28169: unsupported certificate type**

**Cause:** The type of certificate from which the server is to extract the credentials of the client is not supported.

---

**Action:** Specify a supported type.

**ORA-28170: unsupported certificate version**

**Cause:** The version of the certificate from which the server is to extract the credentials of the client is not supported.

**Action:** Specify a supported version.

**ORA-28171: unsupported Kerberos version**

**Cause:** the version the Kerberos ticket which the server is to use to validate the identity of the client is not supported.

**Action:** Specify a supported version.

**ORA-28172: distinguished name not provided by proxy**

**Cause:** A client user is to be identified using a distinguished name, but none was provided by the proxy user.

**Action:** Provide a distinguished name.

**ORA-28173: certificate not provided by proxy**

**Cause:** A client user is to be identified using a certificate but none was provided by the proxy user.

**Action:** Provide a certificate.

**ORA-28174: Kerberos ticket not provided by proxy**

**Cause:** A client user is to be authenticated using a Kerberos ticket but none was provided by the proxy user.

**Action:** Provide a Kerberos ticket.

**ORA-28175: incorrect certificate type**

**Cause:** the type of certificate provided by the proxy user to identify a client user does not match the type that is required.

**Action:** Provide a certificate of the correct type.

**ORA-28176: incorrect certificate version**

**Cause:** the version of certificate provided by the proxy user to identify a client user does not match the version that is required.

**Action:** Provide a certificate of the correct version.

**ORA-28177: incorrect Kerberos ticket version**

**Cause:** the version of Kerberos ticket provided by the proxy user to authenticate a client user does not match the version that is required.

**Action:** Provide a Kerberos ticket of the correct version.

**ORA-28178: password not provided by proxy**

**Cause:** A client user is to be authenticated using a database password but none was provided by the proxy user.

**Action:** Provide a password.

**ORA-28179: client user name not provided by proxy**

**Cause:** No user name was provided by the proxy user for the client user.

**Action:** Either specify a client database user name, a distinguished name or an X.509 certificate.

---

**ORA-28180: multiple authentication methods provided by proxy**

**Cause:** More than one authentication method was specified by the proxy user for the client user.

**Action:** Specify only one of the following: a client database user name, a distinguished name or an X.509 certificate.

**ORA-28181: proxy "string" failed to enable one or more of the specified initial roles for client "string"**

**Cause:** Attempt to enable specified initial roles after logon resulted in failure.

**Action:** Check that the initial roles are valid, granted to client, and not password protected.

**ORA-28182: cannot acquire Kerberos service ticket for client**

**Cause:** An attempt to use a Kerberos forwardable ticket granting ticket to obtain a Kerberos service ticket failed.

**Action:** Check that the Kerberos forwardable ticket granting ticket belongs to the client, is valid, and that the key distribution center is available.

**ORA-28183: proper authentication not provided by proxy**

**Cause:** A client user must be authenticated but no authentication credentials were provided by the proxy user.

**Action:** Provide some form of authentication credentials.

**ORA-28184: global user cannot have proxy permissions managed in the directory**

**Cause:** The client name specified was a global user.

**Action:** Use ALTER USER to change the type of user (from IDENTIFIED GLOBALLY to something else, such as IDENTIFIED BY password or IDENTIFIED EXTERNALLY).

**ORA-28200: IDENTIFIED USING already specified**

**Cause:** The IDENTIFIED USING clause was specified twice.

**Action:** Use only one IDENTIFIED USING clause.

**ORA-28201: Not enough privileges to enable application role "string"**

**Cause:** An attempt to enable application role outside the scope of the designated package

**Action:** Enable the role directly or indirectly using the designated package

**ORA-28221: REPLACE not specified**

**Cause:** User is changing password but password verification function is turned on and the original password is not specified and the user does not have the alter user system privilege.

**Action:** Supply the original password.

**ORA-28231: no data passed to obfuscation toolkit**

**Cause:** A NULL value was passed to a function or procedure.

**Action:** Make sure that the data passed is not empty.

**ORA-28232: invalid input length for obfuscation toolkit**

**Cause:** Length of data submitted for encryption or decryption is not a multiple of 8 bytes.

---

**Action:** Make sure that the length of the data to be encrypted or decrypted is a multiple of 8 bytes.

**ORA-28233: double encryption not supported**

**Cause:** The obfuscation toolkit does not support the encryption of already-encrypted data.

**Action:** Do not attempt to encrypt already-encrypted data.

**ORA-28234: key length too short**

**Cause:** The key specified is too short for the algorithm. DES requires a key of at least 8 bytes. Triple DES requires a key of least 16 bytes in two-key mode and 24 bytes in three-key mode.

**Action:** Specify a longer key.

**ORA-28235: algorithm not available**

**Cause:** The encryption algorithm desired is not available.

**Action:** Run the installer to install the needed algorithm in Oracle Advanced Security.

**ORA-28236: invalid Triple DES mode**

**Cause:** An unknown value was specified for the mode in which triple DES encryption is to run.

**Action:** Specify a valid value. See the package declaration for a list of valid values.

**ORA-28237: seed length too short**

**Cause:** The seed specified for the key generation routine must be at least 80 characters.

**Action:** Specify a longer seed.

**ORA-28238: no seed provided**

**Cause:** A NULL value was passed in as the seed to be used in generating a key.

**Action:** Provide a non-NULL value for the seed.

**ORA-28239: no key provided**

**Cause:** A NULL value was passed in as an encryption or decryption key.

**Action:** Provide a non-NULL value for the key.

**ORA-28261: CURRENT\_USER can not be used in PLSQL Definer's Right procedure.**

**Cause:** An attempt to retrieve CURRENT\_USER using SYS\_CONTEXT PLSQL interface.

**Action:** Use a SQL statement to query CURRENT\_USER inside a DR procedure.

**ORA-28262: global\_context\_pool\_size has invalid value.**

**Cause:** Parameter global\_context\_pool\_size has a value less than the minimum required value (10K).

**Action:** Please specify a value for the init.ora parameter global\_context\_pool\_size which is atleast 10k.

**ORA-28263: Insufficient memory in global context pool**

**Cause:** Allocations for the global context heap exceeded the value set in init.ora.

---

**Action:** Increase the value of `global_context_pool_size` parameter in `init.ora` or clear unused global context.

**ORA-28264: Client identifier is too long**

**Cause:** The length of the client identifier is longer than 64

**Action:** Set a client identifier whose length is less than 64.

**ORA-28265: NameSpace beginning with "sys\_" is not allowed**

**Cause:** Namespace beginning with "sys\_" is not allowed.

**Action:** Use a namespace that does not begin with "sys\_".

**ORA-28267: Invalid NameSpace Value**

**Cause:** Context NameSpace conflicts with reserved key words or a secure Namespace is not allowed for this type of Application Context.

**Action:** Use a valid namespace.

**ORA-28268: Exceeded the maximum allowed size for Context information in a session**

**Cause:** The maximum size specified by the `_session_context_size` `init.ora` parameter was exceeded.

**Action:** Please change the value for `_session_context_size` in the `init.ora` file.

**ORA-28270: Malformed user nickname for password authenticated global user.**

**Cause:** An attempt to login as password-authenticated global user with a malformed user nickname.

**Action:** Make sure the nickname is valid and re-login.

**ORA-28271: No permission to read user entry in LDAP directory service.**

**Cause:** ORACLE server does not have read permission on user nickname's X.500 user entry.

**Action:** Make sure ORACLE server is using right SSL credentials to connect to LDAP directory services. Make sure permissions for LDAP user entries are right.

**ORA-28272: Domain policy restricts password based GLOBAL user authentication.**

**Cause:** Domain policy does not allow password-authenticated GLOBAL users.

**Action:** Make sure ORACLE server is using right SSL credentials to connect to LDAP directory services. Make sure `orclDBAuthTypes` attributes within Oracle enterprise domain object is either set to PWD or ALL.

**ORA-28273: No mapping for user nickname to LDAP distinguished name exists.**

**Cause:** ORACLE server cannot map the given user nickname to LDAP distinguished name.

**Action:** Make sure user entries in LDAP are correctly provisioned with correct user nickname attribute values.

**ORA-28274: No ORACLE password attribute corresponding to user nickname exists.**

**Cause:** LDAP user entry corresponding to user nickname does not have a ORACLE password attribute or the attribute is not initialized.

**Action:** Make sure user entries in LDAP are correctly provisioned with correct ORACLE password attribute values.

---

**ORA-28275: Multiple mappings for user nickname to LDAP distinguished name exist.**

**Cause:** The given user nickname maps to more than one LDAP distinguished name.

**Action:** Make sure user nickname is unique within the enterprise.

**ORA-28276: Invalid ORACLE password attribute.**

**Cause:** The ORACLE password attribute of a user entry has an invalid format.

**Action:** Make sure ORACLE password attribute value is RFC-2307 compliant.

**ORA-28277: LDAP search, while authenticating global user with passwords, failed.**

**Cause:** The LDAP search for finding the appropriate user entry and ORACLE password failed.

**Action:** Make sure LDAP directory service is up and running.

**ORA-28278: No domain policy registered for password based GLOBAL users.**

**Cause:** No policy about password authenticated GLOBAL users has been registered.

**Action:** Add attribute orclDBAuthTypes to the database server's Enterprise domain.

**ORA-28279: Error reading ldap\_directory\_access init parameter.**

**Cause:** ldap\_directory\_access parameter is not specified correctly.

**Action:** Make sure spfile.ora has ldap\_directory\_access set correctly. Possible correct values are PASSWORD, SSL and NONE.

**ORA-28280: Multiple entries for ORACLE database password exist.**

**Cause:** The ORACLE password attribute of a user entry has multiple entries of ORACLE database password.

**Action:** Make sure ORACLE password attribute has one entry for ORACLE Database password.

**ORA-28290: Multiple entries found for the same Kerberos Principal Name**

**Cause:** Multiple user entries has been configured with the same krbPrincipalName

**Action:** Modify enterprise user's entry to assign its Kerberos principal name  
Make sure the user entries in LDAP are provisioned correctly.

**ORA-28291: No Kerberos Principal Value found.**

**Cause:** Oracle server fails to get value of krbPrincipalName attribute

**Action:** Make sure user entries are correctly provisioned with correct Kerberos principal value

**ORA-28292: No Domain Policy registered for Kerberos based authentication**

**Cause:** The enterprise domain entry is not configured for Kerberos based global authentication.

**Action:** Modify orclDBAuthType of the database server's enterprise domain entry and assign it "ALL" or "KRB5"

**ORA-28293: No matched Kerberos Principal found in any user entry**

**Cause:** Oracle server fails to find the principal in the user search base

---

**Action:** Make sure the user search base is correct. Use ESM to configure the enterprise user its Kerberos principal name

**ORA-28300: No permission to read user entry in LDAP directory service.**

**Cause:** ORACLE server does not have read permission on user entries.

**Action:** Make sure ORACLE server is using right credentials to connect to LDAP directory services. Make sure permissions for LDAP user entries are configured correctly.

**ORA-28301: Domain Policy hasn't been registered for SSL authentication.**

**Cause:** An attempt was made to authenticate with SSL, but the database enterprise domain was not configured for SSL authentication.

**Action:** Modify orclDBAuthType of the server's enterprise domain entry and assign it "ALL" or "SSL".

**ORA-28302: User does not exist in the LDAP directory service.**

**Cause:** An attempt was made to authenticate with SSL using the user's certificate, but there was no user entry in the LDAP server that matched the user's Distinguished Name.

**Action:** Add an user entry whose DN matches the user's PKI DN in the LDAP directory.

**ORA-28330: encryption is not allowed for this data type**

**Cause:** Data type was not supported for column encryption.

**Action:** None

**ORA-28331: encrypted column size too long for its data type**

**Cause:** column was encrypted and for VARCHAR2, the length specified was > 3932; for CHAR, the length specified was > 1932; for NVARCHAR2, the length specified was > 1966; for NCHAR, the length specified was > 966;

**Action:** Reduce the column size.

**ORA-28332: cannot have more than one password for the encryption key**

**Cause:** More than one password was specified in the user command.

**Action:** None

**ORA-28333: column is not encrypted**

**Cause:** An attempt was made to rekey or decrypt an unencrypted column.

**Action:** None

**ORA-28334: column is already encrypted**

**Cause:** An attempt was made to encrypt an encrypted column.

**Action:** None

**ORA-28335: referenced or referencing FK constraint column cannot be encrypted**

**Cause:** encrypted columns were involved in the referential constraint

**Action:** None

**ORA-28336: cannot encrypt SYS owned objects**

**Cause:** An attempt was made to encrypt columns in a table owned by SYS.

**Action:** None

---

**ORA-28337: the specified index may not be defined on an encrypted column**

**Cause:** Index column was either a functional, domain, or join index.

**Action:** None

**ORA-28338: cannot encrypt indexed column(s) with salt**

**Cause:** An attempt was made to encrypt index column with salt.

**Action:** Alter the table and specify column encrypting without salt.

**ORA-28339: missing or invalid encryption algorithm**

**Cause:** Encryption algorithm was missing or invalid in the user command.

**Action:** Must specify a valid algorithm.

**ORA-28340: a different encryption algorithm has been chosen for the table**

**Cause:** Existing encrypted columns were associated with a different algorithm.

**Action:** No need to specify an algorithm, or specify the same one for the existing encrypted columns.

**ORA-28341: cannot encrypt constraint column(s) with salt**

**Cause:** An attempt was made to encrypt constraint columns with salt.

**Action:** Encrypt the constraint columns without salt.

**ORA-28342: integrity check fails on column key**

**Cause:** Encryption metadata may have been improperly altered.

**Action:** None

**ORA-28343: fails to encrypt data**

**Cause:** data or encryption metadata may have been improperly altered or the security module may not have been properly setup

**Action:** None

**ORA-28344: fails to decrypt data**

**Cause:** data or encryption metadata may have been improperly altered or the security module may not have been properly setup

**Action:** None

**ORA-28345: cannot downgrade because there exists encrypted column**

**Cause:** An attempt was made to downgrade when there was an encrypted column in the system.

**Action:** Decrypt these columns before attempting to downgrade.

**ORA-28346: an encrypted column cannot serve as a partitioning column**

**Cause:** An attempt was made to encrypt a partitioning key column or create partitioning index with encrypted columns.

**Action:** The column must be decrypted.

**ORA-28347: encryption properties mismatch**

**Cause:** An attempt was made to issue an ALTER TABLE EXCHANGE PARTITION | SUBPARTITION command, but encryption properties were mismatched.

---

**Action:** Make sure encryption algorithms and columns keys are identical. The corresponding columns must be encrypted on both tables with the same salt and non-salt flavor.

**ORA-28348: index defined on the specified column cannot be encrypted**

**Cause:** An attempt was made to encrypt a column which is in a functional index, domain index, or join index.

**Action:** drop the index

**ORA-28349: cannot encrypt the specified column recorded in the materialized view log**

**Cause:** An attempt was made to encrypt a column which is already recorded in the materialized view log.

**Action:** drop the materialized view log

**ORA-28350: cannot encrypt the specified column recorded in CDC synchronized change table**

**Cause:** An attempt was made to encrypt a column which is already recorded in CDC synchronized change table.

**Action:** drop the synchronized change table

**ORA-28351: cannot encrypt the column of a cluster key**

**Cause:** An attempt was made to encrypt a column of the cluster key. A column of the cluster key in a clustered table cannot be encrypted.

**Action:** None

**ORA-28353: failed to open wallet**

**Cause:** The database was unable to open the security module wallet due to an incorrect wallet path or password. It is also possible that a wallet has not been created. Type `mkwallet` from command line for instructions.

**Action:** Execute the command again using the correct wallet password or verifying a wallet exists in the specified directory. If necessary, create a new wallet and initialize it.

**ORA-28354: wallet already open**

**Cause:** The security module wallet has already been opened.

**Action:** None

**ORA-28356: invalid open wallet syntax**

**Cause:** The command to open the wallet contained improper spelling or syntax.

**Action:** If attempting to open the wallet, verify the spelling and syntax and execute the command again.

**ORA-28357: password required to open the wallet**

**Cause:** A password was not provided when executing the open wallet command.

**Action:** Retry the command with a valid password.

**ORA-28358: improper set key syntax**

**Cause:** The command to set the master key contained improper spelling or syntax.

**Action:** If attempting to set the master key for Transparent Database Encryption, verify the spelling and syntax and execute the command again.

---

**ORA-28359: invalid certificate identifier**

**Cause:** The certificate specified did not exist in the wallet.

**Action:** Query the V\$WALLET fixed view to find the proper certificate identifier for certificate to be used.

**ORA-28361: master key not yet set**

**Cause:** The master key for the instance was not set.

**Action:** Execute the ALTER SYSTEM SET KEY command to set a master key for the database instance.

**ORA-28362: master key not found**

**Cause:** The required master key required could not be located. This may be caused by the use of an invalid or incorrect wallet.

**Action:** Check wallet location parameters to see if they specify the correct wallet. Also, verify that an SSO wallet is not being used when an encrypted wallet is intended.

**ORA-28363: buffer provided not large enough for output**

**Cause:** A provided output buffer is too small to contain the output.

**Action:** Check the size of the output buffer to make sure it is initialized to the proper size.

**ORA-28364: invalid wallet operation**

**Cause:** The command to operate the wallet contained improper spelling or syntax.

**Action:** Verify the spelling and syntax and execute the command again.

**ORA-28365: wallet is not open**

**Cause:** The security module wallet has not been opened.

**Action:** Open the wallet.

**ORA-28366: invalid database encryption operation**

**Cause:** The command for database encryption contained improper spelling or syntax.

**Action:** Verify the spelling and syntax and execute the command again.

**ORA-28367: wallet does not exist**

**Cause:** The Oracle wallet has not been created or the wallet location parameters in sqlnet.ora specifies an invalid wallet path.

**Action:** Verify that the WALLET\_LOCATION or the ENCRYPTION\_WALLET\_LOCATION parameter is correct and that a valid wallet exists in the path specified.

**ORA-28368: cannot auto-create wallet**

**Cause:** The database failed to auto create an Oracle wallet. The Oracle process may not have proper file permissions or a wallet may already exist.

**Action:** Confirm that proper directory permissions are granted to the Oracle user and that neither an encrypted or obfuscated wallet exists in the specified wallet location and try again.

**ORA-28369: cannot add files to encryption-ready tablespace when offline**

**Cause:** You attempted to add files to an encryption-ready tablespace when all the files in the tablespace were offline.

---

**Action:** Bring the tablespace online and try again

**ORA-28370: ENCRYPT storage option not allowed**

**Cause:** You attempted to specify the ENCRYPT storage option. This option may only be specified during CREATE TABLESPACE.

**Action:** Remove this option and retry the statement.

**ORA-28371: ENCRYPTION clause and/or ENCRYPT storage option not allowed**

**Cause:** You attempted to specify the ENCRYPTION clause or ENCRYPT storage option for creating TEMP or UNDO tablespaces.

**Action:** Remove these options and retry the statement.

**ORA-28372: missing ENCRYPT storage option for encrypted tablespace**

**Cause:** You attempted to specify ENCRYPTION property for CREATE TABLESPACE without specifying ENCRYPT storage option to encrypt the tablespace.

**Action:** Add ENCRYPT storage option and retry the statement.

**ORA-28373: missing ENCRYPTION clause for encrypted tablespace**

**Cause:** You attempted to specify storage option ENCRYPT in CREATE TABLESPACE without specifying ENCRYPTION property to encrypt the tablespace.

**Action:** Add ENCRYPTION clause and retry the statement.

**ORA-28374: typed master key not found in wallet**

**Cause:** You attempted to access encrypted tablespace or redo logs with a typed master key not existing in the wallet.

**Action:** Copy the correct Oracle Wallet from the instance where the tablespace was created.

**ORA-28375: cannot perform cross-endianism conversion on encrypted tablespace**

**Cause:** You attempted to perform cross-endianism conversion on encrypted tablespace.

**Action:** Cross-endianism conversion on encrypted tablespace is not supported.

**ORA-28376: cannot find PKCS11 library**

**Cause:** The HSM vendor's library cannot be found.

**Action:** Place the HSM vendor's library in the following directory structure: For Unix like system:

/opt/oracle/extapi/[32,64]/hsm/{VENDOR}/{VERSION}/lib<apiname>.<ext>

For Windows systems: %SYSTEM\_

DRIVE%\oracle\extapi\[32,64]\hsm\{VENDOR}\{VERSION}\lib<apin//ame>.<ext> [32, 64] - refers to 32bit or 64bit binary. {VENDOR} - The name of the vendor supplying the library. {VERSION} - Version of the library, preferably in num#.num#.num# for // mat.

**ORA-28377: No need to migrate from wallet to HSM**

**Cause:** There are either no encrypted columns or all column keys are already encrypted with the HSM master key.

**Action:** No action required.

**ORA-28378: Wallet not open after setting the Master Key**

---

**Cause:** The Master Key has been set or reset. However, wallet could not be reopened successfully.

**Action:** Reopen the wallet.

**ORA-28500: connection from ORACLE to a non-Oracle system returned this message:**

**Cause:** The cause is explained in the forwarded message.

**Action:** See the non-Oracle system's documentation of the forwarded message.

**ORA-28501: communication error on heterogeneous database link**

**Cause:** An unexpected communication failure occurred on a heterogeneous database link to a non-Oracle system. The message above will be followed by a second message generated by the connected non-Oracle system.

**Action:** See the documentation for the non-Oracle system for an explanation of the second error message.

**ORA-28502: internal communication error on heterogeneous database link**

**Cause:** A communication error internal to ORACLE's heterogeneous services has occurred.

**Action:** Contact Oracle customer support.

**ORA-28503: bind value cannot be translated into SQL text for non-Oracle system**

**Cause:** A SQL statement used bind variables on a Heterogenous Services database link to a non-Oracle system, but the non-Oracle system does not support bind variables.

**Action:** Change your SQL statement so that it does not use bind variables.

**ORA-28504: ROWID not found in ROWID cache for heterogeneous database link**

**Cause:** The ROWID cache for Heterogeneous Services held no entry that corresponds to the specified ROWID. The ROWID entry may have been overwritten in the ROWID cache.

**Action:** Enlarge the Heterogeneous Services ROWID cache size by increasing the value of the Heterogenous Services initialization parameter HS\_ROWID\_CACHE\_SIZE.

**ORA-28505: cannot get non-Oracle system capabilities from *string***

**Cause:** ORACLE was unable to retrieve capability information for the non-Oracle system connected through a heterogeneous database link. This capability information should be stored in data dictionary tables viewable with the HS\_CLASS\_CAPS or HS\_INST\_CAPS data dictionary views.

**Action:** Contact the DBA to check the server data dictionary table named in the error message. If table contents are incorrect, the DBA should restore all data dictionary content for this FDS\_CLASS\_NAME and/or FDS\_INST\_NAME. It usually is sufficient to delete all current data dictionary content for this class and/or instance and initiate a new connection to let the connected agent upload new data dictionary content to the server.

**ORA-28506: parse error in data dictionary translation for *string* stored in *string***

**Cause:** A reference to an ORACLE data dictionary table or view name on a heterogeneous database link to a non-Oracle system could not be translated. The ORACLE data dictionary tables shown with view HS\_CLASS\_DD contain invalid SQL for the data dictionary translation.

**Action:** Contact customer support of the agent vendor.

---

**ORA-28507: error in data dictionary view *string***

**Cause:** The initialization parameter table for the Heterogeneous Services was not available, or its structure (number of columns or column types) was incorrect.

**Action:** Verify correct installation of the following Heterogeneous Services" initialization parameter views: HS\_CLASS\_INIT and HS\_INST\_INIT. If these views are not available, make sure you ran the script CATHS.SQL in the \$ORACLE\_HOME/rdbms/admin directory.

**ORA-28508: invalid value *string* for Heterogeneous Services initialization parameter *string***

**Cause:** The specified Heterogeneous Services initialization parameter had an invalid value when attempting to connect to a non-Oracle system.

**Action:** Check the Heterogeneous Services and agent documentation to determine acceptable values

**ORA-28509: unable to establish a connection to non-Oracle system**

**Cause:** Initialization of a database link to a non-Oracle system failed to connect to the Heterogeneous Services agent process for this non-Oracle system.

**Action:** Check the Net8 service name definition in the following places: -- the USING clause of the CREATE DATABASE LINK statement -- the TNSNAMES.ORA file -- the Oracle Names Server The following are possible reasons for name mismatches: -- The USING clause in the CREATE DATABASE LINK statement has to match the service name defined in the TNSNAMES.ORA file or in the Oracle Names Server. -- The protocol-specific information in the service name definition must match the protocol-specific definition of the responding listener. -- The SID=<name> in the service name definition (in the TNSNAMES.ORA file or in Oracle Names Server) must match the value in the LISTENER.ORA file for the responding listener.

**ORA-28510: heterogeneous database link initialization failed**

**Cause:** Initialization of a heterogeneous database link to a non-Oracle system failed due to an error identified by the agent for this non-Oracle system.

**Action:** Make sure the non-Oracle system is up and running and that all of the environment and initialization values for the agent are set correctly.

**ORA-28511: lost RPC connection to heterogeneous remote agent using SID=*string***

**Cause:** A fatal error occurred in one of the following places: -- the connection between the ORACLE server and the agent -- the heterogeneous services remote agent itself -- the connection to the non-Oracle system This error occurred after communication had been established successfully.

**Action:** Check for network problems and remote host crashes. The problem is probably in the agent software. If so, contact a customer support representative of the agent vendor.

**ORA-28512: cannot get data dictionary translations from *string***

**Cause:** ORACLE was unable to retrieve data dictionary translation information for the non-Oracle system connected through a heterogeneous database link. This data dictionary translation information should be stored in data dictionary tables viewable with the HS\_CLASS\_DD or HS\_INST\_DD data dictionary views.

**Action:** Ask your DBA to check the server data dictionary table named in the error message. If table contents are incorrect, the DBA should restore all data dictionary content for this FDS\_CLASS\_NAME and/or FDS\_INST\_NAME. It usually is sufficient to delete all current data dictionary content for this class

---

and/or instance and initiate a new connection to let the connected agent upload new data dictionary content to the server.

**ORA-28513: internal error in heterogeneous remote agent**

**Cause:** An internal error has occurred in the Oracle remote agent supporting a heterogeneous database link.

**Action:** Make a note of how the error was produced and contact the customer support representative of the agent vendor.

**ORA-28514: heterogeneous database link initialization could not convert system date**

**Cause:** The system date was not retrievable.

**Action:** Verify that the ORACLE server's host machine and operating system are operational. This error should not occur unless low level system functions are failing.

**ORA-28515: cannot get external object definitions from *string***

**Cause:** ORACLE was unable to retrieve definitions of distributed external procedures or remote libraries registered for the non-Oracle system instance, probably because the underlying data dictionary table does not exist or is malformed.

**Action:** Verify that the ORACLE server's Heterogeneous Services data dictionary was installed correctly. If the Heterogeneous Services data dictionary is not installed, execute the CATHS.SQL script in the \$ORACLE\_HOME/rdbms/admin directory.

**ORA-28518: data dictionary translation has illegal translation type**

**Cause:** A data dictionary translation definition, either in the ORACLE server data dictionary or in data dictionary content uploaded from a Heterogeneous Services agent, specified an illegal translation type code. Legal values are "T" or "t" for "translate", "M" or "m" for "mimic". Information on the exact data dictionary translation causing the error is written to a trace (\*.TRC) file for the ORACLE instance and to the ORACLE instance's alert log. This error occurs when a Heterogeneous Services agent uploads data dictionary content to an ORACLE server on the first connection from the server to the agent.

**Action:** Contact the customer support of the agent vendor.

**ORA-28519: no heterogeneous data dictionary translations available**

**Cause:** The ORACLE server's data dictionary did not define data dictionary translations for the connected non-Oracle system, and automatic self-registration (data dictionary upload) was disabled.

**Action:** Ask a DBA to resolve this problem. The easiest solution is to enable automatic self-registration by setting the ORACLE server's HS\_AUTO\_REGISTER initialization parameter to TRUE. An alternative is to load the Heterogeneous Services data dictionary with information specific for the non-Oracle system by executing a SQL script supplied by the agent vendor. If the script is run and the error persists, contact the customer support representative of the agent vendor.

**ORA-28520: error initializing heterogeneous data dictionary translations**

**Cause:** ORACLE was unable to retrieve data dictionary translations for the non-Oracle system instance, probably because the underlying data dictionary table does not exist or is formed incorrectly.

---

**Action:** Verify that the ORACLE server's Heterogeneous Services data dictionary was installed correctly. If the Heterogeneous Services data dictionary is not installed, execute the CATHS.SQL script in the \$ORACLE\_HOME/rdbms/admin directory. If the connected agent, identified by FDS\_CLASS\_NAME, requires a custom installation script for the ORACLE server, verify that the script has been run. If both scripts were executed and the error persists, contact the customer support representative of the agent vendor.

**ORA-28521: no heterogeneous capability information available**

**Cause:** The ORACLE server's data dictionary did not contain capability definitions for the connected non-Oracle system, and automatic self-registration (data dictionary upload) was disabled.

**Action:** Ask a DBA to resolve this problem. The easiest resolution is to enable automatic self-registration by setting the ORACLE server's HS\_AUTO\_REGISTER initialization parameter to TRUE. An alternative is to load the Heterogeneous Services data dictionary with information specific for the non-Oracle system by executing a SQL script supplied by the agent vendor. If the script is run and the error persists, contact the customer support representative of the agent vendor.

**ORA-28522: error initializing heterogeneous capabilities**

**Cause:** ORACLE was unable to retrieve capability definitions for the non-Oracle system instance, probably because the underlying data dictionary table does not exist or is formed incorrectly.

**Action:** Verify that the ORACLE server's Heterogeneous Services data dictionary was installed correctly. If the Heterogeneous Services data dictionary is not installed, execute the CATHS.SQL script in the \$ORACLE\_HOME/rdbms/admin directory. If the connected agent, identified by FDS\_CLASS\_NAME, requires a custom installation script for the ORACLE server, verify that the script has been run. If both scripts were executed and the error persists, contact the customer support representative of the agent vendor.

**ORA-28523: ORACLE and heterogeneous agent are incompatible versions**

**Cause:** An operation on a database link attempted to connect to a non-Oracle system, but the ORACLE instance and the agent process for the non-Oracle system are incompatible.

**Action:** Ask your DBA to confirm configuration of both the ORACLE instance and the agent. Additional information on the version incompatibility is logged in trace (\*.TRC) files, the ORACLE instance and the agent, and in the ORACLE instance's alert log. Check the documentation for your agent to find out which releases of the Oracle Server are supported.

**ORA-28525: unable to create Heterogeneous Services error message text**

**Cause:** Incorrect arguments were passed into the error message creation routine.

**Action:** Contact Oracle customer support.

**ORA-28526: invalid describe information returned to Heterogeneous Services**

**Cause:** The Heterogeneous Services received invalid describe information for a select list, bind list, or stored procedure from the Heterogeneous Services agent. This indicates a problem with the Heterogeneous Services' non-Oracle system agent.

**Action:** Contact customer support of the agent vendor.

**ORA-28527: Heterogeneous Services datatype mapping error**

---

**Cause:** Either an Oracle datatype could not be mapped to a non-Oracle datatype, or a non-Oracle datatype could not be mapped to an Oracle datatype. These mappings are defined as capability definitions in the ORACLE server's data dictionary.

**Action:** Verify that the ORACLE server's data dictionary has been initialized with correct capability definitions for the connected FDS\_CLASS\_NAME and FDS\_INST\_NAME. If table contents are incorrect, a DBA should restore all data dictionary content for this FDS\_CLASS\_NAME and/or FDS\_INST\_NAME. It usually is sufficient to delete all current data dictionary content for this class and/or instance and initiate a new connection to let the connected agent upload new data dictionary content to the server. If the error persists contact the customer support representative of the agent vendor.

**ORA-28528: Heterogeneous Services datatype conversion error**

**Cause:** Either an Oracle datatype could not be converted to a non-Oracle datatype, or a non-Oracle datatype could not be converted to an Oracle datatype. The following are possible reasons for the conversion failure: -- overflow problems (in the case of numbers) -- length limitations (in the case of character strings) -- invalid values passed into the conversion routines

**Action:** Contact customer support of the agent vendor. If the problem is due to size discrepancies between Oracle and the non-Oracle system, it may not be possible to convert the value.

**ORA-28529: invalid or missing parameter in Net8 service name definition**

**Cause:** There was an invalid or missing Heterogeneous Services parameter in the Net8 service name definition stored in either the TNSNAMES.ORA file or in the Oracle Names Server.

**Action:** Ask your DBA to make sure the information in the Net8 service definition is correct and complete. The correct information that should be included in the Net8 service definition can be found in the agent's documentation.

**ORA-28530: Heterogeneous Services initialization error in NLS language ID**

**Cause:** Heterogeneous Services was unable to initialize an NLS language ID. Both the ORACLE server and the Heterogeneous Services agent for the connected non-Oracle system must have language IDs.

**Action:** Contact Oracle customer support.

**ORA-28533: Heterogeneous Services coercion handling error**

**Cause:** The Heterogeneous Services encountered an error in coercion handling. The HS can, if the agent vendor so chooses, perform extra processing on SQL statements that contain implicit coercions or that contain coercion functions such as TO\_CHAR, TO\_NUMBER or TO\_DATE. This functionality is controlled by coercion-related capabilities. HS logic reports this error when it encounters an error in one of these capability definitions.

**Action:** The capability table settings are controlled by the agent vendor and can be modified by the DBA. Contact your DBA and agent vendor and get the correct set of capabilities installed.

**ORA-28534: Heterogeneous Services preprocessing error**

**Cause:** One of the things that the Heterogeneous Services can do is to preprocess parts of SQL statements that contain implicit coercions or calls to explicit coercion functions like TO\_CHAR TO\_NUMBER or TO\_DATE. For example, it could convert a call to TO\_DATE to a bind variable, pre-evaluate the TO\_DATE function call and pass the resulting value to the non-Oracle system as the bind value. This

---

behavior is controlled by some coercion related capabilities. If the capabilities are set incorrectly, the HS could encounter errors when it attempts to do the preprocessing. If it does then this error will be signaled.

**Action:** The capability table settings are controlled by the agent vendor and can be modified by the DBA. Contact your DBA and agent vendor and get the correct set of capabilities installed.

**ORA-28535: invalid Heterogeneous Services context**

**Cause:** A Heterogeneous Services agent's driver module called an HS service routine with an invalid HS context value. This probably is a logic error in the driver.

**Action:** Contact Oracle customer support or your agent vendor.

**ORA-28536: error in processing Heterogeneous Services initialization parameters**

**Cause:** An error described by a subsequent error message prevented successful processing of Heterogeneous Services initialization parameters from the ORACLE server data dictionary.

**Action:** Check server data dictionary views HS\_CLASS\_INIT, HS\_INST\_INIT, and HS\_ALL\_INITS. Look for conditions which could produce the error identified in the error message immediately following this one.

**ORA-28537: no more result sets**

**Cause:** This error code was used internally within Oracle Database Gateway and Heterogeneous Services code and should not be reported to a client program.

**Action:** Contact Oracle customer support.

**ORA-28538: result set not found**

**Cause:** The client program tried fetching from a result set that is not open anymore. Many gateways will, on execution of a stored procedure, automatically close all result sets that were returned by any previously executed stored procedure.

**Action:** Check the documentation for the gateway that you are using and see if it will automatically close currently open result sets each time a stored procedure is executed. Then check if your client program is doing anything that violates this rule. If it is, fix your program. If it is not then contact Oracle customer support.

**ORA-28539: gateway does not support result sets**

**Cause:** The client program tried executing a stored procedure that returns one or more result sets through a gateway that does not have result set support.

**Action:** Check the documentation for the gateway that you are using and see if it supports result sets returned from stored procedures. If it does not, then the only way of accessing such stored procedures is to upgrade to a version of the gateway that does support result sets (if such a version exists). If the gateway does have result set support and you are still seeing this error then contact Oracle customer support.

**ORA-28540: internal result set error**

**Cause:** A protocol error internal to Heterogeneous Services or Oracle Database Gateway code has occurred.

**Action:** Contact Oracle customer support.

**ORA-28541: Error in HS init file on line *number*.**

**Cause:** A syntax error occurred in the gateway initialization file.

---

**Action:** Check gateway init file to correct the syntax error. For further information, check the error message in the gateway trace file.

**ORA-28542: Error in reading HS init file**

**Cause:** Reading the gateway init file generated an error.

**Action:** Check the gateway initialization file name to see that the gateway initialization file actually exists. Check the ifile parameter to see that it points to the correct location.

**ORA-28543: Error initializing apply connection to non-Oracle system**

**Cause:** Attempt to initialize connection to non-Oracle for heterogeneous replication failed.

**Action:** Check if the listener used to connect to the gateway is up and is correctly configured. Make sure that the database link used has been configured correctly and, if a tnsnames alias has been used in the database link definition, make sure that the configuration of the entry in tnsnames.ora has been done correctly.

**ORA-28544: connect to agent failed, probable Net8 administration error**

**Cause:** Net8 reported a failure to make a RSLV connection or a protocol mode error when the Oracle server attempted to establish communication with a Heterogeneous Services agent or an external procedure agent. This usually is due to an administration error in setting up Net8 service definitions in TNSNAMES.ORA or LISTENER.ORA: A basic network connection is opened, but it connects to a program which does not use the appropriate protocol. This often is a sign that the connection goes to the wrong program.

**Action:** Check Net8 administration in the following ways: -- When using TNSNAMES.ORA or an Oracle Names server, make sure that the connection from the ORACLE server uses the correct service name or SID. -- Check LISTENER.ORA on the agent's host machine to assure that the service name or SID refers to the correct agent executable in its (PROGRAM=...) clause. -- Confirm in TNSNAMES.ORA or the equivalent service definition that service "extproc\_connection\_data" does NOT contain (HS=), or that the service definition used by a Heterogeneous Services database link DOES contain (HS=).

**ORA-28545: error diagnosed by Net8 when connecting to an agent**

**Cause:** An attempt to call an external procedure or to issue SQL to a non-Oracle system on a Heterogeneous Services database link failed at connection initialization. The error diagnosed by Net8 NCR software is reported separately.

**Action:** Refer to the Net8 NCRO error message. If this isn't clear, check connection administrative setup in tnsnames.ora and listener.ora for the service associated with the Heterogeneous Services database link being used, or with "extproc\_connection\_data" for an external procedure call.

**ORA-28546: connection initialization failed, probable Net8 admin error**

**Cause:** A failure occurred during initialization of a network connection from the Oracle server to a second process: The connection was completed but a disconnect occurred while trying to perform protocol-specific initialization, usually due to use of different network protocols by opposite sides of the connection. This usually is caused by incorrect Net8 administrative setup for database links or external procedure calls. The most frequent specific causes are: -- Database link setup for an Oracle-to-Oracle connection instead connects to a Heterogeneous Services agent or an external procedure agent. -- Database link setup for a Heterogeneous Services connection instead connects directly to an Oracle server. -- The extproc\_connection\_data definition in tnsnames.ora connects to an Oracle instance instead

---

of an external procedure agent. -- Connect data for a Heterogeneous Services database link, usually defined in tnsnames.ora, does not specify (HS=). -- Connect data for an Oracle-to-Oracle database link, usually defined in tnsnames.ora, specifies (HS=).

**Action:** Check Net8 administration in the following ways: -- When using TNSNAMES.ORA or an Oracle Names server, make sure that the connection from the ORACLE server uses the correct service name or SID. -- Check LISTENER.ORA on the connection end point's host machine to assure that this service name or SID connects to the correct program. -- Confirm in TNSNAMES.ORA or the equivalent service definition that service "extproc\_connection\_data" does NOT contain (HS=), or that the service definition used by a Heterogeneous Services database link DOES contain (HS=).

**ORA-28547: connection to server failed, probable Oracle Net admin error**

**Cause:** A failure occurred during initialization of a network connection from a client process to the Oracle server: The connection was completed but a disconnect occurred while trying to perform protocol-specific initialization, usually due to use of different network protocols by opposite sides of the connection. This usually is caused by incorrect Oracle Net administrative setup for database links or external procedure calls. The most frequent specific causes are: -- The connection uses a connect string which refers to a Heterogeneous Services agent instead of an Oracle server. -- The connection uses a connect string which includes an (HS=) specification.

**Action:** Check Oracle Net administration in the following ways: -- When using TNSNAMES.ORA or an Oracle Names server, make sure that the client connection to the ORACLE server uses the correct service name or SID. -- Check LISTENER.ORA on the connection end point's host machine to assure that this service name or SID refers to the correct server. -- Confirm in TNSNAMES.ORA or the equivalent service definition that the connect string does NOT contain (HS=).

**ORA-28550: pass-through SQL: cursor not found**

**Cause:** A value passed to a pass-through SQL function or procedure call as a cursor does not identify a currently open cursor.

**Action:** Use a cursor number returned by the pass-through SQL OPEN\_CURSOR call.

**ORA-28551: pass-through SQL: SQL parse error**

**Cause:** A non-Oracle system rejected text supplied as a pass-through SQL statement.

**Action:** Ensure that the SQL supplied to the pass-through SQL PARSE call is legal for the non-Oracle system.

**ORA-28552: pass-through SQL: call flow error**

**Cause:** A pass-through SQL function was called in an invalid order.

**Action:** Correct program flow by changing the order of API calls to match the flow described in the manual.

**ORA-28553: pass-through SQL: invalid bind-variable position**

**Cause:** A pass-through SQL function referring to the position of a bind variable in the currently-parsed SQL statement supplied an invalid bind-variable position. Valid values are 1 through n, where n is the number of bind-variable place-holders in the SQL text.

---

**Action:** Verify that the bind-variable position parameter is in the correct range to represent a place-holder in the SQL text. Confirm that the SQL text uses the correct syntax for a bind-variable place-holder, as required by the non-Oracle system.

**ORA-28554: pass-through SQL: out of cursors**

**Cause:** The maximum number of open cursors has been exceeded.

**Action:** Close open cursors by using the pass-through SQL CLOSE\_CURSOR function.

**ORA-28555: pass-through SQL: required parameter missing or NULL**

**Cause:** An attempt was made to pass a NULL value to a non-NULL parameter.

**Action:** Use a non-NULL value for the parameter.

**ORA-28556: authorization insufficient to access table**

**Cause:** A query attempted to access a table in the non-Oracle system that is either privileged or has privileged columns.

**Action:** Contact the DBA for the non-Oracle system. The DBA can grant permission to access the privileged table or columns.

**ORA-28557: unknown string for database link to non-Oracle system**

**Cause:** When attempting to connect to a non-Oracle system through a Heterogeneous Services database link, the agent supporting this non-Oracle system failed to return FDS\_CLASS\_NAME and/or FDS\_INST\_NAME. ORACLE requires these names to configure the heterogeneous database link.

**Action:** Contact the DBA to check setup of the connection and the Heterogeneous Services agent.

**ORA-28558: HS\_FDS\_CONNECT\_STRING undefined for non-Oracle system**

**Cause:** A database link to a non-Oracle system had no HS\_FDS\_CONNECT\_STRING initialization parameter in the ORACLE server's data dictionary for Heterogeneous Services. Without this parameter, the connection could not be completed.

**Action:** Contact your DBA to verify correct setup of an HS\_FDS\_CONNECT\_STRING entry in the ORACLE Heterogeneous Services data dictionary.

**ORA-28559: FDS\_CLASS\_NAME is string, FDS\_INST\_NAME is string**

**Cause:** An associated error was reported in another message, and this message supplies supplementary information to assist diagnosis of that error. FDS\_CLASS\_NAME and FDS\_INST\_NAME are used to access information in tables and views of the ORACLE data dictionary that direct operation of Heterogeneous Services on a database link to a non-Oracle data store.

**Action:** Use the FDS\_CLASS\_NAME and FDS\_INST\_NAME values to check ORACLE data dictionary contents when necessary to diagnose the cause of the associated error.

**ORA-28560: error in configuration of agent process**

**Cause:** An ORACLE server invoked a function not supported by the connected agent (Heterogeneous Services or external procedures). The most probable cause is incorrect Net8 setup, resulting in use of the wrong agent executable.

**Action:** Check Net8 administration in the following ways: -- When using TNSNAMES.ORA or an Oracle Names server, make sure that the connection from the ORACLE server uses the correct SID. -- Check LISTENER.ORA on the agent's

---

host machine to assure that this SID refers to the correct agent executable in its (PROGRAM=...) clause.

**ORA-28561: unable to set date format on non-Oracle system**

**Cause:** Initialization of a Heterogeneous Services connection to set the date format to be used on the connected non-Oracle system.

**Action:** If the Oracle data dictionary supplies a value for the HS\_NLS\_DATE\_FORMAT parameter, confirm that this value is formatted correctly by the rules of the non-Oracle system. Also check for additional information in log and trace files generated by the Heterogeneous Services agent.

**ORA-28575: unable to open RPC connection to external procedure agent**

**Cause:** Initialization of a network connection to the extproc agent did not succeed. This problem can be caused by network problems, incorrect listener configuration, or incorrect transfer code.

**Action:** Check listener configuration in LISTENER.ORA and TNSNAMES.ORA, or check Oracle Names Server.

**ORA-28576: lost RPC connection to external procedure agent**

**Cause:** of this error is abnormal termination of the invoked "C" routine. If this is not the case, check for network problems. Correct the problem if you find it. If all components appear to be normal but the problem persists, the problem could be an internal logic error in the RPC transfer code. Contact your customer support representative.

**Action:** First check the 3GL code you are invoking; the most likely

**ORA-28577: argument *string* of external procedure *string* has unsupported datatype *string***

**Cause:** While transferring external procedure arguments to the agent, an unsupported datatype was detected.

**Action:** Check your documentation for the supported datatypes of external procedure arguments.

**ORA-28578: protocol error during callback from an external procedure**

**Cause:** An internal protocol error occurred while trying to execute a callback to the Oracle server from the user's 3GL routine.

**Action:** Contact Oracle customer support.

**ORA-28579: network error during callback from external procedure agent**

**Cause:** An internal network error occurred while trying to execute a callback to the Oracle server from the user's 3GL routine.

**Action:** Contact Oracle customer support.

**ORA-28580: recursive external procedures are not supported**

**Cause:** A callback from within a user's 3GL routine resulted in the invocation of another external procedure.

**Action:** Make sure that the SQL code executed in a callback does not directly call another external procedure, or indirectly results in another external procedure, such as triggers calling external procedures, PL/SQL procedures calling external procedures, etc.

**ORA-28581: protocol error while executing recursive external procedure**

---

**Cause:** An internal protocol error occurred while trying to execute an external procedure resulting from a callback in another external procedure.

**Action:** Contact Oracle customer support.

**ORA-28582: a direct connection to this agent is not allowed**

**Cause:** A user or a tool tried to establish a direct connection to either an external procedure agent or a Heterogeneous Services agent, for example: "SVRMGR> CONNECT SCOTT/TIGER@NETWORK\_ALIAS". This type of connection is not allowed.

**Action:** When executing the CONNECT statement, make sure your database link or network alias is not pointing to a Heterogeneous Option agent or an external procedure agent.

**ORA-28583: remote references are not permitted during agent callbacks**

**Cause:** A Heterogeneous Services agent issued a callback to the Oracle server which attempted to access a remote system. This is not supported.

**Action:** Make sure that SQL code issued by Heterogeneous Services agents does not reference a database link.

**ORA-28584: heterogeneous apply internal error**

**Cause:** The apply slave process encountered an error while trying to apply changes through a gateway to a non-Oracle system.

**Action:** Make sure that the apply database link is correctly configured and that the gateway listener and the non-Oracle system are correctly set up and are up and running. If everything is configured correctly and the problem still occurs, contact Oracle customer support. errors 28590 - 28599 are reserved for the HS agent control utility

**ORA-28590: agent control utility: illegal or badly formed command**

**Cause:** The user has issued an unrecognized or syntactically incorrect command.

**Action:** Refer to documentation and correct the syntax of the command.

**ORA-28591: agent control utility: unable to access parameter file**

**Cause:** The agent control utility was unable to access its parameter file. This could be because it could not find its admin directory or because permissions on directory were not correctly set.

**Action:** The agent control utility puts its parameter file in either the directory pointed to by the environment variable AGTCTL\_ADMIN or in the directory pointed to by the environment variable TNS\_ADMIN. Make sure that at least one of these environment variables is set and that it points to a directory that the agent has access to.

**ORA-28592: agent control utility: agent SID not set**

**Cause:** The agent needs to know the value of the AGENT\_SID parameter before it can process any commands. If it does not have a value for AGENT\_SID then all commands will fail.

**Action:** Issue the command SET AGENT\_SID <value> and then retry the command that failed.

**ORA-28593: agent control utility: command terminated with error**

**Cause:** An error occurred during the processing of the command. There could be several causes. A SET or an UNSET command could have been issued after the agent was started. This is illegal. The user may have attempted to start two agents

---

with the same SID value or the user could have attempted to shutdown an agent that is no longer running.

**Action:** If the user wishes to issue a SET or an UNSET command, he should make sure the agent is shutdown first by issuing the SHUTDOWN command.

**ORA-28594: agent control utility: invalid parameter name**

**Cause:** The user tried to set or unset an invalid agent parameter.

**Action:** Refer to documentation and correct the parameter name.

**ORA-28595: Extproc agent : Invalid DLL Path**

**Cause:** The path of DLL supplied for the extproc execution is invalid.

**Action:** Check if the DLL path is set properly using the EXTPROC\_DLLS environment variable. errors 28600 - 28620 are reserved for bitmap indexes

**ORA-28601: invalid [no]MINIMIZE option**

**Cause:** user didn't type this alter table <table\_name> MINIMIZE RECORDS\_PER\_BLOCK or alter table <table\_name> NOMINIMIZE RECORDS\_PER\_BLOCK

**Action:** reenter correct sql command

**ORA-28602: statement not permitted on tables containing bitmap indexes**

**Cause:** table has bitmap indexes and user is minimizing or nominimizing records\_per\_block

**Action:** drop all bitmap indexes before changing records\_per\_block

**ORA-28603: statement not permitted on empty tables**

**Cause:** table is empty and statement does not work on empty tables

**Action:** try statement after loading your data

**ORA-28604: table too fragmented to build bitmap index (string,string,string)**

**Cause:** The table has one or more blocks that exceed the maximum number of rows expected when creating a bitmap index. This is probably due to deleted rows. The values in the message are: (data block address, slot number found, maximum slot allowed)

**Action:** Defragment the table or block(s). Use the values in the message to determine the FIRST block affected. (There may be others).

**ORA-28605: bitmap indexes cannot be reversed**

**Cause:** user tried to create reverse bitmap index

**Action:** don't do this; it is not supported

**ORA-28606: block too fragmented to build bitmap index (string,string)**

**Cause:** The block(s) exceed the maximum number of rows expected when creating a bitmap index. This is probably due to maximum slot allowed set too low. The values in the message are: (slot number found, maximum slot allowed)

**Action:** alter system flush shared\_pool; update tab\$ set spare1 = 8192 where obj# = (select obj# from obj\$ where NAME=<table\_name> AND owner# = <table\_owner>; commit;

**ORA-28611: bitmap index is corrupted - see trace file for diagnostics**

**Cause:** Validate Index detected bitmap corruption in its argument index

**Action:** Drop this bitmap index and create a new one.

---

**ORA-28650: Primary index on an IOT cannot be rebuilt**

**Cause:** An attempt is made to issue alter index rebuild on IOT-TOP

**Action:** Use Alter table MOVE to reorganize the table(IOT)

**ORA-28651: Primary index on IOTs can not be marked unusable**

**Cause:** An attempt is made to mark IOT-TOP unusable thru ALTER INDEX

**Action:** Remove the option UNUSABLE

**ORA-28652: overflow segment attributes cannot be specified**

**Cause:** During ALTER MOVE ONLINE of a index-organized table, the user attempted to enter one or more of the following options: OVERFLOW, PCTTHRESHOLD,INCLUDING.

**Action:** Remove the illegal option(s).

**ORA-28653: tables must both be index-organized**

**Cause:** Attempt to exchange a non IOT table/partition with a partition/table respectively

**Action:** Ensure that non-partitioned and partitioned tables are both index-organized.

**ORA-28654: table and partition not overflow compatible**

**Cause:** If one of the tables (partitioned/non-partitioned) has overflow data segment and the other one doesn't.

**Action:** Ensure that non-partitioned and partitioned tables both have overflow data segment or neither one does.

**ORA-28655: Alter table add overflow syntax error**

**Cause:** Syntax error

**Action:** Check the syntax.

**ORA-28656: incomplete attribute specification**

**Cause:** The attribute specification is not done for all partitions"

**Action:** Specify the storage attributes either for ALL partitions or NONE NLS\_DO\_NOT\_TRANSLATE [28657,28657]

**ORA-28658: This operation is supported only for Index-Organized tables**

**Cause:** Attempt to perform some IOT specific operation on a non-IOT

**Action:** don't do this. This is not supported

**ORA-28659: COMPRESS must be specified at object level first**

**Cause:** Attempt to specify COMPRESS at partition level without first specifying at the table level

**Action:** Specify COMPRESS at table level. Use ALTER TABLE xxx MODIFY DEFAULT ATTRIBUTES COMPRESS ...

**ORA-28660: Partitioned Index-Organized table may not be MOVEd as a whole**

**Cause:** Attempt to MOVE partitioned IOT as a whole

**Action:** don't do this. This is not supported

**ORA-28661: Object already has COMPRESS clause specified**

**Cause:** Attempt to specify compress for iot/index which already has a compression clause.

---

**Action:** This is a "create time only" attribute

**ORA-28662: IOT index and overflow segments must share the same LOGGING attribute**

**Cause:** Attempt to specify LOGGING for one segment and NOLOGGING for the other segment.

**Action:** don't do that

**ORA-28663: Logging/NoLogging attribute can not be specified in the statement ALTER TABLE ADD OVERFLOW**

**Cause:** Attempt to specify LOGGING for a Alter Table Add Overflow.

**Action:** don't do that

**ORA-28664: a partitioned table may not be coalesced as a whole**

**Cause:** User attempted to coalesce a partitioned IOT using ALTER TABLE COALESCE statement, which is illegal

**Action:** Coalesce the table a partition at a time (using ALTER TABLE MODIFY PARTITION COALESCE)

**ORA-28665: table and partition must have same compression attribute**

**Cause:** User attempted to EXCHANGE a compression enabled partition with a compression disabled table or vice versa OR the # of columns compressed is different for table and partition

**Action:** Make sure the compression attributes match If they don't, fix it using ALTER TABLE MOVE [PARTITION] COMPRESS

**ORA-28666: option not allowed for an index on UROWID column(s)**

**Cause:** User attempted to build a REVERSE or COMPRESSED or GLOBAL partitioned index on UROWID column(s)

**Action:** Build the index without these options

**ORA-28667: USING INDEX option not allowed for the primary key of an IOT**

**Cause:** User attempted to define storage attributes for the primary key index of an Index-Organized table with USING INDEX clause. All the storage attribute defined for the (IOT)table applies to the primary key index and a separate USING INDEX clause is not required.

**Action:** Remove the USING INDEX clause and specify all attributes directly for the table

**ORA-28668: cannot reference mapping table of an index-organized table**

**Cause:** An attempt to directly access the mapping table of an index-organized table

**Action:** Issue the statement against the parent index-organized table containing the specified mapping table.

**ORA-28669: bitmap index can not be created on an IOT with no mapping table**

**Cause:** User attempted to create a bitmap index on an index-organized table without a mapping table.

**Action:** Enable bitmap indexes on the Index-organized table by creating a mapping table using "ALTER TABLE .. MOVE MAPPING TABLE".

**ORA-28670: mapping table cannot be dropped due to an existing bitmap index**

---

**Cause:** User attempted to drop the mapping table with NOMAPPING option when the IOT has one or more bitmap indexed.

**Action:** Drop the bitmap index(es) before dropping the mapping table.

**ORA-28671: UPDATE BLOCK REFERENCES may not be used on a partitioned index as a whole**

**Cause:** User attempted to UPDATE BLOCK REFERENCES on a partitioned index using ALTER INDEX UPDATE BLOCK REFERENCES statement, which is illegal.

**Action:** Issue a partition level operation with ALTER INDEX .. PARTITION .. UPDATE BLOCK REFERENCES

**ORA-28672: UPDATE BLOCK REFERENCES may not be used on a global index**

**Cause:** User attempted to UPDATE BLOCK REFERENCES on a global partitioned or non-partitioned index. This feature is not supported for non-partitioned or global partitioned index on a partitioned IOT and a global partitioned index on a non-partitioned IOT.

**Action:** Use online index [partition] rebuild to fix the block references

**ORA-28673: Merge operation not allowed on an index-organized table**

**Cause:** User attempted merge operation on an index-organized table. Merge is not supported on a IOT .

**Action:** Use updates and inserts on index-organized table .

**ORA-28674: cannot reference transient index-organized table**

**Cause:** An attempt was made to directly access a transient table created created on behalf of a index-organized table partition maintenance operation.

**Action:** Issue the statement against the associated permanent index-organized table.



---

---

## NZE-28750 to NZE-29249

**NZE-28750: unknown error**

**Cause:** An Oracle Security Server error occurred of an unspecified type.

**Action:** Contact your customer support representative. This error should not be visible to applications.

**NZE-28751: memory allocation failure**

**Cause:** The allocation of memory failed due to exhaustion of system memory.

**Action:** Terminate other processes to free up memory or add memory to the system.

**NZE-28752: data source initialization failure**

**Cause:** A data source failed to initialize. Frequently, this error is caused by the exhaustion of system resources.

**Action:** Enable Oracle Net tracing to determine the exact cause of the error.

**NZE-28753: failure to terminate use of data source**

**Cause:** The system failed to terminate its use of a data source. This error may have been caused by memory or disk corruption, among other things.

**Action:** Enable Oracle Net tracing to determine the exact cause of the error.

**NZE-28754: object storage failure**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28755: object retrieval failure**

**Cause:** The system failed to retrieve information from a file or a database.

**Action:** Check if the data source exists, or check to ensure that the correct information exists.

**NZE-28756: callback failure to allocate memory**

**Cause:** A function supplied by the caller failed to allocate memory. This error could have been caused by system memory exhaustion.

**Action:** Terminate other processes to free up memory or add memory to the system.

**NZE-28757: system attempt to allocate 0 bytes of memory**

**Cause:** The system attempted to allocate 0 bytes of memory because there was no available memory left to allocate. This error could have been caused by system memory exhaustion.

---

**Action:** Terminate other processes to free up memory or add memory to the system.

**NZE-28758: memory release failure**

**Cause:** The release of a memory fragment failed. This may have been caused by memory corruption either within the application or in the Oracle Security Server library.

**Action:** Enable Oracle Net tracing to determine the reason why the operation failed.

**NZE-28759: failure to open file**

**Cause:** The system could not open the specified file.

**Action:** Enable Oracle Net tracing to determine the name of the file that could not be opened and the reason.

**NZE-28760: list creation failure**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28761: element creation failure**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28762: failure to add element**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28763: Invalid parameter type found in configuration file.**

**Cause:** A parameter in the sqlnet.ora file may have been specified incorrectly.

**Action:** Check the sqlnet.ora file for this parameter value.

**NZE-28764: failure to retrieve a configuration parameter**

**Cause:** The system failed to retrieve a configuration parameter from the sqlnet.ora file. This error may have occurred because a necessary configuration parameter was not specified in the sqlnet.ora file.

**Action:** Supply the needed configuration parameter in the sqlnet.ora file.

**NZE-28765: Data method list does not exist.**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28766: failure to terminate use of data source**

**Cause:** The system failed to terminate its use of a data source. This error may have been caused by memory or disk corruption, or a system error.

**Action:** Enable Oracle Net tracing to determine the exact cause of the error.

**NZE-28767: invalid version number**

**Cause:** Version number of a file was incorrect.

**Action:** Replace the file with the correct version.

**NZE-28768: bad magic number**

**Cause:** d by a corrupted disk or by some other process overwriting the file.

---

**Action:** Enable Oracle Net tracing to determine the exact cause of the error.

**NZE-28769: Specified method does not exist.**

**Cause:** The data access method that was specified in the configuration file is not supported.

**Action:** Specify a supported method. Consult the Oracle Security Server documentation to determine the supported types.

**NZE-28770: Data source is already initialized.**

**Cause:** The caller attempted to initialize a data source which was already initialized.

**Action:** This is a programming error. An application should not attempt to initialize a data source more than once.

**NZE-28771: Data source is not yet initialized.**

**Cause:** The caller attempted to use a data source which had not been initialized yet.

**Action:** This is a programming error. The application must always initialize the data source before it can be used.

**NZE-28772: invalid file ID**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28773: failure to write magic and version numbers**

**Cause:** Both the magic and version numbers failed to write. This usually occurs because disk space has been exhausted.

**Action:** Delete unnecessary files to free up disk space or add disk space to the system.

**NZE-28774: file cannot write to disk**

**Cause:** The output of a file failed. This error usually occurs because disk space has been exhausted.

**Action:** Delete unnecessary files to free up disk space or add disk space to the system.

**NZE-28775: file cannot close**

**Cause:** The closing of a file, which is used by a data access method, has failed. This error usually indicates memory corruption or a system error.

**Action:** Enable Oracle Net tracing and examine the trace file to see exactly what error occurred.

**NZE-28776: Output buffer supplied is too small.**

**Cause:** The data returned by a function was too large for the supplied buffer.

**Action:** Call the routine again with a larger buffer.

**NZE-28777: binding creation failure**

**Cause:** The creation of a binding for use in the parsing of a parameter value failed. This error can be caused by the parameter value being in an incorrect format, e.g. a right parenthesis was not supplied where expected, or the exhaustion of system memory.

---

**Action:** Make sure that the parameter is specified in the correct format. If the format is correct, free up system memory by terminating processes or adding more memory.

**NZE-28778: Configuration parameter is not specified in the proper format.**

**Cause:** The configuration parameter was not specified in the proper format.

**Action:** Consult the Oracle Security Server documentation for a description of the proper format for this parameter.

**NZE-28779: no data access method specified in parameter**

**Cause:** No method for data access was specified in the parameter value.

**Action:** Specify a method for data access in the parameter. Consult the Oracle Security Server documentation for the supported data access methods for this data type.

**NZE-28780: invalid data access method specified by the parameter**

**Cause:** The data access method specified by the parameter value is not supported.

**Action:** Specify a supported data access method. Consult the Oracle Security Server documentation for the supported data access methods for this data data type.

**NZE-28781: No data for the access method is specified in the parameter.**

**Cause:** No data was specified in the parameter for use with the specified access method.

**Action:** Consult the Oracle Security Server documentation for the data that must be specified for the access method.

**NZE-28782: data source is not allocated**

**Cause:** No memory was allocated for a data source.

**Action:** Ensure that the application calls in the data source initialization function.

**NZE-28783: invalid parameter**

**Cause:** There was no match for the parameter name that was used in the configuration file.

**Action:** Check your sqlnet.ora file for the correct parameter name.

**NZE-28784: file name translation failure**

**Cause:** The translation of a file name from Oracle format to native format has failed.

**Action:** Specify a correct file name. Consult your ORACLE documentation for the correct file name format.

**NZE-28785: parameter does not exist**

**Cause:** A necessary configuration parameter was not found in the parameter file.

**Action:** Supply the required parameter.

**NZE-28786: decryption of encrypted private key failure**

**Cause:** An incorrect password was used to decrypt an encrypted private key.

**Action:** Enter the correct password.

**NZE-28787: private key encryption failure**

---

**Cause:** This may have been caused by an error in the mkwallet parameter of the sqlnet.ora file.

**Action:** Check your sqlnet.ora file. Also turn on Oracle Net tracing and check the mktoken.trc file for other errors.

**NZE-28788: user provided invalid information, or an unknown error**

**Cause:** User may have responded to a prompt with unexpected input, or an unknown error occurred.

**Action:** Re-enter the correct input, or enable Oracle Net tracing to check the trace file for errors.

**NZE-28789: name type not found**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28790: NLS string open failure**

**Cause:** The opening of a string for use by the NLS subsystem failed.

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28791: certificate verification failure**

**Cause:** Verification of the certificate, which the user supplied, failed.

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28792: PL/SQL operation failure**

**Cause:** A PL/SQL operation attempted by the Oracle Security Server failed.

**Action:** This is an internal error. Enable Oracle Net tracing and try the operation again. Contact Oracle customer support for assistance.

**NZE-28793: variable bind failure**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28794: data type attribute did not initialize**

**Cause:** d by the exhaustion of system resources.

**Action:** Enable Oracle Net tracing to determine the exact cause of this error.

**NZE-28795: data type attribute did not terminate**

**Cause:** The termination of the use of the attribute data type subsystem failed.

**Action:** Enable Oracle Net tracing to determine the exact cause of this error.

**NZE-28796: access method is not supported**

**Cause:** The method specified to access data is not supported.

**Action:** Use a supported access method. Consult your Oracle documentation to determine which access methods are supported.

**NZE-28797: invalid key data type**

**Cause:** The type specified for a key is not supported.

**Action:** Correct the key type. Consult your Oracle documentation to determine which key types are supported.

**NZE-28798: Number of sub-keys application passes to bind does not match that in the key.**

---

**Cause:** The number of keys passed by the application to bind does not match the number used to create the key.

**Action:** This is an internal programming exception. Contact your customer support representative.

**NZE-28799: failure to allocate shared memory**

**Cause:** The allocation of shared memory for use in operations involving the shared server failed. This error was probably caused by the exhaustion of the memory heap supplied by the Oracle server.

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28800: data source failed to open**

**Cause:** A data source (a file or a database) failed to open.

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28801: invalid object type**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28802: invalid mode or data source in configuration file**

**Cause:** An invalide mode or data source has been specified in the configuration file (sqlnet.ora).

**Action:** Check the method parameter in the sqlnet.ora file. If the parameter value is correct, then enable Oracle Net tracing to determine the exact error.

**NZE-28803: I/O operation failure**

**Cause:** The system or application failed to access a data source (file or database).

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28804: Data source cannot close.**

**Cause:** The data source, which could be either a file or a database), failed to close.

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28805: Cannot retrieve information from the data source.**

**Cause:** The system or application failed to retrieve information from the data source (file or database).

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28806: Cannot write to the data source.**

**Cause:** The system or application failed to write to the data source (file or database).

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28807: Cannot update the data source.**

**Cause:** The system or application failed to update the data source (file or database).

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28808: Cannot retrieve method information from the configuration file.**

**Cause:** The system or application failed to retrieve method information from the sqlnet.ora configuration file.

---

**Action:** Check the method configuration parameters in the sqlnet.ora file. If the method configuration parameters are correct, then enable Oracle Net tracing to determine the exact error.

**NZE-28809: Cannot delete information from the data source.**

**Cause:** The system or application failed to delete information from the data source (file or database).

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28810: Cannot create key descriptor.**

**Cause:** The system failed to create a key descriptor.

**Action:** Enable Oracle Net tracing to determine the exact error.

**NZE-28811: invalid access descriptor**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28812: record operation failure**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28813: invalid record type**

**Cause:** Error not user-visible.

**Action:** None

**NZE-28814: Cannot convert a number in Oracle format to native format.**

**Cause:** The conversion of a number from Oracle format to native format failed.

**Action:** This is an internal programming exception. Enable Oracle Net tracing and attempt to reproduce the problem. Contact your customer support representative and supply the trace file.

**NZE-28815: Cannot convert a number in native format to Oracle format.**

**Cause:** The conversion of a number from native format to Oracle portable format failed.

**Action:** This is an internal programming exception. Enable Oracle Net tracing and attempt to reproduce the problem. Contact your customer support representative and supply the trace file.

**NZE-28816: No password provided for a PL/SQL function.**

**Cause:** A required password was not passed to a PL/SQL function.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28817: PL/SQL function returned an error.**

**Cause:** A PL/SQL function returned an error unexpectedly.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28818: No package context provided.**

**Cause:** The context that holds the state of the security package was not passed to a function or procedure that was expecting it.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28819: No distinguished name provided.**

---

**Cause:** The user's distinguished name was not provided to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28820: Signature or decryption/encryption state is not provided.**

**Cause:** The state of either a signature or decryption/encryption was not passed to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28821: No input buffer provided.**

**Cause:** A PL/SQL function or procedure was not passed an expected buffer.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28822: Required seed is not specified.**

**Cause:** No seed was specified to the PL/SQL seed initialization function.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28823: Number of random bytes to generate is not specified.**

**Cause:** The number of random bytes to generate was not specified to the PL/SQL random number generator.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28824: invalid encryption/decryption/signature state passed**

**Cause:** An invalid state was passed to a PL/SQL encryption, decryption, or signature procedure or function.

**Action:** Specify a correct state value.

**NZE-28825: No cryptographic engine function specified.**

**Cause:** No function was specified for the cryptographic engine.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28826: invalid cryptographic engine function passed**

**Cause:** An incorrect cryptographic engine function was passed to a PL/SQL function or procedure.

**Action:** Specify a correct engine function.

**NZE-28827: invalid cipher type passed**

**Cause:** An incorrect cipher type was passed to a PL/SQL function or procedure.

**Action:** Specify a correct cipher type.

**NZE-28828: invalid identity type passed**

**Cause:** An incorrect identity type was passed to a PL/SQL function or procedure.

**Action:** Specify a correct identity type.

**NZE-28829: no cipher type specified**

**Cause:** No cipher type was passed to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28830: no identity type specified**

**Cause:** No identity type was passed to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

---

**NZE-28831: no data unit format**

**Cause:** No data unit format was passed to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28832: invalid data unit format**

**Cause:** An incorrect data unit format was passed to a PL/SQL function or procedure.

**Action:** Specify a data unit format.

**NZE-28833: inadequate information provided**

**Cause:** Inadequate information, which usually is in the form of parameters, has been provided to a PL/SQL function.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28834: Buffer is too small.**

**Cause:** The buffer provided by PL/SQL to an Oracle Security Server toolkit function is too small for the data to be returned.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28835: Identity descriptor is not present or is too small.**

**Cause:** An identity descriptor, which is passed to a PL/SQL function or descriptor, was not provided or was not the correct size.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28836: Wallet is not open.**

**Cause:** The wallet to be used has not been opened yet.

**Action:** Call the function that opens the wallet.

**NZE-28837: no wallet descriptor**

**Cause:** No wallet descriptor was specified to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28838: no identity descriptor**

**Cause:** No identity descriptor was specified to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28839: no persona descriptor**

**Cause:** No persona descriptor was specified to a PL/SQL function or procedure.

**Action:** This is an internal error. Contact Oracle customer support.

**NZE-28840: Wallet is already open.**

**Cause:** An attempt was made to open a wallet that had already been opened.

**Action:** This is a programming error. A wallet should only be opened once.

**NZE-28841: Operation is not supported.**

**Cause:** An attempt was made to perform an operation that is not supported.

**Action:** This is a programming error. Please refer to Oracle documentation to determine which operations are supported.

**NZE-28842: Incorrect file permissions**

**Cause:** The subject file did not have the correct permissions for the operation.

---

**Action:** Check the file permissions to ensure that they are adequate for the current operation.

**NZE-28843: Operating system error while creating/opening file**

**Cause:** An operating system dependent error occurred while trying to create/open the file or while trying to set the appropriate permissions on the file.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-28844: No wallet present**

**Cause:** There was no wallet in the location specified.

**Action:** Check to ensure that the wallet is in the correct directory location.

**NZE-28845: No certificate**

**Cause:** Either there is no certificate or the system cannot find it.

**Action:** Check to ensure that the certificate is in the specified wallet.

**NZE-28846: No private key**

**Cause:** Either there is no private key or the system cannot find it.

**Action:** Check to ensure that the private key is in the specified wallet.

**NZE-28852: Bad password**

**Cause:** The password created for obfuscated wallet exceeds the maximum password length limit.

**Action:** None

**NZE-28853: Initialization failure**

**Cause:** Either initialization or module loading has failed.

**Action:** Enable Oracle Net tracing to determine the exact cause of this error.

**NZE-28854: Memory allocation failure**

**Cause:** The allocation of memory failed due to exhaustion of system memory.

**Action:** Terminate other processes to free up memory or add memory to the system.

**NZE-28855: Unsupported SSL operation**

**Cause:** An unsupported operation was attempted, for example, an attempt was made to select a mode of operation that is not allowed.

**Action:** Refer to the SSL chapter in the product's documentation.

**NZE-28856: Buffer overflow error**

**Cause:** A buffer overflowed during the SSL handshake.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. Then contact Oracle customer support with the trace output.

**NZE-28857: Unknown SSL error**

**Cause:** An unknown SSL error occurred.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. Then contact Oracle customer support with the trace output.

---

**NZE-28858: SSL protocol error**

**Cause:** An error occurred while negotiating the SSL handshake between two processes.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. Then contact Oracle customer support with the trace output.

**NZE-28859: SSL negotiation failure**

**Cause:** An error occurred during the negotiation between two processes as part of the SSL protocol. This error will occur if the two sides to the connection do not support a common cipher suite.

**Action:** Configure each process so they support a common cipher suite. Then attempt the connection again. If error occurs again enable Oracle Net tracing and attempt the connection again. Then contact Oracle customer support with the trace output.

**NZE-28860: Fatal SSL error**

**Cause:** An error occurred during the SSL connection to the peer. It is likely that this side sent data which the peer rejected.

**Action:** Enable Oracle Net tracing on the peer and examine the trace output.

**NZE-28861: SSL connection would block**

**Cause:** This error is informational only. It should never be communicated to the user.

**Action:** Enable Oracle Net tracing and attempt the connection again. Then contact Oracle customer support with the trace output.

**NZE-28862: SSL connection failed**

**Cause:** This error occurred because the peer closed the connection.

**Action:** Enable Oracle Net tracing on both sides and examine the trace output. Contact Oracle Customer support with the trace output.

**NZE-28863: SSL session not found**

**Cause:** This error is informational only. It indicates that a specified session does not exist.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-28864: SSL connection closed gracefully**

**Cause:** This error is informational only. It indicates that the connection closed without error.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. If the error persists, contact Oracle customer support.

**NZE-28865: SSL connection closed**

**Cause:** The SSL connection closed because of an error in the underlying transport or because the peer process quit unexpectedly.

**Action:** Enable Oracle Net tracing and attempt the connection again. The trace output should indicate how the failure occurred.

**NZE-28866: Invalid peer certificate encoding**

---

**Cause:** A certificate in the peer's certificate chain had a field that could not be recognized.

**Action:** Refer to Oracle Wallet Manager documentation to find out how to obtain the peer's certificate. Then contact Oracle customer support with the peer's certificate chain.

**NZE-28867: Integer value is too big.**

**Cause:** The certificate presented had an integer field whose value was too large.

**Action:** Refer to Oracle Wallet Manager documentation to find out how to obtain the peer's certificate. Then contact Oracle customer support with the peer's certificate chain.

**NZE-28868: Peer certificate chain check failed.**

**Cause:** The check of the certificate list presented by the peer failed. This could be caused by a number of problems including:

1. the expiration of one of the certificates;
2. a certificate authority in a certificate was not recognized as a trust point;
3. the signature in a certificate could not be verified.

**Action:** Refer to Oracle Wallet Manager documentation to find out how to open your wallet and ensure that:

1. all of the certificates installed in your wallet are current
2. a certificate authority's certificate from your peer's certificate chain is added as a trusted certificate in your wallet

**NZE-28869: Peer's certificate is expired.**

**Cause:** The certificate being used to authenticate a client or server has expired.

**Action:** Obtain a new certificate, which has not expired, and attempt the connection again.

**NZE-28870: Name comparison failure**

**Cause:** A comparison between the names contained within two certificates failed.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. If the error persists, contact Oracle customer support.

**NZE-28871: Peer certificate chain is incomplete.**

**Cause:** The peer certificate chain presented was not complete because it did not end with a self-signed root certificate.

**Action:** Refer to Oracle Wallet Manager documentation to find out how to open your wallet and ensure that:

1. the certificate authority's certificate specified as the root is self-signed.
2. a certificate authority's certificate from your peer's certificate chain is added as a trusted certificate in your wallet

**NZE-28872: Invalid peer certificate format**

**Cause:** The peer certificate does not conform to the X.509v3 standard.

**Action:** Refer to Oracle Wallet Manager documentation to find out how to get the peer certificate. Then contact Oracle customer support with the peer's certificate.

**NZE-28873: Invalid parameter**

---

**Cause:** A function was presented with a null parameter.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. If the error persists, contact Oracle customer support.

**NZE-28874: SSL: I/O closed - override goodbye kiss**

**Cause:** This error is informational only. It indicates that the connection closed without error.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. If the error persists, contact Oracle customer support.

**NZE-28875: SSL: use server-gated cryptographic suites**

**Cause:** This error is used as a internal status indicator and not really an error.

**Action:** This error is not normally visible to the user. Enable Oracle Net tracing and attempt the connection again. If the error persists, contact Oracle customer support.

**NZE-28884: invalid cipher suite**

**Cause:** An invalid cipher suite to a string has been specified in the product's configuration file.

**Action:** Refer to the product documentation for information about the supported cipher suites.

**NZE-28885: No certificate with the required key usage found.**

**Cause:** Certificate not created with the appropriate X509v3 key usage extension.

**Action:** Refer to Oracle Wallet Manager documentation to find out the supported key usages.

**NZE-28890: Entrust Login Failed**

**Cause:** An application's attempt to log in to an Entrust Profile failed. This could be caused by a number of problems including:

1. Entrust Admin/Authority was not online.
2. Invalid password for Entrust profile was specified.
3. Invalid path to Entrust profile was specified
4. Invalid Entrust initialization file was specified.
5. Entrust Server Login program was not executed (server-side only).

**Action:** Make sure that:

1. Entrust Authority is online;
2. Password for Entrust profile is specified correctly;
3. Path to Entrust profile is specified correctly;
4. A valid Entrust initialization file is provided;
5. Entrust Server Login program is run before the database startup. For more information, enable Oracle Net tracing and the trace output should indicate the exact Entrust failure codes.

**NZE-29000: Certificate not installed**

**Cause:** Trying to delete a certificate which has not been installed.

---

**Action:** Refer to the Oracle Wallet Manager documentation for information about delete option.

**NZE-29002: SSL transport detected invalid or obsolete server certificate.**

**Cause:** The client detected a mismatch between the server's distinguished name specified on the server's certificate and the server's SID or service name.

**Action:** Refer to the SSL chapter in Oracle Advanced Security Administrator's Guide for information about enabling server distinguished name matching. Contact your administrator to perform the appropriate action.

**NZE-29003: SSL transport detected mismatched server certificate.**

**Cause:** The client detected a mismatch between the server's distinguished name specified on the server's certificate and the server's SID or service name.

**Action:** Refer to the SSL chapter in Oracle Advanced Security Administrator's Guide for information about enabling server distinguished name matching. Contact your administrator to perform the appropriate action.

**NZE-29004: Callback Failure**

**Cause:** The alert callback returns this error if the alert is not fatal.

**Action:** None

**NZE-29005: The certificate is invalid.**

**Cause:** The peer certificate encoding is invalid when using SSL 2.0.

**Action:** Refer to Oracle Wallet Manager documentation to find out how to obtain the peer's certificate. Then contact Oracle customer support with the peer's certificate chain.

**NZE-29006: The certificate request message is invalid when using SSL 2.0.**

**Cause:** There is an error processing the SSL 2.0 REQUEST-CERTIFICATE message.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29007: Bad Clear Key Length when using SSL 2.0**

**Cause:** The clear key length of an SSL 2.0 Client Master key handshake message is invalid.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29008: Bad DH Param key length**

**Cause:** The length of the Diffie-Hellman params exceeds export restrictions.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29009: Bad encrypted key length when using SSL 2.0**

**Cause:** The encrypted key length of an SSL 2.0 Client Master key handshake message is invalid.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29010: Export key length does not meet export restrictions.**

**Cause:** The server sent a ServerKeyExchange message with an export key which does not meet export restrictions. For RSA, the export key must be exactly 512 bits.

---

**Action:** Obtain a certificate with the appropriate key length.

**NZE-29011: Finished message is incorrect.**

**Cause:** The FINISHED message data verification failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29012: Bad key argument length when using SSL 2.0**

**Cause:** The key argument length of an SSL 2.0 Client Master Key handshake message is invalid.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29013: SSL MAC verification failure**

**Cause:** Verification of SSL Record MAC failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29014: Maximum fragment length extension is incorrect.**

**Cause:** The maximum fragment length extension specified is incorrect.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29015: incorrect message length**

**Cause:** The message length is not correct.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29016: inadequate PKCS1 message padding**

**Cause:** The message was not properly padded before encryption.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29017: The premaster secret length is incorrect.**

**Cause:** The premaster secret sent by the peer has an incorrect length.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29018: The premaster secret contains an incorrect version number.**

**Cause:** The premaster secret must contain the same version number as the ClientHello. The version sent by the client was incorrect.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29019: The protocol version is incorrect.**

**Cause:** There is a protocol version mismatch between the two peers.

**Action:** Specify the correct protocol version in the product's configuration file.

**NZE-29020: The handshake record length is too long.**

**Cause:** The handshake record length exceeds the maximum that is specified by the SSL specification.

---

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29021: Secret key length is incorrect when using SSL 2.0.**

**Cause:** The length of the decrypted ENCRYPTED-KEY is incorrect.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29022: Operation is being attempted on the wrong side of the client/server connection.**

**Cause:** The SSL network layer has detected that the operation has been attempted on the wrong side of the client/server connection.

**Action:** Select the protocol side (of this protocol) to be the same as the one selected with a previous protocol.

**NZE-29023: The buffers are not empty.**

**Cause:** Trying to free buffers that are not empty.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29024: Certificate validation failure**

**Cause:** The certificate sent by the other side could not be validated. This may occur if the certificate has expired, has been revoked, or is invalid for another reason.

**Action:** Check the certificate to determine whether it is valid. Obtain a new certificate, alert the sender that their certificate has failed, or resend.

**NZE-29025: Error found in certificate check callback.**

**Cause:** The application callback failed while trying to do additional certificate validation. Additional checks include CRL validation, extension checking.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29026: Decryption failure**

**Cause:** SSL record decryption failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29027: Error in entropy collection**

**Cause:** The internal entropy collection failed to generate enough seed data.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29028: Server verification failure when using SSL 2.0**

**Cause:** Processing of an SSL 2.0 SERVER-VERIFY message failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29029: SSL handshake already completed**

**Cause:** The system is trying to initiate a handshake when it has already been completed.

---

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29030: SSL handshake is requested.**

**Cause:** The peer sends this message if it wishes to renegotiate. The application can either proceed with the renegotiation or reject the request.

**Action:** This is not an error. To find out more details enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29031: SSL handshake is required.**

**Cause:** Renegotiation cannot proceed before the SSL handshake is completed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29032: The given identity is not complete.**

**Cause:** The certificate list does not contain both private key and certificate.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29033: Invalid PFX**

**Cause:** The PFX is invalid for this operation containing either no certificates and private key or multiple private keys. However, the API which returns this error is not used in our code.

**Action:** None

**NZE-29034: Correct cipher suite or client authentication is needed.**

**Cause:** Before installing a private key, a cipher suite or client authentication suite using the same key exchange algorithm must be installed first. This has not been done.

**Action:** Install a cipher suite or client authentication suite that uses the same key exchange algorithm as the private key before re-installing the private key.

**NZE-29035: Pseudo Random Number Generator is needed**

**Cause:** PRNG not set yet. A PRNG must be installed first.

**Action:** None

**NZE-29036: This feature is not supported**

**Cause:** Operation is not supported by the current connection parameters.

**Action:** Check the Oracle documentation to determine the appropriate connection parameters required for this operation.

**NZE-29037: No certificate is present**

**Cause:** The other client or server sent a certificate message that contained no certificates.

**Action:** No action recommended other than checking the other client or server to ensure they have appropriate credentials.

**NZE-29038: There are no matching certificates.**

**Cause:** The other client or server sent a certificate message that contained a certificate which was not signed by a trusted certificate authority (CA).

---

**Action:** Check to ensure that the other client or server sends a certificate which is signed by a CA that is in your trusted list. Or you can include the CA certificate for the other client or server"s certificate as a trustpoint in your wallet.

**NZE-29039: There are no matching cipher suites.**

**Cause:** Neither end of the handshake can agree on a cipher suite.

**Action:** Check to ensure that both sides of the handshake select cipher suites that are supported.

**NZE-29040: There are no supported cipher suites.**

**Cause:** This end of the handshake cannot support any cipher suites. This connection and the peer have some matching cipher suites, however, these cipher suites cannot be negotiated because they cannot be supported by the connection.

**Action:** Check to ensure that both sides of the handshake select cipher suites that are supported by the connection. Refer to Oracle documentation for supported cipher suites.

**NZE-29041: The callback is NULL.**

**Cause:** A NULL callback was passed.

**Action:** None

**NZE-29042: Read buffer is not empty.**

**Cause:** There is an attempt to free a read buffer that is not empty.

**Action:** None

**NZE-29043: Read is required.**

**Cause:** Renegotiation with the peer has not started yet. There is application data which must be processed before the handshake can proceed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29044: Renegotiation has already been requested.**

**Cause:** Renegotiation has already been requested.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29045: Renegotiation request has been refused.**

**Cause:** A renegotiated handshake has been refused by the peer.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29046: Session is resumable.**

**Cause:** Server is trying to resume a session with different session parameters.

**Action:** Server should resume the session with the correct session parameters.

**NZE-29047: Mismatch in Transport Layer Security extension**

**Cause:** Neither side can agree on a TLS extension.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29048: Unexpected message received.**

**Cause:** An unexpected message has been received.

---

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29049: Unknown record**

**Cause:** The record type is unknown.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29050: Installed client authentication mode is not supported.**

**Cause:** The enabled client authentication mode(s) cannot be used within the selected cipher suite.

**Action:** Enable a client authentication mode that can be used within the selected cipher suite.

**NZE-29051: The given public key type is not supported.**

**Cause:** The public key in the first certificate is not supported.

**Action:** Check to ensure that the certificate complies with the X.509v3 standard.

**NZE-29052: Write buffer is not empty.**

**Cause:** There is an attempt to free a write buffer that is not empty.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29084: The parameter specified is illegal.**

**Cause:** The parameter is not correct. For example, it could be bad input, or an invalid message.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29095: Index is not correct.**

**Cause:** The instance identified by the index parameter doesn't exist.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29096: The given length is incorrect.**

**Cause:** The length specified is too small or invalid.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29100: Cannot create local key ID.**

**Cause:** Creation of local key identifier for the certificate or the private key failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29101: Cannot add private key bag.**

**Cause:** The private key could not be added to the PKCS#12 object. Possible reasons are: (i) A required parameter is NULL (ii) The PKCS#12 construct is not supported (iii) An ASN.1 encoding error occurred in the certificate.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29102: Cannot add certificate bag.**

---

**Cause:** Creation of certificate bag failed. The application could have run out of memory.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29103: Cannot create PKCS #12 wallet.**

**Cause:** Creation of PKCS#12 wallet failed possibly due to memory allocation failure.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29104: Cannot add certificate request.**

**Cause:** Adding certificate request to the PKCS#12 wallet failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29105: Cannot export PKCS #12 wallet.**

**Cause:** A required parameter is NULL or the PKCS#12 construct is not supported.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29106: Cannot import PKCS #12 wallet.**

**Cause:** A required parameter is NULL or the BER-encoding is malformed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29107: Cannot create PKCS #12 wallet.**

**Cause:** PKCS#12 wallet creation failed. One of the possible reasons is that the application could have run out of memory.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29108: Cannot initialize random object.**

**Cause:** The random object could not be initialized or seeded. Either memory allocation has failed or the pseudo random number generator module has not been installed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29109: Cannot create private key object.**

**Cause:** The private key object could not be created. Memory allocation must have failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29110: Invalid PKCS #12 bag type**

**Cause:** The PKCS #12 bag type is invalid. Either one of the required parameters is NULL or the requested OID is not in the list.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29111: Invalid index**

---

**Cause:** The index passed for getting the bag type is less than 1.

**Action:** Check to ensure that the index is greater than 1.

**NZE-29112: Cannot access attributes from a PKCS #12 certificate bag.**

**Cause:** The certificate cannot be accessed. One of the required parameters is probably NULL, or the index specified by the application does not contain a certbag. Another possible reason is that the certificate could be malformed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29113: Cannot access attributes from a PKCS #12 key bag.**

**Cause:** Retrieval of the private key failed. One of the required parameters is probably NULL or the index specified by the application does not contain a key bag.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29114: Cannot import private key.**

**Cause:** The private key could not be imported. One of the required parameters could be NULL or the encoded private key could be malformed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29115: Cannot export private key.**

**Cause:** The private key could not be exported. Either the application ran out of memory or the key type is not valid.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29116: Cannot get PKCS #12 attributes.**

**Cause:** Retrieval of an attribute failed. One of the required parameters could be NULL.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29117: Cannot add PKCS #12 attributes.**

**Cause:** Could not add an attribute. The attribute parameter could be NULL.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29118: Cannot create PKCS #12 attributes.**

**Cause:** Creation of the attributes failed. The possible reason is a memory allocation error.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29119: Cannot import certificate.**

**Cause:** The certificate cannot be imported. One of the required parameters could be NULL or the certificate has an invalid X.509 BER or DER encoding.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

---

**NZE-29120: Cannot export certificate.**

**Cause:** The certificate cannot be exported. One of the required parameters could be NULL.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29131: pkcs11 certificate label already set in wallet**

**Cause:** This error occurred because the wallet already had a certificate label set.

**Action:** Use an empty wallet (created with orapki).

**NZE-29135: Seed generation for Random Number Generator failed.**

**Cause:** Generation of seed for random number generator failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29136: The allocated buffer is too small.**

**Cause:** The output buffer is too small.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29137: The global context is incorrect.**

**Cause:** The global context is incorrectly configured or invalid.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29140: Cannot create certificate object.**

**Cause:** Creation of the certificate object failed. The application could have run out of memory.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29141: Cannot import in the der format.**

**Cause:** Cannot import the certificate into the certificate object. The reason could be a malformed certificate.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29150: DES self-test failure**

**Cause:** DES power up self test has failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29151: 3DES self-test failure**

**Cause:** 3DES power up self test has failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29152: SHA-1 self-test failure**

**Cause:** The SHA-1 power up self test has failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

---

**NZE-29153: RSA self-test failure**

**Cause:** The RSA power up self-test has failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29154: deterministic RNG self-test failure**

**Cause:** The deterministic Random Number Generator power up self-test has failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29155: continuous key pair consistency check self-test failure**

**Cause:** The public-private key pair check test failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29156: conditional RNG self-test failure**

**Cause:** Continuous Random Number Generator test, which is needed in FIPS mode, has failed.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29157: Unable to build an absolute path to the library.**

**Cause:** Not able to construct an absolute path to the location of the library.

**Action:** Enable Oracle Net tracing and attempt the connection again. Contact Oracle customer support with the trace output.

**NZE-29158: Unable to open library.**

**Cause:** Opening of the library failed.

**Action:** Check to ensure that the library is present in the location specified, and that it has the appropriate file permissions.

**NZE-29159: Unable to read library.**

**Cause:** Not able to read the library on which the DAC check has to be performed. Read call failed.

**Action:** Check if the library has the appropriate file permissions.

**NZE-29160: NZ library being used is different.**

**Cause:** The NZ library being used at runtime is not the same one on which the digest was computed for doing the software integrity check.

**Action:** Check to ensure that the library being used is the same as the one on which the digest was pre-computed.

**NZE-29161: software integrity self-test failure**

**Cause:** The software integrity check test on the NZ shared library has failed.

**Action:** Check to ensure that the library being used is the same as the one on which the digest was pre-computed.

**NZE-29162: Non-FIPS cipher suites being used in FIPS mode.**

**Cause:** The cipher suite being used does not contain FIPS approved algorithms.

**Action:** Use cipher suites that contain FIPS approved algorithms.

---

**NZE-29163: Third party PKI vendor is not supported in FIPS mode.**

**Cause:** Third party PKI vendors like Entrust and MCS are not supported in FIPS mode.

**Action:** Use only Oracle PKI when running in FIPS mode.

**NZE-29164: External PKCS #12 wallet is not supported in FIPS mode.**

**Cause:** PKCS #12 wallets created using third party software cannot be used in FIPS mode.

**Action:** Use only PKCS #12 wallets created by Oracle Wallet Manager when running in FIPS mode.

**NZE-29176: CRL signature verification failed**

**Cause:** A CRL is verified before being used. CRL signature cannot be verified.

**Action:** Get a new CRL from CA

**NZE-29177: certificate serial number is not in CRL**

**Cause:** Cert is not revoked

**Action:** None

**NZE-29178: certificate serial number is in CRL**

**Cause:** Cert has been revoked

**Action:** Reject the certificate

**NZE-29180: Unsupported validation protocol**

**Cause:** The certificate validation protocol is not supported

**Action:** Make sure a supported certificate validation protocol is specified

**NZE-29187: unsupported validation mechanism**

**Cause:** The validation mechanism specified in OID is not supported

**Action:** Make sure a supported validation mechanism is set in OID

**NZE-29189: No entry found in OID**

**Cause:** CRL not found in OID

**Action:** Upload the CRL to OID

**NZE-29190: Multiple entries in OID**

**Cause:** For a given issuer name there should be only one CRL in OID

**Action:** Make sure there is only one CRL for a given issuer name in OID

**NZE-29191: OID connection information not set**

**Cause:** To connect to OID the connection information must be available

**Action:** Set the OID connection info

**NZE-29192: Validation mechanism not set in OID**

**Cause:** The validation mechanism to be used is not set in OID

**Action:** Set validation mechanism to be used in OID at cn=ValidationMechanism, cn=Validation, cn=PKI, cn=Products, cn=OracleContext

**NZE-29193: no CRL found using CRLDP mechanism**

**Cause:** A CRL could not fetched using CRL Distribution point (CRLDP)

**Action:** Discuss with CA

---

**NZE-29194: no CRL found in cache**

**Cause:** CRL not in cache

**Action:** None

**NZE-29195: CRL is expired**

**Cause:** CRL nextUpdate time is in the past

**Action:** Get a new CRL from the CA

**NZE-29222: Distinguished name does not match.**

**Cause:** Distinguished name (DN) on certificate doesn't match user.

**Action:** Create the global user in the database with the DN that matches with the one in the user certificate on the client side.

**NZE-29223: Cannot create certificate chain.**

**Cause:** Unable to create a certificate chain with the existing trust points for the certificate that is to be installed.

**Action:** Install the trust point that signed the certificate.

**NZE-29224: Cannot locate matching certificate request.**

**Cause:** No matching certificate request for the certificate was found.

**Action:** Install the correct certificate if there is one.

**NZE-29225: Certificate already installed.**

**Cause:** Attempting to install a certificate into a persona which already has it.

**Action:** Do not install the certificate.

**NZE-29226: No matching private key found.**

**Cause:** Could not locate a matching private key in the persona for the given certificate (public key).

**Action:** None

**NZE-29227: Certificate is expired.**

**Cause:** Certificate is no longer valid..

**Action:** Obtain another certificate or renew this certificate.

**NZE-29228: Cannot calculate the number of bytes for output.**

**Cause:** The cryptographic engine is confused about the algorithm.

**Action:** Check the parameters being used with the cryptographic functions.

**NZE-29229: the magic number found in the header does not match expected**

**Cause:** The input TDU has either been corrupted or it is not being used correctly.

**Action:** Check that the TDU is being used from the beginning. If possible, compare the size of the TDU upon generation to the size trying to be used.

**NZE-29230: the header length is not sufficient for message header**

**Cause:** The input TDU has either been corrupted or it is not being used correctly.

**Action:** Check that the TDU is being used from the beginning. If possible, compare the size of the TDU upon generation to the size trying to be used.

**NZE-29231: the cryptographic engine failed to initialize**

---

**Cause:** During initialization of the cryptographic engine, some failure occurred. This includes running out of memory and trying to seed the random number generator.

**Action:** Make sure the executable has been linked with compatible library versions, and that you are not running out of swap space.

**NZE-29232: the cryptographic engine key initialization failed**

**Cause:** During initialization of a key for cryptography, some failure occurred. This includes running out of memory and passing illegal arguments.

**Action:** Make sure the executable has been linked with compatible library versions, and that the correct parameters are being used for the cryptographic functions.

**NZE-29233: the key object could not be encoded**

**Cause:** The key object may be corrupted or may be an unsupported type.

**Action:** Check the key object being passed to the encoding routine.

**NZE-29234: a key object was not extracted from encoding**

**Cause:** The encoding may be corrupted or may not be a key object at all.

**Action:** Check the encoding and parameters passed to decoding routine.

**NZE-29235: the key information could not be retrieved**

**Cause:** The key may be corrupted or may be an unsupported type.

**Action:** Check the parameters being used with the cryptographic functions.

**NZE-29236: the random number generator will not accept seed**

**Cause:** The cryptographic engine may have run out of memory.

**Action:** Make sure the executable has been linked with compatible library versions.

**NZE-29237: the cryptographic engine could not finish the algorithm**

**Cause:** The cryptographic engine does not have enough information to correctly finish applying the algorithm.

**Action:** Check the parameters being used with the cryptographic functions.

**NZE-29238: the cryptographic engine could not apply the algorithm**

**Cause:** The cryptographic engine does not have enough information to correctly apply the algorithm.

**Action:** Check the parameters being used with the cryptographic functions.

**NZE-29239: the cryptographic engine could not initialize the algorithm**

**Cause:** The cryptographic engine does not have enough information to correctly initialize the algorithm.

**Action:** Check the parameters being used with the cryptographic functions.

**NZE-29240: the cryptographic engine does not recognize the algorithm**

**Cause:** The application is probably passing the wrong parameters.

**Action:** Check the parameters being used with the cryptographic functions.

**NZE-29241: a buffer block needs to more space but its length is fixed**

**Cause:** The application has preallocated an output buffer that is too short for the operation and has specified that the buffer should not grow as needed.

---

**Action:** Either preallocate a larger buffer or allow the toolkit to grow the output buffer as needed.

**NZE-29242: the asymmetric key is too short to be used with the data.**

**Cause:** An asymmetric key must be at least 11 bytes longer than the data it is being used to encrypt.

**Action:** Use an asymmetric key with more bits or break the data into smaller pieces.

**NZE-29243: the toolkit does not recognize the type of key being used**

**Cause:** The application is probably passing the wrong parameters.

**Action:** Check the parameters being used with the toolkit functions.

**NZE-29245: the toolkit does not recognize the function being used**

**Cause:** The application is probably passing the wrong parameters.

**Action:** Check the parameters being used with the toolkit functions.

**NZE-29246: the toolkit could not parse the tdu**

**Cause:** The TDU could be corrupted.

**Action:** Check the parameters being used with the toolkit functions.

**NZE-29247: an unopen toolkit object was used before it was opened**

**Cause:** Some toolkit objects must be opened before they can be used.

**Action:** Check the parameters being used with the toolkit functions.

**NZE-29248: an unrecognized WRL was used to open a wallet**

**Cause:** WRL"s have a specific set of types and must be formatted correctly.

**Action:** Check the parameters being used with the toolkit functions.

**NZE-29249: an unrecognized state was passed to a cryptographic function**

**Cause:** The application is probably passing the wrong parameters.

**Action:** Check the parameters being used with the toolkit functions.



---

---

## ORA-29250 to ORA-32775

**ORA-29250: Invalid index specified in call to dbms\_sql.bind\_array**

**Cause:** An invalid index was specified in a call to bind\_array of dbms\_sql. The index may have been null or of an improper value.

**Action:** Correct the index value by modifying your PL/SQL program and try the bind\_array call again.

**ORA-29251: Index1 is greater than Index2 in call to dbms\_sql.bind\_array**

**Cause:** The value of index1 was greater than the value for index2 in the call to bind\_array. This is illegal since the elements of the table that will be bound are those with indexes greater than or equal to index1 and less than or equal to index2.

**Action:** Correct the value of the two indexes and try the call to again bind\_array.

**ORA-29252: collection does not contain elements at index locations in call to dbms\_sql.bind\_array**

**Cause:** The bound table does not contain elements at both index locations in call to bind\_array of dbms\_sql. This is illegal. Both index locations must contain elements. In other words tab.exists(index1) and tab.exists(index2) must both return true.

**Action:** Either modify the two indexes or the contents of the table and try the call again.

**ORA-29253: Invalid count argument passed to procedure dbms\_sql.define\_array**

**Cause:** The count argument specified in the call to procedure define\_array of package dbms\_sql had an invalid value. Invalid values are negative numbers and nulls. The argument must be a positive integer.

**Action:** Correct your PL/SQL program so that only valid arguments are passed to define\_array and try again.

**ORA-29254: Invalid lower\_bound argument passed to procedure dbms\_sql.define\_array**

**Cause:** The lower\_bound argument specified in the call to procedure define\_array had an invalid value. Legal values are all integers (both positive and negative) including zero. The null value is illegal.

**Action:** Correct your PL/SQL program so that only valid arguments are passed to define\_array and try again.

**ORA-29255: Cursor contains both bind and define arrays which is not permissible**

**Cause:** Both define\_array and bind\_array have been called on this cursor. This is illegal. It is not possible for a cursor to both contain array binds and array defines.

---

The semantics of this setting are nonsensical. Array defines are used to move data from select queries into PL/SQL tables and array binds to bind PL/SQL tables to non-select queries.

**Action:** Modify your PL/SQL program to only perform calls to one of the two functions depending on the kind of cursor at hand.

**ORA-29256: Cursor contains both regular and array defines which is illegal**

**Cause:** Both `define_array` and `define_column` have been called on this cursor. This is illegal. It is not possible for a cursor to both contain regular and array defines. The semantics of this setting are nonsensical. Array defines are used to move data from select queries into PL/SQL tables and regular defines to move data from select queries into PL/SQL variables.

**Action:** Modify your PL/SQL program to only perform calls to one of the two functions depending on the situation at hand.

**ORA-29257: host *string* unknown**

**Cause:** The specified host was unknown.

**Action:** Check the spelling of the host name or the IP address. Make sure that the host name or the IP address is valid.

**ORA-29258: buffer too small**

**Cause:** The input or output buffer was too small for the operation.

**Action:** Increase the size of the buffer and retry the operation.

**ORA-29259: end-of-input reached**

**Cause:** The end of the input was reached.

**Action:** If the end of the input is reached prematurely, check if the input source terminates prematurely. Otherwise, close the connection to the input.

**ORA-29260: network error: *string***

**Cause:** A network error occurred.

**Action:** Fix the network error and retry the operation.

**ORA-29261: bad argument**

**Cause:** A bad argument was passed to the PL/SQL API.

**Action:** Check the arguments passed to the PL/SQL API and retry the call.

**ORA-29262: bad URL**

**Cause:** An improperly formed URL was passed to the PL/SQL API.

**Action:** Check the URL and retry the call.

**ORA-29263: HTTP protocol error**

**Cause:** A HTTP protocol error occurred during the HTTP operation.

**Action:** Check the HTTP server that the HTTP operation was performed to make sure that it follows the HTTP protocol standard.

**ORA-29264: unknown or unsupported URL scheme**

**Cause:** The URL scheme was unknown or unsupported.

**Action:** Check the URL to make sure that the scheme is valid and supported.

**ORA-29265: HTTP header not found**

**Cause:** The requested HTTP header was not found.

---

**Action:** Check to make sure that the requested HTTP header is present.

**ORA-29266: end-of-body reached**

**Cause:** The end of the HTTP response body was reached.

**Action:** If the end of the HTTP response is reached prematurely, check if the HTTP response terminates prematurely. Otherwise, end the HTTP response.

**ORA-29267: illegal call**

**Cause:** The call to the PL/SQL API was illegal at the current stage of the operation.

**Action:** Retry the call at a different stage of the operation.

**ORA-29268: HTTP client error *string***

**Cause:** The HTTP response indicated that the HTTP client error occurred.

**Action:** Fix the HTTP client error and retry the HTTP request.

**ORA-29269: HTTP server error *string***

**Cause:** The HTTP response indicated that the HTTP server error occurred.

**Action:** Fix the HTTP server error and retry the HTTP request. Contact the administrator of the HTTP server when necessary.

**ORA-29270: too many open HTTP requests**

**Cause:** Too many HTTP requests were opened.

**Action:** End some HTTP requests and retry the HTTP request.

**ORA-29271: not connected**

**Cause:** The network connection was not made while the network operation was attempted.

**Action:** Retry the network operation after the network connection is made successfully.

**ORA-29272: initialization failed**

**Cause:** The UTL\_HTTP package failed to initialize.

**Action:** Free up some memory or other system resources and retry the operation.

**ORA-29273: HTTP request failed**

**Cause:** The UTL\_HTTP package failed to execute the HTTP request.

**Action:** Use `get_detailed_sqlerrm` to check the detailed error message. Fix the error and retry the HTTP request.

**ORA-29274: fixed-width multibyte character set not allowed for a URL**

**Cause:** The character set used as an encoding of the URL is a fixed-width multibyte character set and is not allowed for a URL.

**Action:** Use the corresponding variable-width multibyte character set for the URL instead.

**ORA-29275: partial multibyte character**

**Cause:** The requested read operation could not complete because a partial multibyte character was found at the end of the input.

**Action:** Ensure that the complete multibyte character is sent from the remote server and retry the operation. Or read the partial multibyte character as RAW.

---

**ORA-29276: transfer timeout**

**Cause:** Timeout occurred while reading from or writing to a network connection.

**Action:** Check the remote server or the network to ensure that it responds within the timeout limit. Or increase the timeout value.

**ORA-29277: invalid SMTP operation**

**Cause:** The SMTP operation was invalid at the current stage of the SMTP transaction.

**Action:** Retry the SMTP operation at the appropriate stage of the SMTP transaction.

**ORA-29278: SMTP transient error: *string***

**Cause:** A SMTP transient error occurred.

**Action:** Correct the error and retry the SMTP operation.

**ORA-29279: SMTP permanent error: *string***

**Cause:** A SMTP permanent error occurred.

**Action:** Correct the error and retry the SMTP operation.

**ORA-29280: invalid directory path**

**Cause:** A corresponding directory object does not exist.

**Action:** Correct the directory object parameter, or create a corresponding directory object with the CREATE DIRECTORY command.

**ORA-29281: invalid mode**

**Cause:** An invalid value was specified for file open mode.

**Action:** Correct the mode to be one of the values: "r", "a", or "w".

**ORA-29282: invalid file ID**

**Cause:** A file ID handle was specified for which no corresponding open file exists.

**Action:** Verify that the file ID handle is a value returned from a call to UTL\_FILE.FOPEN.

**ORA-29283: invalid file operation**

**Cause:** An attempt was made to read from a file or directory that does not exist, or file or directory access was denied by the operating system.

**Action:** Verify file and directory access privileges on the file system, and if reading, verify that the file exists.

**ORA-29284: file read error**

**Cause:** An attempt to read from a file failed.

**Action:** Verify that the file exists, and that it is accessible, and that it is open in read mode.

**ORA-29285: file write error**

**Cause:** Failed to write to, flush, or close a file.

**Action:** Verify that the file exists, that it is accessible, and that it is open in write or append mode.

**ORA-29286: internal error**

**Cause:** A fatal error occurred while allocating PL/SQL session memory.



---

**Cause:** An error occurred while decoding the input string

**Action:** Verify that source data is a valid encoded string.

**ORA-29297: The compressed representation is too big**

**Cause:** The compressed output is too big to return.

**Action:** Do not attempt to compress source data.

**ORA-29298: Character set mismatch**

**Cause:** The character set mode in which the file was opened did not match the character set of the read or write operation.

**Action:** Use the correct UTL\_FILE read and write procedures which correspond to the character set mode in which the file was opened.

**ORA-29299: Invalid handle for piecewise compress or uncompress**

**Cause:** The process program opened too many handles, and the specified handle was either uninitialized or outside a valid range.

**Action:** Close some handles and verify that the specified handle is opened or within a valid range.

**ORA-29300: ORACLE error, tablespace point-in-time recovery**

**Cause:** Another ORACLE error occurred in the DBMS\_PITR package.

**Action:** See the text of the error message for a description of the error.

**ORA-29301: wrong DBMS\_PITR package function/procedure order**

**Cause:** The DBMS\_PITR package function/procedure was called in an incorrect order.

**Action:** Restart tablespace point-in-time recovery with a correct procedure.

**ORA-29302: database is not open clone**

**Cause:** The database was not opened as a clone database.

**Action:** Mount the database clone and open the database.

**ORA-29303: user does not login as SYS**

**Cause:** The user did not log in as SYS to perform tablespace point-in-time recovery in a clone database.

**Action:** Log in as SYS and restart tablespace point-in-time recovery.

**ORA-29304: tablespace "*string*" does not exist**

**Cause:** The selected tablespace does not exist in the database.

**Action:** Check the list of tablespaces in V\$TABLESPACE and select a valid tablespace.

**ORA-29305: cannot point-in-time recover tablespace "*string*"**

**Cause:** An attempt was made to ALTER the tablespace to be read only.

**Action:** Check if the tablespace is SYSTEM or with online rollback segment.

**ORA-29306: datafile *string* is not online**

**Cause:** The selected datafile was not online.

**Action:** Bring the the datafile online and rename it if necessary.

**ORA-29307: datafile *string* error, *string***

**Cause:** The datafile is not ready for tablespace point-in-time recovery.

---

**Action:** Check the correct tablespace point-in-time recovery procedure.

**ORA-29308: view TS\_PITR\_CHECK failure**

**Cause:** Some objects which crossed the boundary of the recovery set were not allowed in the tablespace point-in-time recovery.

**Action:** Query TS\_PITR\_CHECK and resolve the boundary crossing objects.

**ORA-29309: export dump file was generated by different version of DBMS\_PITR package**

**Cause:** The version of DBMS\_PITR is different from the version of the cloned database.

**Action:** Load the version of DBMS\_PITR which matches the version of the cloned database.

**ORA-29310: database is not open, or opened as a clone**

**Cause:** Either the database was not open, or an attempt was made to open it as a cloned database.

**Action:** Open the production database instead.

**ORA-29311: export dump file was not generated by this database, *string* does not match**

**Cause:** The export dump files were imported to an incorrect database.

**Action:** Open the correct production database and try the import again.

**ORA-29313: tablespace "*string*" cannot be imported twice**

**Cause:** This is an internal error.

**Action:** Contact your database administrator.

**ORA-29314: tablespace "*string*" is not OFFLINE FOR RECOVER nor READ ONLY**

**Cause:** Tablespace clean SCN is either 0 or invalid.

**Action:** ALTER the tablespace OFFLINE FOR RECOVER.

**ORA-29315: tablespace "*string*" has been recreated**

**Cause:** An attempt was made to recover a tablespace to a point-in-time before it was recreated.

**Action:** Choose a different point in time for recovery.

**ORA-29316: datafile *string* been imported twice**

**Cause:** This is an internal error.

**Action:** Contact your database administrator.

**ORA-29317: datafile *string* does not exist**

**Cause:** The specified datafile could not be found in the production database.

**Action:** Copy the datafile from the clone database.

**ORA-29318: datafile *string* is online**

**Cause:** The datafile is online.

**Action:** Take the datafile offline.

**ORA-29319: datafile *string* is not correct**

---

**Cause:** An incorrect datafile was copied to the production database. The datafile information in the export dump file differs with the information in the datafile in the production database.

**Action:** Copy the datafile from the clone database to the production database.

**ORA-29320: datafile header error**

**Cause:** An error occurred during reading datafile header.

**Action:** Copy the correct datafile from the clone database to the production database, then retry the operation.

**ORA-29321: too many datafiles added since the point-in-time**

**Cause:** Too many datafiles were added to the recovery set since the point-in-time recovery.

**Action:** Divide the recovery set into smaller subsets and retry.

**ORA-29322: SCN string size too long -- maximum size 58 bytes/characters**

**Cause:** Too many characters in specifying the SCN string

**Action:** Remove all unnecessary characters. Only 15 characters are required for both the hex and decimal representation of the 48 bit SCN.

**ORA-29323: ALTER DATABASE SET COMPATIBILITY command not supported by *string***

**Cause:** The ALTER DATABASE SET COMPATIBILITY command failed because one or more instances do not support dynamic compatible setting change.

**Action:** No action required.

**ORA-29324: SET COMPATIBILITY release string format is wrong**

**Cause:** It should be of the form x.x.x

**Action:** Use the correct format.

**ORA-29325: SET COMPATIBILITY release number lower than *string***

**Cause:** The SET COMPATIBILITY release compatibility release number was lower than the current compatible setting.

**Action:** Specify a higher release number.

**ORA-29326: SET COMPATIBILITY release number higher than *string***

**Cause:** The ALTER DATABASE SET COMPATIBILITY command failed because one or more instances had a lower release number.

**Action:** Specify a lower release number.

**ORA-29327: unsupported client compatibility mode used when talking to the server**

**Cause:** The client compatibility mode is higher than the version of the server.

**Action:** Using SET COMPATIBILITY command, specify the same release number as the server.

**ORA-29328: too many datafiles in this tablespace "*string*"**

**Cause:** Too many datafiles in this bitmap tablespace. ORACLE does not support at this moment.

**Action:** Call Oracle Support.

**ORA-29329: Table not of type XMLType**

**Cause:** Table is not XMLType table

---

**Action:** Ensure table is a XMLType table

**ORA-29330: Source script length too big**

**Cause:** Source script length exceeded the maximum size of 4 Gigabytes.

**Action:** Make sure source script length is not greater than 4 Gigabytes.

**ORA-29335: tablespace "*string*" is not read only**

**Cause:** The tablespace is not read only.

**Action:** Make the tablespace read only and retry the operation.

**ORA-29336: Internal error [*string*] [*string*] from DBMS\_PLUGTS**

**Cause:** Internal error from package DBMS\_PLUGTS.

**Action:** Call Oracle Support.

**ORA-29337: tablespace "*string*" has a non-standard block size (*string*)**

**Cause:** The tablespace has a non-standard block size and making such a tablespace read-write is not permitted.

**Action:** Use some other mechanism to import the data

**ORA-29338: datafile *string* is in an undesired state (*string*, *string*)**

**Cause:** The referred datafile is not in a state ready for tablespace copy operation. For example, the datafile may be offline. The datafile needs to be ONLINE, and either READ ONLY or READ WRITE.

**Action:** Put the datafile into the desired state.

**ORA-29339: tablespace block size *string* does not match configured block sizes**

**Cause:** The block size of the tablespace to be plugged in or created does not match the block sizes configured in the database.

**Action:** Configure the appropriate cache for the block size of this tablespace using one of the various (db\_2k\_cache\_size, db\_4k\_cache\_size, db\_8k\_cache\_size, db\_16k\_cache\_size, db\_32K\_cache\_size) parameters.

**ORA-29340: export file appears to be corrupted: [*string*] [*string*] [*string*]**

**Cause:** This is caused either by a corrupted export file or by an Oracle internal error.

**Action:** Make sure the export file used for transportable tablespace is not corrupted. If the error still occurs, call Oracle support.

**ORA-29341: The transportable set is not self-contained**

**Cause:** The set of objects in the set of tablespaces selected are not self-contained.

**Action:** Consider using different export options, or removing some of the pointers that caused the violation, or selecting a different set of tablespaces.

**ORA-29342: user *string* does not exist in the database**

**Cause:** The referred user is one of the owners of data in the pluggable set. This user does not exist in the database.

**Action:** Consider either creating the user in the database or map the user to a different user via FROM\_USER and TO\_USER import options.

**ORA-29343: user *string* (mapped from user *string*) does not exist in the database**

**Cause:** The referred user is one of the owners of data in the pluggable set. This user does not exist in the database.

---

**Action:** Consider either creating the user or map the original user to a different user.

**ORA-29344: Owner validation failed - failed to match owner "*string*"**

**Cause:** The system failed to match the referred owner. There are two cases that this may occur. (1) This user owns data in the transportable set, but this user is not specified in the TTS\_OWNERS list of the import command line option, assuming that TTS\_OWNERS is specified. (2) This user is specified in the TTS\_OWNER list, but this user does not own any data in the transportable set.

**Action:** Retry import with a different OWNER list.

**ORA-29345: cannot plug a tablespace into a database using an incompatible character set**

**Cause:** Oracle does not support plugging a tablespace into a database using an incompatible character set.

**Action:** Use import/export or unload/load to move data instead.

**ORA-29346: invalid tablespace list**

**Cause:** the tablespace list supplied to dbms\_tts.transport\_set\_check PL/SQL routine is in an incorrect format.

**Action:** Check the manual and use the correct format.

**ORA-29347: Tablespace name validation failed - failed to match tablespace "*string*"**

**Cause:** The system failed to match the referred tablespace. There are 2 cases that this may happen. (1) This tablespace is in the transportable set, but it is not specified in the TABLESPACES list of the import command line option, assuming that TABLESPACES is specified. (2) This tablespace is in the TABLESPACES list, but it is not in the transportable set.

**Action:** Retry the operation with the correct TABLESPACES list.

**ORA-29348: You must specify the datafiles to be plugged in**

**Cause:** The datafiles to be plugged in are not specified.

**Action:** Specify the datafiles via the import DATAFILES command line option.

**ORA-29349: tablespace "*string*" already exists**

**Cause:** Tried to plug-in a tablespace which already exists.

**Action:** Drop the offending tablespace if possible. Otherwise use a different method (e.g., import/export) to move data.

**ORA-29351: can not transport system, sysaux, or temporary tablespace "*string*"**

**Cause:** The referred tablespace is either the system tablespace, the sysaux tablespace, or a temporary tablespace.

**Action:** Do not include this tablespace in the transportable set.

**ORA-29352: event "*string*" is not an internal event**

**Cause:** The DBMS\_SYSTEM.WAIT\_FOR\_EVENT procedure was called with an event name that is not an internal event.

**Action:** Check the list of events from X\$KSLED and verify the event name parameter passed to the WAIT\_FOR\_EVENT procedure.

**ORA-29353: The transportable list is too long.**

**Cause:** The transportable list exceeds the buffer size of 32767.

---

**Action:** Reduce the list of tablespaces to transport.

**ORA-29355: NULL or invalid *string* argument specified**

**Cause:** The named argument was either invalid or specified as a NULL

**Action:** Specify non-null, valid arguments.

**ORA-29356: These parameters can be specified only for directives that refer to consumer groups**

**Cause:** The below parameters were specified as an argument to procedure CREATE\_PLAN\_DIRECTIVE or UPDATE\_PLAN\_DIRECTIVE of package DBMS\_RESOURCE\_MANAGER, where the GROUP\_OR\_SUBPLAN argument is a resource plan. "ACTIVE\_SESS\_POOL\_P1", "QUEUEING\_P1", "PARALLEL\_DEGREE\_LIMIT\_P1", "SWITCH\_P1", "SWITCH\_P2", "SWITCH\_P3", "MAX\_EST\_EXEC\_TIME", "UNDO\_POOL"

**Action:** Specify these parameters only for consumer group directives.

**ORA-29357: object *string* already exists**

**Cause:** The name specified as argument to procedure CREATE\_PLAN, CREATE\_CONSUMER\_GROUP, or CREATE\_CATEGORY of package DBMS\_RESOURCE\_MANAGER is already in use.

**Action:** Specify an unused name.

**ORA-29358: resource plan *string* does not exist**

**Cause:** An invalid plan name was specified as an argument to procedure UPDATE\_PLAN of package DBMS\_RESOURCE\_MANAGER.

**Action:** Specify an existing plan name.

**ORA-29359: invalid method name *string* specified for resource plan *string***

**Cause:** An invalid method was specified as an argument to procedure CREATE\_PLAN or UPDATE\_PLAN of package DBMS\_RESOURCE\_MANAGER.

**Action:** Specify a valid method name.

**ORA-29360: retry operation. Too much concurrent activity**

**Cause:** An attempt was made to revoke the switch consumer group privilege from a user for his/her initial consumer group but someone is modifying the user in another session.

**Action:** Retry the operation later.

**ORA-29361: value *string* is outside valid range of 0 to 100**

**Cause:** An invalid value was specified for a plan directive parameter.

**Action:** Specify a value between 0 and 100 inclusive.

**ORA-29362: plan directive *string*, *string* does not exist**

**Cause:** A non-existent plan directive was specified for procedure UPDATE\_PLAN\_DIRECTIVE of package DBMS\_RESOURCE\_MANAGER.

**Action:** Specify an existing plan directive for update.

**ORA-29363: plan directive *string*, *string* is mandatory and cannot be modified or deleted**

**Cause:** An attempt was made to modify a mandatory plan directive.

**Action:** Do not attempt to modify mandatory plan directives because they are required by the Resource Manager and cannot be modified.

- 
- ORA-29364: plan directive *string*, *string* already exists**  
**Cause:** An attempt was made to create a plan directive that already exists.  
**Action:** Retry the create operation using different values.
- ORA-29365: parameters *string* and *string* cannot both be set**  
**Cause:** An attempt was made to set both parameters.  
**Action:** Only set one of parameters or neither of them.
- ORA-29366: invalid CONSUMER\_GROUP argument specified**  
**Cause:** An invalid consumer group name was specified.  
**Action:** Specify a non-NULL, valid consumer group name.
- ORA-29367: object *string* does not exist**  
**Cause:** A non-existent object name was specified as an argument to procedure CREATE\_PLAN\_DIRECTIVE of package DBMS\_RESOURCE\_MANAGER.  
**Action:** Specify a valid plan or consumer group name.
- ORA-29368: consumer group *string* does not exist**  
**Cause:** A non-existent consumer group was specified.  
**Action:** Specify an existing consumer group.
- ORA-29369: invalid method name *string* specified for consumer group *string***  
**Cause:** An invalid method name was specified as an argument to procedure CREATE\_CONSUMER\_GROUP or UPDATE\_CONSUMER\_GROUP of package DBMS\_RESOURCE\_MANAGER.  
**Action:** Specify a valid method name.
- ORA-29370: pending area is already active**  
**Cause:** An attempt was made to activate a pending area that is already active.  
**Action:** Wait until the pending area is no longer active; then, retry the operation.
- ORA-29371: pending area is not active**  
**Cause:** An attempt was made to make changes without creating a pending area.  
**Action:** Invoke procedure CREATE\_PENDING\_AREA before making any changes.
- ORA-29372: identifier *string* is too long; it must be less than *string* characters**  
**Cause:** An attempt was made to specify an identifier that is more than 30 characters long.  
**Action:** Use an identifier that is 30 characters or less in length.
- ORA-29373: resource manager is not on**  
**Cause:** An attempt was made to execute an operation that cannot be executed with the resource manager being off  
**Action:** Turn on the resource manager and try again.
- ORA-29374: resource plan *string* in top-plan *string* has no plan directives**  
**Cause:** A plan was created in the pending area that is an orphan or stand-alone.  
**Action:** Create plan directives if needed. Otherwise, delete the plan.
- ORA-29375: sum of values *string* for level *string*, plan *string* exceeds *string***

---

**Cause:** The sum of plan directive parameter values for the specified plan level exceeded 100.

**Action:** Alter the values for the level so that they sum to 100.

**ORA-29376: number of consumer groups *string* in plan *string* exceeds *string***

**Cause:** The number of consumer groups in the specified plan is more than 31.

**Action:** Change the plan to have no more than 31 consumer groups.

**ORA-29377: consumer group *string* is not part of top-plan *string***

**Cause:** OTHER\_GROUPS was not included as part of the specified top-plan. Each top plan must include the built-in consumer group OTHER\_GROUPS.

**Action:** Create a plan directive with the argument GROUP\_OR\_SUBPLAN being OTHER\_GROUPS somewhere in the top-plan.

**ORA-29378: invalid consumer group mapping priorities**

**Cause:** The mapping priorities were not unique integers within the valid range.

**Action:** Set the mapping priorities to unique integers within the documented range.

**ORA-29379: resource plan *string* is involved in a loop in top-plan *string***

**Cause:** A loop was discovered while validating a top-plan.

**Action:** Check the plans that have the specified plan as a GROUP\_OR\_SUBPLAN, and remove the plan directive that causes the loop.

**ORA-29380: resource plan *string* is currently active and cannot be deleted**

**Cause:** An attempt was made to delete an active plan in the pending area. No changes can be made to active plans.

**Action:** Delete the plan when it is not in use.

**ORA-29381: plan/consumer\_group *string* referred to by another plan and cannot be deleted**

**Cause:** An attempt was made to delete a plan or consumer group that is referred to by another plan.

**Action:** Remove all plan directives that have the plan or consumer group as GROUP\_OR\_SUBPLAN; then delete the plan or consumer group.

**ORA-29382: validation of pending area failed**

**Cause:** Invalid changes were attempted in the pending area.

**Action:** See documentation and the error messages that follow this one.

**ORA-29383: all leaves of top-plan *string* must be consumer groups**

**Cause:** An attempt was made to create or modify the specified top-plan but it has some plans as leaves.

**Action:** To identify which plans and/or plan directives need to be modified, look at all plans that have no plan directives. Then, alter the top-plan so that all its leaves are consumer groups.

**ORA-29384: number of consumer groups and sub-plans for plan *string* exceeds *string***

**Cause:** An attempt was made to create or modify the specified plan, but the plan has more than 31 consumer groups or sub-plans.

---

**Action:** Make sure the specified plan points to no more than 31 distinct consumer groups or sub-plans.

**ORA-29385: cannot create plan directive from *string* to *string***

**Cause:** An attempt was made to create a plan directive from a plan to itself.

**Action:** Make sure the arguments PLAN and GROUP\_OR\_SUBPLAN to procedure CREATE\_PLAN\_DIRECTIVE of package DBMS\_RESOURCE\_MANAGER are different.

**ORA-29386: plan or consumer group *string* is mandatory and cannot be deleted or modified**

**Cause:** An attempt was made to delete or modify the specified mandatory plan or consumer group.

**Action:** Do not attempt to delete or modify mandatory plans and consumer groups.

**ORA-29387: no top-plans found in the pending area**

**Cause:** The VALIDATE\_PENDING\_AREA procedure found that either the intended top-plan(s) are involved in a loop or there are no top-plans.

**Action:** Check all edges going from a subplan to the intended top-plan. Make sure the top plan does not have any plan referring to it.

**ORA-29388: plan/consumer\_group *string* is part of more than one top-plan**

**Cause:** An attempt was made to delete a subtree that includes a plan or consumer group that is part of more than one top-plan as part of procedure DELETE\_PLAN\_CASCADE or package DBMS\_RESOURCE\_MANAGER. Such a plan or consumer group cannot be deleted.

**Action:** Check the ancestors of the plan or consumer group and make sure it is only part of the top-plan that includes the subtree being deleted.

**ORA-29389: too many errors during validation**

**Cause:** The number of errors detected during validation is too high.

**Action:** Perform the necessary actions to remove some errors, and retry validation.

**ORA-29390: some resource plans are not part of any top-plan**

**Cause:** An attempt was made to create or modify some plans in the pending area that are not part of any top-plan

**Action:** Remove these plans and try validation again.

**ORA-29391: *string* and *string* must be mandatory to create a mandatory plan directive**

**Cause:** An attempt was made to create a mandatory plan directive where either PLAN or GROUP\_OR\_SUBPLAN or both were not mandatory

**Action:** Recreate these objects as mandatory and then create the plan directive.

**ORA-29392: cpu parameters for level *string* for plan *string* must be zero**

**Cause:** The cpu parameters for the specified level had a non-zero value, which is not a valid value for the plan's current cpu policy.

**Action:** Change the cpu level parameters for the specified level to zero or change the plan cpu policy.

**ORA-29393: user *string* does not exist or is not logged on**

---

**Cause:** An invalid user name was specified as argument to procedure SET\_INITIAL\_CONSUMER\_GROUP of package DBMS\_RESOURCE\_MANAGER or SWITCH\_CONSUMER\_GROUP\_FOR\_USER of package DBMS\_SYSTEM or the specified user was not logged on.

**Action:** Specify a valid user name.

**ORA-29394: session id *string* and serial# *string* do not exist**

**Cause:** Invalid session id and serial# were specified as arguments to procedure SWITCH\_CONSUMER\_GROUP\_FOR\_SESS of package DBMS\_SYSTEM.

**Action:** Specify valid values from the view V\$SESSION.

**ORA-29395: cannot set the initial consumer group to *string***

**Cause:** An attempt was made to set the initial consumer group of a user to OTHER\_GROUPS or an INTERNAL\_USE group.

**Action:** Certain groups are only for the resource manager's internal use. Specify another consumer group.

**ORA-29396: cannot switch group to *string***

**Cause:** An attempt was made to switch the consumer group of a user or a session to OTHER\_GROUPS or an INTERNAL\_USE group.

**Action:** Certain groups are only for the resource manager's internal use. Specify another consumer group.

**ORA-29397: cannot grant/revoke switch privilege for *string***

**Cause:** An attempt was made to grant or revoke the privilege to switch to OTHER\_GROUPS or an INTERNAL\_USE group.

**Action:** Certain groups are only for the resource manager's internal use. Specify another consumer group.

**ORA-29398: invalid privilege name specified**

**Cause:** An invalid privilege name was specified as an argument to procedure GRANT\_SYSTEM\_PRIVILEGE or REVOKE\_SYSTEM\_PRIVILEGE of package DBMS\_RESOURCE\_MANAGER\_PRIVS.

**Action:** Specify a valid privilege name.

**ORA-29399: user *string* does not have privilege to switch to consumer group *string***

**Cause:** An attempt was made to set the initial consumer group of the specified user but the user does not have the privilege to switch to that group.

**Action:** Grant the privilege to switch to the consumer group to the user and then set the initial group.

**ORA-29400: data cartridge error *string***

**Cause:** An error has occurred in a data cartridge external procedure. This message will be followed by a second message giving more details about the data cartridge error.

**Action:** See the data cartridge documentation for an explanation of the second error message.

**ORA-29470: Effective userid or roles are not the same as when cursor was parsed**

**Cause:** The effective userid or roles on this call to DBMS\_SQL are not the same as those at the time the cursor was parsed.

---

**Action:** Make sure the effective userid and roles are the same as when cursor was paped.

**ORA-29471: DBMS\_SQL access denied**

**Cause:** DBMS\_SQL access was denied due to security concerns.

**Action:** Check the alert log and trace file for more information.

**ORA-29472: DBMS\_SQL.OPEN\_CURSOR failed. security\_level is outside the valid range of 0 to 2**

**Cause:** An invalid security\_level value was specified.

**Action:** Specify a valid range of 0 to 2.

**ORA-29473: privilege checking level specified for "string" must be between 0 and 2**

**Cause:** Invalid privilege checking level specified.

**Action:** Correct the privilege checking level specified.

**ORA-29474: DBMS\_SQL.OPEN\_CURSOR failed. security\_level of 0 is not allowed**

**Cause:** Security level of 0 is specified with DBMS\_SQL.OPEN\_CURSOR.

**Action:** Specify a valid security level.

**ORA-29500: NAMED keyword is invalid in CREATE JAVA CLASS**

**Cause:** A NAMED keyword was specified in the CREATE JAVA CLASS statement. NAMED keywords are valid only in CREATE JAVA SOURCE or RESOURCE statements.

**Action:** Remove the NAMED keyword from the CREATE JAVA CLASS statement.

**ORA-29501: invalid or missing Java source, class, or resource name**

**Cause:** The required name for a Java source, class, or resource was invalid or missing.

**Action:** Specify a valid name.

**ORA-29502: NAMED keyword required in CREATE JAVA RESOURCE**

**Cause:** The name for a Java resource was not specified. The name must be specified with the NAMED keyword.

**Action:** Specify a valid name with the NAMED keyword.

**ORA-29503: SCHEMA keyword not valid with NAMED keyword**

**Cause:** SCHEMA and NAMED keywords were used together in the same CREATE JAVA command, but only one may be used in a CREATE JAVA command.

**Action:** Remove either the NAMED or the SCHEMA keyword.

**ORA-29504: invalid or missing schema name**

**Cause:** The required schema name was invalid or missing.

**Action:** Specify a valid schema name.

**ORA-29505: AS keyword is invalid in CREATE JAVA CLASS or RESOURCE**

**Cause:** The AS keyword was used in CREATE JAVA CLASS or RESOURCE. The AS keyword is valid only in CREATE JAVA SOURCE.

**Action:** Use the USING keyword in CREATE JAVA CLASS or RESOURCE.

**ORA-29506: invalid query derived from USING clause**

---

**Cause:** The USING clause did not form a valid query.

**Action:** Correct the USING clause.

**ORA-29507: query derived from USING clause found zero or many rows**

**Cause:** The USING clause defined a query that either did not return any values, or returned more than one value.

**Action:** Correct the USING clause.

**ORA-29508: query derived from USING clause did not select a value of type *string***

**Cause:** The USING clause did not form a query that selects a value of the type specified by the term following the USING keyword.

**Action:** Correct the USING clause.

**ORA-29509: incorrectly formed Java binary class definition**

**Cause:** An attempt was made to create a Java class using data expected to be in binary (Java .class) format. The data was found not to be in this format, or to be incorrectly formed.

**Action:** Correct the definition data.

**ORA-29510: name, *string.string*, already used by an existing object**

**Cause:** A CREATE JAVA command attempted to create a source, class, or resource object with a name that is already in use.

**Action:** Drop the existing object that is using the desired name, or use a different name for the new object.

**ORA-29511: could not resolve Java class**

**Cause:** A CREATE AND RESOLVE NOFORCE JAVA CLASS command specified definition data that could not be resolved, or resolution failed for some referenced class.

**Action:** Remove the NOFORCE option or remove impediments to resolution.

**ORA-29512: incorrectly formed name resolver specification**

**Cause:** A name resolver was not specified in the required form: (( <name pattern> , <schema name>) ...)

**Action:** Correct the specification.

**ORA-29513: referenced class name too long**

**Cause:** An attempt was made to import a .class file containing a class name of length greater than %d. The .class file could not be imported because the referenced class name was too long.

**Action:** Shorten the referenced class name in the .class file.

**ORA-29514: class name contains illegal character**

**Cause:** An attempt was made to import a .class file containing a character that cannot be converted to the server character set. The .class file could not be imported because of the illegal character.

**Action:** Correct the illegal character in the .class file.

**ORA-29515: exit called from Java code with status *string***

**Cause:** Java code included a call to java.lang.Runtime.exitInternal.

**Action:** Do not include this call unless non-local exit is desired.

---

**ORA-29516: Aurora assertion failure: *string***

**Cause:** An internal error occurred in the Aurora module.

**Action:** Contact Oracle Worldwide Support.

**ORA-29517: recursive resolution failed for a referenced class**

**Cause:** An attempt to resolve a referenced class failed.

**Action:** Review the errors for referenced classes and complete the necessary actions to correct them.

**ORA-29518: name *string* resolved to an object in schema *string* that is not a Java class**

**Cause:** A referenced name was resolved to an object that is not a Java class.

**Action:** Adjust name resolver or add missing Java class.

**ORA-29519: name *string* resolved via a synonym in schema *string* to a class with a different name**

**Cause:** A referenced name was resolved to a synonym, which translated to a class whose name does not match the referenced name.

**Action:** Adjust name resolver or add missing Java class.

**ORA-29520: name *string* resolved to a class in schema *string* that could not be accessed**

**Cause:** An attempt to access a referenced class failed.

**Action:** Adjust authorizations or name resolution.

**ORA-29521: referenced name *string* could not be found**

**Cause:** Name resolution failed to find an object with the indicated name.

**Action:** Adjust name resolver or add missing Java class.

**ORA-29522: authorization error for referenced name *string.string***

**Cause:** An attempt was made to resolve a class that is not authorized to use the indicated referenced class.

**Action:** Adjust authorizations or name resolution.

**ORA-29523: authorization error for unknown referenced name**

**Cause:** An attempt was made to resolve a class that is not authorized to use a referenced class. The name of the referenced class could not be determined.

**Action:** Adjust authorizations or name resolution.

**ORA-29524: wrong types of arguments in call to "*string*"**

**Cause:** A method was called with argument(s) of incompatible type(s).

**Action:** Adjust caller.

**ORA-29525: referenced name is too long: "*string*"**

**Cause:** An attempt was made to create a class that references a name longer than 4000 characters. The class could not be created because the name is too long.

**Action:** Adjust the definition.

**ORA-29526: created Java class *string*"*string*"**

**Cause:** An informational message, not an error.

**Action:** None

---

**ORA-29527: created Java source *string*'*string*'**

**Cause:** An informational message, not an error.

**Action:** None

**ORA-29528: invalid Java call in trigger *string***

**Cause:** The Java method specified in trigger does not exist or cannot be called as used.

**Action:** Adjust trigger definition.

**ORA-29529: invalid function or method call *string* in trigger *string***

**Cause:** The function or method specified in Java trigger call expression could not be resolved.

**Action:** Adjust trigger definition.

**ORA-29530: could not create shortened name for *string***

**Cause:** Insert into shortened name translation table failed.

**Action:** Retry the insert.

**ORA-29531: no method *string* in class *string***

**Cause:** An attempt was made to execute a non-existent method in a Java class.

**Action:** Adjust the call or create the specified method.

**ORA-29532: Java call terminated by uncaught Java exception: *string***

**Cause:** A Java exception or error was signaled and could not be resolved by the Java code.

**Action:** Modify Java code, if this behavior is not intended.

**ORA-29533: attempt to overwrite class or resource *string* while defining or compiling *string.string***

**Cause:** A class or resource defined by a SQLJ source conflicted with an existing object.

**Action:** Remove existing object, or modify SQLJ source.

**ORA-29534: referenced object *string.string* could not be resolved**

**Cause:** Name resolution determined that the indicated object is referenced but could not be resolved.

**Action:** Correct name resolver or address resolution problems in the referenced class, or correct compilation problems in its source.

**ORA-29535: source requires recompilation**

**Cause:** The reason the current class object was invalid is recorded with the source object from which it was compiled.

**Action:** Inspect errors in the source object and take the necessary corrective actions.

**ORA-29536: badly formed source: *string***

**Cause:** An attempt was made to create a Java source object with text that could not be parsed adequately to determine the class(es) defined by it.

**Action:** Correct errors in source.

**ORA-29537: class or resource cannot be created or dropped directly**

---

**Cause:** An attempt was made to create or drop a Java class or resource that is known to result from compilation of an existing Java source object.

**Action:** Act on the class or resource by acting on the source, or change the source so that it no longer defines the class or resource.

**ORA-29538: Java not installed**

**Cause:** An attempt was made to use a Java command when Java is not installed.

**Action:** Install Java, or do not use the command.

**ORA-29539: Java system classes already installed**

**Cause:** An attempt was made to use the CREATE JAVA SYSTEM command in a database where the Java system classes already are installed.

**Action:** Use CREATE OR REPLACE JAVA SYSTEM.

**ORA-29540: class *string* does not exist**

**Cause:** Java method execution failed to find a class with the indicated name.

**Action:** Correct the name or add the missing Java class.

**ORA-29541: class *string.string* could not be resolved**

**Cause:** An attempt was made to execute a method in a Java class that had not been previously and cannot now be compiled or resolved successfully.

**Action:** Adjust the call or make the class resolvable.

**ORA-29542: class *string* already defined by source *string***

**Cause:** An attempt was made to create a Java source object that would define a class that is already defined by a different Java source object.

**Action:** Either drop the old source or modify the new source.

**ORA-29543: Java command *string* not yet implemented**

**Cause:** An attempt was made to use a Java command that is not yet implemented.

**Action:** Do not use the command.

**ORA-29544: invalid type**

**Cause:** The type argument in a call to a Java export or import command did not have a recognized value.

**Action:** Correct the value.

**ORA-29545: badly formed class: *string***

**Cause:** An attempt was made to create a Java class object with bytecodes that were rejected by the Java verifier.

**Action:** It is possible that an attempt was made to create the Java class from a damaged class file, in which case the CREATE should be reattempted with a correct class file. It is also possible that the message is the result of using "-" in the resolver so that the verifier could not check the correctness of some code. In that case, the class needs to be created with a resolver.

**ORA-29546: badly formed resource: *string***

**Cause:** An attempt was made to create a Java resource object with data that was rejected by the Java verifier.

**Action:** Correct the data.

**ORA-29547: Java system class not available: *string***

---

**Cause:** An attempt was made to use a command that requires a Java system class that was not yet present or was invalid.

**Action:** Load the system classes, or do not use the command.

**ORA-29548: Java system class reported: *string***

**Cause:** A command that uses a Java system class was aborted due to an error reported by the Java system class.

**Action:** Correct the error that was reported.

**ORA-29549: class *string.string* has changed, Java session state cleared**

**Cause:** A class in use by the current session was redefined or dropped, invalidating the current Java session state and requiring that it be cleared.

**Action:** No action required.

**ORA-29550: Java session state cleared**

**Cause:** The Java state in the current session became inconsistent and was cleared.

**Action:** No action required.

**ORA-29551: could not convert *string* to Unicode**

**Cause:** A string in the database character set could not be converted to Unicode, as required for use by Java.

**Action:** Correct the string.

**ORA-29552: verification warning: *string***

**Cause:** An attempt was made to create a Java class object with bytecodes that caused the Java verifier to issue a warning.

**Action:** It is possible that the Java class was created from a damaged class file, in which case the CREATE should be reattempted with a correct class file. It is also possible that the message is the result of using "-" in the resolver so that the verifier could not check the correctness of some code. In that case, the class needs to be created with a resolver.

**ORA-29553: class in use: *string.string***

**Cause:** An attempt was made to modify a Java class that is in use in the current call.

**Action:** Correct the code in use in this call.

**ORA-29554: unhandled Java out of memory condition**

**Cause:** The session encountered an out of memory condition in Java from which it could not recover. Java session state was cleared.

**Action:** No action required.

**ORA-29555: Java source, class or resource is not allowed here**

**Cause:** A Java source, class, or resource was specified in an inappropriate place in a statement.

**Action:** Make sure the name is correct or remove it.

**ORA-29556: object type has changed**

**Cause:** A database object name that named a Java source, class, or resource now names an object of a different type.

**Action:** No action required.

---

**ORA-29557: Java system class *string* cannot be modified**

**Cause:** A command was attempted that would have modified a Java system class.

**Action:** No action required.

**ORA-29558: JAccelerator (NCOMP) not installed. Refer to Install Guide for instructions.**

**Cause:** JAccelerator (NCOMP) is not installed.

**Action:** Please refer to the Post-installation Tasks section in the Database Install Guide for instructions on how to install JAccelerator (NCOMP).

**ORA-29561: Java VM JIT not supported on this platform.**

**Cause:** Java VM JIT is not supported on this platform.

**Action:** No action required.

**ORA-29655: USING clause is incompatible with its supertype**

**Cause:** The USING clause of a type has to be the same as its supertype or compatible with it.

**Action:** Make sure the USING clause is compatible with its supertype.

**ORA-29656: Invalid option for USING**

**Cause:** The class has to implement the required interface for the value of the option for USING.

**Action:** Make sure the USING clause is supported.

**ORA-29657: class defined in EXTERNAL NAME clause is used in another subtype**

**Cause:** The supertype has an existing type that has the same value for the EXTERNAL NAME.

**Action:** Make sure the EXTERNAL NAME clause is unique among subtypes.

**ORA-29658: EXTERNAL NAME clause is not compatible with its supertype**

**Cause:** The EXTERNAL NAME clause of the type is not a subclass of the supertype EXTERNAL NAME.

**Action:** Make sure the EXTERNAL NAME clause of the type is a subclass of the EXTERNAL NAME of its supertype.

**ORA-29659: SQLJ Object Type validation failed to get default connection**

**Cause:** Unable to connect using the JDBC default connection.

**Action:** No action required.

**ORA-29660: Unable to find the class defined in the EXTERNAL NAME clause**

**Cause:** The class is not loaded in the database.

**Action:** Make sure the EXTERNAL NAME corresponds to a loaded class in the the database.

**ORA-29661: Unable to find the superclass of the defined in the EXTERNAL NAME**

**Cause:** The class is not loaded in the database.

**Action:** Make sure the superclass of the EXTERNAL NAME is loaded in the the database.

**ORA-29662: Unable to find a field that matches one or more of the attributes**

**Cause:** The EXTERNAL NAME option of one or more attributes do not match any fields in the defined class.

---

**Action:** Make sure the EXTERNAL NAME option of each attribute matches a field in the defined in the defined class.

**ORA-29663: Unable to find a method that matches one or more of the functions**

**Cause:** The EXTERNAL NAME option of one or more functions do not match any method in the defined class.

**Action:** Make sure the EXTERNAL NAME option of each function matches a method in the defined in the defined class.

**ORA-29664: Unable to generate the helper class for the defined type**

**Cause:** The helper class used for supporting SQLJ Object Type is not generated.

**Action:** No Action is required.

**ORA-29665: Java thread deadlock detected**

**Cause:** The Java VM has detected a thread deadlock.

**Action:** Modify the Java program to avoid the deadlock condition.

**ORA-29701: unable to connect to Cluster Manager**

**Cause:** Connect to CM failed or timed out.

**Action:** Verify that the CM was started. If the CM was not started, start it and then retry the database startup. If the CM died or is not responding, check the Oracle and CM trace files for errors.

**ORA-29702: error occurred in Cluster Group Service operation**

**Cause:** An unexpected error occurred while performing a CGS operation.

**Action:** Verify that the LMON process is still active. Also, check the Oracle LMON trace files for errors.

**ORA-29703: error occurred in global enqueue service operation**

**Cause:** An unexpected error occurred while performing a global enqueue service operation.

**Action:** Check oracle trace files for errors.

**ORA-29704: cannot specify ACTIVE\_INSTANCE\_COUNT in 8.1.5 or earlier release**

**Cause:** The ACTIVE\_INSTANCE\_COUNT parameter was specified when one of the instances in the cluster was running Oracle 8.1.5 or an earlier release.

**Action:** Restart the instance without specifying the ACTIVE\_INSTANCE\_COUNT parameter. Or, upgrade all instances to Oracle 8.1.6 or later release and then specify the parameter.

**ORA-29705: ACTIVE\_INSTANCE\_COUNT is *string* which is incompatible with the value in other instances**

**Cause:** The value of the ACTIVE\_INSTANCE\_COUNT parameter must be the same in all Oracle cluster database instances.

**Action:** Check your initialization parameter files in all instances and ensure that the ACTIVE\_INSTANCE\_COUNT parameter has the same value. Then restart the instance.

**ORA-29706: incorrect value *string* for parameter ACTIVE\_INSTANCE\_COUNT**

**Cause:** The ACTIVE\_INSTANCE\_COUNT parameter must be set to 1 in a two node cluster database configuration or unspecified if a secondary instance is not needed.

---

**Action:** Check your initialization parameter files and correct the value of the ACTIVE\_INSTANCE\_COUNT parameter. If you are configuring a two node primary/secondary cluster database, set this value to 1. Otherwise, do not specify any value for the parameter.

**ORA-29707: inconsistent value *string* for initialization parameter *string* with other instances**

**Cause:** The value of the initialization parameter in error must be identical on all Oracle cluster database instances and was not.

**Action:** Check your INIT.ORA files on all instances and ensure that the initialization parameters in error have the same value.

**ORA-29740: evicted by member *string*, group incarnation *string***

**Cause:** This member was evicted from the group by another member of the cluster database for one of several reasons, which may include a communications error in the cluster, failure to issue a heartbeat to the control file, etc.

**Action:** Check the trace files of other active instances in the cluster group for indications of errors that caused a reconfiguration.

**ORA-29741: IMR active for some, but not all members of cluster**

**Cause:** The IMR feature is not active for this instance, but is active for another instance in the cluster database.

**Action:** Ensure that all instances have the same value for the `_imr_active` init.ora parameter

**ORA-29746: Cluster Synchronization Service is being shut down.**

**Cause:** The administrator has shut down the Cluster Synchronization Service daemon. This error message is intended to be informative to users on the status of the service.

**Action:** Check the log file of the Cluster Synchronization Service daemon to verify the state of the service.

**ORA-29760: instance\_number parameter not specified**

**Cause:** The init.ora file did not contain a value for the `instance_number` which is required to identify this instance to other instances of the database running on the same cluster

**Action:** Assign a value to the `instance_number` parameter in the init.ora parameter file

**ORA-29800: invalid name for operator**

**Cause:** The name specified for the operator is incorrect.

**Action:** Specify a correct name for the operator.

**ORA-29801: missing RETURN keyword**

**Cause:** The RETURN keyword has not been specified.

**Action:** Specify the RETURN keyword or check the SQL statement.

**ORA-29802: missing CONTEXT keyword**

**Cause:** The CONTEXT keyword has not been specified.

**Action:** Specify the CONTEXT keyword or check the SQL statement.

**ORA-29803: missing ANCILLARY keyword**

**Cause:** The ANCILLARY keyword has not been specified.

---

**Action:** Specify the ANCILLARY keyword or check the SQL statement.

**ORA-29804: missing DATA keyword**

**Cause:** The DATA keyword has not been specified.

**Action:** Specify the DATA keyword or check the SQL statement.

**ORA-29805: missing COLUMN keyword**

**Cause:** Keyword COLUMN is expected .

**Action:** Either specify the COLUMN keyword or specify another option.

**ORA-29806: specified binding does not exist**

**Cause:** The operator binding which has been specified does not exist.

**Action:** Ensure that the operator binding that has been specified does exist.

**ORA-29807: specified operator does not exist**

**Cause:** The operator which has been specified does not exist.

**Action:** Ensure that the operator that has been specified does exist.

**ORA-29808: specified primary operator binding does not exist**

**Cause:** The specified binding for the primary operator does not exist.

**Action:** Ensure that the specified binding for the primary operator exists.

**ORA-29809: cannot drop an operator with dependent objects**

**Cause:** The operator which is being dropped has some dependent objects.

**Action:** Either drop the dependent objects first and then issue the DROP OPERATOR command or specify the FORCE option with DROP OPERATOR.

**ORA-29810: inadequate operator privileges**

**Cause:** The user does not have the appropriate privileges to perform the specified operation on the operator.

**Action:** Grant the appropriate privileges to the user and then reissue the statement.

**ORA-29811: missing STATISTICS keyword**

**Cause:** This is not a valid option with the ASSOCIATE command.

**Action:** Specify STATISTICS keyword after the ASSOCIATE command.

**ORA-29812: incorrect object name specified**

**Cause:** The specified name is not a valid name.

**Action:** Specify the correct name of the object with for which an association needs to be defined.

**ORA-29813: non-supported object type with associate statement**

**Cause:** The type of object specified is not supported with the associate statistics statement.

**Action:** Use a valid object type with the associate command.

**ORA-29814: expecting USING or DEFAULT keyword**

**Cause:** Expecting the USING or DEFAULT keyword after the names of object(s).

**Action:** Provide the USING or DEFAULT keyword.

**ORA-29815: object being associated is not present**

---

**Cause:** The object for which the association is being defined is not present.

**Action:** Ensure that all the objects for which the association is being defined are present.

**ORA-29816: object being disassociated is not present**

**Cause:** Object which is being disassociated is not present.

**Action:** Ensure that the object which needs to be disassociated is present.

**ORA-29817: non-supported option with disassociate statement**

**Cause:** The type of object specified is not supported with the disassociate statistics statement.

**Action:** Use a object type which is supported with the disassociate command.

**ORA-29818: column name not properly specified**

**Cause:** Name of the column should contain the table and the column name.

**Action:** Specify a valid column name.

**ORA-29819: cannot associate default values with columns**

**Cause:** User tried to associate DEFAULT values with columns which is not a valid option .

**Action:** Specify a valid option.

**ORA-29820: the statistics type is not present**

**Cause:** The statistics type which is being associated with object(s) is not present.

**Action:** Ensure that the type which contains the statistics functions is present.

**ORA-29821: specified primary operator does not exist**

**Cause:** The specified primary operator does not exist.

**Action:** Check the primary operator and the signature specified.

**ORA-29822: selectivity cannot be specified for the type of object**

**Cause:** User tried to associate selectivity with index or indextypes which is not allowed .

**Action:** Specify a valid option.

**ORA-29823: object being analyzed is not a table**

**Cause:** The object being analyzed is not a table and is not supported

**Action:** Specify only a supported option.

**ORA-29824: operator is invalid**

**Cause:** The operator is invalid.

**Action:** Drop and recreate the operator.

**ORA-29825: invalid name for indextype**

**Cause:** Indextype name or Indextype schema name has invalid characters.

**Action:** Verify that the name has valid characters and it is not a reserved word.

**ORA-29826: keyword FOR is missing**

**Cause:** FOR keyword must be provided with Create Indextype statement.

**Action:** Use FOR keyword and provide relevant operator information.

---

**ORA-29827: keyword USING is missing**

**Cause:** USING keyword and corresponding implementation details must be provided.

**Action:** Provide USING keyword and relevant implementation details with Create Indextype statement.

**ORA-29828: invalid name for implementation type**

**Cause:** Implementation type or Implementation schema name is invalid.

**Action:** Verify that the name has valid characters and it is not a reserved word.

**ORA-29829: implementation type does not exist**

**Cause:** The implementation type specified with USING clause could not be found.

**Action:** Check to see if the type exists and the user has EXECUTE privilege on this type.

**ORA-29830: operator does not exist**

**Cause:** The operator could not be found.

**Action:** Verify that the operator exists and the user has EXECUTE privilege for this operator.

**ORA-29831: operator binding not found**

**Cause:** The specified binding for the operator is not available from the operator schema object.

**Action:** Verify that the operator with the specified binding exists.

**ORA-29832: cannot drop or replace an indextype with dependent indexes**

**Cause:** One or more indexes are dependent upon the indextype.

**Action:** Drop all the indexes which are dependent upon the indextype before dropping the indextype itself.

**ORA-29833: indextype does not exist**

**Cause:** There is no indextype by the specified name.

**Action:** Use public views for the indextypes to see if an indextype by the specified name has been created.

**ORA-29834: REF datatype not supported with operators**

**Cause:** The user specified a REF datatype which is not supported in CREATE OPERATOR.

**Action:** Reissue the CREATE OPERATOR statement without the REF datatype.

**ORA-29835: ODCIGETINTERFACES routine does not return required interface(s)**

**Cause:** The ODCIObjectList returned by the ODCIGetInterfaces routine does not contain the interface(s) required by the current usage.

**Action:** Ensure that the ODCIGetInterfaces routine returns the name(s) of the required interface(s).

**ORA-29836: failed to validate referenced operators**

**Cause:** One of the operators referenced cannot be compiled.

**Action:** Try to recompile the operators which are referenced by this indextype. Use USER\_INDEXTYPE\_OPERATORS view to find out the referenced operators.

**ORA-29837: insufficient privileges to execute implementation type**

---

**Cause:** User does not have privileges to execute the implementation type.

**Action:** The owner of the implementation type must grant appropriate privileges to the user.

**ORA-29838: insufficient privileges to execute the operator(s)**

**Cause:** User does not have privileges to execute one of the operators.

**Action:** The owner of the operators must grant appropriate privileges to the user .

**ORA-29839: failed to validate implementation type**

**Cause:** Implementation type cannot be compiled.

**Action:** Try to compile the implementation type.

**ORA-29840: indextype and implementation type are not in same schema**

**Cause:** Indextype and implementation type are in different schema.

**Action:** Put the indextype and implementation type in the same schema.

**ORA-29841: invalid option for ALTER INDEXTYPE**

**Cause:** The user specified an invalid option with the ALTER INDEXTYPE command

**Action:** Choose a valid option with the ALTER INDEXTYPE command

**ORA-29842: option not supported with the version *string* of the indextype interface**

**Cause:** User specified an option which is not supported with the version of the indextype interface provided

**Action:** User should either not request for this option or should provide an implementation type that implements the correct version of the indextype interface.

**ORA-29843: indextype should support atleast one operator**

**Cause:** User attempted to drop all the operators from the indextype

**Action:** Do not drop all the operators from the indextype

**ORA-29844: duplicate operator name specified**

**Cause:** User attempted to add an operator name to an indextype which is already supported by the indextype

**Action:** Remove the duplicate operator and retry the command

**ORA-29845: indextype does not support local domain index on *string* partitioned table**

**Cause:** User specified a create local domain index statement using an indextype that does not support local domain indexes on tables partitioned with the given method

**Action:** Use a different indextype or build a global domain index

**ORA-29846: cannot create a local domain index on a *string* partitioned table**

**Cause:** User specified a create local domain index statement on a table partitioned using a method not supported by domain indexes

**Action:** Build a global domain index on the partitioned table

**ORA-29847: cannot create a local domain index on a partitioned index-organized table**

---

**Cause:** User specified a create local domain index statement on a partitioned index-organized table

**Action:** Build a global domain index on the partitioned index-organized table

**ORA-29848: error occurred in the execution of ODCIINDEXMERGEPARTITION routine**

**Cause:** Failed to successfully execute the ODCIIndexMergePartition routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29849: error occurred in the execution of ODCIINDEXSPLITPARTITION routine**

**Cause:** Failed to successfully execute the ODCIIndexSplitPartition routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29850: invalid option for creation of domain indexes**

**Cause:** The user specified an invalid option like ASC, DESC, SORT or a parallel clause, partitioning clause or physical attributes clause.

**Action:** Choose one of the valid clauses for creation of domain indexes.

**ORA-29851: cannot build a domain index on more than one column**

**Cause:** User attempted to build a domain index on more than one column.

**Action:** Build the domain index only on a single column.

**ORA-29852: keyword IS is missing**

**Cause:** IS keyword must be specified with Create Index statement for domain indexes.

**Action:** Use IS keyword and then specify the indextype name.

**ORA-29853: keyword UNIQUE may not be used in creating domain indexes**

**Cause:** An attempt was made to create a domain index with the UNIQUE attribute.

**Action:** Remove UNIQUE from the CREATE INDEX statement.

**ORA-29854: keyword BITMAP may not be used in creating domain indexes**

**Cause:** An attempt was made to create a domain index with the BITMAP attribute.

**Action:** Remove BITMAP from the CREATE INDEX statement.

**ORA-29855: error occurred in the execution of ODCIINDEXCREATE routine**

**Cause:** Failed to successfully execute the ODCIIndexCreate routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29856: error occurred in the execution of ODCIINDEXDROP routine**

**Cause:** Failed to successfully execute the ODCIIndexDrop routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29857: domain indexes and/or secondary objects exist in the tablespace**

**Cause:** An attempt was made to drop a tablespace which contains secondary objects and/or domain indexes.

**Action:** Drop the domain indexes in his tablespace. Also, find the domain indexes which created secondary objects in this tablespace and drop them. Then try dropping the tablespace.

- 
- ORA-29858: error occurred in the execution of ODCIINDEXALTER routine**  
**Cause:** Failed to successfully execute the ODCIIndexAlter routine.  
**Action:** Check to see if the routine has been coded correctly.
- ORA-29859: error occurred in the execution of ODCIINDEXTRUNCATE routine**  
**Cause:** Failed to successfully execute the ODCIIndexTruncate routine.  
**Action:** Check to see if the routine has been coded correctly.
- ORA-29860: cannot truncate a table with domain indexes marked LOADING**  
**Cause:** The table has domain indexes defined on it that are marked LOADING.  
**Action:** Wait to see if the ongoing index DDL ends and the index state changes from LOADING state. Else ,drop the domain indexes marked as LOADING with the FORCE option.
- ORA-29861: domain index is marked LOADING/FAILED/UNUSABLE**  
**Cause:** An attempt has been made to access a domain index that is being built or is marked failed by an unsuccessful DDL or is marked unusable by a DDL operation.  
**Action:** Wait if the specified index is marked LOADING Drop the specified index if it is marked FAILED Drop or rebuild the specified index if it is marked UNUSABLE.
- ORA-29862: cannot specify FORCE option for dropping non-domain index**  
**Cause:** A DROP INDEX FORCE was issued for a non-domain index.  
**Action:** Reissue the command without the FORCE option.
- ORA-29863: warning in the execution of ODCIINDEXCREATE routine**  
**Cause:** A warning was returned from the ODCIIndexCreate routine.  
**Action:** Check to see if the routine has been coded correctly Check user specified log tables for greater detail.
- ORA-29864: analyzing domain indexes marked LOADING/FAILED not supported**  
**Cause:** Tried to analyze a domain index which was marked as LOADING or FAILED.  
**Action:** If the index was marked LOADING, wait till it is marked valid before retrying the analyze. If index was marked FAILED, drop it OR rebuild it and retry the analyze.
- ORA-29865: indextype is invalid**  
**Cause:** The indextype is invalid.  
**Action:** Drop and recreate the indextype.
- ORA-29866: cannot create domain index on a column of index-organized table**  
**Cause:** Tried to create a domain index on a column of an index-organized table.  
**Action:** Do not attempt to create a domain index on columns of an index-organized table.
- ORA-29867: cannot create a domain index on a LONG column**  
**Cause:** The user attempted to create a domain index on a column of LONG datatype.  
**Action:** Do not create a domain index on a LONG column.

---

**ORA-29868: cannot issue DDL on a domain index marked as LOADING**

**Cause:** Tried to issue a DROP/ALTER/TRUNCATE on a domain index in a LOADING state.

**Action:** Wait till the index operation completes OR issue a DROP INDEX FORCE to drop the index.

**ORA-29869: cannot issue ALTER without REBUILD on a domain index marked FAILED**

**Cause:** Tried to issue a DROP/ALTER on a domain index in a FAILED state.

**Action:** Truncate the table to mark the index as valid OR do ALTER INDEX REBUILD to rebuild the index.

**ORA-29870: specified options are only valid for altering a domain index**

**Cause:** Specified the ONLINE or PARAMETERS clause with a non-domain index.

**Action:** Reissue the statement with the correct syntax for alter.

**ORA-29871: invalid alter option for a domain index**

**Cause:** The user specified an invalid option for altering a domain index.

**Action:** Reissue the alter statement with a valid option.

**ORA-29872: parameters clause cannot be combined with the specified options**

**Cause:** The user combined PARAMETERS clause with other alter index options.

**Action:** Reissue the statement with the correct syntax for alter.

**ORA-29873: warning in the execution of ODCIINDEXDROP routine**

**Cause:** A warning was returned from the ODCIIndexDrop routine.

**Action:** Check to see if the routine has been coded correctly Check the user defined warning log tables for greater details.

**ORA-29874: warning in the execution of ODCIINDEXALTER routine**

**Cause:** A warning was returned from the ODCIIndexAlter routine.

**Action:** Check to see if the routine has been coded correctly Check the user defined warning log tables for greater details.

**ORA-29875: failed in the execution of the ODCIINDEXINSERT routine**

**Cause:** Failed to successfully execute the ODCIIndexInsert routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29876: failed in the execution of the ODCIINDEXDELETE routine**

**Cause:** Failed to successfully execute the ODCIIndexDelete routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29877: failed in the execution of the ODCIINDEXUPDATE routine**

**Cause:** Failed to successfully execute the ODCIIndexUpdate routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29878: warning in the execution of ODCIINDEXTRUNCATE routine**

**Cause:** A warning was returned from the ODCIIndexTruncate routine.

**Action:** Check to see if the routine has been coded correctly Check the user defined warning log tables for greater details.

---

**ORA-29879: cannot create multiple domain indexes on a column list using same indextype**

**Cause:** An attempt was made to define multiple domain indexes on the same column list using identical indextypes.

**Action:** Check to see if a different indextype can be used or if the index can be defined on another column list.

**ORA-29880: such column list already indexed using another domain index and indextype**

**Cause:** An attempt was made to create multiple domain indexes on a column list using indextypes which do not have disjoint operators.

**Action:** Check to see if the operator sets for the indextypes can be made disjoint.

**ORA-29881: failed to validate indextype**

**Cause:** Indextype cannot be compiled.

**Action:** Try to compile the indextype which is referenced by the domain index.

**ORA-29882: insufficient privileges to execute indextype**

**Cause:** User does not have privileges to execute the indextype.

**Action:** The owner of the indextype must grant appropriate privileges to the user.

**ORA-29883: cannot create a domain index on column expressions**

**Cause:** User specified an expression in the column list.

**Action:** Specify only simple columns in the column list for domain index.

**ORA-29884: domain index is defined on the column to be dropped**

**Cause:** An ALTER TABLE DROP COLUMN was issued on a column on which a domain index exists.

**Action:** Drop the domain index before attempting to drop the column.

**ORA-29885: domain index is defined on the column to be modified**

**Cause:** An ALTER TABLE MODIFY COLUMN was issued on a column on which a domain index exists.

**Action:** Drop the domain index before attempting to modify the column.

**ORA-29886: feature not supported for domain indexes**

**Cause:** Feature is not supported for domain indexes.

**Action:** No action required.

**ORA-29887: cannot support row movement if domain index defined on table**

**Cause:** An ALTER TABLE ENABLE ROW MOVEMENT was issued on a table which has a domain index defined on it.

**Action:** Drop the domain index if you want to enable row movement and then reissue the command.

**ORA-29888: cannot create domain index on a table with row movement enabled**

**Cause:** A create domain index statement was issued on a table that has row movement enabled.

**Action:** Disable the row movement in the table and then reissue the create domain index statement. NLS\_DO\_NOT\_TRANSLATE[29889,29889]

**ORA-29890: specified primary operator does not have an index context**

---

**Cause:** The primary operator does not have an index and scan contexts.

**Action:** Create the primary operator with a context clause. NLS\_DO\_NOT\_TRANSLATE[29891,29891]

**ORA-29892: indextypes with array DML do not support the given data type**

**Cause:** The user specified a REF or a LONG datatype which is not supported in CREATE/ALTER INDEXTYPE WITH ARRAY DML (DATA\_TYPE, VARRAY\_TYPE).

**Action:** Reissue the CREATE/ALTER INDEXTYPE statement without the REF or LONG datatype.

**ORA-29893: indextypes without column data do not need the given data type**

**Cause:** WITH ARRAY DML (DATA\_TYPE, VARRAY\_TYPE) option and WITHOUT COLUMN DATA option conflicted in an alter indextype statement

**Action:** Reissue the ALTER INDEXTYPE statement without the conflict.

**ORA-29894: base or varray datatype does not exist**

**Cause:** One of the base and varray datatypes specified in WITH ARRAY DML (DATA\_TYPE, VARRAY\_TYPE) clause could not be found.

**Action:** Check to see if the datatype exists and the user has EXECUTE privilege on this datatype.

**ORA-29895: duplicate base datatype specified**

**Cause:** User attempted to add a base datatype to an indextype with ARRAY DML which is already supported by the indextype

**Action:** Remove the duplicate base datatype and retry the command

**ORA-29896: Length of PARAMETER string longer than *string* characters**

**Cause:** An attempt was made to specify a parameter value that is longer than the allowed maximum.

**Action:** Reduce the parameter value length.

**ORA-29900: operator binding does not exist**

**Cause:** There is no binding for the current usage of the operator.

**Action:** Change the operator arguments to match any of the existing bindings or add a new binding to the operator.

**ORA-29901: function underlying operator binding does not exist**

**Cause:** The function underlying the operator binding does not exist.

**Action:** Ensure that the function corresponding to the operator invocation exists.

**ORA-29902: error in executing ODCIIndexStart() routine**

**Cause:** The execution of ODCIIndexStart routine caused an error.

**Action:** Examine the error messages produced by the indextype code and take appropriate action.

**ORA-29903: error in executing ODCIIndexFetch() routine**

**Cause:** The execution of ODCIIndexFetch routine caused an error.

**Action:** Examine the error messages produced by the indextype code and take appropriate action.

**ORA-29904: error in executing ODCIIndexClose() routine**

---

**Cause:** The execution of ODCIIndexClose routine caused an error.

**Action:** Examine the error messages produced by the indextype code and take appropriate action.

**ORA-29905: method *string* does not exist in type *string.string***

**Cause:** A required method with the required signature does not exist in the specified type.

**Action:** Add the required method to the type.

**ORA-29906: indextype *string.string* does not exist**

**Cause:** The indextype does not exist.

**Action:** Create the indextype.

**ORA-29907: found duplicate labels in primary invocations**

**Cause:** There are multiple primary invocations of operators with the same number as the label.

**Action:** Use distinct labels in primary invocations.

**ORA-29908: missing primary invocation for ancillary operator**

**Cause:** The primary invocation corresponding to an ancillary operator is missing.

**Action:** Add the primary invocation with the same label as the ancillary operator.

**ORA-29909: label for the ancillary operator is not a literal number**

**Cause:** The label used for invoking the ancillary operator is not a literal number.

**Action:** Use a literal number as the label.

**ORA-29910: invalid callback operation**

**Cause:** Encountered an invalid callback operation.

**Action:** Ensure that all the callbacks executed from callouts are valid in the statement context.

**ORA-29911: null scan context returned by ODCIIndexStart() routine**

**Cause:** The ODCIIndexStart() routine returned a null scan context

**Action:** Ensure that the ODCIIndexStart() routine returns a non-null scan context.

**ORA-29913: error in executing *string* callout**

**Cause:** The execution of the specified callout caused an error.

**Action:** Examine the error messages take appropriate action.

**ORA-29914: ODCIGETINTERFACES routine does not return required stream version**

**Cause:** The ODCIObjectList returned by the ODCIGetInterfaces routine does not contain the required stream version for external tables.

**Action:** Ensure that the ODCIGetInterfaces routine returns the required stream version.

**ORA-29915: cannot select FOR UPDATE from collection operand**

**Cause:** Collection operands cannot be updated

**Action:** Remove FOR UPDATE clause

**ORA-29917: cannot lock a table which gets its rows from a collection operand**

**Cause:** Tables which gets its rows from a collection operand cannot be locked

---

**Action:** Don't lock the table

**ORA-29918: cannot create domain indexes on temporary tables**

**Cause:** An attempt was made to create a domain index on a temporary table

**Action:** Either create another type of index on the temporary table or change the table from temporary to a permanent table

**ORA-29919: failed in the execution of the ODCIINDEXUPDPARTMETADATA routine**

**Cause:** Failed to successfully execute the ODCIINDEXUPDPARTMETADATA routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29920: failed in the partition maintenance operation of secondary table**

**Cause:** Failed to successfully execute the partition maintenance operation of a secondary table in system managed domain index.

**Action:** Check to see if the partition of a secondary table exists.

**ORA-29925: cannot execute *string***

**Cause:** The specified function does not exist or does not have an appropriate signature.

**Action:** Implement the function with the appropriate signature.

**ORA-29926: association already defined for the object**

**Cause:** The object for which the association is being defined, already has a statistics type associated with it.

**Action:** Disassociate the object and then associate the object.

**ORA-29927: error in executing the ODCIStatsCollect / ODCIStatsDelete routine**

**Cause:** The ODCIStatsCollect / ODCIStatsDelete function is causing an error.

**Action:** Check the ODCIStatsCollect / ODCIStatsDelete function.

**ORA-29928: duplicate default selectivity specified**

**Cause:** The keyword DEFAULT SELECTIVITY can only be specified once.

**Action:** Remove the duplicate keyword.

**ORA-29929: missing SCAN Keyword**

**Cause:** The scan context is not specified.

**Action:** Supply the SCAN keyword.

**ORA-29930: COMPUTE ANCILLARY DATA specified without the INDEX CONTEXT clause**

**Cause:** The COMPUTE ANCILLARY DATA option was specified without the WITH INDEX CONTEXT clause.

**Action:** Specify the WITH INDEX CONTEXT option.

**ORA-29931: specified association does not exist**

**Cause:** One or more of the object(s) that have been specified to be disassociated, do not have an association defined for them.

**Action:** Verify the objects which have an association defined and issue the disassociate command again.

---

**ORA-29932: the type being dropped is a statistics type**

**Cause:** Some objects have defined their statistics methods in the type being dropped.

**Action:** First drop the relevant associations using the DISASSOCIATE command and then retry the DROP command, or use the FORCE option with DROP TYPE command.

**ORA-29933: object being disassociated has some user defined statistics stored**

**Cause:** There are some user defined statistics collected for the object being disassociated.

**Action:** First delete the user defined statistics and then reissue the DISASSOCIATE command or specify the FORCE option with DISASSOCIATE.

**ORA-29934: index specified for association is not a domain index**

**Cause:** The user issued an ASSOCIATE STATISTICS command with an index which is not a domain index.

**Action:** Issue an ASSOCIATE STATISTICS WITH INDEXES command on a domain index only

**ORA-29935: missing FROM keyword**

**Cause:** The keyword FROM is missing.

**Action:** Specify the FROM keyword or check the SQL statement.

**ORA-29936: NULL association is allowed only with a column or an index**

**Cause:** User tried to use the ASSOCIATE command with a schema object other than a column or an index

**Action:** Specify the NULL clause only with a column or an index

**ORA-29937: domain index cannot be system-managed**

**Cause:** An ASSOCIATE STATISTICS command was issued with a domain index which is system-managed.

**Action:** Check to see if the domain index has been implemented with system-managed storage tables. To associate statistics with a system-managed domain index, issue ASSOCIATE STATISTICS command with the indextype of this domain index.

**ORA-29938: both indextype and statistics type should be system-managed**

**Cause:** Either an ASSOCIATE STATISTICS WITH SYSTEM MANAGED STORAGE TABLES command was issued with an indextype which is not system-managed, or an ASSOCIATE STATISTICS command was issued with an indextype which is system-managed.

**Action:** Check to see if both indextype and statistics type are implemented with system-managed storage tables.

**ORA-29939: could not implicitly transform user-managed domain index to system-managed domain index**

**Cause:** Implicit validation of a user-managed domain index with a system-managed indextype failed.

**Action:** Issue an ALTER INDEX COMPILE command on the domain index.

**ORA-29950: warning in the execution of ODCIINDEXMERGEPARTITION routine**

**Cause:** A warning was returned from the ODCIIndexMergePartition routine.

---

**Action:** Check to see if the routine has been coded correctly Check user specified log tables for greater detail.

**ORA-29951: warning in the execution of ODCIINDEXSPLITPARTITION routine**

**Cause:** A warning was returned from the ODCIIndexSplitPartition routine.

**Action:** Check to see if the routine has been coded correctly Check user specified log tables for greater detail.

**ORA-29952: cannot issue DDL on a domain index partition marked as LOADING**

**Cause:** Tried to issue a DROP/ALTER/TRUNCATE on a domain index partition in a LOADING state.

**Action:** Wait till the index partition operation completes OR issue a DROP INDEX FORCE to drop the index OR issue a ALTER TABLE DROP PARTITION to drop the partition.

**ORA-29953: cannot issue DDL on a domain index partition marked as FAILED**

**Cause:** Tried to issue a DROP/ALTER on a domain index partition in a FAILED state.

**Action:** do ALTER INDEX REBUILD PARTITION to rebuild the index partition OR ALTER TABLE TRUNCATE PARTITION to mark the index partition as valid.

**ORA-29954: domain index partition is marked LOADING/FAILED/UNUSABLE**

**Cause:** An attempt has been made to access a domain index that is being built or is marked failed by an unsuccessful DDL or is marked unusable by a DDL operation.

**Action:** Wait if the specified index partition is marked LOADING Rebuild the specified index partition if it is marked FAILED or UNUSABLE.

**ORA-29955: error occurred in the execution of ODCIINDEXEXCHANGEPARTITION routine**

**Cause:** Failed to successfully execute the ODCIIndexExchangePartition routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29956: warning in the execution of ODCIINDEXEXCHANGEPARTITION routine**

**Cause:** A warning was returned from the ODCIIndexExchangePartition routine.

**Action:** Check to see if the routine has been coded correctly Check user specified log tables for greater detail.

**ORA-29957: cannot create a function-based domain index on a *string* table**

**Cause:** User specified an unsupported create function-based domain index statement.

**Action:** Issue the create function-based domain index statement only on supported types of tables.

**ORA-29958: fatal error occurred in the execution of ODCIINDEXCREATE routine**

**Cause:** Failed to successfully execute the ODCIIndexCreate routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29959: error in the execution of the *string* routine for one or more of the index partitions**

**Cause:** An error occurred during execution of the routine for one or more of the index partitions

---

**Action:** Check the \*\_IND\_PARTITIONS view to see which partitions are marked FAILED. Rebuild or Truncate the FAILED index partitions

**ORA-29960: line *string*, *string***

**Cause:** The ODCIIndex DDL routine has put a warning message into table SYS.ODCI\_WARNINGS\$

**Action:** Check the warning message

**ORA-29961: too many warnings occurred in the execution of ODCIIndex DDL routine**

**Cause:** The number of warnings during the ODCIIndex DDL routine is too high.

**Action:** Query table SYS.ODCI\_WARNINGS\$ to get more warning messages

**ORA-29962: fatal error occurred in the execution of ODCIINDEXALTER routine**

**Cause:** Failed to successfully execute the ODCIIndexAlter routine.

**Action:** Check to see if the routine has been coded correctly.

**ORA-29963: missing BINDING keyword**

**Cause:** Keyword BINDING is expected .

**Action:** Specify the BINDING keyword or check the SQL statement.

**ORA-29964: missing ADD or DROP keyword**

**Cause:** One of the keywords ADD or DROP is expected.

**Action:** Specify the ADD or DROP keyword or check the SQL statement.

**ORA-29965: The specified binding does not exist**

**Cause:** The binding specified in the DROP BINDING clause is not a valid binding for this operator.

**Action:** Specify an existing binding for this op in DROP BINDING clause.

**ORA-29966: The only binding of an operator cannot be dropped**

**Cause:** This operator only has one binding. It cannot be dropped using Alter Operator Drop Binding.

**Action:** If you wish to drop the entire operator, call Drop Operator.

**ORA-29967: Cannot drop an operator binding with dependent objects**

**Cause:** The operator binding that is being dropped has dependent objects.

**Action:** Either drop the dependent objects first and then issue the ALTER OPERATOR DROP BINDING command or specify the FORCE option with ALTER OPERATOR DROP BINDING.

**ORA-29968: No primary operator bindings found for ancillary binding #*string***

**Cause:** At least one ancillary binding of the specified operator could not be validated because all of its associated primary operator bindings have been dropped.

**Action:** Either drop the ancillary binding whose primary operators are missing, or drop the entire operator, if this is the only binding. This binding cannot be re-validated.

**ORA-29970: Specified registration id does not exist**

**Cause:** An incorrect regid value was passed to dbms\_chnf procedure.

**Action:** pass the correct regid value.

---

**ORA-29971: Specified table name not found or does not have any registrations**

**Cause:** The database could not locate the passed in table name

**Action:** Check the table name passed in.

**ORA-29972: user does not have privilege to change/ create registration**

**Cause:** User passed in an incorrect or someone else's regid/ handle.

**Action:** Check the passed in regid/ reg handle

**ORA-29973: Unsupported query or operation during change notification registration**

**Cause:** The user attempted to register an unsupported query type or an unsupported operation like a DML/DDI for change notification.

**Action:** Please check the statement being executed and refer to the documentation.

**ORA-29975: Cannot register a query in the middle of an active transaction**

**Cause:** User tried to register a query within an uncommitted transaction.

**Action:** Commit the transaction and retry.

**ORA-29976: Unsupported query for registration in guaranteed mode**

**Cause:** An operator or expression in the query was incompatible with query registration in the guaranteed granularity mode.

**Action:** Check all expressions, clauses and operators in the query and refer to the documentation for supported query types. The application can reattempt the query registration in best effort mode.

**ORA-29977: Unsupported column type for query registration in guaranteed mode**

**Cause:** An attempt was made to register a query with an unsupported column type or too many columns.

**Action:** Examine all column datatypes in the expression and refer to the documentation for supported query types. The application can reattempt the query registration in best effort mode.

**ORA-29979: Query registration not supported at current compatible setting**

**Cause:** An attempt was made to register a query with the database compatible setting lower than 11.

**Action:** Increase the database compatible setting to 11.0.0.0

**ORA-29981: Cannot register query: conflicting DDL in progress**

**Cause:** A query registration was attempted while there was a concurrent DDL in progress.

**Action:** Retry the query registration.

**ORA-29982: Table type not supported for query registration in guaranteed mode**

**Cause:** The user attempted to register a query involving an unsupported table type.

**Action:** Examine all tables in the query registration and refer to the documentation for supported table types. The application can reattempt registration in best effort mode.

**ORA-29983: Unsupported query for Continuous Query Notification**

**Cause:** The query cannot be registered for Continuous Query Notification.

---

**Action:** The query has some constructs that make it incompatible with Continuous Query Notification like synonyms or views. Please check the documentation for complete list.

**ORA-30000: missing either trim specification or char expression in TRIM**

**Cause:** Since FROM is specified in TRIM function, either trim specification (TRAILING, LEADING, BOTH) or trim character or both must be specified.

**Action:** Add either trim specification (TRAILING, LEADING, BOTH) or trim character or both.

**ORA-30001: trim set should have only one character**

**Cause:** Trim set contains more or less than 1 character. This is not allowed in TRIM function.

**Action:** Change trim set to have only 1 character.

**ORA-30002: SYS\_CONNECT\_BY\_PATH function is not allowed here**

**Cause:** SYS\_CONNECT\_BY\_PATH function is called at places other than select list.

**Action:** Remove calls to SYS\_CONNECT\_BY\_PATH function at places other than select list.

**ORA-30005: missing or invalid WAIT interval**

**Cause:** A non-zero integer must be specified for wait interval (in seconds) after the WAIT keyword.

**Action:** Correct the syntax and retry.

**ORA-30006: resource busy; acquire with WAIT timeout expired**

**Cause:** The requested resource is busy.

**Action:** Retry the operation later.

**ORA-30007: CONNECT BY ROOT operator is not supported in the START WITH or in the CONNECT BY condition**

**Cause:** An attempt was made to use CONNECT BY ROOT operator in the START WITH or in the CONNECT BY condition.

**Action:** Remove CONNECT BY ROOT operator from the START WITH or from the CONNECT BY condition.

**ORA-30011: Error simulated: psite=*string*, ptype=*string***

**Cause:** error generated for testing purposes.

**Action:** None

**ORA-30012: undo tablespace "*string*" does not exist or of wrong type**

**Cause:** the specified undo tablespace does not exist or of the wrong type.

**Action:** Correct the tablespace name and reissue the statement.

**ORA-30013: undo tablespace "*string*" is currently in use**

**Cause:** the specified undo tablespace is currently used by another instance.

**Action:** Wait for the undo tablespace to become available or change to another name and reissue the statement.

**ORA-30014: operation only supported in Automatic Undo Management mode**

**Cause:** the operation is only supported in automatic undo mode.

---

**Action:** restart instance in Automatic Undo Management mode before retrying operation.

**ORA-30015: previously offlined undo tablespace "*string*" is still pending**

**Cause:** the current operation is not allowed because an undo tablespace containing active transactions is pending from a previous SWITCH UNDO operation. The operation will be allowed again after all transactions in the previous undo tablespace are committed.

**Action:** Wait for all previous transactions to commit before reissuing the current statement.

**ORA-30016: undo tablespace "*string*" is already in use by this instance**

**Cause:** the specified undo tablespace is currently used by this instance. The operation failed.

**Action:** If the specified undo tablespace name is wrong, reissue the statement with the correct name.

**ORA-30017: segment "*string*" is not supported in *string* Undo Management mode**

**Cause:** the type of the specified undo segment is incompatible with the current undo management mode of the instance.

**Action:** Check the undo segment name and the undo management mode and reissue statement if necessary.

**ORA-30018: Create Rollback Segment failed, USN *string* is out of range**

**Cause:** the system runs out of undo segment number. Too many undo segments exist.

**Action:** drop some of the unused undo segments and retry operation.

**ORA-30019: Illegal rollback Segment operation in Automatic Undo mode**

**Cause:** This operation only allowed in Manual Undo mode.

**Action:** restart instance in Manual Undo\_Management mode and retry operation.

**ORA-30021: Operation not allowed on undo tablespace**

**Cause:** This operation is not allowed on undo tablespaces

**Action:** Check the tablespace name and reissue command if necessary

**ORA-30022: Cannot create segments in undo tablespace**

**Cause:** Cannot create segments in undo tablespace

**Action:** Check the tablespace name and reissue command

**ORA-30023: Duplicate undo tablespace specification**

**Cause:** Cannot create more than one undo tablespace during database creation

**Action:** Modify the command to contain only one undo tablespace

**ORA-30024: Invalid specification for CREATE UNDO TABLESPACE**

**Cause:** You have specified an clause that should not used with CREATE UNDO TABLESPACE

**Action:** Drop the clause from the command and reissue it.

**ORA-30025: DROP segment "*string*" (in undo tablespace) not allowed**

**Cause:** Explicit DROP operation is not allowed on undo tablespace segments

**Action:** Check the undo segment name and reissue statement if necessary.

---

**ORA-30026: Undo tablespace "*string*" has unexpired undo with *string*(sec) left, Undo\_Retention=*string*(sec)**

**Cause:** Tried to drop a tablespace that contains unexpired undo information

**Action:** lower setting of UNDO\_RETENTION or wait a while before reissue command to drop undo tablespace

**ORA-30027: Undo quota violation - failed to get *string* (bytes)**

**Cause:** the amount of undo assigned to the consumer group of this session has been exceeded.

**Action:** ask DBA to increase undo quota, or wait until other transactions to commit before proceeding.

**ORA-30029: no active undo tablespace assigned to instance**

**Cause:** the current instance does not have an active undo tablespace assigned to execute transactions.

**Action:** ask DBA to create an undo tablespace, online the undo tablespace and then retry operation.

**ORA-30031: the suspended (resumable) statement has been aborted**

**Cause:** DBA or the user aborted the execution of the suspended statement in the resumable session

**Action:** None

**ORA-30032: the suspended (resumable) statement has timed out**

**Cause:** A correctible error was signaled in the resumable session and the error was not cleared within the timeout interval.

**Action:** Fix the correctible error within the timeout. Default is 2 hours. Or increase the (resumable) timeout.

**ORA-30033: Undo tablespace cannot be specified as default user tablespace**

**Cause:** It is incorrect to specify undo tablespace as default user tablespace

**Action:** Check the tablespace name and reissue the command

**ORA-30034: Undo tablespace cannot be specified as temporary tablespace**

**Cause:** Undo tablespace cannot be specified as default temporary tablespace for the user

**Action:** Check the tablespace name and reissue the command

**ORA-30035: Undo tablespace cannot be specified as default temporary tablespace**

**Cause:** Undo tablespace cannot be specified as default temporary tablespace for the database

**Action:** Check the tablespace name and reissue the command

**ORA-30036: unable to extend segment by *string* in undo tablespace "*string*"**

**Cause:** the specified undo tablespace has no more space available.

**Action:** Add more space to the undo tablespace before retrying the operation. An alternative is to wait until active transactions to commit.

**ORA-30037: Cannot perform parallel DML after a prior DML on the object**

**Cause:** Attempt to perform parallel DML after another DML on the same object in the same transaction.

---

**Action:** Use bitmap segments to perform multiple (parallel) DML operations on the same object. Or commit before issuing the DML

**ORA-30038: Cannot perform parallel insert on non-partitioned object**

**Cause:** Attempt to perform parallel insert on a non-partitioned object after a previous DML on the object in the same transaction.

**Action:** Commit before issuing the insert.

**ORA-30039: Cannot drop the undo tablespace**

**Cause:** Cannot drop an undo tablespace that is in use

**Action:** Switch to a different undo tablespace and then try to drop

**ORA-30040: Undo tablespace is offline**

**Cause:** Cannot operate on an offlined undo tablespace

**Action:** Online the undo tablespace and redo the operation

**ORA-30041: Cannot grant quota on the tablespace**

**Cause:** User tried to grant quota on an undo or temporary tablespace

**Action:** Check the tablespace name and reissue the command

**ORA-30042: Cannot offline the undo tablespace**

**Cause:** Cannot offline an undo tablespace that is in use

**Action:** Switch to a different undo tablespace and then try to offline

**ORA-30043: Invalid value "string" specified for parameter "Undo\_Management"**

**Cause:** the specified undo management mode is invalid

**Action:** Correct the parameter value in the initialization file and retry the operation.

**ORA-30044: "Retention" can only specified for undo tablespace**

**Cause:** An attempt was made to specify retention for a non-undo tablespace.

**Action:** Modify the CREATE TABLESPACE statement.

**ORA-30045: No undo tablespace name specified**

**Cause:** If Create Database has the datafile clause, then undo tablespace name has to be specified, unless using OMF.

**Action:** Specify the undo tablespace name.

**ORA-30046: Undo tablespace *string* not found in control file.**

**Cause:** The specified undo tablespace is not present in the control file.

**Action:** Modify the CREATE CONTROLFILE statement that created the current control file to include undo tablespace(s) and reissue the statement.

**ORA-30051: VERSIONS clause not allowed here**

**Cause:** A VERSIONS clause was specified when it was not allowed.

**Action:** Do not use the VERSIONS clause

**ORA-30052: invalid lower limit snapshot expression**

**Cause:** The lower limit snapshot expression was below the UNDO\_RETENTION limit.

**Action:** Specify a valid lower limit snapshot expression.

---

**ORA-30053: invalid upper limit snapshot expression**

**Cause:** The upper limit snapshot expression is greater than the SQL statement read snapshot.

**Action:** Specify a valid upper limit snapshot expression.

**ORA-30054: invalid upper limit snapshot expression**

**Cause:** The upper limit snapshot expression is less than the lower limit snapshot expression.

**Action:** Specify a valid upper limit snapshot expression.

**ORA-30055: NULL snapshot expression not allowed here**

**Cause:** The snapshot expression is NULL.

**Action:** Specify a non-NULL snapshot expression.

**ORA-30071: conversion between datetime/interval and string fail**

**Cause:** An error occurs during a conversion between datetime/interval and string data type due to one of the following reasons:

- The buffer is too short to hold the result.
- The format string is bad.

**Action:** None

**ORA-30072: invalid time zone value**

**Cause:** The value specified for the time zone string, which appears in ALTER SESSION statement, environment variable ORA\_SDTZ, or a datetime factor, is not valid.

**Action:** None

**ORA-30073: invalid adjustment value**

**Cause:** The value is none of the followings: "ADJUST", "NO\_ADJUST", "ANSI\_DATE", "ADJUST\_WITH\_ANSI\_DATE". "NO\_ADJUST" is the default value.

**Action:** set it to one of the three values

**ORA-30074: GLOBAL partitioned index on TIME/TIMESTAMP WITH TIME ZONE not allowed**

**Cause:** try to GLOBAL partitioned index on TIME/TIMESTAMP WITH TIME ZONE.

**Action:** Do not GLOBAL partitioned index on TIME/TIMESTAMP WITH TIME ZONE.

**ORA-30075: TIME/TIMESTAMP WITH TIME ZONE literal must be specified in CHECK constraint**

**Cause:** User is trying to create a constraint on a time or timestamp with or without time zone column without explicitly specifying the time zone.

**Action:** Use time or timestamp with time zone literals only.

**ORA-30076: invalid extract field for extract source**

**Cause:** The extract source does not contain the specified extract field.

**Action:** None

**ORA-30077: illegal casting between specified datetime types**

**Cause:** Cannot cast between the specified datetime types.

---

**Action:** None

**ORA-30078: partition bound must be TIME/TIMESTAMP WITH TIME ZONE literals**

**Cause:** An attempt was made to use a time/timestamp expression whose format does not explicitly have time zone on a TIME/TIMESTAMP or TIME/TIMESTAMP WITH TIME ZONE column.

**Action:** Explicitly use TIME/TIMESTAMP WITH TIME ZONE literal.

**ORA-30079: cannot alter database timezone when database has TIMESTAMP WITH LOCAL TIME ZONE columns**

**Cause:** An attempt was made to alter database timezone with TIMESTAMP WITH LOCAL TIME ZONE column in the database.

**Action:** Either do not alter database timezone or first drop all the TIMESTAMP WITH LOCAL TIME ZONE columns.

**ORA-30081: invalid data type for datetime/interval arithmetic**

**Cause:** The data types of the operands are not valid for datetime/interval arithmetic.

**Action:** None

**ORA-30082: datetime/interval column to be modified must be empty to decrease fractional second or leading field precision**

**Cause:** datetime/interval column with existing data is being modified to decrease fractional second or leading field precisions.

**Action:** Such columns are only allowed to increase the precisions.

**ORA-30083: syntax error was found in interval value expression**

**Cause:** A syntax error was found during parsing an interval value value expression.

**Action:** Correct the syntax.

**ORA-30084: invalid data type for datetime primary with time zone modifier**

**Cause:** When a time zone modifier is specified, the data type of datetime primary must be one of the following: TIME, TIME WITH TIME ZONE, TIMESTAMP, TIMESTAMP WITH TIME ZONE.

**Action:** None

**ORA-30085: syntax error was found in overlaps predicate**

**Cause:** A syntax error was found during parsing an overlaps predicate.

**Action:** Correct the syntax.

**ORA-30086: interval year-month result not allowed for datetime subtraction**

**Cause:** An attempt was made to specify interval year to month as the result of datetime subtraction.

**Action:** This is not allowed currently due to unclear specification in SQL Standards for this interval type. Change the interval type to interval day to second and resubmit statement.

**ORA-30087: Adding two datetime values is not allowed**

**Cause:** An attempt was made to add two datetime values.

**Action:** This addition is not allowed.

---

**ORA-30088: datetime/interval precision is out of range**

**Cause:** The specified datetime/interval precision was not between 0 and 9.

**Action:** Use a value between 0 and 9 for datetime/interval precision.

**ORA-30089: missing or invalid <datetime field>**

**Cause:** A <datetime field> (YEAR, MONTH, DAY, HOUR, MINUTE, SECOND) is expected but not found, or a <datetime field> specified the <end field> in an <interval qualifier> is more significant than its <start field>.

**Action:** None

**ORA-30100: internal error [number]**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Worldwide Support and report the error.

**ORA-30101: unknown parameter name "string"**

**Cause:** You have misspelled the parameter name.

**Action:** Spell the parameter name correctly.

**ORA-30102: "string" is not in the legal range for "string"**

**Cause:** The value of the parameter is not within the legal range.

**Action:** Refer to the manual for the allowable values for this parameter.

**ORA-30103: "string" contains an illegal integer radix for "string"**

**Cause:** An illegal integer radix specification was found.

**Action:** Only "d", "h", "D", and "H" may be used as radix specifications.

**ORA-30104: "string" is not a legal integer for "string"**

**Cause:** The value is not a valid integer.

**Action:** Specify only valid integers for this parameter.

**ORA-30105: "string" is not a legal boolean for "string"**

**Cause:** The value is not a valid boolean.

**Action:** Refer to the manual for allowable boolean values.

**ORA-30107: parameter name abbreviation "string" is not unique**

**Cause:** The abbreviation given was not unique.

**Action:** Use a longer abbreviation to make the parameter name unique.

**ORA-30108: invalid positional parameter value "string"**

**Cause:** An invalid positional parameter value has been entered.

**Action:** Remove the invalid positional parameter.

**ORA-30109: could not open parameter file "string"**

**Cause:** The parameter file does not exist.

**Action:** Create an appropriate parameter file.

**ORA-30110: syntax error at "string"**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**ORA-30111: no closing quote for value "string"**

- 
- Cause:** A quoted string was begun but not finished.  
**Action:** Put a closing quote in the proper location.
- ORA-30112: multiple values not allowed for parameter "*string*"**  
**Cause:** You attempted to specify multiple values for a parameter which can take only one value.  
**Action:** Do not specify more than one value for this parameter.
- ORA-30113: error when processing file "*string*"**  
**Cause:** A problem occurred when processing this file.  
**Action:** Examine the additional error messages and correct the problem.
- ORA-30114: error when processing from command line**  
**Cause:** A problem occurred when processing the command line.  
**Action:** Examine the additional error messages and correct the problem.
- ORA-30115: error when processing an environment variable**  
**Cause:** A problem occurred when processing an environment variable.  
**Action:** Examine the additional error messages and correct the problem.
- ORA-30116: syntax error at "*string*" following "*string*"**  
**Cause:** A syntax error was detected.  
**Action:** Change the input so that the correct syntax is used.
- ORA-30117: syntax error at "*string*" at the start of input**  
**Cause:** A syntax error was detected.  
**Action:** Change the input so that the correct syntax is used.
- ORA-30118: syntax error at "*string*" at the end of input**  
**Cause:** A syntax error was detected.  
**Action:** Change the input so that the correct syntax is used.
- ORA-30119: unable to obtain a valid value for "*string*"**  
**Cause:** No valid value was obtained for this parameter.  
**Action:** Rerun the application and enter a valid value.
- ORA-30120: "*string*" is not a legal oracle number for "*string*"**  
**Cause:** The value is not a valid oracle number.  
**Action:** Refer to the manual for allowable oracle number values.
- ORA-30121: "*string*" is not an allowable value for "*string*"**  
**Cause:** The value is not a legal value for this parameter.  
**Action:** Refer to the manual for allowable values.
- ORA-30122: value "*string*" for "*string*" must be between "*number*" and "*number*"**  
**Cause:** The value of the parameter is not within the legal range.  
**Action:** Specify a value that is within the legal range.
- ORA-30129: invalid function argument received**  
**Cause:** A function received an invalid argument  
**Action:** Check function calls, make sure correct arguments are being passed.

---

**ORA-30130: invalid parameter key type received**

**Cause:** A function received an invalid parameter key type

**Action:** Check parameter key types in function calls

**ORA-30131: number of keys being set exceeds allocation**

**Cause:** Number of parameter keys being set exceeds allocation

**Action:** Reduce the number of keys being set or increase allocation

**ORA-30132: invalid key index supplied**

**Cause:** The key index specified was not within bounds

**Action:** Change key index to ensure it lies within bounds

**ORA-30135: OCI Thread operation fails**

**Cause:** An OCI Thread function call has failed.

**Action:** Check the function call to make sure that the correct parameters are being passed and take the appropriate action.

**ORA-30136: Drop-in compatibility is not supported for this application**

**Cause:** The current application is statically linked with defopt.o from an older release, which is incompatible with the current client shared library.

**Action:** 1) Relink the application against the new release of the client library; or 2) Relink the application against the older release of the client library without statically linking defopt.o.

**ORA-30150: Invalid argument passed to OCIFile function**

**Cause:** An invalid argument is passed to the OCIFile function. The most common cause is that a NULL pointer is passed where a non-NULL pointer is expected.

**Action:** Make sure that the values passed as arguments are valid. Esp check for NULL pointers.

**ORA-30151: File already exists**

**Cause:** Tried to open a file with OCI\_FILE\_EXCL flag and the file already exists.

**Action:** OCIFile is supposed throw this exception in this case.

**ORA-30152: File does not exist**

**Cause:** The OCIFile function requires the file to exist, but it does not.

**Action:** Make sure that the file exists.

**ORA-30153: An invalid File Object is passed to the OCIFile function**

**Cause:** An invalid File Object is passed to the OCIFile function.

**Action:** Make sure that the file object is a valid one. Create a new file object by calling OCIFileOpen if needed.

**ORA-30154: The memory address given as buffer for OCIFileRead/Write is invalid**

**Cause:** An invalid memory address is given as the buffer pointer for OCIFileRead/Write.

**Action:** Make sure that the required memory is allocated and pass a valid memory address as buffer pointer.

**ORA-30155: An I/O Error occurred during an OCIFile function call**

**Cause:** An I/O error occurred at the system level.

---

**Action:** This is a system error and the action will depend on the error.

**ORA-30156: Out of disk space**

**Cause:** The disks associated with the underlying file system are full.

**Action:** Create more disk space.

**ORA-30157: An invalid argument was given to operating system call**

**Cause:** The OS call was called with an invalid argument.

**Action:** Check the values passed. If unsuccessful to solve the problem contact ORACLE support.

**ORA-30158: The OCIFileWrite causes the file to exceed the maximum allowed size**

**Cause:** There is no space to write to the file. Its size is at the maximum limit.

**Action:** Up to the user.

**ORA-30159: OCIFileOpen: Cannot create the file or cannot open in the requested mode**

**Cause:** The create flag was specified in OCIFileOpen such that the file was to be created. But unable to do so. Or the file already exists and the permissions on it doesn't allow the file to be opened in in the requested open mode

**Action:** Check whether the user has permissions to create the specified file or if the file exists whether the permissions on it allow the requested open mode.

**ORA-30160: Unable to access the file**

**Cause:** The function was unable to access the existing the file.

**Action:** Check if the user has the required permissions on the file.

**ORA-30161: A system error occurred during the OCIFile function call**

**Cause:** A system error occurred while executing the OCIFile function.

**Action:** Depend on the error.

**ORA-30162: The OCIFile context is not initialized**

**Cause:** The function OCIFileInit need to be called before calling any other OCIFile function to initialize the OCIFile context.

**Action:** Call the function OCIFileInit need to be called before calling any other OCIFile function.

**ORA-30163: The thread safety initialization failed**

**Cause:** The call to SlgInit failed in OCIFileInit.

**Action:** Contact support

**ORA-30175: invalid type given for an argument**

**Cause:** There is an argument with an invalid type in the argument list.

**Action:** Use the correct type wrapper for the argument.

**ORA-30176: invalid format code used in the format string**

**Cause:** There is an invalid format code in the format string.

**Action:** Replace the invalid format code with a valid one.

**ORA-30177: invalid flag used in a format specification**

**Cause:** There is an invalid flag in a format specification.

**Action:** Replace the invalid flag with a valid one.

- 
- ORA-30178: duplicate flag used in a format specification**  
**Cause:** There is a duplicate flag in a format specification.  
**Action:** Remove the duplicate flag.
- ORA-30179: invalid argument index used in a format code**  
**Cause:** Zero or negative argument index or index not following (."  
**Action:** Replace the invalid argument index with a valid one.
- ORA-30180: argument index is too large**  
**Cause:** An argument index exceeds actual number of arguments supplied.  
**Action:** Fix format string or pass additional arguments.
- ORA-30181: integer in argument index is not immediately followed by )**  
**Cause:** Missing closing parenthesis in argument index.  
**Action:** Fix the format specification.
- ORA-30182: invalid precision specifier**  
**Cause:** Period in format specification not followed by valid format.  
**Action:** Replace the invalid precision specifier with a valid one.
- ORA-30183: invalid field width specifier**  
**Cause:** Invalid field width supplied.  
**Action:** Replace the invalid field width with a valid one.
- ORA-30184: argument type not compatible with a format code**  
**Cause:** Bad argument type given for a format code.  
**Action:** Make format and arguments be compatible.
- ORA-30185: output too large to fit in the buffer**  
**Cause:** The buffer is not large enough to hold the entire output string.  
**Action:** Fix the buffer size and length passed in.
- ORA-30186: "\"" must be followed by four hexadecimal characters or another "\""**  
**Cause:** In the argument of SQL function UNISTR, a "" must be followed by four hexadecimal characters or another ""  
**Action:** Fix the string format
- ORA-30191: missing argument list**  
**Cause:** No argument list supplied.  
**Action:** Modify the argument list to have at least OCIFormatEnd in it.
- ORA-30200: Wrong NLS item was passed into OCINlsGetInfo()**  
**Cause:** The item is not supported NLS item  
**Action:** Correct the item number passed to OCINlsGetInfo().
- ORA-30201: Unable to load NLS data object**  
**Cause:** It may be caused by invalid NLS environment setting  
**Action:** Check your NLS environment setting such as ORA\_NLS33
- ORA-30202: NULL pointer to OCIMsg was passed to OCIMsg function**  
**Cause:** The NULL pointer was passed.

---

**Action:** Check your value of OCIMsg pointer.

**ORA-30203: Cannot open message file**

**Cause:** The message may not exist in your system.

**Action:** Check your message for the given product and facility.

**ORA-30204: buffer is not large enough**

**Cause:** The destination buffer is not large enough for storing converted data.

**Action:** Check the size of the destination buffer.

**ORA-30205: invalid Character set**

**Cause:** The specified character set is invalid.

**Action:** Check if the character set ID is valid.

**ORA-30331: summary does not exist**

**Cause:** A non-existent summary name was specified.

**Action:** Check the spelling of the summary name.

**ORA-30332: container table already in use by other summary**

**Cause:** Another summary is already using this table as a container table.

**Action:** Select another table or materialized view as the container table for this summary.

**ORA-30333: dimension does not exist**

**Cause:** The dimension named in a dimension DDL statement does not exist.

**Action:** Check the spelling of the dimension name.

**ORA-30334: illegal dimension level name**

**Cause:** A level name in a dimension ddl statement did not conform to SQL identifier rules.

**Action:** Use a level name that begins with a letter, consists of only letters, digits, and underscores and contains no more than 30 characters.

**ORA-30335: JOIN KEY clause references a level not in this hierarchy**

**Cause:** The level name specified with the REFERENCES portion of a JOIN KEY clause in a dimension DDL statement does not reference a level in the hierarchy that contains the JOIN KEY clause. \*Action: Check the spelling of the level name.

**Action:** None

**ORA-30336: no child for specified JOIN KEY**

**Cause:** The level specified in the REFERENCES portion of a JOIN KEY clause in a dimension DDL statement does not have a child level.

**Action:** Check the spelling of the level name referenced in the JOIN KEY clause. If the referenced level is the first level in the hierarchy, you need not and must not specify a JOIN KEY clause.

**ORA-30337: multiple JOIN KEY clauses specified for the same parent level**

**Cause:** Multiple JOIN KEY clauses were specified for a given parent level in a dimension hierarchy.

**Action:** Match up each JOIN KEY clause with the level it references in the hierarchy. Eliminate the redundant JOIN KEY clause.

---

**ORA-30338: illegal dimension hierarchy name**

**Cause:** An illegal dimension hierarchy name was specified in a dimension DDL statement.

**Action:** Make sure the name begins with a letter, contains only letters, digits and underscore and contains no more than 30 characters. If you qualify the name with the owner name, make sure the owner name conforms with the requirements for an owner name on your system.

**ORA-30339: illegal dimension attribute name**

**Cause:** An illegal dimension attribute name was specified in a dimension DDL statement.

**Action:** Make sure the name begins with a letter, contains only letters, digits and underscore and contains no more than 30 characters. If you qualify the name with the owner name, make sure the owner name conforms with the requirements for an owner name on your system.

**ORA-30340: illegal dimension name**

**Cause:** An illegal dimension name was specified in a dimension DDL statement.

**Action:** Make sure the name begins with a letter, contains only letters, digits and underscore and contains no more than 30 characters. If you qualify the name with the owner name, make sure the owner name conforms with the requirements for an owner name on your system.

**ORA-30341: dropped level has references**

**Cause:** An attempt was made to drop a level using the default or RESTRICT option in a dimension while references to that level remain in the dimension. References can occur in hierarchies and attributes within the dimension.

**Action:** First remove any referenes to the level prior to dropping it, or specify the CASCADE option with the DROP LEVEL clause.

**ORA-30342: referenced level is not defined in this dimension**

**Cause:** A reference to a level not defined within the dimension was found.

**Action:** Check the spelling of the level name.

**ORA-30343: level name is not unique within this dimension**

**Cause:** Two or more levels were defined with the same name.

**Action:** Check the spelling of the level names.

**ORA-30344: number of child cols different from number of parent level cols**

**Cause:** The number of child columns specified in a JOIN KEY clause is not the same as the number of columns in the specified parent level.

**Action:** Check the child columns and the columns in the definition of the referenced parent level and correct the discrepancy.

**ORA-30345: circular dimension hierarchy**

**Cause:** A circularity was found the dimension hierarchy.

**Action:** Check the hierarchy for a level name that occurs more than once.

**ORA-30346: hierarchy name must be unique within a dimension**

**Cause:** The same name was used for more than one hierarchy in a dimension.

**Action:** Check the spelling of the hierarchy name.

---

**ORA-30347: a table name is required to qualify the column specification**

**Cause:** A table name was omitted in a column specification where where the column must be qualified by the table name.

**Action:** Qualify the column with the table name.

**ORA-30348: ADD and DROP cannot both be specified**

**Cause:** One or more ADD clauses were found in the same ALTER DIMENSION statement with one or more DROP clauses.

**Action:** Separate your ADD operations into one ALTER DIMENSION statement and your DROP operations into another.

**ORA-30349: specified dimension hierarchy does not exist**

**Cause:** A hierarchy name was encountered that is not defined within the dimension.

**Action:** Check the spelling of the hierarchy name.

**ORA-30350: specified dimension attribute does not exist**

**Cause:** An attribute name was encountered that is not defined within the dimension.

**Action:** Check the attribute name spelling.

**ORA-30351: query rewrite does not currently support this expression**

**Cause:** A complex expression was specified that is is not currently supported by query rewrite.

**Action:** Reduce the complexity of the expression.

**ORA-30352: inconsistent numeric precision or string length**

**Cause:** The SELECT expression was of a different numeric precision or string length than the corresponding container column. Therefore, query rewrite cannot guarantee results that are identical to the results obtained with the un-rewritten query.

**Action:** Correct the precision or string length difference, specify the WITH REDUCED PRECISION option, or disable the REWRITE option on the materialized view.

**ORA-30353: expression not supported for query rewrite**

**Cause:** The select clause referenced UID, USER, ROWNUM, SYSDATE, CURRENT\_TIMESTAMP, MAXVALUE, a sequence number, a bind variable, correlation variable, a set result, a trigger return variable, a parallel table queue column, collection iterator, etc.

**Action:** Remove the offending expression or disable the REWRITE option on the materialized view.

**ORA-30354: Query rewrite not allowed on SYS relations**

**Cause:** A SYS relation was referenced in the select clause for a materialized view with query rewrite enabled.

**Action:** Remove the reference to the SYS relation from the select clause or disable the REWRITE option on the materialized view.

**ORA-30355: materialized view container does not exist**

**Cause:** A DROP TABLE command was issued directly against the materialized view container table.

---

**Action:** Use the DROP MATERIALIZED VIEW command to clean up the residual meta data for the materialized view. Then use the CREATE MATERIALIZED VIEW statement to recreate the materialized view. Thereafter, use the DROP MATERIALIZED VIEW command rather than the DROP TABLE command to drop a materialized view.

**ORA-30356: the specified refresh method is not supported in this context**

**Cause:** The refresh method that was specified is not currently supported.

**Action:** Specify a different refresh method or change the context to enable support of the chosen refresh method.

**ORA-30357: this PL/SQL function cannot be supported for query rewrite**

**Cause:** The statement referenced a PL/SQL function that is not marked DETERMINISTIC.

**Action:** Perform one of the following actions:

- Remove the use of the PL/SQL function.
- Mark the PL/SQL function as DETERMINISTIC.
- Disable the REWRITE option on the materialized view. The function should be marked DETERMINISTIC only if it always returns the same result value for any given set of input argument values, regardless of any database state or session state. Do not mark the function as DETERMINISTIC if it has any meaningful side-effects.

**ORA-30358: summary and materialized view are not in same schema**

**Cause:** An internal Oracle error occurred.

**Action:** Report the problem through your normal support channels.

**ORA-30359: Query rewrite is not supported on SYS materialized views**

**Cause:** An attempt was made to enable the REWRITE option on a materialized view in the SYS schema.

**Action:** Create the materialized view in a different schema or disable the REWRITE option.

**ORA-30360: REF not supported with query rewrite**

**Cause:** The statement contained a REF operator. Repeatable behavior cannot be guaranteed with the REF operator. Therefore, query rewrite cannot support the REF operator.

**Action:** Remove the reference to the REF operator or disable the REWRITE option on the materialized view.

**ORA-30361: unrecognized string type**

**Cause:** An internal Oracle error occurred.

**Action:** Report the problem through your normal support channels.

**ORA-30362: dimension column cannot be a sequence**

**Cause:** The dimension statement referenced a column that is a sequence.

**Action:** Remove the reference to the sequence.

**ORA-30363: columns in a dimension column list must be in the same relation**

**Cause:** The dimension statement contained a column list where the columns are not all from the same relation.

---

**Action:** Specify the list of columns using only columns from a single relation.

**ORA-30364: this level has the same set of columns as another**

**Cause:** The level definition contained the same set of columns as another level.

**Action:** Eliminate the redundant level definition.

**ORA-30365: left relation in the JOIN KEY clause cannot be same as right**

**Cause:** The relation of the child columns on the left side of the JOIN KEY clause was the same as that of the parent level on the right side.

**Action:** Remove the JOIN KEY clause. It is not required or allowed when the child and the parent are in the same relation.

**ORA-30366: child JOIN KEY columns not in same relation as child level**

**Cause:** The relation of the child columns on the left side of the JOIN KEY clause differed from that of that child level.

**Action:** Specify the correct child columns in the JOIN KEY clause.

**ORA-30367: a JOIN KEY clause is required**

**Cause:** A JOIN KEY clause was omitted in a dimension statement. A JOIN KEY clause is required when the child level and the parent level are not in the same relation.

**Action:** Specify a JOIN KEY clause to indicate how the relation of the child level joins to the relation of the parent level.

**ORA-30368: ATTRIBUTE cannot determine column in a different relation**

**Cause:** An ATTRIBUTE clause in a dimension statement specified a determined column on the right that is in a different relation than that of the level on the left.

**Action:** Specify attributes only for those dimension levels that functionally determine other columns within the same relation.

**ORA-30369: maximum number of columns is 32**

**Cause:** A list of columns was specified using more than 32 columns.

**Action:** Specify the list using no more than 32 columns.

**ORA-30370: set operators are not supported in this context**

**Cause:** A set operator such as UNION, UNION ALL, INTERSECT, or MINUS was encountered in an unsupported context, such as in a materialized view definition.

**Action:** Re-specify the expression to avoid the use of set operators.

**ORA-30371: column cannot define a level in more than one dimension**

**Cause:** A column was used in the definition of a level after it had already been used to define a level in a different dimension.

**Action:** Reorganize dimension levels and hierarchies into a single dimension such that no column is used to define levels in different dimensions. There is no limit on the number of levels or hierarchies you can place in a dimension. A column can be used to define any number of levels provided all such levels are in the same dimension and provided no two levels contain identical sets of columns.

**ORA-30372: fine grain access policy conflicts with materialized view**

**Cause:** A fine grain access control procedure has applied a non-null policy to the query for the materialized view.

---

**Action:** In order for the materialized view to work correctly, any fine grain access control procedure in effect for the query must return a null policy when the materialized view is being created or refreshed. This may be done by ensuring that the usernames for the creator, owner, and invoker of refresh procedures for the materialized view all receive a null policy by the user-written fine grain access control procedures.

**ORA-30373: object data types are not supported in this context**

**Cause:** An object data type was encountered in an unsupported context.

**Action:** Re-specify the expression to avoid the use of objects.

**ORA-30374: materialized view is already fresh**

**Cause:** If the materialized view is fresh, ORACLE ignores the ALTER MATERIALIZED VIEW <mv> RELY FRESH command, and issues this error message.

**Action:** None

**ORA-30375: materialized view cannot be considered fresh**

**Cause:** If the materialized view is invalid or unusable, it cannot be considered fresh with the ALTER MATERIALIZED VIEW <mv> CONSIDER FRESH command.

**Action:** None

**ORA-30376: prevent sharing of a parsed query of an explain rewrite session**

**Cause:** Explain rewrite generates a shared cursor after parsing the user query. Raising this error will prevent the cursor from being shared.

**Action:** None

**ORA-30377: table *string*.MV\_CAPABILITIES\_TABLE not found**

**Cause:** You have used the DBMS\_MVIEW.EXPLAIN\_MVIEW() API before you have defined the MV\_CAPABILITIES\_TABLE.

**Action:** Invoke the admin/utlxmv.sql script after connecting to the desired schema.

**ORA-30378: MV\_CAPABILITIES\_TABLE is not compatible with Oracle version**

**Cause:** One or more column definitions in the MV\_CAPABILITIES\_TABLE is either missing or incompatible with the current Oracle version.

**Action:** Connect to the appropriate schema, DROP TABLE MV\_CAPABILITIES\_TABLE and recreate it by invoking the admin/utlxmv.sql script prior to invoking the DBMS\_MVIEW.EXPLAIN\_MVIEW() API.

**ORA-30379: query txt not specified**

**Cause:** You have attempted use DBMS\_MVIEW.EXPLAIN\_REWRITE() API using an empty query text argument

**Action:** Input a valid SQL query

**ORA-30380: REWRITE\_TABLE does not exist**

**Cause:** You have used the DBMS\_MVIEW.EXPLAIN\_REWRITE() API before you have created the REWRITE\_TABLE.

**Action:** Create it using the admin/utlxrw.sql script after connecting to the desired schema

**ORA-30381: REWRITE\_TABLE is not compatible with Oracle version**

---

**Cause:** One or more column definitions in the REWRITE\_TABLE is either missing or incompatible with the current Oracle version.

**Action:** Connect to the appropriate schema, DROP TABLE REWRITE\_TABLE and recreate it by invoking the admin/utlrxw.sql script prior to invoking the DBMS\_MVIEW.EXPLAIN\_REWRITE() API.

**ORA-30382: DROP MATERIALIZED VIEW *string.string* operation is not complete**

**Cause:** The drop materialized view operation got an unexpected error while dropping summary object.

**Action:** Issue the drop materialized view command again

**ORA-30383: specified dimension level does not exist in the attribute**

**Cause:** An attribute level was encountered that is not defined within the attribute.

**Action:** Check the attribute level name spelling.

**ORA-30384: specified column name does not exist in the attribute**

**Cause:** A column was encountered that is not defined within the attribute.

**Action:** Check the attribute column name spelling.

**ORA-30385: specified attribute relationship ("*string*" determines "*string*") exists**

**Cause:** The specified attribute relationship has already been declared in one of the attribute clauses

**Action:** Remove the duplicate attribute relationship

**ORA-30386: invalid SQL statement for DECLARE\_REWRITE\_EQUIVALENCE**

**Cause:** Either the source or destination statement is NULL

**Action:** Verify both source and destination statement are valid

**ORA-30387: invalid rewrite mode for REWRITE\_EQUIVALENCE API**

**Cause:** The specified rewrite mode is not supported by REWRITE\_EQUIVALENCE API

**Action:** Verify the rewrite mode is supported by REWRITE\_EQUIVALENCE API

**ORA-30388: name of the rewrite equivalence is not specified**

**Cause:** The name of the rewrite equivalence is NULL

**Action:** Input a valid rewrite equivalence name

**ORA-30389: the source statement is not compatible with the destination statement**

**Cause:** The SELECT clause of the source statement is not compatible with the SELECT clause of the destination statement

**Action:** Verify both SELECT clauses are compatible with each other such as numbers of SELECT list items are the same and the datatype for each SELECT list item is compatible

**ORA-30390: the source statement is not equivalent to the destination statement**

**Cause:** the set of rows returned by the source SQL text is not the same as the set of rows returned by the destination SQL text

**Action:** Make sure both source and destination statement return the same number of rows

**ORA-30391: the specified rewrite equivalence does not exist**

**Cause:** the specified rewrite equivalence does not exist

---

**Action:** Verify the rewrite equivalence has been created

**ORA-30392: the checksum analysis for the rewrite equivalence failed**

**Cause:** the given checksum does not match with that generated from the source and destination statements.

**Action:** Verify the create safe rewrite equivalence statement to see if it has been modified.

**ORA-30393: a query block in the statement did not rewrite**

**Cause:** A query block with a REWRITE\_OR\_ERROR hint did not rewrite

**Action:** Verify the rewrite equivalence has been created

**ORA-30394: source statement identical to the destination statement**

**Cause:** The source statement was identical to the destination statement

**Action:** Make sure both source and destination statements are not identical

**ORA-30397: multiple JOIN KEY clauses specified for the same child level**

**Cause:** Multiple JOIN KEY clauses were specified for a given child level in a dimension hierarchy.

**Action:** Eliminate the redundant JOIN KEY clauses.

**ORA-30398: illegal JOIN KEY clause**

**Cause:** A JOIN KEY clause was specified that did not conform to certain requirements. A JOIN KEY clause connecting a child level with its non-immediate ancestor level is allowed only when that child level and its ancestor level satisfy the following conditions:

1. The immediate parent of the child level must be a skip level.
2. The child level cannot be a skip level.
3. The ancestor level must be a non-skip level.
4. The ancestor level must be the nearest non-skip level to the child level in the hierarchy.

**Action:** Modify the JOIN KEY clause so that it satisfies the conditions mentioned above.

**ORA-30399: a skip level must have at least one column that allows NULL values**

**Cause:** A SKIP clause cannot be specified with a level when all of the columns that make up the level have NOT NULL constraints.

**Action:** Drop the SKIP clause.

**ORA-30400: identical JOIN KEY clauses**

**Cause:** Two JOIN KEY clauses with identical child keys and parent levels were specified.

**Action:** Eliminate the redundant JOIN KEY clause.

**ORA-30401: JOIN KEY columns must be non-null**

**Cause:** The dimension statement failed because the column(s) in the JOIN KEY clause permitted NULL values. The JOIN KEY columns are related to the columns of the dimension's skip levels in one or both of the following ways:

1. A skip level is defined over one or more of the JOIN KEY columns.

---

2. The attribute clauses of a skip level determine one or more of the JOIN KEY columns.

**Action:** Modify the JOIN KEY columns so that they do not allow NULL values.

**ORA-30430: list does not contain any valid summaries**

**Cause:** List is empty or does not contain the names of existing summaries

**Action:** Verify that the list of names passed to refresh contains the name of at least one existing summary object

**ORA-30431: refresh method must be ANY or INCREMENTAL or FORCE\_FULL, not string**

**Cause:** An invalid refresh method was specified

**Action:** Verify that the refresh method is one of "ANY" or "INCREMENTAL" or "FORCE\_FULL"

**ORA-30432: summary "string.string" is in INVALID state**

**Cause:** The summary is in INVALID state and cannot be refreshed

**Action:** None

**ORA-30433: "string.string" is not a summary**

**Cause:** There is no such summary, therefore it cannot be refreshed

**Action:** Verify the correct name of the summary

**ORA-30434: refresh method must be one of FC?AN, not "string"**

**Cause:** An invalid refresh method was specified

**Action:** Verify that the refresh method is one of "FC?AN"

**ORA-30435: job\_queue\_processes must be non-zero in order to refresh summaries**

**Cause:** The server must be started with parameter "job\_queue\_processes" greater than zero

**Action:** Correct the value of job\_queue\_processes and restart the server instance

**ORA-30436: unable to open named pipe "string"**

**Cause:** The refresh process was unable to open a named pipe to the job queue process usually because of insufficient system resources

**Action:** This is an internal error. Notify ORACLE technical support

**ORA-30437: all job queue processes have stopped running**

**Cause:** All of the job queue processes used by refresh have stopped for some reason. At least one job queue process must be running in order to refresh summaries.

**Action:** This is an internal error. Notify ORACLE technical support

**ORA-30438: unable to access named pipe "string"**

**Cause:** The refresh process was unable to access a named pipe to the job queue process after it successfully opened the pipe. This usually indicates an internal or operating system error condition.

**Action:** This is an internal error. Notify ORACLE technical support

**ORA-30439: refresh of "string.string" failed because of string**

**Cause:** The refresh job queue process encountered an error and is reporting it. The accompanying text of the message indicates cause of the error

---

**Action:** Varies, depending upon the reported cause.

**ORA-30440: can't fast refresh;refresh complete or set event 30441 for partial refresh**

**Cause:** Both DML and direct-load are performed against detail tables. Fast refresh can only process direct-load inserts.

**Action:** Refresh complete or set event 30441 to enable partial refresh with only direct-load inserts

**ORA-30442: can not find the definition for filter *string***

**Cause:** For the specified filterid parameter, there is no corresponding filter definition found in the advisor repository

**Action:** Use a valid filterid generated by the create\_filter function

**ORA-30443: definition for filter *string*'s item *string* is invalid**

**Cause:** The specified filter is invalid. It contains at least one invalid filter item. If a filter item has a string list, it becomes illegal when the string list cannot be successfully parsed. If the filter item contains a range definition, and the lower bound of the range is greater than the higher bound, the item also becomes invalid.

**Action:** Remove the illegal filter with the purge\_filter sub-program and redefine a correct filter

**ORA-30444: rewrite terminated by the sql analyzer**

**Cause:** The sql analyzer terminates the rewrite process

**Action:** This is an internal error. Notify ORACLE technical support

**ORA-30445: workload queries not found**

**Cause:** No workload queries in the advisor repository can satisfy the specified filter

**Action:** Redefine a new filter or load additional workload queries that can satisfy the specified filter

**ORA-30446: valid workload queries not found**

**Cause:** None of the specified queries can be successfully parsed. The error may come from many sources: SQL syntax error, the owner specified by the load\_workload subprograms do not match the real user who generates the SQL statement

**Action:** Only load valid SQL statements into the advisor repository. Make sure the statements can be parsed with privilege of the owner as specified in the owner parameter of the load\_workload() subprogram.

**ORA-30447: internal data for run number *string* is inconsistent**

**Cause:** Users should not explicitly modify summary advisor's internal tables. Such modifications may cause inconsistency in the internal tables and result in this error.

**Action:** Users can call the DBMS\_OLAP.PURGE\_RESULTS subprogram to remove the inconsistent data from summary advisor's internal tables

**ORA-30448: internal data of the advisor repository is inconsistent**

**Cause:** Users should not explicitly modify summary advisor's internal tables. Such modifications may cause inconsistency in the internal tables and result in this error.

**Action:** This is an internal error. Notify ORACLE technical support

---

**ORA-30449: syntax error in parameter *string***

**Cause:** The syntax for the specified parameter is incorrect

**Action:** Check ORACLE documentation for the correct syntax

**ORA-30450: refresh\_after\_errors was TRUE; The following MVs could not be refreshed: *string***

**Cause:** One or more errors occurred during a refresh of multiple summaries.

**Action:** The number\_of\_failures parameter returns the count of how many failures occurred. The trace logs for each refresh operation describe the each individual failure in more detail

**ORA-30451: internal error**

**Cause:** An internal error was detected by the summary refresh subsystem, and aborted the refresh operation

**Action:** Notify ORACLE support.

**ORA-30452: cannot compute AVG(X), VARIANCE(X) or STDDEV(X), without COUNT(X) or SUM(X)**

**Cause:** Incremental refresh of summaries requires a COUNT(X) column in order to incrementally refresh AVG(X). It requires both SUM(X) and COUNT(X) columns in order to in refresh STDDEV(X) or VARIANCE(X)

**Action:** Make sure that the required columns are part of the summary definition if incremental refresh capability is desired.

**ORA-30453: summary contains AVG without corresponding COUNT**

**Cause:** Incremental refresh of summaries with AVG(X) requires a COUNT(X) column to be included in the summary definition

**Action:** Make sure that the required columns are part of the summary definition if incremental refresh capability is desired.

**ORA-30454: summary contains STDDEV without corresponding SUM & COUNT**

**Cause:** Incremental refresh of summaries with STDDEV(X) requires COUNT(X) and SUM(X) columns to be included in the summary definition

**Action:** Make sure that the required columns are part of the summary definition if incremental refresh capability is desired.

**ORA-30455: summary contains VARIANCE without corresponding SUM & COUNT**

**Cause:** Incremental refresh of summaries with VARIANCE(X) requires COUNT(X) and SUM(X) columns to be included in the summary definition

**Action:** Make sure that the required columns are part of the summary definition if incremental refresh capability is desired.

**ORA-30456: "*string.string*" cannot be refreshed because of insufficient privilege**

**Cause:** The user lacks one or more permissions that are required in order to refresh summaries.

**Action:** Make sure that the user is granted all required privileges.

**ORA-30457: "*string.string*" cannot be refreshed because of unmanaged NOT NULL columns in container**

**Cause:** The container object for the summary contains one or more unmanaged columns do not allow nulls, and which do not specify a default valur for those columns.

---

**Action:** Make sure that default values are specified for all NOT NULL columns that are not part of the summary definition.

**ORA-30458: "*string.string*" cannot be refreshed because the refresh mask is *string***

**Cause:** An attempt was made to incrementally refresh a summary that is not incrementally refreshable.

**Action:** Do not attempt to incrementally refresh the summary; use full refresh instead.

**ORA-30459: "*string.string*" cannot be refreshed because the refresh method is NONE**

**Cause:** An attempt was made to refresh a summary whose refresh method is NONE

**Action:** Summaries whose refresh method is NONE (NEVER REFRESH) cannot be refreshed. Alter the summary to change the default refresh method from NONE to some other value.

**ORA-30460: "*string.string*" cannot be refreshed because it is marked UNUSABLE**

**Cause:** An attempt was made to refresh a summary which is UNUSABLE

**Action:** Determine why the summary is UNUSABLE, re-enable it, and retry the refresh.

**ORA-30461: "*string.string*" cannot be refreshed because it is marked DISABLED**

**Cause:** An attempt was made to refresh a summary which is DISABLED

**Action:** Determine why the summary is DISABLED, re-enable it, and retry the refresh.

**ORA-30462: unsupported operator: *string***

**Cause:** An attempt was made to refresh a summary containing an unsupported operator

**Action:** Verify that all columns of the summary contain expressions that are refreshable.

**ORA-30463: "*string*" is not a detail table of any summary**

**Cause:** The list of tables passed to refresh\_dependent contains at least one invalid table name. That table is not a detail table of any summary and is therefore an invalid input to refresh\_dependent

**Action:** Verify the correct name of all tables in the list

**ORA-30464: no summaries exist**

**Cause:** A call was made to refresh\_all\_mvviews, but no summaries exist. At least one summary must exist before calling refresh\_all\_mvviews

**Action:** Create one or more summaries

**ORA-30465: supplied run\_id is not valid: *string***

**Cause:** There are three possible causes: The specified run\_id does not exist; the run\_id was created by another user other than the current user; the run\_id has already been used.

**Action:** Call DBMS\_OLAP.CREATE\_ID to create a new id

**ORA-30466: can not find the specified workload *string***

**Cause:** The specified workload\_id is not valid

**Action:** Use a valid workload\_id or DBMS\_OLAP.WORKLOAD\_ALL

---

**ORA-30467: internal data for filter number *string* is inconsistent**

**Cause:** Users should not explicitly modify summary advisor's internal tables. Such modifications may cause inconsistency in the internal tables and result in this error.

**Action:** Users can call the DBMS\_OLAP.PURGE\_FILTER subprogram to remove the inconsistent data from summary advisor's internal tables

**ORA-30475: feature not enabled: *string***

**Cause:** The specified feature is not enabled.

**Action:** Do not attempt to use this feature.

**ORA-30476: PLAN\_TABLE does not exist in the user's schema**

**Cause:** Estimate\_Summary\_Size uses Oracle SQL "EXPLAIN PLAN" command to estimate cardinality of the specified select-clause. This requires a table called the PLAN\_TABLE in the user's schema. For more information refer to the SQL Reference Manual.

**Action:** Create the PLAN\_TABLE as described for EXPLAIN PLAN. On most systems a script utlxplan.sql will create this table.

**ORA-30477: The input select\_clause is incorrectly specified**

**Cause:** The input select-clause parameter to Estimate\_Summary\_Size is incorrectly specified and cannot be compiled.

**Action:** Check the syntax of the select-clause.

**ORA-30478: Specified dimension does not exist**

**Cause:** the specified dimension to be verified does not exist

**Action:** Check the spelling of the dimension name

**ORA-30479: Summary Advisor error *string***

**Cause:** An error has occurred in the Summary Advisor package This message will be followed by a second message giving more details about the nature of the error.

**Action:** See the Summary Advisor documentation for an explanation of the second error message.

**ORA-30483: window functions are not allowed here**

**Cause:** Window functions are allowed only in the SELECT list of a query. And, window function cannot be an argument to another window or group function.

**Action:** None

**ORA-30484: missing window specification for this function**

**Cause:** All window functions should be followed by window specification, like <function>(<argument list>) OVER (<window specification>)

**Action:** None

**ORA-30485: missing ORDER BY expression in the window specification**

**Cause:** Either the ORDER BY expression is mandatory for this function, or there is an aggregation group without any ORDER by expression.

**Action:** None

**ORA-30486: invalid window aggregation group in the window specification**

**Cause:** If the window specification is specified using RANGE option and there are multiple ORDER BY expressions, then the aggregation group cannot contain any

---

expression (It can only have CURRENT ROW, UNBOUNDED PRECEDING, or UNBOUNDED FOLLOWING). First end point (bound) cannot be UNBOUNDED FOLLOWING and second end point cannot be UNBOUNDED PRECEDING. If the first end point is CURRENT ROW, then second end point can only be CURRENT ROW or <expr> /UNBOUNDED FOLLOWING. If the first end point is <expr> FOLLOWING, then second end point can only be <expr>/UNBOUNDED FOLLOWING.

**Action:** None

**ORA-30487: ORDER BY not allowed here**

**Cause:** DISTINCT functions and RATIO\_TO\_REPORT cannot have an ORDER BY

**Action:** None

**ORA-30488: argument should be a function of expressions in PARTITION BY**

**Cause:** The argument of the window function should be a constant for a partition.

**Action:** None

**ORA-30489: Cannot have more than one rollup/cube expression list**

**Cause:** GROUP BY clause has more than one rollup/cube expression list.

**Action:** Modify the query such that only one rollup/cube expressions appear per sub-query.

**ORA-30490: Ambiguous expression in GROUP BY ROLLUP or CUBE list**

**Cause:** An expression in the GROUP BY ROLLUP or CUBE list matches an expression in the ordinary GROUP BY expression list

**Action:** Remove the expression from either ordinary GROUP BY expression list or ROLLUP or CUBE expression list

**ORA-30493: The percentile value should be a number between 0 and 1.**

**Cause:** A percentile value for PERCENTILE\_CONT or PERCENTILE\_DISC function is specified out of range.

**Action:** Specify a value from [0,1].

**ORA-30500: database open triggers and server error triggers cannot have BEFORE type**

**Cause:** An attempt was made to create a trigger that fires before the database is open or before server errors, but these types of triggers are not supported.

**Action:** Do not attempt to create a trigger that fires before the database is open or before server errors.

**ORA-30501: instance shutdown triggers cannot have AFTER type**

**Cause:** An attempt was made to create a trigger that fires after an instance shutdown, but this type of trigger is not supported.

**Action:** Do not attempt to create a trigger that fires after an instance shutdown.

**ORA-30502: system triggers cannot have INSERT, UPDATE, or DELETE as triggering events**

**Cause:** An attempt was made to create a system trigger with INSERT, UPDATE, or DELETE triggering events, but this type of trigger is not supported because a system trigger does not have a base table.

**Action:** Do not attempt to create a system trigger with INSERT, UPDATE, or DELETE triggering events.

---

**ORA-30503: system triggers cannot have a REFERENCING clause**

**Cause:** An attempt was made to use a REFERENCING clause with a system trigger, but this type of trigger is not supported because a system triggers does not have a base table.

**Action:** Do not use a REFERENCING clause with a system trigger.

**ORA-30504: system triggers cannot have a FOR EACH ROW clause**

**Cause:** An attempt was made to use a FOR EACH ROW clause with a system trigger, but this type of trigger is not supported because a system triggers does not have a base table.

**Action:** Do not use a FOR EACH ROW clause with a system trigger.

**ORA-30505: system triggers should not reference a column in a WHEN clause**

**Cause:** An attempt was made to use a WHEN clause to reference a column with a system trigger, but this type of trigger is not supported because a system trigger does not have a base table.

**Action:** Change the WHEN clause to an appropriate clause.

**ORA-30506: system triggers cannot be based on tables or views**

**Cause:** An attempt was made to base a system trigger on a table or a view.

**Action:** Make sure the type of the trigger is compatible with the base object.

**ORA-30507: normal triggers cannot be based on a schema or a database**

**Cause:** An attempt was made to base a normal trigger on a schema or a database, but normal triggers can be based only on tables or views.

**Action:** Make sure the type of the trigger is compatible with the base object.

**ORA-30508: client logon triggers cannot have BEFORE type**

**Cause:** An attempt was made to create a trigger that fires before logon. This type of trigger is not supported.

**Action:** Do not attempt to create a trigger that fires before logon.

**ORA-30509: client logoff triggers cannot have AFTER type**

**Cause:** An attempt was made to create a trigger that fires after logoff. This type of trigger is not supported.

**Action:** Do not attempt to create a trigger that fires after logoff.

**ORA-30510: system triggers cannot be defined on the schema of SYS user**

**Cause:** An attempt was made to define a system trigger on the schema of SYS user. This type of trigger is not supported currently.

**Action:** Do not attempt to create a system trigger defined on the schema of SYS user.

**ORA-30511: invalid DDL operation in system triggers**

**Cause:** An attempt was made to perform an invalid DDL operation in a system trigger. Most DDL operations currently are not supported in system triggers. The only currently supported DDL operations are table operations and ALTER?COMPILE operations.

**Action:** Remove invalid DDL operations in system triggers.

**ORA-30512: cannot modify *string.string* more than once in a transaction**

---

**Cause:** An attempt was made to modify an object more than once in a transaction. This error is usually caused by a DDL statement that fires a system trigger that tries to modify the same object. It can also happen when an attempt is made to perform more than one DDL operation on a queue table in the same transaction without issuing a commit between operations.

**Action:** Do not create system triggers that might modify an already modified object. Also, do not specify more than one DDL operation on a queue table in the same transaction.

**ORA-30513: cannot create system triggers of INSTEAD OF type**

**Cause:** Only BEFORE or AFTER triggers can be created on system events.

**Action:** Change the trigger type to BEFORE or AFTER.

**ORA-30514: system trigger cannot modify tablespace being made read only**

**Cause:** A before trigger tries to modify a tablespace which is being made READ ONLY as the part of DDL operation

**Action:** Modify the trigger to avoid modifications to the objects in the same tablespace as the one which is being made read only, or use autonomous transactions to commit modifications

**ORA-30515: suspend triggers cannot have BEFORE type**

**Cause:** An attempt was made to create a trigger that fires before execution suspended. This type of trigger is not supported.

**Action:** Do not attempt to create a trigger that fires before execution suspended.

**ORA-30516: database role change triggers cannot have BEFORE type**

**Cause:** An attempt was made to create a trigger that fires before the role change completed. This type of trigger is not supported.

**Action:** Do not attempt to create a trigger that fires before the role change completes.

**ORA-30550: index depends on a package/function spec/body which is not valid**

**Cause:** the functional indexes depends on some invalid/non-existent package/function spec/body

**Action:** verify that all the package/functions which the index depends on exist and are valid

**ORA-30551: The index depends on a package/type body which does not exist**

**Cause:** the functional indexes depends on a package/type body which does not exist

**Action:** create the package/type body

**ORA-30552: The package/procedure/function cannot be changed**

**Cause:** The package/procedure/function is deterministic and some object depends on it

**Action:** Drop the other object which depends on the package/function/procedure you are trying to change

**ORA-30553: The function is not deterministic**

**Cause:** The function on which the index is defined is not deterministic

**Action:** If the function is deterministic, mark it DETERMINISTIC. If it is not deterministic (it depends on package state, database state, current time, or

---

anything other than the function inputs) then do not create the index. The values returned by a deterministic function should not change even when the function is rewritten or recompiled.

**ORA-30554: function-based index *string.string* is disabled**

**Cause:** An attempt was made to access a function-based index that has been marked disabled because the function on which the index depends has been changed.

**Action:** Perform one of the following actions: -- drop the specified index using the DROP INDEX command -- rebuild the specified index using the ALTER INDEX REBUILD command -- enable the specified index using the ALTER INDEX ENABLE command -- make the specified index usable using the ALTER INDEX UNUSABLE command

**ORA-30555: global index partitioning key is an expression**

**Cause:** An attempt was made to use an expression as a partitioning key in an index.

**Action:** Do not attempt to use an expression as index partitioning key.

**ORA-30556: functional index is defined on the column to be modified**

**Cause:** An ALTER TABLE MODIFY COLUMN was issued on a column on which a functional index exists.

**Action:** Drop the functional index before attempting to modify the column.

**ORA-30557: function based index could not be properly maintained**

**Cause:** The user updated a column on which a function based index is present which was not successfully updated

**Action:** Determine the error in updating the index and fix the problem

**ORA-30558: internal error [*string*] in function based index**

**Cause:** This is an internal error.

**Action:** Contact Worldwide support with the exact error text.

**ORA-30563: outer join operator (+) not allowed in select-list**

**Cause:** An attempt was made to reference (+) in select-list.

**Action:** Do not use the operator in select-list.

**ORA-30564: Index maintenance clause not allowed for ADD partition to RANGE partitioned tables**

**Cause:** The clause INVALIDATE or UPDATE GLOBAL INDEXES is allowed only for ADD partition to a HASH partitioned table or ADD subpartition to a composite partitioned table.

**Action:** Remove clause and reissue operation

**ORA-30565: Only one INVALIDATE or UPDATE GLOBAL INDEXES clause may be specified**

**Cause:** The clause INVALIDATE or UPDATE GLOBAL INDEXES was specified more than once.

**Action:** Remove all but one of the INVALIDATE or UPDATE GLOBAL INDEXES clause and reissue the statement

**ORA-30566: Index maintenance clause not allowed for this command**

---

**Cause:** The clause INVALIDATE or UPDATE GLOBAL INDEXES is not allowed for this command

**Action:** Remove clause and reissue operation

**ORA-30567: name already used by an existing log group**

**Cause:** The specified log group name has to be unique.

**Action:** Specify a unique name for the log group. The name cannot be the same as any other log group, constraint, or cluster hash expression.

**ORA-30568: cannot drop log group - nonexistent log group**

**Cause:** The <log\_group\_name> specified in alter table drop log group is incorrect or nonexistent.

**Action:** Reenter the statement using the correct log group name.

**ORA-30569: data type of given column is not supported in a log group**

**Cause:** An attempt was made to include a column with one of these unsupported data types: LONG, VARRAY, nested table, object, LOB, FILE, or REF in a log group.

**Action:** Change the column data type or remove the log group. Then retry the operation.

**ORA-30570: SEGMENT SPACE MANAGEMENT option already specified**

**Cause:** In CREATE TABLESPACE, the SEGMENT SPACE MANAGEMENT option was specified more than once.

**Action:** Remove all but one of the SEGMENT SPACE MANAGEMENT specifications.

**ORA-30571: invalid SEGMENT SPACE MANAGEMENT clause**

**Cause:** An invalid option appears for SEGMENT SPACE MANAGEMENT clause.

**Action:** Specify one of the valid options: AUTO, MANUAL.

**ORA-30572: AUTO segment space management not valid with DICTIONARY extent management**

**Cause:** in CREATE TABLESPACE, the AUTO SEGMENT SPACE MANAGEMENT was used with a DICTIONARY extent management clause.

**Action:** Either specify LOCAL extent management or remove the AUTO SEGMENT SPACE MANAGEMENT specification.

**ORA-30573: AUTO segment space management not valid for this type of tablespace**

**Cause:** in CREATE TABLESPACE, the AUTO SEGMENT SPACE MANAGEMENT was used while creating an UNDO or TEMPORARY tablespace.

**Action:** Remove the AUTO SEGMENT SPACE MANAGEMENT clause.

**ORA-30574: Cannot create rollback segment in tablespace with AUTO segment space management**

**Cause:** A rollback segment is being created in a tablespace that was created with AUTO segment space management.

**Action:** Create the rollback segment in a different tablespace.

**ORA-30575: ConText Option not installed**

**Cause:** Oracle executable doesn't have ConText Option linked in

**Action:** get the correct version of Oracle

---

**ORA-30576: ConText Option dictionary loading error**

**Cause:** ConText dictionary tables may be corrupted

**Action:** not a user error

**ORA-30625: method dispatch on NULL SELF argument is disallowed**

**Cause:** A member method of a type is being invoked with a NULL SELF argument.

**Action:** Change the method invocation to pass in a valid self argument.

**ORA-30645: reject limit out of range**

**Cause:** Reject limit specifies the number of records rejected before terminating a table scan. The range is either a number between 1..100000 or UNLIMITED if no limit is intended.

**Action:** Change the token representing the reject limit to either a number in the range of 0 and 100000 or the keyword UNLIMITED.

**ORA-30646: schema for external table type must be SYS**

**Cause:** A schema other than SYS was specified for the TYPE

**Action:** For this version of oracle server always use schema name SYS.

**ORA-30647: error retrieving access parameters for external table *string.string***

**Cause:** an error occurred when fetching the access parameters for the specified external table.

**Action:** If the access parameter is a query which returns a CLOB, check EXTERNAL\_TAB\$ to make sure the query is correct.

**ORA-30649: missing DIRECTORY keyword**

**Cause:** DEFAULT DIRECTORY clause missing or incorrect.

**Action:** Provide the DEFAULT DIRECTORY.

**ORA-30653: reject limit reached**

**Cause:** the reject limit has been reached.

**Action:** Either cleanse the data, or increase the reject limit.

**ORA-30654: missing DEFAULT keyword**

**Cause:** DEFAULT DIRECTORY clause not specified or incorrect.

**Action:** Provide the DEFAULT DIRECTORY.

**ORA-30655: cannot select FOR UPDATE from external organized table**

**Cause:** A select for update on an external table was attempted.

**Action:** Don't do it!

**ORA-30656: column type not supported on external organized table**

**Cause:** Attempt to create an external organized table with a column of type LONG, LOB, BFILE, ADT, or VARRAY.

**Action:** These column types are not supported, change the DDL.

**ORA-30657: operation not supported on external organized table**

**Cause:** User attempted on operation on an external table which is not supported.

**Action:** Don't do that!

---

**ORA-30658: attempt was made to create a temporary table with EXTERNAL organization**

**Cause:** An attempt was made to create an External Organized Temporary table. This is not supported.

**Action:** Don't do that!

**ORA-30659: too many locations specified for external table**

**Cause:** An attempt was made to create an External Organized table with more than the maximum allowable (32767) locations specified.

**Action:** Don't do that, use fewer location clauses. Either consider concatenating the input files, or, creating two external tables with the input files split between them.

**ORA-30676: socket read or write failed**

**Cause:** A problem kept a socket from reading or writing the expected amount of data. More specific information is not available.

**Action:** Try re-establishing a connection. You may need to restart whatever program is at the other end of the socket that failed, or you may need to have some problem on your network fixed.

**ORA-30677: session is already connected to a debugger**

**Cause:** An attempt to connect a session to a debugger could not proceed because the session is already connected to some debugger.

**Action:** Either use the option to force a connection or first disconnect the session from its existing debugger.

**ORA-30678: too many open connections**

**Cause:** An attempt to open a connection failed because too many are already open by this session. The number of allowed connections varies as some may be in use through other components which share the same pool of allowed connections.

**Action:** Retry after closing some other connection. The number of connections supported is currently not adjustable.

**ORA-30679: JDWP-based debugging not supported in this configuration**

**Cause:** An attempt to open a debugging connection failed because this server configuration cannot support the required asynchronous socket traffic detection.

**Action:** This feature will not work under this server configuration. Either the feature is not supported on this platform at all, or is available only through use of a protocol=tcp dispatcher in shared-server configurations. Please consult the platform-specific documentation and "readme" material.

**ORA-30680: debugger connection handshake failed**

**Cause:** A problem occurred when trying to establish a debugger connection. This might indicate that the port specified as the location of the debugger is actually being used by some other type of application.

**Action:** Correct the host or port specifications if they are incorrect, and verify that the debugger is properly waiting for a connection.

**ORA-30681: improper value for argument EXTENSIONS\_CMD\_SET**

**Cause:** An improper parameter value was provided in a call to DBMS\_DEBUG\_JDWP.CONNECT\_TCP.

**Action:** Correct the indicated parameter value and try again.

---

**ORA-30682: improper value for argument OPTION\_FLAGS**

**Cause:** An improper parameter value was provided in a call to DBMS\_DEBUG\_JDWP.CONNECT\_TCP.

**Action:** Correct the indicated parameter value and try again.

**ORA-30683: failure establishing connection to debugger**

**Cause:** An error was indicated when trying to establish a connection to a debugger. Usually a TNS error will display along with this message to further explain the problem, although this TNS error will likely be hidden if you choose to trap the error.

**Action:** Correct the indicated parameter value and try again.

**ORA-30685: package version is not compatible with Oracle version**

**Cause:** The installed version of the package from which this error is raised is not compatible with this release of Oracle.

**Action:** Install a compatible version of the package's spec and body.

**ORA-30686: no dispatcher accepted TCP/IP connection request**

**Cause:** A connection had to be routed through a local socket rather than a dispatcher. When this occurs, shared servers are less beneficial because the session that owns the socket cannot relinquish the process until the socket is closed. The most likely cause is that no dispatcher is configured for protocol=tcp.

**Action:** To improve the scalability of your configuration, configure a dispatcher for protocol=tcp. To route these particular connections through a particular set of dispatchers, you can specify presentation=kgas. However, if you haven't done so, any protocol=tcp dispatcher will be used.

**ORA-30687: session terminated by debugger**

**Cause:** Your program's execution has been stopped by the debugger. This can occur because of an explicit request to do so sent by the debugger, or because the debugger disconnected without first telling Oracle to let your program continue to run after the disconnection. To stop your program completely, Oracle needs to fully terminate the process.

**Action:** This is in response to a debugger request; it is not an error. No action required.

**ORA-30688: maximum program calling depth exceeded**

**Cause:** Your program contains a set of calls that are too deep to be handled. Only transitions between the different execution engines (SQL, PL/SQL, and Java) count in reaching this limit; calls within the same engine don't count.

**Action:** Restructure your program so as to not call so deeply. Perhaps some recursion can be replaced with iteration.

**ORA-30689: improper value for ORA\_DEBUG\_JDWP**

**Cause:** An improper value was used for ORA\_DEBUG\_JDWP when trying to establish a connection to a debugger. The value either did not conform to the format of ORA\_DEBUG\_JDWP or was too long.

**Action:** Correct the value for ORA\_DEBUG\_JDWP and try again.

**ORA-30690: timeout occurred while registering a TCP/IP connection for data traffic detection**

**Cause:** A timeout occurred while registering a TCP/IP connection for data traffic detection.

---

**Action:** Retry the operation later.

**ORA-30691: failed to allocate system resources while registering a TCP/IP connection for data traffic detection**

**Cause:** System resources ran out while registering a TCP/IP connection for data traffic detection.

**Action:** Retry the operation later.

**ORA-30695: JDWP message format problem**

**Cause:** A message passed from one software subcomponent to another using the JDWP protocol appears invalidly formatted.

**Action:** This is an internal error. Contact ORACLE Support Services.

**ORA-30725: JDWP-based debugging is not yet available**

**Cause:** This feature is not yet available for use.

**Action:** Please wait for a future release.

**ORA-30726: cannot specify referenced column list here**

**Cause:** An attempt was made to specify a referenced column list for a referential constraint involving a REF column.

**Action:** Remove the referenced column list specification.

**ORA-30727: duplicate referential constraint for a REF column**

**Cause:** Multiple referential constraints were specified for a single REF column.

**Action:** Remove the duplicate referential constraint and retry the operation.

**ORA-30728: maximum number of columns exceeded**

**Cause:** Adding referential constraint on a REF column requires the the creation of an additional column.

**Action:** Drop some columns and retry the operation.

**ORA-30729: maximum number of columns exceeded**

**Cause:** Adding scope or referential constraint on a REF column requires the creation of additional columns if the target table's object identifier is primary key based.

**Action:** Drop some columns and retry the operation.

**ORA-30730: referential constraint not allowed on nested table column**

**Cause:** An attempt was made to define a referential constraint on a nested table column.

**Action:** Do not specify referential constraints on nested table columns.

**ORA-30731: scope constraint not allowed on nested table column when the nested table is being created**

**Cause:** An attempt was made to define a scope constraint on a nested table column when the nested table is being created.

**Action:** Do not specify a scope constraint on a nested table column when creating it. Instead, specify it using the ALTER TABLE statement.

**ORA-30732: table contains no user-visible columns**

**Cause:** An attempt was made to query on a system table which has no user-visible columns.

---

**Action:** Do not query on a system table that has no user-visible columns.

**ORA-30733: cannot specify rowid constraint on scoped ref column**

**Cause:** An attempt was made to specify rowid constraint on a scoped REF column.

**Action:** Remove the rowid constraint and then retry the operation.

**ORA-30734: cannot specify scope constraint on ref column with rowid**

**Cause:** An attempt was made to specify scope constraint on a REF column with the rowid constraint.

**Action:** Remove the scope constraint and then retry the operation.

**ORA-30735: cannot create multiple subtables of the same type under a supertable**

**Cause:** An attempt was made to create under a supertable (superview), a subtable(subview) of the same type as another existing subtable (subview).

**Action:** Drop the existing subtable(subview) and retry the operation.

**ORA-30736: objects in a table or view hierarchy have to be in the same schema**

**Cause:** An attempt was made to create a subtable(subview) under a supertable(superview) located in another schema.

**Action:** Connect as schema owner of the superobject and retry the operation.

**ORA-30737: cannot create subtable of a type which is not a subtype of the type of the supertable**

**Cause:** An attempt was made to create a subtable(subview) of a type which is not a subtype of the type of the super object.

**Action:** Change the type of the subtable to be a subtype of the superobject's type and then retry the operation.

**ORA-30738: object "*string*" does not exist in schema "*string*"**

**Cause:** The specified object does not exist.

**Action:** Ensure that the specified object exists and retry the operation.

**ORA-30739: cannot drop a table that has subtables**

**Cause:** The user tried to drop a table that has subtables defined under it.

**Action:** Drop all subtables before trying this operation.

**ORA-30740: cannot grant UNDER privilege on this object**

**Cause:** The user tried to grant UNDER privilege on an object that is not one of the following : non final object type, object table of non final type, object view of non final type.

**Action:** Ensure that the UNDER privilege is granted on a valid object.

**ORA-30741: WITH HIERARCHY OPTION can be specified only for SELECT privilege**

**Cause:** The user tried to specify WITH HIERARCHY OPTION for a privilege other than SELECT privilege.

**Action:** Ensure that the HIERARCHY OPTION is specified only with the SELECT privilege

**ORA-30742: cannot grant SELECT privilege WITH HIERARCHY OPTION on this object**

---

**Cause:** The user tried to grant SELECT privilege WITH HIERARCHY OPTION on an object that is not one of the following : object table of non final type, object view of non final type.

**Action:** Ensure that the SELECT privilege WITH HIERARCHY OPTION is granted on a valid object.

**ORA-30743: "string" is not an object view**

**Cause:** The specified object is not an object view.

**Action:** Specify an object view and retry the operation.

**ORA-30744: "string" is not an object table**

**Cause:** The specified object is not an object table.

**Action:** Specify an object table and retry the operation.

**ORA-30745: error occurred while trying to add column "string" in table "string"**

**Cause:** The user tried to add a subtype which tried to alter the tables dependent on the supertype.

**Action:** Ensure that the table will not exceed the columnlimit on adding this subtype.

**ORA-30746: error occurred while trying to drop column "string" in table "string"**

**Cause:** The user tried to drop a subtype with VALIDATE option which tried to check for stored instances of the type in the stated table

**Action:** Delete all instances of this subtype and then drop the type.

**ORA-30747: cannot create substitutable tables or columns of non final type *string.string***

**Cause:** The user tried to create substitutable table or column of a non final type. This operation is not currently supported.

**Action:** Change the statement to create a non substitutable table/column.

**ORA-30748: column *string* already enabled to store objects of type *string.string***

**Cause:** The user is trying to enable a column to store instances of a type for which it is already enabled.

**Action:** None

**ORA-30749: column *string* not enabled to store objects of type *string.string***

**Cause:** The user is trying to disable a column from storing instances of a type for which it is already enabled.

**Action:** None

**ORA-30750: cannot enable column *string* to store objects of type *string.string***

**Cause:** The user is trying to enable a column to store instances of a subtype. The error is raised due to one of the following :

**Action:** Fix the cause of the error and retry the operation.

**ORA-30751: cannot disable column *string* from storing objects of type *string.string***

**Cause:** The user is trying to drop a type from being stored in a substitutable column or table. This error is raised due to one of the following reasons :

- the column is enabled to store instances of some subtype of the type being dropped.

---

- the column is enabled to store instances of only one type

**Action:** Fix the cause of the error and retry the operation.

**ORA-30752: column or table *string* is not substitutable**

**Cause:** The user is performing an operation that is not allowed on non substitutable column or table.

**Action:** None

**ORA-30753: column or table *string* is substitutable**

**Cause:** The user is performing an operation that is not allowed on substitutable column or table.

**Action:** None

**ORA-30754: column or table *string* stores objects of only one type**

**Cause:** The user is trying to perform an operation that is not allowed on object column or table that is enabled to store instances of a single type.

**Action:** None

**ORA-30755: error during expansion of view hierarchy**

**Cause:** There was an error while trying to expand a view hierarchy. This could be due to invalid subviews (or subviews with errors)

**Action:** Ensure that all subviews are valid e.g. alter view ... compile and retry the operation.

**ORA-30756: cannot create column or table of type that contains a supertype attribute**

**Cause:** The user tried to create a column or table of an object type that contains a supertype attribute. This is not supported because it leads to infinite recursion in our current storage model. Note that creating a column of a type implies that we create columns corresponding to all subtype attributes as well.

**Action:** Change the type definition to contain a supertype REF attribute instead of the supertype object attribute.

**ORA-30757: cannot access type information**

**Cause:** Either a subtype was created and operations performed with this new type while the session was in progress, or the type information was unpinned from the object cache.

**Action:** Commit necessary changes, end the user session, reconnect again and re-try the object operations. If problem persists, contact your Oracle Support representative.

**ORA-30758: cannot specify local on a non-partitioned table**

**Cause:** The user specified local or global for a nested table storage parameter while the base table is non-partitioned.

**Action:** None

**ORA-30759: nested table cannot be partitioned for a composite partitioned base table**

**Cause:** The user specified local or nested table parameters inside partition clause for a composite partitioned table.

**Action:** Issue the DDL without nested table partition clauses for composite partitioned table.

---

**ORA-30765: cannot modify scope for an unscoped REF column**

**Cause:** An attempt was made to modify the scope for an unscoped REF column.

**Action:** Use an ALTER TABLE ADD SCOPE FOR command instead.

**ORA-30766: cannot modify scope for a REF column with a REFERENCES constraint**

**Cause:** An attempt was made to modify the scope for a REF column with a REFERENCES constraint.

**Action:** Drop the REFERENCES constraint, and retry the operation.

**ORA-30767: OID type mismatch**

**Cause:** An attempt was made to modify the scope for a REF column to a table whose object identifier's type is different from that of the original scoped table.

**Action:** None

**ORA-30768: Cannot evaluate pipelined function**

**Cause:** Pipelined functions can only be used in a TABLE expression in the from clause.

**Action:** Use a non-pipelined function instead.

**ORA-30770: Cannot specify storage options for fixed size opaque type**

**Cause:** Storage clause was specified during table creation for a fixed size opaque type.

**Action:** Do not provide storage option clause.

**ORA-30771: Cannot add more than one referential constraint on REF column**

*"string"*

**Cause:** Multiple referential constraints were specified for a single REF column.

**Action:** Remove the additional referential constraints and retry the operation.

**ORA-30772: opaque types do not have default constructors**

**Cause:** Constructor invocation did not succeed, since no user-defined constructors were defined for the opaque type, and since opaque types do not have default constructors.

**Action:** Add user-defined constructors to opaque type, or specify a member or static method for the opaque type.

**ORA-30773: opaque types do not have default constructors**

**Cause:** Constructor invocation did not succeed, since no user-defined constructors were defined for the opaque type, and since opaque types do not have default constructors.

**Action:** Add user-defined constructors to opaque type, or specify a member or static method for the opaque type.

**ORA-30926: unable to get a stable set of rows in the source tables**

**Cause:** A stable set of rows could not be got because of large dml activity or a non-deterministic where clause.

**Action:** Remove any non-deterministic where clauses and reissue the dml.

**ORA-30927: Unable to complete execution due to failure in temporary table transformation**

**Cause:** In memory temporary tables we create are aged out of shared pool before we are able to grab them again.

---

**Action:** Reduce activities that use a lot of shared pool space or wait for a while, then retry.

**ORA-30928: Connect by filtering phase runs out of temp tablespace**

**Cause:** It is probably caused by the fact that there is a loop in the data.

**Action:** Please retry the query with the NO\_FILTERING hint. If the same error still occurs, then increase temp tablespace.

**ORA-30929: ORDER SIBLINGS BY clause not allowed here**

**Cause:** ORDER SIBLINGS BY clause is specified in a query which doesn't have CONNECT BY clause.

**Action:** Remove ORDER SIBLINGS BY clause or add CONNECT BY clause.

**ORA-30930: NOCYCLE keyword is required with CONNECT\_BY\_ISCYCLE pseudocolumn**

**Cause:** CONNECT\_BY\_ISCYCLE was specified in a query which does not have the NOCYCLE keyword.

**Action:** Remove CONNECT\_BY\_ISCYCLE or add NOCYCLE.

**ORA-30931: Element "string" cannot contain mixed text**

**Cause:** XML elements must be declared mixed to contain multiple text nodes

**Action:** Declare this element type as mixed in its schema

**ORA-30932: Reference node "string" not contained in specified parent node "string"**

**Cause:** When using a reference node, it must have the specified parent node

**Action:** Use a node in the specified parent as the reference

**ORA-30933: Element "string" may not appear at this point within parent "string"**

**Cause:** The ordering specified by the content model of the parent does not allow for this element to occur at this position.

**Action:** Reorder the child elements to conform with the content model of the parent element

**ORA-30934: "string" (string node) cannot be inserted in parent "string" (string node)**

**Cause:** The schema does not allow a child node of this type to be inserted into a parent node of this type. For example, only element nodes may only be inserted into a document

**Action:** Insert only child nodes that make sense for this node type

**ORA-30935: XML maxoccurs value (string) exceeded**

**Cause:** An attempt was made to insert more than maxoccurs values into a schema-based XML document.

**Action:** Do not insert more than maxoccurs values into the document.

**ORA-30936: Maximum number (string) of "string" XML node elements exceeded**

**Cause:** An attempt was made to insert more than the allowed number of elements (specified by the maxoccurs facet) into an XML document.

**Action:** Do not attempt to add more than the maximum number of elements to XML documents.

**ORA-30937: No schema definition for "string" (namespace "string") in parent "string"**

---

**Cause:** The schema definition for the parent node being processed does not allow for the specified child node in its content model. Note that any typecasting via `xsi:type` must occur before the schema definitions for the new type can be used.

**Action:** Only insert elements and attributes declared in the schema. Check to make sure that `xsi:type` (if used) is specified first.

**ORA-30938: No prefix defined for namespace "string" (particle string)**

**Cause:** An XML namespace mapping (`xmlns:<prefix>=<namespace URL>`) must be defined for each particle (element or attribute) stored in an schema-constrained XMLType document.

**Action:** Add an `xmlns` attribute definition (attribute name="`xmlns:prefix`" and value="`namespace URL`") to the current XMLType document. The safest place to add this attribute is in the root node of the document to ensure that the mapping will be in scope.

**ORA-30939: Order violation: Element "string" may not follow element "string"**

**Cause:** The XML schema specifies a content model that is sequential, where the order of nodes in the instance must follow the order specified by the schema, and this instance relies on the schema validity to avoid maintaining instance order information

**Action:** Insert elements only in the order specified in the schema

**ORA-30940: Cannot resolve prefix "string" for QName node "string"**

**Cause:** An attempt was made to store a QName value without having a valid namespace in scope for that prefix.

**Action:** Declare the namespace for the prefix used

**ORA-30941: Cannot specify empty URI for non-default namespace "string"**

**Cause:** An attempt was made to insert a namespace declaration for a non-default namespace using an empty URI string.

**Action:** Specify a non-empty URI for namespace declarations other than the default namespace. // Error 30942 to 30950 reserved for XML Schema Evolution

**ORA-30942: XML Schema Evolution error for schema "string" table string column "string"**

**Cause:** The given XMLType table/column which conforms to the given schema had errors during evolution. For more information, see the more specific error below this one

**Action:** Based on the schema, table and column information in this error and the more specific error below, take corrective action

**ORA-30943: XML Schema "string" is dependent on XML schema "string"**

**Cause:** Not all dependent schemas were specified and/or the schemas were not specified in dependency order, i.e., if schema S1 is dependent on schema S, S must appear before S1.

**Action:** Include the previously unspecified schema in the list of schemas and/or correct the order in which the schemas are specified. Then retry the operation.

**ORA-30944: Error during rollback for XML schema "string" table string column "string"**

---

**Cause:** The given XMLType table/column which conforms to the given schema had errors during a rollback of XML schema evolution. For more information, see the more specific error below this one

**Action:** Based on the schema, table and column information in this error and the more specific error below, take corrective action

**ORA-30945: Could not create mapping table "*string*"**

**Cause:** A mapping table could not be created during XML schema evolution. For more information, see the more specific error below this one

**Action:** Ensure that a table with the given name does not exist and retry the operation

**ORA-30946: XML Schema Evolution warning: temporary tables not cleaned up**

**Cause:** An error occurred after the schema was evolved while cleaning up temporary tables. The schema evolution was successful

**Action:** If the user needs to remove the temporary tables, use the mapping table to get the temporary table names and drop them.

**ORA-30947: Dependent table "*string*" of XML schema "*string*" is version-enabled**

**Cause:** An XMLType table that is dependent on an XML schema being evolved is version-enabled.

**Action:** Disable versioning on the XMLType table

**ORA-30948: Illegal in-place XML schema evolution operation: *string***

**Cause:** An attempt was made to make an XML schema change that is not permitted through in-place XML schema evolution.

**Action:** Ensure that the XML schema changes specified in the XMLDiff argument to DBMS\_XMLSCHEMA.inPlaceEvolve are permitted. // End of XML Schema Evolution errors (30942 to 30950 reserved)

**ORA-30951: Element or attribute at Xpath *string* exceeds maximum length**

**Cause:** An attempt was made to insert a node of length exceeding the maximum length (specified by the maxLength facet) into an XML document.

**Action:** Do not attempt to add a node exceeding the maximum length to XML documents.

**ORA-30952: illegal configuration of HTTP/HTTPS in xdbconfig.xml**

**Cause:** An attempt was made to update xdbconfig.xml when either 1) a value was specified for http2-port but not for http2-protocol (or vice versa), OR 2) http-port and http2-port were set to the same value.

**Action:** Specify values for both elements http2-port and http2-protocol, AND set different values for http-port and http2-port.

**ORA-30953: XML minoccurs value (*string*) violated**

**Cause:** An attempt was made to delete more than the required minimum number of elements (specified by the minoccurs facet) from an XML document.

**Action:** Do not attempt to delete more than the required minimum number of elements that must be present from the XML document. // Errors 30955 to 30989 reserved for XML Index

**ORA-30955: The XML Index does not exist or is not asynchronous**

**Cause:** An attempt was made to synchronize a nonexistent XML Index or a synchronous XML Index.

---

**Action:** Create the XML Index in asynchronous mode.

**ORA-30956: invalid option for XML Index**

**Cause:** Unexpected error.

**Action:** File a bug.

**ORA-30957: cannot downgrade because there are XML indexes**

**Cause:** An attempt was made to downgrade a database that has XML indexes.

**Action:** Drop all XML indexes before attempting the downgrade.

**ORA-30958: operation directly on the Pending Table is disallowed**

**Cause:** An illegal operation was attempted on secondary objects of an XML Index.

**Action:** Try appropriate operation on the XML Index.

**ORA-30959: The indexed column is not stored in CLOB.**

**Cause:** An attempt was made to create an XML Index on an OR-XMLType column.

**Action:** Re-create the XML Index on a CLOB-XMLType column.

**ORA-30960: The entity is neither an XPATH nor a NAMESPACE.**

**Cause:** The given string had invalid syntax.

**Action:** Check the syntax for XPATH and NAMESPACE.

**ORA-30961: internal SQL statement is too long**

**Cause:** unexpected internal error

**Action:** File a bug and provide the test case.

**ORA-30962: inconsistent ODCI input arguments**

**Cause:** unexpected internal error

**Action:** File a bug and provide the test case.

**ORA-30963: The indexed column is not of XMLType.**

**Cause:** An attempt was made to create an XML Index on a non-XMLType column.

**Action:** Re-create the XML Index on an XMLType column.

**ORA-30964: The XML Index was not usable.**

**Cause:** The domain index for XML was not created properly. The Path Table is missing.

**Action:** Drop and re-create the XML Index.

**ORA-30965: fragment does not fit into the VARCHAR2 VALUE column**

**Cause:** The fragment size exceeded the max size.

**Action:** Re-create the XML Index with values stored in CLOB.

**ORA-30966: error detected in the XML Index layer**

**Cause:** Unexpected error.

**Action:** File a bug.

**ORA-30967: operation directly on the Path Table is disallowed**

**Cause:** illegal operation on secondary objects of a domain index

**Action:** Try appropriate operation on the domain index.

---

**ORA-30968: invalid XPATH or NAMESPACE option for XML Index**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate option.

**ORA-30969: invalid syntax for PARAMETERS**

**Cause:** An attempt was made to specify an invalid option.

**Action:** Check and use valid options.

**ORA-30970: option not supported for XML Index**

**Cause:** An attempt was made to specify an invalid option.

**Action:** Check and use valid options.

**ORA-30971: illegal operation on the Path Table**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate command on the XML Index.

**ORA-30972: invalid ALTER INDEX option for XML Index**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate option.

**ORA-30973: invalid Path Table option for XML Index**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate option.

**ORA-30974: invalid Path Id Index option for XML Index**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate option.

**ORA-30975: invalid Order Key Index option for XML Index**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate option.

**ORA-30976: invalid Parent Order Key Index option for XML Index**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate option.

**ORA-30977: invalid Value Index option for XML Index**

**Cause:** An attempt was made to use an unsupported option.

**Action:** Use the appropriate option.

**ORA-30978: The XML Index is not locally partitioned.**

**Cause:** An attempt was made to create a global partitioned XML Index.

**Action:** Do not attempt to create global partitioned XML Index or to maintain a non-local partitioned XML Index.

**ORA-30979: Partitioned XML Index not yet supported.**

**Cause:** An attempt was made to create a partitioned XML Index.

**Action:** Do not attempt to create partitioned XML Index.

**ORA-30980: Invalid Input.**

**Cause:** The input to the function is not valid.

---

**Action:** Make sure the input is valid (both syntactically as well as semantically).

**ORA-30982: Invalid option for a partition of an XML Index**

**Cause:** An invalid option was specified at the partition level.

**Action:** Remove the invalid option.

**ORA-30983: Maximum order key depth exceeded**

**Cause:** The document could not be indexed because its nesting depth was more than that allowed by XML Index.

**Action:** Remove the offending document.

**ORA-30987: XML Index on XML DB repository does not exist**

**Cause:** An attempt was made to operate on a non-existent XML Index on XML DB repository.

**Action:** First create the index using DBMS\_XML\_ ADMIN.CREATEREPOSITORYXMLINDEX. Try the operation again.

**ORA-30988: Metadata of XML Index corrupted**

**Cause:** An attempt to locate the XML Index failed.

**Action:** Contact Oracle Support Services.

**ORA-30989: XML Index on an Index Organized Table is not yet supported**

**Cause:** XML Index supported only on Heap Organized Table.

**Action:** Contact Oracle Support Services. // End of XML Index (30955 to 30989 reserved)

**ORA-30990: insufficient privileges to change owner of resource *string***

**Cause:** An attempt was made to change the <Owner> field of an XML DB resource without sufficient privileges to do so.

**Action:** Switch to SYS before performing the ownership change, or have the intended recipient of the resource perform the transfer.

**ORA-30991: cannot use DOM to add special attribute to schema-based parent**

**Cause:** An attempt was made to add or remove an xsi:schemaLocation, xsi:noNamespaceSchemaLocation, xsi:type, or xsi:nil attribute to or from a schema-based XML node using DOM.

**Action:** Use the updateXML operator instead of DOM.

**ORA-30994: Invalid argument for DOM stream**

**Cause:** Either a null or a nonleaf node was passed.

**Action:** Use a combination of DOM API and DOM streams to produce desired effect.

**ORA-30995: DOM streams operations cannot be performed on null/invalid node**

**Cause:** The node is NULL or inexistent

**Action:** Check the input parameters.

**ORA-30996: Streams operations over non-existent stream**

**Cause:** The stream passed is NULL or invalid.

**Action:** Check the input parameters.

**ORA-31000: Resource "*string*" is not an XDB schema document**

---

**Cause:** The given schema URL does not refer to a registered XDB schema

**Action:** Make sure the specified schema has been registered in XDB

**ORA-31001: Invalid resource handle or path name "*string*"**

**Cause:** An invalid resource handle or path name was passed to the XDB hierarchical resolver.

**Action:** Pass a valid resource handle or path name to the hierarchical resolver.

**ORA-31002: Path name *string* is not a container**

**Cause:** XDB expected the given path name to represent a container.

**Action:** Pass a path name or resource handle that represents a container.

**ORA-31003: Parent *string* already contains child entry *string***

**Cause:** An attempt was made to insert a duplicate child into the XDB hierarchical resolver.

**Action:** Insert a unique name into the container.

**ORA-31004: Length *string* of the BLOB in XDB\$H\_INDEX is below the minimum *string***

**Cause:** In the XDB\$H\_INDEX table, the CHILDREN column, a BLOB, must have a certain minimum length without being chained. The calculated length of the LOB was less than the stated minimum.

**Action:** Set the value of the init.ora parameter db\_block\_size to at least 2K. For XDB to run at its fastest, set db\_block\_size to 8K.

**ORA-31005: Path name length *string* exceeds maximum length *string***

**Cause:** The length of a path name passed to the XDB hierarchical resolver exceeded the maximum length.

**Action:** Choose a shorter path name.

**ORA-31006: Path name segment length *string* exceeds maximum length *string***

**Cause:** The length of a path name segment passed to the XDB hierarchical resolver exceeded the maximum length of a path name segment.

**Action:** Choose a shorter path name segment.

**ORA-31007: Attempted to delete non-empty container *string/string***

**Cause:** An attempt was made to delete a non-empty container in the XDB hierarchical resolver.

**Action:** Either perform a recursive deletion, or first delete the contents of the container.

**ORA-31009: Access denied for property *string***

**Cause:** An attempt was made to access a property you don't have access to

**Action:** Check the ACL to see what privileges you have for this property

**ORA-31010: XML element index *string* exceeds maximum insertion index *string***

**Cause:** An attempt was made to insert an XML element at an invalid index location in the node.

**Action:** Choose a new index that falls within the allowed range.

**ORA-31011: XML parsing failed**

**Cause:** XML parser returned an error while trying to parse the document.

---

**Action:** Check if the document to be parsed is valid.

**ORA-31012: Given XPATH expression not supported**

**Cause:** XPATH expression passed to the function is currently unsupported.

**Action:** Check the xpath expression and change it to use a supported expression.

**ORA-31013: Invalid XPATH expression**

**Cause:** XPATH expression passed to the function is invalid.

**Action:** Check the xpath expression for possible syntax errors.

**ORA-31014: Attempted to delete the root container**

**Cause:** An attempt was made to delete the root container in the hierarchical index.

**Action:** Do not delete the root container.

**ORA-31015: Attempted to insert entry without name**

**Cause:** An attempt was made to insert an entry into the hierarchical resolver without a child name.

**Action:** Supply a child name and try inserting again.

**ORA-31016: Attempted to delete entry without name**

**Cause:** An attempt was made to delete an entry from the hierarchical resolver without a child name.

**Action:** Supply a child name and try deleting again.

**ORA-31017: Error generating unique OID for XML document**

**Cause:** An error occurred while generating a globally unique OID for storing an XML document.

**Action:** None

**ORA-31018: Error deleting XML document**

**Cause:** The XMLType object pointed to by the given REF could not be deleted because either the REF was invalid or it pointed to a non-existent table.

**Action:** Either use FORCE deletion or supply a valid REF.

**ORA-31019: Recursive deletion snapshot too old for *string/string***

**Cause:** Changes were made to the structure of a directory while it was being recursively deleted.

**Action:** Try deleting the directory again.

**ORA-31020: The operation is not allowed, Reason: *string***

**Cause:** The operation attempted is not allowed

**Action:** See reason and change to a valid operation.

**ORA-31021: Element definition not found**

**Cause:** The element definition was not found.

**Action:** Supply the definition for the element or use a defined element.

**ORA-31022: Element not found**

**Cause:** The element was not found.

**Action:** Make sure the specified element exists.

**ORA-31023: Index size error**

---

**Cause:** The index is greater than the allowed value.

**Action:** Make sure the index is less than allowed value.

**ORA-31025: Invalid document element**

**Cause:** An attempt was made to replace the data at an invalid index number in the XML document

**Action:** Supply a correct occurrence number and try again.

**ORA-31027: Path name or handle *string* does not point to a resource**

**Cause:** An attempt was made to retrieve a resource based on a path name or resource handle that points to an entity other than a resource.

**Action:** Do not attempt to retrieve a resource based on that path name or resource handle.

**ORA-31028: Resource metadata length *string* exceeded maximum length *string***

**Cause:** An attempt was made to insert resource metadata that exceeded the maximum length of that type of metadata.

**Action:** Keep resource metadata within its allowed length.

**ORA-31029: Cannot bind to unsaved resource**

**Cause:** An attempt was made to bind to a resource that had not been saved to disk.

**Action:** Bind only to saved resources.

**ORA-31030: Unable to retrieve XML document**

**Cause:** The resource had an invalid (dangling) REF to an XML document.

**Action:** Rebind the resource using a valid XMLType REF.

**ORA-31033: Requested number of XML children *string* exceeds maximum *string***

**Cause:** An attempt was made to add more than the maximum number of allowable children in an XML element.

**Action:** Redefine the schema to allow breaking up of the children among siblings.

**ORA-31035: Could not bind locked resource to path *string/string***

**Cause:** An attempt was made to bind an existing resource to a new location in the hierarchy, but a lock could not be obtained on the resource.

**Action:** Commit or roll back the transaction that has the lock on the resource.

**ORA-31037: Invalid XML attribute name *string***

**Cause:** The attribute name in the XML document did not match anything in the associated schema.

**Action:** Supply only schema-defined or XML standard attributes.

**ORA-31038: Invalid *string* value: "*string*"**

**Cause:** The text in the XML document did not represent a valid value given the datatype and other constraints in the schema.

**Action:** Ensure that the specified value in XML documents is valid with respect to the datatype and other constraints in the schema.

**ORA-31039: XML namespace length *string* exceeds maximum *string***

**Cause:** The length of the disk-formatted XML namespace exceeded the maximum.

**Action:** Keep XML namespace declarations below the maximum length.

---

**ORA-31040: Property *string*: XML type (*string*) not compatible with internal memory type (*string*)**

**Cause:** The XML datatype given is inconsistent with the database datatype, and a conversion cannot be made.

**Action:** This is an internal error, generally resulting from corruption of the compiled XML schema. Re-register schemas, or contact Oracle support.

**ORA-31041: Property *string*: Memory type (*string*) not compatible with database type (*string*)**

**Cause:** The memory type associated with this property is mapped to an incompatible database type, and a conversion cannot be made.

**Action:** This is an internal error, generally resulting from corruption of the compiled XML schema. Re-register schemas, or contact Oracle support.

**ORA-31042: Too many properties in type "*string*"**

**Cause:** The type can only have the same number of properties (elements and attributes) as a table can have columns.

**Action:** Modify the XML schema to move properties into subelements that are not inlined.

**ORA-31043: Element "*string*" not globally defined in schema "*string*"**

**Cause:** The specified element name has not been defined at the top level of the XML schema (i.e. globally). Elements must be defined globally to be the root of an XMLType object.

**Action:** Check the XML schema definition to make sure the specified element name has been defined at the top level.

**ORA-31044: Top-level prefix length *string* exceeds maximum *string***

**Cause:** An attempt was made to save to disk a top-level XML namespace prefix whose length exceeded the maximum.

**Action:** Do not define XML namespace prefixes that exceed the maximum length.

**ORA-31045: Cannot store more than *string* extras outside the root XML node**

**Cause:** An attempt was made to store more than the maximum number of XML extras (e.g. comments and processing instructions) either before or after the document's root node.

**Action:** Keep the number of extras outside the root node below the maximum.

**ORA-31046: Incorrect argument(s) specified in the operator**

**Cause:** One or more of the arguments specified in the operator in the query are incorrect

**Action:** Correct the arguments specified in the operator

**ORA-31047: Could not retrieve resource data at path *string***

**Cause:** An error occurred while retrieving the contents and/or metadata of a resource.

**Action:** Contact Oracle customer support.

**ORA-31048: Unsaved resources cannot be updated**

**Cause:** An attempt was made to update a resource that was never saved to disk.

**Action:** Perform a resource insertion instead.

---

**ORA-31050: Access denied**

**Cause:** The requested access privileges have not been granted to the current user. User must be granted privileges prior to resource access.

**Action:** Check the set of requested access privileges to make sure that they are included in the set of access privileges granted to the user.

**ORA-31051: Requested access privileges not supported**

**Cause:** The requested access privileges are not supported for the specified resource.

**Action:** Ensure that the set of requested access privileges are valid access privileges for the specified resource.

**ORA-31052: Cannot delete ACL with other references**

**Cause:** The requested deletion of an ACL resource cannot proceed. The ACL is in use by other resources.

**Action:** Remove the resources that are making reference to the ACL in question and try again.

**ORA-31053: The value of the depth argument in the operator cannot be negative**

**Cause:** The value of the depth argument passed to the primary operator is not a positive integer

**Action:** Pass a positive value of the depth argument

**ORA-31054: The *string* operator cannot have an ancillary operator**

**Cause:** An ancillary operator was used with an operator which does not support ancillary operators

**Action:** Remove the ancillary operator in the query

**ORA-31055: A null XMLType element cannot be inserted into RESOURCE\_VIEW**

**Cause:** The element which is being inserted into the RESOURCE\_VIEW is NULL

**Action:** Specify a non-null XMLType element to insert into RESOURCE\_VIEW

**ORA-31056: The document being inserted does not conform to *string***

**Cause:** The XMLType element being inserted into the RESOURCE\_VIEW does not conform to the specified Schema

**Action:** Insert an element which conforms to the specified Schema

**ORA-31057: Display Name of the element being inserted is null**

**Cause:** The Display Name of the element which is being inserted into the RESOURCE\_VIEW is null

**Action:** Specify the Display Name and insert the element into RESOURCE\_VIEW

**ORA-31058: cannot modify read-only XOBs**

**Cause:** Read-Only XOBs cannot be modified.

**Action:** Use only read operations on such a XOB.

**ORA-31059: Cannot insert root XML document node if it already exists**

**Cause:** An attempt was made to insert a root node into an XML document that already had a root node.

**Action:** Call the appropriate replace function to replace the node instead of inserting it anew.

---

**ORA-31060: Resource at path *string* could not be deleted**

**Cause:** An error occurred while deleting the named resource. The specific error can be found one lower on the error stack.

**Action:** Look at the next error on the stack and take appropriate action.

**ORA-31062: Cannot delete an unsaved resource**

**Cause:** An attempt was made to delete a resource that had not been saved to disk.

**Action:** Delete only saved resources.

**ORA-31064: Cannot instantiate abstract element or property [*string*]**

**Cause:** An attempt was made instantiate an abstract element.

**Action:** Use only read operations on such elements.

**ORA-31065: Cannot modify read-only property [*string*]**

**Cause:** An attempt was made to modify an immutable XML node.

**Action:** Use only read operations on such properties.

**ORA-31066: Insertion of *string* into *string* creates a cycle**

**Cause:** An attempt was made to insert a link into the XDB hierarchy that would create a cycle in the tree.

**Action:** Ensure that links to existing resources do not cause cycles.

**ORA-31067: XML nodes must be updated with valid nodes and of the same type**

**Cause:** An attempt was made to use updateXML to update an XML node with a node of another type.

**Action:** Ensure that the node specified by the XPath matches the type of new data provided.

**ORA-31068: updateXML expected data format [*string*] instead of [*string*]**

**Cause:** An attempt was made to use updateXML to update data with a node of the incorrect type. Text and attribute nodes must be updated with string data, whereas element nodes must be updated with XMLType data.

**Action:** Use CREATEXML or getStringVal to coerce the new data to the proper format.

**ORA-31069: Cannot apply typed changes to non-schema-based XMLType nodes**

**Cause:** An attempt was made to insert, delete, or update a non-schema-based XMLType node using an XML schema definition.

**Action:** Make changes to non-typed nodes only by referencing their tag names.

**ORA-31070: Invalid database user ID *string***

**Cause:** An attempt was made set an invalid user ID into an XDB resource metadata property.

**Action:** Verify the validity of the user ID and try again.

**ORA-31071: Invalid database username or GUID *string***

**Cause:** An attempt was made to set an invalid username or GUID into an XDB resource metadata property.

**Action:** Verify the validity of the username or GUID and try again.

**ORA-31072: Too many child nodes in XMLType fragment for updateXML**

---

**Cause:** An attempt was made to pass an XMLType fragment with multiple children as new data for the updateXML operator.

**Action:** Extract the desired child from the XMLType before passing it to updateXML as the desired new XML node.

**ORA-31073: Resource not retrieved using path name**

**Cause:** An attempt was made to access the path name of a resource that was either never saved to disk or was loaded using a method other than with its path name.

**Action:** Perform path name operations only on resources obtained using a path name.

**ORA-31074: XML comment length *string* exceeds maximum *string***

**Cause:** The length of the disk-formatted XML comment exceeded the maximum.

**Action:** Keep outer XML comments declarations below the maximum length.  
///// 31075 - 31099 reserved for XML Schema Compiler

**ORA-31075: invalid *string* declaration in XML Schema**

**Cause:** The XML schema contains an invalid declaration identified by the message.

**Action:** Fix the identified error and try again.

**ORA-31076: required attribute "*string*" not specified**

**Cause:** The XML schema does not specify a required attribute.

**Action:** Specify a value for the required attribute.

**ORA-31077: invalid attribute "*string*" specified**

**Cause:** The XML schema specifies an invalid attribute.

**Action:** Remove specification of the invalid attribute.

**ORA-31078: error in SQL mapping information**

**Cause:** There is an error in the SQL type and table specification within the XML Schema.

**Action:** Ensure that all specified SQL types and tables are valid and compatible with the corresponding XML types.

**ORA-31079: unable to resolve reference to *string* "*string*"**

**Cause:** The identified type or attribute or element could not be resolved.

**Action:** Make sure that the name corresponds to a valid XML (simple/complex) type or attribute or element and try again.

**ORA-31080: type not specified for attribute or element "*string*"**

**Cause:** The identified attribute or element does not have a type.

**Action:** Make sure that every attribute and element has a valid type specification.

**ORA-31081: name not specified for global declaration**

**Cause:** The XML schema does not specify the name for the global declaration of attribute or element or simpleType or complexType.

**Action:** Specify names for all global declarations.

**ORA-31082: invalid attribute "*string*" specified in declaration of "*string*"**

**Cause:** The XML schema specifies an invalid attribute.

---

**Action:** Remove specification of the invalid attribute.

**ORA-31083: error while creating SQL type "*string*".*string*"**

**Cause:** An error occurred while trying to create the SQL type based on the specification of a complex type.

**Action:** Fix the identified error and try again.

**ORA-31084: error while creating table "*string*".*string*" for element "*string*"**

**Cause:** An error occurred while trying to create the table based on the declaration for the identified element.

**Action:** Fix the identified error and try again.

**ORA-31085: schema "*string*" already registered**

**Cause:** An attempt was made to register a schema with the same URL as a previously registered schema.

**Action:** Register the schema with a different URL.

**ORA-31086: insufficient privileges to register schema "*string*"**

**Cause:** An attempt was made to register a schema without sufficient privileges.

**Action:** Make sure that the user has sufficient privileges to register the schema.

**ORA-31087: insufficient privileges to delete schema "*string*"**

**Cause:** An attempt was made to delete a schema resource without sufficient privileges.

**Action:** Make sure that the user has sufficient privileges to delete the schema.

**ORA-31088: object "*string*".*string*" depends on the schema**

**Cause:** An attempt was made to delete a schema which has dependent objects.

**Action:** Either drop the dependent objects prior to deleting the schema or use the CASCADE or FORCE options.

**ORA-31089: schema "*string*" does not target namespace "*string*"**

**Cause:** The schema document contains references (via include and import definitions) to other schemas that do not belong to valid namespaces.

**Action:** Make sure that all schemas referenced via include definitions target the same namespace as the parent schema. Further make sure that the namespace specified in the import definition matches the actual target namespace of the specified schema.

**ORA-31090: invalid database schema name "*string*"**

**Cause:** The XML schema document contains an invalid database schema name. For example, the value of attribute `SQLSchema`

**Action:** Make sure that all database user/schema names specified in the XML schema document refer to existing database users/schemas.

**ORA-31091: empty string specified as a SQL name**

**Cause:** The XML schema document contains a null SQL name. For example, the values of attributes `SQLName`, `SQLType`, `defaultTable`.

**Action:** Make sure that all names of SQL schema objects specified in the XML schema document are valid SQL names. Otherwise, remove such attributes from the schema and try again.

---

**ORA-31092: invalid SQL name "*string*"**

**Cause:** The XML schema document contains an invalid SQL name. For example, the values of attributes SQLName, SQLType, defaultTable.

**Action:** Make sure that all names of SQL schema objects specified in the XML schema document are valid SQL names. This implies that the database length and other restrictions on names be satisfied.

**ORA-31093: null or invalid value specified for parameter : *string***

**Cause:** The argument value passed for the given parameter is null or invalid.

**Action:** Make sure that all the input argument values are valid.

**ORA-31094: incompatible SQL type "*string*" for attribute or element "*string*"**

**Cause:** The SQL type information provided in the XML schema is not compatible with the XML datatype for the specified attribute or element.

**Action:** Make sure that the specified SQL types are compatible with the declared XML datatypes.

**ORA-31095: cannot generate *string* : "*string.string*" already exists**

**Cause:** The type/table name specified in the XML schema document cannot be generated because it is already being used.

**Action:** Use different names for types/tables or use the NOGEN mode so that schema compiler does not generate new types/tables.

**ORA-31096: validation failed for schema**

**Cause:** The XML Schema could not be validated.

**Action:** Make sure that the SQLType and other datatype mapping is valid.

**ORA-31097: Hierarchical Index not empty**

**Cause:** An attempt was made to rebuild the hierarchical index which is not empty.

**Action:** Delete all rows in the hierarchical index and then rebuild it.

**ORA-31099: XDB Security Internal Error**

**Cause:** An XDB Security internal error has occurred.

**Action:** Contact Oracle Support. // // // // // 31100 - 31110 reserved for WebDAV compliant resource locks

**ORA-31100: XDB Locking Internal Error**

**Cause:** An XDB Locking Internal error has occurred.

**Action:** Contact Oracle Support.

**ORA-31101: Token "*string*" not given while locking resource "*string*"**

**Cause:** Locking attempted on resource when the principal already owns a lock given by the token above.

**Action:** Reattempt the lock with the token.

**ORA-31102: Already locked in exclusive mode. Cannot add lock.**

**Cause:** The resource is already locked in exclusive mode. Cannot add another lock.

**Action:** Unlock the existing lock.

**ORA-31103: Resource locked in shared mode. Cannot add exclusive lock**

**Cause:** The resource is locked in shared mode. Cannot add a shared lock.

---

**Action:** Try locking in shared mode or unlocking the existing lock.

**ORA-31104: Cannot find lock with token "string" on "string"**

**Cause:** The lock may have been unlocked or expired. If token was supplied, token may be wrong.

**Action:** Verify this lock exists. Supply correct token.

**ORA-31105: User does not own lock with supplied token "string"**

**Cause:** The lock corresponding to the supplied token is not owned by the user.

**Action:** Log on as correct user. Supply correct token.

**ORA-31107: Action failed as resource "string" is locked by name lock**

**Cause:** Lock requests cause the whole request URI to be locked

**Action:** Supply lock token or unlock the lock

**ORA-31108: Action failed as resource string is locked**

**Cause:** Delete/Rename failed because of an existing lock

**Action:** Do lockdiscovery to find the lock and delete it.

**ORA-31109: Action failed as parent resource string is locked**

**Cause:** Delete/Rename failed because of a lock on parent resource

**Action:** Do lockdiscovery to find the lock and delete it.

**ORA-31110: Action failed as resource string is locked by name**

**Cause:** Delete/Rename failed because one of the children is locked.

**Action:** Do lockdiscovery to find the lock and delete it.

**ORA-31111: table string cannot be hierarchically enabled**

**Cause:** Trigger <tabname>\_xdb\_pitrigger already exists

**Action:** Delete all rows in the hierarchical index and then rebuild it.

**ORA-31112: fail to string for string port using xdb configuration**

**Cause:** port number for the defined presentation is not valid

**Action:** Either the port number is already in use or it is protected. Specify another port number.

**ORA-31113: XDB configuration may not be updated with non-schema compliant data**

**Cause:** An attempt was made to update the XDB configuration resource with non-schema or non-schema compliant data.

**Action:** Check the document to make sure it is schema based and schema compliant.

**ORA-31114: XDB configuration has been deleted or is corrupted**

**Cause:** The XDB configuration resource has been deleted or corrupted.

**Action:** Reinstall XDB, or reinsert a valid configuration document.

**ORA-31115: XDB configuration error: string**

**Cause:** An error related to XDB configuration has occurred.

**Action:** Make sure the configuration resource contains valid data.

**ORA-31116: Tablespace not specified correctly**

---

**Cause:** XDB cannot be moved to the specified tablespace.

**Action:** Specify a valid tablespace.

**ORA-31117: Table "*string*"."*string*" is not resource metadata enabled**

**Cause:** This table does not have a RESID column for resource metadata

**Action:** Use disable/enable\_hierarchy to enable resource metadata

**ORA-31121: The *string* operator cannot be FALSE**

**Cause:** The value of the operator that was specified is FALSE.

**Action:** Specify an operator that evaluates to TRUE.

**ORA-31122: The *string* operator has incorrect RHS value**

**Cause:** The value on the right hand side, that has been specified for the operator did not evaluate to TRUE.

**Action:** Specify a value on the right hand side that evaluates to TRUE .

**ORA-31127: RCList cannot contain noncommitted resource configuration**

**Cause:** A commit was not executed after adding a resource configuration to an RCList by calling DBMS\_RESCONFIG.ADDRESCONFIG()

**Action:** Make sure a commit is executed after calling DBMS\_RESCONFIG.ADDRESCONFIG()

**ORA-31128: The event handler calls cannot exceed the depth of *string***

**Cause:** Tried to fire an event with depth exceeding the maximum.

**Action:** Make sure the event that is being fired does not generate infinitely recursive calls, either to itself or to other functions or procedures.

**ORA-31129: Unable to retrieve repository's resource configuration**

**Cause:** Tried to access a resource configuration referenced by the XDB repository that has been deleted.

**Action:** Disassociate the resource configuration from the repository.

**ORA-31130: Specified resource configuration is not associated with given resource**

**Cause:** Tried to delete a nonexistent resource configuration from the configuration list of the target resource.

**Action:** Make sure that the resource and resource configuration names are specified correctly and the resource configuration belongs to the configuration list of the given resource.

**ORA-31131: <RCList> contains OID that is not a resource configuration OID**

**Cause:** The OID in <RCList> element was not a resource configuration OID.

**Action:** Update the <RCList> element and resubmit statement.

**ORA-31132: Cannot validate handler "*string*"."*string*"**

**Cause:** Attempted to invoke an invalid event handler. This can be a result of one of the following reasons: 1) The handler did not exist. 2) The handler could not be compiled successfully.

**Action:** Verify that the named handler does exist, then recompile and fix all compilation errors that may subsequently arise.

**ORA-31133: Cannot execute handler "*string*"."*string*" with invoker rights**

---

**Cause:** Attempted to invoke an event handler with invoker rights when the SET-INVOKER attribute in the resource configuration that defines the handler was not set to TRUE.

**Action:** Either redefine the named handler with definer rights or change the SET-INVOKER attribute in the resource configuration that defines the named handler to TRUE.

**ORA-31134: Cannot delete a configuration that is referenced by other resources**

**Cause:** Attempted to delete a resource configuration that was referenced by other resources.

**Action:** Remove all references to the target resource configuration by executing DELETERESCONFIG or DELETEREPOSITORYRESCONFIG procedures in DBMS\_RESCONFIG package or specify the DELETE\_FORCE option in the DELETERESOURCE statement.

**ORA-31135: Resource has already been rendered**

**Cause:** One of the following has occurred: 1) Attempted to invoke setRender\* method after the resource was rendered through a setRender\* method or after data was written to the output stream. 2) Attempted to access the output stream of the resource after a setRender\* method was executed on the resource.

**Action:** Remove the method causing the problem.

**ORA-31136: Resource configuration *string* is already associated with the resource *string***

**Cause:** The resource configuration already exists in the resource configuration list of the resource or the repository

**Action:** Check if this resource configuration really needs to be added. If so, remove it from resource and repository lists before adding it.

**ORA-31137: Index out of range**

**Cause:** The position specified was not valid.

**Action:** Check ( $0 \leq \text{pos} < \text{size}$  of the configuration list of the target resource)

**ORA-31138: Resource-configuration is being referenced by one or more resources**

**Cause:** Tried to add a resource configuration to the repository that was being referenced by existing resources.

**Action:** Remove the resource configuration from other resources before trying to add it to the repository again.

**ORA-31139: Invalid resource configuration list**

**Cause:** Attempted to create or update a resource that had duplicate resource configurations or conflicted with the repository configurations.

**Action:** Correct the resource configuration list and re-submit statement.

**ORA-31140: Illegal operation: *string***

**Cause:** Tried to invoke a method when it was not allowed.

**Action:** Do not execute the indicated method.

**ORA-31141: Must specify a valid path value**

**Cause:** The path specified for the <defaultChildConfig> or <defaultChildACL> element must refer to an existing resource.

**Action:** Correct problem and resubmit statement.

---

**ORA-31142: Must specify the schema for each listener**

**Cause:** The schema element was not specified.

**Action:** Correct problem and resubmit statement.

**ORA-31143: XDB\_SET\_INVOKER role is required**

**Cause:** XDB\_SET\_INVOKER role was required to set the SET-INVOKER attribute to TRUE.

**Action:** Correct problem and resubmit statement.

**ORA-31144: Implementation language for *string* is not specified**

**Cause:** Implementation language for specified listener source was not specified.

**Action:** Correct problem and resubmit statement.

**ORA-31145: Duplicate listener, *string*, found in resource configuration**

**Cause:** Duplicate listener source was found in resource configuration.

**Action:** Remove duplicates and resubmit statement.

**ORA-31146: Invalid listener source *string.string***

**Cause:** The listener source specified in the resource configuration did not exist or was invalid.

**Action:** Correct the listener source in the <listener> element and resubmit statement.

**ORA-31147: *string* is not an ACL resource**

**Cause:** The specified resource did not conform to acl.xsd schema.

**Action:** Specify a valid path for the <defaultChildACL> element and resubmit statement.

**ORA-31148: *string* is not a valid resource configuration**

**Cause:** The resource specified in the <defaultChildConfig> element while creating a resource configuration or specified as the rpath in a call using DBMS\_RESCONFIG package did not conform to XDBResConfig.xsd schema.

**Action:** Specify a valid path and resubmit statement.

**ORA-31149: no such schema: *string***

**Cause:** Nonexistent schema defined in the resource configuration.

**Action:** Specify a valid schema in the resource configuration and resubmit statement.

**ORA-31150: uncaught error in handler *string***

**Cause:** The named handler raised an exception.

**Action:** Fix the identified error. // 31151 - 31179 reserved for XML Schema Compiler

**ORA-31151: Cyclic definition encountered for *string*: "*string*"**

**Cause:** The schema definition for this type has cycles.

**Action:** Remove cyclic definition and re-compile schema.

**ORA-31153: Cannot create schema URL with reserved prefix**

**"http://xmlns.oracle.com/xdb/schemas/"**

**Cause:** This prefix is reserved for XDB extended schema URLs and cannot be used in a user specified URL.

---

**Action:** Modify the prefix to a different one.

**ORA-31154: invalid XML document**

**Cause:** The XML document is invalid with respect to its XML Schema.

**Action:** Fix the errors identified and try again.

**ORA-31155: attribute *string* not in XDB namespace**

**Cause:** The specified attribute should be prefixed with XDB's namespace.

**Action:** Ensure that all XDB specified attributes are prefixed with XDB's namespace and try again.

**ORA-31157: Invalid Content-Type charset**

**Cause:** HTTP Content-Type header had a charset that Oracle does not understand.

**Action:** Fix the Content-Type header in the HTTP request.

**ORA-31158: schema "*string*" currently being referenced**

**Cause:** The specified schema URL is currently being referenced by the same session. This could happen because of PLSQL XMLType variables still in scope.

**Action:** Ensure all references to this schema in this session are released and try the operation again.

**ORA-31159: XML DB is in an invalid state**

**Cause:** XML DB's internal tables are in an invalid state, probably because the database was not upgraded or the upgrade was not successful

**Action:** Ensure that the database is upgraded successfully. If the problem persists, contact Oracle Support

**ORA-31160: max substitution group size *string* exceeded by "*string*" (*string*) for head element "*string*" (*string*)**

**Cause:** The maximum limit on nested substitution groups has been exceeded by an element.

**Action:** Delete specified schema and re-register it after removing the offending substitution element.

**ORA-31161: element or attribute "*string*" cannot be stored out of line**

**Cause:** An element or attribute of a simple type has SQLInline=false

**Action:** Remove the SQLInline=false qualification for the offending element or attribute

**ORA-31162: element or attribute "*string*" has no SQLType specified**

**Cause:** Schema registration was invoked with GENTYPES=false without specifying a SQLType for some element or attribute

**Action:** Specify a SQLType for the offending element or attribute and register the schema again

**ORA-31163: element or attribute "*string*" has invalid attribute value "*string*" (should be "*string*")**

**Cause:** An element or attribute for a complex type derived by restriction has an attribute whose value is different from that in the base type

**Action:** Remove the mismatched attribute values from the offending element or attribute

---

**ORA-31164: cannot load object-relational XML attribute using direct path**

**Cause:** The table being loaded contains a xml column with object-relational storage. The xmltype column contains a type with subtypes. This type of attribute cannot be loaded with direct path.

**Action:** Perform the load with conventional path mode.

**ORA-31165: cannot load object-relational XML attribute using direct path**

**Cause:** The table being loaded contains a xml column with object-relational storage. The xmltype column either contains an out-of-line partitioned table or the table itself is partitioned by one of the attributes of xmltype. This type of table cannot be loaded with direct path.

**Action:** Perform the load with conventional path mode.

**ORA-31167: XML nodes over 64K in size cannot be inserted**

**Cause:** An attempt was made to insert an XML Text Node with a size greater than 64K. This is not supported.

**Action:** Create text nodes under 64K.

**ORA-31168: Node localname and namespace values should be less than 64K**

**Cause:** An attempt was made to specify an XML Node with localname or namespace value greater than or equal to 64K. This is not supported.

**Action:** Node localnames and namespace values should be under 64K.

**ORA-31169: Number of children (*string*) defined in "*string*" exceeds maximum (*string*)**

**Cause:** An attempt was made to define more than the allowed number of children in a complexType of an XMLSchema document.

**Action:** Modify the XML Schema to move children of complexType into subelements that are not inlined.

**ORA-31176: API not supported in this release**

**Cause:** This API was not supported.

**Action:** None

**ORA-31180: DOM Type mismatch in invalid PL/SQL DOM handle**

**Cause:** The specified PL/SQL DOM handle is referencing a DOM Node whose DOM Type that does not match the one available in the session. This could happen because the pl/sql handle was reused, or the original document is no longer available.

**Action:** Ensure that the pl/sql handle for the target node is valid and try the operation again.

**ORA-31181: PL/SQL DOM handle accesses node that is no longer available**

**Cause:** The specified pl/sql handle is referencing a node in a DOM Document that is no longer available.

**Action:** Ensure that the pl/sql handle for the target node is valid and try the operation again.

**ORA-31182: Too many PL/SQL DOM handles specified**

**Cause:** An attempt was made to create a PL/SQL DOM handle that exceeded the maximum allowable number of PL/SQL DOM handles.

**Action:** Free PL/SQL DOM handles and try the operation again.

---

**ORA-31183: Node type *string* cannot be converted to desired type**

**Cause:** The given node's type cannot be converted correctly for this operation. For example, a DOM Element cannot be converted to Document Fragment

**Action:** Pass a valid node type for the conversion.

**ORA-31185: DOM Nodes do not belong to the same DOM Document**

**Cause:** The specified PL/SQL DOM Node does not belong to the parent DOM Document of the referring DOM Node.

**Action:** Ensure that both the DOM Nodes are part of the same DOM Document.

**ORA-31186: Document contains too many nodes**

**Cause:** Unable to load the document because it has exceeded the maximum allocated number of DOM nodes.

**Action:** Reduces the size of the document.

**ORA-31187: Cannot Add Node "*string*" (type="*string*") to Simple Type Node "*string*"**

**Cause:** Trying to add attribute/element nodes to a simple type against the schema definition. Simple types can have only special attribute like namespaces, xsi:nil etc.

**Action:** Use a valid node for the operation.

**ORA-31188: The specified printing option is invalid**

**Cause:** The printing option specified in the operation is invalid.

**Action:** Use a valid printing option for the operation.

**ORA-31190: Resource *string* is not a version-controlled resource**

**Cause:** Either one of the following is the cause:

- Checkout is requested for a resource that isn't under version control". Only version-controlled resource can be checked out.
- Checkout is requested for a row of a non-versioned table.

**Action:** put the resource under version-control before checking out.

**ORA-31191: Resource *string* is already checked out**

**Cause:** Either one of the following is the cause:

- Checkout is requested for a resource that is already checked out to the workspace by the same or different user.

**Action:** checked in the resource from the workspace before checking out

**ORA-31192: Resource *string* has not been checked out**

**Cause:** Either one of the following is the cause:

- Checkin or uncheckout is requested for a resource that has not been checked out to the workspace by any user in a workspace

**Action:** checked in the resource from the workspace before checking out

**ORA-31193: This versioning feature isn't supported for resource *string***

**Cause:** Either one of the following is the cause:

- Container cannot be put under version-controlled.

**Action:** Avoid using these features.

**ORA-31194: Resource *string* is already deleted**

**Cause:** Access a version-controlled resource that is already deleted.

---

**Action:** Remove the cyclic definitions in the type and retry compilation.

**ORA-31195: XML node "string" (type=string) does not support this operation**

**Cause:** The given node's type is not supported for this operation. For example, trying to add children to an attribute node, or passing in a document node as a child, are unsupported operations.

**Action:** Use a valid node type for the operation.

**ORA-31196: XML nodes over string in size cannot be printed**

**Cause:** An attempt was made to use an XML Text Node with a size greater than 64K, or an XML Comment Node with a size greater than 4K. These cannot be printed. For example, trying to add children to an attribute node, or passing in a document node as a child, are unsupported operations.

**Action:** Use getClobVal() or getStringVal() to print the Document.

**ORA-31197: Error in processing file string**

**Cause:** An error occurred while operating on the specified file. The possible causes are the file header is corrupt or check the next error on stack

**Action:** Ensure that the specified file is correct. Look at the next error on the stack and take appropriate action.

**ORA-31198: Mismatch in number of bytes transferred due to non-binary mode**

**Cause:** An error occurred while reading the specified file. The most probable cause is that the transfer was initiated in ASCII mode.

**Action:** Ensure that the transfer mode is set to BINARY

**ORA-31199: Warning in processing file string**

**Cause:** A warning was raised while operating on the specified file. However, the current operation was completed successfully.

**Action:** This is primarily an informational message. Look at the next error on the stack to obtain further information. //////////////// DBMS\_LDAP & OiD messages

**ORA-31201: DBMS\_LDAP: generic error: string**

**Cause:** There has been an error in the DBMS\_LDAP package.

**Action:** Please report the error number and description to Oracle Support.

**ORA-31202: DBMS\_LDAP: LDAP client/server error: string**

**Cause:** There is a problem either on the LDAP server or on the client.

**Action:** Please report this error to the LDAP server administrator or your Database administrator.

**ORA-31203: DBMS\_LDAP: PL/SQL - Init Failed.**

**Cause:** There has been an error in the DBMS\_LDAP Init operation.

**Action:** Please check the host name and port number, or report the error number and description to Oracle Support.

**ORA-31204: DBMS\_LDAP: PL/SQL - Invalid LDAP Session.**

**Cause:** There has been an error in the DBMS\_LDAP bind operation.

**Action:** Please check the session handler that you use for binding, or report the error number and description to Oracle Support.

---

**ORA-31205: DBMS\_LDAP: PL/SQL - Invalid LDAP Auth method.**

**Cause:** There has been an error in the DBMS\_LDAP bind operation.

**Action:** Please check the authentication credentials that you use for binding, or report the error number and description to Oracle Support.

**ORA-31206: DBMS\_LDAP: PL/SQL - Invalid LDAP search scope.**

**Cause:** There has been an error in the DBMS\_LDAP search operation.

**Action:** Please check the search scope that you use for search, or report the error number and description to Oracle Support.

**ORA-31207: DBMS\_LDAP: PL/SQL - Invalid LDAP search time value.**

**Cause:** There has been an error in the DBMS\_LDAP search operation.

**Action:** Please check the search time value that you use for search, or report the error number and description to Oracle Support.

**ORA-31208: DBMS\_LDAP: PL/SQL - Invalid LDAP Message.**

**Cause:** There has been an error in the DBMS\_LDAP operation.

**Action:** Please check the LDAP message that you use for LDAP operation, or report the error number and description to Oracle Support.

**ORA-31209: DBMS\_LDAP: PL/SQL - LDAP count\_entry error.**

**Cause:** There has been an error in the DBMS\_LDAP count\_entry operation.

**Action:** Please check the LDAP count\_operation, or report the error number and description to Oracle Support.

**ORA-31210: DBMS\_LDAP: PL/SQL - LDAP get\_dn error.**

**Cause:** There has been an error in the DBMS\_LDAP get\_dn operation.

**Action:** Please check the LDAP get\_dn, or report the error number and description to Oracle Support.

**ORA-31211: DBMS\_LDAP: PL/SQL - Invalid LDAP entry dn.**

**Cause:** There has been an error in the DBMS\_LDAP operation.

**Action:** Please check the entry dn that you use for LDAP operation, or report the error number and description to Oracle Support.

**ORA-31212: DBMS\_LDAP: PL/SQL - Invalid LDAP mod\_array.**

**Cause:** There has been an error in the DBMS\_LDAP operation.

**Action:** Please check the LDAP mod\_array that you use for LDAP operation, or report the error number and description to Oracle Support.

**ORA-31213: DBMS\_LDAP: PL/SQL - Invalid LDAP mod option.**

**Cause:** There has been an error in the DBMS\_LDAP populate\_mod\_array operation.

**Action:** Please check the LDAP mod option that you use for LDAP populate\_mod\_array operation, or report the error number and description to Oracle Support.

**ORA-31214: DBMS\_LDAP: PL/SQL - Invalid LDAP mod type.**

**Cause:** There has been an error in the DBMS\_LDAP populate\_mod\_array operation.

**Action:** Please check the LDAP mod type that you use for LDAP populate\_mod\_array operation, or report the error number and description to Oracle Support.

---

**ORA-31215: DBMS\_LDAP: PL/SQL - Invalid LDAP mod value.**

**Cause:** There has been an error in the DBMS\_LDAP populate\_mod\_array operation.

**Action:** Please check the LDAP mod value that you use for LDAP populate\_mod\_array operation, or report the error number and description to Oracle Support.

**ORA-31216: DBMS\_LDAP: PL/SQL - Invalid LDAP rdn.**

**Cause:** There has been an error in the DBMS\_LDAP operation.

**Action:** Please check the LDAP rdn value that you use for LDAP operation, or report the error number and description to Oracle Support.

**ORA-31217: DBMS\_LDAP: PL/SQL - Invalid LDAP newparent.**

**Cause:** There has been an error in the DBMS\_LDAP rename\_s operation.

**Action:** Please check the LDAP newparent value that you use for LDAP rename\_s operation, or report the error number and description to Oracle Support.

**ORA-31218: DBMS\_LDAP: PL/SQL - Invalid LDAP deleteoldrdn.**

**Cause:** There has been an error in the DBMS\_LDAP rename\_s operation.

**Action:** Please check the LDAP deleteoldrdn value that you use for LDAP rename\_s operation, or report the error number and description to Oracle Support.

**ORA-31219: DBMS\_LDAP: PL/SQL - Invalid LDAP notypes.**

**Cause:** There has been an error in the DBMS\_LDAP explode\_dn or explode\_rdn operation.

**Action:** Please check the LDAP notypes value that you use for LDAP explode\_dn or explode\_rdn operation, or report the error number and description to Oracle Support.

**ORA-31220: DBMS\_LDAP: PL/SQL - Invalid LDAP SSL wallet location.**

**Cause:** There has been an error in the DBMS\_LDAP operation.

**Action:** Please check the LDAP sslwrl value that you use for LDAP operation, or report the error number and description to Oracle Support.

**ORA-31221: DBMS\_LDAP: PL/SQL - Invalid LDAP SSL wallet passwd.**

**Cause:** There has been an error in the DBMS\_LDAP operation.

**Action:** Please check the LDAP sslpasswd value that you use for LDAP operation, or report the error number and description to Oracle Support.

**ORA-31222: DBMS\_LDAP: PL/SQL - Invalid LDAP SSL authentication mode.**

**Cause:** There has been an error in the DBMS\_LDAP operation.

**Action:** Please check the LDAP sslauth value that you use for LDAP operation, or report the error number and description to Oracle Support.

**ORA-31223: DBMS\_LDAP: cannot open more than *string* LDAP server connections**

**Cause:** An attempt was made to open more than the maximum allowed LDAP server connections.

**Action:** Free unused connections.

**ORA-31224: DBMS\_LDAP: invalid LDAP session**

**Cause:** An attempt was made by a PL/SQL module to use an LDAP session which is not valid and might have already been closed.

---

**Action:** Check the LDAP session handle in PL/SQL module involving DBMS\_LDAP.

**ORA-31225: DBMS\_LDAP: invalid BER\_ELEMENT**

**Cause:** An attempt was made by a PL/SQL module to use a BER\_ELEMENT which is not valid and might have already been freed.

**Action:** Check the BER\_ELEMENT in PL/SQL module involving DBMS\_LDAP.

**ORA-31226: DBMS\_LDAP: MOD\_ARRAY size limit exceeded**

**Cause:** An attempt was made by a PL/SQL module to add an element beyond the MOD\_ARRAY size limit.

**Action:** Increase the MOD\_ARRAY size limit in PL/SQL module involving DBMS\_LDAP.

**ORA-31227: DBMS\_LDAP: invalid LDAP MESSAGE handle**

**Cause:** An attempt was made by a PL/SQL module to use an LDAP MESSAGE handle which is not valid and might have already been freed.

**Action:** Check the LDAP MESSAGE handle in PL/SQL module involving DBMS\_LDAP.

**ORA-31228: DBMS\_LDAP: invalid MOD\_ARRAY**

**Cause:** An attempt was made by a PL/SQL module to use a MOD\_ARRAY which is not valid and might have already been freed.

**Action:** Check the MOD\_ARRAY in PL/SQL module involving DBMS\_LDAP.

**ORA-31229: DBMS\_LDAP: invalid input parameter**

**Cause:** An invalid argument has been passed by a PL/SQL module to a DBMS\_LDAP subprogram

**Action:** Check the input argument to the DBMS\_LDAP subprogram in PL/SQL module involving DBMS\_LDAP.

**ORA-31230: DBMS\_LDAP: unable to dynamically allocate additional memory**

**Cause:** An error occurred during dynamic memory allocation from session heap.

**Action:** Verify that adequate memory resources are available.

**ORA-31231: DBMS\_LDAP: invalid PROPERTY\_SET**

**Cause:** An attempt was made by a PL/SQL module to use a PROPERTY\_SET which is not valid and might have already been freed.

**Action:** Check the PROPERTY\_SET in PL/SQL module involving DBMS\_LDAP.

**ORA-31232: DBMS\_LDAP: invalid MOD\_PROPERTY\_SET**

**Cause:** An attempt was made by a PL/SQL module to use a MOD\_PROPERTY\_SET which is not valid and might have already been freed.

**Action:** Check the MOD\_PROPERTY\_SET in PL/SQL module involving DBMS\_LDAP.

**ORA-31398: DBMS\_LDAP: Shared servers are not supported.**

**Cause:** The session executing functions from the DBMS\_LDAP package is being handled by a shared server in the Database.

**Action:** Use dedicated database sessions to execute functions in the DBMS\_LDAP package.

---

**ORA-31399: Cannot contact LDAP server *string* at port *number***

**Cause:** The LDAP server specified could not be contacted. This can happen if the server is down or inaccessible.

**Action:** Contact the administrator of the LDAP server  
//////////////////////////////////// End of DBMS\_LDAP & OiD messages

**ORA-31401: change source *string* is not an existing change source**

**Cause:** The caller did not use the name of an existing change source. The name given does not match the name of any existing change source.

**Action:** Check the spelling of the change source name. Choose an existing change source.

**ORA-31402: unrecognized parameter *string***

**Cause:** Unrecognized parameter was detected.

**Action:** Check for too many parameters in the call.

**ORA-31403: change table *string* already contains a column *string***

**Cause:** Issued ALTER\_CHANGE\_TABLE with an add operation but a column by this name already exists in the specified table.

**Action:** Check the names and call the procedure again.

**ORA-31404: all input parameters are null**

**Cause:** All input parameters are null. At least one property must be altered.

**Action:** Call the procedure again, making sure that all the required parameters have been specified. Ensure that at least one parameter is not null. Refer to user documentation for the correct way of calling this procedure.

**ORA-31405: cannot make changes while change set *string* is advancing**

**Cause:** The change set is currently advancing. Change sources related to an advancing change set cannot be altered. Change tables related to the advancing change set cannot be created, altered or dropped. Some or all the parameters of the change set cannot be altered while the set is advancing.

**Action:** Wait until the change set has finished advancing, then reissue the command. If altering the change set, only the advance\_enable parameter can be altered during an advance.

**ORA-31406: change source *string* is referenced by a change set**

**Cause:** The operation cannot complete because this change source is referenced by one or more change sets.

**Action:** Drop the change sets first, then re-issue the command. May have to drop some change tables before the change sets are dropped.

**ORA-31407: end\_date must be greater than the begin\_date**

**Cause:** The end data of the change set is earlier than the begin date. The end date must always be later in time than the begin date, so that the duration between the begin and end dates is a positive amount of time.

**Action:** Change the begin date and/or the end date, so that the end date is later than the begin date.

**ORA-31408: invalid value specified for begin\_scn or end\_scn**

**Cause:** The begin\_scn was not greater than zero. The end\_scn was less than zero. The end\_scn was less than the begin\_scn.

---

**Action:** Check the values of both `begin_scn` and `end_scn`. Correct them to make sure that they form a legal SCN range. An `end_scn` value of zero indicates an infinite scn range.

**ORA-31409: one or more values for input parameters are incorrect**

**Cause:** One or more of the inputs to the procedure had invalid values.

**Action:** Identify the bad parameter(s) and supply correct values to the procedure.

**ORA-31410: change set *string* is not an existing change set**

**Cause:** Could not find an existing change set by this name.

**Action:** Check the spelling of the change set name. Call the procedure again, passing the correct change set name.

**ORA-31411: change set *string* is referenced by a change table**

**Cause:** The operation cannot be performed because the change set contains one or more change tables.

**Action:** You will need to drop the change table(s) first, then repeat the operation

**ORA-31412: change set *string* is disabled and cannot be advanced**

**Cause:** The specified change set is disabled. The change set needs to be enabled for the operation to succeed.

**Action:** Determine why the change set is disabled and correct this condition. Alter the change set specifying "y" for `advance_enable` then retry the operation.

**ORA-31413: change set *string* is currently being advanced**

**Cause:** An advance operation is in progress for this change set and we only allow one at a time.

**Action:** Since the change set is currently being advanced, the best action is to wait for it to finish advancing. Only one caller at a time can advance the change set. Check for the cause of long running advance operations.

**ORA-31414: error(s) occurred during change table advance**

**Cause:** One or more errors occurred during the advance operation.

**Action:** Check the log file(s) for a more detailed report of the underlying errors.

**ORA-31415: change set *string* does not exist**

**Cause:** Specified change set does not exist or the user does not have access to the publications in that change set. The name specified did not match the name of any existing change set. Certain privileges are required to access the publications within that change set.

**Action:** Check the name and call the procedure again, with the name of an existing change set. Contact the publisher or database administrator if user privileges are required to access the publications in the change set.

**ORA-31416: invalid SOURCE\_COLMAP value**

**Cause:** A `source_colmap` value of "y" was specified for an asynchronous change table.

**Action:** Specify a `source_colmap` parameter value of "n" and call the procedure again.

**ORA-31417: column list contains control column *string***

**Cause:** Reserved column name was specified in a column list or column type parameter.

---

**Action:** Control columns are selected with separate parameters. If you did not want a control column, then change the name of the specified column so that it does not conflict with a reserved column name.

**ORA-31418: source schema *string* does not exist**

**Cause:** Trying to create a synchronous change table and the source schema did not match any existing schema names in the database.

**Action:** Specify the name of an existing schema.

**ORA-31419: source table *string* does not exist**

**Cause:** When creating a synchronous change table, the underlying source table must exist when the procedure is called. In this case, the source table did not exist.

**Action:** Specify the name of an existing table.

**ORA-31420: unable to submit the purge job**

**Cause:** When creating the first change table, a purge job is submitted to the job queue. Submission of this purge job failed.

**Action:** Make sure that job queue processes are enabled and are currently running. If this does not solve the problem, contact Oracle.

**ORA-31421: change table does not exist**

**Cause:** Specified change table does not exist.

**Action:** Recheck the name, and call the procedure again using an existing change table.

**ORA-31422: owner schema *string* does not exist**

**Cause:** Value specified for the owner parameter does not contain the name of an existing schema in the database.

**Action:** Recheck the name, and call the procedure again using an existing schema name.

**ORA-31423: change table *string* does not contain column *string***

**Cause:** Issued ALTER\_CHANGE\_TABLE with a drop operation and the specified column does not exist in the change table.

**Action:** Recheck the names, and call the procedure again.

**ORA-31424: change table has active subscriptions**

**Cause:** The change table is subscribed to, so it cannot be dropped.

**Action:** Do not drop a change table while there are active subscribers. If this is an emergency, use the FORCE parameter. This will forcibly drop the change table out from under all subscribers.

**ORA-31425: subscription does not exist**

**Cause:** The subscription either did not exist or did not belong to this user.

**Action:** Call the function again with a valid subscription name.

**ORA-31426: cannot modify active subscriptions**

**Cause:** The subscription was already activated so that additional calls to SUBSCRIBE were prohibited.

**Action:** Subscribe to all the desired tables and columns before activating the subscription. Ensure that the correct subscription name is specified.

---

**ORA-31427: publication *string* already subscribed**

**Cause:** The subscription already contained this publication.

**Action:** Check the values of `subscription_name` and `publication_id`. Check any other subscribe calls to see if they subscribe to columns that are shared among more than one publication on the same source table. Do not attempt to subscribe to the same publication more than once in the same subscription. Use the `publication_id` variant of the SUBSCRIBE call if needed to specify precise publications.

**ORA-31428: no publication contains all the specified columns**

**Cause:** One or more of the specified columns cannot be found in a single publication.

**Action:** Change the subscription request to select only columns that are in the same publication. Consult the `USER_PUBLISHED_COLUMNS` view to see current publications.

**ORA-31429: subscription has not been activated**

**Cause:** The called procedure required an activated subscription.

**Action:** Check the subscription name and correct if necessary. Call the `ACTIVATE_SUBSCRIPTION` procedure for this subscription and then reissue the original command.

**ORA-31430: subscriber view exists**

**Cause:** A view that is already in use was specified for the subscriber view.

**Action:** Call the SUBSCRIBE procedure using a different subscriber view name.

**ORA-31431: all source tables must belong to the synchronous change set**

**Cause:** Not all of the source tables belong to the synchronous change set.

**Action:** Check the spelling of the source tables. Make sure that all of the source tables belong to the synchronous change set.

**ORA-31432: invalid source table**

**Cause:** Either the `schema_name.source_table` did not exist or it did not belong to this subscription.

**Action:** Check the spelling of the `schema_name` and `source_table`. Verify that the specified table exists in the specified schema and is subscribed to by the subscription.

**ORA-31433: subscriber view does not exist**

**Cause:** The subscription did not contain this subscriber view.

**Action:** Recheck the name, and specify the name of an existing subscriber view.

**ORA-31434: purge is currently running**

**Cause:** Called the PURGE procedure while a purge job was currently running.

**Action:** Wait for purge to complete before reissuing this command.

**ORA-31435: an error occurred during the purge operation**

**Cause:** An error occurred during the purge operation

**Action:** Check the logfile for a more detailed report of the underlying errors.

**ORA-31436: duplicate change source *string***

**Cause:** A change source by the specified name already exists.

---

**Action:** Recreate the change source with a unique name.

**ORA-31437: duplicate change set *string***

**Cause:** A change set by the specified name already exists.

**Action:** Recreate the change set with a unique name.

**ORA-31438: duplicate change table *string***

**Cause:** A change table by the specified name already exists.

**Action:** Recreate the change table with a unique name.

**ORA-31439: subscription is already active**

**Cause:** The subscription is already active.

**Action:** Check name and retry.

**ORA-31440: change set *string* is empty and cannot be advanced**

**Cause:** User attempted to advance a change set which does not contain any change tables. Without change tables, a change set cannot be advanced.

**Action:** Create change tables in the change set, then retry the advance.

**ORA-31441: table is not a change table**

**Cause:** User attempted to execute the DROP\_CHANGE\_TABLE procedure on a table that is not a CHANGE table. This can also occur when a CHANGE table object has been orphaned. CHANGE tables can become orphaned after a CREATE\_CHANGE\_TABLE failure or an incomplete DROP\_CHANGE\_TABLE.

**Action:** Check spelling. If error was due to an incorrect name, then retry the procedure using the correct name. To drop a table that is not a CHANGE table, or an orphaned CHANGE table, use the DROP TABLE DDL command instead.

**ORA-31442: operation timed out while acquiring lock on *string***

**Cause:** CDC attempted to acquire a lock on the resource, but the operation timed out.

**Action:** Retry the operation later.

**ORA-31443: deadlock detected while acquiring lock on *string***

**Cause:** CDC attempted to acquire a lock on the resource, but encountered a deadlock.

**Action:** Contact Oracle corporation

**ORA-31444: parameter error while acquiring lock on *string***

**Cause:** CDC attempted to acquire a lock on the resource, but encountered a problem passing parameters to the lock manager.

**Action:** Contact Oracle corporation

**ORA-31445: invalid lock handle while acquiring lock on *string***

**Cause:** CDC attempted to acquire a lock on the resource, but encountered a invalid lock handle, which did not correspond to any existing handle.

**Action:** Contact Oracle corporation

**ORA-31446: this session does not own the lock handle for *string***

**Cause:** CDC attempted to acquire a lock on the resource, does not own the the lock associated with the lock. This is an internal error.

**Action:** Contact Oracle corporation

---

**ORA-31447: cannot create change tables in the SYS schema**

**Cause:** Attempted to create a change table in the SYS schema. This is not allowed.

**Action:** Use a different existing schema and retry the command.

**ORA-31448: invalid value for change\_source**

**Cause:** The specified value was not a valid name for a Change Source.

**Action:** Specify a valid name and retry the command.

**ORA-31449: invalid value for change\_set\_name**

**Cause:** The specified value was not a valid name for a Change Set.

**Action:** Specify a valid name and retry the command.

**ORA-31450: invalid value for change\_table\_name**

**Cause:** The specified value was not a valid name for a Change Table.

**Action:** Specify a valid name and retry the command.

**ORA-31451: invalid value *string* for capture\_values, expecting: OLD, NEW, or BOTH**

**Cause:** The specified value was not a valid option for a capture\_values.

**Action:** Specify a valid option and retry the command.

**ORA-31452: invalid value *string* for parameter, expecting: Y or N**

**Cause:** The specified value was not Y or N.

**Action:** Specify Y or N for the parameter and retry the command.

**ORA-31453: invalid value *string* for parameter, expecting: Y, N, or NULL**

**Cause:** The specified value was not Y, N or NULL.

**Action:** Specify Y, N or NULL for the parameter and retry the command.

**ORA-31454: invalid value *string* for operation parameter, expecting: ADD or DROP**

**Cause:** The specified value was not ADD or DROP.

**Action:** Specify ADD or DROP and retry the command.

**ORA-31455: nothing to ALTER**

**Cause:** The specified column list is NULL and all optional control columns are "N".

**Action:** Specify one or more columns to ALTER.

**ORA-31456: error executing a procedure in the DBMS\_CDC\_UTILITY package**

**Cause:** An internal attempt to invoke a procedure within the DBMS\_CDC\_UTILITY package failed.

**Action:** Check the trace logs for more information. Ensure that the package has been installed successfully. Try issuing a DESCRIBE command from SQL on the package. If it fails, then try reinstalling the package. If it succeeds then try invoking one of the procedures from SQL.

**ORA-31457: maximum length of description field exceeded**

**Cause:** The maximum number of characters permitted in the description field was exceeded.

**Action:** The maximum length of the description field is 30 characters. Ensure the length does not exceed this value and retry the command.

---

**ORA-31458: an internal error occurred**

**Cause:** This is an internal error.

**Action:** Contact Oracle Worldwide Customer Support and report the error.

**ORA-31459: system triggers for DBMS\_CDC\_PUBLISH package are not installed**

**Cause:** One or more required system triggers are not installed. These triggers are required for the proper operation of Change Data Capture. Operations on Change tables cannot continue.

**Action:** Install or reenble the triggers, or reinstall the package.

**ORA-31460: logfile location *string* is not an existing directory**

**Cause:** The directory specification for logfile location for the change source, does not correspond with an existing directory, or the directory was not accessible.

**Action:** 1. Create the directory if it does not exist. If the directory does exist, change the file system permissions so the directory can be accessed. OR 2. perform ALTER CHANGE SOURCE and change the logfile\_location to be an existing directory that contains the logfiles

**ORA-31461: logfile location *string* contains no files that match pattern *string***

**Cause:** The directory specification for logfile location for the change source, does not contain any files whose names pattern-match the logfile\_suffix.

**Action:** 1. Make sure that the logfile location contains logfiles whose names match the logfile\_suffix pattern for the change set. OR 2. perform ALTER CHANGE SOURCE and change the logfile\_suffix such that it matches the names of existing logfiles in the directory

**ORA-31462: internal error while accessing metadata**

**Cause:** An unexpected internal error occurred while CDC was accessing its internal Metadata.

**Action:** Contact Oracle Corporation

**ORA-31463: logfile location *string* is an empty directory**

**Cause:** The directory specification for logfile location for the change source, is an empty directory

**Action:** 1. Make sure it is the correct location of the logfiles. If it is, make sure the directory contains logfiles. OR 2. perform ALTER CHANGE SOURCE and change the logfile\_location to be an existing directory that contains the logfiles

**ORA-31464: target table for the change table no longer exists**

**Cause:** User tried to drop a change table but its underlying storage table (that contains the change data) has been dropped.

**Action:** Contact Oracle Corporation

**ORA-31465: cannot obtain a lock on the subscription**

**Cause:** A timeout occurred while trying to place a lock on the subscription. Another session had already acquired the lock on the subscription.

**Action:** Ensure the subscription name is correct and correct it if necessary. If it is already correct, try the operation again after the session holding the lock has released it.

**ORA-31466: no publications found**

---

**Cause:** Did not find any publications that matched the input parameters or the user does not have the privileges to access the specified publication.

**Action:** Check the input parameters on the call to SUBSCRIBE. Validate that the proposed source table has been published by checking the USER\_PUBLICATIONS view for that source table. Contact the publisher if user privileges are required to access the publication. Retry the command with correct security or publication information.

**ORA-31467: no column found in the source table**

**Cause:** The OBJECT\_ID flag was set to "Y" on the call to CREATE\_CHANGE\_TABLE and change table belongs to the synchronous change set. The corresponding object column was not detected in the source table.

**Action:** Create the change table with the OBJECT\_ID flag set to "N" or investigate why the object column is not in the source table and add it to the source table.

**ORA-31468: cannot process DDL change record**

**Cause:** The change set has stop\_on\_ddl enabled and was trying to process a DDL change record.

**Action:** Check the alert log to find out what the DDL record contained. Make any necessary changes to the change tables. Call ALTER\_CHANGE\_SET with recover\_after\_error and remove\_ddl set to "Y".

**ORA-31469: cannot enable Change Data Capture for change set *string***

**Cause:** The change set has reached the specified limit that was set up by the CREATE\_CHANGE\_SET command.

**Action:** Check the alert log to find out whether capture, apply or both reached the limit. Once apply reaches its limit, the change set is permanently disabled. Create a new change set with new limits to continue capturing data.

**ORA-31470: asynchronous change tables must contain the RSID\$ column**

**Cause:** If creating an asynchronous change table, the RSID was set to "N". If altering an asynchronous change table with an operation parameter of "DROP" RSID was set to "Y".

**Action:** When creating asynchronous change tables, always specify "Y" for the RSID parameter. When altering asynchronous change tables always specify "N" for RSID.

**ORA-31471: invalid OBJECT\_ID value**

**Cause:** An object\_id value of "y" was specified for an asynchronous change table.

**Action:** Specify an object\_id parameter value of "n" and call the procedure again.

**ORA-31472: Importing Change Data Capture version *string.string* is too new**

**Cause:** An attempt was made to Import a file that was exported by a newer version of Oracle than the target instance.

**Action:** If possible, re-export the file using a version of export that matches the import target. Objects can not be imported into previous versions of Oracle that did not support them.

**ORA-31473: date bound out of range**

**Cause:** The upper\_bound or lower\_bound specified in extend\_window or purge\_window API is beyond the range of records in the change set.

**Action:** Either select a bound that is within range or do not select an upper or lower bound at all.

---

**ORA-31474: Invalid change view window**

**Cause:** The specified upper\_bound or lower\_bound is forcing a condition where the change view window will have nothing in it.

**Action:** Select a different upper\_bound or lower\_bound and reissue the API call that produced the error. Alternatively, make the upper\_bound or lower\_bound parameter NULL and reissue the API call.

**ORA-31475: redo log catalog contains no metadata for the source table**

**Cause:** While advancing a change set, an CDC attempted to query the LogMiner dictionary system tables to obtain the columns from the source table. The query returned no rows. This may be because none of the redo logs contains a catalog, or it may be an internal error.

**Action:** First, verify that the source system contains the source table. execute dbms\_logmnr\_d.build procedure to populate the redos log with logminer dictionary information. If this has been done and the problem persists, then contact Oracle Corporation

**ORA-31476: a change table data column is missing from the source table**

**Cause:** While advancing a change set, an CDC determined that at least one of the data columns in a change table does not match the name of any of the columns in the source table. The source table column list is stored in dictionary table SYSTEM.LOGMNR\_OBJ\$

**Action:** Make sure that all of the data columns of the change table have the same names as the corresponding columns in the source table, and that all the columns exist in the source table.

**ORA-31477: could not detach LogMiner session during cleanup**

**Cause:** Failure during detach from a LogMiner session during advance of an asynchronous change set. This is an internal error. This exception is raised when a previous exception occurred during the internal protocol with LogMiner, after which Change Data Capture attempted to detach the LogMiner session as part of recovery. The detach session also failed

**Action:** Contact Oracle Corporation

**ORA-31478: could not detach LogMiner session after change set advance**

**Cause:** Failure during detach from a LogMiner session after successful advance of an asynchronous change set. This is an internal error. This exception is raised when an asynchronous change set has been successfully advanced but CDC was unable to detach from the LogMiner session

**Action:** Contact Oracle Corporation

**ORA-31479: could not create LogMiner session**

**Cause:** Failure during create of a new LogMiner session while advancing an asynchronous change set. This is an internal error.

**Action:** Contact Oracle Corporation

**ORA-31480: staging database and source database cannot be the same**

**Cause:** A CDC API call specified a source database name that matched the staging database on which the CDC API call is being executed.

**Action:** Make sure that the CDC API call is being executed from the staging database and that the source database is correctly specified. The source database and staging database need to be different databases.

---

**ORA-31481: change source *string* is not a HotLog change source**

**Cause:** A change source was specified that was not a HotLog change source, but a HotLog change source was required.

**Action:** Correct the call to supply a HotLog change source.

**ORA-31482: invalid option for non-distributed Hotlog change source**

**Cause:** A CDC API call specified `enabled_source = "Y"` on a non-Distributed HotLog change source.

**Action:** Specify a Distributed HotLog change source.

**ORA-31483: cannot have spaces in the parameter *string***

**Cause:** The specified parameter contained at least 1 space character.

**Action:** Check the value of the specified parameter. Remove the spaces and reissue the CDC API call.

**ORA-31484: source database version must be at least 9.2.0.6 or greater**

**Cause:** The source database is not at version 9.2.0.6 or higher.

**Action:** Upgrade the source database to 9.2.0.6 or higher.

**ORA-31485: invalid database link**

**Cause:** The database link used to connect from a staging database to a source database was invalid. The database link may not exist, may not be accessible to the current user, or may have been redefined since the Distributed HotLog change source was originally created.

**Action:** Make sure that there is a database link to the `source_database` for the Distributed HotLog change source. Make sure this database link is accessible to the current user.

**ORA-31486: cannot support column *string* in this configuration**

**Cause:** The specified column cannot be used in a Distributed HotLog configuration when the source database version is 9.2.0.6 or 10.1.0.0.

**Action:** Remove the specified column from the `CREATE_CHANGE_TABLE` or `ALTER_CHANGE_TABLE` CDC API call.

**ORA-31487: cannot support begin dates or end dates in this configuration**

**Cause:** The specified values cannot be used in a Distributed HotLog configuration.

**Action:** Remove the specified values from the `CREATE_CHANGE_SET` CDC API call.

**ORA-31488: cannot support change set *string* in this configuration**

**Cause:** Change sources with the hot mine option enabled are limited to 1 change set. The system detected an existing change set so a second one can not be created.

**Action:** Associate the change set with a different change source.

**ORA-31489: invalid DDL\_MARKERS value**

**Cause:** A `DDL_MARKERS` value of "y" was specified for an synchronous change table.

**Action:** Specify a `DDL_MARKERS` parameter value of "n" and call the procedure again.

**ORA-31490: could not attach to LogMiner session**

---

**Cause:** Failure during attach to a LogMiner session while advancing an asynchronous change set. This is an internal error.

**Action:** Contact Oracle Corporation

**ORA-31491: could not add logfile to LogMiner session**

**Cause:** Failure during add logfile to a LogMiner session while advancing an asynchronous change set. This is an internal error.

**Action:** Contact Oracle Corporation

**ORA-31492: could not set session parameters for LogMiner session**

**Cause:** Failure during set parameters for a LogMiner session while advancing an asynchronous change set. This is an internal error.

**Action:** Contact Oracle Corporation

**ORA-31493: could not prepare session for LogMiner session**

**Cause:** Failure during prepare session for a LogMiner session while advancing an asynchronous change set. This is an internal error.

**Action:** Contact Oracle Corporation

**ORA-31494: could not activate a LogMiner session**

**Cause:** Failure during activation of a LogMiner session while advancing an asynchronous change set. This is an internal error.

**Action:** Contact Oracle Corporation

**ORA-31495: error in synchronous change table on "*string*".*string*"**

**Cause:** There was an error originating from this synchronous change table. One possible cause is that schema redefinition has occurred on the source table and one or more columns in the change table are now a different type than corresponding source columns. Another possible cause is that there is a problem accessing the synchronous change table.

**Action:** Check further error messages in stack for more detail about the cause. If there has been schema redefinition, drop and recreate the synchronous change table.

**ORA-31496: must use DBMS\_CDC\_PUBLISH.DROP\_CHANGE\_TABLE to drop change tables**

**Cause:** An attempt was made to use the SQL command DROP TABLE for change tables, but DROP TABLE is not supported for change tables.

**Action:** Use the DBMS\_CDC\_PUBLISH.DROP\_CHANGE\_TABLE procedure instead of the DROP TABLE command.

**ORA-31497: invalid value specified for first\_scn**

**Cause:** The first\_scn was not greater than zero or was less than the previous value of first\_scn.

**Action:** Check the value of first\_scn. Correct it to make sure it is an integer greater than zero and greater than any previous value for this change source.

**ORA-31498: description and remove\_description cannot both be specified**

**Cause:** The description and remove\_description parameters were both specified.

**Action:** Check the values of description and remove\_description. Correct call to only supply one of these values.

---

**ORA-31499: null value specified for required parameter *string***

**Cause:** A null value was specified for a parameter that requires an explicit value.

**Action:** Correct call to supply a value for this parameter.

**ORA-31500: change source *string* is not a ManualLog change source**

**Cause:** A change source was specified that is not a ManualLog change source, but a ManualLog change source is required.

**Action:** Correct call to supply a ManualLog change source.

**ORA-31501: change source *string* is not an AutoLog change source**

**Cause:** A change source was specified that was not an AutoLog change source, but an AutoLog change source was required.

**Action:** Correct call to supply an AutoLog change source.

**ORA-31502: invalid number supplied for supplemental\_processes**

**Cause:** The caller supplied an invalid value for supplemental\_processes. The value must be a positive integer.

**Action:** Correct call to supply a positive integer value for supplemental\_processes.

**ORA-31503: invalid date supplied for begin\_date or end\_date**

**Cause:** The caller supplied an invalid value for begin\_date or end\_date. The value must be a valid date value.

**Action:** Correct call to supply a valid date value for begin\_date and/or end\_date.

**ORA-31504: cannot alter or drop predefined change source**

**Cause:** The caller attempted to alter or drop one of the predefined change sources HOTLOG\_SOURCE or SYNC\_SOURCE.

**Action:** Do not attempt to alter or drop a predefined change source or correct call to supply the name of a user-created change source.

**ORA-31505: cannot alter or drop predefined change set**

**Cause:** The caller attempted to alter or drop the predefined change set SYNC\_SET.

**Action:** Do not attempt to alter or drop the predefined change set or correct call to supply the name of a user-created change set.

**ORA-31506: duplicate subscription name *string***

**Cause:** A subscription by the specified name already exists.

**Action:** Recreate the subscription with a unique name.

**ORA-31507: *string* parameter value longer than maximum length *string***

**Cause:** A value was specified for a parameter that was longer than the maximum permitted length.

**Action:** Correct the call to supply a shorter value for this parameter that fits within the maximum length.

**ORA-31508: invalid parameter value for synchronous change set**

**Cause:** A parameter value was specified that is not supported for synchronous change sets.

**Action:** Correct the call to supply only valid parameter values for a synchronous change set. Synchronous change sets only support the default values for the

---

following parameters: begin\_scn, end\_scn, begin\_date, end\_date, stop\_on\_ddl, supplemental\_processes.

**ORA-31509: publication does not exist**

**Cause:** The specified publication did not exist or the specified subscription subscribed to a publication that no longer exists.

**Action:** Recheck the publication or subscription specified. Either call the procedure again with an existing publication or create a new subscription that only subscribes to existing publications.

**ORA-31510: name uses reserved prefix CDC\$**

**Cause:** A name was specified that starts CDC\$. The name prefix CDC\$ is reserved for use by Oracle Corporation.

**Action:** Change the name so it does not start with characters CDC\$

**ORA-31511: name exceeds maximum length of 30 characters**

**Cause:** A name was supplied that exceeds the maximum length of 30 characters.

**Action:** Change the name so it does not exceed 30 characters

**ORA-31512: name cannot contain double quotation marks**

**Cause:** A name containing a double quotation mark was supplied. Subscription names cannot contain the double quotation mark.

**Action:** Change the name so it has no double quotation marks

**ORA-31513: unsupported column type specified in change table**

**Cause:** A source column of an unsupported type was specified for inclusion in a change table. Columns types of LOB or LONG are not currently supported for change capture.

**Action:** Change the column list so that it does not include columns of LOB or LONG types.

**ORA-31514: change set *string* disabled due to capture error**

**Cause:** This change set has encountered a capture error and was disabled.

**Action:** Contact the change set's publisher to request that the capture error be resolved. Subscriptions using this change set cannot be activated or have their subscription windows extended or purged until the capture error is resolved.

**ORA-31515: CDC change source *string* already exists**

**Cause:** A Change Data Capture change source intended for import already existed.

**Action:** Either verify that the existing change source has the desired characteristics or drop the existing change source and perform the import again.

**ORA-31516: CDC change set *string* already exists**

**Cause:** A Change Data Capture change set intended for import already existed.

**Action:** Either verify that the existing change set has the desired characteristics or drop the existing change set and perform the import again.

**ORA-31517: CDC change table *string.string* already exists**

**Cause:** A Change Data Capture change table intended for import already existed.

**Action:** Either verify that the existing change table has the desired characteristics or drop the existing change table and perform the import again.

- 
- ORA-31518: change column *string* already exists in CDC change table *string.string***  
**Cause:** A column in a Change Data Capture change table intended for import was already present in the change table.  
**Action:** Either verify that the change table contains the desired columns or drop the change table and perform the import again.
- ORA-31519: CDC subscription *string* already exists**  
**Cause:** A Change Data Capture subscription intended for import already existed.  
**Action:** Either verify that the existing subscription has the desired characteristics or drop the existing subscription and perform the import again.
- ORA-31520: CDC subscription *string* already subscribes to publication ID *string***  
**Cause:** A Change Data Capture subscription intended for import already subscribed to a publication.  
**Action:** Either verify that the existing subscription has the desired characteristics or drop the existing subscription and perform the import again.
- ORA-31521: CDC subscription *string* already subscribes to publication ID *string* column *string***  
**Cause:** A Change Data Capture subscription intended for import already subscribed to a published column.  
**Action:** Either verify that the existing subscription has the desired characteristics or drop the existing subscription and perform the import again.
- ORA-31522: could not find Streams object *string* for CDC change set *string***  
**Cause:** An underlying Streams capture, apply, or queue was missing for an imported Change Data Capture change set.  
**Action:** Drop the imported change set because it is invalid. Retry the import, ensuring that STREAMS\_CONFIGURATION=y is specified.
- ORA-31523: could not find change source *string* for CDC change set *string***  
**Cause:** The change source was missing for an imported Change Data Capture change set.  
**Action:** Drop the imported change set because it is invalid. Verify that the schema containing the missing change source was included in the original export. If needed, perform the export again, including the schema of the missing change source.
- ORA-31524: could not find change set *string* for CDC change table *string.string***  
**Cause:** The change set was missing for an imported Change Data Capture change table.  
**Action:** Drop the imported change table because it is invalid. Verify that the schema containing the missing change set was included in the original export. If needed, perform the export again, including the schema of the missing change set.
- ORA-31525: could not find column *string* in CDC change table *string.string***  
**Cause:** A column was missing for an imported Change Data Capture change table.  
**Action:** It is likely that this table existed before the import operation and import did not overwrite it. Determine whether the imported change table should supercede the original table. If so, drop the original table and retry the import. If not, the change table must have a different name in order to be imported.

---

**ORA-31526: could not find source table *string.string* for CDC change table *string.string***

**Cause:** The source table was missing or was not set up correctly for an imported Change Data Capture change table. A synchronous change table requires the source table to exist and have the Change Data Capture trigger defined on it. An asynchronous change table requires table rules to be defined for the source table.

**Action:** Drop the imported change table because it is invalid. Verify that the schema containing the source table was included in the original export. If needed, perform the export again, including the schema of the source table. If change table is asynchronous, ensure that STREAMS\_CONFIGURATION=y is specified for the import.

**ORA-31527: could not find source column *string* for CDC change table *string.string***

**Cause:** A source column was missing for an imported Change Data Capture change table.

**Action:** Drop the imported change table because it is invalid. Verify that the schema containing the source table was included in the original export. If needed, perform the export again, including the schema of the missing source table.

**ORA-31528: could not find change set *string* for CDC subscription *string***

**Cause:** The change set was missing for an imported Change Data Capture subscription.

**Action:** Drop the imported subscription because it is invalid. Verify that the schema containing the missing change set was included in the original export. If needed, perform the export again, including the schema of the missing change set.

**ORA-31529: could not find publication for CDC subscriber view *string.string***

**Cause:** A publication was missing for an imported Change Data Capture subscription.

**Action:** Drop the imported subscription because it is invalid. Verify that the schema containing the missing publication was included in the original export. If needed, perform the export again, including the schema of the missing publication.

**ORA-31530: could not find published column *string* for CDC subscriber view *string.string***

**Cause:** A published column was missing for an imported Change Data Capture subscription.

**Action:** Drop the imported subscription because it is invalid. Verify that the schema containing the missing published column was included in the original export. If needed, perform the export again, including the schema of the missing published column.

**ORA-31531: could not find column *string* in CDC subscriber view *string.string***

**Cause:** A column was missing in a subscriber view for an imported Change Data Capture subscription.

**Action:** It is likely that this view existed before the import operation and import did not overwrite it. Determine whether the imported subscriber view should supercede the original view. If so, drop the original view and retry the import. If not, the subscriber view must have a different name in order to be imported.

**ORA-31532: cannot enable change source *string***

---

**Cause:** The change source cannot be enabled when there is no change table created in any of the change sets associated with the change source.

**Action:** Add a change table to a change set before enabling the the change source.

**ORA-31533: only one change set (*string*) is allowed in change source**

**Cause:** A Distributed HotLog change source can contain at most one change set.

**Action:** Create a new change source and create the change set in the new change source.

**ORA-31534: Change Data Capture *string* publisher *string* is missing DBA role**

**Cause:** The publisher does not have the DBA role, which is required by the Change Data Capture operation.

**Action:** Grant the DBA role the Change Data Capture publisher.

**ORA-31535: cannot support change source *string* in this configuration**

**Cause:** Each database can only have one change source with hot mine option enabled. The system detected an existing hot mine change source in the database, therefore, a second hot mine change source cannot be created.

**Action:** Remove the existing change source and create this new change source again.

**ORA-31536: cannot support encrypted column *string* in the source table**

**Cause:** One of the columns specified in the parameter COLUMN\_TYPE\_LIST was an encrypted column in the source table

**Action:** remove the encrypted column in the parameter COLUMN\_TYPE\_LIST

**ORA-31537: specified purge date is invalid**

**Cause:** The purge date specified was an invalid date or was outside of the range of data currently in the change set.

**Action:** Do not specify purge date or specify a date that is within the range of data in the change set.

**ORA-31538: change set *string* disabled**

**Cause:** This change set was disabled.

**Action:** Contact the change set's publisher to request that the change set be enabled. Subscriptions using this change set cannot be activated or have their subscription windows extended or purged until the change set is enabled.

**ORA-31539: no privilege to create job**

**Cause:** This change table could not be created because the create job privilege is needed to submit the default purge job.

**Action:** Grant the create job privilege and try again

**ORA-31600: invalid input value *string* for parameter *string* in function *string***

**Cause:** A NULL or invalid value was supplied for the parameter.

**Action:** Correct the input value and try the call again.

**ORA-31601: Function *string* cannot be called now that fetch has begun.**

**Cause:** The function was called after the first call to FETCH\_XXX.

**Action:** Correct the program.

---

**ORA-31602: parameter *string* value "*string*" in function *string* inconsistent with *string***

**Cause:** The parameter value is inconsistent with another value specified by the program. It may be inconsistent with the object type associated with the OPEN context, or it may be of the wrong datatype (a boolean rather than a text string or vice versa).

**Action:** Correct the program

**ORA-31603: object "*string*" of type *string* not found in schema "*string*"**

**Cause:** The specified object was not found in the database.

**Action:** Correct the object specification and try the call again.

**ORA-31604: invalid *string* parameter "*string*" for object type *string* in function *string***

**Cause:** The specified parameter value is not valid for this object type.

**Action:** Correct the parameter and try the call again.

**ORA-31605: the following was returned from *string* in routine *string*: LPX-number: *string***

**Cause:** An LPX routine (XML/XSL processing) returned an internal error number to its PL/SQL wrapper routine in facility KUX which provides the implementation for package UTL\_XML.

**Action:** Look up the LPX error number and follow its corrective action.

**ORA-31606: XML context *number* does not match any previously allocated context**

**Cause:** A method in package UTL\_XML was called with an invalid XML context handle. All handles must have previously been allocated by UTL\_XML.XMLINIT.

**Action:** Always call XMLINIT before any other methods in pkg. UTL\_XML.

**ORA-31607: function *string* is inconsistent with transform.**

**Cause:** Either (1) FETCH\_XML was called when the "DDL" transform was specified, or (2) FETCH\_DDL was called when the "DDL" transform was omitted.

**Action:** Correct the program.

**ORA-31608: specified object of type *string* not found**

**Cause:** The specified object was not found in the database.

**Action:** Correct the object specification and try the call again.

**ORA-31609: error loading file "*string*" from file system directory "*string*"**

**Cause:** The installation script initmeta.sql failed to load the named file from the file system directory into the database.

**Action:** Examine the directory and see if the file is present and can be read.

**ORA-31610: cannot call this function from a non-master process**

**Cause:** Called a Data Pump process model function from a process which is not a master process.

**Action:** Create a master process first. Then call the function from the master process. If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31612: Allocation of process descriptor failed.**

---

**Cause:** During creation of a master process or a worker process, a failure occurred allocating a process descriptor for the process.

**Action:** Try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31613: Master process *string* failed during startup.**

**Cause:** The master process whose name is listed failed during startup.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure.

Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31614: routine *string* received this error from *string*: *string***

**Cause:** The call to the specified routine failed and the specific error text is included in this error message (the last %s string).

**Action:** Correct inputs to the specified routine.

**ORA-31615: routine *string* received this error: *string***

**Cause:** The specified routine failed and the specific error text is included in this error message (the last %s string).

**Action:** Correct inputs to the specified routine.

**ORA-31616: unable to write to dump file "*string*"**

**Cause:** Export was unable to write to the export file, probably because of a device error. This message is usually followed by a device message from the operating system.

**Action:** Take appropriate action to restore the device.

**ORA-31617: unable to open dump file "*string*" for write**

**Cause:** Export was unable to open the export file for writing. This message is usually followed by device messages from the operating system.

**Action:** Take appropriate action to restore the device.

**ORA-31618: dump file size too small**

**Cause:** The value specified for the FILESIZE parameter or the VOLUMESIZE parameter was too small to hold the header information for the export file, plus any data.

**Action:** Increase the value of the FILESIZE or VOLUMESIZE parameter.

**ORA-31619: invalid dump file "*string*"**

**Cause:** Either the file was not generated by Export or it was corrupted.

**Action:** If the file was indeed generated by Export, report this as an Import bug and submit the export file to Oracle Customer Support.

**ORA-31620: file or device "*string*" cannot be specified for *string* operation**

**Cause:** There was an inappropriate use of file or device in the current operation.

**Action:** Correct operation or job setup.

**ORA-31621: error creating master process**

**Cause:** Setup to create a master process failed.

---

**Action:** Refer to any following error messages for possible actions. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31623: a job is not attached to this session via the specified handle**

**Cause:** An attempt to reference a job using a handle which is invalid or no longer valid for the current session.

**Action:** Select a handle corresponding to a valid active job or start a new job.

**ORA-31624: A job cannot be modified after it has started.**

**Cause:** The user attempted to change the definition of a Data Pump job through filters, transforms or parameters after it had started. These changes can only be made while defining a job.

**Action:** Stop the current job and rerun it with the correct definition.

**ORA-31625: Schema *string* is needed to import this object, but is inaccessible**

**Cause:** An error occurred when attempting to import objects. The schema specified is needed to import this object, but access to this schema is not available.

**Action:** Refer to any following error messages for possible actions. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31626: job does not exist**

**Cause:** An invalid reference to a job which is no longer executing, is not executing on the instance where the operation was attempted, or that does not have a valid Master Table. Refer to any following error messages for clarification.

**Action:** Start a new job, or attach to an existing job that has a valid Master Table.

**ORA-31627: API call succeeded but more information is available**

**Cause:** The user specified job parameters that yielded informational messages.

**Action:** Call DBMS\_DATAPUMP.GET\_STATUS to retrieve additional information.

**ORA-31628: error getting worker process exception**

**Cause:** Attempt to get a worker process exception failed.

**Action:** Refer to any following error messages for possible actions. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31629: unable to allocate additional memory**

**Cause:** A dynamic memory allocation failure occurred.

**Action:** Report this problem to a database administrator.

**ORA-31630: a job name is required to attach a job for user *string***

**Cause:** No job name was supplied for an attach and the user has either no jobs executing or multiple jobs executing.

**Action:** Provide a job name for attach to use in selecting an executing job, or to use for restarting a stopped job.

**ORA-31631: privileges are required**

**Cause:** The necessary privileges are not available for operations such as: restarting a job on behalf of another owner, using a device as a member of the dump file set, or omitting a directory object associated with any of the various output files. Refer to any following error messages for additional information.

---

**Action:** Select a different job to restart, try a different operation, or contact a database administrator to acquire the needed privileges.

**ORA-31632: master table "*string.string*" not found, invalid, or inaccessible**

**Cause:** A Master Table is required but no such table exists, or the content is not consistent with that of a valid Master Table, or the table is not accessible. Refer to any following error messages for clarification.

**Action:** Make sure a valid Master Table exists, and eliminate any problems indicated by the following error messages.

**ORA-31633: unable to create master table "*string.string*"**

**Cause:** Job creation failed because a Master Table and its indexes could not be created, most commonly due to the pre-existence of a table with the same name (job name) in the user schema. Refer to any following error messages for clarification.

**Action:** Select a different job name, DROP the existing table, or eliminate any problems indicated by the following error messages.

**ORA-31634: job already exists**

**Cause:** Job creation or restart failed because a job having the selected name is currently executing. This also generally indicates that a Master Table with that job name exists in the user schema. Refer to any following error messages for clarification.

**Action:** Select a different job name, or stop the currently executing job and re-try the operation (may require a DROP on the Master Table).

**ORA-31635: unable to establish job resource synchronization**

**Cause:** A lock used in synchronizing Data Pump resources during job creation and deletion could not be obtained during job creation. This indicates that a process for some other Data Pump job has not released the lock due to an internal error.

**Action:** Eliminate the processes for any failed Data Pump job and try to create the new job again. If the error continues to occur, contact Oracle Customer Support and report the error.

**ORA-31636: session is already attached to job *string* for user *string***

**Cause:** The session executing the attach is already attached to the specified job.

**Action:** Select a different job or create a new session.

**ORA-31637: cannot create job *string* for user *string***

**Cause:** Unable to create or restart a job. Refer to any following or prior error messages for clarification.

**Action:** Eliminate the problems indicated.

**ORA-31638: cannot attach to job *string* for user *string***

**Cause:** Unable to attach a job to a session. Refer to any following or prior error messages for clarification.

**Action:** Eliminate the problems indicated.

**ORA-31639: unexpected data found**

**Cause:** The Master Table or Data Pump file contents appear invalid. The table or file may not have been produced by a Data Pump job, or they may have been corrupted.

---

**Action:** Select a different job name (Master Table) or replace the table or file with one produced by Data Pump.

**ORA-31640: unable to open dump file "*string*" for read**

**Cause:** Import was unable to open the export file for reading. This message is usually followed by device messages from the operating system.

**Action:** Take appropriate action to restore the device.

**ORA-31641: unable to create dump file "*string*"**

**Cause:** Export was unable to create the specified file with write enabled.

**Action:** Check the file name and file system for the source of the error.

**ORA-31642: the following SQL statement fails: *string***

**Cause:** An internal error was generated from package DBMS\_METADATA.

**Action:** Contact Oracle Customer Support and report the error.

**ORA-31643: unable to close dump file "*string*"**

**Cause:** Export or Import was unable to close the dump file. This message is usually followed by device messages from the operating system.

**Action:** Take appropriate action to restore the device.

**ORA-31644: unable to position to block number *string* in dump file "*string*"**

**Cause:** Export or Import was unable to position its file pointer to a specific block within the dump file. This message is usually followed by device messages from the operating system.

**Action:** Take appropriate action based on the device messages.

**ORA-31645: unable to read from dump file "*string*"**

**Cause:** Import could not read from the dumpfile, probably because of a device error. This message is usually followed by a device message from the operating system.

**Action:** Take appropriate action to restore the device.

**ORA-31648: Timeout before master process *string* finished initialization.**

**Cause:** The master process whose name is listed started up but did not finish its initialization within the allowed time limit.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure.

Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31649: Master process *string* violated startup protocol.**

**Cause:** The master process whose name is listed started up but then exited before notifying the creating process that it was finished with initialization.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure.

Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31650: timeout waiting for master process response**

**Cause:** After creating the job infrastructure and sending the initial message to the master process, it failed to respond in the allotted time and most likely aborted during startup.

---

**Action:** Retry the open or attach request. Contact Oracle Customer Support if the problem persists.

**ORA-31651: communication error with master process - detaching job**

**Cause:** Unexpected failure trying to communicate with the master process.

**Action:** Attach again and retry operation. Contact Oracle Customer Support if the problem persists.

**ORA-31652: command response message was invalid type - detaching job**

**Cause:** Something horribly wrong with the command/response protocol.

**Action:** Reattach and retry operation. Contact Oracle Customer Support if the problem persists.

**ORA-31653: unable to determine job operation for privilege check**

**Cause:** Failure trying to determine the operation of the current job in order to test for appropriate privileges.

**Action:** Retry in case it's an intermittent failure. If it still fails, detach, reattach, and retry the call. Contact Oracle Customer Support if the problem persists.

**ORA-31654: unable to convert file or volume size as specified to a number**

**Cause:** File or volume size specification has an error that prevents it from being converted into a numeric value.

**Action:** Fix the call.

**ORA-31655: no data or metadata objects selected for job**

**Cause:** After the job parameters and filters were applied, the job specified by the user did not reference any objects.

**Action:** Verify that the mode of the job specified objects to be moved. For command line clients, verify that the INCLUDE, EXCLUDE and CONTENT parameters were correctly set. For DBMS\_DATAPUMP API users, verify that the metadata filters, data filters, and parameters that were supplied on the job were correctly set.

**ORA-31656: cannot use TABLESPACE\_EXPR filter with transportable mode**

**Cause:** A TABLESPACE\_EXPR metadata filter was supplied for a transportable mode import job. Transportable mode import does not support the subsetting of tablespaces from a dump file set.

**Action:** Remove the filter expression.

**ORA-31657: data filter name can not be defaulted**

**Cause:** A null data filter name was supplied.

**Action:** Fix the call to specify a data filter name.

**ORA-31658: specifying a schema name requires a table name**

**Cause:** The caller specified a schema name but neglected to specify a corresponding table name.

**Action:** Fix the call to include a table name.

**ORA-31659: status message was invalid type - detaching job**

**Cause:** Message from the master process on the status queue had an invalid message type, indicating a failure in the protocol.

---

**Action:** Reattach and retry the operation. Contact Oracle Customer Support if the problem persists.

**ORA-31660: metadata filter name can not be defaulted**

**Cause:** A null metadata filter name was supplied.

**Action:** Fix the call to specify a metadata filter name.

**ORA-31661: there are no metadata transform values of type VARCHAR2**

**Cause:** The specified metadata transform value was an invalid type.

**Action:** Fix the call to specify a valid metadata transform value.

**ORA-31662: metadata transform name can not be defaulted**

**Cause:** A null metadata transform name was supplied.

**Action:** Fix the call to specify a metadata transform name.

**ORA-31663: metadata remap name can not be defaulted**

**Cause:** A null metadata remap name was supplied.

**Action:** Fix the call to specify a metadata remap name.

**ORA-31664: unable to construct unique job name when defaulted**

**Cause:** The job name was defaulted, and the name creation algorithm was unable to find a unique job name for this schema where the table name (for the master table) didn't already exist.

**Action:** Specify a job name to use or delete some of the existing tables causing the name conflicts.

**ORA-31665: mode can only be defaulted for IMPORT and SQL\_FILE operations**

**Cause:** The job mode can not be null except for IMPORT and SQL\_FILE operations.

**Action:** Fix the call to specify the job mode.

**ORA-31666: Master process *string* had an unhandled exception.**

**Cause:** A Data Pump process model master process had an unhandled exception condition.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure.

Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31667: parameter name can not be defaulted**

**Cause:** A null was supplied for the parameter name.

**Action:** Fix the call by providing a valid parameter name.

**ORA-31668: Timeout before worker process *string* finished initialization.**

**Cause:** The worker process whose name is listed started up but did not finish its initialization within the allowed time limit.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure.

Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31669: Worker process *string* violated startup protocol.**

---

**Cause:** The worker process whose name is listed started up but then exited before notifying the creating process that it was finished with initialization.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31670: Username argument must be specified and non-null.**

**Cause:** Called change user with a NULL username or a null string.

**Action:** Specify a valid username argument. If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31671: Worker process *string* had an unhandled exception.**

**Cause:** A Data Pump process model worker process had an unhandled exception condition.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31672: Worker process *string* died unexpectedly.**

**Cause:** A Data Pump process model worker process died unexpectedly, so PMON is cleaning up the process.

**Action:** Check your system for problems. Check the trace file for the process, if one was created, for any additional information. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31673: worker process interrupt for normal exit by master process**

**Cause:** A worker process was requested to clean up and exit because the master process is doing a normal exit.

**Action:** If this error occurs from a Data Pump client (e.g. expdp or impdp), it means that the master process for the operation exited prematurely. Try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31674: worker process interrupt for unhandled exception in master process**

**Cause:** A worker process was requested to clean up and exit because an unhandled exception occurred in the master process.

**Action:** If this error occurs from a Data Pump client (e.g. expdp or impdp), it means that the master process for the operation had an unhandled exception. Check the log file for the operaton and the trace file for the master process for any additional information. Try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31675: worker process interrupt for unexpected death of master process**

**Cause:** A worker process was requested to clean up and exit (signaled by PMON, doing cleanup because the master process died unexpectedly).

**Action:** If this error occurs from a Data Pump client (e.g. expdp or impdp), it means that the master process for the operation died unexpectedly. Check the log file for the operaton and the trace file for the master process for any additional

---

information. Try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31676: illegal value for number of workers, *string***

**Cause:** Called create worker processes with an illegal number of workers specified.

**Action:** Make sure that the number of workers value is greater than 0 and less than the maximum value for the platform (normally 32767). If this error occurs from a Data Pump client (e.g. expdp or impdp) and you specified the parallel parameter, try the operation again with a smaller value for the parallel parameter. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31679: Table data object *string* has long columns, and longs can not be loaded/unloaded using a network link**

**Cause:** Table data objects that contain long columns can not be selected over a network link.

**Action:** Export this table to a file and then import the same table from the file.

**ORA-31686: error creating worker processes**

**Cause:** Setup to create worker processes failed.

**Action:** Refer to any following error messages for possible actions. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31687: error creating worker process *string* with worker id *string***

**Cause:** Attempt to create the listed worker process failed.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31688: Worker process *string* failed during startup.**

**Cause:** The worker process whose name is listed failed during startup.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31689: illegal value for base worker id, *string***

**Cause:** Called create worker processes with an illegal base worker id value specified.

**Action:** Make sure that the base worker id value is greater than 0 and less than the maximum value for the platform (normally 32767). If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-31690: Process name buffer size must be specified and must be greater than 0.**

**Cause:** Called get worker exception and either specified NULL or 0 for the buffer size argument.

**Action:** Be sure to specify a buffer size that is big enough to hold the worker process name (e.g. 30 bytes). If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

- 
- ORA-31691: The worker received message number *string* from the MCP, which is invalid.**  
**Cause:** Bad code.  
**Action:** Fix mcp code and reissue export/import command.
- ORA-31692: The following SQL statement failed trying to insert a row into the Master table: *string***  
**Cause:** Bad code.  
**Action:** Fix code and reissue export/import command.
- ORA-31693: Table data object *string* failed to load/unload and is being skipped due to error: *string***  
**Cause:** Table failed to load or unload due to some error.  
**Action:** Check load/unload error, correct problem and retry command.
- ORA-31694: master table *string* failed to load/unload**  
**Cause:** Master table failed to load or unload.  
**Action:** Check load/unload error, correct problem and retry command.
- ORA-31695: Inconsistent master table on restart. The following SQL statement returned *string* identical objects. *string***  
**Cause:** Master table on restart has the same object inserted multiple times.  
**Action:** Restart not possible, reissue original export/import.
- ORA-31696: unable to export/import *string* using client specified *string* method**  
**Cause:** Table attributes prevent client specified method for exporting or importing data.  
**Action:** Use default "DATA\_ACCESS" parameter value.
- ORA-31697: aborting operation at process order number *string***  
**Cause:** User asked for it.  
**Action:** Don't ask for it.
- ORA-31698: Error stack buffer size must be specified and must be greater than 0.**  
**Cause:** Called get worker exception and either specified NULL or 0 for the error stack size argument.  
**Action:** Be sure to specify an error stack buffer size that is big enough to hold the error stack string (e.g. 4096 bytes). If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.
- ORA-31700: Very long string supplied for AUDIT\_SYSLOG\_LEVEL parameter**  
**Cause:** Very long string supplied for AUDIT\_SYSLOG\_LEVEL in init.ora  
**Action:** Use a valid facility.level such as "local1.notice" as described in syslog's manual pages
- ORA-31701: Event to enable xmltype table export/import with schema**  
**Cause:** Event to enable xmltype table export/import with schema  
**Action:** Disable the event at level 0x100
- ORA-31901: the current operation was cancelled by the user**  
**Cause:** The user requested to cancel current operation

---

**Action:** No action is necessary

**ORA-32001: write to SPFILE requested but no SPFILE specified at startup**

**Cause:** An alter system command or an internal self tuning mechanism requested a write to the SPFILE but no SPFILE was used to startup the instance

**Action:** Create an SPFILE and re-start the instance using the SPFILE.

**ORA-32002: cannot create SPFILE already being used by the instance**

**Cause:** A create spfile command is trying to write to an SPFILE that was used to startup the instance.

**Action:** Specify a different SPFILE name

**ORA-32003: error occurred processing parameter "*string*"**

**Cause:** An error occurred while parsing the parameter file.

**Action:** See additional errors to determine the root cause.

**ORA-32004: obsolete and/or deprecated parameter(s) specified**

**Cause:** One or more obsolete and/or parameters were specified in the SPFILE or the PFILE on the server side.

**Action:** See alert log for a list of parameters that are obsolete, or deprecated. Remove them from the SPFILE or the server side PFILE.

**ORA-32005: error while parsing size specification [*string*]**

**Cause:** The value specified for an alter operation on a size parameter is not valid

**Action:** Correct the value and retry the operation

**ORA-32006: *string* initialization parameter has been deprecated**

**Cause:** A deprecated parameter was specified at startup

**Action:** Consult Oracle documentation to find new parameters to use instead.

**ORA-32007: internal**

**Cause:** A parameter error occurred.

**Action:** Call Oracle support.

**ORA-32008: error while processing parameter update at instance *string***

**Cause:** An error occurred while processing a parameter on a remote instance.

**Action:** See accompanying error messages.

**ORA-32009: cannot reset the memory value for instance *string* from instance *string***

**Cause:** Memory resets of local parameters are only allowed.

**Action:** Retry the query for the local instance if needed.

**ORA-32010: cannot find entry to delete in SPFILE**

**Cause:** The SPFILE did not contain the sid.parameter entry.

**Action:** Change the sid and/or the parameter.

**ORA-32011: cannot restore SPFILE to location already being used by the instance**

**Cause:** A restore operation trying to write to an SPFILE that was used to startup the instance.

**Action:** Specify a different SPFILE name

**ORA-32012: SPFILE format is inconsistent with value of COMPATIBLE parameter**

---

**Cause:** The SPFILE was in H.A.R.D. (Hardware Assisted Resilient Data) compliant format but the value of the COMPATIBLE parameter was set to pre-11.0. This is not allowed since Oracle has a policy of irreversible compatibility advance.

**Action:** Change the value of the COMPATIBLE parameter to be 11.0 or higher.

**ORA-32013: failure in verifying parameters from the restored SPFILE**

**Cause:** Failure during processing of parameters from restored SPFILE. It could be that restore image of the SPFILE is corrupted.

**Action:** Further diagnostic information should be in the error stack.

**ORA-32014: error processing parameter "*string*" from the SPFILE restore image**

**Cause:** Failure during processing of parameters from restored SPFILE. It could be that restore image of the SPFILE is corrupted.

**Action:** Further diagnostic information should be in the error stack.

**ORA-32015: unable to restore SPFILE**

**Cause:** Failure during SPFILE restore. It could be that the restore destination is not valid.

**Action:** Further diagnostic information should be in the error stack.

**ORA-32016: parameter "*string*" cannot be updated in SPFILE**

**Cause:** Database is mounted.

**Action:** Unmount the database to update the parameter in the SPFILE

**ORA-32017: failure in updating SPFILE**

**Cause:** A failure occurred while updating the SPFILE.

**Action:** See associated errors.

**ORA-32018: parameter cannot be modified in memory on another instance**

**Cause:** Parameter adjustment can take a very long time

**Action:** Modify the parameter individually on each instance using the SID clause of the alter system command

**ORA-32019: The parameter SPFILE cannot be updated in the server parameter file.**

**Cause:** An attempt was made to update the parameter SPFILE in the server parameter file.

**Action:** Convert the server parameter file into a parameter file and then add the parameters needed and recreate the server parameter file.

**ORA-32020: SID=\* clause needed to modify this parameter**

**Cause:** The parameter did not have the same value on all RAC instances.

**Action:** Retry the command by specifying SID=\*

**ORA-32021: parameter value longer than *string* characters**

**Cause:** An attempt was made to alter a parameter value but the number of characters in the parameter value was longer than the allowed maximum. For a list parameter, one of the values in the list was longer than the allowed maximum.

**Action:** Reduce the parameter value length and retry the command. For the DISPATCHERS parameter, use listener aliases to reduce value length.

**ORA-32022: parameter value longer than *string* characters**

---

**Cause:** An attempt was made to alter a parameter value but the combined length of all the parameter values was more than the allowed maximum.

**Action:** Reduce the parameter value length and retry the command. For the DISPATCHERS parameter, use listener aliases to reduce value length.

**ORA-32024: invalid directory specified for audit\_file\_dest parameter**

**Cause:** Either the directory does not exist or it is not writable.

**Action:** Retry the command by specifying a valid directory or granting appropriate directory permissions.

**ORA-32025: string.string is not a table or view object.**

**Cause:** An attempt was made to set the audit table to a non-table object or a non-view object.

**Action:** Specify a valid table or view object for the audit table option.

**ORA-32026: string.string has fewer columns compared to string table.**

**Cause:** An attempt was made to set the audit table to a table or view object that has fewer columns compared to the base audit table.

**Action:** Specify a valid table or view object for the audit table option.

**ORA-32027: There is no string column with the matching type in string.string.**

**Cause:** An attempt was made to set the audit table to a table or view object that does not have a column with the same name and type as the one in the audit table.

**Action:** Specify a valid table or view object for the audit table option.

**ORA-32028: Syslog facility or level not recognized**

**Cause:** Syslog facility or level did not conform to the standard facility or level provided in the syslog.h file

**Action:** Specify a facility or level such as "LOCAL1.NOTICE" which conforms to the syslog.h file

**ORA-32029: resetting with SCOPE=MEMORY or SCOPE=BOTH is currently not supported**

**Cause:** An attempt was made to reset an in-memory parameter value

**Action:** Specify SCOPE=SPFILE if applicable, or explicitly set the parameter to the desired value

**ORA-32030: The parameter SPFILE cannot be updated if the database was started with an SPFILE.**

**Cause:** An attempt was made to update the parameter SPFILE on an instance that has been started with an spfile.

**Action:** Restart the instance with a parameter file.

**ORA-32031: illegal reference of a query name in WITH clause**

**Cause:** forward or recursive reference of a query name in WITH clause is not allowed.

**Action:** Correct query statement, then retry.

**ORA-32032: free temporary object number not available**

**Cause:** Too many queries using temp table transformation are currently being run to use up all temporary object numbers.

**Action:** Turn off temporary table transformation or wait, then retry

---

**ORA-32033: unsupported column aliasing**

**Cause:** column aliasing in WITH clause is not supported yet

**Action:** specify aliasing in definition subquery and retry

**ORA-32034: unsupported use of WITH clause**

**Cause:** Improper use of WITH clause because one of the following two reasons:

1. nesting of WITH clause within WITH clause not supported yet
2. For a set query, WITH clause can't be specified for a branch.
3. WITH clause can't be specified within parentheses.

**Action:** correct query and retry

**ORA-32035: unreferenced query name defined in WITH clause**

**Cause:** There is at least one WITH clause query name that is not referenced in any place.

**Action:** remove the unreferenced query name and retry

**ORA-32036: unsupported case for inlining of query name in WITH clause**

**Cause:** There is at least one query name which is inlined more than once because its definition query is too simple and references another query name. This is currently unsupported yet.

**Action:** remove such query name and retry

**ORA-32037: unsupported use of LEVEL in membership condition**

**Cause:** An attempt was made to use LEVEL in membership condition with subquery that is not supported.

**Action:** Rewrite query to avoid using LEVEL in membership condition

**ORA-32050: string operation failed**

**Cause:** A mapping operation failed.

**Action:** Check FMON trace files for errors.

**ORA-32051: mapping service not available**

**Cause:** The mapping service was never started or previously failed to start properly.

**Action:** Set FILE\_MAPPING to TRUE if it is not currently set. Otherwise, check FMON trace files for an ORA-32052 error.

**ORA-32052: failed to start mapping service**

**Cause:** The mapping service failed to start properly.

**Action:** Check FMON trace files for errors.

**ORA-32053: operation not supported**

**Cause:** Mapping libraries do not support operation.

**Action:** Check whether mapping libraries are available and whether operation is supported by the libraries.

**ORA-32054: lost communication with FMPUTL process**

**Cause:** Lost communication with mapping utility.

**Action:** Check FMON and FMPUTL trace files for errors.

---

**ORA-32055: invalid file type**

**Cause:** Invalid file type used when mapping files.

**Action:** Specify one of expected file types.

**ORA-32056: invalid number of extents**

**Cause:** Invalid number of extents used for map operation.

**Action:** Specify a non-negative number of extents.

**ORA-32057: invalid lock mode**

**Cause:** An invalid mode was used for a lock operation.

**Action:** Specify one of expected lock modes.

**ORA-32058: operation restricted to SYSDBA users**

**Cause:** Operation requires SYSDBA privileges.

**Action:** Connect to the database as SYSDBA.

**ORA-32059: deadlock detected on mapping structures**

**Cause:** Mapping structures already locked by the same session.

**Action:** Unlock mapping structures before proceeding with current operation.

**ORA-32060: channel failure**

**Cause:** Channel failure between foreground and background process.

**Action:** Check foreground trace files for errors.

**ORA-32100: operation invalid on transient object**

**Cause:** Trying to perform an operation on transient object which is valid only on persistent objects

**Action:** Make sure object is persistent

**ORA-32101: cannot create OCI Environment**

**Cause:** An OCI Environment could not be created for OCCI

**Action:** Insure that the parameters to the creatEnvironment method are valid

**ORA-32102: invalid OCI handle**

**Cause:** An invalid OCI handle is passed to an OCI call.

**Action:** This is an internal OCCI Error. Please contact customer support.

**ORA-32103: error from OCI call**

**Cause:** An error code other than OCI\_ERROR is returned from an OCI call.

**Action:** This is an internal OCCI Error. Please contact customer support.

**ORA-32104: cannot retrieve OCI error message**

**Cause:** Error message after an OCI call could not be retrieved.

**Action:** This is an internal OCCI Error. Please contact customer support.

**ORA-32106: array fetch not allowed without setBuffer on all columns**

**Cause:** The setBuffer method was not called for all column positions and the next method was called to fetch more than one row.

**Action:** Call the setBuffer method for all column positions if next is to be called to fetch more than one row.

---

**ORA-32107: internal OCI memory allocation failure**

**Cause:** Memory could not be allocated from an OCI heap.

**Action:** Increase the process memory size.

**ORA-32108: max column or parameter size not specified**

**Cause:** The max column or parameter size is not specified.

**Action:** Specify the max size by setMaxColumnSize or setMaxParamSize.

**ORA-32109: invalid column or parameter position**

**Cause:** An invalid column or parameter position is specified.

**Action:** Specify a valid column or position number.

**ORA-32110: Connection not specified**

**Cause:** A null connection was passed.

**Action:** Pass a valid, non-null connection.

**ORA-32113: Null object passed**

**Cause:** Null object was passed.

**Action:** Pass a non-null object.

**ORA-32114: Cannot perform operation on a null LOB**

**Cause:** The LOB instance on which the operation was attempted was null.

**Action:** Use a valid, non-null LOB instance to perform this operation.

**ORA-32116: Buffer size is less than amount specified**

**Cause:** The buffer size specified for the LOB read or write operation was less than the amount to be read or written.

**Action:** The buffer size must be equal to or greater than the amount to be read from or written to the LOB.

**ORA-32117: Source LOB is null**

**Cause:** The source LOB instance on which the operation was attempted was null.

**Action:** Use a valid, non-null source LOB instance for this operation.

**ORA-32118: Cannot perform operation on a null FILE**

**Cause:** The FILE instance on which the operation was attempted was null.

**Action:** Use a valid, non-null FILE instance to perform this operation.

**ORA-32120: Buffer size is less than amount specified**

**Cause:** The buffer size specified for the FILE read or write operation was less than the amount to be read or written.

**Action:** The buffer size must be equal to or greater than the amount to be read from or written to the FILE.

**ORA-32121: Source FILE is null**

**Cause:** The source FILE instance on which the operation was attempted was null.

**Action:** Use a valid, non-null source FILE instance for this operation.

**ORA-32123: Attribute number is out of range**

**Cause:** The attribute number passed is greater than the total number of attributes of the described object.

---

**Action:** Pass the attribute number within the allowable range.

**ORA-32124: Illegal attribute passed**

**Cause:** The attribute passed is not applicable for the described object.

**Action:** Pass a valid attribute.

**ORA-32125: Attribute type is not appropriate**

**Cause:** The return type of the get method does not match the type of the attribute being passed.

**Action:** Call the appropriate get method.

**ORA-32126: Cannot perform operations on a null REF**

**Cause:** The REF instance on which the operation was attempted was null.

**Action:** Use a valid, non-null REF instance to perform this operation.

**ORA-32127: REFs do not belong to any connection**

**Cause:** Neither of the REFs being compared had associated connection information.

**Action:** At least one of the REFs being compared must be associated with a valid connection.

**ORA-32128: setDataBuffer called after fetch has started**

**Cause:** Fetch from result set has already started and the setDataBuffer call was made.

**Action:** Call the setDataBuffer method before calling the next() method.

**ORA-32129: cannot get information about this column**

**Cause:** The setDataBuffer method was called to get information about this column. Therefore, the current method cannot be called.

**Action:** Use the information from the buffers specified in the setDataBuffer call.

**ORA-32130: invalid offset/index referenced in Bytes**

**Cause:** The offset/index is out of range of valid data locations in Bytes offsets.

**Action:** Insure that offsets or index is within the range of Bytes object.

**ORA-32131: bind data type cannot be changed**

**Cause:** The setXXX method is called again with a different data type than originally specified, or the setXXX method is called for a subsequent iteration without being called before the first iteration.

**Action:** Call the setXXX method with the same data type as done before the first iteration. If no setXXX method was called for this parameter position the first iteration, then make sure that a setXXX method is called before the first addIteration method is called.

**ORA-32132: maximum iterations cannot be changed**

**Cause:** The setMaxIterations is called after a setXXX method has been called.

**Action:** Call the setMaxIterations method before calling any setXXX methods.

**ORA-32133: Cannot get stream from LOB/FILE**

**Cause:** An open stream exists on the the LOB/FILE on which the operation was attempted.

**Action:** Close the stream before getting another.

---

**ORA-32134: Cannot assign LOBs**

**Cause:** An open stream exists on the target LOB.

**Action:** Close the stream on the target LOB before assigning the LOBs.

**ORA-32135: Cannot assign FILEs**

**Cause:** An open stream exists on the target FILE.

**Action:** Close the stream on the target FILE before assigning the FILEs.

**ORA-32136: Cannot perform operation on an invalid stream**

**Cause:** The LOB/FILE from which the stream was obtained had been nullified or destroyed.

**Action:** Use a valid stream.

**ORA-32139: Cannot write to the stream**

**Cause:** A write was performed after the last buffer was written.

**Action:** Close this stream and get a new stream to perform the write.

**ORA-32140: cannot perform this operation on stream**

**Cause:** Either a read is attempted from a stream in write mode, or a write is attempted on a stream in read mode.

**Action:** Check the status of the stream to find out the valid operations that can be performed.

**ORA-32141: get method does not match the type of the parameter**

**Cause:** The getXXX method called on the Statement object does not match the type of the bind parameter.

**Action:** Call the getXXX method that is the same as the type of the parameter.

**ORA-32142: maximum number of iterations exceeded**

**Cause:** The addIteration exceeds the maximum number of iterations set by the the setMaxIterations method.

**Action:** Increase the maximum number of allowed iterations.

**ORA-32143: Environment not specified**

**Cause:** A null environment was passed.

**Action:** Pass a valid, non-null environment.

**ORA-32144: Cannot perform operation on a null interval**

**Cause:** The interval involved in this operation is null.

**Action:** Use valid, non-null interval instance to perform this operation.

**ORA-32145: Environment not specified**

**Cause:** The interval on which the operation was attempted was null and no environment was specified.

**Action:** Specify non-null environment or perform the operation on a non null instance.

**ORA-32146: Cannot perform operation on a null date**

**Cause:** The date involved in this operation is null.

**Action:** Use valid, non-null date instance to perform this operation.

**ORA-32147: Environment not specified**

---

**Cause:** The date on which the operation was attempted was null and no environment was specified.

**Action:** Specify non-null environment or perform the operation on a non null instance.

**ORA-32150: Cannot perform operation on a null timestamp**

**Cause:** The timestamp involved in this operation is null.

**Action:** Use valid, non-null timestamp instance to perform this operation.

**ORA-32151: Environment not specified**

**Cause:** The timestamp on which the operation was attempted was null and no environment was specified.

**Action:** Specify non-null environment or perform the operation on a non null instance.

**ORA-32152: Cannot perform operation on a null number**

**Cause:** The number involved in this operation is null.

**Action:** Use valid, non-null number instance to perform this operation.

**ORA-32153: Environment not specified**

**Cause:** The number on which the operation was attempted was null and no environment was specified.

**Action:** Specify non-null environment or perform the operation on a non null instance.

**ORA-32154: Anydata context not specified**

**Cause:** A null anydata context was passed.

**Action:** Pass a valid, non-null anydata context.

**ORA-32155: Anydata not specified**

**Cause:** A null anydata was passed.

**Action:** Pass a valid, non-null anydata.

**ORA-32156: Cannot perform operation on stream**

**Cause:** This operation is not applicable to streams obtained from LOBs.

**Action:** None

**ORA-32158: Invalid type passed**

**Cause:** An inapplicable type was passed to this call.

**Action:** Pass an applicable type.

**ORA-32159: Cannot set prefetch options for a null Type**

**Cause:** A null Type name was passed.

**Action:** Pass a non-null Type name.

**ORA-32161: Cannot perform piecewise fetch**

**Cause:** Zero amount was passed and buffer size was less than LOB size

**Action:** Specify a larger buffer or use Stream

**ORA-32162: Read/Write SQL method not registered**

**Cause:** readSQL/writeSQL method was NULL or was not registered

---

**Action:** Register readSQL/writeSQL by calling put method in Map

**ORA-32163: Method called on Invalid Environment type**

**Cause:** A non-XA call made on an XA Environment or XA call made on non-XA Environment

**Action:** Make sure Environment type is OK

**ORA-32164: Method called on Invalid Connection type**

**Cause:** A non-XA call made on an XA Connection or XA call made on non-XA Connection

**Action:** Make sure Connection type is OK

**ORA-32165: Cannot get XA environment**

**Cause:** Incorrect dbname string was passed or the XA connection has not been opened

**Action:** Pass the correct dbname string or check if the XA connection is open

**ORA-32166: Cannot get XA connection**

**Cause:** Incorrect dbname string was passed or the XA connection has not been opened

**Action:** Pass the correct dbname string or check if the XA connection is open

**ORA-32167: No payload set on the Message**

**Cause:** An attempt was made to enqueue a message without setting a payload on it.

**Action:** Set a payload on the message before calling the send method.

**ORA-32168: Cannot perform operation on a null AnyData**

**Cause:** The AnyData instance on which the operation was attempted was null.

**Action:** Use a valid, non-null AnyData instance to perform this operation.

**ORA-32300: cannot drop a secondary materialized view "*string*"."*string*"**

**Cause:** An attempt was made to drop a materialized view of a nested table column's storage table.

**Action:** Drop the materialized view that contains the nested table column. This will implicitly drop all secondary materialized views.

**ORA-32301: object-relational materialized views must be primary key based**

**Cause:** An attempt was made to create an object-relational materialized view that is not primary key based.

**Action:** Create the materialized view with the PRIMARY KEY keyword.

**ORA-32302: object materialized views must be object ID based**

**Cause:** An attempt was made to create an object materialized view that is not object ID based.

**Action:** Create the materialized view using the OF clause but omit any ROWID or PRIMARY KEY clauses.

**ORA-32303: mvviews with user-defined types cannot reference multiple master sites**

**Cause:** For materialized views with user-defined types, the definition query cannot reference tables from different master sites.

---

**Action:** Do not create materialized views with user-defined types referencing multiple master sites.

**ORA-32304: materialized views with user-defined types cannot use prebuilt table**

**Cause:** An attempt was made to create a materialized view with the ON PREBUILT TABLE option.

**Action:** Do not create the materialized view with the ON PREBUILT TABLE option.

**ORA-32305: RepAPI materialized views with user-defined types are not supported**

**Cause:** An attempt was made to create a RepAPI materialized view with user-defined types.

**Action:** Do not create a RepAPI materialized view with user-defined types.

**ORA-32306: updatable materialized views with user-defined types must use SELECT \***

**Cause:** An attempt was made to create an updatable materialized view with user-defined types where the definition query did not use SELECT \* at the topmost level.

**Action:** Rewrite the definition query so that SELECT \* is used at the topmost level.

**ORA-32307: must use FROM ONLY clause when referencing an object table**

**Cause:** An attempt was made to create a materialized view whose definition query references object tables without the FROM ONLY clause.

**Action:** Rewrite the definition query to use the FROM ONLY clause for all the object tables in the query.

**ORA-32308: object materialized views must use SELECT \***

**Cause:** An attempt was made to create an object materialized view where the definition query did not use SELECT \* at the topmost level.

**Action:** Rewrite the definition query so that SELECT \* is used at the topmost level.

**ORA-32309: object mview type "string"."string" does not match the master table type**

**Cause:** An attempt was made to create an object materialized view whose type does not match the type of the master object table.

**Action:** Redefine the type so that it matches the type of the master object table.

**ORA-32310: object materialized views must select from an object table**

**Cause:** An attempt was made to create an object materialized view whose definition query did not select from an object table.

**Action:** Rewrite the definition query to select from an object table.

**ORA-32311: materialized view definition query selects an unsupported user-defined type**

**Cause:** An attempt was made in the definition query to select an embedded user-defined type, function returning a user-defined type, or a function whose arguments are user-defined types.

**Action:** Rewrite the definition query to exclude these unsupported user-defined types.

**ORA-32312: cannot refresh a secondary materialized view "string"."string"**

---

**Cause:** An attempt was made to refresh a materialized view of a nested table column's storage table.

**Action:** Refresh the materialized view that contains the nested table column. This will implicitly refresh all secondary materialized views.

**ORA-32313: REFRESH FAST of "string"."string" unsupported after PMOPs**

**Cause:** A Partition Maintenance Operation (PMOP) has been performed on a detail table, and the specified materialized view does not support fast refresh after PMOPs.

**Action:** Use REFRESH COMPLETE. Note: you can determine why your materialized view does not support fast refresh after PMOPs using the DBMS\_MVIEW.EXPLAIN\_MVIEW() API.

**ORA-32314: REFRESH FAST of "string"."string" unsupported after deletes/updates**

**Cause:** One or more deletes or updates has been performed on one or more of the detail tables referenced by the specified materialized view. This materialized view does not support fast refresh after deletes or updates.

**Action:** Use REFRESH COMPLETE. Note: you can determine why your materialized view does not support fast refresh after deletes or updates using the DBMS\_MVIEW.EXPLAIN\_MVIEW() API.

**ORA-32315: REFRESH FAST of "string"."string" unsupported after mixed DML and Direct Load**

**Cause:** One or more of the materialized view logs on the detail tables referenced by the specified materialized view omits the sequence number option. Such a log cannot be used to refresh a materialized view after deletes or updates and direct path insert.

**Action:** Use REFRESH COMPLETE. Note: you can use the DBMS\_MVIEW.EXPLAIN\_MVIEW() API to determine which materialized view logs omit the sequence number option.

**ORA-32316: REFRESH FAST of "string"."string" unsupported after mixed DML**

**Cause:** One or more of the materialized view logs on the detail tables referenced by the specified materialized view omits the sequence number option. Such a log cannot be used to refresh a materialized view after deletes or updates have been performed on multiple detail tables.

**Action:** Use REFRESH COMPLETE. Note: you can use the DBMS\_MVIEW.EXPLAIN\_MVIEW() API to determine which materialized view logs omit the sequence number option.

**ORA-32317: cannot run a job from a job**

**Cause:** An attempt was made to execute a job from within another job.

**Action:** Do not submit jobs that run other jobs.

**ORA-32318: cannot rename a materialized view**

**Cause:** Renaming a materialized view or its base table is not supported.

**Action:** Do not rename the base table of a materialized view.

**ORA-32319: Cannot use direct loader log to FAST REFRESH materialized view "string"."string"**

**Cause:** The direct loader log might have been dropped

**Action:** Need to do complete refresh

---

**ORA-32320: REFRESH FAST of "string"."string" unsupported after container table PMOPs**

**Cause:** A Partition Maintenance Operation (PMOP) has been performed on the materialized view, and no materialized view supports fast refresh after container table PMOPs.

**Action:** Use REFRESH COMPLETE. Note: you can determine why your materialized view does not support fast refresh after PMOPs using the DBMS\_MVIEW.EXPLAIN\_MVIEW() API.

**ORA-32321: REFRESH FAST of "string"."string" unsupported after detail table TRUNCATE**

**Cause:** A detail table has been truncated and no materialized view supports fast refresh after a detail table has been truncated

**Action:** Use REFRESH COMPLETE. Note: you can determine why your materialized view does not support fast refresh after TRUNCATE using the DBMS\_MVIEW.EXPLAIN\_MVIEW() API.

**ORA-32322: PCT refresh of "string"."string" not allowed the sequence of DMLs/PMOPs**

**Cause:** A table join dependent on another table on which PCT refresh is enabled has changed

**Action:** Use REFRESH FORCE which will pick the best possible refresh method on the materialized view

**ORA-32330: invalid operation on online redefinition interim table "string"."string"**

**Cause:** An invalid operation was performed on an interim table which was being used for online redefinition of a table.

**Action:** Do not perform any unsupported operation on the interim table.

**ORA-32331: type "string"."string" is incompatible with the master site**

**Cause:** A type used by the materialized view was found to be incompatible with its corresponding type on the master site. This could be because the type does not exist on the master site or has been evolved to a different version from that on the materialized view site.

**Action:** Make sure that the types used by the materialized view are the same on both the materialized view and master sites.

**ORA-32332: cannot refresh materialized view "string"."string" as type evolution has occurred**

**Cause:** The types used by the materialized view or its master tables have been evolved.

**Action:** Ensure that the types used by the materialized view have been evolved to the same version at both the master and materialized sites. Then, before refreshing the materialized view, evolve the materialized view using ALTER MATERIALIZED VIEW.

**ORA-32333: disable table scn update for Materialized view**

**Cause:** an event is set for disabling table scn update to prevent deadlock situation. (bug 1376209)

**Action:** disable null refresh and/or base table scn update for Materialized view

**ORA-32334: cannot create prebuilt materialized view on a table already referenced by a MV**

---

**Cause:** the table on which the materialized view is created as prebuilt is already referenced by a materialized view

**Action:** create the materialized view on a different table

**ORA-32335: dimension must have at least one level**

**Cause:** An level-less dimension is not allowed.

**Action:** Do not drop the only level of a dimension.

**ORA-32336: cannot use USING NO INDEX to create materialized view**

*"string"."string"*

**Cause:** The USING NO INDEX option was specified to create an updatable primary key based materialized view, an index-organized materialized view or an object-id materialized view.

**Action:** Do not use the USING NO INDEX option to create an updatable primary key based materialized view, an index-organized materialized view or an object-id materialized view.

**ORA-32337: cannot alter materialized view with pending changes refresh on commit**

**Cause:** There are some pending changes in the detail tables

**Action:** Execute an on-demand refresh on the materialized view to synchronize the data between the materialized view and the detail tables and then issue an ALTER MATERIALIZED VIEW statement.

**ORA-32338: on commit refresh grab all the detailed tables**

**Cause:** an event is set to let on-commit MV refresh to grab all the detailed tables, no matter whether they have modified or not.

**Action:** None

**ORA-32339: cannot alter materialized view with the PMOP**

**Cause:** the materialized view is not allowed to have destructive PMOPS such as DROP, TRUNCATE and EXCHANGE (sub)partition. The UGA flag of i\_am\_a\_refresh should be set first.

**Action:** execute set\_i\_am\_a\_refresh first before alter materialized view with the PMOP.

**ORA-32340: cannot tune the materialized view definition**

**Cause:** Due to constructs in the materialized view definition, it could not be tuned to be fast-refreshable or rewriteable.

**Action:** Execute DBMS\_MVIEW.EXPLAIN\_MVIEW to determine the cause.

**ORA-32341: The EXPLAIN\_MVIEW facility failed to explain the materialized view**

*"string"."string"*

**Cause:** The dependent object(s) of the materialized view may have changed. The materialized view may no longer be valid.

**Action:** Execute ALTER MATERIALIZED VIEW COMPILE and to determine the status of the materialized view in catalog views.

**ORA-32342: The EXPLAIN\_MVIEW facility failed to explain the materialized view statement**

**Cause:** An error exists in the materialized view definition. As a result, the materialized view statement could not be explained.

---

**Action:** Check the syntax of the statement. If it is a CREATE MATERIALIZED VIEW statement, then also check the PARAMETERS specified for the materialized view.

**ORA-32344: cannot create a secondary materialized view with synonym as base table**

**Cause:** It is not supported to create a secondary materialized view with synonym in the FROM clause.

**Action:** Removed the synonym(s) from the statement.

**ORA-32345: fail to refresh the materialized view *string.string* due to the changed synonym**

**Cause:** The definition of one or more synonyms in the from clause have changed. The structure of the materialized view has become invalid.

**Action:** Restore the synonym(s) or drop the materialized view and recreate it again.

**ORA-32346: ON COMMIT materialized view refresh caused changes to the master table/materialized view**

**Cause:** ON COMMIT refresh of a read-only materialized view changed the master table/materialized view. A trigger on the refreshed materialized view may be the cause.

**Action:** Do not create triggers on materialized view which update the master table/materialized view.

**ORA-32347: NULL capabilities during explain mvview**

**Cause:** The supplied defining query did not generate any capabilities information.

**Action:** Replace the query since it is not suitable for creating a materialized view.

**ORA-32348: revalidate summary object based on user input**

**Cause:** An event was set to specify the number of attempts that the system needed to make in order to validate an invalidated summary object.

**Action:** Revalidate an invalidated summary object based on user input.

**ORA-32400: cannot use object id columns from materialized view log on "*string*".*string*"**

**Cause:** The materialized view log either does not have object id columns logged, or the timestamp associated with the object id columns is more recent than the last refresh time.

**Action:** A complete refresh is required before the next fast refresh. Add object id columns to the materialized view log, if required.

**ORA-32401: materialized view log on "*string*".*string*" does not have new values**

**Cause:** Materialized view log on the indicated table does not have new values information.

**Action:** Add new values to materialized view log using the ALTER MATERIALIZED VIEW LOG command.

**ORA-32403: cannot use new values from mv log on "*string*".*string*"**

**Cause:** The materialized view log either does not have new values logged, or the timestamp associated with the new values columns is more recent than the last refresh time.

**Action:** Perform a complete refresh is required before the next fast refresh.

---

**ORA-32404: snapshot log uses Change Data Capture which is not enabled for this database**

**Cause:** A snapshot log that utilizes Change Data Capture is being imported to a database where Change Data Capture has not been enabled.

**Action:** First enable Change Data Capture on the database then retry the import.

**ORA-32405: cannot alter tablespace for existing materialized view log**

**Cause:** The tablespace specification for the existing materialized view log cannot be altered or changed.

**Action:** remove the tablespace clause from the statement.

**ORA-32406: cannot alter partitioning for existing materialized view log**

**Cause:** The partitioning specification for the existing materialized view log cannot be altered or changed.

**Action:** remove the partitioning clause from the statement.

**ORA-32407: cannot exclude new values when materialized view log includes new values**

**Cause:** The excluding new values specification for the existing materialized view log cannot be accepted when including new values is the current option.

**Action:** change excluding new values clause.

**ORA-32408: materialized view log on "*string*"."*string*" already has new values**

**Cause:** The materialized view log on the indicated table already has new values.

**Action:** No action required.

**ORA-32409: materialized view log on "*string*"."*string*" already excludes new values**

**Cause:** The materialized view log on the indicated table already excludes new values.

**Action:** No action required.

**ORA-32411: materialized view definition query exceeds the maximum length**

**Cause:** The materialized view definition query exceeds the 64K limit.

**Action:** Change the materialized view definition query so that it does not exceed the maximum length of 64K.

**ORA-32412: encrypted column "*string*" not allowed in the materialized view log**

**Cause:** The materialized view log being created/changed is to capture an encrypted column of the base table.

**Action:** Do not capture the encrypted column.

**ORA-32500: Dirname "*string*" cannot exceed "*number*" characters**

**Cause:** Path name too long

**Action:** Use shorter pathname than maximum specified for dirname.

**ORA-32501: Writing SGA to file failed**

**Cause:** Underlying OSDs encountered an error

**Action:** Check additional information. slercerno contains errno.

**ORA-32502: Cannot execute command. Flash Freeze is not in effect**

**Cause:** This command can only be issued after a flash freeze

---

**Action:** Refer to instructions for flash freeze and Oracle diagnostics.

**ORA-32503: Mapping SGA from file failed**

**Cause:** Underlying OSDs encountered an error

**Action:** Check additional information. slercerno contains errno.

**ORA-32504: expecting one of *string*, *string*, *string*, or *string* but found *string***

**Cause:** illegal value specified for create watchpoint mode

**Action:** specify one of the expected modes

**ORA-32505: too many watchpoints**

**Cause:** too many watchpoints created

**Action:** increase appropriate initialization parameters

**ORA-32506: expecting one of *string*, *string*, or *string* but found *string***

**Cause:** invalid arguments provided

**Action:** provide one of the expected arguments

**ORA-32507: expecting *string* but found *string***

**Cause:** invalid arguments to command

**Action:** provide one of the expected arguments

**ORA-32508: no such watchpoint id**

**Cause:** invalid watchpoint id

**Action:** use oradebug show to list valid watchpoint ids

**ORA-32509: watchpoint was already deleted**

**Cause:** trying to delete an already deleted watchpoint

**Action:** use oradebug show to list valid watchpoint ids

**ORA-32510: cannot create watchpoint on unreadable memory**

**Cause:** trying to create watchpoint on invalid address

**Action:** provide a different valid address

**ORA-32511: cannot create watchpoint in memory needed by watchpointing code**

**Cause:** overlap exists between requested memory range to watch and internal memory structures that watchpointing operations need

**Action:** provide a different address range

**ORA-32512: type "*string*" is unknown**

**Cause:** trying to dump an invalid type name

**Action:** specify a known type

**ORA-32514: cannot dump multiple "*string*" types: structure size is unknown**

**Cause:** trying to dump an invalid address

**Action:** provide a different valid address

**ORA-32515: cannot issue ORADEBUG command "*string*" to process "*string*"; prior command execution time exceeds *string* ms**

**Cause:** The process targeted to execute the ORADEBUG command was busy executing another ORADEBUG command for a time greater than the timeout value specified.

---

**Action:** Increase the timeout value.

**ORA-32516: cannot wait for process "string" to finish executing ORADEBUG command "string"; wait time exceeds string ms**

**Cause:** The execution of the ORADEBUG command took longer than the the timeout value specified.

**Action:** Increase the timeout value.

**ORA-32517: cannot issue ORADEBUG command "string" to process "string" (prior command execution time exceeds string ms); total wait time exceeds string ms**

**Cause:** The process targeted to execute the ORADEBUG command was busy executing another ORADEBUG command. But, because the total wait time for all targeted processes exceeded the maximum wait time, the ORADEBUG command was not issued to the target process.

**Action:** Increase the timeout value.

**ORA-32518: cannot wait for process "string" to finish executing ORADEBUG command "string" (waited string ms); total wait time exceeds string ms**

**Cause:** The total wait time for all targeted processes exceeded the maximum wait time, therefore the wait for the targeted process to finish executing the ORADEBUG command was aborted.

**Action:** Increase the timeout value.

**ORA-32550: Replacement occurred despite hint to the contrary**

**Cause:** This should never be signalled; it's internal.

**Action:** Report to Oracle support.

**ORA-32575: Explicit column default is not supported for modifying views**

**Cause:** Default keyword was used to modify views.

**Action:** Use implicit default - omitting column-value pair.

**ORA-32576: missing TYPE keyword**

**Cause:** keyword TYPE is missing.

**Action:** Use TYPE keyword.

**ORA-32577: username must be SYS or SYSTEM**

**Cause:** A user name of SYS or SYSTEM was not specified when providing a password in the CREATE DATABASE statement.

**Action:** Only passwords for the SYS and SYSTEM users can be provided in the CREATE DATABASE statement. Re-issue the statement with passwords for users SYS or SYSTEM.

**ORA-32578: password for SYS already specified**

**Cause:** A password for the SYS user was specified twice in the CREATE DATABASE statement.

**Action:** Re-issue the CREATE DATABASE statement with only one password for the SYS user.

**ORA-32579: password for SYSTEM already specified**

**Cause:** A password for the SYSTEM user was specified twice in the CREATE DATABASE statement.

---

**Action:** Re-issue the CREATE DATABASE statement with only one password for the SYSTEM user.

**ORA-32580: both SYS and SYSTEM passwords must be provided**

**Cause:** Passwords for both the SYS and SYSTEM users were not provided in the CREATE DATABASE statement. If one of the passwords was provided, then both should be provided.

**Action:** Re-issue the CREATE DATABASE statement with a password for both the SYS and SYSTEM users.

**ORA-32581: missing or invalid password**

**Cause:** An incorrect password was provided for the SYS or SYSTEM user in the CREATE DATABASE statement.

**Action:** Re-issue the CREATE DATABASE statement with a valid password.

**ORA-32582: table function with left correlation to a table cannot also be left outer-joined to the table**

**Cause:** A table function T2 contains a reference to a table T1. T2 is also left outer-joined to T1. This is not allowed.

**Action:** Remove the reference to T1 from T2 or remove the left outer-join specification (+).

**ORA-32583: query passed to table function has wrong number of elements in select list**

**Cause:** The query used as an input to a table function which takes a ref cursor as argument has wrong number of elements in the select list which does not correspond to the elements in ref cursor. The ref cursor mentioned here refers to the one referenced in order by partition clauses. This is not allowed.

**Action:** Make sure that the select list of the query matches the ref cursor columns as defined in the function.

**ORA-32584: missing LOG keyword**

**Cause:** keyword LOG is missing.

**Action:** Use LOG keyword.

**ORA-32585: duplicate specification of a supplemental log attribute**

**Cause:** In a create/alter DDL a supplemental log attribute is specified more than once.

**Action:** Rewrite the Create/Alter DDL such that it has a single occurrence of any supplemental log attribute.

**ORA-32586: multiple specification of a supplemental logging attribute**

**Cause:** The primary key, unique index, foreign key or all column supplemental logging attribute can be specified at most once in a create/alter ddl.

**Action:** Rewrite the Create/Alter DDL with single occurrence of the offending supplemental logging attribute.

**ORA-32587: Cannot drop nonexistent *string* supplemental logging**

**Cause:** specified supplemental log attribute does not exist.

**Action:** None

**ORA-32588: supplemental logging attribute *string* exists**

**Cause:** specified supplemental logging attribute exists.

---

**Action:** retry the alter/create ddl after removing this supplemental logging attribute.

**ORA-32589: unable to drop minimal supplemental logging**

**Cause:** Minimal supplemental logging could not be dropped as one of primary key, foreign key, unique or all column supplemental logging is enabled at the database level.

**Action:** Use V\$DATABASE to determine the databasewide supplemental logging directives. Minimal supplemental logging could be dropped if and only if no other databasewide supplemental logging directives are enabled.

**ORA-32590: log group specification not allowed here**

**Cause:** Supplemental log specification is not allowed in the statement.

**Action:** Remove the supplemental log specification from the statement.

**ORA-32591: connect string too long**

**Cause:** The connect string specified for the database link was more than 2000 characters.

**Action:** Specify a connect string less than 2000 characters.

**ORA-32592: all columns in log group can not be no log columns**

**Cause:** A supplemental log group must have at least one column of scalar type that is not marked as no log.

**Action:** Redefine the supplemental log group with at least one column of scalar type that is not marked as no log.

**ORA-32593: database supplemental logging attributes in flux**

**Cause:** there is another process actively modifying the database wide supplemental logging attributes.

**Action:** Retry the DDL or the LogMiner dictionary build that raised this error.

**ORA-32594: invalid object category for COMMENT command**

**Cause:** The object category specified is not a valid object for which to use the COMMENT command.

**Action:** Retry the COMMENT command by specifying an accepted object category. (ie, Table, Operator, Indextype, etc.)

**ORA-32595: DDL statement cannot be audited with BY SESSION specified**

**Cause:** An attempt was made to audit a DDL statement with BY SESSION clause specified. DDL statements can be audited BY ACCESS only.

**Action:** Specify BY ACCESS instead of BY SESSION to audit the DDL statement.

**ORA-32596: duplicate ALTER USER or CREATE USER option**

**Cause:** An ALTER USER option was duplicated.

**Action:** Remove the duplicate option.

**ORA-32597: database supplemental logging attributes inconsistent**

**Cause:** failed to propagate supplemental logging attributes to all RAC instances. Most likely caused by an instance leaving the RAC while this DDL was in progress.

**Action:** Retry the DDL or the LogMiner dictionary build that raised this error.

---

**ORA-32600: RETENTION and PCTVERSION cannot be used together**

**Cause:** cannot use both RETENTION and PCTVERSION together.

**Action:** Use either RETENTION or PCTVERSION.

**ORA-32601: value for retention cannot be provided**

**Cause:** cannot give a value for Retention Period.

**Action:** do not provide the value for parameter.

**ORA-32602: FREPOOLS and FREELIST GROUPS cannot be used together**

**Cause:** cannot use both FREPOOLS and FREELIST GROUPS together.

**Action:** Use either FREPOOLS or FREELIST GROUPS.

**ORA-32603: invalid FREPOOLS LOB storage option value**

**Cause:** The specified FREPOOLS LOB storage option value must be an integer.

**Action:** Choose an appropriate integer value and retry the operation.

**ORA-32604: invalid REBUILD option**

**Cause:** Keyword FREPOOLS expected after the REBUILD keyword.

**Action:** User must specify FREPOOLS keyword.

**ORA-32605: invalid REBUILD option**

**Cause:** cannot rebuild freepools while creating table with lob column.

**Action:** User must not specify REBUILD... in this context.

**ORA-32606: missing NAV keyword in MODEL clause**

**Cause:** The NAV keyword was specified where it is expected.

**Action:** Specify the NAV keyword or check the SQL statement.

**ORA-32607: invalid ITERATE value in MODEL clause**

**Cause:** The specified ITERATE value must be a 4 byte positive integer.

**Action:** Choose an appropriate value and retry the operation.

**ORA-32608: missing INCREMENT or DECREMENT keyword in FOR loop**

**Cause:** INCREMENT or DECREMENT keyword was not specified where it is expected.

**Action:** Specify the INCREMENT or DECREMENT keyword or check the SQL statement.

**ORA-32609: missing REFERENCE keyword in MODEL clause**

**Cause:** The REFERENCE keyword was not specified where it is expected.

**Action:** Specify the REFERENCE keyword or check the SQL statement.

**ORA-32610: missing SINGLE REFERENCE or DIMENSION keyword in MODEL clause**

**Cause:** SINGLE REFERENCE or DIMENSION keyword was not specified where it is expected.

**Action:** Specify the applicable keywords or check the SQL statement.

**ORA-32611: incorrect use of MODEL CV operator**

**Cause:** CV function was used outside a dimension expression, in UNTIL condition, or with non-dimensional arguments.

---

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32612: invalid use of FOR loop**

**Cause:** The MODEL FOR loop was used where it is not allowed. FOR loops are not allowed in complex dimensional predicates, on the right hand side of rules, or in the until condition.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32613: not a MODEL cell**

**Cause:** The operator requires a MODEL cell as operand.

**Action:** Specify MODEL cell as operand, check SQL statement.

**ORA-32614: illegal MODEL SELECT expression**

**Cause:** An expression other than MODEL aliases, constants, or expressions of the two is specified in the MODEL SELECT clause.

**Action:** Reformulate the query, perhaps nesting inside another SELECT.

**ORA-32615: incorrect use of MODEL IS ANY predicate**

**Cause:** IS ANY predicate is used outside dimension expression or with non-dimensional or different dimensional arguments.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32616: missing DIMENSION BY keyword in MODEL clause**

**Cause:** The DIMENSION keyword was not specified where it is expected.

**Action:** Specify the DIMENSION keyword or check the SQL statement.

**ORA-32617: missing MEASURES keyword in MODEL clause**

**Cause:** The MEASURES keyword was not specified where it is expected.

**Action:** Specify the MEASURES keyword or check the SQL statement.

**ORA-32618: incorrect use of MODEL PREVIOUS function**

**Cause:** The MODEL PREVIOUS function was used outside of MODEL "ITERATE UNTIL" clause, or was nested.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32619: incorrect use of MODEL ITERATION\_NUMBER**

**Cause:** ITERATION\_NUMBER was used outside of an iterated MODEL.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32620: illegal subquery within MODEL rules**

**Cause:** A subquery was used illegally within the MODEL rule.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32621: illegal aggregation in UNTIL iteration condition**

**Cause:** An aggregate function was used in UNTIL condition.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32622: illegal multi-cell reference**

**Cause:** Multi-cell reference was specified on a measure expression without an aggregate function.

**Action:** Use an aggregate function on the measure expression or qualify the cell reference.

---

**ORA-32623: incorrect use of MODEL PRESENT\* functions**

**Cause:** A PRESENT\* function (IS PRESENT, PRESENTV, PRESENTNNV) was used in a measure expression.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32624: illegal reordering of MODEL dimensions**

**Cause:** The expressions to qualify dimensions were specified in an incorrect order within a cell reference.

**Action:** Reorder dimension expressions in the cell reference.

**ORA-32625: illegal dimension in cell reference predicate**

**Cause:** A non-positional dimension was referenced in the predicate.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32626: illegal bounds or increment in MODEL FOR loop**

**Cause:** FOR loop allows only numeric and datetime without timezone type for bounds. Only constants of interval and numeric types are allowed as increment/decrement expressions.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32627: illegal pattern in MODEL FOR LIKE loop**

**Cause:** The FOR LIKE pattern had zero or more than one wild characters.

**Action:** Simplify the pattern to have a single wildcard character.

**ORA-32628: invalid nesting of MODEL cell reference**

**Cause:** MODEL cell reference was nested too deeply.

**Action:** Avoid deep nesting of cell references and rewrite if necessary.

**ORA-32629: measure used for referencing cannot be updated**

**Cause:** A measure used in nested referencing is updated by a MODEL rule in the automatic order MODEL.

**Action:** Modify the SQL statement or use sequential order MODEL.

**ORA-32630: multiple assignment in automatic order MODEL**

**Cause:** A MODEL cell was updated on the same measure in multiple MODEL rules. Multiple assignment is not allowed in automatic order MODELS as it causes in ambiguity and nondeterminism.

**Action:** Use sequential order MODEL or rewrite the rule to avoid this.

**ORA-32631: illegal use of objects in MODEL**

**Cause:** An object column was used as a MODEL column. Object types are not allowed as partition by, dimension by or measure expressions.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32632: incorrect subquery in MODEL FOR cell index**

**Cause:** An illegal subquery was specified in MODEL FOR cell index. A subquery used in a MODEL FOR cell index can not have subqueries, correlation, binds and references to WITH tables.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32633: MODEL subquery FOR cell index returns too many rows**

---

**Cause:** Subquery in MODEL FOR cell index returned more than the allowed maximum.

**Action:** Split the rule into multiple ones.

**ORA-32634: automatic order MODEL evaluation does not converge**

**Cause:** Evaluation using automatic rule ordering did not reach a convergence point.

**Action:** Modify the rules or use sequential order instead.

**ORA-32635: not a single cell reference predicate**

**Cause:** A predicate that is not a single cell reference predicate was specified where a single cell reference predicate was expected. A single cell reference predicate is either a constant expression or a predicate of the form <dimension\_key = constant\_expr>

**Action:** Make sure that the predicate is a proper single cell reference. In some cases, you might have to put explicit type conversion operators (or casts) on the constant expression.

**ORA-32636: Too many rules in MODEL**

**Cause:** The number of rules (possibly after rule unfolding) exceeded the maximum number of rules allowed.

**Action:** Reduce the number of rules.

**ORA-32637: Self cyclic rule in sequential order MODEL**

**Cause:** A self-cyclic rule was detected in the sequential order MODEL. Sequential order MODELS cannot have self cyclic rules to guarantee that the results do not depend on the order of evaluation of the cells that are updated or upserted.

**Action:** Use ordered rule evaluation for this rule.

**ORA-32638: Non unique addressing in MODEL dimensions**

**Cause:** The address space defined for the MODEL (partition by and dimension by expressions) do not uniquely identify each cell.

**Action:** Rewrite the MODEL clause. Using UNIQUE SINGLE REFERENCE option might help.

**ORA-32639: Aggregate functions on reference MODELs are not allowed**

**Cause:** An aggregate function was specified on the cells of a reference MODEL.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32640: FOR LIKE loops are not allowed for multi-byte character types**

**Cause:** FOR LIKE loops was specified for a multi-byte character type.

**Action:** Check the SQL statement and rewrite if necessary.

**ORA-32641: invalid expression in MODEL rule ORDER BY clause**

**Cause:** An invalid expression was specified in the MODEL rule ORDER BY clause where only expressions of dimension and measure columns and reference MODEL cell references are allowed

**Action:** Modify the order by clause in the MODEL rule.

**ORA-32642: non-unique cell values from the ORDER BY clause**

**Cause:** The MODEL rule ORDER BY clause did not generate unique values for all cells that satisfy the predicates in the left side of the rule.

---

**Action:** Modify the rule ORDER BY clause in the MODEL rule.

**ORA-32643: invalid use of window function in MODEL rule**

**Cause:** The window functions can not be used in SQL Model rules that have FOR-loops on the left side or aggregates on the right side.

**Action:** Modify the MODEL rule.

**ORA-32644: this function is not allowed outside of MODEL clause**

**Cause:** A function allowed only within the MODEL clause is used outside of MODEL clause.

**Action:** Rewrite the SQL statement.

**ORA-32690: Hash Table Infrastructure ran out of memory**

**Cause:** Not enough memory.

**Action:** Increase memory.

**ORA-32695: HTI: Not enough memory**

**Cause:** Memory is not enough.

**Action:** Increase memory.

**ORA-32696: HTI: No free slot**

**Cause:** There is not enough memory.

**Action:** Increase memory.

**ORA-32700: error occurred in DIAG Group Service**

**Cause:** An unexpected error occurred while performing a DIAG Group Service operation.

**Action:** Verify that the DIAG process is still active. Also, check the Oracle DIAG trace files for errors.

**ORA-32701: Hang detected**

**Cause:** Hang Manager has detected a hang.

**Action:** Check incident logs for diagnostic information.

**ORA-32702: Rolling migration is going on**

**Cause:** DIAG detected rolling migration in IPC.

**Action:** No action needed. DIAG is shutting down for rolling migration. This error number is solely used for internal purposes.

**ORA-32703: deadlock detected: *string***

**Cause:** Oracle sessions waiting for resources were deadlocked.

**Action:** Reissue any commands that failed and contact Oracle Support Services with the incident information.

**ORA-32730: Command cannot be executed on remote instance**

**Cause:** DIAG is not registered with DIAG Group Service

**Action:** Issue the command without the cluster database syntax

**ORA-32731: Another Parallel Oradebug session is in progress**

**Cause:** Another session for Parallel Oradebug is in progress with the database

**Action:** Issue the command later when the current session finishes

- 
- ORA-32732: Parallel Oradebug session is aborted**  
**Cause:** Group reconfiguration is occurring among DIAGs  
**Action:** Issue the command later when group reconfiguration completes
- ORA-32733: Error occurred when executing Parallel Oradebug**  
**Cause:** Error is encountered during executing command at local node  
**Action:** Check alert log and DIAG trace file for error detail
- ORA-32734: Error occurred when sending Oradebug command to remote DIAGs**  
**Cause:** IPC communication problem encountered  
**Action:** Check IPC communication between DIAGs and issue the command again
- ORA-32735: DIAG process is not running in the instance**  
**Cause:** DIAG process is not alive  
**Action:** Check error in DIAG trace file and issue the command again when DIAG is restarted
- ORA-32736: Hang analysis aborted due to wrong message type**  
**Cause:** DIAG received wrong message.  
**Action:** Check DIAG trace files for errors.
- ORA-32737: Hang analysis aborted due to failed memory allocation**  
**Cause:** DIAG couldn't allocate buffer for remote copy.  
**Action:** Check DIAG trace files for errors.
- ORA-32738: Hang analysis aborted due to failed memory copy**  
**Cause:** DIAG couldn't copy buffer to remote node.  
**Action:** Check DIAG trace files for errors.
- ORA-32739: Hang analysis aborted due to failed heap re-grow**  
**Cause:** DIAG couldn't re-grow the heap for wait-for-graphs.  
**Action:** Check DIAG trace files for errors.
- ORA-32740: The requested operation cannot be proceeded**  
**Cause:** Operation was aborted because instance termination was in progress.  
**Action:** Retry later after restarting the instance.
- ORA-32741: Hang analysis already going on**  
**Cause:** Hang analysis was already in process globally or for the instance.  
**Action:** Wait for the current operation to complete and re-run the command.
- ORA-32742: Hang analysis initialize failed**  
**Cause:** Hang analyzer was not able to allocate memory to initialize.  
**Action:** Check the trace files.
- ORA-32743: command cannot be executed on remote instance**  
**Cause:** The database was not mounted in SHARED mode.  
**Action:** Mount the database in SHARED mode.
- ORA-32766: instr with negative offset: use varchar semantics on LOBs**

---

**Cause:** The current varchar behavior is different. e.g. `instr("abcd", "cd", -2, 1)` returns 3, whereas `instr(to_clob("abcd"), "cd", -2, 1)` returns 0, (i.e. no match), because the reverse search starts from offset -2, which points to "c" and moving backward, i.e. "d" is ignored. This is symmetric to `instr("dcba", "dc", 2, 1)`, which returns 0.

**Action:** ORACLE uses the same varchar semantics on LOBs (`instr`). Using the same example, `instr(to_clob("abcd"), "cd", -2, 1)` will return 3 as in the varchar case.

**ORA-32767: No server connection for this operation**

**Cause:** The client side `sql` or `plsql` function operation requires a connection to the server, but currently no client/server connection existed.

**Action:** Establish a client/server connection.

**ORA-32771: cannot add file to bigfile tablespace**

**Cause:** An attempt was made to add the second file to a bigfile tablespace.

**Action:** Do not use this command with bigfile tablespace.

**ORA-32772: BIGFILE is invalid option for this type of tablespace**

**Cause:** An attempt was made to create a bigfile tablespace that is dictionary managed or locally managed with manual segment-space management.

**Action:** Either change the tablespace type to locally managed with automatic segment-space management, or create a SMALLFILE tablespace instead.

**ORA-32773: operation not supported for smallfile tablespace *string***

**Cause:** An attempt was made to perform an operation which is supported only for bigfile tablespaces, e.g. `resize tablespace`.

**Action:** Use the appropriate clause of the `ALTER DATABASE DATAFILE` command instead.

**ORA-32774: more than one file was specified for bigfile tablespace *string***

**Cause:** More than one datafile or tempfile was specified in `CREATE TABLESPACE` command for a bigfile tablespace.

**Action:** Change command to contain only one file or create a smallfile tablespace instead.

**ORA-32775: cannot change size attributes of read only tablespace *string***

**Cause:** An attempt was made to change size attributes of a tablespace that is read only.

**Action:** Change the tablespace to read/write and retry the operation.



---

---

## ORA-32800 to ORA-32857

**ORA-32800: internal error *string***

**Cause:** An unexpected error occurred.

**Action:** Contact Oracle Support Services.

**ORA-32801: invalid value *string* for *string***

**Cause:** An invalid value was specified for a parameter.

**Action:** Specify a valid value for the parameter.

**ORA-32802: value for *string* must be *string***

**Cause:** An invalid value was specified for a parameter.

**Action:** Specify the value as indicated by the message.

**ORA-32803: value for *string* cannot be altered**

**Cause:** An attempt was made to alter a value that cannot be altered.

**Action:** Retry the operation without altering the indicated value.

**ORA-32804: invalid value *string*, *string* should have form *string***

**Cause:** A value specified for a parameter has the incorrect form.

**Action:** Specify a string of the correct form.

**ORA-32805: identifier for *string* too long, maximum length is *string* characters**

**Cause:** An identifier string exceeded the maximum allowed length.

**Action:** Specify a string whose length is less than the maximum allowed length.

**ORA-32806: value for *string* is too long, maximum length is *string***

**Cause:** A value exceeded its maximum allowed length.

**Action:** Specify a value whose length is less than the maximum allowed length.

**ORA-32807: message system link *string* already exists**

**Cause:** A message system link of the specified name already exists.

**Action:** Specify a different name.

**ORA-32808: message system link *string* does not exist**

**Cause:** A message system link of the specified name does not exist.

**Action:** Specify a message system link name that already exists.

**ORA-32809: foreign queue *string* is already registered**

---

**Cause:** The foreign queue has already been registered for this message system link (NAME@MSGLINK).

**Action:** Specify a different name that is not being used for this message system link.

**ORA-32810: foreign queue *string* is not registered**

**Cause:** The foreign queue (NAME@MSGLINK) has not been registered for this message system link.

**Action:** Specify the name of a registered foreign queue.

**ORA-32811: subscriber *string* already exists**

**Cause:** The specified subscriber identifier already exists.

**Action:** Specify a different identifier.

**ORA-32812: subscriber *string* does not exist**

**Cause:** The specified subscriber identifier does not exist.

**Action:** Specify an existing subscriber identifier.

**ORA-32813: propagation schedule *string* already exists**

**Cause:** The specified propagation schedule identifier already exists.

**Action:** Specify a different identifier.

**ORA-32814: propagation schedule *string* does not exist**

**Cause:** The specified propagation schedule identifier does not exist.

**Action:** Specify a schedule identifier that already exists.

**ORA-32815: message system link *string* is referenced by a foreign queue**

**Cause:** An attempt was made to remove a message system link currently referenced by one or more registered foreign queues.

**Action:** Unregister all foreign queues using this message system link and retry the operation.

**ORA-32816: foreign queue *string* is referenced by a subscriber or schedule**

**Cause:** An attempt was made to unregister a foreign queue currently referenced by one or more subscribers or propagation schedules.

**Action:** Remove all subscribers and propagation schedules using this foreign queue and retry the operation.

**ORA-32817: message system link *string* is not configured with a log queue for *string***

**Cause:** An attempt was made to add a propagation subscriber but the message system link was not configured with a log queue for the indicated propagation type.

**Action:** Alter the message system link to configure the link with a log queue for this propagation type.

**ORA-32818: AQ queue *string* does not exist**

**Cause:** An operation was attempted where the specified AQ queue does not exist.

**Action:** Specify the name of an existing AQ queue.

**ORA-32819: AQ queue *string* must be a normal queue**

**Cause:** An operation was attempted where the specified AQ queue exists but is not a normal queue.

---

**Action:** Specify the name of an AQ queue which was created as a normal queue (NORMAL\_QUEUE).

**ORA-32820: subscriber queue and exception queue must use same message system link**

**Cause:** An operation was attempted for INBOUND propagation where the specified subscriber queue and exception queue reference different message system links.

**Action:** Specify an exception queue that is a registered foreign queue of the same message system link as the subscriber queue.

**ORA-32821: subscriber queue and exception queue must have same payload type**

**Cause:** An operation was attempted for OUTBOUND propagation where the AQ queues used for the subscriber queue and exception queue have different payload types.

**Action:** Specify an exception queue that has the same payload type as the subscriber queue.

**ORA-32822: subscriber *string* is marked for removal**

**Cause:** An administration operation was attempted for a subscriber which is marked for removal. If attempting to remove a subscriber, the Messaging Gateway agent is not running or is running but unable to remove the subscriber at this time.

**Action:** Do not issue propagation administration commands for a subscriber for which removal is pending. Wait for the subscriber to be removed by the agent or issue REMOVE\_SUBSCRIBER with the FORCE option to force the subscriber to be removed.

**ORA-32823: subscriber exists for queue *string* and destination *string***

**Cause:** An attempt was made to create a propagation subscriber when one already exists for the specified queue and destination pair.

**Action:** Specify a different queue and destination pair, or remove the subscriber using that pair and retry the operation.

**ORA-32824: schedule exists for source *string* and destination *string***

**Cause:** An attempt was made to create a propagation schedule when one already exists for the specified source and destination pair.

**Action:** Specify a different source and destination pair, or remove the schedule using that pair and retry the operation.

**ORA-32825: Messaging Gateway agent has not been started**

**Cause:** An attempt was made to shut down the Messaging Gateway agent when it is not started.

**Action:** No action required.

**ORA-32826: Messaging Gateway agent has already been started**

**Cause:** An attempt was made to start the Messaging Gateway agent when it is already started.

**Action:** No action required.

**ORA-32827: Messaging Gateway agent must be shut down**

**Cause:** An operation was attempted that requires the Messaging Gateway agent to be shut down.

---

**Action:** Issue SHUTDOWN, wait for MGW\_GATEWAY view to show a NOT\_STARTED status, and retry the operation. CLEANUP\_GATEWAY may need to be issued to reset the gateway state if the agent fails to shut down after a reasonable time period.

**ORA-32828: Messaging Gateway agent must be running**

**Cause:** An operation was attempted that requires the Messaging Gateway agent to be started and responsive.

**Action:** Issue STARTUP, wait for MGW\_GATEWAY view to show a RUNNING status, and retry the operation.

**ORA-32829: Messaging Gateway agent cannot be shut down while it is starting**

**Cause:** An attempt was made to shut down the Messaging Gateway agent when it is in the process of starting and initializing.

**Action:** Wait for MGW\_GATEWAY view to show a RUNNING status and retry the operation. CLEANUP\_GATEWAY may need to be issued to reset the gateway state if the agent fails to start after a reasonable time period.

**ORA-32830: result code *string* returned by Messaging Gateway agent**

**Cause:** The Messaging Gateway agent terminated abnormally due to an unexpected error.

**Action:** Review the Messaging Gateway log file for further information regarding the problem. Resolve the problem and start the Messaging Gateway agent. Contact Oracle Support Services if the problem cannot be resolved.

**ORA-32831: timed out trying to acquire administration lock**

**Cause:** A timeout occurred when attempting an administration operation. Either an administration operation was attempted while the Messaging Gateway agent was starting and initializing, or two administration operations were attempted at the same time.

**Action:** Retry the operation. If the Messaging Gateway agent is starting, wait for MGW\_GATEWAY view to show a RUNNING status and retry the operation.

**ORA-32832: failure *string* trying to acquire administration lock**

**Cause:** An unexpected error occurred trying to acquire administration lock.

**Action:** Retry the operation. Contact Oracle Support Services if the error persists.

**ORA-32833: failure *string* trying to release administration lock**

**Cause:** An unexpected error occurred trying to release administration lock.

**Action:** Contact Oracle Support Services if the error persists.

**ORA-32834: Messaging Gateway agent user has not been set**

**Cause:** A Messaging Gateway agent user has not been configured.

**Action:** Create a database user having role MGW\_AGENT\_ROLE and issue DB\_CONNECT\_INFO to configure an agent user.

**ORA-32835: database user *string* does not exist**

**Cause:** The specified database user does not currently exist.

**Action:** Create the user and grant all necessary privileges and roles.

**ORA-32836: database user *string* must be granted role *string***

**Cause:** The specified database user does not have a required role.

---

**Action:** Grant the user the indicated role.

**ORA-32837: invalid configuration state *string***

**Cause:** The specified configuration state is invalid.

**Action:** Remove and re-create the configured entities. Contact Oracle Support Services if the problem cannot be identified or resolved.

**ORA-32838: exceeded maximum number of properties**

**Cause:** An attempt was made to alter a property list where the number of properties in the resulting list exceeds the maximum allowed.

**Action:** Order the elements of the alter list differently so the number of elements in the resulting list is less than the maximum.

**ORA-32839: property *string* is reserved, names with MGWPROP\$\_ prefix are not valid**

**Cause:** An attempt was made to specify a reserved name for a property name.

**Action:** Use a non-reserved name.

**ORA-32840: property name cannot be NULL**

**Cause:** An attempt was made to use NULL for a property name.

**Action:** Specify a non-NULL name.

**ORA-32841: invalid value for property *string***

**Cause:** An attempt was made to specify an invalid value for a property.

**Action:** Specify a valid property value.

**ORA-32842: value for property *string* cannot be altered**

**Cause:** An attempt was made to alter a property that cannot be altered.

**Action:** Retry the operation without altering the indicated property.

**ORA-32843: value for *string* is outside the valid range of *string* to *string***

**Cause:** A value was specified that is not in the valid range.

**Action:** Specify a value within the indicated range.

**ORA-32844: exceeded maximum number of *string* values**

**Cause:** An attempt was made to add a value of the specified type but the maximum number of such values has been reached.

**Action:** No action required.

**ORA-32845: Messaging Gateway agent is already running**

**Cause:** An attempt was made to start the Messaging Gateway agent when an agent instance is already running.

**Action:** Shut down the Messaging Gateway agent currently running, verify the agent process has been terminated, and start the Messaging Gateway agent.

**ORA-32846: Messaging Gateway agent cannot be started; status is *string***

**Cause:** An attempt to start the Messaging Gateway agent failed due to the indicated agent status. A BROKEN status indicates a problem that requires user intervention before the agent can be started.

**Action:** Review the MGW\_GATEWAY view and the Messaging Gateway log file for further information. Resolve the problem and start the Messaging Gateway agent. Contact Oracle Support Services if the problem cannot be resolved.

---

**ORA-32847: operation is not supported on this platform**

**Cause:** An attempt was made to perform an operation that is not supported on this platform.

**Action:** Switch to a platform on which the operation is supported.

**ORA-32848: foreign queue DOMAIN required for JMS unified connections**

**Cause:** A DOMAIN was not specified when registering a foreign queue for a messaging system link that is configured to use the JMS unified messaging model.

**Action:** Specify a non-NULL value for the DOMAIN parameter.

**ORA-32849: *string* cannot be set unless *string* is set**

**Cause:** An attempt was made to specify a value for a parameter that cannot be set unless an associated parameter is also set.

**Action:** Specify a valid value for both parameters, or, do not specify a value for either parameter.

**ORA-32850: agent *string* does not exist**

**Cause:** The specified Messaging Gateway agent name did not exist.

**Action:** Specify an existing agent name.

**ORA-32851: agent *string* already exists**

**Cause:** The specified Messaging Gateway agent name already existed.

**Action:** Specify a different agent name.

**ORA-32852: agent *string* is referenced by a message system link**

**Cause:** An attempt was made to remove a Messaging Gateway agent currently referenced by one or more message system links.

**Action:** Remove all message system links associated with this agent and retry the operation.

**ORA-32853: propagation job *string* does not exist**

**Cause:** The specified propagation job identifier did not exist.

**Action:** Specify an existing identifier.

**ORA-32854: propagation job *string* already exists**

**Cause:** The specified propagation job identifier already existed.

**Action:** Specify a different identifier.

**ORA-32855: propagation job *string* is marked for removal**

**Cause:** An administration operation was attempted for a propagation job which is marked for removal. If attempting to remove a job, the Messaging Gateway agent is not running or is running but unable to remove the job at this time.

**Action:** Do not issue propagation administration commands for a job for which removal is pending. Wait for the job to be removed by the agent, or, issue REMOVE\_JOB with the FORCE option to force the job to be removed.

**ORA-32856: operation not supported for propagation job**

**Cause:** An attempt was made to perform an operation that was not supported for a propagation job.

**Action:** Perform the operation using a propagation job procedure.

**ORA-32857: propagation job exists for source *string* and destination *string***

---

**Cause:** An attempt was made to create a propagation job, subscriber, or schedule when a propagation job already existed for the specified source and destination pair.

**Action:** Specify a different source and destination pair, or remove the propagation job using that pair and retry the operation.



---

## ORA-33000 to ORA-37999

**ORA-33000: (AGOPEN00) AGGMAP *workspace object* cannot be accessed because it was compiled by a more recent version of *string*.**

**Cause:** The AGGMAP was already compiled by a more recent version of the product than was being used to execute this command.

**Action:** Recompile the AGGMAP in the current version.

**ORA-33002: (XSAGDNGL00) In AGGMAP *workspace object*, the FLOOR argument of *number* must be less than the CEILING argument of *number*.**

**Cause:** The user specified a floor argument greater than the ceiling argument.

**Action:** Adjust the floor and ceiling arguments so that the floor is less than the ceiling. OBSOLETE, please remove this

**ORA-33003: (XSAGDIMDROP) *workspace object*, to be transformed during data load, must be a base dimension and not otherwise referenced in the AGGMAP.**

**Cause:** The user tried to specify a dimension in a dataflow-related clause in an aggmap which is already in another RELATION statement, DIMENSION statement, or possibly dimensioning the AGGMAP, or they specified a composite or conjoint dimension, or an object which is not a dimension

**Action:** Remove the conflicting reference or specify a valid object

**ORA-33004: (XSAGDNGL01) *workspace object* is not a relationship array.**

**Cause:** A RELATION clause in the AGGMAP named a workspace object that is not a relation.

**Action:** Name a valid self-relation in the RELATION statement.

**ORA-33005: (XSAGDIMBREAK) Invalid breakout for dimension *workspace object*.**

**Cause:** The user specified something that was not a valid dimension or relation on a BREAKOUTDIM line in an aggmap. This might be because the object was not a valid relation, was not over the specified dimension or was multidimensional

**Action:** Use a valid relation instead

**ORA-33006: (XSAGDNGL02) The relation *workspace object* is not related to itself.**

**Cause:** A relation was named in a RELATION clause of the AGGMAP that is not a self-relation.

**Action:** Name a valid self-relation in the RELATION statement.

**ORA-33008: (XSAGDNGL03) The relation *workspace object* is not a relation over a base dimension of AGGMAP *workspace object*.**

---

**Cause:** A relation was named in a RELATION clause of the AGGMAP that is not a relation for a base dimension of the AGGMAP.

**Action:** Name a valid self-relation in the RELATION statement, that is, one that has a dimension that dimensions the AGGMAP.

**ORA-33009: (XSAGDNGLPREC) In AGGMAP *workspace object*, PRECOMPUTE may only be specified either for the entire AGGMAP or for individual RELATION statements.**

**Cause:** PRECOMPUTE was specified both as a line in the AGGMAP and on at least one of the RELATION lines, or it was specified more than once as a line of the AGGMAP.

**Action:** Remove either the PRECOMPUTE line, or the PRECOMPUTE specification for all of the RELATION lines.

**ORA-33010: (XSAGDNGL04) Relation *workspace object* is duplicated in the AGGMAP *workspace object*.**

**Cause:** Two RELATION statements in the AGGMAP reference the same relation object.

**Action:** Remove the duplicate RELATION statement.

**ORA-33012: (XSAGDNGL05) AGGMAP *workspace object* contains invalid syntax.**

**Cause:** A line in the AGGMAP contains invalid syntax.

**Action:** Change the line to have valid syntax.

**ORA-33014: (XSAGDNGL06) In AGGMAP *workspace object*, variable operator *workspace object* cannot be dimensioned by rollup dimension *workspace object*.**

**Cause:** Operator variables cannot have the rollup dimension as one of their base dimensions.

**Action:** Modify the definition of the operator variable so that the current rollup dimension is not one of its bases.

**ORA-33016: (XSAGDNGL07) In AGGMAP *workspace object*, *workspace object* is not a valid operator or variable name.**

**Cause:** An invalid argument was supplied to the OPERATOR clause in the relation statement.

**Action:** Fix the OPERATOR clause so that it specifies either a valid variable name or a valid operator.

**ORA-33018: (XSAGDNGL08) In AGGMAP *workspace object*, the data type of *workspace object* must be TEXT, not *string*.**

**Cause:** An operator variable was supplied whose data type is not TEXT.

**Action:** Change the operator clause to reference a TEXT variable.

**ORA-33022: (XSAGDNGL10) The measure dimension *workspace object* must be a TEXT or ID base dimension that does not dimension AGGMAP *workspace object*, but is in the same analytic workspace.**

**Cause:** A MEASUREDIM was supplied in the AGGMAP that was not acceptable.

**Action:** Modify the MEASUREDIM clause to specify a valid dimension.

**ORA-33024: (XSAGDNGL11) AGGMAP *workspace object* contains duplicate information.**

**Cause:** The aggmap contains multiple instances of a clause that can only be specified once.

---

**Action:** Remove the extra clause.

**ORA-33026: (XSAGDNGL12) In AGGMAP *workspace object*, *workspace object* is not a valid valueset.**

**Cause:** A line in the AGGMAP contains an invalid element where a valid valueset is required.

**Action:** Change the line to have a valid valueset.

**ORA-33028: (XSAGDNGL13) In AGGMAP *workspace object*, *workspace object* should be scalar, not a dimensioned valueset.**

**Cause:** A line in the AGGMAP contains a dimensioned valueset where a scalar valueset is required.

**Action:** Change the line to have a scalar valueset.

**ORA-33030: (XSAGDNGL14) In AGGMAP *workspace object*, you can have either a single independent PROTECT statement or PROTECT statements in your RELATION statements.**

**Cause:** The AGGMAP either specified multiple PROTECT statements not on a RELATION line, or specified PROTECT statements both independently and on RELATION lines.

**Action:** Correct the AGGMAP to have valid syntax.

**ORA-33032: (XSAGDNGL15) In AGGMAP *workspace object*, VALUESET *workspace object* must be in extra dimensions of the relation.**

**Cause:** The RELATION phrase contains a VALUESET which is not over the extra dimension of the RELATION.

**Action:** Correct the RELATION phrase to contain a valueset over the extra dimension or not to contain any valueset.

**ORA-33034: (XSAGDNGL16) In AGGMAP *workspace object*, VALUESET *workspace object* in PRECOMPUTE phrase must be in the self dimension of the relation.**

**Cause:** The precompute phrase contains a valueset which is not over the self dimension of the relation.

**Action:** Correct the relation phrase to contain a valueset over the self dimension or not to contain any valueset.

**ORA-33036: (XSAGDNGL17) ARGS option *workspace object* must be a TEXT variable.**

**Cause:** An ARGS value had a non-text data type.

**Action:** Use a text variable for ARGS.

**ORA-33038: (XSAGDNGL18) In AGGMAP *workspace object*, RELATION *workspace object* contains hierarchy dimensions that are also dimensions of the AGGMAP.**

**Cause:** Hierarchy dimensions(extra dimensions) of a RELATION in the AGGMAP are base dimensions of the AGGMAP.

**Action:** Correct the RELATION not to have hierarchy dimensions(extra dimensions) which are also base dimensions of the AGGMAP.

**ORA-33040: (XSAGDNGL19) In AGGMAP *workspace object*, VALUESETS *workspace object* and *workspace object* are both over the same hierarchy dimension.**

---

**Cause:** Two or more different VALUESETs over the same hierarchy dimension are used in the AGGMAP.

**Action:** Use the same VALUESET for two RELATION phrases or use two different VALUESETs over two different hierarchy dimensions.

**ORA-33042: (XSAGDNGL20) In AGGMAP workspace object, VALUESET workspace object must qualify all relations dimensioned by workspace object.**

**Cause:** A VALUESET over a hierarchy dimension qualifies some RELATIONs but not all RELATIONs dimensioned by the same hierarchy dimension.

**Action:** Use the same VALUESET to qualify all the RELATIONs dimensioned by the same hierarchy dimension.

**ORA-33044: (XSAGDNGL21) AGGREGATE operator string requires a WEIGHTBY clause, but the ARGS clause in AGGMAP workspace object did not specify one.**

**Cause:** The user used an operator which needs weight values but not provided the weight values.

**Action:** Provide weight values using a WEIGHTBY clause.

**ORA-33045: (XSAGDNGL51) The AGGREGATE operator string does not require a weight, but ARGS clause in AGGMAP workspace object specified workspace object as a weight.**

**Cause:** The ARGS variable specified a weight even though one is not needed.

**Action:** Modify the ARGS variable so that it does not specify a weight for that operation.

**ORA-33046: (XSAGDNGL22) In AGGMAP workspace object, you can specify only one SCREENBY clause.**

**Cause:** The AGGMAP contained multiple SCREENBY clauses.

**Action:** Remove one of the SCREENBY clauses from the AGGMAP.

**ORA-33048: (XSAGDNGL23) In AGGMAP workspace object, the relation workspace object and the relation workspace object are both over the same base dimension.**

**Cause:** The AGGMAP contains incompatible RELATION statements.

**Action:** Remove one of the RELATION statements from the AGGMAP.

**ORA-33050: (XSAGDNGL24) AGGMAP workspace object cannot be used to aggregate workspace object, because it is defined in a different analytic workspace.**

**Cause:** The user attempted to aggregate a variable in another analytic workspace.

**Action:** Create an AGGMAP in the other analytic workspace to aggregate that variable.

**ORA-33052: (XSAGDNGL25) AGGMAP workspace object is a dimensioned AGGMAP; it can only be used to aggregate like-dimensioned variables.**

**Cause:** The user attempted to aggregate a variable with different dimensions than the AGGMAP. This is only possible with undimensioned AGGMAPs.

**Action:** Create a new undimensioned AGGMAP.

**ORA-33058: (XSAGDNGL28) In AGGMAP workspace object, error code string is greater than the maximum error code of number.**

**Cause:** The user specified an invalid ERRORMASK value.

---

**Action:** Remove the invalid value from the ERRORMASK list.

**ORA-33060: (XSAGDNGL29) In AGGMAP *workspace object*, the value for the ERRORLOG MAX option must be greater than 0.**

**Cause:** The user specified an ERRORLOG MAX of 0 or a negative number.

**Action:** Adjust the AGGMAP so that it uses a positive number.

**ORA-33062: (XSAGDNGL30) In ALLOCMAP *workspace object*, WEIGHTBY option *workspace object* must be a numerical VARIABLE or FORMULA.**

**Cause:** The WEIGHTBY clause requires numerical VARIABLE or FORMULA but the user used invalid objects.

**Action:** Correct the WEIGHTBY clause to use a valid numerical VARIABLE or FORMULA.

**ORA-33064: (XSAGDNGL31) In AGGMAP *workspace object*, the hierarchy dimension QDR *workspace object* cannot refer to the related dimension of the relation.**

**Cause:** The user specified an invalid hierarchy dimension qualified data reference.

**Action:** Adjust the AGGMAP so that it uses a valid dimension value qualified data reference.

**ORA-33066: (XSAGDNGL32) In AGGMAP *workspace object*, the hierarchy dimension QDR *workspace object* must be a hierarchy dimension of the relation.**

**Cause:** The user specified an invalid qualified data reference for the hierarchy dimension.

**Action:** Adjust the AGGMAP so that it uses a valid dimension value qualified data reference.

**ORA-33068: (XSAGDNGL33) In AGGMAP *workspace object*, the hierarchy dimension QDR over dimension *workspace object* must specify a positive dimension offset.**

**Cause:** The user specified an invalid qualified data reference for the hierarchy dimension.

**Action:** Adjust the AGGMAP so that it uses a valid dimension value qualified data reference.

**ORA-33070: (XSAGDNGL34) In AGGMAP *workspace object*, all QDRs of dimension *workspace object* must map to the same dimension position.**

**Cause:** The user specified two conflicting hierarchy dimension qualified data references.

**Action:** Adjust the AGGMAP so that it uses a consistent qualified data reference.

**ORA-33072: (XSAGDNGL35) In AGGMAP *workspace object*, the hierarchy dimension QDR over dimension *workspace object* must be specified for every relation dimensioned by that hierarchy dimension.**

**Cause:** Multiple dimensions share the same hierarchy dimension, but it is only qualified within a subset of the AGGMAP relations.

**Action:** Adjust the AGGMAP so that it uses consistent qualified data references.

**ORA-33074: (XSAGDNGL36) In AGGMAP *workspace object*, the offset number is not a valid offset into dimension *workspace object*.**

**Cause:** The hierarchy dimension offset is an invalid dimension position.

---

**Action:** Adjust the AGGMAP so that it uses valid qualified data references.

**ORA-33076: (XSAGDNGL37) In AGGMAP workspace object, the value "number" is not a valid value of dimension workspace object.**

**Cause:** The hierarchy dimension offset is an invalid dimension position.

**Action:** Adjust the AGGMAP so that it uses valid qualified data references.

**ORA-33078: (XSAGDNGL39) In AGGMAP workspace object, the hierarchy dimension QDR workspace object must refer to a dimension.**

**Cause:** The user specified an invalid qualified data reference for the hierarchy dimension.

**Action:** Adjust the AGGMAP so that it uses a valid dimension value qualified data reference.

**ORA-33080: (XSAGDNGL40) In AGGMAP workspace object, you cannot reference dimension workspace object with both a RELATION statement and a DIMENSION statement.**

**Cause:** The user included both RELATION and DIMENSION statements in the AGGMAP referring to the same AGGMAP.

**Action:** Remove one of the conflicting clauses.

**ORA-33082: (XSAGDNGL41) In AGGMAP workspace object, the non-dimensioned valueset workspace object must have a parent QDR in its VALUESET statement over the VALUESET's base dimension.**

**Cause:** The VALUESET statement specified a scalar valueset but did not include a qualified data reference to specify the parent.

**Action:** Add a qualified data reference specifying the parent to the VALUESET statement.

**ORA-33084: (XSAGDNGL42) In AGGMAP workspace object, you cannot qualify the dimensioned valueset workspace object.**

**Cause:** The VALUESET line referred to a dimensioned valueset.

**Action:** Use a non-dimensioned valueset to limit the status of the dimensioned one.

**ORA-33086: (XSAGINIT01) AGGMAP workspace object cannot be dimensioned by a conjoint dimension.**

**Cause:** The specified AGGMAP was dimensioned by a conjoint dimension.

**Action:** Use the CHGDFN command to change the conjoint to a composite dimension.

**ORA-33092: (XSAGCOMP04) number is not the name of a MODEL in any attached analytic workspace.**

**Cause:** An invalid model name was attached to an AGGMAP.

**Action:** Remove the model from the AGGMAP or create a model with that name.

**ORA-33094: (XSAGGMAPLIST01) Your expression uses too much execution space. Eliminate recursion or reduce the levels of nesting.**

**Cause:** formulas likely refer to each other recursively or with a great deal of depth.

**Action:** eliminate recursion and flatten formula trees.

---

**ORA-33098: (APABBR01) A value of "string" is not valid for the *workspace object* option.**

**Cause:** An inappropriate value was specified for the named option.

**Action:** Set a legal value for the option.

**ORA-33100: (APABBR02) Value "number" is not valid for the *workspace object* option.**

**Cause:** An inappropriate value was specified for the named option.

**Action:** Set a legal value for the option.

**ORA-33141: (XSAWFREEZE1) The analytic workspace *string* is already frozen.**

**Cause:** Attempting to freeze an AW when it is already frozen

**Action:** Thaw the AW before freezing it again.

**ORA-33143: (XSAWFREEZE2) The analytic workspace *string* must be attached RW or RX.**

**Cause:** The AW must be updatable to change the freeze state

**Action:** Reattach AW before freezing or thawing it again.

**ORA-33145: (XSAWFREEZE3) Cannot rollback analytic workspace *string*; generations are in use.**

**Cause:** One or more generations due to be destroyed as part of a rollback to freeze command are currently in use.

**Action:** Get sessions using those generations to detach the AW.

**ORA-33147: (XSAWFREEZE4) The analytic workspace *string* is not frozen.**

**Cause:** You are attempting to "rollback to freeze" an AW that is not frozen.

**Action:** Only execute this command on a frozen AW.

**ORA-33213: (CINSERT06) The target position for MAINTAIN ADD or MAINTAIN MOVE cannot fall in the range of session-only values.**

**Cause:** The user specified a BEFORE or AFTER clause specifying a position in the range of SESSION dimension values.

**Action:** Do not use a position clause, or specify a position before the first SESSION value.

**ORA-33214: (CINSERT02) The *workspace object* dimension is too large.**

**Cause:** The dimension has too many values.

**Action:** Deleted values can still take up space in the dimension and cause this error. Try removing the deleted values by exporting the dimension to EIF and reimporting it with the REPLACE DELETE option.

**ORA-33215: (CINSERT07) You cannot add session-only values to the *workspace object* dimension.**

**Cause:** The user tried to add a SESSION dimension value while a spreadsheet spreadsheet cursor was open.

**Action:** Try adding the SESSION value while the cursor is not active.

**ORA-33217: (CINSERT20) Custom member values cannot be added to concat dimension *workspace object*, or to any of its bases, because it is not defined as UNIQUE.**

**Cause:** Only UNIQUE concat dimensions can have custom member values.

---

**Action:** Use the CHGDFN command to change the concat dimension to UNIQUE and retry.

**ORA-33218: (CINSERT04) %K is not a valid value for the *workspace object* dimension. Values for this dimension can have at most *number* significant digits after rounding to *number* decimal places.**

**Cause:** The user attempted to insert a value that had too many digits into a NUMBER dimension. For instance, the user might have tried to insert the value 99999 (5 digits) into a dimension with data type NUMBER(4).

**Action:** Use a smaller number for the dimension value, or define a new dimension with a larger precision and replace the old dimension with the new one.

**ORA-33219: (CINSERT05) %K cannot be added to *workspace object* because it is already a value of the dependent UNIQUE concat dimension *workspace object*, from leaf dimension *workspace object*.**

**Cause:** A value cannot be added to a dimension if it conflicts with an existing value in a unique concat dimension containing this dimension.

**Action:** The concat(s) causing the conflict could be CHGDFNed to NOT UNIQUE, or either of the duplicate values could be renamed to make them UNIQUE.

**ORA-33223: (CMOVE03) You cannot move a session-only dimension value.**

**Cause:** The user named a SESSION dimension value in the MAINTAIN MOVE command.

**Action:** Do not try to MAINTAIN MOVE session-only dimension values.

**ORA-33247: (CRENAME03) %K is already a value of the dependent UNIQUE concat dimension *workspace object*, from leaf dimension *workspace object*.**

**Cause:** A value cannot be renamed in a dimension if the new value conflicts with an existing value in a unique concat dimension containing this dimension.

**Action:** The concat(s) causing the conflict could be CHGDFNed to NOT UNIQUE, or either of the duplicate values could be changed to make them UNIQUE.

**ORA-33261: (DBERRLEN) Analytic workspace *string* extension *number* truncated at *number* bytes while trying to read at *number*.**

**Cause:** Either an internal error or a mistaken user has truncated the AW

**Action:** Export any data if possible and restore from backup

**ORA-33262: (DBERR01) Analytic workspace *string* does not exist.**

**Cause:** The analytic workspace requested does not seem to be in the current database

**Action:** Check that you are in the correct schema and have access to the requested AW.

**ORA-33263: Could not create analytic workspace *string***

**Cause:** A serious error was encountered while trying to set up the tables for the named analytic workspace. Possibilities include a tablespace that can't be written to, corrupted metadata about which AWs exist, bogus tables with names the code expects to be able to use, or the remains of a partially removed AW.

**Action:** There should be another error on the error stack. Consult it to determine what is causing the problem and remove that table.

**ORA-33265: (DBERRBSZ) Analytic workspace *string* cannot be opened. Tablespace blocksize *number* does not match database cache size *number*.**

---

**Cause:** The blocksize of the containing tablespace didn't match database cache size.

**Action:** Change either size to make them consistent, or set `olap_page_pool_size` to 0 to allow automatic OLAP pool management when compatibility is greater than 10.2.

**ORA-33267: (DBERRRLS) Analytic workspace *string* cannot be accessed because it has fine-grained access control applied to it**

**Cause:** An attempt was made to access the specified analytic workspace's LOB table. The OLAP option detected the table had fine-grained security applied to it. The OLAP option requires full access to this table to operate correctly.

**Action:** Remove the fine-grained access control.

**ORA-33268: (DBERRTHW) Analytic workspace *string* cannot be attached with the THAW option because it was frozen with the NOTHAW option**

**Cause:** An attempt to attach the AW using the thaw option was made; the AW was frozen using the NOTHAW option.

**Action:** Either attempt the command again without the THAW option.

**ORA-33269: while operating on "*string*"**

**Cause:** Error is raised to inform user what object was being worked on when an error occurred during the creation of an AW. It should always be signaled with 33263

**Action:** See error#33263

**ORA-33270: (DBERR05) Analytic workspace *string* already exists.**

**Cause:** The AW CREATE command was passed the name of an analytic workspace that already exists

**Action:** Specify a different name.

**ORA-33271: simulated paging error**

**Cause:** This is an internal error that should never be seen

**Action:** Contact Oracle technical support

**ORA-33273: (XSCHKRLS01) Analytic workspace *string* has open cursors and cannot be detached.**

**Cause:** A session attempted to detach an analytic workspace while there are cursors open against it.

**Action:** Close the open cursor before attempting to close the analytic workspace.

**ORA-33274: (DBERR07) Timed out while trying to lock analytic workspace *string* for *string*.**

**Cause:** A lock operation that was supposed to happen very quickly was taking too long. It can be due to another session being stopped while holding that lock, another session crashing while holding that lock, or an internal error.

**Action:** If another session is stopped, resume that session to let it release the lock. If another session has crashed, wait for a few minutes while PMON or SMON process is recovering that lock. Contact Oracle OLAP Support if none of the situations above apply.

**ORA-33278: (DBERR09) Analytic workspace *string* cannot be attached in RW or EXCLUSIVE mode until the changes made and updated in MULTI mode are committed or rolled back.**

---

**Cause:** There are still changes to this analytic workspace that were updated and not committed when the workspace was attached in MULTI mode.

**Action:** Either try attaching the workspace in RO or MULTI mode or commit or roll back the transaction before trying to attach the workspace in RW or EXCLUSIVE mode.

**ORA-33280: (DBERR10) Analytic workspace *string* cannot be attached in MULTI mode until the changes made and updated in RW or EXCLUSIVE mode are committed or rolled back.**

**Cause:** There are still changes to this analytic workspace that were updated and not committed when the workspace was attached in RW or EXCLUSIVE mode.

**Action:** Either try attaching the workspace in RO, RW, or EXCLUSIVE mode or commit or roll back the transaction before trying to attach the workspace in MULTI mode.

**ORA-33282: (DBERR11) Cannot wait for analytic workspace *string* to become available since doing so would cause a deadlock.**

**Cause:** Trying to wait for the workspace to become available caused a deadlock.

**Action:** Release an analytic workspace that some other user might be waiting for before proceeding to attach this analytic workspace in this mode.

**ORA-33284: (DBERR12) Analytic workspace *string* cannot be opened in MULTI mode before converting it by the latest version of *string*.**

**Cause:** The AW is stored in 9i format.

**Action:** Convert the AW to a later format

**ORA-33288: (DBERR15) Another user has incompatible access to analytic workspace *string*, and the wait timeout has expired.**

**Cause:** An attempt to access an analytic workspace conflicted with another user's access, and the timeout specified has elapsed.

**Action:** Wait until the conflicting user is done.

**ORA-33290: (DBERR17) Analytic workspace *string* cannot be attached in the mode you requested because another user has it attached in an incompatible mode.**

**Cause:** An attempt to access an analytic workspace conflicted with another user's access, and no timeout was specified

**Action:** Wait until the conflicting user is done.

**ORA-33291: (DBERRSYNC) Analytic workspace *string* cannot be attached RW until a RESYNC command has brought it up to the current generation.**

**Cause:** Another session has updated the analytic workspace since it was attached in the current session.

**Action:** Execute a RESYNC AW command to bring the analytic workspace up to the most recent version.

**ORA-33292: (DBERR18) Insufficient permissions to access analytic workspace *string* using the specified access mode.**

**Cause:** You do not have sufficient permissions to access this analytic workspace in the desired mode.

**Action:** Ask the owner of the schema or OLAP DBA to grant you sufficient permissions to access the {SCHEMA}.AW\${AWNAME} table (for example, SCOTT.AW\$FOO table).

---

**ORA-33293: Please use the OLAP command AW TRUNCATE to truncate this table.**

**Cause:** This table is part of an analytic workspace, and the OLAP option needs to control the truncation of the table.

**Action:** use the OLAP option to truncate the table.

**ORA-33295: (DBERR20) An attached analytic workspace is blocking this command.**

**Cause:** A table cannot be dropped because an analytic workspace based on this table is being attached.

**Action:** Look up the session in question in GV\$AW\_OLAP and kill it.

**ORA-33296: (DBERR21) Analytic workspace *string* can only be attached RO while tablespace *string* is READONLY.**

**Cause:** The underlying tablespace of the analytic workspace is in READONLY status.

**Action:** Attach the analytic workspace in RO mode or alter the tablespace.

**ORA-33297: (DBERR22) Analytic workspace *string* cannot be opened because it was last modified by an incompatible version of *string*.**

**Cause:** The user attempted to attach an old OLAP Services analytic workspace that cannot be converted by this version of OLAP Services.

**Action:** Either create a new analytic workspace or try using a version of OLAP Services compatible with the one that created this analytic workspace.

**ORA-33298: (AWUPG01) Analytic workspace *string* is already in the newest format allowed by the current compatibility setting**

**Cause:** User ran the DBMS\_AW.CONVERT procedure on an analytic workspace that was created in or previously upgraded to the current compatibility mode.

**Action:** If upgrading the analytic workspace is necessary, upgrade the database instance and then re-run DBMS\_AW.CONVERT. If the new features offered by upgrading the analytic workspace are not required, then no action is needed.

**ORA-33302: (DBVALID01) SEVERE ERROR: Record *number* multiply used.**

**Cause:** The AW VALIDATE command has detected an error in the structure of the analytic workspace. This error will result in the corruption of one or more objects

**Action:** Export what you can of the analytic workspace.

**ORA-33304: (DBVALID02) Note: Record *number* was allocated but not used. This can result in wasted space.**

**Cause:** This is a benign message. The AW VALIDATE command found an analytic workspace has some inaccessible space.

**Action:** Either nothing, or export and recreate the analytic workspace

**ORA-33305: (DBVALID06) Note: Record *number* was allocated but not used. This can result in wasted space. (PS *number*)**

**Cause:** This is a benign message. The AW VALIDATE command found an analytic workspace has some inaccessible space.

**Action:** Either nothing, or export and recreate the analytic workspace

**ORA-33306: (DBVALID03) The AW VALIDATE command cannot be used with read-only analytic workspace *string*.**

**Cause:** The AW VALIDATE command does not support read-only access.

**Action:** Attach the analytic workspace read/write and try again.

---

**ORA-33308: (DBVALID04) SEVERE ERROR: Record *number* used but not allocated**

**Cause:** The AW VALIDATE command has detected a problem that will result in corruption of the analytic workspace. There is no corruption yet.

**Action:** Export and recreate the analytic workspace.

**ORA-33309: (DBVALID05) SEVERE ERROR: Record *number* used but not allocated (PS *number*)**

**Cause:** The AW VALIDATE command has detected a problem that will result in corruption of the analytic workspace. There is no corruption yet.

**Action:** Export and recreate the analytic workspace.

**ORA-33313: (DELDENT05) *workspace object* cannot be deleted because it is the target of an external partition of a partitioned variable.**

**Cause:** User attempted to delete a variable, but some partitioned variable was defined to use that variable as the target of one of its external partitions.

**Action:** DELETE the partitioned variable or CHGDFN DROP PARTITION the the external partition from the partitioned variable, then delete the target variable.

**ORA-33315: (XSDELDENTANON) You cannot delete *workspace object* while looping over unnamed composite *workspace object*.**

**Cause:** While looping over the named anonymous composite, an attempt was made to delete an object which is dimensioned by it.

**Action:** Delete the object outside of a loop over the dimension.

**ORA-33332: (DSSEXIST01) Use the AW command to establish a current analytic workspace. Then start your current activity again.**

**Cause:** There is no currently active analytic workspace. The command that generated the error requires an active analytic workspace to operate on.

**Action:** Execute an AW ATTACH or AW CREATE command to establish an active workspace.

**ORA-33334: (DSSEXIST04) Analytic workspace *string* is not attached.**

**Cause:** The specified analytic workspace is currently not attached to the session, or the name is misspelled.

**Action:** Attach the analytic workspace with the AW ATTACH command, or correct the spelling of the name .

**ORA-33336: (DSSEXIST04A) Analytic workspace *string* is not attached.**

**Cause:** The specified analytic workspace is currently not attached to the session, or the name is misspelled.

**Action:** Attach the analytic workspace with the AW ATTACH command, or correct the spelling of the name .

**ORA-33338: (DSSEXIST05) You cannot specify the EXPTEMP analytic workspace.**

**Cause:** The command requires a non-temporary analytic workspace to operate on.

**Action:** Specify an analytic workspace other than EXPTEMP.

**ORA-33413: (EIFMAKEF01) You cannot export compressed composite *workspace object* because one of its bases has limited status or a PERMIT READ restriction.**

**Cause:** Export of a compressed composite to an EIF file or lob failed because one or more of the bases had some values that were not in the current status. This can

---

be caused either by a LIMIT command or a PERMIT READ restriction on the dimension.

**Action:** Either set the base dimensions' statuses to ALL and remove their PERMIT READ programs, or export using the NOAGGR keyword.

**ORA-33425: (EIFMAKEF15) CAUTION: Exporting NTEXT objects using *string* for the EIF file character set can cause loss of data. To preserve all NTEXT data, export using the UTF8 character set for the EIF file.**

**Cause:** The user exported an object with data type NTEXT, but the EIF file that will result from the EXPORT command is not written in Unicode. Because no non-Unicode file can represent all possible Unicode data, it is possible that some data will be lost when converting from the Unicode NTEXT object to the EIF file. The EIF file will be written in the character set indicated by the "nls\_charset" argument of the EXPORT command, or, if no such argument is present, in the database character set.

**Action:** If the user is certain that the contents of the NTEXT object can be represented in the specified character set, then no action is necessary. Otherwise, the user can add "nls\_charset 'UTF8'" to the EXPORT command string. This will result in the EIF file being written in UTF8 Unicode, which can represent all the data contained in NTEXT objects.

**ORA-33427: (EIFMAKEF16) CAUTION: NTEXT object *workspace object* will be exported with type TEXT.**

**Cause:** User attempted to export an object whose data type is NTEXT, but the EIFVERSION option indicates a version of Express / Oracle OLAP that does not support the NTEXT data type. The object will be exported as a TEXT object instead.

**Action:** No action needed.

**ORA-33429: (EIFMAKEF17) CAUTION: NTEXT expression will be exported with type TEXT.**

**Cause:** User attempted to export an expression whose data type is NTEXT, but the EIFVERSION option indicates a version of Express / Oracle OLAP that does not support the NTEXT data type. The expression will be exported as a TEXT object instead.

**Action:** No action needed.

**ORA-33443: (ESDREAD14) Discarding compiled code for *workspace object* because analytic workspace *string* is not attached.**

**Cause:** A program used an analytic workspace name in a qualified object name. The named analytic workspace is not attached at program run time.

**Action:** No action necessary. The program will be automatically recompiled. It is likely that the recompile will fail with an appropriate exception code, in which case the signaled condition should be corrected and the program re-run.

**ORA-33445: (ESDREAD15) Discarding compiled code for *workspace object* because *workspace object* and *workspace object*, which were not partition-dependent when the code was compiled, are now partition-dependent.**

**Cause:** Two variables are "partition-dependent" if they share any external partition target variables, or if one is the target of an external partition of the other. If object names referred to non-partition-dependent variables at compile time but refer to partition-dependent variables in the run-time context, the OLAP DML program, formula, or model will be automatically recompiled.

---

**Action:** None needed.

**ORA-33447: (ESDREAD16) Discarding compiled code for *workspace object* because *workspace object* and *workspace object*, which were partition-dependent when the code was compiled, are now not partition-dependent.**

**Cause:** Two variables are "partition-dependent" if they share any external partition target variables, or if one is the target of an external partition of the other. If object names referred to partition-dependent variables at compile time but refer to non-partition-dependent variables in the run-time context, the OLAP DML program, formula, or model will be automatically recompiled.

**Action:** None needed.

**ORA-33448: (ESDREAD04) Discarding compiled code for *workspace object* because *number* now has *string* data, whereas it had *string* data when the code was compiled.**

**Cause:** The datatype of the specified variable has changed.

**Action:** None needed.

**ORA-33449: (ESDREAD17) Discarding compiled code for *workspace object* because the partition method or partition dimension of *number* has changed since it was compiled.**

**Cause:** The partitioning method (LIST, RANGE, or CONCAT) or the partition dimension of the partition template is sufficiently different from what it was when the code was compiled that the code must be recompiled.

**Action:** None needed.

**ORA-33450: (ESDREAD05) Discarding compiled code for *workspace object* because *number* now has more or fewer dimensions than it had when the code was compiled.**

**Cause:** The dimensionality of the specified object has changed.

**Action:** None needed.

**ORA-33452: (ESDREAD06) Discarding compiled code for *workspace object* because *number* is now dimensioned by *workspace object*. It was dimensioned by *workspace object* when the code was compiled.**

**Cause:** The dimensionality of the specified object has changed.

**Action:** None needed.

**ORA-33454: (ESDREAD07) Discarding compiled code for *workspace object* because *number* is now *string workspace object*, whereas it was *string workspace object* when the code was compiled.**

**Cause:** The specified object has changed.

**Action:** None needed.

**ORA-33456: (ESDREAD08) Discarding compiled code for *workspace object* because *number* is a(n) *string*, which *string* did not expect to find in a compiled program.**

**Cause:** The type of the specified object has changed.

**Action:** None needed.

**ORA-33458: (ESDREAD09) Discarding compiled code for *workspace object* because *number* is now type *string*, whereas it was type *string* when the code was compiled.**

**Cause:** The type of the specified object has changed.

---

**Action:** None needed.

**ORA-33460: (ESDREAD10) Discarding compiled code for *workspace object* because object *workspace object* is not in analytic workspace *string*.**

**Cause:** The specified object is not in the same analytic workspace it was in when the compiled object was compiled.

**Action:** None needed.

**ORA-33462: (ESDREAD10A) Discarding compiled code for *workspace object* because object *number* is not in analytic workspace *string*.**

**Cause:** The specified object was not in the same analytic workspace it was when the compiled object was compiled

**Action:** None needed.

**ORA-33468: (ESDREAD13) Discarding compiled code for *workspace object* because *number* is no longer a surrogate of dimension *workspace object*.**

**Cause:** When the compiled code was saved, the specified object was a surrogate of a certain dimension. Now the specified object is a surrogate of a different dimension.

**Action:** No action needed; program automatically recompiles.

**ORA-33557: (MAINTCHK01) You cannot *string* values of dimension *workspace object* during a loop over it.**

**Cause:** User tried to insert or delete a value of the specified dimension while some loop over that dimension was active. The loop could be an explicit FOR or ACROSS loop, or a natural expression evaluation or OLAP\_TABLE loop. Also, it could be a loop over the dimension itself or over a derived dimension (like a composite or partition template) or dimension alias that includes it. The insert or delete could be explicitly caused by the MAINTAIN command. It is also possible that the user attempted to assign a value to a variable or partition dimensioned by a composite during a loop over that composite using a qualified data reference (QDR), and that the exception was generated by the engine's attempt to insert a new position in the composite to hold the new value.

**Action:** Move the dimension maintenance or QDR-based variable assignment outside the dimension loop.

**ORA-33558: (LOCKCHECK01) The status or contents of the *workspace object* dimension cannot be changed while the LOCK\_LANGUAGE\_DIMS option is set to *value*.**

**Cause:** A LIMIT or MAINTAIN was attempted on the named language dimension while the boolean option LOCK\_LANGUAGE\_DIMS was set to YES.

**Action:** SET LOCK\_LANGUAGE\_DIMS to NO and retry the MAINTAIN or LIMIT.

**ORA-33625: (FRASSIGN02) You cannot use the APPEND keyword with concat dimension *workspace object*.**

**Cause:** User used the APPEND keyword on a CONCAT target in a FILEREAD, SQL FETCH or SQL SELECT command.

**Action:** APPENDING a value to one of the CONCATs leaves automatically appends to the CONCAT.

**ORA-33733: (xsILPMLTPreOp01) The analytic workspace *string* cannot be REVERTed or RESYNCD while the *string* program is active.**

---

**Cause:** The AW REVERT and AW RESYNC commands cannot be used on an analytic workspace that contains a running program.

**Action:** Execute the command without running the specified program.

**ORA-33883: (MAKEDCL36) You cannot use the *string* attribute when you define an EXTERNAL partition with an existing target.**

**Cause:** User gave the TEMPORARY keyword in the definition of an external partition whose target variable was previously defined.

**Action:** Any storage characteristics of the external partition are determined by the target variable. These attributes should be set when the target is defined, not when the external partition is defined.

**ORA-33911: (MAKEDCL29) You cannot define a *string* in analytic workspace *string* because it has not been upgraded to version *string*.**

**Cause:** User attempted to define an object that requires a certain compatibility setting in an AW that has not been upgraded to that compatibility level.

**Action:** Make sure that the database is running in the appropriate compatibility mode, and upgrade the AW.

**ORA-33918: (MAKEDCL33) You cannot define a surrogate of dimension *workspace object* because it is a *string*.**

**Cause:** Not all kinds of dimensions can have surrogates. The user attempted to define a surrogate of a prohibited kind of dimension.

**Action:** Do not attempt to define a surrogate on this dimension.

**ORA-33920: (MAKEDCL34) The *string* SURROGATE must have one of the following data types: ID, NTEXT, TEXT, NUMBER, DATETIME, TIMESTAMP, or INTEGER.**

**Cause:** The user attempted to define a surrogate without specifying a valid data type.

**Action:** Specify the data type (ID, NTEXT, TEXT, NUMBER, or INTEGER) in the definition of the surrogate.

**ORA-33922: (MAKEDCL35) You cannot define a surrogate of dimension *workspace object* because it is a time dimension.**

**Cause:** The user attempted to define a surrogate on a dimension that has type DAY, WEEK, MONTH, or YEAR.

**Action:** Do not attempt to define a surrogate on this dimension.

**ORA-33998: (MODCOMP12) You cannot use both *workspace object* and *workspace object* as model dimensions, because *workspace object* is a surrogate of *workspace object*.**

**Cause:** The user attempted to include both a dimension and its surrogate in the DIMENSION statement of a model.

**Action:** Use either the dimension or the surrogate in the DIMENSION statement of the model, but not both.

**ORA-34000: (MODCOMP13) You cannot use both *workspace object* and *workspace object* as model dimensions, because they are both surrogates of dimension *workspace object*.**

**Cause:** The user attempted to include two dimension surrogates of the same dimension in the DIMENSION statement of a model.

---

**Action:** Use either of the two surrogates in the DIMENSION statement of the model, but not both.

**ORA-34001: (MODCOMP14) Concat leaf dimension *workspace object* already is used in a DIMENSION statement, either explicitly or as a leaf of another concat dimension.**

**Cause:** Either two concat dimensions which share a common leaf dimension, or a concat and one of its leaves where both specified in the DIMENSION statement(s).

**Action:** Do not specify overlapping concat dimensions, or any leaves of specified concat dimensions.

**ORA-34019: (MSCGADD03) *workspace object* is not a LIST PARTITION TEMPLATE.**

**Cause:** User attempted to MAINTAIN ADD or DELETE a list value from a RANGE or CONCAT partition template.

**Action:** Partitioning in a RANGE or CONCAT partition template cannot be changed using the MAINTAIN command.

**ORA-34021: (MSCGADD04) You must specify a partition when maintaining PARTITION TEMPLATE *workspace object*.**

**Cause:** User attempted to MAINTAIN ADD or DELETE a list value from a LIST partition template, but didn't specify which partition to add to or delete from.

**Action:** Specify the partition: maintain (template) add to partition (partitionname) (values) or maintain (template) delete from partition (partitionname) (values)

**ORA-34059: (MSEXECUT12) You cannot delete non session-only dimension values from unique concat dimension *workspace object*.**

**Cause:** The user tried to apply MAINTAIN DELETE to a non-SESSION value.

**Action:** Only use MAINTAIN DELETE to remove SESSION values from a concat dimension.

**ORA-34061: (MSEXECUT11) Session-only values cannot be added to non-unique concat dimension *workspace object*, or any of its base dimensions.**

**Cause:** Only UNIQUE concat dimensions can have custom member values.

**Action:** Use the CHGDFN command to change the concat dimension to UNIQUE and retry.

**ORA-34141: (MXCGPUT00) You cannot use the ASSIGN keyword with DIMENSION *workspace object*.**

**Cause:** User used the ASSIGN keyword on a DIMENSION target in a FILEREAD, SQL FETCH or SQL SELECT command.

**Action:** To create a new dimension value in a FILEREAD, SQL FETCH or SQL SELECT command, use the APPEND keyword.

**ORA-34143: (MXCGPUT02) You cannot assign values to SURROGATE *workspace object* because it is type INTEGER.**

**Cause:** The user attempted to assign a value to a dimension surrogate whose data type is INTEGER. INTEGER surrogates, like INTEGER dimensions, cannot have values assigned to them. They can only be referenced by position.

**Action:** Do not attempt to assign values to an INTEGER surrogate. Values will automatically appear and disappear from the INTEGER surrogate as positions are added to or removed from the underlying dimension.

- 
- ORA-34145: (MXCGPUT03) You cannot use the APPEND keyword with SURROGATE workspace object.**  
**Cause:** User used the APPEND keyword on a SURROGATE target in a FILEREAD, SQL FETCH or SQL SELECT command.  
**Action:** To assign a value to a SURROGATE in a FILEREAD, SQL FETCH or SQL SELECT command, use the ASSIGN keyword.
- ORA-34164: (MXCGVAR01) A dimension used to define a local string variable cannot be located. Execution cannot continue.**  
**Cause:** A local relation or valueset has become invalid, most probably because an object used by the currently executing program has been deleted.  
**Action:** This is an internal error that should be referred to Oracle technical support.
- ORA-34177: (MXCHGDCL19) number cannot be deleted because one or more partitioned variables instantiate it.**  
**Cause:** User attempted to CHGDFN DELETE a partition template, but some partitioned variable had data in the partition specified for deletion.  
**Action:** Drop the partitions that are causing the problem, then retry.
- ORA-34179: (MXCHGDCL20) workspace object is not a PARTITION TEMPLATE.**  
**Cause:** User specified an object that is not a partition template where a partition template is required.  
**Action:** Supply the name of a partition template.
- ORA-34181: (MXCHGDCL21) workspace object is not a partitioned VARIABLE.**  
**Cause:** User specified an object that is not a partitioned variable in a place where a partitioned variable is required.  
**Action:** Supply the name of a partitioned variable.
- ORA-34183: (MXCHGDCL22) Partition number already exists.**  
**Cause:** User attempted to ADD a partition that already existed to a partitioned variable.  
**Action:** None required - the partition already exists.
- ORA-34210: (MXCHGDCL18) You cannot change workspace object to a dimension composite because one or more surrogates has been defined for it.**  
**Cause:** The user attempted to redefine a conjoint dimension as a composite, but the conjoint has one or more surrogates defined. A dimension that has surrogates cannot be redefined as a composite.  
**Action:** Either delete all surrogates for the dimension, or do not attempt to redefine the dimension as a composite.
- ORA-34243: (MXDCL11) You can only use the string keyword when defining a COMPOSITE.**  
**Cause:** User supplied the COMPRESSED keyword when defining an object that was not a COMPOSITE.  
**Action:** If the intent is to create a compressed composite, make sure that the object type is COMPOSITE. Otherwise, remove the COMPRESSED keyword from the command string and rerun.
- ORA-34260: (MXDCL25) You cannot use number to dimension a string because it is, or involves, a dimension composite. Use the composite's bases instead.**

---

**Cause:** The user attempted to use a COMPOSITE in the dimension list of an object that does not allow for such dimensions.

**Action:** Use the base dimensions of the COMPOSITE in the dimension list.

**ORA-34276: (MXDCL33) (Precision, Scale) arguments can only be used with a NUMBER variable or dimension.**

**Cause:** The user attempted to use NUMBER(Precision) or NUMBER(Precision, Scale) as the datatype in a definition for some object other than a DIMENSION or VARIABLE, such as a FORMULA or PROGRAM. This error can also be produced in cases where a NUMBER data type is not allowed at all.

**Action:** Use the NUMBER type without specifying a precision or scale. If a NUMBER data type is not allowed at all, this fix will only change the exception message to something more specific.

**ORA-34279: (MXDCL37) CONCAT can only be used when defining a DIMENSION.**

**Cause:** The CONCAT keyword was used incorrectly.

**Action:** Retry the command without the CONCAT keyword.

**ORA-34286: (MXDCL53) workspace object cannot be used in this context because it is a string.**

**Cause:** User specified a dimension composite, conjoint, or partition template in a place where that kind of dimension is not allowed. For instance, a relation cannot be dimensioned by a composite, and only a variable can be dimensioned by a partition template.

**Action:** Usually, the offending dimension can be replaced with its bases. For instance, a relation cannot be dimensioned by a composite of PRODUCT and GEOG, but it can be dimensioned by both PRODUCT and GEOG instead.

**ORA-34296: (MXDCL36) A NUMBER dimension must be defined with a fixed precision and scale, using the form NUMBER(precision) or NUMBER(precision, scale).**

**Cause:** The user attempted to define a NUMBER dimension without specifying a precision. The proper format for declaring a number dimension is NUMBER(Precision) or NUMBER(Precision, Scale). NUMBER with no precision or scale is not allowed.

**Action:** Use NUMBER(Precision) or NUMBER(Precision, Scale) to specify the datatype of a NUMBER dimension.

**ORA-34342: (MXDSS01) IMPORTANT: Analytic workspace string is read-only.**

**Therefore, you will not be able to use the UPDATE command to save changes to it.**

**Cause:** This is an informational message that reminds you that you may not save changes to the specified analytic workspace.

**Action:** None, unless it was desired to save changes to the analytic workspace. In that case, detach and reattach the analytic workspace read-write.

**ORA-34344: (MXDSS03) Analytic workspace string is not attached.**

**Cause:** The command attempted to operate on an analytic workspace that is not currently attached, or the name of the analytic workspace is misspelled.

**Action:** Attach the analytic workspace or correct the spelling.

**ORA-34346: (MXDSS04) The string analytic workspace cannot be detached.**

---

**Cause:** The specified analytic workspace is an internal workspace and may not be detached by the user.

**Action:** Specify a different analytic workspace to detach.

**ORA-34348: (MXDSS05) *string* is used only for internal purposes and cannot be accessed as an analytic workspace.**

**Cause:** The command attempted to operate on an internal analytic workspace used by the system.

**Action:** Specify a different analytic workspace.

**ORA-34350: (MXDSS06) *string* is an open analytic workspace.**

**Cause:** The specified analytic workspace is currently in use.

**Action:** The desired action requires an analytic workspace that is not currently in use.

**ORA-34357: (MXDSS10) *string* is not an alias of analytic workspace *string*.**

**Cause:** User attempted to use AW UNALIAS on a non-existent alias.

**Action:** Make sure that the command specified the correct analytic workspace and alias. The alias must have been assigned (using AW ALIAS) during the current session and must not have been removed by a previous AW UNALIAS or AW DETACH command.

**ORA-34358: (MXDSS14) *number* other users reading**

**Cause:** Used for AW LIST output formatting when %d > 1

**Action:** None

**ORA-34359: (MXDSS11) *string* appears twice in the alias list.**

**Cause:** User included the same name twice in the alias list of an AW ALIAS or AW UNALIAS command.

**Action:** Remove the duplicate name and try again.

**ORA-34360: (MXDSS15) *number* other users writing**

**Cause:** Used for AW LIST output formatting when %d > 1

**Action:** None

**ORA-34361: (MXDSS12) *number* other user reading**

**Cause:** Used for AW LIST output formatting when %d == 1

**Action:** None

**ORA-34363: (MXDSS13) *number* other user writing**

**Cause:** Used for AW LIST output formatting when %d == 1

**Action:** None

**ORA-34481: (MXMAINT07) You cannot *string* values of PARTITION TEMPLATE workspace object.**

**Cause:** User attempted to use the MAINTAIN command with some keyword other than ADD or DELETE on a partition template.

**Action:** It is not possible to MAINTAIN a partition template, except to add or delete values of a partition list.

**ORA-34487: (MXMAINT08) You cannot *string* values of non-unique concat dimension workspace object.**

---

**Cause:** The specified MAINTAIN operation can only be applied to UNIQUE concatenations.

**Action:** Use the CHGDFN command to change the concatenation dimension to UNIQUE and retry.

**ORA-34489: (MXMAINT06) You cannot maintain *workspace object* because it is a SURROGATE.**

**Cause:** The user attempted to use the MAINTAIN command on a dimension surrogate. The MAINTAIN command can only be used with real dimensions, not surrogates.

**Action:** Use the MAINTAIN command to modify the underlying dimension of the surrogate instead.

**ORA-34514: (MXOPERR) You cannot *string string* data in the expression that begins with "string".**

**Cause:** The user attempted an invalid operation.

**Action:** None

**ORA-34656: (MXSQL24) Additional WHERE clause conditions with CURRENT OF <cursor name> syntax**

**Cause:** A SQL UPDATE or DELETE statement tried to use the CURRENT OF <cursor name> syntax with a WHERE clause containing multiple conditions.

**Action:** When using the CURRENT OF <cursor name> syntax make sure it is the only condition in the WHERE clause.

**ORA-34719: (NLSCHARSET03) Character data loss in NTEXT/TEXT conversion**

**Cause:** When character set conversion happens between TEXT and NTEXT either implicitly or explicitly, some characters are lost due to no mapping characters in the destination character set.

**Action:** Make sure all the characters can be mapped to destination character set or set NLS\_NCHAR\_CONV\_EXCP to be FALSE. Note: This message is the OLAP equivalent of ORA-12713.

**ORA-34722: (NLSCHARSET05) CAUTION: Character data loss in character set conversion from *string* to *string***

**Cause:** Some operation required a string to be converted into a different character set, but the string contained characters that didn't exist in the new character set.

**Action:** Choose different character sets.

**ORA-34726: (NLSCHARSET06) CAUTION: String truncated during character set conversion from *string* to *string***

**Cause:** Some operation required a string to be converted into a different character set. The string required more bytes in the new encoding, and exceeded some byte limit on its allowable length, causing some characters to be removed from the end of the string.

**Action:** If the byte limit is due to using the ID datatype, consider using the CHAR datatype instead. If the byte limit is due to the limit of 4000 bytes per line of CHAR data, break the long line up into multiple lines.

**ORA-34731: (NLSSORT01) "number" is not a valid NLS\_SORT specification.**

**Cause:** An unrecognized NLS\_SORT value was specified in the SORT command or the SORT, SORTLINES or UNIQUELINES function.

**Action:** Specify a supported NLS\_SORT value.

---

**ORA-34738: (NOUPDATE) A severe problem has been detected. Analytic workspace operations have been disabled.**

**Cause:** A previous fatal error has marked the session so that it cannot perform any UPDATES

**Action:** Start a new session

**ORA-34761: (NXHANDLEALLO) A decimal overflow occurred during an ALLOCATE operation. The results are not reliable.**

**Cause:** While performing an ALLOCATE, a decimal overflow occurred

**Action:** Correct the data or use a higher precision datatype

**ORA-34796: (OCI08) SQL host variable *number* cannot be bound.**

**Cause:** The data type of the host variable is not supported.

**Action:** Specify only variables of supported types as host variable names.

**ORA-34802: (OCI11) OLAP OCI operation caused ROLLBACK past an UPDATE of an attached analytic workspace. Current operation canceled.**

**Cause:** ROLLBACK past the UPDATE of one of the attached Analytic Workspaces was called. The current operation is aborted, and the Analytic Workspace detached.

**Action:** Change the called SQL procedure to avoid the ROLLBACK

**ORA-34804: (OCI12) The value of SQL host variable *number* is too long. Use the WIDE keyword for columns that may exceed *number* bytes.**

**Cause:** The host variable had a text value longer than the maximum SQL VARCHAR length

**Action:** Use the WIDE keyword in the host variable specification, e.g. :WIDE OLAP\_object\_name

**ORA-34840: (OPCREATE01) The *string* option must be declared with datatype *string*.**

**Cause:** An attempt was made to declare the option with the wrong datatype.

**Action:** Declare the option with the correct datatype.

**ORA-34841: (OPCREATE02) The *string* option must be declared with the READONLY attribute.**

**Cause:** An attempt was made to declare the option without the READONLY attribute.

**Action:** Declare the option READONLY.

**ORA-34871: (PERMIT06) Session-only value "*value*" of *workspace object* has been deleted because a PERMIT change has revealed a duplicate value.**

**Cause:** Execution of a PERMIT command revealed a permanent dimension or surrogate value having the same name as the SESSION value.

**Action:** If the SESSION value is still needed, add it with a different name.

**ORA-34896: (PPMONTHS00) At least 12 month names must be given. Only *number* were provided.**

**Cause:** There must be at least one name for each month. Not enough names were provided.

**Action:** Provide at least 12 names.

---

**ORA-34897: (PPMONTHS01) Blank lines are not allowed in the MONTHNAMES option.**

**Cause:** There is at least one blank line in the string populating the MONTHNAMES option. We do not allow blank month names.

**Action:** Remove the blank line(s) from the string.

**ORA-34900: (PPWKDAYS00) At least 7 day names must be given. Only *number* were provided.**

**Cause:** There must be at least one name for each day. Not enough names were provided.

**Action:** Make sure there are at least 7 names in the string.

**ORA-34901: (PPWKDAYS01) Blank lines are not allowed in the DAYNAMES option.**

**Cause:** There is at least one blank line in the string populating the DAYNAMES option. We do not allow blank day names.

**Action:** Remove the blank line(s) from the string.

**ORA-35016: (QFCHECK00) The analytic workspace and EIF file definitions of *workspace object* have a mismatched type.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35017: (QFCHECK06) The Analytic Workspace and EIF file definitions of *workspace object* have different partitioning methods.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35018: (QFCHECK01) The analytic workspace and EIF file definitions of *workspace object* have a mismatched data type.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35019: (QFCHECK07) The Analytic Workspace and EIF file definitions of *workspace object* have different partition dimensions.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35020: (QFCHECK02) The analytic workspace and EIF file definitions of *workspace object* have mismatched dimensioning.**

---

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35021: (QFCHECK08) The EIF file definition of *workspace object* has some partitions that are not present in the existing Analytic Workspace object.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35022: (QFCHECK03) The analytic workspace and EIF file definitions of *workspace object* have a mismatched relation.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35023: (QFCHECK09) The analytic workspace and EIF file definitions of *workspace object* have incompatible partition definitions.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35024: (QFCHECK04) The analytic workspace and EIF file definitions of *workspace object* have mismatched time dimension attributes.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35026: (QFCHECK05) The analytic workspace and EIF file definitions of *workspace object* have a mismatched ALIASOF dimension.**

**Cause:** Importing from an EIF file or LOB into an existing Analytic Workspace object failed because the definition of the existing object was too different from the definition of the object in the EIF file or LOB.

**Action:** Import the object into an Analytic Workspace that does not already contain an object with the same name.

**ORA-35031: (QFSVNS00) The IMPORT command has terminated because of a defect in the EIF file.**

**Cause:** The EIF file contains a compressed composite with defective aggregation data.

**Action:** Recreate the EIF file using the NOAGGR keyword.

---

**ORA-35062: (QFGET01) Duplicate files found for extension number *number* of EIF file *string*.**

**Cause:** IMPORT searched the directories specified in EIFEXTENSIONPATH and found two EIF extension files with the same name (differing at most by the case used in the final name component).

**Action:** Delete, rename or move any files that are not to be read by IMPORT.

**ORA-35066: (QFGET03) Extension number *number* is missing for EIF file *string*.**

**Cause:** IMPORT searched the directories specified in EIFEXTENSIONPATH and could not find the appropriately numbered extension file.

**Action:** Move the missing file into one of the searched directories.

**ORA-35071: (QFHEAD06) EIF file *string* cannot be imported because analytic workspace *string* has not been upgraded to version *string*.**

**Cause:** User attempted to import from an EIF file that was created by a newer version of the product into an AW that was created by a older version of the product.

**Action:** Make sure that the compatibility mode parameter in the init.ora of the importing instance specifies a version that is at least as high as the parameter was in the exporting instance. Then, convert the AW to the latest storage format and reexecute the import command. Alternatively, change the EIFVERSION option of the exporting instance to a lower number, recreate the EIF file, and import the new file.

**ORA-35074: (QFHEAD02) EIF file *string* cannot be read by this version of *string*.**

**Cause:** The EIF file was created with an internal version number indicating it may contain objects that are not compatible with the current Oracle OLAP version, or the EIF file is in an obsolete format.

**Action:** If possible, set EIFVERSION in the exporting instance to a lower number, recreate the EIF file, and import the new file.

**ORA-35076: (QFHEAD04) CAUTION: The textual data in EIF file *string* is encoded in a character set that is not recognized by this version of *string*.**

**Cause:** IMPORT could not recognize the character set specification in the EIF file.

**Action:** Check the imported text data. If it was not imported correctly, recreate the EIF file with a character set supported by the current Oracle version.

**ORA-35078: (QFHEAD05) An EIF extension file header for *string* is not in the correct format.**

**Cause:** An EIF extension file in multi-file IMPORT did not contain correct header information.

**Action:** Check to be sure that EIFEXTENSIONPATH is set correctly and that all the extension files for the current IMPORT were created by the same EXPORT command as the main EIF file.

**ORA-35095: (QFSVNS01) One or more imported values of fixed-width dimension workspace object have been truncated.**

**Cause:** The data in the EIF file was exported from a dimension with wider values than the target dimension will accommodate.

**Action:** Change the definition of the target dimension, or check to be sure that multiple values from the target dimension have not become identical during the import process. This could cause data loss as data from later dimension values overstores data imported earlier.

- 
- ORA-35180: (SNSYN103) The format of the OUTFILE command is: OUTFILE [APPEND] {EOF | TRACEFILE | filename [NOCACHE] [NLS\_CHARSET name]}**  
**Cause:** The user specified incorrect syntax for the OUTFILE command.  
**Action:** None
- ORA-35276: (SNSYN163) The format of the ALLOCATE command is: ALLOCATE varname [SOURCE svarname] [BASIS bvarname [ACROSS dimname]] [TARGET tvarname [TARGETLOG logvarname]] [USING aggmap]**  
**Cause:** The user used incorrect syntax for the ALLOCATE command.  
**Action:** Correct the calling syntax.
- ORA-35280: (SNSYN165) The format of the AGGREGATE command is: AGGREGATE varname1 [varname2 varname3 ...] [USING aggmap-name] [COUNTVAR intvar-name1 [intvar-name2 intvar-name3 ...]] [FUNCDATA] [FORCEORDER] [PARALLEL #] [{FROM | FROMVAR} fromname [, fromname2 ...]]**  
**Cause:** The user used incorrect syntax for the AGGREGATE command.  
**Action:** Correct the calling syntax.
- ORA-35282: (SNSYN166) The format of the AGGREGATE function is: AGGREGATE(varname [USING aggmap-name] [COUNTVAR intvar-name] [FORCECALC] [FORCEORDER] [{FROM | FROMVAR} fromname [, fromname2 ...]])**  
**Cause:** The user used incorrect syntax for the AGGREGATE function.  
**Action:** Correct the calling syntax.
- ORA-35561: (XSRWLD01) Object *workspace object* is not a valid target.**  
**Cause:** An invalid object was specified as a target.  
**Action:** Choose a valid object as a target.
- ORA-35562: (SQLIMP01) The SQL IMPORT command will produce *number* columns of output, but you have provided *number* host variables in your INTO clause.**  
**Cause:** The expression is the source query do not match the targets in the INTO clause.  
**Action:** Make sure the the expressions in the source query match the targets in the INTO clause.
- ORA-35564: (XSRWLD02) Cannot convert from the *string* type to the *string* type.**  
**Cause:** Conversion from source to target is not allowed  
**Action:** Choose a different target datatype
- ORA-35565: (XSRWLD03) For object *workspace object* only APPEND, MATCH or ASSIGN may be used.**  
**Cause:** An incorrect setting was applied to the target  
**Action:** For DIMENSIONs use APPEND or MATCH, for SURROGATEs use ASSIGN.
- ORA-35566: (XSRWLD04) Object *workspace object* cannot be used with QDRs**  
**Cause:** A QDR was placed on a target dimension  
**Action:** Remove the QDR on the target dimension

---

**ORA-35568: (SQLIMP03) The datatype of variable *number* should be INTEGER, LONGINTEGER or SHORTINTEGER.**

**Cause:** The target variable was not INTEGER, LONGINTEGER or SHORTINTEGER.

**Action:** The target variable must be INTEGER, LONGINTEGER or SHORTINTEGER.

**ORA-35569: (XSRWLD05) An error was encountered in converting data *string* to *string* in column *number*.**

**Cause:** The data could not be converted to the target datatype.

**Action:** Ensure the source data is valid for the target datatype.

**ORA-35578: (SQLOUT11) SQL cursor "*number*" cannot be used with CURRENT OF <cursor name> syntax**

**Cause:** The CURRENT OF <cursor> syntax in the WHERE clause tried to use a cursor that was not declared with the FOR UPDATE [ of <column name> ] SQL syntax.

**Action:** Add the FOR UPDATE [ OF <column name> ] SQL syntax to the cursor specified.

**ORA-35587: (SQLOUT20) The nesting of table functions and SQL commands has exceeded the maximum of *number* levels.**

**Cause:** The nesting of table functions with the PREDMLCMD token populated with an OLAP DML expression that use the embedded SQL support to access another table function which contains a table functions with the PREDMLCMD token filled in with an OLAP DML expression that uses the embedded SQL support.

**Action:** Reduce the level of nesting between table functions and OLAP DML embedded SQL support.

**ORA-35749: (VCHEX01) "*character*" is not a valid hexadecimal digit.**

**Cause:** The text being converted contains an invalid hexadecimal digit.

**Action:** Replace the character with a digit in the range 0-9 or A-F.

**ORA-35756: (VCTODT02) "*number*" is not a valid date because *number* is out of range for a year.**

**Cause:** n"%1p"

**Action:** None

**ORA-35810: (XSINPUTERR) The command has requested more input than was supplied in the command string.**

**Cause:** The command required input that was not supplied in the string.

**Action:** Reexecute the command with the required input.

**ORA-35917: (XSHIDE05) You cannot HIDE model *workspace object* because the analytic workspace in which it is defined has not been upgraded to version *string*.**

**Cause:** User attempted to apply the HIDE command to a model in an AW that has not been upgraded to the necessary compatibility level.

**Action:** Make sure that the database is running in the appropriate compatibility mode, and upgrade the AW.

---

**ORA-35952: (XSSPFC01) The *string dimension workspace object* and the *string dimension workspace object* must have the same number of values in status for SPFCEXEC method *number*.**

**Cause:** This method requires the named dimensions to have the same number of values in status, but the user provided statuses of different lengths.

**Action:** Relimit the dimensions so that their status lengths are the same.

**ORA-36018: (XSHIERCK02) The format of the HIERCHECK command is: HIERCHECK relation [STATUS | NOSTATUS | valueset] [MULTIPATH] [CONSISTENT] [BALANCED levelrelation] Or HIERCHECK aggmap [MULTIPATH] [CONSISTENT]**

**Cause:** Used the wrong object type.

**Action:** Change the object to a RELATION or AGGMAP.

**ORA-36020: (XSHIERCK03) The definition of hierarchy *workspace object* over *number* is inconsistent.**

**Cause:** The definition of the hierarchy was inconsistent.

**Action:** Change the definition of the hierarchy.

**ORA-36022: (XSHIERCK04) Valuesets specified in the HIERCHECK command must be scalar. *workspace object* is dimensioned.**

**Cause:** The HIERCHECK command specified a dimensioned valueset.

**Action:** Specify a scalar valueset in its place.

**ORA-36024: (XSHIERCK05) Valueset *workspace object* must contain values of one of the extra dimensions of relation *workspace object*.**

**Cause:** The HIERCHECK command specified a valueset over an invalid dimension.

**Action:** Specify a valueset containing values of one of the self-relation's extra dimensions (the dimensions in the relation's dimension list, minus the self-related dimension itself).

**ORA-36025: (XSHIERCK06) The level dimension of the level relation *workspace object* is the same as the relation dimension *workspace object*.**

**Cause:** The level dimension was the same as the relation dimension.

**Action:** Change the definition of the level relation.

**ORA-36026: (XSHIERCK07) Level relation *workspace object* is not dimensioned by relation dimension *workspace object*.**

**Cause:** The level relation was not dimensioned by the relation dimension.

**Action:** Change the definition of the level relation.

**ORA-36027: (XSHIERCK08) Hierarchy *workspace object* is not balanced.**

**Cause:** The current hierarchy was not balanced.

**Action:** Change the hierarchy to balanced.

**ORA-36028: (XSHIERCK09) Hierarchy *workspace object* has multiple paths from *number* to *number*.**

**Cause:** The current hierarchy had multiple paths.

**Action:** Remove multiple paths from the hierarchy.

---

**ORA-36034: (XSMHIERCK00) One or more loops have been detected in relationship *workspace object over workspace object*. The last *number* of the items are *number*.**

**Cause:** A relation was used that had loops in it. There were more items involved than could be reported.

**Action:** Correct the relation so that it does not contain loops.

**ORA-36035: (XSMHIERCKREL) One or more loops have been detected in *workspace object*. *number* items involved are *number*.**

**Cause:** A relation was used that had loops in it.

**Action:** Correct the relation so that it does not contain loops.

**ORA-36036: (XSMHIERCK01) One or more loops have been detected in relationship *workspace object over workspace object*. The *number* items involved are *number*.**

**Cause:** A relation was used that had loops in it.

**Action:** Correct the relation so that it does not contain loops.

**ORA-36154: (XSMXAGGR01) *workspace object* is not a data variable.**

**Cause:** An object was specified on the Aggregate command line that was not a variable

**Action:** Specify a variable instead

**ORA-36155: (XSMXAGGRFROM) *workspace object* must be a variable or formula of a similar data type to *workspace object* to be used with FROM, or a TEXT variable or formula to be used with FROMVAR.**

**Cause:** The user specified an illegal variable for use with FROM or FROMVAR on the AGGREGATE command line

**Action:** Specify a legal variable instead

**ORA-36157: (XSMXAGGRCOMMIT) To use the AUTOCOMMIT keyword, you must also specify the AUTOUPDATE keyword.**

**Cause:** The user specified AUTOCOMMIT but not AUTOUPDATE on the AGGREGATE command line, which is illegal

**Action:** Either also specify AUTOUPDATE or don't specify AUTOCOMMIT

**ORA-36160: (XSMXAGGR04) You cannot use *string* on scalar VARIABLE *workspace object*.**

**Cause:** The user tried to run the AGGREGATE or AGGCOUNT command or function on a scalar variable.

**Action:** Specify a dimensioned variable instead

**ORA-36161: (XSAGGRRUVCV) Aggregation variable *workspace object* cannot have itself as a COUNTVAR.**

**Cause:** The user specified the same variable as both an aggregation variable and a COUNTVAR

**Action:** Specify a different COUNTVAR

**ORA-36162: (XSMXAGGR05) COUNTVAR variable *workspace object* must be of type INTEGER, not *string*.**

**Cause:** The user specified a non-INTEGER variable as a COUNTVAR for aggregation

**Action:** Redefine the COUNTVAR to be an INTEGER

---

**ORA-36164: (XSMXAGGR07) When using the COUNTVAR clause, the number of variables to be aggregated (*number*) must match the number of COUNTVAR variables (*number*).**

**Cause:** The user specified a COUNTVAR clause to the AGGREGATE command, but the number of COUNTVAR variables specified did not match the number of variables to be aggregated

**Action:** Specify a separate COUNTVAR for each variable

**ORA-36165: (XSAGGCNTPROP) Variable *workspace object* cannot have both an AGGCOUNT and the \$COUNTVAR property.**

**Cause:** An attempt was made to add the \$COUNTVAR property to a variable which already had an AGGCOUNT, or vice versa.

**Action:** Delete the already existing \$COUNTVAR property or AGGCOUNT first.

**ORA-36166: (XSMXAGGR08) *workspace object* is not a VARIABLE.**

**Cause:** An attempt was made to perform an AGGREGATE or other action on an object which is not a variable.

**Action:** Specify a variable instead.

**ORA-36167: (XSAGGRFORM) *workspace object* is an illegal AGGMAP for aggregating a FORMULA.**

**Cause:** The user attempted to aggregate a FORMULA using an AGGMAP that is not valid for aggregating FORMULAs. The AGGMAP must specify PRECOMPUTE(NA) for all relation lines and must not specify any caching.

**Action:** Correct the AGGMAP so it is legal for aggregating a FORMULA.

**ORA-36168: (XSMXAGGR10) COUNTVAR variable *workspace object* must have the same dimensionality as *workspace object***

**Cause:** The user specified a COUNTVAR variable which is missing at least one dimension of the aggregation variable

**Action:** Specify a COUNTVAR variable which has at least as many base dimensions as the aggregation variable

**ORA-36170: (XSMXAGGR12) The data type of the WEIGHT *workspace object* must be numeric or BOOLEAN, not *string*.**

**Cause:** The user specified a WEIGHT variable or formula which wasn't numeric or boolean

**Action:** Specify a numerical or boolean weight instead

**ORA-36174: (XSMXAGGR23) *workspace object* must be either a VARIABLE, a RELATION or a FORMULA.**

**Cause:** The user specified something that was not a variable, a relation or a formula as a weight for AGGREGATE

**Action:** Specify a valid variable, relation or formula instead

**ORA-36176: (XSMXAGGR25) Relation *workspace object* must be a one-dimensional self-relation to be used as a weight for AGGREGATE.**

**Cause:** The user specified an illegal relation as a weight. The relation might have been multidimensional, not a self-relation, or not a relation over one of the bases of the aggregation variable.

**Action:** Specify a valid self relation over one of the bases of the aggregation variable.

---

**ORA-36178: (XSAGGR01) To be used with AGGREGATE, AGGMAP workspace object must be declared with the AGGMAP command.**

**Cause:** The user used the ALLOCMAP command to define the AGGMAP, so the AGGMAP can only be used with the ALLOCATE command, or the AGGMAP has no contents attached to it.

**Action:** Use the AGGMAP command to define the AGGMAP.

**ORA-36179: (XSNOAGM) No AGGMAP was specified for VARIABLE workspace object.**

**Cause:** The user used the AGGREGATE command without specifying an AGGMAP on the command line, with a variable which had no \$AGGMAP property.

**Action:** Specify an AGGMAP on the AGGREGATE command line, or add the \$AGGMAP property to the variable in question.

**ORA-36180: (XSAGGR08) AGGREGATE cannot function because there is a permission clause associated with variable workspace object.**

**Cause:** When using AGGREGATE, only simple permissions and permissions on base dimensions are valid.

**Action:** Remove the permissions clause from the variable causing problems.

**ORA-36181: A VARIABLE cannot have both the \$AGGREGATE\_FROM and \$AGGREGATE\_FROMVAR properties applied to it.**

**Cause:** The user attempted to add both the \$AGGREGATE\_FROM and \$AGGREGATE\_FROMVAR properties to a single variable.

**Action:** Remove the existing property before applying the new one.

**ORA-36182: (XSAGGR09) Could not locate a value for variable number in measure dimension workspace object.**

**Cause:** A measure dimension was supplied in the AGGMAP, but a position for the variable was not found in it.

**Action:** Add a position for the variable in the measure dimension.

**ORA-36184: (XSAGGR10) You do not have sufficient permissions for the variable workspace object.**

**Cause:** The user lacked the permissions necessary for the aggregation variable.

**Action:** Remove the restricting permissions from the variable or base dimension.

**ORA-36185: (XSAGGR11) workspace object does not have any AGGCOUNT information.**

**Cause:** User attempted an operation (such as the AVERAGE aggregation operator or the AGGCOUNT function) that requires a variable to have AGGCOUNT information on a variable that does not.

**Action:** Define the variable using the WITH AGGCOUNT clause, or use the CHGDFN ADD AGGCOUNT command to enable AGGCOUNT for the variable.

**ORA-36188: (XSAGGR16) AGGREGATE read a value less than 1 out of COUNTVAR variable workspace object. Either the values of the COUNTVAR variable are stored improperly, or there is problem in AGGREGATE. If no one has modified the values in this COUNTVAR, contact Oracle customer support.**

**Cause:** Either someone improperly changed the COUNTVAR variable, or AGGREGATE has an error.

---

**Action:** Set the COUNTVAR variable to NA before starting AGGREGATE. If you previously set the COUNTVAR variable to NA, then contact Oracle OLAP technical support.

**ORA-36198: (XSAGGR33) Cannot aggregate over COMPRESSED COMPOSITE workspace object using AGGMAP workspace object because the operator variable with more than 1 line dimensions is not supported for bases of a COMPRESSED COMPOSITE.**

**Cause:** The user specified an aggregation the operator variable with more than 1 line dimensions that is not supported by COMPRESSED COMPOSITES.

**Action:** Use a MODEL for the calculation, or use an uncompressed COMPOSITE.

**ORA-36200: (XSAGGR34) AGGREGATE operator string requires a WEIGHTBY clause, but ARGS variable workspace object did not specify one.**

**Cause:** The given operator requires a WEIGHT specification, but the ARGS variable did not supply one.

**Action:** Modify the ARGS variable to specify a weight for the operation.

**ORA-36201: (XSAGGR35) Cannot aggregate workspace object(partition workspace object) because the subpartition is itself partitioned.**

**Cause:** Attempted to aggregate an intermediate partition of a variable with nested partitioning.

**Action:** rerun the aggregate command separately for each ultimate partition or just for the variable as a whole

**ORA-36202: (XSAGOP01) "number" is not a valid aggregation operator.**

**Cause:** An invalid string was provided for an aggregation operator.

**Action:** Check the spelling of the operator to make sure you are specifying a valid one.

**ORA-36204: (XSAGOP04N) In AGGMAP workspace object, the NAOPERATOR string must be HFIRST, HLAST or HEVEN.**

**Cause:** An invalid NAOPERATOR was specified.

**Action:** Specify HFIRST, HLAST or HEVEN.

**ORA-36206: (XSAGOP04R) In AGGMAP workspace object, REMOPERATOR string must be MIN, MAX, FIRST, LAST, HFIRST or HLAST.**

**Cause:** An invalid REMOPERATOR was specified.

**Action:** Specify one of the legal operators.

**ORA-36208: (XSAGOP05N) In AGGMAP workspace object, you can only specify NAOPERATOR string with the PROPORTIONAL or EVEN operators, not string.**

**Cause:** The user specified an NAOPERATOR when you were not using PROPORTIONAL or EVEN.

**Action:** Remove the NAOPERATOR clause from the RELATION line.

**ORA-36210: (XSAGOP05R) In AGGMAP workspace object, you can only specify the REMOPERATOR string with the PROPORTIONAL, EVEN, or HEVEN operators, not string.**

**Cause:** The user specified a REMOPERATOR without using PROPORTIONAL, EVEN, or HEVEN.

**Action:** Remove the REMOPERATOR clause from the RELATION line.

---

**ORA-36212: (XSAGOP06) In AGGMAP *workspace object*, you can only specify the MIN, MAX, FLOOR, and CEILING arguments while using the PROPORTIONAL operator, not *string*.**

**Cause:** The user specified MIN, MAX, FLOOR, or CEILING when using an operator other than PROPORTIONAL.

**Action:** Remove the incorrect argument from the RELATION line.

**ORA-36220: (XSLPDSC01) All dimensions in LIST *number* are also in the IGNORE clause.**

**Cause:** One of the dimension lists in the dimension loop descriptor had no base dimensions except those in the IGNORE list. This leaves no dimensions for looping over.

**Action:** Fix the dimension loop descriptor.

**ORA-36221: (XSLPDSC02) LIST *number* and LIST *number* have different base dimensions.**

**Cause:** The base dimensions of the dimension lists given in the loop descriptor do not match.

**Action:** Ensure that each dimension list has the same set of looping base dimensions. If necessary, use IGNORE within a lists to discard base dimensions that should not be looped.

**ORA-36222: (XSLPDSC03) duplicate IGNORE or DENSE information for dimension *workspace object***

**Cause:** An IGNORE or DENSE list in a dimension loop descriptor included the dimension twice, included two different valuesets of the dimension, or includes the dimension and a valueset of the dimension.

**Action:** Only use the dimension or a valueset of the dimension once in an IGNORE or DENSE list.

**ORA-36223: (XSLPDSC04) object *workspace object* in IGNORE or DENSE list has illegal type**

**Cause:** An IGNORE or DENSE list in a dimension loop descriptor included an object that was not a dimension or a valueset, was a conjoint dimension, or was a dimensioned valueset.

**Action:** Only use simple dimensions and undimensioned valuesets in the IGNORE or DENSE list.

**ORA-36224: (XSLPDSC05) *workspace object* is not a loop dimension**

**Cause:** An IGNORE or DENSE list in a dimension loop descriptor referenced a dimension (or a valueset of a dimension) that was not a base dimension of the loop dimension list.

**Action:** Remove the dimension or valueset from the IGNORE or DENSE list.

**ORA-36225: (XSLPDSC06) A LOOP AGGMAP list must contain an aggmap object, followed by one or more variables and/or dimensions.**

**Cause:** An invalid AGGMAP list was specified. Either too few objects were specified, or an incorrect type of object was used.

**Action:** Specify a valid AGGMAP list consisting of an aggmap object, followed by one or more variables and/or dimensions.

**ORA-36226: (XSLPDSC07) The syntax of the \$LOOP property on formula *workspace object* is incorrect.**

---

**Cause:** Unrecognized contents in the \$LOOP property of a formula in the table function measure list.

**Action:** Restrict the contents of the \$LOOP property to valid elements (other than OPTIMIZED and MEASURES) of the table function LOOP directive.

**ORA-36230: (XSANALYZ00) object *workspace object* cannot be used in the ANALYZE command**

**Cause:** An object that cannot be analyzed was used in the ANALYZE command.

**Action:** Analyze VARIABLES, RELATIONS, DIMENSIONS, or SURROGATES.

**ORA-36231: (XSANALYZ01) object *workspace object* cannot be used in the INHIERARCHY clause**

**Cause:** An invalid INHIERARCHY object was referenced.

**Action:** Use either a VALUESET or boolean VARIABLE.

**ORA-36232: (XSANALYZ02) a level list was specified when a language dimension was present**

**Cause:** A level list dimension was specified when a language dimension was present.

**Action:** Remove the USING clause.

**ORA-36233: (XSANALYZ03) the dimensionality of object *workspace object* does not match the ANALYZE command**

**Cause:** The dimensionality of the object did not match the ANALYZE command syntax used.

**Action:** Match the ANALYZE syntax to the dimensionality of the specified object.

**ORA-36234: (XSANALYZ04) all objects in the current status of the NAME dimension must have the same dimensionality when used with the ANALYZE command**

**Cause:** The dimensionality of at least one of the objects listed in the NAME dimension does not match the rest of the objects.

**Action:** Make sure all objects listed in the NAME dimension have the same dimensionality.

**ORA-36235: (XSANALYZ05) the database compatibility must be 11.0.0.0 or higher**

**Cause:** The compatible mode is not 11.0.0.0 or higher

**Action:** Make sure the compatible mode is 11.0.0.0 or higher

**ORA-36236: (XSANALYZ06) the AW format must be 11.0.0.0 or higher to use the ANALYZE command**

**Cause:** The AW version is less than 11.0.0.0

**Action:** Make sure the compatible mode is 11.0.0.0 or higher and upgrade the AW

**ORA-36237: (XSANALYZ07) analytic workspace *string.string* must be attached RW or EXCLUSIVE mode**

**Cause:** The analytic workspace was already attached RO or MULTI mode.

**Action:** Detach the analytic workspace.

**ORA-36238: (XSANALYZ08) object *string.string* does not exist**

**Cause:** The object name does not exist

**Action:** Check the spelling and case of the object name

---

**ORA-36250: (XSVALSET00) VALUESET *workspace object* should be a non-dimensioned valueset, not a dimensioned valueset**

**Cause:** A dimensioned valueset is used where a non-dimensioned valueset is required.

**Action:** Correct the phrase to have a non-dimensioned valueset.

**ORA-36258: (XSAGINFO00) When the AGGMAPINFO function is called, *workspace object* must be an AGGMAP.**

**Cause:** The AGGMAPINFO function was called with an object that is not an AGGMAP.

**Action:** Modify the call to AGGMAPINFO to specify an AGGMAP object.

**ORA-36260: (XSAGHIERPART00) Aggregating from partition %J to partition %J over hierarchy *workspace object* creates an increase in sparsity.**

**Cause:** In the partition creation / aggmap creation a situation developed such that when aggregating over a particular dimension of the aggmap a partition boundary was crossed such that the sparsity of the target partition included dimensions that were not in the sparsity of the source partition. Since the process of aggregation always densifies rather than sparsifying this is an extremely suboptimal design and it is not supported by the aggregate system.

**Action:** Set up your partitioning such that for any partition boundary the source and target partitions of the aggregation will always move towards denser partitions. For any child (c) and any parent (p) where (c) and (p) are in different partitions it must be the case that the parent partition contains no dimension in the composite that the child partition does not contain in its composite.

**ORA-36261: (XSAGPARTDEP00) Can not Aggregate PARTITION TEMPLATE %J because the path of aggregation would recursively enter partition %J.**

**Cause:** The partitioning scheme was such that while aggregating there exists a cell (m) such that both one of its descendants and one of its ancestors are both in the referenced partition, while (m) is in a different partition.

**Action:** Change the partitioning scheme.

**ORA-36266: (XSCGMDLAGG00) Invalid context for the AGGREGATION function**

**Cause:** The AGGREGATION function was used outside of the MODEL context.

**Action:** Use AGGREGATION only in a model.

**ORA-36267: (XSCGMDLAGG09) *workspace object* has no dimensions, so it cannot have a qualified data reference.**

**Cause:** A dimension qualification was specified for a valueset with no dimensions.

**Action:** Remove the qualification.

**ORA-36268: (XSCGMDLAGG01) "*string*" is not a valid dimension value.**

**Cause:** The AGGREGATION parameter list included a value that does not exist in the MODEL dimension that contains the target of the AGGREGATION

**Action:** Specify only values from the appropriate MODEL dimension

**ORA-36269: (XSCGMDLAGG10) "*workspace object*" does not exist or is not a dimension.**

**Cause:** A nonexistent or invalid object was specified as a QDR dimension.

**Action:** Specify existing dimensions only.

- 
- ORA-36270: (XSCGMDLAGG03) The parameter list for the AGGREGATION function includes duplicate values.**  
**Cause:** One or more duplicate values appeared in the AGGREGATION parameter list.  
**Action:** Remove the duplication.
- ORA-36271: (XSCGMDLAGG11) *workspace object* is not in the dimension list of valueset *workspace object*.**  
**Cause:** A QDR dimension was specified that does not appear in the valueset's dimension list.  
**Action:** Specify only dimensions in the valueset's dimension list.
- ORA-36272: (XSCGMDLAGG04) "*workspace object*" is not a valid operator for the AGGREGATION function.**  
**Cause:** An invalid AGGREGATION operator was specified.  
**Action:** Correct the invalid operator.
- ORA-36273: (XSCGMDLAGG12) Dimension *workspace object* appears more than once in the QDR.**  
**Cause:** A dimension was specified more than once in the QDR.  
**Action:** Remove the duplication.
- ORA-36274: (XSCGMDLAGG05) The operator used in this equation needs a weight variable.**  
**Cause:** An invalid weight variable was specified.  
**Action:** Correct the invalid weight variable.
- ORA-36275: (XSCGMDLAGG13) *string* is not a valid *workspace object*.**  
**Cause:** A value was specified that does not exist in the QDR dimension.  
**Action:** Specify an existing value.
- ORA-36276: (XSCGMDLAGG06) The current operator does not need a weight variable.**  
**Cause:** A weight variable was specified in a context that does not support it.  
**Action:** Remove the weight variable.
- ORA-36278: (XSCGMDLAGG07) *workspace object* does not exist or is not valueset.**  
**Cause:** A nonexistent or invalid object was specified where a valueset is required.  
**Action:** Specify an existing valueset only.
- ORA-36280: (XSCGMDLAGG08) Valueset *workspace object* does not contain values of any dimension of the current model.**  
**Cause:** AGGREGATION specified a valueset of a dimension not listed in a DIMENSION statement for the current model.  
**Action:** Add the valueset's dimension to the model's DIMENSION list, or choose a different valueset.
- ORA-36290: (EIFMAKEF14) You cannot export object *workspace object*, because EIFVERSION is set to *number*. That version does not support *string strings*.**  
**Cause:** The user tried to export a NUMBER dimension to an EIF file with the EIFVERSION option set to a number less than 80000. Versions previous to that version do not support NUMBER dimensions.

- 
- Action:** A NUMBER dimension cannot be used in a version of older than 9.2.0. If
- ORA-36312: (PHYS00) *workspace object* must be a dimension, dimensioned variable or relation.**  
**Cause:** The user specified an invalid OLAP object while attempting to use the PHYSICAL function  
**Action:** Specify a valid object
- ORA-36313: (PHYS03) The VALUE option of PHYSICAL cannot be applied to a variable.**  
**Cause:** the VALUE argument to PHYSICAL was supplied for a variable.  
**Action:** remove VALUE or specify a relation or dimension.
- ORA-36314: (PHYS01) *workspace object* must be a dimension, relation or variable.**  
**Cause:** The user specified an invalid OLAP object while attempting to use the PHYSICAL command  
**Action:** Specify a valid object
- ORA-36315: (PHYS04) You must specify the VALUE option for scalar relation *workspace object*.**  
**Cause:** The VALUE argument to PHYSICAL was omitted for a scalar relation  
**Action:** specify VALUE or choose a dimensioned relation
- ORA-36316: (PHYS02) Relation *workspace object* must be a single-dimensional relation that relates one INTEGER dimension to another.**  
**Cause:** The user specified an invalid relation while attempting to use the PHYSICAL command  
**Action:** Specify a valid relation
- ORA-36340: (SNSYN130) The format of the PARTITIONCHECK function is: PARTITIONCHECK(aggmap, partition\_template)**  
**Cause:** Bad syntax  
**Action:** Correct syntax
- ORA-36342: (SNSYN200) The format of the CLEAR command is: CLEAR [ ALL | STATUS ] [ AGGREGATES | CHANGES | PRECOMPUTES | NONPRECOMPUTES | CACHE ] FROM var1 [var2, var3...] [USING aggmap]**  
**Cause:** The syntax for the CLEAR command was invalid.  
**Action:** Modify your syntax using the correct format.
- ORA-36376: (XSAGZERO) AGGREGATE attempted to divide by zero. Set DIVIDEBYZERO to YES if you want NA to be returned as the result of a division by zero.**  
**Cause:** A calculation in the current AGGREGATE command attempted to divide by zero as a result of an AVERAGE, WAVERAGE, HAVERAGE or HWAVERAGE operation.  
**Action:** Either fix the data, or set DIVIDEBYZERO to YES to return NA instead of signaling an error.
- ORA-36378: (XSAGTHRWEIGHT) While running AGGREGATE with multiple threads, the weight variable *workspace object* specified by your ARGS variable *workspace object* must exist in the same analytic workspace as your AGGMAP *workspace object*.**

---

**Cause:** While running AGGREGATE in threaded mode, you attempted to specify a WEIGHT variable in another analytic workspace.

**Action:** Use a weight variable from the same analytic workspace as the aggmap and rollup variable.

**ORA-36380: (AGGRECURSE) AGGREGATE was called recursively, which is not allowed.**

**Cause:** A model, NATRIGGER, or other object called the AGGREGATE function or command while another AGGREGATE function or command was already in progress.

**Action:** Modify your objects so that they do not need to have two AGGREGATE commands or functions executing at once.

**ORA-36389: (XSAGPARTDEP01) Can not aggregate from PARTITION *number* into PARTITION *number* due to increasing sparsity along DIMENSION %J.**

**Cause:** The user is attempting to use partitions as a means of sparsity control, however they have set up their partitions in a manner that simply makes no sense. It is a simple fact that during aggregation data becomes more dense, not less dense, and yet their partitions indicate the opposite.

**Action:** Modify the partition template add the specified dimension into the source composite, or removing it from the target composite.

**ORA-36391: (XSMXCLEA01) When CLEAR is used with the STATUS keyword or an AGGMAP, workspace object must be dimensioned identically to workspace object.**

**Cause:** The user specified objects whose dimensionality didn't match

**Action:** Break up the CLEAR command into multiple commands where the dimensionality of the objects matches

**ORA-36392: (XSMXCLEA02) When using CLEAR with the PRECOMPUTES or NONPRECOMPUTES options, you must specify an AGGMAP.**

**Cause:** The user didn't specify an AGGMAP with the CLEAR command.

**Action:** specify an aggmap by adding a USING phrase to the CLEAR command, or attach a "\$AGGMAP" property to the variable.

**ORA-36393: (XSMXCLEA03) When using the AGGREGATES, CHANGES or CACHE options, you must specify the ALL keyword.**

**Cause:** The user didn't use the ALL keyword when using CHANGES or CACHE.

**Action:** Specify the ALL keyword.

**ORA-36394: (XSMXCLEA04) When using CLEAR on the AGGMAP workspace object, CACHE is the only valid directive.**

**Cause:** The user attempted to CLEAR an AGGMAP using a directive other than CACHE.

**Action:** Amend the CLEAR line to only use the CACHE keyword with AGGMAPs.

**ORA-36395: (XSMXCLEA05) To CLEAR ALL AGGREGATES from workspace object, you must specify an AGGMAP.**

**Cause:** The CLEAR command could not determine how the variable was aggregated because the variable is not dimensioned by a compressed composite.

**Action:** Specify an aggmap by adding a USING phrase to the CLEAR command, or attach a "\$AGGMAP" property to the variable.

---

**ORA-36398: (XSSPROP01) Property name "*number*" is invalid because only system-reserved property names can begin with "\$".**

**Cause:** The user attempted to add a property which starts with \$ but is not a reserved property name

**Action:** Remove the \$ from the property name

**ORA-36399: (XSSPROPDTYPE) The data type of property *string* must be *string*.**

**Cause:** The user tried to set a system-reserved property on an OLAP object to a value with an illegal datatype

**Action:** Set the property with the proper datatype

**ORA-36400: (XSSPROP02) *workspace object* is not a valid variable name.**

**Cause:** Not a valid variable name

**Action:** Change to a valid variable name

**ORA-36401: (XSSPROPOTYPE) Property *string* may only be applied to objects of type *string*.**

**Cause:** The user applied a reserved property name to an incorrect object type

**Action:** Apply the property to the correct object

**ORA-36402: (XSSPROP03) The property "\$*string*" requires a leading "\$" because it is a system-reserved property name.**

**Cause:** The user tried to specify a property name which is reserved, but did not use a leading \$

**Action:** Either add a leading \$ or choose another property name

**ORA-36403: (XSBADSPROP) *number* is an illegal value for system-reserved property *string* on *workspace object*.**

**Cause:** The user tried to specify an illegal value for a special property

**Action:** Specify a legal value.

**ORA-36404: (XSSPROP04) Property *string* cannot be applied to an undimensioned (scalar) TEMPORARY variable.**

**Cause:** The user applied a reserved property name to an incorrect object type

**Action:** Apply the property to the correct object

**ORA-36405: (XSSPROP05) Property ignored for object *workspace object*:**

**Cause:** A property was ignored during import.

**Action:** Refer to the message that follows this one and correct the error it describes.

**ORA-36406: (VCACHE00) "*number*" is an invalid value for the VRCACHE option. The only permissible values are "SESSION", "VARIABLE", and "NONE".**

**Cause:** The user tried to assign an invalid value to the VRCACHE option

**Action:** Assign one of the valid values

**ORA-36410: (VCACHE03) "*number*" is an invalid value for the \$VRCACHE property. The only permissible values are "DEFAULT", "SESSION", "VARIABLE", and "NONE".**

**Cause:** The user tried to assign an invalid value to the \$VRCACHE property on a variable

**Action:** Assign one of the valid values

- 
- ORA-36608: (XSAGHOVERFLOW) The depth of the hierarchies encountered while processing a composite dimension in AGGREGATE caused a counter overflow.**  
**Cause:** The depth of the hierarchies that are part of a composite exceeded 4 billion levels during the merge.  
**Action:** Reduce the number of levels in the hierarchies, reduce the number of dimensions in the composite, or do not aggregate over all dimensions at once.
- ORA-36610: (XSLMS00) Unable to locate a message file for OLAP message: *value***  
**Cause:** An internal OLAP DML program in the EXPRESS Analytic Workspace failed to retrieve a user message.  
**Action:** Contact support.
- ORA-36612: (XSLMS01) invalid OLAP message number: *value***  
**Cause:** An internal OLAP DML program in the EXPRESS Analytic Workspace attempted to retrieve a non-existent message.  
**Action:** Contact support.
- ORA-36616: (XSAGMODHIER01) There is a cycle formed by MODEL *workspace object* and other embedded or containing models with the same dimension, *workspace object*.**  
**Cause:** Inclusion of a dynamic model formed a cycle in the named dimension.  
**Action:** Edit the models involving this dimension to remove the cycle.
- ORA-36617: (XSAGMODHIER02) There is a self-cycle equation in MODEL *workspace object*.**  
**Cause:** The model for relation modification included a self-cycle equation.  
**Action:** Remove the self-cycle equation from the model.
- ORA-36618: (XSAGMODDIM00) *workspace object* is not a valid dynamic model for AGGMAP.**  
**Cause:** The model failed one of the following tests: 1) only one dimension (aside from LAG/LEAD dimensions); 2) assignment to dimension values only; 3) a single simple solution block; 4) no time-series functions with variable step values.  
**Action:** Edit the model so that it conforms to the above requirements.
- ORA-36620: (XSAGMODDIM01) MODEL *workspace object* cannot find the matching embedded model.**  
**Cause:** AGGMAP ADD model could not find the matching embedded model.  
**Action:** Add the matching embedded model to the AGGMAP.
- ORA-36621: (XSAGMODDIM02) You cannot AGGREGATE the individual partition using static model *workspace object* because a partition dimension or its driver *workspace object* appears in the equation of the step or simultaneous block.**  
**Cause:** An attempt was made to AGGREGATE the individual partition using the static model with the partition dimension in the equation of the step or simultaneous block.  
**Action:** AGGREGATE the variable instead of the individual partition.
- ORA-36622: (XSAGMODLIST00) *workspace object* cannot be added to the AGGMAP *workspace object* because it is not a valid MODEL.**  
**Cause:** An object specified in AGGMAP ADD was not a model.  
**Action:** Specify the name of a model.

---

**ORA-36626: (XSAGMODLIST02) MODEL *workspace object* was skipped because there is already a MODEL by that name attached to AGGMAP *workspace object*.**

**Cause:** An attempt was made to add the same model to the AGGMAP twice.

**Action:** None required.

**ORA-36628: (XSAGMODLIST03) MODEL *workspace object* could not be added to AGGMAP *workspace object*.**

**Cause:** The dimension of the model did not match a hierarchy of the aggmap.

**Action:** Add a RELATION statement to the AGGMAP for that dimension.

**ORA-36630: (XSDUNION00) An empty base dimension list was specified in the concat dimension definition.**

**Cause:** An empty concat dimension list was specified.

**Action:** Specify a valid list of dimensions when defining a concat dimension.

**ORA-36632: (XSDUNION01) The concat dimension *workspace object* is not currently defined as UNIQUE.**

**Cause:** Attempt was made to CHGDFN a concat, which is already non-unique, to NOT UNIQUE.

**Action:** Since the concat is already non-unique, this command is unnecessary.

**ORA-36634: (XSDUNION02) INTEGER dimension *workspace object* cannot be used as a concat dimension base.**

**Cause:** The user cannot specify INTEGER base dimensions when defining a concat dimension.

**Action:** Change the datatype of the INTEGER base dimension, or omit it from the concat.

**ORA-36635: (XSDUNION03) The base dimension *workspace object* has an invalid datatype for use in a UNIQUE concat definition.**

**Cause:** Base dimensions of a unique concat must have TEXT or ID datatypes.

**Action:** Specify a valid list of dimensions when defining a unique concat dimension.

**ORA-36636: (XSDUNION04) The unique concat dimension *workspace object* cannot be changed to NOT UNIQUE, because it is a base of at least one other unique concat dimension.**

**Cause:** A non-unique concat dimension cannot be used as a base of a dependent unique concat.

**Action:** CHGDFN any dependent unique concat dimensions to NOT UNIQUE and retry.

**ORA-36637: (XSDUNION05) The concat dimension cannot be defined as UNIQUE because it has a non-unique concat base dimension *workspace object*.**

**Cause:** A non-unique concat dimension cannot be used as a base of a dependent unique concat.

**Action:** CHGDFN any non-unique concat base dimensions to UNIQUE and retry.

**ORA-36638: (XSDUNION17) Concat dimension *workspace object* cannot be changed to UNIQUE because it has a non-unique concat base dimension *workspace object*.**

---

**Cause:** A non-unique concat dimension cannot be used as a base of a dependent unique concat.

**Action:** CHGDFN any non-unique concat base dimensions to UNIQUE and retry.

**ORA-36639: (XSDUNION18) UNIQUE cannot be applied to this concat dimension because leaves *workspace object* and *workspace object* share the value *number*.**

**Cause:** Unique concat base dimensions cannot contain duplicate values.

**Action:** Use MAINTAIN RENAME to change one of the duplicate values and retry.

**ORA-36640: (XSDUNION19) Concat dimension *workspace object* cannot be changed to UNIQUE because base dimension *workspace object* does not have a TEXT or ID datatype.**

**Cause:** Base dimensions of a unique concat must have TEXT or ID datatypes.

**Action:** None

**ORA-36641: (XSDUNION20) The concat dimension must be defined as UNIQUE because base dimension *workspace object* contains custom member values.**

**Cause:** The UNIQUE keyword was not specified in the concat dimension definition, and is required if any of its base dimensions contain custom member values.

**Action:** Define the concat as UNIQUE, or remove all base custom member values.

**ORA-36642: (XSDUNION06) Concat dimension list contains duplicate leaf dimension *workspace object*.**

**Cause:** Duplicate concat leaf dimension was found.

**Action:** Remove duplicate concat base dimensions and retry.

**ORA-36643: (XSDUNION21) Concat dimension *workspace object* cannot be changed to NOT UNIQUE because it contains custom member values.**

**Cause:** Only UNIQUE concat dimensions can have custom member values or base dimensions which contain custom member values.

**Action:** Remove all custom member values from the concat and all of its bases, and retry.

**ORA-36644: (XSDUNION07) Concat dimension *workspace object* contains a previously detected leaf dimension.**

**Cause:** Concat dimension contains a previously detected leaf dimension.

**Action:** None

**ORA-36646: (XSDUNION08) Only concat dimensions can be redefined as UNIQUE. *workspace object* is not a concat dimension.**

**Cause:** UNIQUE keyword was used with an invalid object.

**Action:** Retry without the UNIQUE keyword.

**ORA-36648: (XSDUNION09) Concat dimension *workspace object* is already defined as UNIQUE.**

**Cause:** Attempt to change a concat dimension to UNIQUE, but it is already UNIQUE.

**Action:** None

---

**ORA-36650: (XSDUNION10) Concat dimension *workspace object* cannot be changed to UNIQUE. Leaves *workspace object* and *workspace object* share the value number.**

**Cause:** Unique concat base dimensions cannot contain duplicate values.

**Action:** Use MAINTAIN RENAME to change one of the duplicate values and retry.

**ORA-36652: (XSDUNION11) *workspace object* is not a string type dimension.**

**Cause:** The CHGDFN BASE ADD command is only valid for concat dimensions.

**Action:** None

**ORA-36664: (XSDPART02) You must specify a partitioning method and one or more partition dimensions when defining a PARTITION TEMPLATE.**

**Cause:** User tried to define a PARTITION TEMPLATE without a PARTITION BY clause.

**Action:** Add a PARTITION BY clause.

**ORA-36665: (XSDPART03) *workspace object* is not in the dimension list of the PARTITION TEMPLATE.**

**Cause:** While defining a partition template, user attempted to specify a partition dimension that is not a dimension of the partition template itself.

**Action:** Choose a partition dimension from among the dimensions of the partition template.

**ORA-36666: (XSDPART04) *workspace object* is not a concat dimension.**

**Cause:** User tried to define a partition template with PARTITION BY CONCAT(... dim ...) where dim is not a concat dimension.

**Action:** Only concat dimensions can serve as partition dimensions with CONCAT partitioning. Choose a different partition dimension.

**ORA-36667: (XSDPART05) string is not a legal CONCAT partition.**

**Cause:** User attempted to use RANGE or LIST syntax in defining a CONCAT partition template.

**Action:** Use CONCAT partition syntax.

**ORA-36668: (XSDPART06) string is not a legal RANGE partition.**

**Cause:** User attempted to use CONCAT or LIST syntax in defining a RANGE partition template.

**Action:** Use RANGE partition syntax.

**ORA-36669: (XSDPART07) string is not a legal LIST partition.**

**Cause:** User attempted to use RANGE or CONCAT syntax in defining a LIST partition template.

**Action:** Use LIST partition syntax.

**ORA-36670: (XSDPART08) *workspace object* is an INTEGER or NTEXT dimension, or contains an INTEGER or NTEXT dimension. INTEGER and NTEXT dimensions cannot be used as partition dimensions.**

**Cause:** User attempted to define a partition template partitioned by an INTEGER or NTEXT dimension or a concat containing an NTEXT leaf.

**Action:** Either pick a different partition dimension, or redefine the dimension to use a different datatype.

---

**ORA-36671: (XSDPART09) Leaves of *workspace object* have different datatypes. A partition dimension cannot have more than one datatype when RANGE partitioning is used.**

**Cause:** User attempted to define a range partition template with a concat partition dimension, and the concat had two leaf dimensions with different datatypes.

**Action:** Pick a different partition dimension.

**ORA-36672: (XSDPART10) A RANGE or LIST PARTITION TEMPLATE can only have a single partition dimension.**

**Cause:** User attempted to define a RANGE or LIST partition template with more than one partition dimension.

**Action:** Remove all but one of the dimensions from the PARTITION BY RANGE(...) or PARTITION BY LIST(...) clause of the partition template definition.

**ORA-36673: (XSDPART11) Use simple leaf values to identify concat dimension values in a VALUES LESS THAN clause, rather than the <LEAF: VALUE> format.**

**Cause:** When defining a RANGE partition template with a concat dimension for the partition dimension, the user attempted to define a range using the <LEAF: VALUE> format of a concat dimension value.

**Action:** Use just the leaf value. Instead of "VALUES LESS THAN <leaf: value>", just say, "VALUES LESS THAN value".

**ORA-36674: (XSDPART12) Invalid dimension value starting at *string*.**

**Cause:** When defining a RANGE or LIST partition template, the user specified an invalid value in a VALUES LESS THAN or VALUES clause. An "invalid value" can be one of two things: a value whose datatype does not match the partition dimension's datatype, or a non-constant value.

**Action:** Modify the offending VALUES LESS THAN or VALUES phrase.

**ORA-36676: (XSDPART14) Missing dimension list for *string*.**

**Cause:** User attempted to define a CONCAT partition template, and didn't supply a list of dimensions for one of the partition definitions.

**Action:** Give a dimension list for each partition.

**ORA-36677: (XSDPART15) Duplicate value in value lists of *number* and *number***

**Cause:** In a LIST PARTITION TEMPLATE definition, a value appeared in more than one value list, or more than once within a single value list.

**Action:** List each value only once.

**ORA-36678: (XSDPART16) *workspace object* is missing from one or more partition dimension lists.**

**Cause:** In the definition of a partition template, one of the partitions had a dimension list that did not contain all the dimensions of the partition template.

**Action:** Add the offending dimension to the partition's dimension list, or delete it from the partition template's dimension list. If using CONCAT partitioning and the missing dimension is a partition dimension, add to the partition dimension list any leaf of the partition dimension or any concat of leaves of the partition dimension.

**ORA-36679: (XSDPART17) *workspace object* contains a leaf (*workspace object*) that is not part of the partition dimension *workspace object*.**

---

**Cause:** In the definition of a CONCAT partition template, one of the partitions was dimensioned by a dimension that is "concat-related" to a partition dimension, meaning it shares some leaves with the partition dimension, but it contained some leaves that are not in the partition dimension.

**Action:** Either modify the dimensionality of the partition template to include a concat dimension that contains all the desired leaves, or pick a different dimension for the partition.

**ORA-36680: (XSDPART18) *workspace object* is not a dimension of the PARTITION TEMPLATE.**

**Cause:** In the definition of a partition template, one of the partitions was dimensioned by a dimension that was not given in the dimension list of the partition template.

**Action:** Remove the offending dimension from the partition's dimension list, or add it to the partition template's dimension list.

**ORA-36681: (XSDPART19) Partitions *string* and *string* are out of order.**

**Cause:** In the definition of a range partition template, a partition with a lower range boundary was listed after a partition with a higher range boundary.

**Action:** Alter the order of the partition definition list.

**ORA-36682: (XSDPART20) Partition name *string* appears twice.**

**Cause:** User gave a list of AW partitions in which some partition name appeared twice.

**Action:** Remove all but the first instance of the partition name from the list.

**ORA-36683: (XSDPART21) Partition *string* dimensioned by more than one composite.**

**Cause:** It is illegal to define a partition template in which one of the partitions is dimensioned by more than one composite.

**Action:** Make sure that the partition template being defined has at most one composite per partition.

**ORA-36684: (XSDPART22) You cannot rename values of DIMENSION *workspace object* because it is the partition dimension of RANGE PARTITION TEMPLATE *workspace object***

**Cause:** User attempted to rename a value of a dimension that serves as the partition dimension of some RANGE or LIST partition template.

**Action:** It is not possible to rename values in such a dimension without deleting all RANGE and LIST partition templates that are partitioned by it.

**ORA-36685: (XSDPART23) Only CONCAT partition templates can be subpartitioned.**

**Cause:** User attempted to define a RANGE or LIST partition template with one or more partitions dimensioned by another partition template.

**Action:** Use only regular dimensions and composites to dimension each partition of the RANGE or LIST template.

**ORA-36686: (XSDPART24) Value *number* is not in partition *number*.**

**Cause:** User attempted to reorganize a list partition template by removing a value from some partition's list, but the value was not in the list.

**Action:** Ensure that the given values match the given partition.

---

**ORA-36687: (XSDPART25) You cannot use compressed composite *workspace object* to dimension multiple partitions of the partition template, because its dimension list includes the PARTITION BY dimension *workspace object*.**

**Cause:** The specified PARTITION BY dimension also occurred in the dimension list of a compressed composite used to dimension multiple partitions.

**Action:** Ensure that no PARTITION BY dimension occurs among the bases of the compressed composite used to dimension multiple partitions.

**ORA-36688: (NTEXTCNV00) Error during conversion from TEXT to NTEXT.**

**Cause:** An unknown character set conversion error occurred when converting a TEXT value to an NTEXT value.

**Action:** Unknown.

**ORA-36691: (NTEXTCNV02) Invalid escape sequence in argument to UNISTR function: *string*.**

**Cause:** The user called the UNISTR function on a string that had an invalid escape sequence. The only valid escape sequences in UNISTR are 1.) an escape-escape sequence, and 2.) an escape, followed by exactly four hexadecimal digits.

**Action:** Make sure that all escape sequences in UNISTR arguments are exactly four hexadecimal digits. To represent codepoints whose value is less than 0x1000, use preceding zeros. WRONG: 0x10; RIGHT: 0x0010.

**ORA-36692: (XSRELGID24) A level relation must be specified for the GROUPSET and ROLLUP options of GROUPINGID.**

**Cause:** level relation was not specified.

**Action:** Specify a level relation.

**ORA-36693: (XSRELGID25) INHIERARCHY cannot be specified with the GROUPSET and ROLLUP options of GROUPINGID.**

**Cause:** INHIERARCHY option was specified.

**Action:** Remove INHIERARCHY option.

**ORA-36694: (XSRELTBL01) The value cannot be added to dimension *workspace object*.**

**Cause:** Unknown.

**Action:** Check the context and permission for dimension maintenance.

**ORA-36696: (XSRELTBL02) QDR dimension *workspace object* should not be the related dimension of the relation.**

**Cause:** An ineligible dimension was specified in the Qualified Data Reference

**Action:** Do not attempt to qualify this dimension.

**ORA-36698: (XSRELTBL03) QDR dimension *workspace object* should be in the dimension list that dimensions the relation.**

**Cause:** The named dimension was not in the relation's dimension list.

**Action:** Select only dimensions that are in the relation's dimension list.

**ORA-36700: (XSRELTBL04) Dimension *workspace object* cannot be qualified more than once.**

**Cause:** The same dimension was specified more than once in the QDR.

**Action:** Specify each QDR dimension only once.

---

**ORA-36702: (XSRELTBL05) The format of the HIERHEIGHT function is: HIERHEIGHT(relation [,] level) level >= 1.**

**Cause:** The HIERHEIGHT function was specified incorrectly.

**Action:** Make sure the format is correct.

**ORA-36704: (XSRELTBL06) *workspace object* should be dimensioned by *workspace object*.**

**Cause:** The level relation is not dimensioned by the source relation dimension.

**Action:** Make sure the level relation has the correct definition.

**ORA-36706: (XSRELTBL07) *workspace object* should be dimensioned by *workspace object* and one level dimension.**

**Cause:** The destination relation has the wrong definition.

**Action:** Make sure the destination relation has the correct dimensions.

**ORA-36708: (XSMXALLOC00) Variable *workspace object* must be dimensioned to be used by the ALLOCATE command.**

**Cause:** The user supplied an undimensioned (scalar) variable to the ALLOCATE command.

**Action:** Use a dimensioned variable.

**ORA-36710: (XSMXALLOC01) TARGETLOG variable *workspace object* must be dimensioned identically to TARGET variable *workspace object*.**

**Cause:** The user attempted to execute ALLOCATE with mismatching TARGET and TARGETLOG variables

**Action:** Use TARGET and TARGETLOG variables with matching dimensionality.

**ORA-36712: (XSMXALLOC02) Relation *workspace object* must be a one-dimensional self-relation to be used as a SOURCE or BASIS with ALLOCATE.**

**Cause:** The user specified an invalid source or basis relation on the ALLOCATE command line.

**Action:** Modify the relation to be a one-dimensional self-relation.

**ORA-36714: (XSMXALLOC03) TARGETLOG variable *workspace object* must have the same data type as TARGET variable *workspace object*.**

**Cause:** The user specified a TARGETLOG variable that had a different data type from the TARGET variable.

**Action:** Use TARGETLOG and TARGET variables with an identical data type.

**ORA-36718: (XSALLOC00) You do not have the necessary permissions to use AGGMAP *workspace object*.**

**Cause:** The user did not have sufficient permissions to run the ALLOCATE command

**Action:** Change to a user ID with the appropriate permissions, or use objects that you have permission to use.

**ORA-36720: (XSALLOC01) To be used with ALLOCATE, your AGGMAP *workspace object* must be defined with the ALLOCMAP command.**

**Cause:** The user used the AGGMAP command to define the AGGMAP, so either the AGGMAP can only be used with the AGGREGATE command, or the AGGMAP has no contents attached to it.

---

**Action:** Use the ALLOCMAP command to define the AGGMAP.

**ORA-36722: (XSALLOC02) In AGGMAP *workspace object*, you specified an NA or ZERO sourceval but supplied formula *workspace object* as your source for ALLOCATE.**

**Cause:** The user requested that source values be modified during the allocation, but that is not possible when using a formula source.

**Action:** Either use a VARIABLE source or remove the SOURCEVAL specification for your ALLOCMAP.

**ORA-36726: (XSALERR00) The character "*character*" is not a valid format specifier for the ALLOCATE error log.**

**Cause:** The user specified an invalid formatter in the ALLOCERRLOGHEADER or ALLOCERRLOGFORMAT options.

**Action:** Correct the option to have a valid format.

**ORA-36728: (XSALERR01) While performing the ALLOCATE command with AGGMAP *workspace object*, the error logging limit of *number* was exceeded.**

**Cause:** The user specified an ERRORLOG MAX value in the ALLOCMAP, but more errors were encountered while performing the allocation.

**Action:** Either set ERRORLOG NOSTOP, reduce the allocation errors, or increase the ERRORLOG MAX setting

**ORA-36735: A value exceeded the MAX specification**

**Cause:** .

**Action:** None

**ORA-36740: A CHILDLCK was detected in your valueset**

**Cause:** .

**Action:** None

**ORA-36761: (XSLANGDM01) Analytic workspace *string* already contains a dimension (%J) with the *string* property.**

**Cause:** An attempt was made to apply this property to more than one dimension in the AW.

**Action:** Remove the property from the named dimension and try the command again.

**ORA-36762: (XSLANGDM02) You cannot modify the *string* property of %J because analytic workspace *string* is attached in MULTI mode.**

**Cause:** An attempt was made to add or delete a \$DEFAULT\_LANGUAGE property in an AW attached in multiwriter mode.

**Action:** Attach the AW in a different mode.

**ORA-36763: (XSAGGCNTMOVE01) Aggregation variable *workspace object* cannot have itself as an AGGCOUNT.**

**Cause:** An attempt was made to turn a variable into its own AGGCOUNT.

**Action:** Select a different AGGCOUNT variable.

**ORA-36764: (XSAGGCNTMOVE02) AGGCOUNT variable *workspace object* must be of type INTEGER, not *string*.**

**Cause:** An attempt was made to create a non-INTEGER AGGCOUNT.

---

**Action:** Select an INTEGER AGGCOUNT variable.

**ORA-36765: (XSAGGCNTMOVE03) A *string* aggregation variable cannot have a *string* AGGCOUNT.**

**Cause:** The specified AGGCOUNT variable did not have the same permanence as the aggregation variable.

**Action:** Select an AGGCOUNT variable with the same TEMPORARY or PERMANENT attribute as the aggregation variable.

**ORA-36766: (XSAGGCNTMOVE04) *workspace object* cannot be used as an AGGCOUNT because it has an AGGCOUNT.**

**Cause:** The specified AGGCOUNT variable had its own AGGCOUNT

**Action:** Select a different variable, or remove the AGGCOUNT using CHGDFN.

**ORA-36767: (XSAGGCNTMOVE05) *workspace object* cannot be used as an AGGCOUNT while there are permissions applied to it.**

**Cause:** The specified AGGCOUNT variable had its own permissions distinct from those on the aggregation variable.

**Action:** Select a different AGGCOUNT variable, or remove the permissions. In some cases this may require an UPDATE before the command can succeed.

**ORA-36768: (XSAGGCNTMOVE06) An aggregation variable and its AGGCOUNT must have the same base dimensions.**

**Cause:** An AGGCOUNT variable was specified with different base dimensions than the aggregation variable.

**Action:** Select an AGGCOUNT variable with exactly the same base dimensions as the aggregation variable.

**ORA-36778: (XSPGTRLOW) The amount of available temporary storage is still low. Free some temporary storage immediately. You can do so, for example, by UPDATING or DETACHING an analytic workspace.**

**Cause:** Ran out of temporary tablespace storage.

**Action:** Increase the amount of temporary tablespace storage.

**ORA-36779: (XSPGPOOLOUT) Invalid parameter value. Olap\_page\_pool\_size must be between 2097152 and 2147483647. Olap\_page\_pool\_size remain unmodified.**

**Cause:** Specified value for olap\_page\_pool\_size out of range.

**Action:** None

**ORA-36800: (XSTBLFUNC00) The OLAP\_TABLE function can only have a single LOOP statement within the LIMITMAP**

**Cause:** The OLAP table function given used more than one LOOP statement.

**Action:** It is currently impossible to specify more than one LOOP composite, either remove one of the statements (and loop densely over relevant dimensions), or create a new composite that encompasses both loops and have a single loop statement refer to that.

**ORA-36802: (XSTBLFUNC01) The OLAP\_TABLE function must contain a DATAMAP that executes a FETCH command or a LIMITMAP.**

**Cause:** There is no limitmap on the table function and either the datamap does not contain a fetch, or it errored before the fetch was called.

---

**Action:** Check the datamap for errors, make sure that it executes a fetch statement, if it is not intended to execute the fetch then make sure that the table function has a valid limitmap.

**ORA-36804: (XSTBLFUNC02) The OLAP\_TABLE function encountered an error while parsing the LIMITMAP.**

**Cause:** Invalid LIMITMAP syntax, or the name resolution failure of an ANALYTIC WORKSPACE OBJECT.

**Action:** Check the syntax of the limit map, check that the OLAP\_TABLE function refers to a valid analytic workspace, check that all analytic workspace objects within the limitmap actually exist within the analytic workspace

**ORA-36806: (XSTBLFUNC03) The OLAP\_TABLE function refers to an invalid ADT attribute: *string*.**

**Cause:** The limitmap refers to a matching of ADT attribute to AW object, but the ADT attribute is not an element of the specified ADT table. Most commonly this is a typo.

**Action:** Add the attribute to the ADT, correct the LIMITMAP, or remove the reference from the LIMITMAP.

**ORA-36808: (XSTBLFUNC04) The OLAP\_TABLE function LEVELREL clause cannot declare *number* ADT fields from *number* AW fields.**

**Cause:** The limitmap has a levelrel clause which has a different number of values in the list to the right of the FROM than it has to the left.

**Action:** Change the limitmap so that there is a 1:1 mapping of adt and aw elements.

**ORA-36810: (XSTBLFUNC05) Analytic workspace object *number* does not exist.**

**Cause:** The limitmap refers to a non-existent aw object.

**Action:** Change the limitmap or define the object

**ORA-36812: (XSTBLFUNC06) Invalid Syntax at "?".**

**Cause:** The limitmap has a question mark character outside the context of a string.

**Action:** Fix the limitmap

**ORA-36814: (XSTBLFUNC07) The datatype of the column used in the ROW2CELL clause of a LIMITMAP must be RAW(16).**

**Cause:** Datatype of column used in ROW2CELL clause of a LIMITMAP is not RAW(16).

**Action:** Change datatype to RAW(16).

**ORA-36815: (XSTBLFUNC08) The OLAP\_TABLE has attempted to use an AW single row function with the aw\_attach parameter set to DURATION QUERY.**

**Cause:** The OLAP\_TABLE aw\_attach parameter was set to DURATION QUERY.

**Action:** Change the OLAP\_TABLE aw\_attach parameter to DURATION SESSION.

**ORA-36816: (XSTBLFUNC09) The *workspace object dimension* is of datatype *string* which does not support custom member upserts.**

**Cause:** Custom members were attempted to be added via an upsert to a dimension that does not support them

**Action:** Disable the AW Hash optimization for this query

---

**ORA-36817: (XSTBLFUNC10) The LIMITMAP LOOP clause specifies an invalid type of object. *workspace object* must be a DIMENSION or COMPOSITE.**

**Cause:** An invalid type of object was specified in the LOOP clause.

**Action:** Correct the LOOP clause.

**ORA-36818: (XSTBLFUNC11) A LIMITMAP DIMENSION clause specifies an invalid type of object. *workspace object* must be a DIMENSION.**

**Cause:** An invalid type of object was specified in the DIMENSION clause.

**Action:** Correct the DIMENSION clause.

**ORA-36819: (XSTBLFUNC12) *workspace object* cannot be used in a LIMITMAP string clause.**

**Cause:** An invalid type of object was specified in a LIMITMAP clause.

**Action:** Correct the LIMITMAP clause.

**ORA-36820: (XSLMINFO00) The LIMITMAPINFO function encountered an error while parsing the LIMITMAP.**

**Cause:** Invalid LIMITMAP syntax.

**Action:** Correct the syntax of the limit map.

**ORA-36821: (XSJPUSH00) An error occurred while attempting to push a join of 2 AW tables.**

**Cause:** Unknown.

**Action:** Re-execute the query with parameter `_optimizer_aw_join_push_enabled = FALSE`.

**ORA-36825: (XSTBLFUNC13) An error occurred expanding the `cube_name` argument in the OLAP table function**

**Cause:** Incorrect metadata or invalid cube name

**Action:** Correct the metadata.

**ORA-36826: (XSTBLFUNC14) OLAP C Looper is disabled by event 37395**

**Cause:** `init.ora` event 37395 includes level 8 which disables the OLAP C looper

**Action:** Remove event level 8 and use explicit `FETCH` function for `OLAP_TABLE`

**ORA-36830: (XSLMGEN00) Object *string.string* does not exist**

**Cause:** The object does not exist

**Action:** Check view token for errors

**ORA-36831: (XSLMGEN01) View token cannot be NA**

**Cause:** A NA was passed as the view token

**Action:** Pass in a valid view token

**ORA-36832: (XSLMGEN02) View token cannot be greater than 4000 bytes**

**Cause:** A view token was greater than 4000 bytes

**Action:** Pass in a view token less than 4000 bytes

**ORA-36833: (XSLMGEN03) View token cannot be blank**

**Cause:** A blank was passed as the view token

**Action:** Pass in a valid view token

**ORA-36834: (XSLMGEN04) Column tag is greater than 30 bytes**

- 
- Cause:** A value greater than 30 bytes was passed as the column tag  
**Action:** Pass in a column tag of 30 bytes or less
- ORA-36835: (XSLMGEN05) Dimension *string.string* hierarchy *string* level *string* is missing a COLUMNNAME property value**  
**Cause:** The COLUMNNAME property has no value  
**Action:** Add a value to COLUMNNAME property
- ORA-36836: (XSLMGEN06) The dimensionality of object *string.string* is different than the view token**  
**Cause:** The dimensionality of the cube does not match the view token  
**Action:** Check view token for unrelated hierarchies clauses
- ORA-36837: (XSLMGEN07) Object owner *string* is different than *string***  
**Cause:** The object owners are different  
**Action:** Make the object owners match
- ORA-36838: (XSLMGEN08) Dimension *string.string* attribute *string* is missing a COLUMNNAME property value**  
**Cause:** The COLUMNNAME property has no value  
**Action:** Add a value to COLUMNNAME property
- ORA-36839: (XSLMGEN09) Cube *string.string* measure *string* is missing a COLUMNNAME property value**  
**Cause:** The COLUMNNAME property has no value  
**Action:** Add a value to COLUMNNAME property
- ORA-36840: (XSLMGEN10) Cube *string.string* has no measures**  
**Cause:** The cube has no measures  
**Action:** Add a measure to the cube
- ORA-36841: (XSLMGEN11) Dimension *string.string* was not found**  
**Cause:** The view token referenced a dimension that does not exist  
**Action:** Pass in a dimension that does exist
- ORA-36842: (XSLMGEN12) Hierarchy *string.string.string* was not found**  
**Cause:** The view token referenced a hierarchy that does not exist  
**Action:** Pass in a hierarchy that does exist
- ORA-36843: (XSLMGEN13) Dimension *string.string* hierarchy *string* is missing a PHYSICALNAME property value**  
**Cause:** The property PHYSICALNAME has no value  
**Action:** Populate the property PHYSICALNAME with a value
- ORA-36844: (XSLMGEN14) Dimension *string.string* is missing a *string* property value**  
**Cause:** The dimension is missing a required property  
**Action:** Check dimension property values
- ORA-36845: (XSLMGEN15) Owner is greater than 30 bytes**  
**Cause:** The owner passed is greater than 30 bytes

- 
- Action:** Pass in an owner that is 30 bytes or less
- ORA-36846: (XSLMGEN16) AW name is greater than 30 bytes**  
**Cause:** The AW name passed is greater than 30 bytes  
**Action:** Pass in an AW name that is 30 bytes or less
- ORA-36847: (XSLMGEN17) AW name is blank**  
**Cause:** The AW name passed is blank  
**Action:** Pass in an AW name that has a value
- ORA-36848: (XSLMGEN18) Object name *string* is different than *string***  
**Cause:** The object names are different  
**Action:** Make the object names match
- ORA-36849: (XSLMGEN19) AW owner does not match View token owner**  
**Cause:** The AW owner does not match the View token owner  
**Action:** Match AW owner to View token object owner
- ORA-36850: (XSLMGEN20) View token *string* is not correct**  
**Cause:** The view token is not correct  
**Action:** Check view token syntax for errors
- ORA-36861: (XSTFRC01) SQL Cache ID parameter is invalid or missing.**  
**Cause:** SQL Cache ID parameter is required to identify SQL cache to query  
**Action:** Supply a valid SQL Cache ID. Normally, users should not call OLAP Random Access Cursor table function themselves and therefore should not encounter this error.
- ORA-36862: (XSTFRC02) Column number for this SQL Cache must be between 1 and *number*. Specified column number *number* is invalid.**  
**Cause:** Column Map references a column number that is greater than the maximum column number in SQL Cache  
**Action:** Reference a correct column number. Normally, users should not call OLAP Random Access Cursor table function themselves and therefore should not encounter this error.
- ORA-36871: (XSFTDSC01) Object *string* cannot be used to define a column in a LIMITMAP.**  
**Cause:** The object cannot define a column in LIMITMAP most likely because it is of a wrong type such as, for example, a Worksheet.  
**Action:** Remove the reference from the LIMITMAP.
- ORA-36872: (XSTFDSC02) Column type specifier cannot be used when the table function data type is specified.**  
**Cause:** Column type can only be used with implicitly-specified table functions  
**Action:** Remove column type from reference from the LIMITMAP or remove the explicit table function data type specification.
- ORA-36873: (XSTFDSC03) Column type must be specified explicitly.**  
**Cause:** Missing column type specification.

---

**Action:** Please, make sure to specify a column type in COLUMN MAP. Normally, users should not call OLAP Random Access Cursor table function themselves and therefore should not encounter this error.

**ORA-36874: (XSTFDSC04) Expression *string* cannot be used to define a column in a LIMITMAP.**

**Cause:** The expression cannot define a column in LIMITMAP most likely because it is of a wrong type such as, for example, a Worksheet.

**Action:** Remove the reference from the LIMITMAP.

**ORA-36875: (XSTFDSC05) LIMITMAP is missing or is not a string literal.**

**Cause:** Table functions that have an automatic ADT require LIMITMAP to be a string literal.

**Action:** Either specify ADT for the table function or specify LIMITMAP as a string literal.

**ORA-36881: (XSSRF00) The OLAP DML ROW2CELL function can only be used in a LIMITMAP.**

**Cause:** Using the ROW2CELL function outside of the LIMITMAP.

**Action:** Remove use of the ROW2CELL function.

**ORA-36882: (XSSRF01) The second parameter of an AW single row function cannot be NULL.**

**Cause:** The second parameter of the AW single row function was NULL

**Action:** Pass a valid OLAP DML expression as the second parameter of the AW single row function

**ORA-36883: (XSSRF02) The first parameter of an AW single row function cannot be NULL.**

**Cause:** The first parameter of the AW single row function was NULL

**Action:** Make sure the column specified in the LIMITMAP ROW2CELL clause is the first parameter of the AW single row function.

**ORA-36884: (XSSRF03) The value of the first parameter of the AW single row function is incorrect.**

**Cause:** The column specified in the LIMITMAP ROW2CELL clause was not the first parameter of the AW single row function.

**Action:** Make sure the column specified in the LIMITMAP ROW2CELL clause is the first parameter of the AW single row function.

**ORA-36885: (XSSRF04) Error rewriting OLAP DML expression. Column name too big**

**Cause:** The column name specified in the OLAP DML expression was larger than 30 bytes.

**Action:** Make sure the column name specified in the OLAP DML expression is less than or equal to 30 bytes.

**ORA-36886: (XSSRF05) Error rewriting OLAP DML expression. Rewritten expression is greater than *number* bytes**

**Cause:** The rewritten OLAP DML expression was larger than the output buffer.

**Action:** Create a smaller OLAP DML expression.

---

**ORA-36887: (XSSRF06) Error rewriting OLAP DML expression. Column name *string* is not a valid ADT column.**

**Cause:** The column name passes does not exist.

**Action:** Only reference columns that exist.

**ORA-36902: (XSAGDNGL43) In AGGMAP *workspace object*, the MODEL *workspace object* is not a model over a base dimension of the AGGMAP.**

**Cause:** Model may include equations others than dimension values, or blocks other than simple blocks.

**Action:** Make sure model only includes the simple blocks with dimension values.

**ORA-36904: (XSAGDNGL44) In AGGMAP *workspace object*, RELATION *workspace object* occurs after a dynamic model. The dynamic model must be the last calculation within the AGGMAP.**

**Cause:** Before the current relation, dynamic model exists.

**Action:** Make sure the dynamic model is the last statement.

**ORA-36908: (XSAGDNGL46) In AGGMAP *workspace object*, MODEL *workspace object* has the repeating dimension with the previous model.**

**Cause:** two models use the same dimension.

**Action:** merge the equations in the two models.

**ORA-36910: (XSAGDNGL47) In AGGMAP *workspace object*, DYNAMIC MODEL *workspace object* can only edit the top level of its matching relation hierarchy.**

**Cause:** The model attempted to edit a child node in the relation hierarchy.

**Action:** Remove this attempt from the model definition.

**ORA-36912: (XSAGDNGL48) In AGGMAP *workspace object*, MODEL *workspace object* cannot be simultaneous.**

**Cause:** The aggmap contained a simultaneous model.

**Action:** Change the model definition so that it is no longer simultaneous.

**ORA-36913: (XSAGDNGL49) In AGGMAP *workspace object*, LOAD\_STATUS *workspace object* must be an undimensioned VALUESET over the relation dimension.**

**Cause:** The object referred to by the LOAD\_STATUS clause of the aggmap wasn't an undimensioned valueset over the related dimension

**Action:** Change the aggmap definition so that it doesn't refer to an invalid object

**ORA-36914: (XSAGDNGL50) In AGGMAP *workspace object*, LOAD\_STATUS *valueset workspace object* contains both a child and its ancestor.**

**Cause:** The LOAD\_STATUS valueset is not allowed to contain both a dimension value and an ancestor of that value.

**Action:** Perform a limit remove ancestors on the valueset and confirm that the result matches the intended load.

**ORA-36920: (XSVPMVTOPART01) *workspace object* cannot become anonymous because it has properties.**

**Cause:** The OLAP DML command would result in a named object becoming an anonymous object, but the object had one or more properties associated with it.

**Action:** Remove the properties using the PROPERTY command. In some cases an UPDATE may be required before the command can proceed.

---

**ORA-36921: (XSVPMTOPART02) workspace object and workspace object are not in the same analytic workspace.**

**Cause:** The OLAP DML command requires certain objects to be in the same analytic workspace, and the command string specified objects from two different analytic workspaces.

**Action:** If more than one analytic workspace is attached to the session, make sure that the object names given in the command are unique across all attached analytic workspaces. Use qualified object names (QON"s) if necessary.

**ORA-36922: (XSVPMTOPART03) workspace object is the target of an external partition of a partitioned variable.**

**Cause:** An attempt was made to perform some prohibited operation on a variable which is itself a partition of some other variable.

**Action:** If desired, use the CHGDFN command to DROP the partition from the partitioned variable, and then run the command again.

**ORA-36923: (XSVPMTOPART04) workspace object is not a LIST or RANGE PARTITION TEMPLATE.**

**Cause:** The user ran a command that only operates on a LIST or RANGE partition template (or a variable dimensioned by a LIST or RANGE partition template) on some other kind of analytic workspace object.

**Action:** Rerun the command on a LIST or RANGE partition template or a variable dimensioned by a LIST or RANGE partition template.

**ORA-36924: (XSVPMTOPART05) workspace object is not in a COMPOSITE.**

**Cause:** The OLAP DML command expected that the variable would be dimensioned by a composite containing the specified dimension, the specified dimension within a composite.

**Action:** Rerun the command on some variable is dimensioned by a composite containing the specified dimension.

**ORA-36930: Cannot start a recursive call to Oracle OLAP because a ROLLBACK past an UPDATE to an attached analytic workspace has been performed.**

**Cause:** ROLLBACK past the UPDATE of one of the attached Analytic Workspaces was called. A recursive Oracle OLAP call cannot be made until the control returns to the initial OLAP call and the affected Analytic Workspaces detached.

**Action:** Change the called SQL procedure to avoid the ROLLBACK

**ORA-36950: (XSFCAS22) The list of string values cannot have more than number members. You supplied number.**

**Cause:** There are more than the maximum number of OFFSET or PERIODICITY values.

**Action:** Remove some of the values.

**ORA-36951: (XSFCAS28) The ALLOCLAST parameter cannot be set to YES unless PERIODICITY specifies more than one cycle.**

**Cause:** ALLOCLAST was set to YES when PERIODICITY specified a single value rather than a list of nested cycles.

**Action:** Set ALLOCLAST to FALSE (the default), or specify more than one value for PERIODICITY (in the form of a parenthesized list).

**ORA-36952: (XSFCAS23) You cannot specify a cycle number when querying the string forecasting option.**

---

**Cause:** A cycle number was specified in a call to FCQUERY to retrieve forecast data not related to a cycle.

**Action:** Remove the cycle specification from the call to FCQUERY.

**ORA-36954: (XSFCAST24) The cycle number must be between 1 and *number*. You specified *number*.**

**Cause:** A cycle number less than 1 or greater than the maximum value was specified in a call to FCQUERY.

**Action:** Specify a number in the indicated range.

**ORA-36956: (XSFCAST25) There are only *number* PERIODICITY values. You cannot specify more OFFSET values.**

**Cause:** More OFFSET values were specified than PERIODICITY values.

**Action:** Supply only as many OFFSETs as there are PERIODICITY values.

**ORA-36958: (XSFCAST26) The OFFSET value for cycle *number* cannot be greater than the cycle's PERIODICITY, which is *number*. You specified *number*.**

**Cause:** The OFFSET for a cycle exceeded the PERIODICITY for that cycle.

**Action:** Supply an OFFSET less than or equal to the PERIODICITY for the corresponding cycle.

**ORA-36960: (XSFCAST27) The value of the *string* expression must be an odd number. You specified *number*.**

**Cause:** An even number was given for an option that requires an odd number.

**Action:** Supply an odd number or let the option default.

**ORA-36961: Oracle OLAP is not available.**

**Cause:** The user attempted to utilize functionality found only in Oracle OLAP, but OLAP has not been enabled in the executable.

**Action:** Install the Oracle OLAP option

**ORA-36962: (XSRELTBL08) *string* is not a valid *workspace object*.**

**Cause:** The specified value does not exist in the dimension.

**Action:** Specify an existing value of the dimension.

**ORA-36963: (XSRELTBL16) INHIERARCHY object *workspace object* should be a valid valueset or boolean variable.**

**Cause:** Invalid valueset or variable was specified.

**Action:** Specify a valid valueset or variable.

**ORA-36964: (XSRELTBL09) *workspace object* is not a valid level relation.**

**Cause:** The specified level relation was not consistent with the parentage hierarchy.

**Action:** Fix one or both of the relations involved so that all parents are at a higher level than their children.

**ORA-36965: (XSRELTBL17) Invalid LEVELORDER valueset *workspace object*.**

**Cause:** Invalid LEVELORDER valueset was specified.

**Action:** Specify a valid valueset.

**ORA-36966: (XSRELTBL10) *workspace object* must be a dimension.**

**Cause:** The qualified object must be a dimensions.

---

**Action:** Remove the named object from the QDR.

**ORA-36967: (XSRELTBL18) Invalid INHIERARCHY valueset *workspace object*.**

**Cause:** Invalid valueset was specified.

**Action:** Specify a valid valueset.

**ORA-36968: (XSRELTBL11) Invalid relation *workspace object*.**

**Cause:** Non-object or an object other than a RELATION was specified as source or destination.

**Action:** Specify RELATION objects.

**ORA-36969: (XSRELTBL19) Merged family relation cannot take INHIERARCHY option.**

**Cause:** INHIERARCHY option was specified.

**Action:** Remove INHIERARCHY option.

**ORA-36970: (XSRELTBL12) *workspace object* must be a self-relation.**

**Cause:** The specified source relation was not a self-relation.

**Action:** Specify a self-relation as the source.

**ORA-36971: (XSRELTBL19) Merged family relation cannot take LEVELORDER option.**

**Cause:** LEVELORDER option was specified.

**Action:** Remove LEVELORDER option.

**ORA-36972: (XSRELTBL13) Relation *workspace object* must be dimensioned by *workspace object*.**

**Cause:** Destination relation is not dimensioned by source relation dimension.

**Action:** Give a correct destination relation.

**ORA-36974: (XSRELTBL14) *workspace object* is not a BOOLEAN variable dimensioned by all the dimensions of the hierarchy.**

**Cause:** The named variable had either the wrong data type or the wrong dimensions.

**Action:** Specify a BOOLEAN variable dimensioned by all the dimensions of the hierarchy.

**ORA-36975: (XSRELTBL15) You must specify a USING clause naming a relation with same level dimension as LEVELORDER valueset *workspace object*.**

**Cause:** USING was omitted from the HIERHEIGHT command, or specified a relation containing values of a different dimension than the LEVELORDER valueset.

**Action:** Provide a USING clause naming a relation containing values from the correct level dimension. -----

**ORA-36976: (XSRELGID00) Invlid GROUPINGID destination relation or variable *workspace object*.**

**Cause:** Non-Object or invalid relation or invlid variable.

**Action:** Specify the valid relation or variable.

**ORA-36977: (XSRELGID17) The GROUPINGID command does not support hierarchies with more than 126 levels.**

- 
- Cause:** The user specified a hierarchy with more than 126 levels.  
**Action:** Decrease the number of levels in the hierarchy.
- ORA-36978: (XSRELGID01) *workspace object must be a self-relation.***  
**Cause:** Source relation is not a self-relation.  
**Action:** Specify a self-relation as the source relation.
- ORA-36979: (XSRELGID18) Property *number* can only be set by the GROUPINGID command.**  
**Cause:** You tried to set the \$GID\_DEPTH property.  
**Action:** Stop to set the \$GID\_DEPTH property.
- ORA-36980: (XSRELGID02) Variable *workspace object* must have a numeric data type.**  
**Cause:** The destination variable does not have a numeric data type.  
**Action:** Make sure the variable is numeric.
- ORA-36981: (XSRELGID19) The format of the GROUPINGID function is: GROUPINGID(gidrel1 [gidrel2]...)**  
**Cause:** Bad syntax  
**Action:** Correct syntax
- ORA-36982: (XSRELGID03) The destination variable/relation *workspace object* must be dimensioned by all dimensions of the source relation *workspace object* that have more than one value in status.**  
**Cause:** Destination variable/relation does not have enough dimensionality to hold the result from the multi-dimensional source relation.  
**Action:** Either limit the status of hierarchy dimensions or redefine the destination variable/relation with the extended dimensionality
- ORA-36983: (XSRELGID20) The groupingid relation *workspace object* repeats.**  
**Cause:** The groupingid relation repeated.  
**Action:** Remove the duplicated groupingid relation.
- ORA-36985: (XSRELGID21) The source relation can be omitted only when using both surrogate GID and level order valueset.**  
**Cause:** Source relation was not specified.  
**Action:** Specify the source relation or both surrogate gid and level order valueset.
- ORA-36986: (XSRELGID05) Relation *workspace object* must be dimensioned by *workspace object*.**  
**Cause:** The destination relation is not dimensioned by the dimension of the source relation.  
**Action:** Redefine the destination relation or choose another relation with the correct dimensionality.
- ORA-36988: (XSRELGID06) The related dimension of relation *workspace object* must be of type NUMBER.**  
**Cause:** The related dimension of the destination relation has the wrong data type.  
**Action:** Redefine the destination relation or choose another relation whose related dimension is of type NUMBER.

- 
- ORA-36989: (XSRELGID23) GROUPSET and ROLLUP options in GROUPINGID require the destination relation.**  
**Cause:** Either variable or surrogate dimension was specified as destination.  
**Action:** Specify the destination relation.
- ORA-36990: (XSRELGID07) The level relation *workspace object* should be dimensioned by a level dimension.**  
**Cause:** The level relation is not dimensioned by a level dimension.  
**Action:** Redefine the level relation or choose another relation with the correct dimensionality.
- ORA-36991: (XSRELGID08) The level relation and level order valueset provide inconsistent level mappings.**  
**Cause:** There is a conflict between the hierarchy/level relation and the level order valueset.  
**Action:** Choose objects that do not conflict.
- ORA-36992: (XSRELGID09) A level relation is needed to produce a surrogate dimension gid.**  
**Cause:** A level relation was not specified.  
**Action:** Specify a level relation.
- ORA-36993: (XSRELGID10) OBJECT *workspace object* must be a VARIABLE, RELATION, or a numeric SURROGATE DIMENSION based on the level dimension *workspace object*.**  
**Cause:** not a surrogate dimension, or the surrogate dimension is not based on the level dimension.  
**Action:** modify/change the surrogate dimension.
- ORA-36994: (XSRELGID11) The SURROGATE DIMENSION *workspace object* must be numeric.**  
**Cause:** The surrogate dimension is not numeric  
**Action:** Change the surrogate dimension as numeric
- ORA-36995: (XSRELGID12) There are duplicate values in the surrogate dimension gid. Use the levelorder option to resolve the ambiguity.**  
**Cause:** more than 1 hierarchies in the current computing scope.  
**Action:** use inhierarchy to limit
- ORA-36996: (XSRELGID13) Valueset *workspace object* should be defined over dimension *workspace object*.**  
**Cause:** Valueset doesn't match the dimension  
**Action:** Change the valueset's dimension
- ORA-36997: (XSRELGID14) For variable or relation grouping ids, a level relation is needed when a level order valueset is specified.**  
**Cause:** no level relation exists with level order valueset.  
**Action:** provide the level relation.
- ORA-36998: (XSRELGID15) LEVEL ORDER VALUESET *workspace object* and LEVEL RELATION *workspace object* have the different level dimensions.**  
**Cause:** either level order valueset or level relation has wrong level dimension.

---

**Action:** choose the correct level dimension

**ORA-36999: (XSRELGID16) OBJECT *workspace object* is not a surrogate dimension, a source relation must be specified when creating any non-surrogate grouping id.**

**Cause:** use variable/relation gid without providing the source relation

**Action:** use the surrogate or provide the source relation

**ORA-37000: (NOTALIAS00) *workspace object* is not an ALIAS DIMENSION of *workspace object*.**

**Cause:** The user specified an object which is not alias dimension of the first dimension

**Action:** Specify an alias dimension of the first dimension

**ORA-37001: You have one or more attached but unupdated analytic workspaces.**

**Cause:** The user has attempted to shut down OLAP, but they have active analytic workspaces whose changes have not been saved.

**Action:** Either issue the update command to update the AWs, or pass TRUE as the force parameter to `dbms_aw.shutdown()`

**ORA-37002: Oracle OLAP failed to initialize. Please contact Oracle OLAP technical support.**

**Cause:** A severe error occurred while initializing OLAP.

**Action:** Contact support (and possibly OLAP development) for help in debugging the issue.

**ORA-37003: (AWLISTALL01) *number readers***

**Cause:** used in AW(LISTALL) output formatting when %d is 0

**Action:** None

**ORA-37004: (AWLISTALL02) *number reader***

**Cause:** used in AW(LISTALL) output formatting when %d is 1

**Action:** None

**ORA-37005: (AWLISTALL03) *number readers***

**Cause:** used in AW(LISTALL) output formatting when %d is > 1

**Action:** None

**ORA-37006: (AWLISTALL04) *number writers***

**Cause:** used in AW(LISTALL) output formatting when %d is 0

**Action:** None

**ORA-37007: (AWLISTALL05) *number writer***

**Cause:** used in AW(LISTALL) output formatting when %d is 1

**Action:** None

**ORA-37008: (AWLISTALL06) *number writers***

**Cause:** used in AW(LISTALL) output formatting when %d is > 1

**Action:** None

**ORA-37010: (XSACQUIRE\_DIFFAW) When using the CONSISTENT WITH clause, all objects must come from the same analytic workspace.**

---

**Cause:** The ACQUIRE command cannot keep objects from several workspaces consistent with each other

**Action:** Omit the CONSISTENT WITH clause or make sure all objects being acquired belong to the same analytic workspace.

**ORA-37011: (XSACQUIRE\_LOCKED) Object *workspace object* is locked by another user.**

**Cause:** Could not acquire (or acquire consistent) the object, since it is locked by another user

**Action:** Try to acquire this object later

**ORA-37012: (XSACQUIRE\_TIMEOUT) Object *workspace object* is locked by another user and the WAIT timed out.**

**Cause:** Could not acquire (or acquire consistent) the object for a while, since it is locked by another user

**Action:** Try to acquire this object later

**ORA-37013: (XSACQUIRE\_DEADLOCK) Cannot wait to acquire object *workspace object*, since doing so would cause a deadlock.**

**Cause:** Waiting to acquire the object would cause a deadlock

**Action:** Release some other object that another user is waiting for and try to acquire this object again.

**ORA-37014: (XSACQUIRE\_ACQUIRED) Object *workspace object* is already acquired.**

**Cause:** The object is already acquired

**Action:** Do not try to acquire this object again

**ORA-37015: (XSACQUIRE\_YNRESYNC) Object *workspace object* is ambiguously listed to be acquired both with and without RESYNC.**

**Cause:** The object is listed in with resync list and no resync list. Such usage is ambiguous as to the user's intent on preserving or not preserving private changes.

**Action:** Do not list the object both with and without RESYNC

**ORA-37016: (XSACQUIRE01) You must specify objects to acquire for the ACQUIRE command.**

**Cause:** A list of objects to acquire with or without resync is missing

**Action:** Specify the list of objects to acquire

**ORA-37018: (XSACQUIRE03) Multiwriter operations are not supported for object *workspace object*.**

**Cause:** Multiwriter presently does not work for this object type

**Action:** Attach the AW in RW or EXCLUSIVE modes to modify this object.

**ORA-37020: (XSMULTI01) Analytic workspace *string* is not in MULTI mode.**

**Cause:** The workspace for an object is not in multiwriter mode. Hence, no multiwriter operations are allowed on the objects in the workspace

**Action:** Attach the workspace in the multiwriter mode or do not use multiwriter commands with it.

**ORA-37021: (XSMULTI02) Object *workspace object* is not acquired.**

**Cause:** The object must be acquired for this multiwriter operation

---

**Action:** Do not use this multiwriter operation on an object that is not acquired

**ORA-37023: (XSMLTUPD01) Object *workspace object* cannot be updated without dimension *workspace object*.**

**Cause:** One cannot update an object if it is dimensioned by a maintained dimension without updating that dimension or if the object is a relation and the dimension is its target.

**Action:** Include the maintained dimension in the update list

**ORA-37026: (XSMLTRESYNC01) Object *workspace object* cannot be resynced without dimension *workspace object*.**

**Cause:** One cannot resync an object if it is dimensioned by a maintained dimension without updating that dimension or if the object is a relation and the dimension is its target.

**Action:** Include the maintained dimension in the update list

**ORA-37027: (XSMLTRESYNC02) Object *workspace object* cannot be resynced without modified object *workspace object* because they share a modified composite dimension.**

**Cause:** When one resyncs an object that is dimensioned by a composite dimension, the composite dimension is resynced automatically, dropping all new tuples. This cannot be done, however, if the automatic resync of the composite dimension might cause data in an object that shares the composite dimension to become NA.

**Action:** Resync both objects together. Alternatively, you can try to acquire the other object (that will ensure that the composite dimension is locked in the latest generation and will not be resynced when resyncing the first object), resync the first object, and release the other object.

**ORA-37028: (XSMLTRESYNC03) Object *workspace object* cannot be resynced without modified object *workspace object* because they share a modified dimension map.**

**Cause:** When one resyncs an object that is dimensioned by a dimension map, the dimension map is resynced automatically, dropping all changes. This cannot be done, however, if the automatic resync of the dimension map might cause data in an object that shares the dimension map to become NA.

**Action:** Resync both objects together. Alternatively, you can try to acquire the other object (that will ensure that the dimensions map is locked in the latest generation and will not be resynced when resyncing the first object), resync the first object, and release the other object.

**ORA-37030: (XSMLTMAINT01) You cannot maintain *workspace object* because it is not ACQUIRED.**

**Cause:** One cannot maintain a dimension in a multiwriter AW if it is not acquired.

**Action:** Acquire the dimension first.

**ORA-37031: (XSMLTMAINT02) You cannot DELETE values of dimension *workspace object* in MULTI mode.**

**Cause:** DELETE is allowed in multiwriter mode only for SESSION dimension members

**Action:** Attach the AW in a R/W mode and perform the DELETE operation

- 
- ORA-37032: (XSMLTMAINT03) You cannot MAINTAIN partition template workspace object in MULTI mode.**  
**Cause:** User attempted to add or remove values from a LIST partition template's lists while the AW containing the partition template was attached in multiwriter mode.  
**Action:** Do the maintenance in read only or read-write mode.
- ORA-37035: (XSMLTDCL01) You can only DEFINE SESSION objects in analytic workspace string because it is attached in MULTI mode.**  
**Cause:** Persistent object definition in multiwriter mode is not allowed.  
**Action:** Do all persistent object definitions in read-write mode.
- ORA-37036: (XSMLTDCL02) You cannot DELETE objects in analytic workspace string because it is attached in MULTI mode.**  
**Cause:** One cannot delete objects in an analytic workspace attached in MULTI mode.  
**Action:** Do all object in read-only or read-write mode.
- ORA-37037: (XSMLTDCL03) You cannot RENAME objects in analytic workspace string because it is attached in MULTI mode.**  
**Cause:** One cannot rename objects in an analytic workspace attached in MULTI mode.  
**Action:** Do all persistent object maintenance in read-write mode.
- ORA-37038: (XSMLTDCL04) You cannot change definitions of objects in analytic workspace string because it is attached in MULTI mode.**  
**Cause:** One cannot used CHGDFN command on objects in an analytic workspace attached in MULTI mode.  
**Action:** Do all persistent object maintenance in read-write mode.
- ORA-37039: (XSMLTDCL05) You cannot maintain triggers in analytic workspace string because it is attached in MULTI mode.**  
**Cause:** One cannot use TRIGGER command on objects in an analytic workspace attached in MULTI mode.  
**Action:** Do all persistent object maintenance in read-write mode.
- ORA-37040: (XSACQUIRE\_DEP\_LOCKED) Composite, concat, dimension map, or internal partition workspace object is locked by another user.**  
**Cause:** Some object required locking a composite, concat, dimension map, or internal partition, which is locked by another user  
**Action:** Try to acquire this object later
- ORA-37041: (XSACQUIRE\_DEP\_TIMEOUT) Composite, concat, dimension map, or internal partition workspace object is locked by another user and the WAIT timed out.**  
**Cause:** Some object required locking a composite, concat, dimension map, or internal partition, which could not be locked for a while, since it is locked by another user  
**Action:** Try to acquire this object later
- ORA-37042: (XSACQUIRE\_DEP\_DEADLOCK) Cannot wait to acquire composite, concat, dimension map, or internal partition workspace object, since doing so would cause a deadlock.**

---

**Cause:** Some object required locking a composite, concat, dimension map, or internal partition, which would cause a deadlock

**Action:** Release some other object that another user is waiting for and try to acquire this object again.

**ORA-37043: (XSACQUIRE\_DEP\_OLDGEN) Composite, concat, dimension map, or internal partition *workspace object* cannot be locked, since another user has committed a new one already.**

**Cause:** Some object required locking a composite, concat, dimension map, or internal partition in the present generation, which is not possible, since a newer generation already exists.

**Action:** Try to acquire the main object with resync

**ORA-37044: (XSACQUIRE\_OLDGEN) Cannot acquire object *workspace object* without resync.**

**Cause:** Could not acquire the object without resync because another user has committed a newer version of it already.

**Action:** Try to acquire this object with resync parameter

**ORA-37050: (XSMLTDCL06) You cannot use the RELATION command with *workspace object* because analytic workspace *string* is attached in MULTI mode.**

**Cause:** One cannot use the RELATION command on objects in an analytic workspace attached in MULTI mode.

**Action:** Change the default relation when the analytic workspace is attached in RW or Exclusive mode.

**ORA-37060: (XSMCSESS08) *number* is not a valid custom member in dimension *workspace object*.**

**Cause:** No custom member or invalid custom member

**Action:** Create the custom member or use the correct custom member

**ORA-37069: You may not execute a parallel OLAP operation against the EXPRESS AW.**

**Cause:** A parallel OLAP command attempted to execute against EXPRESS.

**Action:** Contact Oracle support. Users should not see this message.

**ORA-37070: You may not execute OLAP DML programs in a parallel query session.**

**Cause:** The user attempted to execute a DML program inside of a parallel query session, perhaps in parallel aggregate

**Action:** Adjust the job so that a program does not need to be executed, or disable parallelism

**ORA-37071: You may not execute a parallel OLAP operation against updated but uncommitted AW *string*.**

**Cause:** The user attempted to use a parallel feature against an AW which they updated but which has not been committed

**Action:** Commit the current changes

**ORA-37072: (XSMCSESS00) Object *workspace object* has the wrong type.**

**Cause:** The object is not of the object type specified in the APPLY clause

**Action:** Specify the correct object type

- 
- ORA-37073: (XSMCSESS01) Applied relation *workspace object* must be dimensioned by dimension *workspace object*.**  
**Cause:** Applied relation has the different dimension from the dimension currently being maintained  
**Action:** Maintain relation dimension
- ORA-37074: (XSMCSESS02) Variable *workspace object* has no default aggmap.**  
**Cause:** The applied variable has no default aggmap  
**Action:** Use variable with the default aggmap or aggmap directly
- ORA-37075: (XSMCSESS03) You cannot rename a session-only dimension value.**  
**Cause:** The user tried to apply MAINTAIN RENAME to a SESSION value.  
**Action:** Delete the old value and add a new one with the desired name.
- ORA-37076: (XSMCSESS04) *workspace object* is not the type of dimension that can have session-only values. Valid types are TEXT, NTEXT, ID, NUMBER, and CONCAT with the UNIQUE attribute.**  
**Cause:** The user tried to add a SESSION value to a dimension type that does not support SESSION values.  
**Action:** Use a dimension of one of the listed types.
- ORA-37077: (XSMCSESS05) Object *workspace object* is specified more than once.**  
**Cause:** The same object name was given more than once in the apply clause or in the step dimension list.  
**Action:** Remove the repetitions.
- ORA-37078: (XSMCSESS06) The dimension being maintained (*workspace object*) cannot also be used as a step dimension.**  
**Cause:** The dimension being maintained was named as a step dimension.  
**Action:** Remove this dimension from the list of step dimensions.
- ORA-37079: (XSMCSESS07) Aggmap *workspace object* cannot be used for AGGREGATE.**  
**Cause:** The current aggmap may be for ALLOCATE  
**Action:** Choose the correct aggmap for AGGREGATE only.
- ORA-37080: Advice requested for hierarchy with too many levels**  
**Cause:** A request was made for advice on a hierarchy with more levels than are supported.  
**Action:** Only request advice for hierarchies with less than 32 levels.
- ORA-37082: Invalid percent**  
**Cause:** A request was made for advice with an illegal percent value.  
**Action:** Request between 0 and 100 percent precomputation.
- ORA-37083: Invalid object *string***  
**Cause:** A request was made for advice with an illegal object name.  
**Action:** Request using valid object names.
- ORA-37084: Output valueset *string* must match *string*'s dimensionality**  
**Cause:** A request was made for advice for a relation with different dimensionality from the output valueset.

---

**Action:** Request using objects that have the same dimensionality.

**ORA-37086: *string* is not a valueset**

**Cause:** An operation was attempted that supports only valuesets as precompute expressions in an aggmap, yet a different kind of precompute expression was used.

**Action:** Replace this limit expression with an equivalent valueset and retry the operation. General precompute expressions are deprecated.

**ORA-37100: (XSUNCOMMITTED) You have one or more updated but uncommitted analytic workspaces.**

**Cause:** The user has attempted to shut down OLAP, but they have active analytic workspaces whose changes have not been saved.

**Action:** Issue the commit command. ---- 37101 - 37110 are reserved for partitioned variables ----

**ORA-37101: (XSVPART01) Partitioning information can only be given for variables dimensioned by a PARTITION TEMPLATE.**

**Cause:** User attempted to define or reference an AW object with the "all internal" phrase or internal / external partition list, but the object was not a variable, was not dimensioned by a partition template, or was an already existing target of an external partition.

**Action:** Eliminate phrases specific to partitioned variables from the definition string, or dimension the variable by a partition template.

**ORA-37102: (XSVPART02) Invalid partition name *string*.**

**Cause:** The user gave an invalid partition name. When defining a partitioned variable, this message indicates that the partition name does not exist in the partition template. In any other context, it indicates that the partitioned variable or partition template does not have a partition with the given name.

**Action:** Supply a valid partition name.

**ORA-37103: (XSVPART03) The dimensionality or datatype of *workspace object* does not match the dimensionality or datatype of the partition.**

**Cause:** User attempted to define a partitioned variable with an external partition, but the target of the external partition had incorrect dimensionality or datatype.

**Action:** Pick a different target variable. The target variable must be dimensioned by exactly the same dimensions, composites, and partition templates, in the same order, as are specified in the partition template, and must have the exact same datatype (including width, precision, and scale) as the partitioned variable itself.

**ORA-37104: (XSVPART04) A partitioned variable must be dimensioned by a single partition template only.**

**Cause:** User attempted to define a partitioned variable with more than one partition templates, or a partition template and one or more other dimensions, in the dimension list.

**Action:** Use only a partition template in the dimension list of the variable. All dimensions of the variable must be included in the definition of the partition template.

**ORA-37105: (XSVPART05) Only variables dimensioned by a CONCAT PARTITION TEMPLATE can have *string* partitions.**

---

**Cause:** User attempted to create an external partition on a partitioned variable, but the variable was dimensioned by a RANGE or LIST partition template.

**Action:** Declare the partition INTERNAL instead of EXTERNAL, or use a CONCAT partition template in place of the RANGE or LIST partition template.

**ORA-37106: (XSVPART06) Invalid partition name *number*.**

**Cause:** The user gave an invalid partition name.

**Action:** Supply a valid partition name.

**ORA-37107: (XSVPART07) Attempt to write to non-existent partition of *workspace object*.**

**Cause:** Some action attempted to write data to a partitioned variable, but the variable didn't have a partition for that data. This can result from a partition template that does not assign all possible dimension values to some subcube, or from a partitioned variable that does not have a partition for one of the partitions defined by the partition template.

**Action:** Make sure that the cell being written is assigned to some partition by the partition template, and that the variable has an actual partition associated with the partition of the template. Use the CHGDFN template DEFINE... command to define new partitions within the template, and the CHGDFN variable ADD... command to add new partitions to the variable. Alternatively, the PARTWRITEERR can be set to false, in which case data being written to a non-existent partition will be silently discarded.

**ORA-37108: (XSVPART08) *workspace object* has an AGGCOUNT, but *workspace object* does not.**

**Cause:** An attempt was made to add a partition to a partitioned variable. Either the partition was defined WITH AGGCOUNT and the partitioned variable was not, or the partitioned variable was defined WITH AGGCOUNT and the partition was not.

**Action:** Use CHGDFN ADD AGGCOUNT or CHGDFN DROP AGGCOUNT to either add or remove an AGGCOUNT from either the partition or the partitioned variable.

**ORA-37109: (XSVPART09) Partition *workspace object* and its parent variable *workspace object* cannot both be specified.**

**Cause:** Partition and its parent partition were operated upon together.

**Action:** Remove the partition from the object list.

**ORA-37111: Unable to load the OLAP API sharable library: (*string*)**

**Cause:** This happens if: (1) the OLAP API sharable library is missing. (2) a sharable library upon which the OLAP API sharable library depends is missing. (3) the OLAP API sharable library is the wrong version.

**Action:** Ensure that Oracle is properly installed with the OLAP option. If the RDBMS has been patched, review the patch log for errors. If the problem persists, report it to Oracle Customer Support.

**ORA-37112: OLAP API requires Oracle 9.2 or later**

**Cause:** The version of the OLAP API jar files that you used requires Oracle version 9.2 or later.

**Action:** Ensure that the URL with which the JDBC connection was opened is correct. If the RDBMS instance is running in compatibility mode for a version

---

older than 9.2, it must be upgraded to at least 9.2.0.0.0 to be used with this version of the OLAP API.

**ORA-37113: OLAP API initialization error: (string)**

**Cause:** OLAP API initialization failed.

**Action:** Ensure that Oracle is properly installed with the OLAP option. If the RDBMS has been patched, review the patch log for errors. If the problem persists, report it to Oracle Customer Support.

**ORA-37114: OLAP API bootstrap error: (string)**

**Cause:** OLAP API bootstrapping failed.

**Action:** Ensure that Oracle is properly installed with the OLAP option. If the RDBMS has been patched, review the patch log for errors. If the problem persists, report it to Oracle Customer Support.

**ORA-37115: New OLAP API history is not allowed**

**Cause:** If there are active OLAP API sessions, it is not allowed to start a new OLAP API history by setting `_olapi_history_retention` parameter to true.

**Action:** Wait until all active OLAP API sessions terminate before resetting `_olapi_history_retention` parameter to true.

**ORA-37116: OLAP API table function error: (string)**

**Cause:** OLAP API table function failed.

**Action:** Ensure that Oracle is properly installed with the OLAP option. If the RDBMS has been patched, review the patch log for errors. If the problem persists, report it to Oracle Customer Support.

**ORA-37117: olapi history retention has been disabled**

**Cause:** Under certain circumstances, for example, when the database is read only, olapi history retention is not possible because it requires updating persistent tables from time to time. If olapi history retention has been disabled, setting `_olapi_history_retention` parameter to true has no effect.

**Action:** Ensure that Oracle is properly installed with the OLAP option. If the RDBMS has been patched, review the patch log for errors. If the problem persists, report it to Oracle Customer Support.

**ORA-37118: The OLAP API library was not preloaded.**

**Cause:** In shared-server mode, the OLAP API library should be loaded during process initialization to ensure that the C++ virtual table addresses are identical in all shared-server processes. The OLAP API session was executing in a process in which the library had not been loaded.

**Action:** Set option `_XSOLAPI_LOAD_AT_PROCESS_START` to `SHARED_SERVER` or `ALWAYS`, restart the instance, and try again.

**ORA-37119: Incompatible OLAP API library load address**

**Cause:** The OLAP API session was executing in a process in which the OLAP API sharable library was loaded which was at a different address than the process in which the OLAP API session originated.

**Action:** Set option `_XSOLAPI_LOAD_AT_PROCESS_START` to `ALWAYS`, restart the instance, and try again.

**ORA-37120: expression string is null**

**Cause:** expression parser received a null string for syntax analysis.

---

**Action:** Prepare a non-null and well-formed MDX query string and try again.

**ORA-37121: AW Spreadsheet invalidated**

**Cause:** While this cursor was open, a command was issued that changed the underlying data to become inconsistent.

**Action:** Perform the query again, avoid performing dimension maintenance and cache clears during spreadsheet processing.

**ORA-37122: AW Session cache disabled**

**Cause:** A SQL Spreadsheet was attempted while the AW Session cache was disabled.

**Action:** Enable the session cache and perform the query again.

**ORA-37123: (XSCCOMP17) Can not AGGREGATE *workspace object*(partition number) because it depends on unaggregated compressed partition number.**

**Cause:** attempted to use a feature not supported by CC"s in the current AW format

**Action:** Remove the unsupported feature from the aggmap, or upgrade the AW

**ORA-37124: (XSCCOMP16) COMPRESSED COMPOSITES with *string* are not supported in analytic workspace *string* because it has not been upgraded to version *string*.**

**Cause:** attempted to use a feature not supported by CC"s in the current AW format

**Action:** Remove the unsupported feature from the aggmap, or upgrade the AW

**ORA-37126: (XSCCOMP01) The COMPRESSED COMPOSITE *workspace object* can only be used as a base of a single variable.**

**Cause:** The user attempted to DEFINE a variable dimensioned by a COMPRESSED COMPOSITE, but that COMPRESSED COMPOSITE is already being used by another VARIABLE.

**Action:** Create a second COMPRESSED COMPOSITE for the second VARIABLE or add a measure dimension to the first variable.

**ORA-37127: (XSCCOMP02) The COMPRESSED COMPOSITE *workspace object* must be last in the dimension list.**

**Cause:** The user attempted to DEFINE a variable dimensioned by a COMPRESSED COMPOSITE, but gave a slower varying dimension in the dimension list.

**Action:** Put the COMPRESSED COMPOSITE last in the dimension list when defining the VARIABLE.

**ORA-37128: (XSCCOMP20) The partition template *workspace object* has already used the COMPRESSED COMPOSITE *workspace object*.**

**Cause:** The COMPRESSED COMPOSITE specified for either a variable or partition template is already in use in another partition template.

**Action:** Define a different COMPRESSED COMPOSITE.

**ORA-37129: (XSCCOMP04) Cannot aggregate over COMPRESSED COMPOSITE *workspace object* using AGGMAP *workspace object*. All static MODEL statements must precede all RELATION statements over the bases of the COMPRESSED COMPOSITE.**

---

**Cause:** The AGGMAP was defined with a MODEL statement after a RELATION statement over a base of the COMPRESSED COMPOSITE.

**Action:** Change the AGGMAP so that the MODEL statements appear before the RELATION statements.

**ORA-37130: (XSCCOMP05) Cannot aggregate over COMPRESSED COMPOSITE workspace object using AGGMAP workspace object because you must specify AGGINDEX OFF when there is a PRECOMPUTE clause on a RELATION over base workspace object.**

**Cause:** A PRECOMPUTE clause was specified in the AGGMAP for a RELATION over a base of a COMPRESSED COMPOSITE, but AGGINDEX was ON

**Action:** Remove the PRECOMPUTE clause from the AGGMAP, or add AGGINDEX OFF

**ORA-37131: (XSCCOMP06) Cannot aggregate over COMPRESSED COMPOSITE workspace object using AGGMAP workspace object because the OPERATOR string is not supported for bases of a COMPRESSED COMPOSITE.**

**Cause:** The user specified an aggregation OPERATOR that is not supported by COMPRESSED COMPOSITES.

**Action:** Use a MODEL for the calculation, or use an uncompressed COMPOSITE.

**ORA-37132: (XSCCOMP07) Incremental aggregation over the dense DIMENSION workspace object is not supported when aggregating a VARIABLE dimensioned by a COMPRESSED COMPOSITE.**

**Cause:** The status of the specified dimension did not include all detail cells.

**Action:** Add all detail cells to the status of the dimension and reissue the AGGREGATE command.

**ORA-37133: (XSCCOMP08) You cannot write into an aggregated VARIABLE dimensioned by a COMPRESSED COMPOSITE. Use the CLEAR AGGREGATES command to reenable write access.**

**Cause:** The user attempted to store a value into to a variable dimensioned by a compressed composite, and the variable had previously been precomputed using the AGGREGATE command. Once the AGGREGATE command is run on a variable dimensioned by a compressed composite, it becomes read-only until the computed values are removed with the CLEAR command.

**Action:** Run the CLEAR AGGREGATES command to remove the computed values from the variable and then rerun the failed operation. Note that CLEAR AGGREGATES will remove all the data computed during the last AGGREGATE command on this variable.

**ORA-37134: (XSCCOMP09) You cannot add new values to workspace object because it includes positions for precomputed aggregate values.**

**Cause:** The user attempted to create a new position in a compressed composite, either directly (using MAINTAIN MERGE or MAINTAIN ADD) or by storing a value into the variable dimensioned by the compressed composite. This is not allowed when the variable has been precomputed using the AGGREGATE command. Once the AGGREGATE command is run on a variable dimensioned by a compressed composite, the compressed composite becomes read-only until the computed values are removed with the CLEAR command.

**Action:** Run the CLEAR AGGREGATES command to remove the computed values from the variable and then rerun the failed operation. Note that CLEAR

---

AGGREGATES will remove all the data computed during the last AGGREGATE command on this variable.

**ORA-37135: (XSCCOMP19) The COMPRESSED COMPOSITE *workspace object* in the current defined partition template should be unique or global.**

**Cause:** The COMPRESSED COMPOSITE was neither unique nor global. Unique means each subpartition should have different COMPRESSED COMPOSITES; Global means all subpartitions should use the same COMPRESSED COMPOSITE if they use any COMPRESSED COMPOSITE.

**Action:** Redefine the partition template.

**ORA-37136: (XSCCOMP11) Cannot ROLLUP dimension *workspace object* which is a base of COMPRESSED COMPOSITE *workspace object*, use AGGREGATE instead.**

**Cause:** The user ran ROLLUP on a variable dimensioned by a COMPRESSED COMPOSITE.

**Action:** Instead of using ROLLUP, generate an aggmap and use AGGREGATE

**ORA-37137: (XSCCOMP12) You cannot CHGDFN *workspace object* because it is a COMPRESSED COMPOSITE.**

**Cause:** The user tried to CHGDFN a compressed composite

**Action:** If the change is desired then delete the old composite and create a new one.

**ORA-37138: (XSCCOMP13) You cannot delete values from *workspace object* because it is an aggregated COMPRESSED COMPOSITE.**

**Cause:** The user tried to MAINTAIN DELETE from an aggregated COMPRESSED COMPOSITE.

**Action:** In order to perform this sort of maintenance the composite must first be cleared. This can be done by running the CLEAR AGGREGATES command on the variable dimensioning the composite. Note that this will remove all data computed during the last AGGREGATE command.

**ORA-37139: (XSCCOMP14) Cannot AGGREGATE *workspace object* using AGGMAP *workspace object* because you can not AGGREGATE a variable dimensioned by a COMPRESSED COMPOSITE using an AGGMAP with a PROTECT clause.**

**Cause:** The user tried to AGGREGATE a variable dimensioned by a COMPRESSED COMPOSITE with an AGGMAP that included a PROTECT clause.

**Action:** Modify the aggmap or create a new aggmap that does not include a PROTECT clause and reaggregate.

**ORA-37140: (XSCCOMP15) Cannot AGGREGATE partitioned variable *workspace object* using AGGMAP *workspace object* because you cannot use the base of a COMPRESSED COMPOSITE as a partition dimension.**

**Cause:** The user tried to run aggregate on a partitioned variable with a partition dimension that is a base of a COMPRESSED COMPOSITE.

**Action:** Repartition the data, drop the partition dimension from the aggmap, or don't use COMPRESSED COMPOSITES.

**ORA-37141: (XSSQLMDQ01) Invalid host variable syntax for MDQUERY procedure.**

---

**Cause:** The schema and analytic workspace name for the MDQUERY cursor declaration were incorrectly specified.

**Action:** Specify the schema and aaname as a host variable name preceded by a colon, or as a text literal string of the form "SCHEMA.AWNAME" or "\*.\*" (quotes optional).

**ORA-37142: (XSSQLMDQ02) Invalid host variable data type for MDQUERY procedure: *string* expected.**

**Cause:** The user specified a host variable that was not of the correct type.

**Action:** Choose a different host variable.

**ORA-37143: (XSSQLMDQ03) *string* is not a valid analytic workspace name.**

**Cause:** The user specified an analytic workspace name not qualified by a schema name, or one or both components of the name exceed the maximum length

**Action:** Specify a schema-qualified analytic workspace name with components no longer than 30 characters long.

**ORA-37144: (MDQUERY01) *string* is not a valid metadata object type for MDQUERY.**

**Cause:** The user specified an unrecognized first argument to MDQUERY

**Action:** Specify a recognized object type (CUBE or DIMENSION)

**ORA-37145: (XSTTS\_PLAT) Cannot transport analytic workspace across platforms.**

**Cause:** The user attempted to transport a tablespace containing an analytic workspace from one platform to another.

**Action:** Use export/import to move an analytic workspace across platforms.

**ORA-37146: (XSCCOMP18) The variable *workspace object* is already dimensioned by the COMPRESSED COMPOSITE *workspace object*.**

**Cause:** An attempt was made to define the partition template dimensioned by the COMPRESSED COMPOSITE which had dimensioned the variable.

**Action:** Define the second COMPRESSED COMPOSITE.

**ORA-37147: (XSCCOMP21) The variable *workspace object* must be in the current operation group of the COMPRESSED COMPOSITE *workspace object*.**

**Cause:** The variable dimensioned by the COMPRESSED COMPOSITE was not in the object list of the current operation group. For AGGREGATE, all variables dimensioned by the same COMPRESSED COMPOSITE also must use the same aggmap

**Action:** Add the variable into the object list of the current operation group.

**ORA-37148: (XSCCOMP22) *workspace object* is an aggregated COMPRESSED COMPOSITE.**

**Cause:** Defined the variable or partition template with the aggregated COMPRESSED COMPOSITE.

**Action:** Clear the COMPRESSED COMPOSITE or use a new COMPRESSED COMPOSITE

**ORA-37149: (XSCCOMP23) Individual partitions of the variable dimensioned by *workspace object* cannot be aggregated separately.**

**Cause:** An attempt was made to aggregate partitions of a variable dimensioned by a global COMPRESSED COMPOSITE partition template.

---

**Action:** Aggregate the partitioned variable dimensioned by the global COMPRESSED COMPOSITE.

**ORA-37150: line *string*, column *string*, *string***

**Cause:** expression syntax error was found in expression query string.

**Action:** Check the error message details and make the corrections.

**ORA-37151: expression parser initialization error**

**Cause:** expression parser initialization failed

**Action:** Please report this to Oracle Support Services.

**ORA-37152: MDX query error: (*string*)**

**Cause:** An exception occurred while MDX query was processed.

**Action:** Check the error message details and try again.

**ORA-37153: unknown exception caught: (case *string*)**

**Cause:** An unknown exception was caught while MDX query was processed.

**Action:** Please report it to Oracle Support Services.

**ORA-37154: OLAP API initialization error: (case *string*)**

**Cause:** OLAP API initialization failed.

**Action:** Ensure that Oracle is properly installed with the OLAP option. If the RDBMS has been patched, review the patch log for errors. If the problem persists, report it to Oracle Support Services.

**ORA-37155: OLAP API bootstrap error: (case *string*)**

**Cause:** OLAP API bootstrapping failed.

**Action:** Ensure that Oracle is properly installed with the OLAP option. If the RDBMS has been patched, review the patch log for errors. If the problem persists, report it to Oracle Support Services.

**ORA-37156: (*string*)**

**Cause:** unknown

**Action:** Check the error message details.

**ORA-37157: expression syntax error was found in expression string but error text was missing**

**Cause:** This happened because the message file was missing.

**Action:** Make sure that the message file xsous.msb is located in \$ORACLE\_HOME/olap/mesg and rerun your expression query.

**ORA-37158: Bad clob or varray IN-args: (case *string*)**

**Cause:** When in clob or varray mode, the PL/SQL mappings of OLAP API's IDL interface methods were executed blindly with null clob/varray or non-null clob/varray containing garbages.

**Action:** Do not blindly execute them as doing so does not make sense unless you understand how OLAP API works internally.

**ORA-37159: C++ virtual table addresses become invalid due to session migration in shared server mode.**

---

**Cause:** Exec-shield is the primary reason that caused this error in shared server mode. When exec-shield is turned on, there is no way to ensure that the C++ virtual table addresses are identical in all shared-server processes.

**Action:** Set option `_XSOLAPI_FIX_VPTRS` to TRUE, restart the instance, and try again.

**ORA-37160: OLAP object does not exist**

**Cause:** The specified OLAP object did not exist.

**Action:** Use an existing OLAP object instead.

**ORA-37161: invalid privilege specified for OLAP object**

**Cause:** An attempt was made to grant or revoke an invalid privilege on an OLAP object.

**Action:** Specify a valid privilege.

**ORA-37162: OLAP error**

**Cause:** An exception was raised by OLAP code.

**Action:** Check error messages and correct any reported problems.

**ORA-37171: dimension sources not specified**

**Cause:** The user passed an empty or null collection to `DBMS_AW.ADVISE_SPARSITY`

**Action:** Specify a valid set of dimension sources

**ORA-37172: illegal dimension type**

**Cause:** The user specified an invalid member of the `DIMTYPE` field in the dimension sources argument

**Action:** Specify one of the valid enumerated values in `DBMS_AW`

**ORA-37173: null dimension source data**

**Cause:** The user specified NULL for one of the members of the dimension sources argument

**Action:** Specify a value

**ORA-37174: source SQL must be a SELECT statement**

**Cause:** The user specified an INSERT, UPDATE, DELETE or other type of SQL statement

**Action:** Specify a SQL SELECT statement instead

**ORA-37175: column *string* is not a column of source data**

**Cause:** A dimension column was specified which did not exist in the input data

**Action:** Specify one of the columns of the input data

**ORA-37176: argument *string* is not valid for the sparsity advisor**

**Cause:** An invalid argument was passed to the advisor

**Action:** Specify a TABLE, VIEW or SELECT statement instead

**ORA-37177: column *string* does not have any leaf values**

**Cause:** The specified dimension column or fact table did not contain any leaf values

**Action:** Populate the source data

---

**ORA-37178: column *string* has no values**

**Cause:** The specified dimension column did not contain any values

**Action:** Populate the source data

**ORA-37179: expected at least one column for dimension *string*, got *string***

**Cause:** Not enough columns were specified for the dimension

**Action:** Specify more source columns, or change the dimension to another type

**ORA-37180: expected exactly one column for dimension *string*, got *string***

**Cause:** Expected a single source column for the dimension. Either none or more than one was specified.

**Action:** Specify exactly one column, or change the dimension to another type

**ORA-37181: expected exactly *string* columns for dimension *string*, got *string***

**Cause:** Expected a certain number of source columns for the dimension. Either none or the wrong number of columns was specified.

**Action:** Specify the right number of columns, or change the dimension to another type

**ORA-37182: you may only specify one dimension to partition**

**Cause:** The user passed a DIMENSION\_SOURCE\_T to ADVISE\_SPARSITY which specified partitioning on more than one dimension

**Action:** Remove all but one of the partitioning requests

**ORA-37183: illegal value *string* for PARTBY**

**Cause:** The user passed a value other than PARTBY\_DEFAULT, PARTBY\_NONE or PARTBY\_FORCE to DBMS\_AW.ADVISE\_SPARSITY \*Action: Supply a legal value instead

**Action:** None

**ORA-37184: illegal value *string* for ADVMODE**

**Cause:** The user passed a value other than ADVICE\_DEFAULT, ADVICE\_FAST or ADVICE\_FULL to DBMS\_AW.ADVISE\_SPARSITY \*Action: Supply a legal value instead

**Action:** None

**ORA-37185: length of *string* (*string*) exceeds maximum (*string*)**

**Cause:** The user passed an excessively long value

**Action:** Specify a legal value

**ORA-37186: null child value for parent (*string*) found in parent-child hierarchy**

**Cause:** While reading values for a parent-child hierarchy, a NULL child value was found for a non-NULL parent

**Action:** Correct the source table or SQL to return value parent and child pairs.

**ORA-37187: null parent and child pair found in parent-child hierarchy**

**Cause:** While reading values for a parent-child hierarchy, a row was retrieved which had both null child and parent values.

**Action:** Correct the source table or SQL to return value parent and child pairs.

**ORA-37400: analytic workspace does not exist**

---

**Cause:** The user attempted to create an OLAP MV or Table on an AW that does not exist.

**Action:** Specify a valid AW in the ORGANIZATION CUBE clause

**ORA-37401: you may not perform this operation on a system analytic workspace**

**Cause:** The user attempted to create a CUBE MV or Table on a system-created AW.

**Action:** Specify a valid AW in the ORGANIZATION CUBE clause

**ORA-37402: analytic workspace object does not exist**

**Cause:** The user attempted to create a CUBE MV or Table mapping to an object that does not exist in the AW.

**Action:** Specify a valid AW object name in the ORGANIZATION CUBE clause.

**ORA-37403: invalid analytic workspace object type**

**Cause:** The user attempted to create a CUBE MV or Table mapping to an object that is not the correct type.

**Action:** Specify a valid AW object name in the ORGANIZATION CUBE clause.

**ORA-37404: Create table as select disallowed for CUBE ORGANIZED tables**

**Cause:** User attempted to create a CUBE ORGANIZED table by doing a create table as select.

**Action:** Do a create table followed by an insert as select

**ORA-37405: unknown ORGANIZATION CUBE keyword**

**Cause:** An unknown keyword was encountered while parsing the ORGANIZATION CUBE clause

**Action:** Correct the ORGANIZATION CUBE syntax

**ORA-37406: invalid option for a CUBE ORGANIZED table**

**Cause:** An attempt to specify one or more options for a CUBE ORGANIZED table such as: [NO]CACHE, NO LOGGING, CLUSTER, (NO)COMPRESS

**Action:** Remove the illegal option(s)

**ORA-37407: invalid column type for a CUBE ORGANIZED table**

**Cause:** A illegal column type is specified in a CUBE ORGANIZED table.

**Action:** Do not use column types such as LONG, LOB

**ORA-37408: Truncate table disallowed for CUBE ORGANIZED tables**

**Cause:** User attempted to perform a TRUNCATE operation on a CUBE ORGANIZED table

**Action:** Remove data with DELETE or drop the table and recreate it

**ORA-37409: cannot delete or truncate AW used by CUBE ORGANIZED table**

**Cause:** User attempted to delete or truncate an AW which currently has a CUBE ORGANIZED table or MV defined over it

**Action:** Drop the corresponding table or MV before deleting the AW

**ORA-37410: cannot delete or modify AW object referenced by CUBE ORGANIZED table**

**Cause:** User attempted to delete, chgdfn, or otherwise modify an object referenced by a CUBE ORGANIZED table or MV

---

**Action:** Drop the corresponding table or MV before manipulating the object

**ORA-37411: invalid object type**

**Cause:** User referenced an invalid object type

**Action:** Use an appropriate object

**ORA-37412: column not mapped by ORGANIZATION CUBE clause**

**Cause:** Not all columns in the table or MV definition were mapped in the ORGANIZATION CUBE clause

**Action:** Make sure that all columns are mapped

**ORA-37413: column referenced multiple times in ORGANIZATION CUBE clause**

**Cause:** The same column name was referenced multiple times inside of the ORGANIZATION CUBE clause

**Action:** Supply unique mappings for each column

**ORA-37414: dimension without mapping or hierarchy in ORGANIZATION CUBE clause**

**Cause:** A dimension was listed in the ORGANIZATION CUBE clause but no mapping information was supplied

**Action:** Provide either a column mapping or hierarchy for the dimension

**ORA-37415: AW schema must match TABLE or MATERIALIZED VIEW schema**

**Cause:** An ORGANIZATION CUBE table or MV on top of an existing AW must be created in the same schema as the AW

**Action:** Create the new object in the same schema as the AW

**ORA-37416: multiple GROUPING IDs found for ORGANIZATION CUBE**

**Cause:** Multiple GROUPING IDs for the ORGANIZATION CUBE TABLE or MATERIALIZED VIEW

**Action:** Remove the duplicates

**ORA-37417: variable does not have an AGGCOUNT**

**Cause:** A COUNT clause was specified in the ORGANIZATION CUBE description for a variable that does not have an AGGCOUNT

**Action:** chgdfn the variable to include an AGGCOUNT

**ORA-37418: detail query cannot be derived**

**Cause:** If an ORGANIZATION CUBE MV is to automatically derive its loading clause, then its definition query cannot contain set operators (eg UNION ALL), a HAVING clause, START WITH or a SQL MODEL clause. The definition query contains these or other unsupported syntax.

**Action:** Use an explicit ORGANIZATION CUBE clause, or simplify the defining query.

**ORA-37419: ORGANIZATION CUBE clause not allowed in explain mvview**

**Cause:** User tries to explain mvview on a CREATE MATERIALIZED VIEW statement that contains a ORGANIZATION CUBE clause.

**Action:** Remove the ORGANIZATION CUBE clause from the CREATE MATERIALIZED MATERIALIZED VIEW statement.

**ORA-37420: unsupported feature with CUBE ORGANIZED materialized view**

---

**Cause:** User attempts operations such as creating a mv log on an CUBE ORGANIZED MATERIALIZED VIEW.

**Action:** Do not do that.

**ORA-37521: (HASHSCAN00) Dimension *string* contains duplicate values. Please contact Oracle OLAP Technical Support.**

**Cause:** The named dimension contains duplicate values.

**Action:** Contact Technical Support for instructions.

**ORA-37522: (HASHSCAN01) You must specify the name of an existing TEXT or NTEXT dimension.**

**Cause:** the \_HASHSCAN program was invoked with an invalid argument

**Action:** Provide a text expression yielding the name of an existing TEXT dimension

**ORA-37527: (XSCHGDFN01) SESSION values of dimension *string* are being automatically deleted.**

**Cause:** When using CHGDFN to rebuild the hash index of a TEXT or NTEXT dimension, SESSION values were encountered.

**Action:** Recreate the SESSION values after the CHGDFN command completes. Information about the deleted values has been written to the trace file.

**ORA-37530: (XSCCLOAD01) When aggregating between compressed partitions the base dimensions of *workspace object* did not match the base dimensions of *workspace object*.**

**Cause:** When aggregating a partitioned variable the dimensionality of any compressed partitions should be identical.

**Action:** Delete the upper partition and redefine it with a composite that matches the lower partition. If it is dependent on multiple partitions with varying sparsity you must first unify the the sparsity of the source partitions.

**ORA-37531: (XSCCLOAD02) When aggregating between compressed partitions the source partitions were aggregated with a different AGGMAP, or the RELATIONS have changed since the source partitions were aggregated.**

**Cause:** When aggregation crosses partition boundaries within a compressed variable the individual partitions must all be aggregated using a similar aggmap over the same unaltered relations.

**Action:** Modify the aggmap for the upper partition to more exactly match the aggmap of the source partitions, or if the aggmap is already similar, re-aggregate the source partitions to pick up any changes to the relations.

**ORA-37600: (XSPGERRPERMDETACH) Ran out of tablespace storage while updating analytic workspace *string***

**Cause:** Ran out of lob segment space.

**Action:** Increase tablespace storage. AW may need to be detached.

**ORA-37601: (XSPGERRTEMP) Ran out of temporary storage while writing to analytic workspace with ID=*number*. Free some temporary storage immediately. You can do so, for example, by DETACHING an analytic workspace.**

**Cause:** Ran out of temporary tablespace storage.

**Action:** Increase the amount of temporary tablespace storage.

---

**ORA-37602: (XSPGERRTEMPUSER) Ran out of temporary storage while writing to analytic workspace *string*. Free some temporary storage immediately. You can do so, for example, by DETACHING an analytic workspace.**

**Cause:** Ran out of temporary tablespace storage.

**Action:** Increase the amount of temporary tablespace storage.

**ORA-37603: (XSPGERRTEMPSYSTEM) Ran out of temporary storage while writing to a system temporary analytic workspace. Free some temporary storage immediately. You can do so, for example, by DETACHING an analytic workspace.**

**Cause:** Ran out of temporary tablespace storage.

**Action:** Increase the amount of temporary tablespace storage.

**ORA-37604: (XSPGERRPQUPD) Parallel updating analytic workspace *string* failed**

**Cause:** Unexpected error occurred to parallel update servers.

**Action:** Check the error underneath and act accordingly. AW may need to be detached.

**ORA-37605: error during OLAP AW UPDATE**

**Cause:** An error occurred during the UPDATE process

**Action:** Refer to the next error in the error stack

**ORA-37999: Serious OLAP error: *string*. Please contact Oracle Technical Support.**

**Cause:** Something unexpected occurred in the OLAP system

**Action:** Contact Oracle technical support

---

---

## ORA-38029 to ORA-39962

**ORA-38029: object statistics are locked**

**Cause:** An attempt was made to modify optimizer statistics of the object.

**Action:** Unlock statistics with the DBMS\_STATS.UNLOCK\_TABLE\_STATS procedure on base table(s). Retry the operation if it is okay to update statistics.

**ORA-38101: Invalid column in the INSERT VALUES Clause: *string***

**Cause:** INSERT VALUES clause refers to the destination table columns

**Action:** None

**ORA-38102: Invalid column in the INSERT WHERE Clause: *string***

**Cause:** INSERT WHERE clause refers to the destination table columns

**Action:** None

**ORA-38103: Invalid column in the UPDATE SET Clause: *string***

**Cause:** UPDATE SET clause refers to the source table columns in the LHS

**Action:** None

**ORA-38104: Columns referenced in the ON Clause cannot be updated: *string***

**Cause:** LHS of UPDATE SET contains the columns referenced in the ON Clause

**Action:** None

**ORA-38105: Delete not yet supported when Update row-migration is possible**

**Cause:** When Update Row-Migration is possible, Delete in MERGE is not yet supported

**Action:** None

**ORA-38131: specified SQL handle *string* does not exist**

**Cause:** The specified SQL handle did not exist in the repository.

**Action:** Specify correct SQL handle.

**ORA-38132: specified SQL ID *string* does not exist**

**Cause:** The SQL statement for SQL ID did not exist in the cursor cache.

**Action:** Specify correct SQL ID.

**ORA-38133: invalid parameter name *string* specified**

**Cause:** An invalid parameter name was specified.

**Action:** Verify the name of the parameter.

**ORA-38134: invalid parameter value *string* specified**

---

**Cause:** An invalid parameter value was specified.

**Action:** Verify the parameter value.

**ORA-38135: invalid fixed status value specified**

**Cause:** Specified fixed status value was neither YES or NO.

**Action:** Specify either "YES" or "NO".

**ORA-38136: invalid attribute name *string* specified**

**Cause:** An invalid attribute name was specified.

**Action:** Verify the name of the attribute.

**ORA-38137: invalid attribute value *string* specified**

**Cause:** An invalid attribute value was specified.

**Action:** Verify the attribute value.

**ORA-38138: plan name is missing or NULL**

**Cause:** A valid plan name was not specified.

**Action:** Specify a valid plan name.

**ORA-38139: concurrent DDL Error in load plans operation**

**Cause:** A concurrent DDL operation was performed during a load plans operation.

**Action:** Try operation again.

**ORA-38140: no SQL plan baselines were found**

**Cause:** No SQL plan baselines were found during pack or unpack operation.

**Action:** Specify correct selection criterion.

**ORA-38141: SQL plan baseline *string* does not exist**

**Cause:** A SQL plan baseline name was specified that did not exist.

**Action:** Verify the name of the SQL plan baseline.

**ORA-38142: SQL plan baseline named *string* already exists**

**Cause:** A SQL plan baseline already exists with the name specified.

**Action:** Specify a different name or drop the existing SQL plan baseline.

**ORA-38143: invalid enabled status value specified**

**Cause:** Specified enabled status value was neither YES or NO.

**Action:** Specify either "YES" or "NO".

**ORA-38144: specified plan name *string* does not exist**

**Cause:** The specified plan name did not exist in the repository.

**Action:** Specify correct plan name.

**ORA-38145: neither SQL handle nor plan name specified**

**Cause:** The SQL handle or plan name was not specified. The SQL handle or plan name is required.

**Action:** Specify either SQL handle or plan name or both.

**ORA-38146: invalid verify value specified**

**Cause:** Specified verify value was neither YES or NO.

---

**Action:** Specify either "YES" or "NO".

**ORA-38147: invalid commit value specified**

**Cause:** Specified commit value was neither YES or NO.

**Action:** Specify either "YES" or "NO".

**ORA-38148: invalid time limit specified**

**Cause:** Specified time limit value was not a positive integer.

**Action:** Specify a positive integer value.

**ORA-38171: Insufficient privileges for SQL management object operation**

**Cause:** A DDL operation was attempted on a SQL management object by a session without the proper privileges.

**Action:** Grant the appropriate privilege.

**ORA-38172: No SQL management object satisfies specified filters**

**Cause:** An attempt was made to perform an operation by specifying filters that did not target any SQL management objects.

**Action:** Try different filters.

**ORA-38301: can not perform DDL/DML over objects in Recycle Bin**

**Cause:** Tried to perform DDL or DML operation on Recycle Bin object.

**Action:** DDL or DML operations are not permitted on Recycle Bin objects.

**ORA-38302: invalid PURGE option**

**Cause:** Invalid purge option specified.

**Action:** Specify a valid purge option.

**ORA-38303: invalid option for PURGE TABLESPACE**

**Cause:** Either a token other than USER was found following the tablespace name or some text was found following USER <user name>.

**Action:** Place nothing or only USER <user name> after the tablespace name

**ORA-38304: missing or invalid user name**

**Cause:** A valid user name was expected.

**Action:** Specify a valid user name.

**ORA-38305: object not in RECYCLE BIN**

**Cause:** Trying to Flashback Drop an object which is not in RecycleBin.

**Action:** Only the objects in RecycleBin can be Flashback Dropped.

**ORA-38306: this object is not recoverable standalone**

**Cause:** Trying to flashback drop an object other than of type TABLE.

**Action:** Only tables are recoverable.

**ORA-38307: object not in RECYCLE BIN**

**Cause:** Trying to Purge the object which is not in RecycleBin.

**Action:** Only the objects in RecycleBin can be PURGEDED.

**ORA-38308: invalid FLASHBACK DROP option**

**Cause:** Invalid Flashback Drop option specified.

---

**Action:** Specify a valid Flashback Drop option.

**ORA-38309: object not purgable**

**Cause:** An attempt was made to purge an object that is either not purgable or else dependent upon some other object.

**Action:** Cannot purge this object.

**ORA-38310: cannot purge tablespace for other users**

**Cause:** An attempt was made to purge the tablespace for a different user by a user who does not have system DBA privileges.

**Action:** Cannot purge the tablespace for some other user.

**ORA-38311: cannot purge objects owned by other users**

**Cause:** An attempt was made to purge an object which is owned by some other user.

**Action:** Cannot purge this object.

**ORA-38312: original name is used by an existing object**

**Cause:** An attempt was made to recover an object preserving the original name, but that name is taken up by some other object.

**Action:** use the RENAME clause to recover the object with a different name.

**ORA-38401: synonym *string* not allowed**

**Cause:** An attempt was made to use a synonym for a data type of an attribute or a table alias.

**Action:** Use the object name instead of the synonym.

**ORA-38402: invalid name: empty string or spaces in the name**

**Cause:** There were spaces in the name.

**Action:** Remove spaces in the name or use quotes around the name.

**ORA-38403: attribute set name may not be longer than 22 characters**

**Cause:** The attribute set name was longer than 22 characters.

**Action:** Choose a name that has 22 or fewer characters.

**ORA-38404: schema extension not allowed for the attribute set name**

**Cause:** There was a schema extension for the attribute set name. Attribute sets are always created in the current schema and thus schema extended names are not allowed.

**Action:** Create the attribute set from the appropriate schema.

**ORA-38405: quotes not allowed in the attribute set name**

**Cause:** The attribute set name contained quotes.

**Action:** Remove quotes in the attribute set name.

**ORA-38406: attribute set *string* already exists**

**Cause:** An attribute set with a matching name already exists in the current schema.

**Action:** Drop the existing attribute set or choose a different name.

**ORA-38407: The ADT associated with the attribute set already exists.**

---

**Cause:** The Abstract type (ADT) with the same name as the attribute set already exists in the current schema.

**Action:** Create the attribute set for the existing ADT or drop the ADT.

**ORA-38408: The ADT "*string*" does not exist in the current schema.**

**Cause:** An attempt was made to create the attribute set from a nonexistent ADT.

**Action:** Make sure that the ADT with the same name as the attribute set exists in the current schema.

**ORA-38409: invalid name or option for the attribute set: *string***

**Cause:** An invalid name or option was used for the attribute set.

**Action:** Set serveroutput ON and repeat the operation for additional information.

**ORA-38410: schema extension not allowed for the table name**

**Cause:** An attempt was made to use a schema extended name for the table storing expressions.

**Action:** The table storing expressions and the corresponding attribute set should be created in the same schema.

**ORA-38411: invalid datatype for the column storing expressions**

**Cause:** An attempt was made to create an expression column from a column of invalid datatype.

**Action:** Create a VARCHAR2 or CHAR column to store expressions in a table.

**ORA-38412: Expression set column *string* does not exist.**

**Cause:** The column storing expressions does not exist.

**Action:** Pass a valid name for the column storing expressions.

**ORA-38413: elementary attribute name may not be longer than 32 characters**

**Cause:** An attempt was made to create an elementary attribute with a name longer than 32 characters.

**Action:** Use a shorter name for the elementary attribute.

**ORA-38414: invalid datatype for the attribute *string***

**Cause:** The datatype specified for the attribute was invalid.

**Action:** If the datatype is an ADT, make sure that the ADT exists and the current user has execute permissions to it.

**ORA-38415: invalid name or datatype for the attribute: *string***

**Cause:** An invalid name or datatype was used for the attribute.

**Action:** Set serveroutput ON and repeat the operation for additional information.

**ORA-38416: A stored attribute may not be longer than 300 characters.**

**Cause:** An attempt was made to create a stored or indexed attribute longer than 300 characters.

**Action:** A predicate with such attribute may not be indexed. It will be evaluated as sparse predicate.

**ORA-38417: attribute set *string* does not exist**

**Cause:** An attempt was made to use an attribute set that does not exist.

**Action:** Create the attribute set or choose an existing attribute set.

---

**ORA-38418: ADT associated with the attribute set *string* does not exist**

**Cause:** The ADT with the same name as the attribute set was not found in the current schema.

**Action:** Drop the attribute set and recreate it.

**ORA-38419: invalid identifier in attribute : *string***

**Cause:** An identifier used in the stored/indexed attribute sub-expression was not defined or was invalid.

**Action:** Create all the required elementary attributes and user-defined functions and try again.

**ORA-38420: invalid stored attribute sub-expression: *string***

**Cause:** The sub-expression used for the stored expression was invalid.

**Action:** Set serveroutput ON and repeat the operation for additional information.

**ORA-38421: attribute *string* already exists**

**Cause:** An attribute with a matching name (or form) already exists in the attribute set.

**Action:** Drop the existing attribute or choose a different name for the new attribute.

**ORA-38422: invalid datatype for the attribute: *string***

**Cause:** An attempt was made to create an attribute with invalid datatype.

**Action:** If the data type of the attribute is an ADT, make sure that the type exists.

**ORA-38423: Attribute set created from an ADT may not be extended.**

**Cause:** An attempt was made to add an elementary attribute to an attribute set created from an ADT.

**Action:** Create a new attribute set and add all the required elementary attributes one at a time.

**ORA-38424: no attribute set currently assigned to the expression set**

**Cause:** An attempt was made to un-assign an attribute set from an expression set when there is no attribute set assigned to it.

**Action:** No action is required.

**ORA-38425: attribute set used for an index object may not be unassigned**

**Cause:** An attempt was made to un-assign an attribute set from an expression set when there is an Expression Filter index defined on the column.

**Action:** Drop the index before un-assigning the attribute set.

**ORA-38426: attribute set assigned to an expression set may not be dropped**

**Cause:** An attempt was made to drop an attribute set when it is still associated with an expression set.

**Action:** Un-assign the attribute set from the expression set before dropping it.

**ORA-38427: attribute *string* does not exist**

**Cause:** An attempt was made to use an attribute set that does not exist.

**Action:** Create the attribute set.

**ORA-38428: too many attributes selected for indexing**

---

**Cause:** An attempt was made to create an expression filter index with more than 490 indexed attributes.

**Action:** Remove some of the indexed attributes. Make sure that the default indexed attributes associated with the attribute set combined with the indexed attributes specified in the Create Index Parameters clause are less than or equal to 490.

**ORA-38429: invalid datatype for a stored attribute: *string***

**Cause:** The (resulting) datatype for the attribute was not appropriate for storing.

**Action:** Choose a stored attribute that has a resulting datatype of NUMBER, VARCHAR2, CHAR or DATE.

**ORA-38430: Operation "*string*" not supported in the current release.**

**Cause:** An attempt was made to perform an unsupported operation.

**Action:** Do not use the operation.

**ORA-38431: could not evaluate subexpression "*string*" for rowid "*string*"**

**Cause:** Either the expression was not a valid SQL-WHERE clause format or it had references to nonexistent schema objects.

**Action:** Correct the expression.

**ORA-38432: EVALUATE operator only allowed on an expression column**

**Cause:** An attempt was made to use the EVALUATE operator on a column not configured as a column storing expressions.

**Action:** Assign an attribute set to the column.

**ORA-38433: index "*string*" could not be maintained due to "*string*"**

**Cause:** The error was caused by the recursive operation.

**Action:** Fix the error and retry.

**ORA-38434: could not evaluate expression "*string*"**

**Cause:** Either the expression was not in a valid SQL-WHERE clause format or it had references to nonexistent schema objects or there is a missing attribute value.

**Action:** Set serveroutput ON for more details.

**ORA-38435: missing elementary attribute value or invalid name-value pairs**

**Cause:** The second argument to the EVALUATE operator had either a missing attribute or an invalid value for an attribute.

**Action:** Try again after fixing the error.

**ORA-38436: attribute set used for an Expression set may not be modified.**

**Cause:** An attempt was made to add an elementary attribute to an attribute set assigned to an expression set.

**Action:** Un-assign the attribute set and try again.

**ORA-38437: The ADT "*string*" may not contain any user methods.**

**Cause:** An attempt was made to create an attribute set from an ADT that has one or more user methods.

**Action:** Drop the ADT and recreate it with no user methods.

**ORA-38438: getVarchar not possible due to "*string*" datatype in the attribute set**

---

**Cause:** An attempt was made to use the getVarchar API when the attribute set has one or more non-scalar types.

**Action:** Use AnyData conversion to encode the data item.

**ORA-38439: invalid operation "string"**

**Cause:** An attempt was made to use an invalid operation.

**Action:** Use one of the following operations : ADD, DROP

**ORA-38440: attribute set *string* does not exist**

**Cause:** An attempt was made to copy an attribute set that is not accessible from the current schema.

**Action:** Grant execute permissions on the corresponding ADT to the current user and try again.

**ORA-38441: System could not derive the list of STORED and INDEXED attributes.**

**Cause:** The attribute set was created without default index parameters.

**Action:** Specify the default index parameters for the attribute set or include a valid PARAMETERS clause for the CREATE INDEX command.

**ORA-38442: The ADT "string" is not in a valid state.**

**Cause:** An attempt was made to use an ADT that is not in a valid state.

**Action:** Check the INCOMPLETE field in the user\_types catalog view to make sure that the ADT is in a valid state. Drop the invalid ADT and recreate the corresponding attribute set.

**ORA-38443: An attribute set should be assigned to the expression set for statistics collection.**

**Cause:** An attempt was made to collect statistics for an expression set with no attribute set assigned to it.

**Action:** Assign an attribute set to the expression set before collecting the statistics.

**ORA-38444: statistics do not exist for the expression set**

**Cause:** An attempt was made to clear the statistics that do not exist.

**Action:** No action was required.

**ORA-38445: TOP clause not allowed with no statistics**

**Cause:** An attempt was made to use the TOP parameters clause with no statistics available for the expression set.

**Action:** Collect statistics for the expression set and try again.

**ORA-38446: Error with embedded ADT "string" in the attribute set.**

**Cause:** The embedded ADT has errors.

**Action:** Set serveroutput ON for additional information.

**ORA-38447: Type required for the embedded ADT attribute "string" is missing**

**Cause:** Object type required for the embedded ADT was missing.

**Action:** Set serveroutput ON for additional information.

**ORA-38448: Indexing predicates with "string" operator is not supported.**

**Cause:** An unsupported operator was used in the exf\$indexoper array.

**Action:** Choose the operators from this list : =, <, >, <=, >=, !=, is null, is not null, nvl, and between.

---

**ORA-38449: table "*string*" does not exist or is not accessible**

**Cause:** An attempt was made to create a table alias for a table that does not exist or is not accessible.

**Action:** Grant select privileges on the table to the current user.

**ORA-38450: error computing a stored attribute for the expression set.**

**Cause:** Either values for one of the attributes was incorrect or a stored attribute was invalid due to broken dependencies.

**Action:** Correct the input.

**ORA-38451: index is in an inconsistent state**

**Cause:** One or more secondary objects used to maintain the index did not exist

**Action:** Drop the index and recreate it.

**ORA-38452: Expression Filter index name may not be longer than 25 characters**

**Cause:** An attempt was made to use a name longer than 25 characters for the Expression Filter index.

**Action:** Choose a name that has 25 or fewer characters

**ORA-38453: ExpFilter index should be created in the same schema as the base table.**

**Cause:** An attempt was made to create the Expression Filter index in a schema other than that of the base table.

**Action:** Create the index in the same schema as the base table.

**ORA-38454: attribute set not defined for the column being indexed**

**Cause:** An attempt was made to create an Expression Filter index on a column with no attribute set association.

**Action:** Assign an attribute set to the expression set column being indexed.

**ORA-38455: Expression Filter index should be created by the owner.**

**Cause:** An attempt was made to create the Expression Filter index by a user who is not the owner of the index.

**Action:** Create the index using owner's privileges.

**ORA-38456: The attribute set "*string*" is in an inconsistent state.**

**Cause:** The attribute set was in an inconsistent state due to broken dependencies.

**Action:** Set serveroutput ON for more details. The attribute set may not be reused after this error.

**ORA-38457: The attribute "*string*" is not a valid XMLType attribute.**

**Cause:** An attempt was made to use a non-XMLType attribute to configure XPath filtering.

**Action:** Use an attribute of sys.XMLType datatype to configure XPath filtering.

**ORA-38458: invalid operation "*string*" for XPATH\_FILTER\_PARAMETERS**

**Cause:** An attempt was made to use an invalid operation.

**Action:** Use one of the following operations : ADD, DROP.

**ORA-38459: XML Tag "*string*" not found for the XMLType attribute "*string*"**

**Cause:** An Attempt was made to use a non-existent XML Tag.

**Action:** Correct the name of the XML Tag or the XMLType attribute.

- 
- ORA-38460: filtering based on datatype "*string*" not supported for XML Tags**  
**Cause:** An attempt was made to configure XPath filtering with an XML Tag of unsupported datatype.  
**Action:** Leave the XML Tag out of filter parameters. It will be processed as sparse predicate
- ORA-38461: XML Tag "*string*" already exists for the XMLType attribute "*string*"**  
**Cause:** An attempt was made to create a duplicate XML Tag.  
**Action:** Choose a different XML Tag.
- ORA-38462: invalid attribute list**  
**Cause:** The input was missing an attribute list or had null values for the attribute names.  
**Action:** Correct the input.
- ORA-38463: invalid XML Tag list**  
**Cause:** The input was missing a tag list or had null values for the tag names.  
**Action:** Correct the input.
- ORA-38464: expression set is not empty.**  
**Cause:** An attempt was made to assign an attribute set to a non-empty expression set.  
**Action:** Use FORCE = "TRUE" to validate all the existing expressions.
- ORA-38465: failed to create the privilege checking trigger due to: *string***  
**Cause:** Creation of the trigger failed due to the error listed in the message.  
**Action:** Set serveroutput ON for more information.
- ORA-38466: user does not have privileges to CREATE/MODIFY expressions**  
**Cause:** An attempt was made to INSERT or UPDATE a column storing expression without appropriate permissions.  
**Action:** Appropriate privileges on the expression set should be granted by the owner of the expression set.
- ORA-38467: user cannot GRANT/REVOKE privileges to/from himself**  
**Cause:** An attempt was made to GRANT or REVOKE privileges to or from the current user.  
**Action:** The the to\_user or from\_user field should be different from the user performing the operation.
- ORA-38468: column "*string*" is not identified as a column storing expressions.**  
**Cause:** An attempt was made to grant permission on a nonexistent expression set.  
**Action:** Make sure that the table and the column exist and an attribute set is associated with the column.
- ORA-38469: invalid privilege for an expression set: *string***  
**Cause:** An attempt was made to use an invalid privilege.  
**Action:** See documentation for a valid privilege.
- ORA-38470: cannot revoke a privilege that was not granted.**  
**Cause:** An attempt was made to revoke a privilege that had not been granted.

---

**Action:** Check catalog views to see if the user has the privilege.

**ORA-38471: ROWIDs for table aliases cannot be null**

**Cause:** An attempt was made to pass a null value for the table alias attribute in the data item, which is not permitted.

**Action:** Pass a valid rowid value for the table alias.

**ORA-38472: VARCHAR representation of the data item is too long.**

**Cause:** The VARCHAR representation of data item was too long.

**Action:** Use the EVALUATE operator with AnyData argument instead.

**ORA-38473: cannot drop a type used for Expression Filter attribute set**

**Cause:** An attempt was made to drop an ADT that was used to maintain an attribute set for the Expression Filter.

**Action:** Query USER\_EXPFIL\_ATTRIBUTE\_SETS view to see the dependency.

**ORA-38474: attribute set may not have attributes of TABLE COLLECTION type.**

**Cause:** An attempt was made to create an attribute with a TABLE COLLECTION type.

**Action:** Use VARRAYs instead of table collection, if possible.

**ORA-38475: The attribute set and the associated ADT are out of sync.**

**Cause:** The ADT was directly modified by CREATE or ALTER operations.

**Action:** Drop the attribute set and recreate it from scratch.

**ORA-38476: abstract type used for an Attribute set may not be modified.**

**Cause:** An attempt was made to alter a type (ADT) that is used to maintain an attribute set of an Expression set.

**Action:** Do not modify the ADT directly. Use DBMS\_EXPFIL APIs instead.

**ORA-38477: attribute set cannot be derived from an evolved type or a subtype.**

**Cause:** An attempt was made to create an attribute set from an evolved ADT or a subtype.

**Action:** The ADT used for the attribute set cannot be an evolved type or a subtype.

**ORA-38478: creation of system trigger EXPFIL\_DROPOBJ\_MAINT failed**

**Cause:** The creation of the system trigger EXPFIL\_DROPOBJ\_MAINT failed due to missing Expression Filter dictionary tables.

**Action:** Try a clean installation again. If this error is ignored, the Expression Filter dictionary could have some stale entries.

**ORA-38479: creation of system trigger EXPFIL\_RESTRICT\_TYPEEVOLVE failed**

**Cause:** The creation of system trigger EXPFIL\_RESTRICT\_TYPEEVOLVE failed due to missing Expression Filter dictionary tables.

**Action:** Try a clean installation again. If this error is ignored, the user will be able to evolve ADTs associated with the attribute set, thus causing spurious errors.

**ORA-38480: creation of system trigger EXPFIL\_ALTEREXPTAB\_MAINT failed.**

**Cause:** The creation of system trigger EXPFIL\_ALTEREXPTAB\_MAINT failed due to errors in SYS.EXF\$DBMS\_EXPFIL\_SYSPACK package.

---

**Action:** Try a clean installation again. If this error is ignored, a RENAME of the expression table may cause the EVALUATE queries to fail.

**ORA-38481: ADT "*string*" is used for a dependent object.**

**Cause:** An attempt was made to create an attribute set from an ADT which is used by one or more dependent objects.

**Action:** Use a new ADT instead.

**ORA-38482: no elementary attributes defined in the attribute set**

**Cause:** An attempt was made to use an empty attribute set.

**Action:** Create one or more elementary attributes for the attribute set.

**ORA-38483: invalid FUNCTION/PACKAGE/TYPE name: "*string*"**

**Cause:** An attempt was made to use an invalid name format.

**Action:** The function/package/type name should be specified in the following format [owner.]object\_name

**ORA-38484: FUNCTION/PACKAGE/TYPE *string* does not exist**

**Cause:** Attempt was made to use a object that does not exist.

**Action:** Query ALL\_OBJECT view to ensure that the object exists.

**ORA-38485: invalid object type for the user-defined function**

**Cause:** An attempt was made to use an invalid object as a function.

**Action:** Valid object types are FUNCTION / PACKAGE / TYPE

**ORA-38486: FUNCTION/PACKAGE/TYPE already exists for the attribute set**

**Cause:** An attempt was made to add a duplicate function to the list.

**Action:** Use a different object name.

**ORA-38487: FUNCTION/PACKAGE/TYPE "*string*" not allowed in the expression**

**Cause:** An attempt was made to use an un-approved function in the expression.

**Action:** Add the function to the corresponding attribute set

**ORA-38488: attribute set already assigned to the column storing expressions**

**Cause:** An attempt was made to reassign an attribute set to an expression column.

**Action:** Query USER\_EXPFIL\_EXPRESSION\_SETS view to find the attribute set assigned the expression set

**ORA-38489: predicate table creation failed due to: ORA*string***

**Cause:** Predicate table creation failed due to the reported error.

**Action:** Set serveroutput ON for additional information

**ORA-38490: invalid name: quotes do not match**

**Cause:** The quotes in the name did not match.

**Action:** Correct the name to match the quotes.

**ORA-38491: could not evaluate subexpression for rowid "*string*"**

**Cause:** Either the expression was not in a valid SQL-WHERE clause format or it had references to nonexistent schema objects.

**Action:** Correct the expression.

**ORA-38492: invalid ALTER INDEX parameters clause "*string*"**

---

**Cause:** An invalid parameters clause was specified with the ALTER INDEX command.

**Action:** See documentation for a valid list of parameters.

**ORA-38493: feature not enabled : Expression Filter index**

**Cause:** An attempt was made to create an Expression Filter index in Standard Edition.

**Action:** Do not attempt to use this feature.

**ORA-38494: column in the table alias and an attribute have matching names**

**Cause:** One of the attributes in the set has the same name as the name of one of the columns in the table configured for table alias.

**Action:** If possible, use a different name for the attribute.

**ORA-38495: data type for the stored attribute *string* is inconsistent.**

**Cause:** The actual data type for the stored attribute configured for the Expression Filter index object did not match the data type recorded in the Expression Filter dictionary.

**Action:** Delete the attribute from the default index attributes and recreate it.

**ORA-38496: Expression Filter index is not in a valid state**

**Cause:** An attempt was made to REBUILD an Expression Filter index that was not valid.

**Action:** Use DEFAULT keyword in the parameters clause to rebuild the index from defaults or drop and recreate the index.

**ORA-38497: Expression Filter index does not exist**

**Cause:** Index with a matching name does not exist or the index was not created using ExpFilter indextype.

**Action:** Identify the correct index using the Expression Filter catalog views

**ORA-38498: invalid stored attribute for the index object : *string***

**Cause:** The expression filter index object has a stored or indexed attribute that had broken dependencies.

**Action:** Make sure that all the identifiers used in the attribute are valid.

**ORA-38499: expression set already configured for stored/indexed attributes**

**Cause:** The expression set already had a list of stored and indexed attributes. Additional attributes cannot be specified in the CREATE INDEX parameters clause.

**Action:** Remove TOP, STOREATTRS and INDEXATTRS clauses from the parameters clause or clear the expression set statistics using DBMS\_EXPFIL.INDEX\_PARAMETERS API.

**ORA-38500: *string***

**Cause:** There was a generic error

**Action:** See documentation for further information.

**ORA-38501: sub-query not allowed in the expression**

**Cause:** An attempt was made to use a sub-query in the expression.

**Action:** Do not use sub-queries in the expressions.

---

**ORA-38502: invalid XML tag: *string***

**Cause:** An attempt was made to use an invalid XML tag for the index.

**Action:** Correct the XML tag and retry.

**ORA-38503: index already defined using the parameters**

**Cause:** An attempt was made to modify the index parameters after the index creation.

**Action:** Drop the index and retry.

**ORA-38504: this operator not allowed with the configured attribute set**

**Cause:** An attempt was made to use the operator binding with an attribute set containing more than one (table alias) attribute. This is not permitted.

**Action:** Use a different operator binding.

**ORA-38505: invalid default value for the attribute**

**Cause:** An attempt was made to use an invalid default value or a default that is larger than 100 characters.

**Action:** Specify a correct default value.

**ORA-38506: invalid attribute type for text predicates**

**Cause:** An attempt was made to use an invalid type for an attribute configured for text predicates.

**Action:** Use either a VARCHAR or a CLOB attribute instead.

**ORA-38507: attributes of *string* data type should be indexed**

**Cause:** An attempt was made to configure an attribute of spatial or text data type as stored predicate group.

**Action:** Configure them as indexed predicate groups instead.

**ORA-38601: FI Not enough memory for frequent itemset counting: *string***

**Cause:** The memory size did not satisfy the minimum memory requirement.

**Action:** In `workarea_size_policy="manual"` mode, set `_fic_area_size` to a reasonably larger value. Or, In `workarea_size_policy="auto"` mode, this error should never happen.

**ORA-38602: FI invalid input cursor**

**Cause:** The input cursor did not return exactly two columns for transactional input format or the input cursor didn't have consistent data types for horizontal input format

**Action:** For transactional input format, specify that the input cursor returns exactly two columns: one for transaction-id, one for item-id. For horizontal input format, make sure the input cursor's columns have the same data types.

**ORA-38603: FI including & excluding cursor can only return one column**

**Cause:** The including & excluding cursor did not return exactly one column.

**Action:** Specify that the cursor return only one column: item-id.

**ORA-38604: FI including & excluding cursor item-id type must match input cursor item-id type**

**Cause:** The including & excluding cursor item-id type did not match input cursor item-id type

**Action:** Specify that the item-id type of the cursors match each other.

---

**ORA-38605: FI not enough memory(*string*K) for candidate generation(*string*K)**

**Cause:** There was insufficient available memory for candidate generation.

**Action:** In `workarea_size_policy="manual"` mode, set `_fic_area_size` to a reasonably larger value. Or, in `workarea_size_policy="auto"` mode, set `pga_aggregate_target` to a reasonably larger value.

**ORA-38606: FI support threshold not between [0, 1]**

**Cause:** The user inputed a support threshold not in the range of [0, 1].

**Action:** The user should adjust the input value in the range of [0, 1].

**ORA-38607: FI minimum and maximum itemset length not between [1, *string*]**

**Cause:** The inputed minimum or maximum itemset length exceed the internal maximum itemset length or less than 1.

**Action:** The user should adjust the input value not larger than the internal maximum itemset length and not less than 1.

**ORA-38608: FI itemset minimum-length(*string*) should not be greater than maximum length(*string*)**

**Cause:** The user inputed minimum length is more than maximum length.

**Action:** The user should adjust the input values to make the minimum length less than or equal to the maximum length.

**ORA-38609: FI Not enough memory for tree counting, requires at least *string*KB**

**Cause:** The memory size did not satisfy the minimum memory requirement for tree counting.

**Action:** In `workarea_size_policy="manual"` mode, set `_fic_area_size` to a reasonably larger value. Or, In `workarea_size_policy="auto"` mode, this error should never happen.

**ORA-38610: FI "*string*" name prefix is reserved for frequent itemset counting**

**Cause:** An error occurred because `DBMS_FREQUENT_ITEMSET` and prefix `ORA_FI` are reserved for the `DBMS_FREQUENT_ITEMSET` package's internal use.

**Action:** Do not re-define functions with names starting with `DBMS_FREQUENT_ITEMSET` package or `ORA_FI`.

**ORA-38611: FI input cursor's item type is not supported**

**Cause:** The input cursor's item type is not number or character type

**Action:** Redefine the input cursor so that item type is number or character type.

**ORA-38612: FI item length cannot exceed half of one database block.**

**Cause:** The item's length was more than half of one database block.

**Action:** Redefine the data type of the item column so that its maximum length is less than half of one database block.

**ORA-38620: DT expressions in input cursor do not have an alias name**

**Cause:** Expressions in input cursor do not have an alias name.

**Action:** Add an alias name for the expression.

**ORA-38621: Decision Tree maximum depth setting not between [2, 20]**

**Cause:** The user specified a max tree depth not in the range of [2, 20].

**Action:** The user should adjust the input value to be in the range of [2, 20].

---

**ORA-38622: Decision Tree not enough memory, requires at least *string*KB**

**Cause:** The memory size did not satisfy the minimum memory requirement for decision tree building.

**Action:** In `workarea_size_policy="manual"` mode, set `_dtree_area_size` to a reasonably larger value. Or, In `workarea_size_policy="auto"` mode, please raise `pga_aggregate_target` to a reasonably larger value.

**ORA-38700: Limit of *string* flashback database logs has been exceeded.**

**Cause:** The maximum number of flashback database log files was exceeded.

**Action:** `DB_FLASHBACK_RETENTION_TARGET` may be set to high. Modify it to a smaller value.

**ORA-38701: Flashback database log *string* seq *string* thread *string*: "*string*"**

**Cause:** This message reports the filename for details of another message.

**Action:** Other messages will accompany this message. See the associated messages for the appropriate action to take.

**ORA-38702: Cannot update flashback database log file header.**

**Cause:** Could not write to the flashback database log file.

**Action:** Restore access to the file.

**ORA-38703: Type *string* in header is not a flashback database log file.**

**Cause:** A corrupt flashback database log file header was read.

**Action:** If you are doing a `FLASHBACK DATABASE`, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38704: Checksum error in flashback database log file header.**

**Cause:** The flashback database log file header contained a checksum that does not match the value calculated from the file header as read from disk. This means the file header was corrupt.

**Action:** If you are doing a `FLASHBACK DATABASE`, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38705: Expected block size *string* does not match *string* in log header.**

**Cause:** When the flashback log file header was read, the block size in the control file did not match the block size contained in the header.

**Action:** If you are doing a `FLASHBACK DATABASE`, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38706: Cannot turn on FLASHBACK DATABASE logging.**

**Cause:** An `ALTER DATABASE FLASHBACK ON` command failed. Other messages in the alert log describe the problem.

**Action:** Fix the problem and retry.

**ORA-38707: Media recovery is not enabled.**

**Cause:** An `ALTER DATABASE FLASHBACK ON` command failed because media recovery was not enabled.

**Action:** Turn on media recovery with an `ALTER DATABASE ARCHIVELOG` command and then retry the command.

---

**ORA-38708: not enough space for first flashback database log file**

**Cause:** An ALTER DATABASE FLASHBACK ON command failed because there was not enough space in the Recovery Area for the first flashback database log file.

**Action:** Make more space in the Recovery Area. For example, this can be done by increasing the value of DB\_RECOVERY\_FILE\_DEST\_SIZE.

**ORA-38709: Recovery Area is not enabled.**

**Cause:** An ALTER DATABASE FLASHBACK ON command failed because the Recovery Area was not enabled.

**Action:** Set DB\_RECOVERY\_FILE\_DEST to a location and retry.

**ORA-38710: Flashback log version *string* is incompatible with ORACLE version *string*.**

**Cause:** The flashback database log file was rejected because it appeared to be written by an incompatible version of Oracle.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38711: Corrupt flashback log block header: block *string***

**Cause:** A corrupt Flashback Database log file block header was read. More information was dumped to the trace file.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38712: Corrupt flashback log record header: block *string*, offset *string*.**

**Cause:** A corrupt flashback database log record header was read. Either the record type or length were incorrect. More information was dumped to the trace file.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38713: Flashback Database logging is already turned on.**

**Cause:** An ALTER DATABASE FLASHBACK ON command had no effect because flashback database logging was already on.

**Action:** No action required.

**ORA-38714: Instance recovery required.**

**Cause:** An ALTER DATABASE FLASHBACK ON command failed because the database either crashed or was shutdown with the ABORT option.

**Action:** Open the database and then enter the SHUTDOWN command with the NORMAL or IMMEDIATE option.

**ORA-38715: Invalid log number specified in the DUMP FLASHBACK command.**

**Cause:** An invalid log number was used when dumping a flashback database log file.

**Action:** Specify a valid flashback database log number.

**ORA-38716: Must supply an integer for the TYPE option.**

**Cause:** An invalid value was specified for TYPE in the DUMP FLASHBACK command.

---

**Action:** Specify an integer value.

**ORA-38717: Invalid DUMP FLASHBACK option.**

**Cause:** An invalid option was specified in the DUMP FLASHBACK command. Currently the only options allowed are: DBA, TYPE, and LOGICAL.

**Action:** Retry the command with the correct options.

**ORA-38718: Invalid thread number specified in the DUMP FLASHBACK command.**

**Cause:** An invalid thread number was used in dumping the flashback database log files for a thread.

**Action:** Specify a valid thread number.

**ORA-38719: Invalid DUMP FLASHBACK object.**

**Cause:** An invalid object was specified in a DUMP FLASHBACK command. Currently the only objects allowed are: LOGFILE or THREAD.

**Action:** Retry the command with the correct options.

**ORA-38720: Missing log file name or number.**

**Cause:** A log file name or number was missing in a DUMP FLASHBACK LOGFILE command.

**Action:** Supply a valid log file name or number.

**ORA-38721: Invalid file number.**

**Cause:** An invalid file number was specified in the DBA clause of a DUMP FLASHBACK command.

**Action:** Supply a valid file number.

**ORA-38722: ON or OFF expected.**

**Cause:** The ALTER DATABASE FLASHBACK command was specified without the ON or OFF keyword.

**Action:** Retry the command with the ON or OFF keyword.

**ORA-38723: Invalid SCN expression.**

**Cause:** The SCN keyword was specified in a FLASHBACK DATABASE command but the SCN expression was invalid.

**Action:** Retry the command using a valid SCN number.

**ORA-38724: Invalid option to the FLASHBACK DATABASE command.**

**Cause:** An invalid option was specified to the FLASHBACK DATABASE command. Valid options are: SCN or TIMESTAMP.

**Action:** Correct the syntax and retry the command.

**ORA-38725: specified name "string" does not match actual "string"**

**Cause:** The database name specified in a FLASHBACK DATABASE command did not match the name of the currently mounted database.

**Action:** Correct the database name spelling or DISMOUNT the mounted database and mount the correct database.

**ORA-38726: Flashback database logging is not on.**

**Cause:** A FLASHBACK DATABASE command was tried but flashback database logging has not been enabled.

---

**Action:** Flashback database logging must be enabled via the ALTER DATABASE FLASHBACK ON command before a FLASHBACK DATABASE command can be tried. If the database must be taken back in time then a restore and incomplete recovery must be performed.

**ORA-38727: FLASHBACK DATABASE requires a current control file.**

**Cause:** The control file being used is a backup control file.

**Action:** FLASHBACK DATABASE cannot be used with a backup control file. If the database must be taken back in time then a restore and an incomplete recovery must be performed.

**ORA-38728: Cannot FLASHBACK DATABASE to the future.**

**Cause:** An SCN or time stamp provided in a FLASHBACK DATABASE command was in the future.

**Action:** Supply a proper SCN or time stamp and retry the command.

**ORA-38729: Not enough flashback database log data to do FLASHBACK.**

**Cause:** There was not enough flashback database log data to do the FLASHBACK DATABASE.

**Action:** If the database must be taken back in time then a restore and incomplete recovery must be performed.

**ORA-38730: Invalid SCN/TIMESTAMP expression.**

**Cause:** The expression supplied in a FLASHBACK DATABASE command was invalid.

**Action:** Retry the command using a valid number or time stamp expression.

**ORA-38731: Expected version *string* does not match *string* in log header.**

**Cause:** The version of the flashback database log file header was corrupt.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38732: Expected file size *string* does not match *string*.**

**Cause:** The file size indicated in the control file did not match the file size contained in the flashback log file header. The flashback database log file was corrupt.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38733: Physical size *string* less than needed *string*.**

**Cause:** A flashback database log file shrank in size. This was likely to have been caused by operator or operating system error.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38734: Flashback log is inconsistent; belongs to another database.**

**Cause:** The database ID in the flashback database log file did not match the database ID in the control file.

---

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38735: Wrong log number *string* in flashback log file header.**

**Cause:** The log file number in the flashback database log file did not match the control file.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38736: Wrong thread number *string* in flashback log file header.**

**Cause:** The thread number in the flashback database log file did not match the control file.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38737: Expected sequence number *string* doesn't match *string***

**Cause:** The flashback database log is corrupted or is an old version.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38738: Flashback log file is not current copy.**

**Cause:** A check of flashback database log file header at database open found that the flashback database log appeared to be an incorrectly restored backup. Flashback database log files cannot be backed up and restored.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38739: Flashback log file is more recent than control file.**

**Cause:** The control file change sequence number in the flashback database log file was greater than the number in the control file. This implies that the wrong control file was being used. Note that repeatedly causing this error can make it stop happening without correcting the real problem. Every attempt to open the database will advance the control file change sequence number until it is great enough.

**Action:** FLASHBACK DATABASE can only be used with the current control file. If it is not available, then a restore and an incomplete recovery must be performed instead.

**ORA-38740: Usable blocks value *string* is not valid.**

**Cause:** A flashback database log file header contained a usable blocks value greater than the file size. The flashback database log file file is corrupt.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38741: Formatted blocks value *string* is not valid.**

**Cause:** The formatted blocks value in the flashback database log file was greater than the file size. The flashback database log file was corrupt.

---

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38742: Flashback log file has incorrect log reset status.**

**Cause:** The flashback database log file header had log reset data that was different than the control file. The log was probably an incorrectly restored backup. Flashback database logs cannot be backed up.

**Action:** If you are doing a FLASHBACK DATABASE, then the flashback cannot be performed because of the corrupted log. A restore and an incomplete recovery must be performed instead.

**ORA-38743: Time/SCN is in the future of the database.**

**Cause:** The Time/SCN provided in a FLASHBACK DATABASE command was in the future of the database.

**Action:** Retry the command with a correct Time/SCN or RECOVER the database.

**ORA-38744: file *string* is not the same file seen at start of flashback**

**Cause:** A different copy of the file was accessed the last time FLASHBACK DATABASE looked at the file header. A backup of the file was restored or the meaning of the file name changed during FLASHBACK DATABASE.

**Action:** Ensure the correct file is available, then retry FLASHBACK DATABASE.

**ORA-38746: error occurred while restoring data block (file# *string*, block# *string*)**

**Cause:** An error occurred during a FLASHBACK DATABASE command. See other errors on error stack.

**Action:** Investigate why the error occurred. It may be that the flashback database log data is corrupt. If so, a restore and an incomplete recovery must be performed instead.

**ORA-38747: corrupt before image (file# *string*, block# *string*)**

**Cause:** A corrupt data block before image was encountered during a FLASHBACK DATABASE command.

**Action:** The flashback log data is probably corrupt. If so, a restore and an incomplete recovery must be performed instead.

**ORA-38748: cannot flashback data file *string* - file is in use or recovery**

**Cause:** An attempt to do FLASHBACK DATABASE found that the file was not available for recovery. Either it was online and the database was open in some instance, or another process was currently doing media recovery or flashback on the file.

**Action:** Do not do FLASHBACK DATABASE.

**ORA-38749: A media recovery has been started.**

**Cause:** An attempt was made to start a FLASHBACK DATABASE in the same session as a media recovery.

**Action:** Complete or cancel the first media recovery session.

**ORA-38750: FLASHBACK DATABASE may not be performed using a dispatcher.**

**Cause:** An attempt was made to use a dispatcher process for FLASHBACK DATABASE. Memory requirements disallow this recovery method.

**Action:** Connect to the instance via a dedicated server process to perform FLASHBACK DATABASE.

---

**ORA-38751: Flashback database log: "*string*"**

**Cause:** This message reports the filename for details of another message.

**Action:** Other messages will accompany this message. See the associated messages for the appropriate action to take.

**ORA-38752: file *string* does not exist**

**Cause:** During an RMAN FLASHBACK DATABASE conversation, a file was listed which was not part of the database. The RMAN conversation was aborted.

**Action:** Retry the conversation with the appropriate file numbers.

**ORA-38753: Cannot flashback data file *string*; no flashback log data.**

**Cause:** An attempt to perform a FLASHBACK DATABASE failed because the file does not have enough flashback log data to cover the time to flash back. Either the file did not have flashback generation enabled for it, or had flashback generation turned off for it some time during the time span of the flashback.

**Action:** The file cannot be flashed back. The file must be taken offline or the tablespace dropped before continuing with the FLASHBACK DATABASE command.

**ORA-38754: FLASHBACK DATABASE not started; required redo log is not available**

**Cause:** A FLASHBACK DATABASE command did not start. A redo log needed for the recovery part of FLASHBACK DATABASE could not be found or accessed.

**Action:** See trace files for details of the problem.

**ORA-38755: Flashback is already turned on for this tablespace.**

**Cause:** An attempt was made to turn on flashback database logging for a tablespace that already has flashback turned on.

**Action:** No action required.

**ORA-38756: Flashback is already turned off for this tablespace.**

**Cause:** An attempt was made to turn off flashback database logging for a tablespace that already has flashback off.

**Action:** No action required.

**ORA-38757: Database must be mounted and not open to FLASHBACK.**

**Cause:** An attempt to Flashback a database was made when the database was not mounted or was already open.

**Action:** Mount the database and retry the FLASHBACK command.

**ORA-38758: cannot flashback data file *string*; restored since last recovery**

**Cause:** An attempt to do FLASHBACK DATABASE found that the file was restored since the last standby recovery. The file cannot be flashed back.

**Action:** The file must be taken offline before continuing with the FLASHBACK DATABASE command.

**ORA-38759: Database must be mounted by only one instance and not open.**

**Cause:** An attempt to turn on or off Flashback Database logging was made when the database was open or mounted by more than one instance.

**Action:** Mount the database in only one instance and retry the command.

**ORA-38760: This database instance failed to turn on flashback database**

---

**Cause:** Database flashback is on but this instance failed to start generating flashback data. Look in alert log for more specific errors.

**Action:** Correct the error or turn off database flashback.

**ORA-38761: redo log sequence *string* in thread *string*, incarnation *string* could not be accessed**

**Cause:** A redo log needed for the recovery portion of FLASHBACK could not be read or opened. The FLASHBACK operation failed.

**Action:** Restore the log and retry the FLASHBACK command.

**ORA-38762: thread *string* redo log with scn *string* could not be found**

**Cause:** A redo log needed for the recovery portion of FLASHBACK could not be found. The FLASHBACK operation failed.

**Action:** Restore the log and retry the FLASHBACK command.

**ORA-38763: flashback not started; enabled threads have changed**

**Cause:** A FLASHBACK DATABASE command did not start. The set of enabled threads changed during the time to flash back.

**Action:** The flashback cannot be performed. Perform a restore and an incomplete recovery instead.

**ORA-38764: flashback not started; datafile *string* enabled threads are different**

**Cause:** A FLASHBACK DATABASE command did not start. The datafile was restored from a backup taken when the enabled threads were different than at the time of the flashback.

**Action:** The flashback cannot be performed. Perform a restore and an incomplete recovery instead.

**ORA-38765: Flashed back database cannot be opened read-only.**

**Cause:** A complete recovery was performed after a database flashback but the database was not opened for read-write access, or a FLASHBACK DATABASE command failed.

**Action:** If a complete recovery was performed after a database flashback, open the database for read-write access. If a FLASHBACK DATABASE command failed, fix what caused the command to fail and retry the command, or recover and open the database for read-write access.

**ORA-38766: cannot flashback data file *string*; file resized smaller**

**Cause:** An attempt to do FLASHBACK DATABASE found that the file was shrunk during the time to flash back.

**Action:** The file cannot be flashed back. The file must be taken offline or the tablespace dropped before continuing with the FLASHBACK DATABASE command.

**ORA-38767: flashback retention target parameter mismatch**

**Cause:** The value of parameters DB\_FLASHBACK\_RETENTION\_TARGET must be same in all instances. All databases must have same flashback retention target parameters.

**Action:** Check DB\_FLASHBACK\_RETENTION\_TARGET values in all instances.

**ORA-38768: resizing datafile *string* failed**

---

**Cause:** An operating system error occurred when Flashback Database tried to shrink (resize) a datafile. Flashback shrinks a file in order to undo the effects of a file expand, for example, an autoextension of the file.

**Action:** Recover the database to return it to its previous state, or fix the cause of the operating system error and retry the Flashback. If that is not possible, then the file can be taken offline and the Flashback command retried. The file will have to be restored from a backup and rolled forward.

**ORA-38769: FLASHBACK DATABASE failed after modifying data.**

**Cause:** A FLASHBACK DATABASE command failed after modifying the the database. Look in the alert log for more information about the failure.

**Action:** Recover the database to return it to its previous state, or fix the cause of the error and retry the Flashback.

**ORA-38770: FLASHBACK DATABASE failed during recovery.**

**Cause:** A FLASHBACK DATABASE command successfully restored the database but failed during the recovery step. Look in the alert log for more information about the failure.

**Action:** Fix the error and then recover the database to the same SCN or timestamp used in the FLASHBACK DATABASE command.

**ORA-38771: unnamed datafile(s) added to control file by flashback recovery**

**Cause:** The recovery step of FLASHBACK DATABASE encountered the creation of a datafile that could not be added to the control file. An entry has been added to the control file for the new datafile, but with the file name UNNAMEDnnnn, where nnnn is the file number. Related error messages provide the file names that were originally used to create the files.

**Action:** Rename the file in the control file, or use the ALTER ALTER DATABASE CREATE DATAFILE command to create a file suitable for recovery. If the file is not going to be recovered, then take it offline with the FOR DROP option. The recovery step of Flashback can be resumed by entering a RECOVERY command with the same SCN or timestamp as used in the FLASHBACK DATABASE command. For example, RECOVER AUTOMTAIC DATABASE UNTIL CHANGE <flashback-scn>.

**ORA-38772: cannot add datafile "*string*" - file could not be created**

**Cause:** The recovery step of FLASHBACK DATABASE encountered the creation of a datafile and could not recreate the file. The error from the creation attempt is displayed in another message. The control file file entry for the file is "UNNAMEDnnnnn".

**Action:** Use the ALTER DATABASE CREATE DATAFILE statement to create the file.

**ORA-38773: cannot add data file "*string*" - file already part of database**

**Cause:** The recovery step of FLASHBACK database encountered the creation of a datafile and could not create the file because the file name is already in use in the database. The control file file entry for the file is "UNNAMEDnnnnn".

**Action:** Use the ALTER DATABASE CREATE DATAFILE statement to create the file with a different name.

**ORA-38774: cannot disable media recovery - flashback database is enabled**

**Cause:** An attempt was made to disable media recovery while flashback database was enabled.

---

**Action:** Use the ALTER DATABASE FLASHBACK OFF statement to disable flashback database, then disable media recovery.

**ORA-38775: cannot disable flash recovery area - flashback database is enabled**

**Cause:** An attempt was made to set DB\_RECOVERY\_FILE\_DEST to null while flashback database was enabled. Flashback database requires DB\_RECOVERY\_FILE\_DEST to be set.

**Action:** Use the ALTER DATABASE FLASHBACK OFF statement to disable flashback database, then disable the flash recovery area.

**ORA-38776: cannot begin flashback generation - flash recovery area is disabled**

**Cause:** During a database mount, the RVWR process discovered that the flash recovery area was disabled. DB\_RECOVERY\_FILE\_DEST must have been set null or removed from the INIT.ORA file while the database was unmounted.

**Action:** Flashback database requires the flash recovery area to be enabled. Either enable the flash recovery area by setting the DB\_RECOVERY\_FILE\_DEST and DB\_RECOVERY\_FILE\_DEST\_SIZE initialization parameters, or turn off flashback database with the ALTER DATABASE FLASHBACK OFF command.

**ORA-38777: database must not be started in any other instance.**

**Cause:** A command was attempted that required the database to be mounted in this instance and not started in any other instance. Standby database recovery through a RESETLOGS and ALTER DATABASE OPEN RESETLOGS require that the database be started in only one instance if flashback database logging is enabled.

**Action:** Ensure that the no other instances are started. Then retry the command.

**ORA-38778: Restore point "*string*" already exists.**

**Cause:** The restore point name of the CREATE RESTORE POINT command already exists. A restore point name must be unique.

**Action:** Either use a different name or delete the existing restore point with the same name.

**ORA-38779: cannot create restore point - too many restore points.**

**Cause:** The maximum number of restore points already have been created.

**Action:** Delete some existing restore point and retry the operation.

**ORA-38780: Restore point "*string*" does not exist.**

**Cause:** The restore point name of the DROP RESTORE POINT command does not exist.

**Action:** No action required.

**ORA-38781: cannot disable media recovery - have guaranteed restore points**

**Cause:** An attempt was made to disable media recovery while there is at least one guaranteed restore point.

**Action:** Drop all guaranteed restore points and then disable media recovery.

**ORA-38782: cannot flashback database to non-guaranteed restore point "*string*"**

**Cause:** An attempt was made to flashback database to a non-guaranteed restore point while flashback database is off. You can only flashback a database to guaranteed restore point when flashback database is not on.

**Action:** Consider picking a guaranteed restore point to flashback the database to, if there is one.

---

**ORA-38783: Instance recovery required.**

**Cause:** An attempt was made to create a restore point when the database is in mount mode but it was not shutdown cleanly before it was mounted. In order to create a restore point when the database is mounted, the database must be shutdown cleanly before it is mounted.

**Action:** Consider one of the following:

1. Create the restore point after opening the database.
2. Open the database, shut it down cleanly, mount the database, and retry creating the restore point.

**ORA-38784: Cannot create restore point "*string*".**

**Cause:** An attempt to create a restore point failed. See other errors on the error stack for the specific reason.

**Action:** Fix the problem and retry.

**ORA-38785: Media recovery must be enabled for guaranteed restore point.**

**Cause:** Media recovery is not enabled. Media recovery must be enabled in order to create a guaranteed restore point.

**Action:** Turn on media recovery with an ALTER DATABASE ARCHIVELOG statement and then retry the command.

**ORA-38786: Flash recovery area is not enabled.**

**Cause:** An attempt was made to perform a command that requires Flash recovery area to be enabled.

**Action:** Set DB\_RECOVERY\_FILE\_DEST to an appropriate location and retry.

**ORA-38787: Creating the first guaranteed restore point requires mount mode when flashback database is off.**

**Cause:** While flashback database is not on, an attempt was made to create the first guaranteed restore point while the database is open.

**Action:** Mount the database and retry.

**ORA-38788: More standby database recovery is needed**

**Cause:** An attempt was made to create a restore point or a guaranteed while a physical standby database is not cleanly checkpointed.

**Action:** Perform more standby database recovery via managed standby database recovery. Cancel managed recovery and retry the command.

**ORA-38789: File name is too long.**

**Cause:** The file name provided in the command was longer than the maximum allowed.

**Action:** Use a shorter file name.

**ORA-38790: BEFORE must be specified with RESETLOGS**

**Cause:** The FLASHBACK DATABASE command included the RESETLOGS parameter but not the BEFORE parameter.

**Action:** Retry the command with TO BEFORE RESETLOGS.

**ORA-38791: flashback did not start because file *string* was not in a valid incarnation**

**Cause:** Flashback could not be started because a file was checkpointed or fuzzy at a point where the file can neither be restored nor recovered to our restore target. In

---

order for a file to be brought to the restore target, the file has to be in one of the incarnations along the ancestral path from the current incarnation to the restore incarnation.

**Action:** Manually restore or recover the file to a point where it is in one of the incarnations along the ancestral path from the current incarnation to the restore incarnation.

**ORA-38792: encountered unknown flashback record from release *string***

**Cause:** A Flashback Database logfile contains a record written by a future Oracle release and is unknown by this release.

**Action:** The given release of Oracle must be installed in order to use these flashback database log files.

**ORA-38793: cannot FLASHBACK the database to a future SCN/time**

**Cause:** The Flashback Database target SCN/timestamp is greater than the current database SCN/timestamp and the database incarnation is not the last opened incarnation.

**Action:** If the target SCN/timestamp is in the current incarnation or a child incarnation whose branch point is after the current database SCN then RECOVER DATABASE to the target SCN/time. If the target SCN/timestamp is in a child incarnation whose branch point is prior to the current database SCN then FLASHBACK DATABASE to before the branch point. Next use RMAN to reset the database to the child incarnation. Finally, RECOVER DATABASE to the target SCN/time.

**ORA-38794: Flashback target time not in current incarnation**

**Cause:** The Flashback Database target timestamp is not in the database's current incarnation or any of its ancestors.

**Action:** Use a different target timestamp or use RMAN to reset the database to the appropriate incarnation.

**ORA-38795: warning: FLASHBACK succeeded but OPEN RESETLOGS would get error below**

**Cause:** Flashback Database ended without error. However, if the ALTER DATABASE OPEN RESETLOGS command were attempted now, it would fail with the specified error. The most likely cause is that Flashback Database had to add a file back to the control file but could not restore the file's contents.

**Action:** If a backup is available, restore the backup, online the file, and recover the database to the original flashback target scn or timestamp. If a backup is not available, but the redo from the file creation to the target scn or timestamp is available, then create the file using the ALTER DATABASE CREATE DATAFILE command, bring the file online, and recover the database to the original flashback target scn or timestamp.

**ORA-38796: Not enough flashback database log data to undo FLASHBACK.**

**Cause:** There was not enough flashback log data to undo the flashback so a flashback was not started.

**Action:** It is still possible to get to the restore target by doing a flashback until the resetlogs branch point of the restore target is reached. This can be done by executing multiple "flashback to before resetlogs" commands, or by doing a flashback to the exact time or SCN of the desired resetlogs branch point. Note that this flashback cannot be undone should an error occur. The only option is to complete the flashback.

---

**ORA-38797: Full database recovery required after a database has been flashed back**

**Cause:** An attempt was made to recover some datafiles or tablespaces of a database after the database had been flashed back. In order to recover control file and all datafiles correctly, full database recovery is required after a database has been flashed back.

**Action:** Recover the whole database instead.

**ORA-38798: Cannot perform partial database recovery**

**Cause:** See other other messages on error stack for the cause.

**Action:** See other other messages on error stack for the action.

**ORA-38799: Cannot drop guaranteed restore point internally created for snapshot standby**

**Cause:** An attempt is made to drop the guaranteed restore point Oracle created internally for a snapshot standby.

**Action:** Use the "alter database convert to physical standby" command to convert the snapshot standby to a normal physical standby. This will automatically flashback the database and drop this guaranteed restore point.

**ORA-38800: Cannot start Redo Apply on the open physical standby database**

**Cause:** An attempt was made to start Redo Apply on an open physical standby database instance.

**Action:** Make sure the primary database is at version 11.0.0 or higher. If this is a RAC standby database, make sure the ACTIVE\_INSTANCE\_COUNT parameter is not set.

**ORA-38801: improper value for ORA\_EDITION**

**Cause:** An improper value was used for ORA\_EDITION when trying to specify an edition to use at login time. The value is not understandable as an identifier, or is too long.

**Action:** Correct the value for ORA\_EDITION and try again.

**ORA-38802: edition does not exist**

**Cause:** This error occurred because a reference was made to an edition that does not exist or that the current user does not have privileges on.

**Action:** Check the edition name and verify that the current user has appropriate privileges on the edition.

**ORA-38803: edition is unusable**

**Cause:** This error occurred because a reference was made to an unusable edition.

**Action:** Use another edition.

**ORA-38804: not a legal edition name**

**Cause:** This error occurred because an attempt was made to create an edition called ORA\$BASE, DATABASE\_DEFAULT, or USER\_DEFAULT. These are not legal edition names. Or a value provided as an edition name is not understandable as an identifier, or is too long.

**Action:** Choose a different name for the edition.

**ORA-38805: edition is in use**

**Cause:** An attempt was made to ALTER or DROP an edition that was being used in another session or was the database default edition.

---

**Action:** Retry when the edition is not in use and is not the database default edition.

**ORA-38806: edition is being altered or dropped**

**Cause:** An attempt was made to use an edition that was in the process of being altered or dropped.

**Action:** Use a different edition.

**ORA-38807: Implementation restriction: an edition can have only one child**

**Cause:** This error occurred because an attempt was made to create more than one child edition for a parent edition.

**Action:** Create the edition as a child of the leaf edition.

**ORA-38808: edition has a usable parent and a usable child**

**Cause:** An attempt was made to make an edition with a usable parent and a usable child edition unusable.

**Action:** An edition with a usable parent and a usable child edition cannot be made unusable. Retry after either parent or child has been made unusable.

**ORA-38809: edition must be unusable**

**Cause:** This error occurred because an attempt was made to drop a usable edition.

**Action:** Retry after the altering the edition to be unusable.

**ORA-38810: Implementation restriction: cannot drop edition that has a parent and a child**

**Cause:** This error occurred because an attempt was made to drop an edition that has a parent and a child edition.

**Action:** Retry after dropping the parent or child edition.

**ORA-38811: need CASCADE option to drop edition that has actual objects**

**Cause:** This error occurred because an attempt was made to drop an edition that has actual objects.

**Action:** Specify CASCADE option in drop command.

**ORA-38812: maximum number of editions reached**

**Cause:** The number of editions has reached the limit.

**Action:** Drop some editions before creating new ones.

**ORA-38813: editions not supported for schema *string***

**Cause:** The Oracle-supplied schema did not support editions.

**Action:** Do not attempt to enable editions for the specified Oracle-supplied schema.

**ORA-38814: ALTER SESSION SET EDITION must be first statement of transaction**

**Cause:** An edition switch could be executed within an open transaction.

**Action:** Commit or rollback the transaction and re-execute the statement, or use `dbms_session.set_edition` if its deferred effect is appropriate.

**ORA-38815: ALTER SESSION SET EDITION must be a top-level SQL statement**

**Cause:** An edition switch failed because it was executed from a PL/SQL block or using recursive SQL.

---

**Action:** Execute the statement from a top-level OCI call, or use `dbms_session.set_edition` if its deferred effect is appropriate.

**ORA-38816: edition has a child that inherits objects from the edition**

**Cause:** This error occurred because an attempt was made to drop an edition that a child that inherits objects from the edition.

**Action:** Retry after the child edition has no inherited objects.

**ORA-38817: Insufficient privileges**

**Cause:** You did not have sufficient privileges to execute the subprogram package `DBMS_EDITIONS_UTIL`.

**Action:** Obtain the necessary privileges. Please see the package specification for details.

**ORA-38818: illegal reference to versionable object *string.string***

**Cause:** A non-versioned edition object referenced a versionable object.

**Action:** Remove the reference to the versionable object.

**ORA-38850: an enabled thread missing from control file**

**Cause:** A `CREATE CONTROLFILE` statement was given that did not list all the enabled threads for the database.

**Action:** Reissue the `CREATE CONTROLFILE` statement, including all enabled threads.

**ORA-38851: cannot mark the current instance (redo thread) as disabled**

**Cause:** The standby switchover or failover operation failed because it needs to mark the current instance (redo thread) as disabled.

**Action:** Shut down this instance and start up using a different instance name or redo thread number and retry.

**ORA-38852: cannot mark the current instance (redo thread) as disabled**

**Cause:** The open resetlogs or standby activation operation failed because it must use a different instance (redo thread) than the current instance (redo thread) to open the database.

**Action:** Shut down this instance and start up using a different instance name or redo thread number and retry.

**ORA-38853: cannot mark instance *string* (redo thread *string*) as disabled**

**Cause:** The standby switchover or failover operation failed because it needs to mark an instance (redo thread) as disabled. That instance was up, which prevented it from being disabled.

**Action:** Shut down the specified instance and retry this command.

**ORA-38854: cannot mark instance *string* (redo thread *string*) as disabled**

**Cause:** The open resetlogs or standby activation operation failed because it needs to mark an instance (redo thread) as disabled. That instance was up, which prevented it from being disabled.

**Action:** Shut down the specified instance and retry this command.

**ORA-38855: cannot mark instance *string* (redo thread *string*) as enabled**

**Cause:** The standby switchover or failover operation failed because it needs to mark an instance (redo thread) as enabled. However, it had less than 2 online redo logs, which prevented it from being enabled.

---

**Action:** Add more logfiles to the specified instance and retry the command.

**ORA-38856: cannot mark instance *string* (redo thread *string*) as enabled**

**Cause:** The open resetlogs or standby activation operation failed because it needs to mark an instance (redo thread) as enabled. However, it had less than 2 online redo logs, which prevented it from being enabled.

**Action:** Add more logfiles to the specified instance and retry the command.

**ORA-38857: cannot mark redo thread *string* as enabled**

**Cause:** The standby switchover or failover operation failed because it needs to mark a redo thread as enabled. However, the control file was recreated with a MAXINSTANCES value smaller than the thread number of the redo thread.

**Action:** Recreate the control file with a larger MAXINSTANCES value.

**ORA-38858: cannot mark redo thread *string* as enabled**

**Cause:** The open resetlogs or standby activation operation failed because it needs to mark a redo thread as enabled. However, the control file was recreated with a MAXINSTANCES value smaller than the thread number of the redo thread.

**Action:** Recreate the control file with a larger MAXINSTANCES value.

**ORA-38859: instance *string* (thread *string*) is not ready to be disabled**

**Cause:** The command attempted to switch the instance (thread) into a new log before disabling it. The switch attempt failed because all eligible online logs were either being cleared or not completely archived yet.

**Action:** Wait a few minutes and retry.

**ORA-38860: cannot FLASHBACK DATABASE during instantiation of a logical standby**

**Cause:** The command was not permitted because the controlfile indicates the database was in the process of becoming a logical standby database but the controlfile conversion had not completed.

**Action:** If in the process of creating a logical standby database, perform the remaining instantiation procedures to completion. If this flashback operation followed a Data Guard failure, permit the errant Data Guard operation to successfully complete. Once the instantiation is complete, reissue the flashback operation.

**ORA-38861: flashback recovery stopped before reaching recovery target**

**Cause:** Flashback recovery on the standby ended early because the user attempted to flashback to an SCN or time for which there were no redo logs. Most likely, the user is trying to flashback to a future time in the database that the database has never recovered through. Check the alert log to find out which SCN the database recovered to.

**Action:** Flashback to an older SCN or acquire the necessary redo logs.

**ORA-38862: FLASHBACK DATABASE in progress**

**Cause:** The operation could not be performed while FLASHBACK DATABASE was in progress.

**Action:** Wait for the FLASHBACK DATABASE to complete.

**ORA-38863: datafile *string* has been restored from an optimized RMAN backup.**

---

**Cause:** Flashback Database could not flash back the file because it was restored from an RMAN optimized backup with deallocated objects. Flashback cannot revert the file to a time before the last deallocation in the datafile backup.

**Action:** Restore the file from a backup prior to the Flashback target SCN or time and then retry the command.

**ORA-38864: cannot create a guaranteed restore point with user specified SCN or time.**

**Cause:** An SCN or timestamp was specified when creating a guaranteed restore point. This is not supported. You can only create a guaranteed restore point as of the current time.

**Action:** Avoid this combination of options for creating a restore point.

**ORA-38865: cannot create restore point for a future SCN or time.**

**Cause:** An attempt was made to create a restore point with an SCN or timestamp that is in the future.

**Action:** Revise the SCN or timestamp specified so that it is an SCN or timestamp in the past.

**ORA-38866: cannot create restore point for an SCN or time before current database incarnation.**

**Cause:** An attempt was made to create a restore point with an SCN or timestamp that is before the beginning of the current database incarnation.

**Action:** Revise the SCN or timestamp specified so that it is within current database incarnation.

**ORA-38867: database not open: cannot create restore point with the specified timestamp**

**Cause:** An attempt was made to create a restore point with the specified timestamp while the database was not open. The database must be open in order to map the timestamp to an SCN.

**Action:** Open the database first or pick another way to create the restore point.

**ORA-38868: warning: the control file may have incorrect data file structure**

**Cause:** This control file was created or converted based on a control file from a time different from the time of the database.

**Action:** Open database read-only to synchronize the control file with the database dictionary. You can also force recovery to proceed by invoking recovery again.

**ORA-38869: datafile *string* has been restored from an RMAN backup with undo block compression.**

**Cause:** Flashback Database could not flash back the database because a file was restored from an RMAN backup with undo block compression, and the Flashback target was to a time when the missing undo may be needed to open the database.

**Action:** Restore an earlier backup of the file and retry the command or Flashback to a later time.

**ORA-38900: missing mandatory column "*string*" of error log table "*string*"**

**Cause:** Mandatory column of error logging table is not present

**Action:** Add the named column to the error logging table. Consult ORACLE documentation for the correct data type.

---

**ORA-38901: column "*string*" of table "*string*" must be one of the first "*number*" columns**

**Cause:** Mandatory information column of error logging table is present, but must be at the beginning of the row.

**Action:** Create the error logging table correctly. Consult ORACLE documentation for the correct format of an error logging table.

**ORA-38902: errors in array insert exceed *string***

**Cause:** The operation failed because the array INSERT had more errors than can be stored internally for BATCH ERRORS.

**Action:** Do not use BATCH ERROR mode when array INSERT has more error rows than the number specified in the error.

**ORA-38903: DML error logging is not supported for abstract column "*string*"**

**Cause:** A DML Error Logging operation was attempted on a table which has an ADT, REF, VARRAY, or nested table column type, and the error logging table referred to the specified column.

**Action:** Either do not use DML Error Logging on such a table or remove the offending column from the error logging table. The scalar columns can be logged, but not abstract column types.

**ORA-38904: DML error logging is not supported for LOB column "*string*"**

**Cause:** A DML Error Logging operation was attempted on a table which has a CLOB, NCLOB, or BLOB column type, and the error logging table referred to the specified column.

**Action:** Either do not use DML Error Logging on such table or remove the offending column from the error logging table. The scalar columns can be logged, but not LOB column types.

**ORA-38905: DML error logging is not supported for LONG column "*string*"**

**Cause:** A DML Error Logging operation was attempted on a table which has a LONG, or LONG RAW column type, and the error logging table referred to the specified column.

**Action:** Either do not use DML Error Logging on such a table or remove the offending column from the error logging table. The scalar columns can be logged, but not long column types.

**ORA-38906: insert into DML Error Logging table "*string*" failed**

**Cause:** An error occurred when attempting to log a DML Error on behalf of the DML Error logging clause. This may be intended if a trigger is defined on the error table (which in turn errors out in certain cases).

**Action:** Determine root cause of error (in error stack).

**ORA-38907: DML error logging is not supported for FILE column "*string*"**

**Cause:** A DML Error Logging operation was attempted on a table which has a BFILE column and the Error Logging table referred to the specified column.

**Action:** Either don't use DML Error Logging on such table or remove the offending column from the error logging table. The scalar columns can be logged, but not BFILE column types.

**ORA-38908: internal error occurred during DML Error Logging**

**Cause:** An unexpected error occurred while executing recursive SQL to insert a row into the DML Error Logging table.

---

**Action:** Report this error to Oracle Support.

**ORA-38909: DML Error logging is not supported with BATCH ERROR mode**

**Cause:** A DML Error Logging operation was attempted on a table which has BATCH ERROR mode also specified.

**Action:** Refrain from using both DML Error Logging and BATCH ERROR mode on the same table.

**ORA-38910: BATCH ERROR mode is not supported for this operation**

**Cause:** BATCH ERROR mode specified for this operation.

**Action:** Refrain from using BATCH ERROR mode with this operation.

//////////////////// Cross Platform Tablespace Error numbers 38950 to 38999 are reserved for Cross platform tablespace //////////////////

**ORA-38950: Source platform *string* not cross platform compliant**

**Cause:** Cross platform transport was not allowed for this platform.

**Action:** For a list of supported platforms, query fixed view SYS.V\$TRANSPORTABLE\_PLATFORM.

**ORA-38951: Target platform *string* not cross platform compliant**

**Cause:** Cross platform transport was not allowed for this platform.

**Action:** None

**ORA-38952: Source database not 10.0.0.0 compatible**

**Cause:** Cross platform transport is not supported unless database compatibility is advanced to 10.0.0.0 or higher

**Action:** Use the compatible parameter to advance source database compatibility and redo the transport

**ORA-38954: Cross platform transport is not supported between source platform identifier *string* and target platform identifier *string***

**Cause:** The platform identifier in the transported file indicated that the datafile format was different than the target database datafile format.

**Action:** For a list of supported platforms, query fixed view SYS.V\$TRANSPORTABLE\_PLATFORM. If both platforms are present, Contact Oracle support

**ORA-38955: Source platform *string* not cross platform compliant**

**Cause:** The platform identifier in the transported file indicated that this platform is not supported for a cross platform transport.

**Action:** For a list of supported platforms, query fixed view SYS.V\$TRANSPORTABLE\_PLATFORM.

**ORA-38956: Target platform *string* not cross platform compliant**

**Cause:** Cross platform transport was not allowed for this platform.

**Action:** For a list of supported platforms, query fixed view SYS.V\$TRANSPORTABLE\_PLATFORM.

**ORA-38958: Source platform *string* is in different byte order than target platform *string***

**Cause:** Probably a conversion was not done before the import phase of the transport.

---

**Action:** Use RMAN CONVERT functionality to convert endian ordering.

**ORA-38959: Failed to update block 0 to new version 10 format**

**Cause:** An attempt was made to update block 0 to version 10 format.

**Action:** check additional error messages and contact Oracle Support Services.

**ORA-39000: bad dump file specification**

**Cause:** The user specified a dump file that could not be used in the current job. Subsequent error messages describe the inadequacies of the dump file.

**Action:** Specify a dump file that is usable for the job.

**ORA-39001: invalid argument value**

**Cause:** The user specified API parameters were of the wrong type or value range. Subsequent messages supplied by DBMS\_DATAPUMP.GET\_STATUS will further describe the error.

**Action:** Correct the bad argument and retry the API.

**ORA-39002: invalid operation**

**Cause:** The current API cannot be executed because of inconsistencies between the API and the current definition of the job. Subsequent messages supplied by DBMS\_DATAPUMP.GET\_STATUS will further describe the error.

**Action:** Modify the API call to be consistent with the current job or redefine the job in a manner that will support the specified API.

**ORA-39003: unable to get count of total workers alive**

**Cause:** Attempt to get count of total worker processes alive failed.

**Action:** Check the additional error messages to see what caused the failure. Correct the error, if possible, and try the operation again. If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39004: invalid state**

**Cause:** The state of the job precludes the execution of the API.

**Action:** Rerun the job to specify the API when the job is an appropriate state.

**ORA-39005: inconsistent arguments**

**Cause:** The current API cannot be executed because of inconsistencies between arguments of the API call. Subsequent messages supplied by DBMS\_DATAPUMP.GET\_STATUS will further describe the error.

**Action:** Modify the API call to be consistent with itself.

**ORA-39006: internal error**

**Cause:** An unexpected error occurred while processing a Data Pump job. Subsequent messages supplied by DBMS\_DATAPUMP.GET\_STATUS will further describe the error.

**Action:** Contact Oracle Customer Support.

**ORA-39012: Client detached before the job started.**

**Cause:** The client detached or ended their session before the Data Pump job was started.

**Action:** Create new job and remain attached to the job until it is started.

---

**ORA-39013: Remapping the SYSTEM schema is not supported.**

**Cause:** A remap\_schema transform with the SYSTEM schema was specified.

**Action:** Retry the import command without remapping the SYSTEM schema.

**ORA-39014: One or more workers have prematurely exited.**

**Cause:** One or more of the worker processes exited before the job was completed. With no workers, the master process will terminate the job.

**Action:** Rerun the job. If problem persists, contact Oracle Customer Support.

**ORA-39015: job is not running**

**Cause:** An API was executed that required the job to be running, but the job was not active.

**Action:** Retry the API. If problem persists, contact Oracle Customer Support.

**ORA-39016: Operation not supported when job is in *string* state.**

**Cause:** The state of the job precludes the execution of the API.

**Action:** Rerun the job to specify the API when the job is an appropriate state.

**ORA-39017: Worker request not supported when job is in *string* state.**

**Cause:** The state of the job precludes the execution of a worker request. This is an internal error.

**Action:** Contact Oracle Customer Support.

**ORA-39018: master process received invalid message number *string***

**Cause:** Internal Error

**Action:** Contact Oracle Customer Support.

**ORA-39019: invalid operation type *string***

**Cause:** User specified an invalid operation name on an DBMS\_DATAPUMP.OPEN API or an invalid operation name was specified in the master table for a restart API.

**Action:** Correct the operation name and recreate the job.

**ORA-39020: invalid mode type *string***

**Cause:** User specified an invalid mode on an DBMS\_DATAPUMP.OPEN API or an invalid mode was specified in the master table for a restart API.

**Action:** Correct the mode and recreate the job.

**ORA-39021: Database compatibility version *string* is not supported.**

**Cause:** User selected COMPATIBLE as the version on an DBMS\_DATAPUMP.OPEN API, but the current database compatibility version is not supported by the Data Pump API. Database versions before 9.2 are not supported by the Data Pump.

**Action:** Specify a supported version and recreate the job.

**ORA-39022: Database version *string* is not supported.**

**Cause:** User selected LATEST as the version on an DBMS\_DATAPUMP.OPEN API, but the current database version is not supported by the Data Pump API. Database versions before 9.2 are not supported by the Data Pump.

**Action:** Specify a supported version and recreate the job.

**ORA-39023: Version *string* is not supported.**

---

**Cause:** User specified an explicit version on an DBMS\_DATAPUMP.OPEN API, but the current database version is not supported by the Data Pump API. Database versions before 9.2 are not supported by the Data Pump.

**Action:** Specify a supported version and recreate the job.

**ORA-39024: wrong schema specified for job**

**Cause:** Internal error caused by the master process finding inconsistencies between the schemas specified for the job.

**Action:** Contact Oracle Customer Support.

**ORA-39025: jobs of type *string* are not restartable**

**Cause:** Attempt to restart a job which was not restartable.

**Action:** Recreate the job via the open API.

**ORA-39026: master table is inconsistent on validation *string***

**Cause:** Job cannot be restarted because it failed a validation check. Validation checks are of the form -xx.y where -xx is the value of the PROCESS\_ORDER column in the master table where the error was detected and y is the actual validity check for the row.

**Action:** Recreate the job. If master table has not been modified, but problem persists, contact Oracle Customer Support.

**ORA-39027: wrong version of master table**

**Cause:** Job cannot be restarted because the version of the database upon which the job started is different than the current version of the database and the format of the master table has changed between the versions.

**Action:** Recreate the job.

**ORA-39028: cannot restart job from *string* state**

**Cause:** The job was not in a suitable state for restart. Jobs must begin executing before they can be restarted.

**Action:** Recreate the job.

**ORA-39029: worker *string* with process name "*string*" prematurely terminated**

**Cause:** The specified worker process terminated unexpectedly. Subsequent messages describe the reason for the termination.

**Action:** In many cases, the Data Pump will attempt to automatically restart the worker. If problem persists, contact Oracle Customer Support.

**ORA-39030: invalid file type *string***

**Cause:** An invalid filetype was specified for an DBMS\_DATAPUMP.ADD\_FILE API call.

**Action:** Correct the filetype parameter and reissue the API request.

**ORA-39031: invalid filter name *string***

**Cause:** An invalid filter name was specified on a DBMS\_DATAPUMP.DATA\_FILTER

**Action:** Correct the filter name parameter and reissue the API request.

**ORA-39032: function *string* is not supported in *string* jobs**

**Cause:** The specified API is not supported for the specified class of jobs.

**Action:** Recreate the job with the appropriate mode or operation type.

---

**ORA-39033: Data cannot be filtered under the direct path access method.**

**Cause:** The user specified that the data access method for the job was direct which precludes the use of certain data filters.

**Action:** Use the SUBQUERY or the SAMPLE data filter with the automatic data access method.

**ORA-39034: Table *string* does not exist.**

**Cause:** The user referenced a table in an API that did not exist.

**Action:** Correct table name and retry API.

**ORA-39035: Data filter *string* has already been specified.**

**Cause:** The user has already specified a data filter that matches on the filter name, schema name, and table.

**Action:** Specify a different data filter.

**ORA-39036: invalid metadata filter name *string***

**Cause:** An invalid metadata filter name was specified on a DBMS\_DATAPUMP.METADATA\_FILTER API call.

**Action:** Correct the metadata filter name parameter and reissue the API request.

**ORA-39037: Object type path not supported for *string* metadata filter.**

**Cause:** An object type path was specified for the filter, but the filter does not support the object type path parameter.

**Action:** Remove the object type path parameter.

**ORA-39038: Object path "*string*" is not supported for *string* jobs.**

**Cause:** The specified object type path is invalid for the job mode.

**Action:** Correct the object type path.

**ORA-39039: Schema expression "*string*" contains no valid schemas.**

**Cause:** The specified SCHEMA\_EXPR filter resulted in no schemas being selected.

**Action:** Correct the the SCHEMA\_EXPR filter specification.

**ORA-39040: Schema expression "*string*" must identify exactly one schema.**

**Cause:** For TABLE mode jobs, the SCHEMA\_EXPR filter must identify exactly one schema.

**Action:** Correct the the SCHEMA\_EXPR filter specification.

**ORA-39041: Filter "*string*" either identifies all object types or no object types.**

**Cause:** A Metadata filter specifying path names either returned all objects or no objects in the job.

**Action:** Correct the the metadata filter specification.

**ORA-39042: invalid transform name *string***

**Cause:** An invalid transform name was specified on a DBMS\_DATAPUMP.METADATA\_TRANSFORM API call.

**Action:** Correct the transform name parameter and reissue the API request.

**ORA-39043: Object type *string* is not supported for *string*.**

**Cause:** The specified object type is invalid for the specified transform or remap.

**Action:** Correct the object type.

---

**ORA-39044: Metadata transform *string* has already been specified.**

**Cause:** The user has already specified the metadata transform for the same class of object types.

**Action:** Specify a different object\_type for the transform.

**ORA-39045: invalid metadata remap name *string***

**Cause:** An invalid metadata remap name was specified on a DBMS\_DATAPUMP.METADATA\_REMAP API call.

**Action:** Correct the metadata remap name parameter and reissue the API request.

**ORA-39046: Metadata remap *string* has already been specified.**

**Cause:** The user has already specified a metadata remap that matches on the remap name and original value.

**Action:** Specify a different original value.

**ORA-39047: Jobs of type *string* cannot use multiple execution streams.**

**Cause:** The user specified a value of parallelism that is precluded by the operation type or mode of the job.

**Action:** Specify only a parallelism of 1 for this type of job.

**ORA-39048: Unable to start all workers; only *string* worker(s) available.**

**Cause:** The full degree of parallelism could not be honored due process limits, resource limits, or other internal errors.

**Action:** Increase process/resource limits for the job.

**ORA-39049: invalid parameter name *string***

**Cause:** An invalid parameter name was specified on a DBMS\_DATAPUMP.SET\_PARAMETER API call.

**Action:** Correct the parameter name and reissue the API request.

**ORA-39050: parameter *string* is incompatible with parameter *string***

**Cause:** Two parameters were set that were incompatible with each other. Only the first parameter setting will be used.

**Action:** Decide which parameter is to be used and stick to it.

**ORA-39051: parameter *string* specified multiple times**

**Cause:** The user has already specified a parameter that matches on the name and the specific parameter doesn't support duplicate definitions.

**Action:** Specify non-repeatable parameters only once.

**ORA-39052: cannot specify SKIP\_CURRENT on initial start of a job.**

**Cause:** The user has already specified SKIP\_CURRENT for a job that has never executed.

**Action:** Only specify SKIP\_CURRENT when restarting a job.

**ORA-39053: parameter or attribute *string* must be defined for a *string* job**

**Cause:** The job being defined cannot be started because it is missing the specified definition.

**Action:** Specify the omitted parameter or attribute before starting the job.

**ORA-39054: missing or invalid definition of the SQL output file.**

---

**Cause:** The job being defined cannot be started because it is missing the file to receive the SQL output of the job or the definition is unusable.

**Action:** Specify a valid directory name and file name for the SQL file.

**ORA-39055: The *string* feature is not supported in version *string*.**

**Cause:** The user attempted to use a feature that was not enabled in the database version specified for the current job. Typically, this error occurs if the compatibility level of the database is below the current version of the database or if the user explicitly specifies a version for a Data Pump job.

**Action:** Specify the current database version as a version parameter for the the job.

**ORA-39056: invalid log file specification.**

**Cause:** The log file for the job was incorrectly specified.

**Action:** Specify a valid directory name and file name for the log file.

**ORA-39057: invalid worker request *string* for *string* jobs.**

**Cause:** The worker process sent a message that wasn't supported for the current job.

**Action:** Internal error -- contact Oracle Customer Support and report the error.

**ORA-39058: current object skipped: *string* of type *string***

**Cause:** The user specified SKIP\_CURRENT when restarting a job. This message is a confirmation that the object will not be imported.

**Action:** User must manually define the object in the target database.

**ORA-39059: dump file set is incomplete**

**Cause:** An IMPORT or SQL\_FILE operation was being performed but not all of the files from the EXPORT dump file set were included.

**Action:** Check the export log file and make sure all of the files that were exported are included in the current job.

**ORA-39060: table(s) dropped because of conflict with master table**

**Cause:** A table specified by a job was not included because its definition would collide with the master table definition for the current job.

**Action:** After the job completes. Import the conflicting tables using a unique job name to avoid conflicts with normal user tables.

**ORA-39061: import mode *string* conflicts with export mode *string***

**Cause:** The mode used for import cannot be used with a dump file set of specified mode. Transportable jobs are not compatible with other modes.

**Action:** Perform the import using a mode compatible with the export.

**ORA-39062: error creating master process *string***

**Cause:** An attempt to create the listed master process failed.

**Action:** Refer to any following error messages for possible actions. Check the trace log for the failed process to see if there is any information about the failure.

Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39064: unable to write to the log file**

---

**Cause:** Errors were detecting while writing to the log file. Subsequent messages will detail the problems.

**Action:** Fix the problems outlined in the secondary messages.

**ORA-39065: unexpected master process exception in *string***

**Cause:** An unhandled exception was detected internally within the master control process for the Data Pump job. This is an internal error. messages will detail the problems.

**Action:** If problem persists, contact Oracle Customer Support.

**ORA-39067: Unable to close the log file.**

**Cause:** Errors were detecting while closing the log file. Subsequent messages will detail the problems.

**Action:** Fix the problems outlined in the secondary messages.

**ORA-39068: invalid master table data in row with PROCESS\_ORDER=*string***

**Cause:** A corruption was detected in the master table in the specified row(s). Either the row wasn't found, it was missing columns or had illegal values in its columns.

**Action:** Rerun the job with an uncorrupted master table.

**ORA-39070: Unable to open the log file.**

**Cause:** Errors were detecting while opening the log file. Subsequent messages will detail the problems.

**Action:** Fix the problems outlined in the secondary messages.

**ORA-39071: Value for *string* is badly formed.**

**Cause:** The value of the user specified filter did not contain a legitimate SQL clause. Subsequent messages will detail the problems.

**Action:** Fix the problems outlined in the secondary messages.

**ORA-39076: cannot delete job *string* for user *string***

**Cause:** Unable to delete a job. Refer to the any following or prior error messages for clarification.

**Action:** Eliminate the problems indicated.

**ORA-39077: unable to subscribe agent *string* to queue "*string*"**

**Cause:** The Data Pump's communication layer was unable to attach one of its processes to the control or status queue. Subsequent messages will detail the problem.

**Action:** Fix the problem if possible, or contact Oracle Customer Support.

**ORA-39078: unable to dequeue message for agent *string* from queue "*string*"**

**Cause:** The Data Pump's communication layer was unable to retrieve a message from the control or status queue. Subsequent messages will detail the problem.

**Action:** Fix the problem if possible, or contact Oracle Customer Support.

**ORA-39079: unable to enqueue message *string***

**Cause:** The Data Pump's communication layer was unable to send the specified message on the control or status queue. Subsequent messages will detail the problem.

**Action:** Fix the problem if possible, or contact Oracle Customer Support.

---

**ORA-39080: failed to create queues "*string*" and "*string*" for Data Pump job**

**Cause:** The Data Pump's communication layer was unable to create the status and control queues required for interprocess communication. Subsequent messages will detail the problem.

**Action:** Fix the problem if possible, or contact Oracle Support.

**ORA-39081: failed to unsubscribe agent *string* from queue "*string*"**

**Cause:** The Data Pump's communication layer was unable to unsubscribe a process from the control or status queue. Subsequent messages will detail the problem.

**Action:** Fix the problem if possible, or contact Oracle Customer Support.

**ORA-39082: Object type *string* created with compilation warnings**

**Cause:** The object in the SQL statement following this error was created with compilation errors. If this error occurred for a view, it is possible that the base table of the view was missing.

**Action:** This is a warning. The object may have to be recompiled before being used.

**ORA-39083: Object type *string* failed to create with error: *string* Failing sql is: *string***

**Cause:** Examine original error code to determine actual cause

**Action:** Original error code will contain more information

**ORA-39084: cannot detach job *string* for user *string***

**Cause:** Unable to detach a job from the session. Refer to any following error messages for clarification.

**Action:** Eliminate the problems indicated.

**ORA-39085: cannot update job *string* for user *string***

**Cause:** Unable to update the fixed table information for a job. Refer to any following or prior error messages for clarification.

**Action:** Eliminate the problems indicated.

**ORA-39086: cannot retrieve job information**

**Cause:** Unable to retrieve fixed table information for a job. Refer to the secondary error messages that follow this one for clarification.

**Action:** Eliminate the problems indicated by the secondary errors.

**ORA-39087: directory name *string* is invalid**

**Cause:** A corresponding directory object does not exist.

**Action:** Correct the directory object parameter, or create a corresponding directory object with the CREATE DIRECTORY command.

**ORA-39088: file name cannot contain a path specification**

**Cause:** The name of a dump file, log file, or sql file contains a path specification.

**Action:** Use the name of a directory object to indicate where the file should be stored.

**ORA-39090: Cannot add devices to file oriented job.**

**Cause:** Attempt to add a device to a job that already contains more than one disk file.

**Action:** Only specify one file for jobs that contain sequential devices.

---

**ORA-39091: unable to determine logical standby and streams status**

**Cause:** An error occurred when determining if the Data Pump job needed to support logical standby or streams.

**Action:** The subsequent message describes the error that was detected. Correct the specified problem and restart the job.

**ORA-39092: unable to set SCN metadata for object "*string.string*" of type *string***

**Cause:** An error occurred when applying a SCN to the specified object to support logical standby or streams.

**Action:** The subsequent message describes the error that was detected. Correct the specified problem and restart the job.

**ORA-39093: FLASHBACK automatically enabled to preserve database integrity.**

**Cause:** A Data Pump job was required to enable flashback support to specific SCNs in order to preserve the consistency of a logical standby or streams instantiation.

**Action:** None

**ORA-39094: Parallel execution not supported in this database edition.**

**Cause:** Parallel execution of Data Pump jobs is not supported for this database edition.

**Action:** Specify a parallelism of 1 for jobs not running on Enterprise Edition databases.

**ORA-39095: Dump file space has been exhausted: Unable to allocate *string* bytes**

**Cause:** The Export job ran out of dump file space before the job was completed.

**Action:** Reattach to the job and add additional dump files to the job restarting the job.

**ORA-39096: invalid input value *string* for parameter *string***

**Cause:** A NULL or invalid value was supplied for the parameter.

**Action:** Correct the input value and try the call again.

**ORA-39097: Data Pump job encountered unexpected error *string***

**Cause:** An unexpected, potentially non-fatal error occurred while processing a Data Pump job.

**Action:** Contact Oracle Customer Support.

**ORA-39098: Worker process received data objects while loading metadata. Invalid process order range is *string..string***

**Cause:** This is an internal error. Messages will detail the problem.

**Action:** If problem persists, contact Oracle Customer Support.

**ORA-39099: cannot create index for "*string*" on master table *string***

**Cause:** One or more indexes couldn't be created on the master table. subsequent error messages describe the failure.

**Action:** Correct the condition that is preventing the indexes from being created.

**ORA-39102: Timeout before master process *string* finished initialization. Master error:**

**Cause:** The master process whose name is listed started up but did not finish its initialization within the allowed time limit.

---

**Action:** Refer to any following error messages for possible actions. Also, check the trace log for the failed process, if one was created, to see if there is any additional information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39103: Timeout before worker process *string* finished initialization. Worker error:**

**Cause:** The worker process whose name is listed started up but did not finish its initialization within the allowed time limit.

**Action:** Refer to any following error messages for possible actions. Also, check the trace log for the failed process, if one was created, to see if there is any additional information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39104: cannot call this function from a SQL parallel query slave process**

**Cause:** Called a Data Pump process model function from a process which is a SQL parallel query slave process

**Action:** A SQL parallel query slave process cannot create a Data Pump master process. This is not supported. If this error occurs from a Data Pump client (for example, expdp or impdp), contact Oracle Customer Support and report the error.

**ORA-39105: Master process *string* failed during startup. Master error:**

**Cause:** The master process whose name is listed failed during startup.

**Action:** Refer to any following error messages for possible actions. Also, check the trace log for the failed process, if one was created, to see if there is any additional information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39106: Worker process *string* failed during startup. Worker error:**

**Cause:** The worker process whose name is listed failed during startup.

**Action:** Refer to any following error messages for possible actions. Also, check the trace log for the failed process, if one was created, to see if there is any additional information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39107: Master process *string* violated startup protocol. Master error:**

**Cause:** The master process whose name is listed started up but then exited before notifying the creating process that it was finished with initialization.

**Action:** Refer to any following error messages for possible actions. Also, check the trace log for the failed process, if one was created, to see if there is any additional information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39108: Worker process *string* violated startup protocol. Worker error:**

**Cause:** The worker process whose name is listed started up but then exited before notifying the creating process that it was finished with initialization.

**Action:** Refer to any following error messages for possible actions. Also, check the trace log for the failed process, if one was created, to see if there is any additional

---

information about the failure. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39109: Unprivileged users may not operate upon other users' schemas**

**Cause:** An unprivileged user attempted to reference another user's schema during a Data Pump operation. Because of this, no schemas were selected for the job.

**Action:** Retry the operation under a username owning the schema.

**ORA-39110: error deleting worker processes**

**Cause:** An attempt to delete the worker processes failed.

**Action:** Refer to any following error messages for possible actions. Correct the error, if possible, and try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39111: Dependent object type *string* skipped, base object type *string* already exists**

**Cause:** During a Data Pump import job, a dependent object is being skipped because its base object already existed.

**Action:** If the object from the dump file is wanted, drop the base and dependent objects and try to import again using desired filters.

**ORA-39112: Dependent object type *string* skipped, base object type *string* creation failed**

**Cause:** During a Data Pump import job, a dependent object is being skipped because its base object creation failed.

**Action:** If the object from the dump file is wanted, drop the base and dependent objects and try to import again using desired filters

**ORA-39113: Unable to determine database version**

**Cause:** The Data Pump was unable to determine the compatibility level and version of the current database using SYS.DBMS\_UTILITY.DB\_VERSION.

**Action:** Make sure access to the DBMS\_UTILITY package is granted to you. If this is a network job, be sure that access to the DBMS\_UTILITY package is granted to you on the remote instance.

**ORA-39114: Dump files are not supported for network jobs.**

**Cause:** An attempt was made to add a dumpfile to an Import job that is using a network link to the source database.

**Action:** Do not specify a dumpfile for jobs that do not require dumpfiles.

**ORA-39115: *string* is not supported over a network link**

**Cause:** An attempt was made to use an option that is not supported over network links such as the PARTITION\_LIST filter.

**Action:** Do not attempt to use Data Pump features on network jobs if they are not compatible with jobs over the network.

**ORA-39116: invalid trigger operation on mutating table *string.string***

**Cause:** A Data Pump load operation failed because a trigger attempted to fire on the table while it was mutating.

**Action:** Disable trigger(s) on the specified table. Also see ORA-004091.

---

**ORA-39117: Type needed to create table is not included in this operation. Failing sql is: *string***

**Cause:** A create table was attempted and a dependent type does not exist in the dumpfile or on the target database. Either the export or the import Data Pump job was a table mode job and types are not included in table mode jobs.

**Action:** Determine which type(s) are missing and create them on the target system and run the Data Pump import job again.

**ORA-39119: worker process interrupt for delete worker processes call by master process**

**Cause:** The master process that created this worker process called delete worker processes to abort the current operation.

**Action:** No action is necessary. This is an informational error message.

**ORA-39120: Table *string* can't be truncated, data will be skipped. Failing error is: *string***

**Cause:** Table data was about to be loaded into a table that already existed and the table\_exists\_action parameter is truncate, but the table could not be truncated.

**Action:** Determine actual cause by looking at base error.

**ORA-39121: Table *string* can't be replaced, data will be skipped. Failing error is: *string***

**Cause:** Table data was about to be loaded into a table that already existed and the table\_exists\_action parameter is replace, but the table could not be dropped.

**Action:** Determine actual cause by looking at base error.

**ORA-39122: Unprivileged users may not perform *string* remappings.**

**Cause:** A user attempted to remap objects during an import but lacked the IMPORT\_FULL\_DATABASE privilege.

**Action:** Retry the job from a schema that owns the IMPORT\_FULL\_DATABASE privilege.

**ORA-39123: Data Pump transportable tablespace job aborted *string***

**Cause:** A DBMS\_PLUGTS procedure failed and the Data Pump operation could not continue so it was aborted. The DBMS\_PLUGTS failure listed describes the original error.

**Action:** Look at the DBMS\_PLUGTS error to determine actual cause.

**ORA-39124: dump file name "*string*" contains an invalid substitution variable**

**Cause:** The substitution variable "%" must be followed by "%", "u", or "U".

**Action:** Correct the substitution variable in the dump file name and re-enter the command.

**ORA-39125: Worker unexpected fatal error in *string* while calling *string* [*string*]**

**Cause:** An unhandled exception was detected internally within the worker process for the Data Pump job while calling the specified external routine. This is an internal error. Additional information may be supplied.

**Action:** If problem persists, contact Oracle Customer Support.

**ORA-39126: Worker unexpected fatal error in *string* [*string*] *string***

---

**Cause:** An unhandled exception was detected internally within the worker process for the Data Pump job. This is an internal error. Additional information may be supplied.

**Action:** If problem persists, contact Oracle Customer Support.

**ORA-39127: unexpected error from call to *string string***

**Cause:** The exception was raised by the function invocation, a procedural action extension of export.

**Action:** Record the accompanying messages and report this as a Data Pump internal error to customer support.

**ORA-39128: unexpected DbmsJava error *number* from statement *string***

**Cause:** The error was returned from a call to a DbmsJava procedure.

**Action:** Record the accompanying messages and report this as a Data Pump internal error to customer support.

**ORA-39129: Object type *string* not imported. Name conflicts with the master table**

**Cause:** The table being imported from the remote instance has the same name as the master table running this Data Pump job.

**Action:** Rerun the Data Pump job with a nonconflicting name.

**ORA-39130: Object type *string* not imported. Base object name conflicts with the master table**

**Cause:** The object being imported from the remote instance is dependent on an object that has the same name as the master table running this Data Pump job.

**Action:** Rerun the Data Pump job with a nonconflicting name.

**ORA-39132: object type "*string*"."*string*" already exists with different hashcode**

**Cause:** An object type could not be created because there was already a type with the same name but a different hashcode on the target system. Tables in the transportable tablespace set that use this object type cannot be read.

**Action:** Drop the object type from the target system and retry the operation.

**ORA-39133: object type "*string*"."*string*" already exists with different typeid**

**Cause:** An object type in a transportable tablespace set already exists on the target system, but with a different typeid. The typeid could not be changed because the type is used by an existing table. Tables in the transportable tablespace set that use this object type cannot be read.

**Action:** Drop the object type from the target system and retry the operation.

**ORA-39134: Cannot include "*string*" tablespace as a Transportable Tablespace**

**Cause:** The user attempt to specify the SYSAUX or SYSTEM tablespace as a member of the transportable tablespace list in the current job. These tablespaces may not be transported between databases.

**Action:** Specify different tablespaces to be transported.

**ORA-39135: File "*string*" is already a member of this dump set**

**Cause:** An attempt was made to add a new file to an export job but a file with the same name already exists in the dump set for the job.

**Action:** Reenter the new file information using a different file name.

**ORA-39136: cannot specify an SCN on a transportable job**

---

**Cause:** A target SCN was specified for a table in a transportable job by the streams or logical standby components which was not the defaulted SCN for the table.

**Action:** This is an internal error. Please report it to Oracle support.

**ORA-39137: cannot specify a TABLE\_EXISTS\_ACTION of *string* for a job with no metadata**

**Cause:** A job was defined with the TABLE\_EXISTS\_ACTION parameter set to REPLACE or SKIP, but without metadata. Without metadata, data could not be loaded for the requested table actions.

**Action:** Change the setting of the TABLE\_EXISTS\_ACTION parameter to APPEND or TRUNCATE or supply Metadata with the data.

**ORA-39138: Insufficient privileges to load data not in your schema**

**Cause:** An unprivileged user attempted to load data into a different schema.

**Action:** Use a privileged account if you must load data not in your schema

**ORA-39139: Data Pump does not support XMLType objects in version *string*. *string* will be skipped.**

**Cause:** Object had an XMLType column using either an object relational or binary storage format, which is unsupported by Data Pump in the target version.

**Action:** Use the original export and import utilities to move this object.

**ORA-39140: dump file "*string*" belongs to job *string***

**Cause:** When a dump file set consists of multiple files, all files in the set must be specified for an import operation, and all files must have been produced by the same export job. One of the files provided does not belong to the original dump file set. For instance, it was created by a different export job than the other files.

**Action:** Remove the dump file indicated in the message and retry the import operation providing only the complete set of dump files created by a specific export job.

**ORA-39141: dump file "*string*" is a duplicate of dump file "*string*"**

**Cause:** When a dump file set consists of multiple files, all files in the set must be specified for an import operation. One of the files provided to import was found to be a duplicate of another dump file in the set. This can occur if the files in the dump set were copied or renamed using operating system utilities and the same dump file was inadvertently copied more than once with different destination names.

**Action:** Remove the dump file indicated in the message and retry the import operation providing only the complete set of dump files created by a specific export job.

**ORA-39142: incompatible version number *string* in dump file "*string*"**

**Cause:** A dump file was specified for an import operation whose version number is incompatible with the dump file version of the Data Pump product currently running on the system. Usually this message indicates that the dump file was produced by a newer version of the Data Pump export utility.

**Action:** Import this dump file using the Data Pump import utility with the same version as the export which created the file.

**ORA-39143: dump file "*string*" may be an original export dump file**

---

**Cause:** A dump file was specified for an import operation which appears to have been created using the original export utility. These dump files cannot be processed by the Data Pump import utility.

**Action:** Try using the original import utility to process this dump file.

**ORA-39144: file name parameter must be specified and non-null**

**Cause:** No file name was provided in an DBMS\_DATAPUMP.ADD\_FILE API call.

**Action:** Correct the file name parameter and reissue the API request.

**ORA-39145: directory object parameter must be specified and non-null**

**Cause:** No directory object was provided in either an DBMS\_DATAPUMP.ADD\_FILE API call or to the directory parameter used by the Data Pump command line clients.

**Action:** Correct the directory object parameter and retry the operation.

**ORA-39146: schema "*string*" does not exist**

**Cause:** The specified schema was referenced as the source of a REMAP\_SCHEMA parameter, but did not exist in the dump file (for

**Action:** Specify the correct name of the schema to be remapped.

**ORA-39147: cannot migrate Data Pump queue table ownership to this instance**

**Cause:** There are active Data Pump jobs running on another instance in a RAC. All concurrent, active Data Pump jobs must be run on the same instance.

**Action:** Start this job on the same instance where other active Data Pump jobs are running, or wait until they finish.

**ORA-39148: unable to import data into pre-existing queue table *string*. Table\_exists\_ action of *string* being ignored for this table**

**Cause:** A Data Pump import detected that a queue table that was to be imported already exists. Importing data into pre-existing queue tables is not supported.

**Action:** If the data from the dump file is desired, then drop the queue table and perform the import again, or use the import parameter table\_exists\_action=replace.

**ORA-39149: cannot link privileged user to non-privileged user**

**Cause:** A Data Pump job initiated by a user with EXPORT\_FULL\_DATABASE/IMPORT\_FULL\_DATABASE roles specified a network link that did not correspond to a user with equivalent roles on the remote database.

**Action:** Specify a network link that maps users to identically privileged users in the remote database.

**ORA-39150: bad flashback time**

**Cause:** A flashback time was specified for the Data Pump job which either could not be parsed or else could not be translated into a system change number (SCN). This typically occurs when

**Action:** Specify an explicit SCN for the desired flashback rather than a time.

**ORA-39154: Objects from foreign schemas have been removed from import**

**Cause:** A non-privileged user attempted to import objects into a schema other than their own.

**Action:** Either perform the import from a privileged schema or else remap all schemas that were exported into the username running the import.

---

**ORA-39155: error expanding dump file name "*string*"**

**Cause:** Export was unable to expand the directory object and dump file name into a full file name. Subsequent messages will detail the problems.

**Action:** Fix the problems outlined in the secondary messages.

**ORA-39156: error parsing dump file name "*string*"**

**Cause:** Export was unable to parse the dump file name. Subsequent messages will detail the problems.

**Action:** Fix the problems outlined in the secondary messages.

**ORA-39157: error appending extension to file "*string*"**

**Cause:** Export or Import was unable to append the default extension to create the file name. The given file name could be too long or contain illegal characters. Subsequent messages will detail the problems.

**Action:** Fix the problems outlined in the secondary messages.

**ORA-39159: cannot call this function from a non-Data Pump process**

**Cause:** Called a Data Pump process model function from a process which is not a Data Pump process.

**Action:** Refer to any other error messages for additional information. If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39160: error on what's my name call**

**Cause:** Attempt to get the Data Pump process name failed.

**Action:** Refer to any following error messages for additional information. If this error occurs from a Data Pump client (e.g. expdp or impdp), try the operation again. If the error occurs again, contact Oracle Customer Support and report the error.

**ORA-39161: Full database jobs require privileges**

**Cause:** Either an attempt to perform a full database export without the EXP\_FULL\_DATABASE role or an attempt to perform a full database import over a network link without the IMP\_FULL\_DATABASE role.

**Action:** Retry the operation in a schema that has the required roles.

**ORA-39162: Transportable tablespace job require privileges**

**Cause:** User attempted to perform a transportable tablespace job without being having the proper EXP\_FULL\_DATABASE or IMP\_FULL\_DATABASE role.

**Action:** Retry the operation in a schema that has the required roles.

**ORA-39163: A sample size of *string* is invalid.**

**Cause:** An attempt was made to do data sampling on a table with a value outside of the range of 0 - 100.

**Action:** Retry the filtering using a sampling number greater than 0 and less than 100.

**ORA-39164: Partition *string* was not found.**

**Cause:** If exporting or importing over the network, the user specified a partition name that was not found in the source database. For importing from files, the user specified a partition name not found in the dump file set.

**Action:** Retry the operation using the correct partition name.

---

**ORA-39165: Schema *string* was not found.**

**Cause:** If exporting or importing over the network, either the user specified a schema name that was not found in the source database or else the user lacked the proper EXP\_FULL\_DATABASE or IMP\_FULL\_DATABASE role that would allow them to access another schema. For importing from files, the user specified a schema name not found in the dump file set.

**Action:** Retry the operation using the correct schema name.

**ORA-39166: Object *string* was not found.**

**Cause:** If exporting or importing over the network, either the user specified an object name that was not found in the source database or else the user lacked the proper EXP\_FULL\_DATABASE or IMP\_FULL\_DATABASE role that would allow them to access the object another in another schema. For importing from files, the user specified an object name not found in the dump file set.

**Action:** Retry the operation using the correct object name.

**ORA-39168: Object path *string* was not found.**

**Cause:** If exporting or importing over the network, the user specified an object type path name that was not found in the source database. For importing from files, the user specified an object type path name not found in the dump file set.

**Action:** Retry the operation using the correct object type path name.

**ORA-39169: Local version of *string* cannot work with remote version of *string*.**

**Cause:** A Data Pump job specified a network link, but the version on the remote database cannot interoperate with the version on the local database.

**Action:** Do not specify network links between instance running different versions of the database.

**ORA-39170: Schema expression *string* does not correspond to any schemas.**

**Cause:** A schema expression or schema list was supplied for a Data Pump job that did not identify any schemas in the source database.

**Action:** Correct the schema specifications and retry the job.

**ORA-39171: Job is experiencing a resumable wait. *string***

**Cause:** The Data Pump job is stalled with one or more of its sessions having a resumable wait. Resumable waits are typically caused by a non-expandable tablespace running out of space. The follow-on message describes the nature of the wait.

**Action:** Correct the condition causing the wait. This will typically involve adding datafiles to the tablespace that is full.

**ORA-39172: Cannot remap transportable tablespace names with compatibility of *string*.**

**Cause:** The user attempted to remap a tablespace name in a transportable tablespace job when the compatibility level was set below 10.1.

**Action:** Reset the compatibility level of the database to a more recent version.

**ORA-39173: Encrypted data has been stored unencrypted in dump file set.**

**Cause:** No encryption password was specified for an export job that involved data that was encrypted in the database.

**Action:** No specific user action is required. This is only a warning that secure data may be readable from within the dump file set.

---

**ORA-39174: Encryption password must be supplied.**

**Cause:** No encryption password was supplied to import a dump file set that was created using an encryption password.

**Action:** Specify the encryption password for the dump file set.

**ORA-39175: Encryption password is not needed.**

**Cause:** An encryption password was supplied to import a dump file set that was not created using an encryption password.

**Action:** No user action is required. This is merely a warning message.

**ORA-39176: Encryption password is incorrect.**

**Cause:** The wrong encryption password was supplied to import a dump file set.

**Action:** Resubmit the job using the correct encryption password for the dump file set.

**ORA-39177: invalid compression value *string***

**Cause:** An invalid value was specified for compression.

**Action:** Correct the value and recreate the job.

**ORA-39178: cannot perform estimate on metadata only jobs**

**Cause:** An estimate was requested for a job by specifying the ESTIMATE or ESTIMATE\_ONLY parameter. However, the job was also defined to have no data. These specifications conflict with each other.

**Action:** Remove one of the conflicting specifications for the job.

**ORA-39179: unable to load table "*string*"."*string*" because of OID transform**

**Cause:** The OID transform for the job was set to false and the identified table contained either VARRAYs with non-final types or unscoped REF columns. Both of these column types have embedded OIDs so they

**Action:** You must manually move the data with the specified tables when OIDs are not preserved.

**ORA-39180: unable to encrypt ENCRYPTION\_PASSWORD**

**Cause:** The specified encryption password was unable to be encrypted for placement within the master table or decrypted when it was to be restored from the master table. Subsequent messages will describe the actual error that caused the encryption to fail.

**Action:** Fix the problems referenced by the subsequent messages. The most common reason for the encryption to fail is the lack of a security wallet.

**ORA-39181: Only partial table data may be exported due to fine grain access control on *string***

**Cause:** An unprivileged user has tried to export a table that has fine grain access control. The table owner is subjected to access control and may not be able to export all rows in the table. Only the rows that can be seen by that user will be exported. In order to preserve integrity of the table, the user importing the table should have enough privilege to recreate the table with the security policies at import time.

**Action:** It is strongly recommended that the database administrator handle exporting of this table.

**ORA-39182: internal error *string* occurred during compression phase *string***

---

**Cause:** An unexpected error occurred while compressing data buffers.

**Action:** Contact Oracle Customer Support.

**ORA-39183: internal error *string* occurred during decompression phase *string***

**Cause:** An unexpected error occurred while decompressing data buffers.

**Action:** Contact Oracle Customer Support.

**ORA-39184: Transportable Data Pump jobs cannot exclude PLUGTS objects**

**Cause:** A Transportable Data Pump job requires all PLUGTS% objects, but the user-supplied exclude filters were excluding these objects.

**Action:** Reenter command without excluding PLUGTS% objects.

**ORA-39185: The transportable tablespace failure list is**

**Cause:** Some of the tablespaces specified for this job could not be exported.

**Action:** See specific errors for each tablespace, correct the problem, and try again.

**ORA-39186: No tablespaces in the specified list exist.**

**Cause:** The tablespaces specified on the EXPORT command did not exist.

**Action:** Check the list of tablespaces and reenter command with correct set of tablespaces.

**ORA-39187: The transportable set is not self-contained, violation list is**

**Cause:** The tablespaces specified for this job did not satisfy the closure checking. The list of violations specified each closure violation.

**Action:** See specific errors for violation and correct the problem or change the tablespaces on the command line and try again.

**ORA-39188: unable to encrypt dump file set**

**Cause:** Data Pump could not create an encrypted dump file set. This message will be accompanied by other messages that give more details about why the encrypted dump file set could not be created. The most common reason for this message is that you are trying to create a dump file set that can be transparently decrypted, and the database external security device is not open.

**Action:** If the external security device is not open, then open it. If the external security device is not configured, then the only type of encrypted dump file set that you can create is a password-based dump file set.

**ORA-39189: unable to decrypt dump file set**

**Cause:** The dump file set could not be decrypted. The reason could be either that an invalid password was entered, or that, when using transparent decryption, the database external security device was not open.

**Action:** If password-based import was enabled for this dump file set, then supply the correct password. If transparent import was enabled for this dump file set, then ensure that the database external security device is open.

**ORA-39190: internal error occurred during encryption phase *string***

**Cause:** An unexpected error occurred while encrypting data buffers.

**Action:** See the secondary error for more information and contact Oracle Customer Support.

**ORA-39191: internal error occurred during decryption phase *string***

**Cause:** An unexpected error occurred while decrypting data buffers.

---

**Action:** See the secondary error for more information and contact Oracle Customer Support.

**ORA-39192: table mode jobs with transportable=always and partition filters only allow objects from one table**

**Cause:** Multiple tables are not supported when specifying partitions while using transportable table mode.

**Action:** Retry the job specifying only one table.

**ORA-39200: Link name "*string*" is invalid.**

**Cause:** The name of the network link supplied for a Data Pump job was not usable. Secondary messages identify the problem.

**Action:** Rerun the job using a valid network link.

**ORA-39201: Dump files are not supported for estimate only jobs.**

**Cause:** An attempt was made to add a dumpfile to an Export job that only requested file estimates.

**Action:** Do not specify a dumpfile for jobs that do not require dumpfiles.

**ORA-39202: Data cannot be filtered or selected in *string* jobs.**

**Cause:** A data filter was supplied for the specified type of job, but is not supported in the specified job type. From the command line, data filters can be specified by the CONTENT, TABLES (partition specifications), SAMPLE and QUERY parameters.

**Action:** Do not restrict data handling on jobs that cannot support data filtering.

**ORA-39203: Partition selection is not supported over a network link.**

**Cause:** Specific partitions were selected for a job operating over a network link.

**Action:** Remove the partition specifications and rerun the job.

**ORA-39204: No subsetting of tablespaces is allowed for transportable import.**

**Cause:** A tablespace filter was applied to a transportable import job that was not performed over a network link. In this case, the tablespace may not be changed from its specification at export time.

**Action:** Rerun the job without specifying a tablespace filter.

**ORA-39205: Transforms are not supported in transportable jobs.**

**Cause:** A metadata transformation such as STORAGE or SEGMENT\_ATTRIBUTES has been specified for a transportable Data Pump job.

**Action:** Rerun the job without specifying a transform.

**ORA-39206: A parallel degree of *string* is invalid.**

**Cause:** A bad numeric was supplied for specifying the parallelism to be used within a Data Pump job. The degree of parallelism must be an integer greater than 0.

**Action:** The the degree specifying and retry the parallelism setting.

**ORA-39207: Value *string* is invalid for parameter *string*.**

**Cause:** A parameter for a Data Pump job was set with a NULL or invalid value.

**Action:** Refer to the documentation to identify the legal values for each parameter. Retry the operation with a valid value.

**ORA-39208: Parameter *string* is invalid for *string* jobs.**

---

**Cause:** The a parameter has been specified that is not supported for the specified type of Data Pump.

**Action:** Remove the parameter specification and retry the operation.

**ORA-39209: Parameter *string* requires privileges.**

**Cause:** Use of the specified privileges requires the user to have the IMP\_FULL\_DATABASE role for import jobs or the EXP\_FULL\_DATABASE role for export jobs.

**Action:** Remove the parameter specification and retry the operation.

**ORA-39210: A PCTSPACE adjustment of *string* is invalid.**

**Cause:** User specified a storage space transformation that was out of range. Values for PCTSPACE must be greater than zero.

**Action:** Retry the operation with a valid PCTSPACE value.

**ORA-39211: unable to retrieve dumpfile information as specified**

**Cause:** User specified an invalid or inaccessible file with the specified filename and directory object.

**Action:** Retry the operation with a valid directory object and filename.

**ORA-39212: installation error: XSL stylesheets not loaded correctly**

**Cause:** The XSL stylesheets used by the Data Pump Metadata API were not loaded correctly into the Oracle dictionary table "sys.metastylesheet." Either the stylesheets were not loaded at all, or they were not converted to the database character set.

**Action:** Connect AS SYSDBA and execute dbms\_metadata\_util.load\_stylesheets to reload the stylesheets.

**ORA-39213: Metadata processing is not available**

**Cause:** The Data Pump could not use the Metadata API. Typically, this is caused by the XSL stylesheets not being set up properly.

**Action:** Connect AS SYSDBA and execute dbms\_metadata\_util.load\_stylesheets to reload the stylesheets.

**ORA-39214: Data Pump does not support external tables with encrypted columns. *string* will not be exported**

**Cause:** The object is an external table with encrypted columns and this is unsupported with Data Pump.

**Action:** External table must be manually recreated on the target system.

**ORA-39216: object type "*string*"."*string*" hashcode mismatch**

**Cause:** An object type in a transportable tablespace set could not be used because there was a type with the same name but a different hashcode (and type definition) on the target system. Tables in the transportable tablespace set that use this object type cannot be created.

**Action:** Drop the object type and dependent objects from the target system if possible and retry the operation.

**ORA-39217: object type "*string*"."*string*" typeid mismatch**

**Cause:** An object type in a transportable tablespace set already exists on the target system, but with a different typeid. The typeid could not be changed because the type or a dependent type is used by an existing table. Tables in the transportable tablespace set that use this object be created.

---

**Action:** Drop the object type and dependent objects from the target system if possible and retry the operation.

**ORA-39218: type check on object type "*string*"."*string*" failed**

**Cause:** The type check on a type failed. Therefore, the table create for the table which uses the type also fails.

**Action:** Refer to any following error messages for additional information. Correct the error, if possible, and try the action again.

**ORA-39219: directory object name is too long**

**Cause:** The directory object name provided to the Data Pump Job was invalid because its length was greater than 30 characters.

**Action:** Retry the operation with a valid directory object name.

**ORA-39220: file name is too long**

**Cause:** The file name provided to the Data Pump Job was invalid because its length was greater than 4000 characters.

**Action:** Retry the operation with a valid file name.

**ORA-39221: Specifying data filters is invalid when dumpfiles do not contain table data.**

**Cause:** A data filter was supplied for an import job, but the dumpfile does not contain any table data. The export command created a dumpfile with metadata only. No table data was included. From the command line, data filters can be specified by the CONTENT, SAMPLE and QUERY parameters.

**Action:** Do not restrict data handling on jobs that cannot support data filtering.

**ORA-39222: Unable to create global temporary master table *string***

**Cause:** Data Pump tried to create a global temporary master table but could not. The errors that follow describe why the table could not be created.

**Action:** Examine and fix the problems described in the additional errors.

**ORA-39223: Internal Data Pump error. Master table information for version *string* not found.**

**Cause:** An unexpected error occurred while processing the job. The data in an internal table could not be found.

**Action:** Contact Oracle Support Services.

**ORA-39224: *string* row(s) were rejected with the following error: *string***

**Cause:** These rows were not loaded due to constraint or index violations.

**Action:** Retry the operation when row data is fixed.

**ORA-39228: Unable to construct a unique departitioned object name for *string string.string:string* when defaulted.**

**Cause:** All (sub)partitions in the job were to be created as individual objects and the renaming was defaulted. The job will attempt to create unique object names, but the name creation algorithm was unable to find a unique object name for the specified (sub)partition.

**Action:** Specify a rename\_table transform to use or delete some of the existing objects causing the name conflicts.

**ORA-39230: Service name *string* is not available**

**Cause:** The specified resource service name for the Data Pump job

---

**Action:** Pick a service name that the user is authorized to use.

**ORA-39231: invalid data remap name: *string***

**Cause:** The specified type of data remapping was not supported.

**Action:** Only COLUMN\_FUNCTION data remaps are supported. Retry the operation using a supported data remap name.

**ORA-39232: invalid remap function: *string***

**Cause:** The specified package function for performing data remapping was not found.

**Action:** Either create the specified package function or else grant the user access to the function.

**ORA-39233: invalid remap column name: *string***

**Cause:** The column name specified for the data remapping does not exist in the specified table.

**Action:** Specify a scalar column name within the table to be remapped.

**ORA-39234: Data cannot be remapped under the direct path access method.**

**Cause:** Data remapping was requested on a job that requires the direct path access method. Data remapping can only be performed using the external table access method.

**Action:** Retry the job without specifying any access method.

**ORA-39235: data remap *string* has already been specified**

**Cause:** A data remap has already been specified for the indicated column. Only one data remap may be defined for a column.

**Action:** Remove one of the data remap specifications for the job.

**ORA-39237: Failed to load XML document *string*. Compare process aborted.**

**Cause:** An error occurred while performing XML difference parse.

**Action:** Resubmit XML compare request with valid document.

**ORA-39238: XML node attribute differences are not supported.**

**Cause:** MDAPI XML difference parsing did not support node attributes.

**Action:** Resubmit XML compare request with valid document.

**ORA-39239: No differences found.**

**Cause:** XML documents compared were identical.

**Action:** No action required.

**ORA-39240: Error while processing difference document.**

**Cause:** Error occurred in the MDAPI difference writer.

**Action:** Refer to any following error messages for additional information. Correct the error, if possible, and try the action again.

**ORA-39242: Unable to export/import *string* due to table attributes.**

**Cause:** See the Data Pump documentation for an explanation of what table attributes prevent an export or import from succeeding.

**Action:** Resolve conflicting table attributes.

**ORA-39243: Import job requires "TRANSPORT\_DATAFILES" parameter.**

---

**Cause:** The export job used "TRANSPORTABLE=ALWAYS" and the import job requires TRANSPORT\_DATAFILES to be specified.

**Action:** Specify the transport datafiles associated with this job.

**ORA-39500: failed to notify CRS of a Startup/Shutdown event for database "string", instance "string" (ignored)**

**Cause:** The instance was unable to obtain the context or information required to notify the CRS framework.

**Action:** None Required. The error is ignored.

**ORA-39501: failed to notify CRS of a Startup/Shutdown event [string] (ignored)**

**Cause:** The instance was unable to communicate with the CRS framework.

**Action:** None Required. The error is ignored.

**ORA-39502: failed to notify CRS of a Startup/Shutdown event [string] (ignored)**

**Cause:** The instance was unable to create an environment context.

**Action:** None Required. The error is ignored.

**ORA-39503: failed to notify CRS of a Startup/Shutdown event [string] (ignored)**

**Cause:** The instance was unable to populate the environment context.

**Action:** None Required. The error is ignored.

**ORA-39504: failed to notify CRS of a Startup/Shutdown event [string] (ignored)**

**Cause:** The instance was unable to find the location of the alert file.

**Action:** None Required. The error is ignored.

**ORA-39600: Queue keys needs to be a suffix of cluster key.**

**Cause:** Attempt to specify queue key columns that don't form a suffix of the cluster key.

**Action:** Only specify queue key columns as a suffix of cluster key.

**ORA-39601: Hash key is required.**

**Cause:** Missing hash key in the cluster key specification.

**Action:** Specify one or more hash key columns.

**ORA-39700: database must be opened with UPGRADE option**

**Cause:** A normal database open was attempted, but the database has not been upgraded to the current server version.

**Action:** Use the UPGRADE option when opening the database to run catupgrd.sql (for database upgrade), or to run catalog.sql and catproc.sql (after initial database creation).

**ORA-39701: database must be mounted EXCLUSIVE for UPGRADE or DOWNGRADE**

**Cause:** The database was mounted for SHARED cluster access.

**Action:** Set the CLUSTER\_DATABASE initialization parameter to FALSE and restart the server with the UPGRADE or DOWNGRADE option.

**ORA-39702: database not open for UPGRADE or DOWNGRADE**

**Cause:** An upgrade, downgrade, reload, or patch script was invoked when the database was not open for UPGRADE or DOWNGRADE.

---

**Action:** Use STARTUP UPGRADE to open the database for upgrade or to apply a patch set. Use STARTUP DOWNGRADE for running a downgrade script or the reload script.

**ORA-39703: server version and script version do not match**

**Cause:** An upgrade, downgrade, reload, or patch script was invoked, but the database instance version was not the version for which the script was intended.

**Action:** Check that the correct ORACLE\_HOME and ORACLE\_SID environment variables are set. Also check that the SQL script is being invoked from the correct ORACLE\_HOME.

**ORA-39704: permission to modify component registry entry denied**

**Cause:** An attempt was made to modify an entry in the component registry, but the session user was not authorized; only the CONTROL or SCHEMA user for the component are authorized to modify the component registry entry.

**Action:** Connect as either the CONTROL or SCHEMA user for the component.

**ORA-39705: component "*string*" not found in registry**

**Cause:** No entry in the component registry was found for the specified component.

**Action:** Check the spelling of the component ID and use the DBA\_REGISTRY view to list the existing components.

**ORA-39706: schema "*string*" not found**

**Cause:** The schema name specified was not found in the database.

**Action:** Create the schema before loading the component.

**ORA-39707: compatible parameter *string* too high for downgrade to *string***

**Cause:** A downgrade was attempted, but the compatible initialization parameter value was greater than the downgrade release version.

**Action:** Once the compatible value has been raised, downgrade to earlier releases is not supported.

**ORA-39708: component "*string*" not a *string* component**

**Cause:** The component was not a component for the specified namespace.

**Action:** Either enter a valid component identifier for the namespace or set the session namespace to the correct component namespace.

**ORA-39709: incomplete component downgrade; *string* downgrade aborted**

**Cause:** One or more components did not have a status of DOWNGRADED.

**Action:** Correct the component problem and re-run the downgrade script.

**ORA-39710: only connect AS SYSDBA is allowed when OPEN in UPGRADE mode**

**Cause:** An attempt was made to connect to a database when the database was OPEN for UPGRADE or DOWNGRADE.

**Action:** Try to connect again after the database upgrade or downgrade is complete.

**ORA-39711: critical patch number less than last installed CPU number**

**Cause:** A Critical Patch Update (CPU) script was invoked that had a number that was less than the last CPU installed in the database.

---

**Action:** Check the DBA\_REGISTRY\_HISTORY view to identify the last CPU for the database, and install the most recent CPU.

**ORA-39712: XE edition server cannot open database**

**Cause:** An attempt was made to open a Standard Edition or Enterprise Edition database with the Express Edition of the server.

**Action:** Use the Express Edition server only with Express Edition databases.

**ORA-39714: upgrade script utlmmig.sql failed**

**Cause:** A normal database open was attempted, but the upgrade script utlmmig.sql failed to complete.

**Action:** Use the UPGRADE option when opening the database and then run utlmmig.sql.

**ORA-39726: unsupported add/drop column operation on compressed tables**

**Cause:** An unsupported add/drop column operation for compressed table was attempted.

**Action:** When adding a column, do not specify a default value. DROP column is only supported in the form of SET UNUSED column (meta-data drop column).

**ORA-39727: COMPATIBLE must be set to 10.0.0.0.0 or higher**

**Cause:** An add/drop column operation for compressed table has been performed on the database. This requires COMPATIBLE to be set to 10.0.0.0.0 or higher during upgrade from 9.2 to a 10i or higher release.

**Action:** Set COMPATIBLE to 10.0.0.0.0 and retry the upgrade.

**ORA-39751: partitioned table on both sides of PARTITIONED OUTER JOIN is not supported**

**Cause:** An attempt was made to partition both sides of PARTITIONED OUTER JOIN.

**Action:** Specify partitioned table on one side of PARTITIONED OUTER JOIN only.

**ORA-39752: redundant column in partitioning and join columns is not allowed**

**Cause:** An attempt was made to specify redundant columns in partitioning and join columns for NATURAL or named column PARTITIONED OUTER JOIN.

**Action:** Do not specify redundant column in partitioning and join columns.

**ORA-39753: unsupported use of subquery in PARTITIONED OUTER JOIN condition**

**Cause:** An attempt was made to use subquery in PARTITIONED OUTER JOIN condition.

**Action:** Remove subquery from the join condition.

**ORA-39754: FULL PARTITIONED OUTER JOIN is not supported**

**Cause:** An attempt was made to use FULL PARTITIONED OUTER JOIN.

**Action:** Specify FULL PARTITIONED OUTER JOIN through UNION of LEFT and RIGHT PARTITION OUTER JOIN.

**ORA-39761: stream reset required before loading this stream again**

**Cause:** An attempt was made to load a stream that was previously loaded but has not been reset yet.

---

**Action:** Reset the specified stream and convert column array data to it before attempting to load it again.

**ORA-39762: streams must be loaded in conversion order**

**Cause:** An attempt was made to load a stream out of conversion order.

**Action:** Load streams in the same order they were converted.

**ORA-39763: stream must be completely loaded before it is reset**

**Cause:** An attempt was made to reset a stream that contains converted column array data and hasn't been completely loaded yet.

**Action:** Before resetting a stream, load it until a status of OCI\_SUCCESS, OCI\_NO\_DATA, or OCI\_NEED\_DATA is returned.

**ORA-39764: specified stream is not in the specified direct path context**

**Cause:** A direct path operation was attempted using a stream that was not created in the specified direct path context.

**Action:** Only use streams created in the specified direct path context.

**ORA-39765: stream must be reset before used in a column array conversion**

**Cause:** The stream was completely loaded, but has not been reset yet.

**Action:** Reset loaded streams after load returns OCI\_SUCCESS, OCI\_NO\_DATA, or OCI\_NEED\_DATA. The stream can then be used in a column array to stream conversion.

**ORA-39766: invalid stream specified for column array conversion**

**Cause:** A stream must be loaded and reset before used again in a column-array-to-stream conversion. This error is issued if another stream has subsequently been converted before the specified stream has been loaded, or if the latest load of this stream returned OCI\_ERROR.

**Action:** Don't convert into a previous stream before it is loaded. Also, when load stream returns OCI\_ERROR, the stream must be loaded again to insure any remaining information in the stream is loaded. The stream must be loaded even if the last or only row was in error. There may be error information in the stream that needs to be sent to the server.

**ORA-39767: finish is not allowed when unloaded stream data exists**

**Cause:** A direct path finish was attempted when at least one stream buffer has not been completely loaded.

**Action:** All streams must be loaded after a column array to stream conversion until load stream returns a status of OCI\_SUCCESS or OCI\_NO\_DATA. The load can then be finished.

**ORA-39768: only one direct path context top level column array is allowed**

**Cause:** Attempt to create multiple top level column arrays in a direct path context, when only one is allowed.

**Action:** Create another direct path context if additional top level column arrays are required.

**ORA-39769: finish is not allowed with an incompletely loaded last row**

**Cause:** Part of a row has been loaded, but it is not complete.

**Action:** Finish loading the current row when load stream returns OCI\_ERROR or OCI\_NEED\_DATA.

---

**ORA-39771: stream must be loaded before its handle is freed**

**Cause:** An attempt was made to free a stream handle after conversion but before the stream was loaded.

**Action:** Load the stream until OCI\_SUCCESS, OCI\_NEED\_DATA or OCI\_NO\_DATA is returned before attempting to free the stream handle. If OCI\_NEED\_DATA is returned, another stream must be loaded to complete last row.

**ORA-39772: column array reset disallowed after OCI\_CONTINUE or OCI\_NEED\_DATA**

**Cause:** An attempt was made to reset a column array when a row conversion is still in progress.

**Action:** Complete the current row before resetting the column array. To ignore the current row when conversion returned OCI\_NEED\_DATA, set the current column flag to OCI\_DIRPATH\_COL\_ERROR. This should be followed by a conversion, which will undo and ignore the row. The column array(s) can then be reset.

**ORA-39773: parse of metadata stream failed**

**Cause:** An unexpected error occurred while attempting to parse the metadata // stream for a table being loaded.

**Action:** Call Oracle support.

**ORA-39774: parse of metadata stream failed with the following error: *string***

**Cause:** An unexpected error occurred while parsing the metadata stream.

**Action:** See the secondary error for more information.

**ORA-39775: direct path API commit not allowed due to previous fatal error**

**Cause:** An attempt was made to commit a Direct Path context after a fatal error.

**Action:** Correct the error and retry.

**ORA-39776: fatal Direct Path API error loading table *string***

**Cause:** A fatal error was detected loading the specified or previous table.

**Action:** Correct the error and retry.

**ORA-39777: data saves are not allowed when loading lob columns**

**Cause:** An attempt was made to save data when loading lob columns or columns stored as lobs (such as varrays and xml types).

**Action:** Do not attempt to do a data save or partial save when loading lob columns. A finish save is allowed.

**ORA-39778: the parallel load option is not allowed when loading lob columns**

**Cause:** An attempt was made to load lob columns using the attribute OCI\_ATTR\_DIRPATH\_PARALLEL. This error will also be issued when loading any columns that are stored as lobs (such as varrays and xml types).

**Action:** Do not use the parallel attribute when loading lob columns.

**ORA-39779: type "*string*"."*string*" not found or conversion to latest version is not possible**

**Cause:** Unable to import table data using the specified type. The type was nonexistent in the database or the input type could not be converted to the existing type. The reasons why a conversion was not possible are:

---

1. The version of the type in the database was greater than the version of the type at export time because 1 or more attributes have been added or dropped from the type.

2. If the type existed in the database prior to the import operation, then its internal identifier may not match the internal identifier of the type from the export database. The identifiers must match for an import to succeed.

**Action:** Ensure the types in the database match those at export time.

**ORA-39780: Direct path context operations are not allowed after the context is aborted or finished**

**Cause:** The specified direct path context was aborted or finished.

**Action:** Do not pass a direct path context that has ended to any direct path functions.

**ORA-39781: Direct path stream loads are not allowed after another context loading the same table has ended**

**Cause:** Attempt to load a stream in one context after another loading the same table has ended.

**Action:** Close all contexts before trying to create another that loads the same table as a previous context in the same session.

**ORA-39782: Direct path prepare is not allowed after another context loading the same table has ended**

**Cause:** Direct path prepare called after a context loading the same table has ended.

**Action:** Close all contexts before trying to create another that loads the same table as a previous context in the same session.

**ORA-39783: Invalid direct path transaction active**

**Cause:** Direct path operations were not performed in the transaction started by the first OCIDirPathPrepare call.

**Action:** Ensure the correct transaction is active prior to calling Direct Path API operations.

**ORA-39784: This direct path operation is not allowed while another is in progress**

**Cause:** Another direct path operation was active.

**Action:** Complete any direct path operations in progress before attempting this operation.

**ORA-39785: SQL expressions returning ADT objects are not allowed in direct path**

**Cause:** The passed SQL expression returned a user-defined ADT which was not supported.

**Action:** Remove the SQL expression.

**ORA-39786: Number of columns does not match between export and import databases**

**Cause:** External tables could not import into a table with mismatched columns.

**Action:** Ensure the number of columns matches between export and import database.

**ORA-39787: Column *string* subtype "*string*".*string* is not instantiable.**

**Cause:** Subtype specified was not instantiable.

---

**Action:** Ensure all subtypes specified are instantiable.

**ORA-39788: Subtype "string"."string" is specified multiple times for column *string*.**

**Cause:** Subtype specified was not unique.

**Action:** Ensure all subtypes specified are unique.

**ORA-39789: "string"."string" is not a valid type for column *string*.**

**Cause:** Subtype specified was not a valid type for the column being loaded.

**Action:** Ensure all subtypes specified are valid types for the column being loaded.

**ORA-39790: Attribute "string" specified multiple times for column *string*.**

**Cause:** Attribute specified multiple times.

**Action:** Ensure all attributes specified are unique.

**ORA-39791: Attribute "string" for column *string* is not in subtype "string"."string".**

**Cause:** Attribute was not included in the subtype indicated.

**Action:** Ensure the attribute is included in the subtype indicated by the specified subtype index.

**ORA-39792: Attribute "string" is not valid for subtype(s) loaded into column *string*.**

**Cause:** Attribute specified was not included in any subtypes specified for the column or the declared subtype of the column.

**Action:** Ensure the attribute is included in at least one of the subtypes loaded into the column.

**ORA-39793: Attribute "string" is not unique within the hierarchy being loaded.**

**Cause:** The attribute was defined in multiple lines of descent in the hierarchy being loaded.

**Action:** When describing the attribute, a subtype index must be specified to uniquely identify the attribute being loaded.

**ORA-39794: No attributes loaded for subtype "string"."string".**

**Cause:** None of the attributes loaded were included in the type shown.

**Action:** At least one attribute must be loaded for each subtype specified.

**ORA-39795: Subtype index is not first attribute for object table or column, *string*.**

**Cause:** The subtype index was not the first attribute when describing the attributes of an object column or object table with multiple subtypes.

**Action:** Describe the subtype index as the first attribute for this object column or object table.

**ORA-39796: column array entry for *string* is not valid for the current subtype**

**Cause:** This column was not part of the current subtype being loaded for this object column or table. Therefore, its entry must be null in the column array.

**Action:** Set the column array entry to null.

**ORA-39797: The subtype index value is not valid.**

**Cause:** The subtype index value in the column array was not valid for the object column or object table.

**Action:** Set a valid subtype index value in the column array for this table or column.

---

**ORA-39798: The column array row offset *number* is out of range (max: *number*).**

**Cause:** The specified row offset was too large for the column array.

**Action:** Ensure the row offset is in range.

**ORA-39799: The column index *number* is out of range (max: *number*).**

**Cause:** The specified column index was too large for the column array.

**Action:** Ensure the column index is in range.

**ORA-39800: Database version *number* does not support the load of multiple subtypes.**

**Cause:** Direct Path API support for loading multiple subtypes of an object table or column was only present in the Oracle 11 release and higher.

**Action:** Upgrade database to Oracle 11 or higher.

**ORA-39801: Subtype "*string*"."*string*" is not a valid subtype for column *string*.**

**Cause:** Subtype specified was not the declared type nor was it derived from the declared type.

**Action:** Ensure all subtypes specified are either the declared type or derived from the declared type.

**ORA-39802: ADT object column *string* specified a SQL expression which is not allowed in direct path mode.**

**Cause:** The ADT column reported in the error specified a SQL expression which returned the ADT. This is not supported.

**Action:** Remove the SQL expression.

**ORA-39803: Data saves are not allowed on tables with partitioning referential constraints.**

**Cause:** Data saves (and the `sqlldr ROWS` parameter) are not allowed when loading both the parent and child tables of a partitioning referential constraint.

**Action:** Do not attempt data saves when loading both the parent and child tables of a partitioning referential constraint.

**ORA-39804: The load was aborted due to an error loading parent *string* while also loading child *string*.**

**Cause:** An error occurred while loading the child and parent table of a partitioning referential constraint. The load was aborted to ensure the partitioning referential constraint was not violated.

**Action:** Fix the error that caused the load to abort and retry.

**ORA-39805: Parallel loads are not allowed when loading child and parent.**

**Cause:** A parallel load was requested when loading the child and parent of a partitioning referential constraint. This is not allowed.

**Action:** Remove the parallel option.

**ORA-39806: The attempt to lock *string* parent table *string string string* failed.**

**Cause:** While loading the child table of a partitioning referential constraint, the parent table must be locked in SHARE mode.

**Action:** Determine why the parent table could not be locked and retry.

**ORA-39807: Partial data save on child *string* was ignored.**

---

**Cause:** An attempt was made to partially save data when loading both the child and parent of a partitioning referential constraint or when loading a table with a domain index.

**Action:** Fix the error that caused the partial load and retry.

**ORA-39808: The SINGLEROW option must be specified for parent table *string*.**

**Cause:** The SINGLEROW option was not specified when loading both the parent and child table of a partitioning referential constraint.

**Action:** Ensure the SINGLEROW option is specified for the parent when loading the parent and child of a partitioning referential constraint.

**ORA-39809: Data saves are not allowed on tables with domain indexes.**

**Cause:** Data saves (and the sqldr ROWS parameter) could not be allowed when loading a table with domain indexes.

**Action:** Do not attempt data saves when loading a table with domain indexes.

**ORA-39901: Partitioned table *string.string* is partially contained in the transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Check table partitions by querying SYS.DBA\_TAB\_PARTITIONS.

**ORA-39902: Subpartitioned table *string.string* is partially contained in the transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Check table subpartitions by querying SYS.DBA\_TAB\_SUBPARTITIONS.

**ORA-39903: IOT Partition *string.string* is partially contained in the transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Check table partitions by querying SYS.DBA\_IND\_PARTITIONS.

**ORA-39904: Partitioned object *string.string* is partially contained in the transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Check partitions and overflow segments by querying SYS.DBA\_IND\_PARTITIONS and SYS.DBA\_TAB\_PARTITIONS.

**ORA-39905: Table *string.string* in tablespace *string* points to LOB segment *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39906: Constraint *string* between table *string.string* in tablespace *string* and table *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

---

**ORA-39907: Index *string.string* in tablespace *string* points to table *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39908: Index *string.string* in tablespace *string* enforces primary constraints *string* of table *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39909: Index *string.string* in tablespace *string* points to table/cluster *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39910: Partitioned Global index *string.string* in tablespace *string* points to partition *string* of table *string.string* in tablespace *string* outside of transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39911: Index *string.string* in tablespace *string* points to partition *string* of table *string.string* in tablespace *string* outside of transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39912: Partitioned index *string.string* in tablespace *string* points to table *string.string* in tablespace *string* outside of transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39913: *string string.string* in tablespace *string* not allowed in transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39914: Index *string.string* in tablespace *string* points to subpartition *string* of table *string.string* in tablespace *string* outside of transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39915: Partition *string* of table *string.string* in tablespace *string* points to LOB segment *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

---

**Action:** None required.

**ORA-39916: Subpartition *string* of table *string.string* in tablespace *string* points to LOB segment *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39917: SYS owned object *string* in tablespace *string* not allowed in pluggable set**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39918: PLSQL Functional Index *string.string* in tablespace *string* not allowed in transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39919: Object *string.string* in tablespace *string* not contained within transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Check SYS.DBA\_OBJECTS.

**ORA-39920: Rollback segment *string* in tablespace *string* not allowed in transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39921: Default Partition (Table) Tablespace *string* for *string* not contained in transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39922: Default Partition (Index) Tablespace *string* for *string* not contained in transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39923: Default Composite Partition (Table) Tablespace *string* for *string* not contained in transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39924: Default Composite Partition (Index) Tablespace *string* for *string* not contained in transportable set.**

---

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39925: LOB segment *string.string* in tablespace *string* points to table *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39926: Join index between table *string.string* in tablespace *string* and table *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39927: Scoped REF constraint between table *string.string* in tablespace *string* and table *string.string* in tablespace *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39928: *string string.string* in tablespace *string* contains evolved type data that have not been upgraded.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39929: Table *string.string* in tablespace *string* has encrypted columns which are not supported.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** None required.

**ORA-39930: Violation *string*.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Contact Oracle Support Services.

**ORA-39931: XML Schema *string* Owner: *string* not fully contained in the transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Identify the associated elements and resolve self containment.

**ORA-39932: Extensible Index *string.string* not fully contained in the transportable set.**

**Cause:** Informational message to describe a failure during transportable containment checking.

**Action:** Identify the associated table and list of secondary objects and resolve self containment.

- 
- ORA-39933: Parent table *string.string* and its nested table columns are not fully contained in the transportable set.**  
**Cause:** Informational message to describe a failure during transportable containment checking.  
**Action:** Identify the nested tables using view DBA\_NESTED\_TABLES and resolve self containment.
- ORA-39934: Materialized view log *string.string* in tablespace *string* and master table *string.string* in tablespace *string* are not fully contained in the transportable set.**  
**Cause:** Informational message to describe a failure during transportable containment checking.  
**Action:** None required.
- ORA-39935: Updatable materialized view log *string.string* in tablespace *string* and materialized view *string.string* in tablespace *string* are not fully contained in the transportable set.**  
**Cause:** Informational message to describe a failure during transportable containment checking.  
**Action:** None required.
- ORA-39936: Token manager for the CSX tablespace *string* not fully contained in the transportable set.**  
**Cause:** Informational message to describe a failure during transportable containment checking.  
**Action:** Include the specified tablespace into the transportable set.
- ORA-39937: Unsupported operation, default token tables used for binary XML data.**  
**Cause:** Informational message to describe a failure during transportable containment checking.  
**Action:** Copy default token tables into a new token table set using DBMS\_CSX\_ADMIN package.
- ORA-39938: Operation not supported, tablespace *string* contains binary XML data.**  
**Cause:** Informational message to describe a failure during transportable containment checking.  
**Action:** None required.
- ORA-39939: More than one set of token tables are used in tablespace *string*.**  
**Cause:** Informational message to describe a failure during transportable containment checking.  
**Action:** Remap tables in the specified tablespace to use same token tables.
- ORA-39940: Child reference partitioned table *string.string* in tablespace *string* or parent table *string.string* in tablespace *string* is included but not both.**  
**Cause:** Informational message to describe a failure during transportable containment checking. Both parent and child reference partition tables must be included.  
**Action:** Check reference partitioned tables.
- ORA-39950: invalid parameter for PLSQL warnings flag**  
**Cause:** The user either entered invalid value for the PLSQL\_WARNINGS flag or the value of the flag conflicts with other values.

---

**Action:** Enter correct values for the switch.

**ORA-39951: incomplete values specified for PL/SQL warning settings**

**Cause:** The user either did not enter the value for the settings or entered incomplete values.

**Action:** Enter correct syntax for the switch.

**ORA-39952: only numbers can be specified as range values**

**Cause:** The range values did not have numerical values only.

**Action:** Enter only numerical values.

**ORA-39953: the range value specified is beyond allowed range**

**Cause:** The range values were either too low or too high.

**Action:** Specify only the allowed range values.

**ORA-39954: DEFERRED is required for this system parameter**

**Cause:** The ALTER SYSTEM command for PLSQL\_WARNINGS did not include the keyword, DEFERRED.

**Action:** Change the command to use the keyword, DEFERRED.

**ORA-39955: invalid PL/SQL warning message number**

**Cause:** The PL/SQL message number specified was not in a valid range.

**Action:** Specify PL/SQL warning message numbers within the valid range.

**ORA-39956: duplicate setting for PL/SQL compiler parameter *string***

**Cause:** A PL/SQL compiler parameter was set more than once.

**Action:** Remove the duplicate PL/SQL compiler setting.

**ORA-39957: invalid warning category**

**Cause:** The category of the message was incorrect.

**Action:** Specify a valid category

**ORA-39958: invalid warning category qualifier**

**Cause:** The category qualifier was incorrect.

**Action:** Specify a valid category qualifier.

**ORA-39959: invalid warning number (*string*)**

**Cause:** The warning number was incorrect.

**Action:** Specify a valid warning number.

**ORA-39960: scope can only be SYSTEM or SESSION**

**Cause:** The scope specified was not set.

**Action:** Specify a valid scope, either SESSION or SYSTEM.

**ORA-39961: message specified was not found**

**Cause:** The message number specified was not set.

**Action:** specify the message number whose settings have been set in the given scope.

**ORA-39962: invalid parameter for PLSQL\_CCFLAGS**

**Cause:** The value for the PLSQL\_CCFLAGS parameter was not valid.

---

**Action:** Specify a valid value for the PLSQL\_CCFLAGS parameter. /// MAX  
ERROR NUMBER 65535 /// EOF - Add errors till 40000 ABOVE this line.  
REGISTER at errorinf.txt

---

---

## ORA-40001 to ORA-40361

**ORA-40001: value for *string* must be greater than zero**

**Cause:** The input parameter in question has a value of zero or less.

**Action:** Provide a value greater than zero for the relevant parameter.

**ORA-40002: wordsize must be *string* or greater**

**Cause:** The input wordsize is less than the prescribed limit for the BLAST Match or Align algorithm.

**Action:** Provide a wordsize greater than or equal to the prescribed value.

**ORA-40003: wordsize must be in the range *string* - *string* for BLAST-P**

**Cause:** The input wordsize has a value out of the prescribed range.

**Action:** Provide a wordsize value within the prescribed range for BLAST-P.

**ORA-40004: penalty must be negative for BLAST-N**

**Cause:** The input value provided for penalty is zero or greater.

**Action:** Provide a negative penalty value.

**ORA-40021: no column named *string* in training table *string***

**Cause:** The training table does not contain the specified column

**Action:** Provide a case-id/target column that exists in the training table

**ORA-40022: null case ID column - cannot provide row diagnostics in *string***

**Cause:** A row diagnostics table name was provided, but without a corresponding case or row identifier column in the build data.

**Action:** Provide a non-null case identifier column in the build data to identify rows in the row diagnostics table.

**ORA-40023: sufficient memory could not be allocated given the number of attributes**

**Cause:** Unable to allocate sufficient memory to create a model capable of producing confidence bounds on predictions because there were too many attributes or there were high cardinality categorical attributes, or both, in the build data.

**Action:** Reduce the number of attributes, especially high cardinality categoricals, or enable ridge regression.

**ORA-40024: solution to least squares problem could not be found**

**Cause:** Unable to find solution because the predictor covariance matrix was singular.

---

**Action:** Enable ridge regression or remove exact multicollinearities from the build data.

**ORA-40025: reference class name not found in build data**

**Cause:** The provided reference class name was not found in the build data.

**Action:** Provide an existing target value as the reference class name.

**ORA-40026: reference class name not found in the weights table**

**Cause:** The provided reference class name did not correspond to any of the entries in the weights table.

**Action:** Provide consistent specification for reference class name and weights table.

**ORA-40027: Target attribute has more than two distinct values**

**Cause:** Generalized Linear Models only support binary classification.

**Action:** Consolidate target values into two distinct categories.

**ORA-40028: solution to least squares problem could not be found**

**Cause:** Unable to find solution because the predictor build data were not properly scaled.

**Action:** Standardize the predictor build data by enabling auto prep.

**ORA-40101: Data Mining System Error *string-string-string***

**Cause:** An internal system error occurred during a data mining operation.

**Action:** Contact Oracle Support Services.

**ORA-40102: invalid input *string* for data mining operation *string***

**Cause:** The input parameter is either null or invalid for the given operation.

**Action:** Provide a valid value. Check range for NUMBER parameters.

**ORA-40103: invalid case-id column: *string***

**Cause:** The column designated as case-id is not of one of CHAR, VARCHAR2, NUMBER data type. Case-id columns of type CHAR and VARCHAR2 must be of length less than or equal to 128 bytes.

**Action:** Change the schema of your input data to supply a case-id column of appropriate data type and/or length.

**ORA-40104: invalid training data for model build**

**Cause:** The training data provided in the reported table is unsuitable for build, either because it is empty, has unsuitable data, or the schema of the table does not match the input specifications.

**Action:** Inspect the training data and correct the contents/schema as appropriate.

**ORA-40105: input data incompatible with model signature**

**Cause:** The data provided for this post-build operation is in format different from that used for model build.

**Action:** Provide data whose attribute data types match the build data. Input data attributes must have the same data types as those described in the model signature for the model.

**ORA-40106: positive target value not specified for computing Lift**

**Cause:** Positive target value has not been specified for Lift.

---

**Action:** Provide a positive target value for the Lift operation.

**ORA-40107: operation requires *string* option to be installed**

**Cause:** The specified option has not been installed with the RDBMS.

**Action:** Install the reported option and retry the operation.

**ORA-40108: input data contains too few distinct target (*string*) values**

**Cause:** At least two distinct target values are required for Build.

**Action:** Provide counter-example target values in the input data.

**ORA-40109: inconsistent logical data record**

**Cause:** Repeated instances of a record identifier or repeated attribute(s) in a nested column.

**Action:** Remove or re-label repeated instances to resolve inconsistencies.

**ORA-40110: Duplicate model tables found for table type *string***

**Cause:** Operation would result in duplicate model table types which is not supported.

**Action:** Remove the duplicate entry.

**ORA-40111: no mining attributes found in build data**

**Cause:** Could not build a model when only special or empty columns were present. Special columns include target, row weight, and case ID columns.

**Action:** Provide mining attribute data.

**ORA-40112: insufficient number of valid data rows**

**Cause:** Fewer than two valid data rows were found in the build data.

**Action:** Provide at least two valid build data rows. If the model is either a classification or regression model, then valid rows must have non-NULL targets. If a weight column was provided, then valid rows must have positive row weights. In addition, if delete\_row missing value treatment was used, consider disabling it.

**ORA-40113: insufficient number of distinct target values**

**Cause:** Less than two distinct target values were found in the build data.

**Action:** Provide the classification build data with at least two distinct target values.

**ORA-40114: weights table target values mismatched with build data**

**Cause:** The entries in the weights table did not correspond to the target values in the build data.

**Action:** Verify the entries in the weights table.

**ORA-40115: weights table schema is incorrect**

**Cause:** The weights table did not have the required schema.

**Action:** Provide a weights table with schema: (target\_value, weight), where the type of the first column corresponds to the type of the target column (CHAR, VARCHAR2 or NUMBER) and the type of the second column is NUMBER.

**ORA-40116: NULL values found in weights table**

**Cause:** The weights table had NULL entries.

**Action:** Replace or eliminate all NULL entries in the weights table.

---

**ORA-40117: repeated target values found in weights table**

**Cause:** The weights table had repeated target values.

**Action:** Remove the repeated target values from the weights table.

**ORA-40118: insufficient number of target values in weights table**

**Cause:** The weights table had less than 2 target values.

**Action:** Provide at least two target values in the weights table.

**ORA-40119: nested columns incompatible with missing value treatment**

**Cause:** delete\_row missing value treatment is not supported for nested columns.

**Action:** Use 2D (non-nested) data representation or manually delete the rows with NULL values and disable the delete\_row missing value treatment.

**ORA-40120: invalid weight value in the weights table**

**Cause:** Negative or zero weight values were found in the weights table.

**Action:** Ensure that weight values in the weights table are strictly positive.

**ORA-40181: invalid transformation definition for column *string***

**Cause:** Transformation definition has duplicate or NULL columns.

**Action:** Provide a valid transformation definition specification.

**ORA-40182: invalid column reference**

**Cause:** Transformation expression has no column references or more than one reference or the reference is qualified.

**Action:** Provide a valid expression.

**ORA-40183: invalid stack definition for attribute *string***

**Cause:** Stack definition expression or reverse expression has syntax errors or it does not match the transformation definition.

**Action:** Provide a valid expression.

**ORA-40184: transformation definition does not match the data**

**Cause:** Transformation definition specifies nested transformation for non-nested data or it removes all of the columns.

**Action:** Provide a valid data.

**ORA-40201: invalid input parameter *string***

**Cause:** The input parameter was either null or invalid.

**Action:** Provide a valid value for the input parameter.

**ORA-40202: column *string* does not exist in the input table *string***

**Cause:** The column was missing from the table.

**Action:** Correct the table schema and/or provide the correct column name.

**ORA-40203: model *string* does not exist**

**Cause:** The model did not exist.

**Action:** Supply a valid model name.

**ORA-40204: model *string* already exists**

**Cause:** A model by the same name exists.

**Action:** Provide a different, unique name for the model.

---

**ORA-40205: invalid setting name *string***

**Cause:** The input setting name was invalid.

**Action:** Consult the documentation for the settings table and provide a valid setting name.

**ORA-40206: invalid setting value for setting name *string***

**Cause:** The input value for the given setting name was invalid.

**Action:** Consult the documentation for the settings table and provide a valid setting value.

**ORA-40207: duplicate or multiple function settings**

**Cause:** The input settings table contained settings for multiple mining functions.

**Action:** Provide setting(s) for a single function in the settings table.

**ORA-40208: duplicate or multiple algorithm settings for function *string***

**Cause:** The input settings table had duplicate or multiple algorithm settings for a mining function.

**Action:** Provide only one appropriate algorithm setting for the mining function.

**ORA-40209: setting *string* is invalid for *string* function**

**Cause:** The specified setting was not supported for the mining function supplied.

**Action:** Provide appropriate combination of function and algorithm settings.

**ORA-40211: algorithm name *string* is invalid**

**Cause:** Algorithm name for the model was invalid or the operation was not valid for the algorithm.

**Action:** Check the algorithm name for the model and verify that the operation is valid.

**ORA-40212: invalid target data type in input data for *string* function**

**Cause:** Target data type was invalid.

**Action:** Classification function accepts CHAR, VARCHAR2, and NUMBER targets. Regression function accepts NUMBER targets only.

**ORA-40213: contradictory values for settings: *string*, *string***

**Cause:** The settings values were not compatible.

**Action:** Check the documentation and change the setting value(s).

**ORA-40214: duplicate setting: *string***

**Cause:** Duplicate setting in the settings table.

**Action:** Remove the duplicate setting from the settings table.

**ORA-40215: model *string* is incompatible with current operation**

**Cause:** The current operation was not supported for the mining function the model corresponds to.

**Action:** Provide the model name suitable for current operation.

**ORA-40216: feature not supported**

**Cause:** The feature was not supported in the API.

**Action:** Modify the code to avoid usage of the feature.

**ORA-40217: priors table mismatched with training data**

---

**Cause:** The entries in the priors table do not correspond to the targets in the training data.

**Action:** Verify the entries in the priors table.

**ORA-40219: apply result table *string* is incompatible with current operation**

**Cause:** The current operation was not allowed for the apply result table supplied.

**Action:** Make sure the operation being performed is valid for the mining function used to build the model (using which the apply result table was created).

**ORA-40220: maximum number of attributes exceeded**

**Cause:** The data had too many attributes.

**Action:** Reduce the dimensionality of the data.

**ORA-40221: maximum target cardinality exceeded**

**Cause:** The target cardinality of the training data was too high.

**Action:** Reduce the target cardinality.

**ORA-40222: data mining model export failed, job name=*string*, error=*string***

**Cause:** The model export job failed.

**Action:** Check export job settings as required by DataPump.

**ORA-40223: data mining model import failed, job name=*string*, error=*string***

**Cause:** The model import job failed.

**Action:** Check import job settings as required by DataPump.

**ORA-40225: model is currently in use by another process**

**Cause:** The model is currently in use by another process.

**Action:** Retry if necessary.

**ORA-40226: model upgrade/downgrade must be performed by SYS**

**Cause:** Upgrade/Downgrade routines are being invoked by a user with insufficient privileges.

**Action:** Run the routines as SYS during migration.

**ORA-40227: invalid transformation attribute**

**Cause:** Transformation list provided to CREATE\_MODEL has duplicate or NULL attributes. Case ID or target attribute has attribute\_subname that is not NULL. Attribute provided to ALTER\_REVERSE\_EXPRESSION does not exist in the model.

**Action:** Remove NULLs and duplicates and fix case ID and target attributes or provide a valid attribute for a given model.

**ORA-40228: scoring cost matrix already exists**

**Cause:** The model already has a scoring cost matrix.

**Action:** To add a new scoring cost matrix the existing one should be removed first.

**ORA-40229: scoring cost matrix not found**

**Cause:** The model does not have a scoring cost matrix.

**Action:** To remove a scoring cost matrix the model should have one.

**ORA-40230: invalid transformation expression**

---

**Cause:** Expression has syntax or semantic errors.

**Action:** Provide a valid expression.

**ORA-40251: no support vectors were found**

**Cause:** The input data is non-predictive in nature, or one of the input settings is incorrect/incompatible with respect to the input data.

**Action:** Provide additional data or change model setting value.

**ORA-40252: no target values were found**

**Cause:** No target values were identified during load.

**Action:** Validate that the target is correctly specified.

**ORA-40253: no target counter examples were found**

**Cause:** One or more of the target classes have only positive examples.

**Action:** Provide counter examples or remove that target class.

**ORA-40254: priors cannot be specified for one-class models**

**Cause:** Priors were specified.

**Action:** Do NOT provide priors for one-class models.

**ORA-40261: input data for model build contains negative values**

**Cause:** The input data contains negative values, which is not acceptable for a Non-negative Matrix Factorization model.

**Action:** Provide clean data for build without any negative values.

**ORA-40262: NMF: number of features not between [1, *string*]**

**Cause:** The number of requested features must be greater than 1, and less than the smaller of the number of attributes and the number of cases in the dataset.

**Action:** Specify the desired number of features within the acceptable range.

**ORA-40263: no meaningful matrix factorization found**

**Cause:** Input data was not significantly different from 0.

**Action:** Check your data for problems or add a positive constant to all the numeric attributes.

**ORA-40271: no statistically significant features were found**

**Cause:** Input data inadequate in volume and/or quality to derive statistically significant predictors for building a data mining model.

**Action:** Provide a well-prepared training data set.

**ORA-40272: apply rules prohibited for this model mode**

**Cause:** Adaptive Bayes Network rules are only generated for SingleFeature ABN models

**Action:** Rebuild model in SingleFeature mode and then apply with rules.

**ORA-40273: invalid model type *string* for Adaptive Bayes Network algorithm**

**Cause:** The valid values for the `abns_model_type` settings are: `abns_multi_feature`, `abns_single_feature`, `abns_naive_bayes`.

**Action:** Use a valid value for the `abns_model_type` setting.

**ORA-40281: invalid model name**

**Cause:** A model name is invalid or does not exist.

---

**Action:** Check spelling. A valid model name must begin with a letter and may contain only alphanumeric characters and the special characters \$, \_, and #. The name must be less than or equal to 30 characters and cannot be a reserved word.

**ORA-40282: invalid cost matrix**

**Cause:** Cost matrix specification is invalid.

**Action:** Provide valid cost matrix specification. Check syntax for data mining functions.

**ORA-40283: missing cost matrix**

**Cause:** Cost matrix specification is missing.

**Action:** Provide valid cost matrix specification. Check syntax for data mining functions.

**ORA-40284: model does not exist**

**Cause:** The model entered does not exist.

**Action:** Check spelling.

**ORA-40285: label not in the model**

**Cause:** The model does not have the label.

**Action:** Provide valid label.

**ORA-40286: remote operations not permitted on mining models**

**Cause:** An attempt was made to perform queries or DML operations on remote tables using local mining models.

**Action:** Remove the reference to remote tables in the statement.

**ORA-40287: invalid data for model - cosine distance out of bounds**

**Cause:** The norm computed using attribute values from the incoming row for the cosine model is outside the range 0-1.

**Action:** Remove or correct the data in the offending row.

**ORA-40289: duplicate attributes provided for data mining function**

**Cause:** A duplicate, non-nested attribute was provided as input to the data mining function. A duplicate attribute is one which is present in the model signature, occurs more than once in the USING clause after tablename expansion, and is not a collection element in a nested table column.

**Action:** Eliminate the duplicate attribute(s).

**ORA-40290: model incompatible with data mining function**

**Cause:** The supplied model cannot be operated upon by the data mining function because the model is built for a mining function and/ or based on an algorithm that is incompatible with function.

**Action:** Provide the name of the model suitable for the function.

**ORA-40291: model cost not available**

**Cause:** The supplied model was assumed to have been built with a cost matrix specification, when in reality, it was not.

**Action:** Provide a model name that corresponds to a model that was built with an appropriate cost matrix specification.

**ORA-40292: confidence level must be greater than 0 and less than 1**

---

**Cause:** The specified value for confidence level is out of range.

**Action:** Specify a value for confidence level in the range  $0 < \text{level} < 1$

**ORA-40293: input class is invalid for the specified predictive model**

**Cause:** The specified model is either not a classification model, or does not have the input class label as one of its target values.

**Action:** Provide the correct target value (class label) or provide the appropriate classification model with the target attribute that has the specified class label as one of its values.

**ORA-40301: invalid cost matrix specification**

**Cause:** A valid cost matrix is not specified.

**Action:** Consult documentation for valid cost matrix specification.

**ORA-40302: invalid classname *string* in cost matrix specification**

**Cause:** Actual or predicted classname specified is not present in training data

**Action:** Provide valid classname(s) in cost matrix specification

**ORA-40303: invalid prior probability specification**

**Cause:** Valid prior probabilities not specified. Valid probabilities should be between 0 and 1.

**Action:** Consult documentation for valid prior probability specification.

**ORA-40304: invalid classname *string* in prior probability specification**

**Cause:** Actual or predicted classname specified is not present in training data.

**Action:** Provide valid classname(s) in prior probability specification.

**ORA-40305: invalid impurity metric specified**

**Cause:** Impurity metric specified is not valid. Examples of valid metrics are TREE\_IMPURITY\_GINI, TREE\_IMPURITY\_ENTROPY.

**Action:** Consult documentation for valid impurity metrics and specification.

**ORA-40306: dm\_nested types not supported by this algorithm**

**Cause:** The training input to the CREATE\_MODEL routine contains one or more columns of dm\_nested type (DM\_NESTED\_NUMERICALS and/or DM\_NESTED\_CATEGORICALS). These columns are currently not supported for Decision Tree, O-Cluster, and Adaptive Bayes Network algorithms.

**Action:** Remove columns of these data types from the input data source.

**ORA-40321: invalid bin number, is zero or negative value**

**Cause:** Input bin number has zero or negative values.

**Action:** Provide positive bin numbers starting from 1.

**ORA-40322: bin number too large**

**Cause:** Bin number is too large.

**Action:** Reprocess build data by choosing smaller bin numbers.

**ORA-40323: Attribute *string* has too many distinct values (*string*)**

**Cause:** Exceeded maximum number of distinct values allowed in an attribute.

**Action:** Bin numerical data with fewer than 1024 bins or recode categorical data with fewer than 1024 unique values.

---

**ORA-40350: 11g model existed.**

**Cause:** There are 11g data mining models existed in the database.

**Action:** Drop 11g data mining models prior to downgrade to 10g.

**ORA-40361: only SELECT and ALTER are valid for mining models**

**Cause:** An attempt was made to grant or revoke an invalid privilege on a mining model.

**Action:** Do not attempt to grant or revoke any privilege besides SELECT or ALTER on mining models.

---

---

## ORA-41001 to ORA-42399

**ORA-41001: session id list not specified**

**Cause:** An attempt to migrate was made, which failed because the session id list specified was null.

**Action:** Check the session id list, and try again with a valid value.

**ORA-41002: destination instance not specified**

**Cause:** An attempt to migrate was made, which failed because the destination instance specified was null.

**Action:** Check the destination instance , and try again with a valid value.

**ORA-41003: client id not specified**

**Cause:** An attempt to migrate was made, which failed because the client id specified was null.

**Action:** Check the client id, and try again with a valid value.

**ORA-41004: percentage not specified**

**Cause:** An attempt to migrate was made, which failed because the percentage specified was null.

**Action:** Check the percentage, and try again with a valid value.

**ORA-41005: session id list not specified**

**Cause:** An attempt to cancel migration was made, which failed because the session id list specified was null.

**Action:** Check the session id list, and try again with a valid value.

**ORA-41006: session id not specified**

**Cause:** An attempt to get migration status was made, which failed because the session id specified was null.

**Action:** Check the session id, and try again with a valid value.

**ORA-41007: sid field is null**

**Cause:** A session id instance passed into a dbms\_tsm procedure or function had a null sid field.

**Action:** Check the session id, and try again with a valid value.

**ORA-41008: serial# field is null**

**Cause:** A session id instance passed into a dbms\_tsm procedure or function had a null serial# field.

**Action:** Check the session id, and try again with a valid value.

- 
- ORA-41009: Session with session number *string*, serial number *string* does not exist**  
**Cause:** An attempt to migrate was made, which failed because of invalid session number and/or serial number.  
**Action:** Check the session number and serial number and try again.
- ORA-41010: No more memory to hold connection state information**  
**Cause:** An attempt to reference more connections than configured  
**Action:** Check the connection information and try again.
- ORA-41011: Operation failed for session id *string*, serial number *string***  
**Cause:** An migration related operation failed because of contention between sessions.  
**Action:** Check the additional error codes for more information, and retry operation later.
- ORA-41012: Migration not allowed for session number *string*, serial number *string***  
**Cause:** An attempt to migrate was made, which failed because the session specified cannot be migrated.  
**Action:** Check the session number and serial number and try again.
- ORA-41013: instance name not specified**  
**Cause:** An attempt to migrate was made, which failed because the instance name specified was null.  
**Action:** Check the instance name, and try again with a valid value.
- ORA-41014: Session number *string*, serial number *string* currently being migrated**  
**Cause:** An attempt to migrate was made, which failed because the session specified is currently being migrated.  
**Action:** Check the session number and serial number and try again.
- ORA-41015: destination connect string not specified**  
**Cause:** A migration attempt was made, which failed because the connect string specified was null.  
**Action:** Check the connect string and try again.
- ORA-41016: Session recreation failed**  
**Cause:** Session recreation failed at the destination instance.  
**Action:** Check session state and try migration again
- ORA-41017: Session prepare failed for session number *string*, serial number *string***  
**Cause:** A migration attempt was made, which failed because session prepare failed.  
**Action:** Retry migration again after checking all arguments.
- ORA-41019: Session begin at the destination instance failed**  
**Cause:** Session begin failed at the destination instance because the shadow connection could not be established.  
**Action:** Check the connect string and try beginning the session again.
- ORA-41020: invalid value "*string*" specified for parameter "*string*"**  
**Cause:** An invalid value was specified for the the given parameter.

---

**Action:** Correct the value being specified for the parameter.

**ORA-41021: OCI error during transparent session migration**

**Cause:** An OCI operation failed during transparent session migration.

**Action:** Check the OCI error signalled, and take corrective action.

**ORA-41022: instance name not specified**

**Cause:** An attempt to recover after instance death was made, which failed because the instance name specified was null.

**Action:** Check the instance name, and try again with a valid value.

**ORA-41023: death time not specified**

**Cause:** An attempt to recover after instance death was made, which failed because the death time specified was null.

**Action:** Check the death time, and try again with a valid value.

**ORA-41024: Cursor needs to be parsed again**

**Cause:** An SQL operation failed because the cursor state was lost.

**Action:** Reissue all operations starting from parse.

**ORA-41025: sid field *string* is invalid**

**Cause:** A session id instance passed into a dbms\_tsm procedure or function had an invalid sid field.

**Action:** Check the session id, and try again with a valid value.

**ORA-41026: serial# field *string* is invalid**

**Cause:** A session id instance passed into a dbms\_tsm procedure or function had an invalid serial# field.

**Action:** Check the serial#, and try again with a valid value.

**ORA-41027: Error status *string* during OCI operation at *string***

**Cause:** An OCI operation failed during transparent session migration.

**Action:** Check the OCI error signalled, and take corrective action.

**ORA-41028: Session id not specified**

**Cause:** An attempt to migrate was made, which failed during migration because the session id specified by the client was null.

**Action:** Check the session id, and try again with a valid value.

**ORA-41029: Destination session id not specified for sid *string* serial# *string***

**Cause:** An attempt to migrate was made, which failed during migration because the destination session id specified by the client was null.

**Action:** Check the session id, and try again with a valid value.

**ORA-41030: Session id not specified**

**Cause:** An attempt to migrate was made, which failed during migration because the session id specified by the client was null.

**Action:** Check the session id, and try again with a valid value.

**ORA-41031: Destination session key not specified for sid *string* serial# *string***

**Cause:** An attempt to migrate was made, which failed during migration because the destination session key specified by the client was null.

---

**Action:** Check the session id, and try again with a valid value.

**ORA-41100: Oracle Cluster Registry operation failed with event *string*.**

**Cause:** The Portable Clusterware/Oracle Cluster Registry stack returned an error.

**Action:** Check if the Portable Clusterware stack is properly brought up.

**ORA-41101: The database: *string* has already been designated as Cluster Director.**

**Cause:** An attempt was made to designate multiple databases as the Cluster Director.

**Action:** Undesignate the existing Cluster Director before Designating a new one.

**ORA-41102: No database has currently been designated as Cluster Director.**

**Cause:** An attempt was made to query/undesignate a Cluster Director when no database has been designated as Cluster Director.

**Action:** None

**ORA-41103: Only the designated Cluster Director: *string* can undesignate itself.**

**Cause:** An attempt was made to undesignate the current Cluster Director by a database that is not the Cluster Director.

**Action:** Login to the currently designated Cluster Director to perform the undesignation.

**ORA-41104: The database: *string* is the Cluster Director.**

**Cause:** An attempt was made to control the Cluster Director on a database that is not the Cluster Director.

**Action:** Log in to the currently designated Cluster Director to perform the control operation.

**ORA-41105: The Cluster Director is not stopped.**

**Cause:** An attempt was made to control the Cluster Director before the Cluster Director was stopped.

**Action:** Use `dbms_cluster_director.stop` to stop the Cluster Director and retry the control operation.

**ORA-41106: invalid argument *string*: value is null**

**Cause:** An attempt to read the scan hostname or port failed

**Action:** Verify `pcw` is running and scan is configured. Run `grdscan read_config` to verify or `grdscan set_config host:port` to set scan name and port.

**ORA-41107: invalid argument: service *string* cannot be found**

**Cause:** The program attempted to access a nonexistent or deleted service.

**Action:** Check to make sure the service has been properly created.

**ORA-41108: Posting system alert with reason\_id *string* failed with code [*string*] [*string*]**

**Cause:** Internal Error: An attempt to post a system alert failed.

**Action:** If this condition repeats, please contact Oracle Support.

**ORA-41109: Updating system alert with reason\_id *string* failed; previous alert not found**

**Cause:** System Error: An attempt to update a system alert failed. The alert was improperly cleared from `WRI$_ALERT_OUTSTANDING`.

---

**Action:** Do not delete from WRI\$\_ALERT\_OUTSTANDING. If this condition repeats, please contact Oracle Support.

**ORA-41110: The Director has blocked this instance. Cannot start [string]**

**Cause:** An attempt to start services on an instance that will be shutdown

**Action:** Start the services on another available instance

**ORA-41201: Session state not capturable due to reason (string, string)**

**Cause:** Session state capture was initiated when session state could not be captured.

**Action:** Check session state status and make sure session state can be captured.

**ORA-41202: Session state capture or restore failed**

**Cause:** Capture or restore operation failed.

**Action:** Check session state status and failure reason for details.

**ORA-41203: Invalid session state operation**

**Cause:** Invalid session state operation was issued.

**Action:** Check if session status was valid for the current operation.

**ORA-41204: Session capture in progress**

**Cause:** Session state capture was initiated and could not perform the requested operation.

**Action:** Wait for the current capture to complete or abort it.

**ORA-41205: Invalid parameter for session state capture or restore**

**Cause:** Invalid parameter was passed to session state capture or restore interface.

**Action:** Correct the invalid parameter(s).

**ORA-41206: Session capture or restore internal error KPCSFR-string**

**Cause:** Internal operation error was encountered.

**Action:** Turn on related trace for details and report it as a bug.

**ORA-41207: Cannot restore session state due to reason (string, string)**

**Cause:** Session state restore was initiated when session was not ready for state restore.

**Action:** Restore session state immediately after logging into a session or perform necessary operations to make the session ready for restore; for example, commit current transaction, or close BFiles.

**ORA-41208: OCI error during session state capture and restore**

**Cause:** An OCI operation failed during an internal operation of session state capture and restore.

**Action:** Check the OCI error signaled and take corrective action.

**ORA-41209: OCI operation failed at string due to ORA-string**

**Cause:** An OCI operation failed during an internal operation of session state capture and restore.

**Action:** Check the OCI error signaled and take corrective action.

**ORA-41210: Failed to resolve session state directory object**

**Cause:** Session state directory object passed to capture or restore was incorrect.

---

**Action:** Verify session state directory object and retry.

**ORA-41211: Failed to insert capture or restore record**

**Cause:** An error occurred while capture or restore record was being stored into the database.

**Action:** Check the error signaled and take corrective action.

**ORA-41251: Failed to restore session state from a file (error code *number*)**

**Cause:** Session state file may be corrupted.

**Action:** Ensure that the file is a session state file.

**ORA-41252: Failed to switch to new session in SSCR**

**Cause:** This is the generic internal error number for the SSCR exceptions. This indicates that the SSCR has encountered an exceptional condition.

**Action:** Report as a bug.

**ORA-41253: Failed to access session state file**

**Cause:** An error was encountered while reading from or writing to session state capture file.

**Action:** Check the error stack for the actual error number and turn on tracing if necessary.

**ORA-41254: Invalid session state file: *string***

**Cause:** An invalid session state file was used in session state restore operation.

**Action:** Check if the session state file is a valid file created by session capture.

**ORA-41300: File driver is not initialized**

**Cause:** An attempt was made to operate on the uninitialized file driver.

**Action:** Initialize the file driver using the OCIServerAttach function.

**ORA-41301: failed to write data to file**

**Cause:** You may not have sufficient privileges or quotas for this action.

**Action:** Ensure that you have sufficient privileges and quotas for this action.

**ORA-41302: failed to read data from file**

**Cause:** The file may not exist or you do not have privileges for this action.

**Action:** Ensure that the file exists and that you have sufficient privileges for this action.

**ORA-41303: Received partial data from file**

**Cause:** This is the generic internal error number for file driver exceptions. This indicated that file driver encountered an exception condition.

**Action:** Report as a bug.

**ORA-41304: Failed to connect to file driver**

**Cause:** The connect string may be incorrect.

**Action:** Ensure that the connect string is correct.

**ORA-41305: Failed to open file**

**Cause:** You may not have sufficient privileges for this action.

**Action:** Ensure that the file exists and that you have sufficient privileges for this action.

---

**ORA-41400: Bind character set (*string*) does not match database character set (*string*)**

**Cause:** In this recursive OCI call, the bind character set was different from the current database character set. This is usually caused by database character set change.

**Action:** Be sure to obtain bind data in database character set and do rebind in the current environment.

**ORA-41401: Define character set (*string*) does not match database character set (*string*)**

**Cause:** In this recursive OCI call, the define character set was different from the current database character set. This is usually caused by database character set change.

**Action:** Be sure to do redefine in the current environment.

**ORA-41601: invalid property for the rule class**

**Cause:** An invalid property was specified for the rule class.

**Action:** Correct the rule class properties and try again.

**ORA-41602: insufficient privileges**

**Cause:** The user does not have required privileges on the object.

**Action:** Obtain the required privileges and try again.

**ORA-41603: invalid privilege type**

**Cause:** An attempt was made to grant an invalid privilege on a rule class.

**Action:** Correct the privilege name and try again.

**ORA-41604: cannot revoke a privilege that was not granted**

**Cause:** An attempt was made to revoke a privilege that was never granted.

**Action:** None

**ORA-41605: schema extended name not allowed: *string***

**Cause:** An attempt was made to specify a schema extended name for an event structure, a rule class, or an action call-back procedure.

**Action:** Specify the object name with out a schema extension.

**ORA-41606: rule class name already used by an existing object**

**Cause:** An attempt was made to create a rule class with a name that is already used by an existing object.

**Action:** Specify a different name for the rule class and try again.

**ORA-41607: rule class creation failed with *string***

**Cause:** rule class creation failed with a recursive error.

**Action:** Correct the rule class specification and try again.

**ORA-41608: rule class does not exist**

**Cause:** An attempt was made to access a rule class that does not exist or is not accessible.

**Action:** Correct the rule class name and try again.

**ORA-41609: invalid name for the rule class**

**Cause:** An invalid name was specified for the rule class.

---

**Action:** Correct the rule class name and try again.

**ORA-41610: callback procedure name already used for an existing object**

**Cause:** An attempt was made to create a callback procedure with a name that is already used for an existing object.

**Action:** Choose another name for the callback procedure.

**ORA-41611: rule identifier "*string*" not unique in the rule class**

**Cause:** An attempt was made to use a duplicate rule identifier.

**Action:** Choose a unique identifier for the rule and try again.

**ORA-41612: scalar values expected for action preferences**

**Cause:** Incorrect values were specified for the action preferences.

**Action:** Correct the action preferences values and try again.

**ORA-41613: invalid action preference for rule class: *string***

**Cause:** An attempt was made to use an invalid action preference.

**Action:** Correct the input and try again.

**ORA-41614: missing action preference value**

**Cause:** Values for one or more action preferences were not specified.

**Action:** Specify values for all relevant action preferences.

**ORA-41615: too many values in action preference list**

**Cause:** Too many entries were specified in the action preference values list. The action preference values list should not have more entries than the action preference names list.

**Action:** Correct the input and try again.

**ORA-41616: rule class's action callback procedure may have errors**

**Cause:** The operation failed because the action callback procedure associated with the rule class has compilation errors.

**Action:** Recompile the action callback procedure and try the operation again.

**ORA-41617: action preference name "*string*" collides with an event attribute name**

**Cause:** An attempt was made to create an action preference with the same name as an attribute in the event structure.

**Action:** Choose a different name for action preference and try again.

**ORA-41618: specified rule does not exist**

**Cause:** Invalid rule identifier was used to operate on a rule definition.

**Action:** Use a valid rule identifier.

**ORA-41619: rule manager feature currently not supported**

**Cause:** An attempt was made to use a rule manager feature that is currently not supported.

**Action:** No action necessary. This is an informational message only.

**ORA-41620: invalid ordering property for the rule class**

**Cause:** An attempt was made to specify an invalid ordering property for the rule class.

---

**Action:** Make sure that the attributes listed in the ordering property are all part of the rule class/event structure definition with appropriate extended names.

**ORA-41621: error in ordering property :*string***

**Cause:** An attempt was made to specify an invalid ordering property for the rule class.

**Action:** Make sure that the attributes listed in the ordering property are all part of the rule class/event structure definition with appropriate extended names.

**ORA-41622: invalid primitive event object in rule class properties : *string***

**Cause:** In the rule class properties, the name used for one or the primitive event objects was not found in the corresponding composite event structure.

**Action:** Correct the name of the primitive event object in the rule class properties and try again.

**ORA-41623: conflicting values for autocommit and duration properties**

**Cause:** An attempt was made to create a rule class with autocommit enabled when the duration of events is set to TRANSACTION.

**Action:** Turn autocommit off or choose a different duration policy.

**ORA-41624: invalid duration policy for primitive object in a composite event**

**Cause:** An attempt was made to specify a SESSION or TRANSACTION duration policy for the primitive objects.

**Action:** Correct the rule class properties and try again.

**ORA-41625: event structure *string* does not exist**

**Cause:** The object type that represents the event structure was not created in the user's schema.

**Action:** Create the object type with the event structure's name and try again.

**ORA-41626: invalid XML element "*string*" in rule class properties**

**Cause:** An invalid XML element was used in the properties specification for the rule class.

**Action:** Use the correct (case-sensitive) tags in the properties.

**ORA-41627: event structure object type in inconsistent state**

**Cause:** The object type specified for the event structure was in an inconsistent state.

**Action:** Fix the object type and try again.

**ORA-41628: invalid usage of "*string*" attribute in "*string*" element**

**Cause:** An invalid or unsupported XML attribute was used in the rule class properties.

**Action:** Use the correct (case-sensitive) tags in the properties.

**ORA-41629: event structure for simple events cannot be reused for composite events**

**Cause:** An attempt was made to reuse an object type (event structure) for composite events when it is already configured for simple events.

**Action:** Drop the attribute set associated with the object and try again.

**ORA-41630: invalid value for "*string*" attribute in the rule class properties**

**Cause:** An invalid value was specified for an attribute in the rule class properties.

---

**Action:** Correct the value and try again.

**ORA-41631: invalid text node or child element for "string" element in properties**

**Cause:** An attempt was made to specify a child element or a text node in invalid position in the rule class properties specification.

**Action:** Correct the rule class properties and try again.

**ORA-41632: invalid value for the "string" attribute**

**Cause:** An attempt was made to assign an invalid value for an attribute in the rule class properties.

**Action:** See the documentation.

**ORA-41633: specified rule class configuration not supported: "string"**

**Cause:** An attempt was made to use an unsupported configuration for the rule class.

**Action:** Remove the specified tag in the properties and try again.

**ORA-41634: invalid duration specification in rule properties: "string"**

**Cause:** Invalid value was specified for the duration attribute in the rule class properties.

**Action:** Correct the value and try again.

**ORA-41635: invalid unit of time used in duration specification**

**Cause:** An attempt was made to use an invalid unit of time for the rule class's duration specification. Valid units are : minutes, hours, and days.

**Action:** Correct the duration specification and try again.

**ORA-41636: invalid duration specification at the primitive event level**

**Cause:** An attempt was made to specify a duration policy for the primitive events when the composite event was configured with TRANSACTION or SESSION duration policy.

**Action:** Correct the rule class properties and try again.

**ORA-41637: missing primitive event name**

**Cause:** The name attribute of the object element in the rule class properties was not specified. This is a required value.

**Action:** Specify the name of the primitive event and try again.

**ORA-41638: invalid attribute for "string" element in rule condition**

**Cause:** An attempt was made to specify an invalid attribute for an XML element in the rule condition.

**Action:** Correct the rule condition and try again.

**ORA-41639: invalid child node in "string" element**

**Cause:** An attempt was made to specify an invalid child element or text node for an XML element in the rule condition.

**Action:** Correct the rule condition and try again.

**ORA-41640: invalid element "string" in the rule condition**

**Cause:** An attempt was made to use an invalid element or a valid element in invalid position in the rule condition.

**Action:** Correct the rule condition and try again.

---

**ORA-41641: invalid or empty rule condition**

**Cause:** An attempt was made to specify an invalid or empty rule condition.

**Action:** Correct the input and try again.

**ORA-41642: Missing "string" element in the rule condition**

**Cause:** The rule condition was specified without a required element.

**Action:** Correct the rule condition and try again.

**ORA-41643: invalid attribute for the "string" element in the rule condition**

**Cause:** An attempt was made to specify an invalid attribute for an element in the rule condition.

**Action:** Correct the rule condition and try again.

**ORA-41644: invalid use of "string" attribute in rule condition**

**Cause:** An attempt was made to specify an invalid attribute for an element in the rule condition.

**Action:** Correct the rule condition and try again.

**ORA-41645: duplicate tag "string" in rule condition**

**Cause:** An attempt was made to specify the same XML tag in more than one positions within a single rule condition.

**Action:** Remove the duplicate reference to the tag and try again.

**ORA-41646: missing "string" attribute for "string" element in the rule condition**

**Cause:** One of the required attributes was not specified in the rule condition.

**Action:** Correct the rule condition and try again.

**ORA-41647: negation not allowed in rule conditions with "any" semantics**

**Cause:** An attempt was made to specify a "not" element within an "any" element in the rule condition.

**Action:** Correct the rule condition and try again.

**ORA-41648: invalid sequence of child elements in "string" element**

**Cause:** An attempt was made to specify an invalid sequence of elements within a parent element.

**Action:** Correct the rule condition and try again.

**ORA-41649: invalid rule condition for a rule class involving composite events**

**Cause:** An attempt was made to add an invalid rule condition to a rule set defined for composite events.

**Action:** Correct the input and try again.

**ORA-41650: invalid composite event structure**

**Cause:** A composite event structure may only have attributes that are either table aliases or of an object type that is defined in the owner's schema.

**Action:** Ensure that the event structure has no scalar attributes and all the embedded types in it are defined in the owner's schema.

**ORA-41651: Event structure object type has one or more dependent objects**

**Cause:** An attempt was made to configure an object type that has one or more dependents as a event structure. The object type cannot be modified due to the dependent objects.

---

**Action:** Create a new object type for the event structure and try again.

**ORA-41652: invalid value for the equal attribute in the rule condition**

**Cause:** An invalid value is assigned to the equal attribute in the rule condition.

**Action:** Correct the input and try again.

**ORA-41653: inconsistent value for the "count" attribute of the "any" element**

**Cause:** The value specified for the "count" attribute of the "any" element is greater than or equal to the the number of primitive events appearing in the rule condition.

**Action:** Specify a smaller value for the "any" element's "count" attribute.

**ORA-41654: insufficient number of primitive events for the use of "sequence"**

**Cause:** An attempt was made to use "sequence" attribute when there is an insufficient number of primitive events in the rule conditions.

**Action:** Remove the sequence specification.

**ORA-41655: rule condition construct not supported: *string***

**Cause:** An attempt was made to use a rule condition construct that is not supported in the current release.

**Action:** Modify the rule condition.

**ORA-41656: insufficient number of child elements in "*string*" element.**

**Cause:** An attempt was made to use fewer than two elements within an "and" or "notany" element.

**Action:** Specify at least two elements within the parent element.

**ORA-41657: rule class internal objects cannot be dropped**

**Cause:** An attempt was made to drop an internal object that is required for a rule class.

**Action:** Drop the rule class associated with this object.

**ORA-41658: invalid value for the "count" attribute in the "any" element**

**Cause:** An invalid value is assigned to the count attribute in the rule condition. The values should be a positive integer that is smaller than the number of object elements within the "any" element.

**Action:** Correct the input and try again.

**ORA-41659: invalid primitive event "*string*" for the rule class**

**Cause:** An attempt was made to use an invalid primitive event in a rule condition.

**Action:** Correct the input and try again.

**ORA-41660: ordering property for the rule class is too long**

**Cause:** An attempt was made to configure the rule class with an ordering property that is longer than 240 characters.

**Action:** Correct the input and try again.

**ORA-41661: the system generated rule class package has errors**

**Cause:** An attempt was made to use a rule class configuration that was not supported.

**Action:** File a bug.

---

**ORA-41662: number of primitive events in the composite event exceeds maximum limit**

**Cause:** An attempt was made to create a composite event structure with more than 32 primitive events.

**Action:** Use a composite event that consists of fewer primitive events.

**ORA-41663: invalid use of "equal" or "sequence" attribute with a single event**

**Cause:** An attempt was made to use "equal" or "sequence" attribute when the "count". attribute in a rule condition with "any" semantics is set to 1.

**Action:** Remove the "equal" and "sequence" specifications.

**ORA-41664: invalid consumption policy for the primitive event**

**Cause:** An attempt was made to use EXCLUSIVE consumption policy for a primitive event when the composite event is configured for RULE consumption policy.

**Action:** Correct the rule class properties and try again.

**ORA-41665: conflicting values for duration, consumption, and autocommit policies**

**Cause:** An attempt was made to use an EXCLUSIVE consumption policy with no autocommit and a duration other than TRANSACTION or SESSION.

**Action:** Modify the rule class properties and try again. Autocommit should be set to YES when the consumption policy is EXCLUSIVE.

**ORA-41666: XML schema validation failed when validating against *string***

**Cause:** The user input has undefined element or attribute according to the provided XML schema definition.

**Action:** Correct the user inputs and try again.

**ORA-41667: rule class results view name already used for an existing object**

**Cause:** An attempt was made to use a duplicate name for the rule class results view.

**Action:** Use a different name for the rule class results view.

**ORA-41668: invalid operation for the rule class**

**Cause:** An attempt was made to use an invalid operation for the rule class.

**Action:** No action necessary. This is an informational message only.

**ORA-41669: invalid list of primitive event identifiers**

**Cause:** An attempt was made to pass an empty list of primitive event identifiers to the CONSUME\_PRIM\_EVENTS API.

**Action:** Correct the input and try again.

**ORA-41670: duplicate or invalid event name in equal specification**

**Cause:** An attempt was made to specify a duplicate or invalid primitive event for the rule class's equal property.

**Action:** Correct the input and try again.

**ORA-41671: duplicate table names in the event structure with table aliases**

**Cause:** The table used for an event structure has the same name as another table or a primitive event type in the event structure.

**Action:** Use an event structure with distinct table names for table aliases.

---

**ORA-41672: invalid rowid passed in for "string" table**

**Cause:** An attempt was made to pass a NULL or invalid rowid for a table in the event structure.

**Action:** Correct the input and try again.

**ORA-41673: sequence attribute not allowed in rule conditions using table aliases**

**Cause:** An attempt was made to use sequence attribute in a rule condition that is defined using table aliases. Sequence usage is not permitted for the lack of timestamp attribute.

**Action:** Correct the input and try again.

**ORA-41674: dmlevents policy allowed only for event structures with table aliases**

**Cause:** An attempt was made to use the dmlevents policy for an event structure with no table alias constructs.

**Action:** Correct the rule class properties and try again.

**ORA-41675: schema for data tables does not match that of the rule class**

**Cause:** An attempt was made to use the dmlevents policy for a rule class that refers to table residing in different schema. To use the dmlevents policy, the table associated with table aliases in the event structure and the rule class should exist in the same schema.

**Action:** Remove dmlevents specification from rule class properties.

**ORA-41676: invalid use of dmlevents policy for primitive event**

**Cause:** An attempt was made to use the dmlevents policy for a primitive event defined with more than one table alias attribute.

**Action:** Remove the dmlevents specification from the rule class properties.

**ORA-41677: DML event trigger creation failed with *string***

**Cause:** Triggers could not be created on the data table to track DML events.

**Action:** Remove the dmlevents specification from the rule class properties.

**ORA-41678: conflicting values for the autocommit and dmlevents policies**

**Cause:** An attempt was made to use dmlevents policy in combination with autocommit set to YES. This combination is not allowed.

**Action:** Set autocommit to NO and try again.

**ORA-41679: dmlevents specification only allowed with table alias attributes**

**Cause:** An attempt was made to use the dmlevents policy for an event structure not containing any table alias attributes.

**Action:** Remove the dmlevents specification from the rule class properties.

**ORA-41680: Rules Manager background process *string* does not exist**

**Cause:** An attempt was made to use a Scheduler process that does not exist.

**Action:** Execute EXFSYS.RLM\$CREATE\_SCHEDULER\_JOBS procedure as a privileged user.

**ORA-41681: clean up of expired events failed**

**Cause:** The background process that cleans up the expired events failed for a rule class.

**Action:** Invoke EXFSYS.DBMS\_RLMGR\_UTL.CLEANUP\_EVENTS API for the exact nature of the problem.

---

**ORA-41682: invalid rule class package**

**Cause:** An attempt was made to use a rule class package with invalid signature or permissions.

**Action:** Drop the rule class and recreate it.

**ORA-41683: unable to lock a rule in the rule class**

**Cause:** A rule matching the current event is locked by another session.

**Action:** Reissue the command after committing the other sessions.

**ORA-41684: invalid value for the RLM\$ENABLED column**

**Cause:** An attempt was made to insert or update a value other than "Y" or "N" into the RLM\$ENABLED column of a rule class table.

**Action:** Retry the DML statement with a value of "Y" or "N" for the RLM\$ENABLED column.

**ORA-41685: invalid window specification for the collection element**

**Cause:** An invalid attribute value was specified for the "windowlen" or the "windowsize" attribute. The value specified for the "windowlen" attribute should be a number indicating the number of days or a fraction of a day. The value specified for the "windowsize" attribute should be an integer which indicates number of items in the collection. The maximum value allowed for the window specification is 64000.

**Action:** Correct the input and try again.

**ORA-41686: use of "collection" invalid for the primitive event**

**Cause:** An attempt was made to define a rule condition with "collection" element when the corresponding event was not configured for collections of events.

**Action:** Correct the rule condition and try again.

**ORA-41687: attribute "string" not allowed in the "groupby" specification**

**Cause:** The attributes listed in the "groupby" specification in a rule condition were not a subset of the attributes specified in the rule class properties.

**Action:** Correct the "groupby" specification for the rule condition and try again.

**ORA-41688: invalid value for the "groupby" attribute**

**Cause:** An invalid value was specified for the "groupby" attribute.

**Action:** Correct the input and try again.

**ORA-41689: invalid collection specification in the rule condition**

**Cause:** An attempt was made to insert a rule condition with invalid collection element specification.

**Action:** Correct the input and try again.

**ORA-41690: maximum number of grouping expressions for a rule class exceeded**

**Cause:** An attempt was made to specify more than 32 expressions for the "groupby" clause in rule class properties.

**Action:** Use fewer than 32 expressions for the "groupby" clause.

**ORA-41691: invalid aggregate specification: *string***

**Cause:** The aggregate operation specified in the rule condition was invalid.

**Action:** Correct the input and try again.

---

**ORA-41692: unsupported aggregate operator in the having/compute clause: *string***

**Cause:** An attempt was made to use an unsupported aggregate operator in the having or the compute clause in the rule condition.

**Action:** Correct the input and try again.

**ORA-41693: invalid attribute or data type for an aggregate operator: *string***

**Cause:** An attempt was made to apply an aggregate operator on an invalid attribute or an attribute with invalid or unsupported data type in the aggregate operator. Only NUMBER and DATE attributes are allowed in the aggregate operators.

**Action:** Correct the input and try again.

**ORA-41694: invalid equal specification around: *string***

**Cause:** An attempt was made to specify an invalid equal clause for a rule condition or the rule class properties.

**Action:** Correct the input and try again.

**ORA-41695: equal specification should have a minimum of two elements**

**Cause:** An attempt was made to specify fewer than two elements in the equal clause for a rule condition or the rule class properties.

**Action:** Correct the input and try again.

**ORA-41696: invalid operator in the having clause: *string***

**Cause:** An attempt was made to use an invalid relational operator in the having clause of the rule condition.

**Action:** Correct the input and try again.

**ORA-41697: attribute prefix missing in aggregate specification: *string***

**Cause:** An attempt was made to specify an aggregate predicate across multiple primitive event types with no attribute prefix.

**Action:** Correct the input and try again.

**ORA-41698: invalid use of "*string*" attribute in aggregate predicate**

**Cause:** An attempt was made to use an attribute where a literal is expected in the aggregate predicate in the rule condition.

**Action:** Correct the input and try again.

**ORA-41699: maximum number of aggregate operations per rule condition exceeded**

**Cause:** An attempt was made to specify more than 5 aggregate operations in a rule condition.

**Action:** Correct the input and try again.

**ORA-41700: a conditions table already exists for the event structure**

**Cause:** A table storing the primitive rule conditions was already assigned to the event structure.

**Action:** No action necessary. This is an informational message only.

**ORA-41701: conditions table with a rule class association cannot be truncated or dropped**

**Cause:** An attempt was made to truncate or drop a conditions table when one or more rule classes are associated to it through the event structure.

**Action:** Drop the rule class before truncating or dropping the conditions table.

---

**ORA-41702: invalid conditions table**

**Cause:** An attempt was made to use an invalid conditions table.

**Action:** Correct the input and try again.

**ORA-41703: invalid child node in "object" element with "ref" attribute**

**Cause:** An attempt was made to use both a condition and a "ref" attribute in the "object" element.

**Action:** Remove the "ref" attribute.

**ORA-41704: invalid condition reference: "string"**

**Cause:** An attempt was made to use a reference to a nonexistent conditions table or a condition.

**Action:** Ensure that the conditions table exists for the primitive event and the value specified for the "ref" attribute of the "object" element is valid.

**ORA-41705: conditions table cannot be dropped with DROP TABLE command**

**Cause:** An attempt was made to drop a conditions table with a DROP TABLE command.

**Action:** Use DBMS\_RLMGR.DROP\_CONDITIONS\_TABLE instead.

**ORA-41706: a condition referenced in rule conditions may not be deleted**

**Cause:** An attempt was made to delete a condition when one or more rule conditions refer to it.

**Action:** Delete the rules before deleting the conditions.

**ORA-41707: unsupported construct with collection events: "string"**

**Cause:** An attempt was made to define a collection rule condition with unsupported constructs.

**Action:** Correct the input and try again.

**ORA-41708: the identifier for the shared condition may not be modified**

**Cause:** An attempt was made to update the identifier of a row stored in the conditions table.

**Action:** Insert a row with the new identifier instead.

**ORA-41710: invalid use of aggregate operator for a noncollection event**

**Cause:** An attempt was made to specify an aggregate operator on an event that is not identified as collection.

**Action:** Correct the input and try again.

**ORA-41711: invalid attribute in the rule condition's having clause**

**Cause:** An invalid attribute is used in the specification for the having clause of the rule condition.

**Action:** Correct the input and try again.

**ORA-41712: missing groupby specification for the collection "string"**

**Cause:** An attempt was made to use a collection element with no groupby specification in the rule condition.

**Action:** Correct the input and try again.

**ORA-41713: invalid use of "windowlen" and "windowsize" attributes**

---

**Cause:** An attempt was made to use the windowlen and windowsize attributes within the same collection element.

**Action:** Correct the input and try again.

**ORA-41714: invalid use of window specification with SESSION/TRANSACTION duration**

**Cause:** An attempt was made to use the windowlen or windowsize attributes when the events are configured for SESSION or TRANSACTION duration.

**Action:** Remove the window specification and try again.

**ORA-41721: invalid use of DMLEVENTS and CNFEVENTS in rule class properties**

**Cause:** An attempt was made to specify both the DMLEVENTS and CNFEVENTS for the same rule class.

**Action:** Remove either the DMLEVENTS or the CNFEVENTS specification.

**ORA-41722: insufficient privileges for database change notification**

**Cause:** An attempt was made to use CNFEVENTS property with insufficient privileges.

**Action:** Grant CHANGE NOTIFICATION privilege and EXECUTE privilege on DBMS\_CHANGE\_NOTIFICATION to the user and try again.

**ORA-42000: invalid online redefinition column mapping for table "*string*"."*string*"**

**Cause:** An attempt was made to change the logical structure of a materialized view log, queue table, or a partition by specifying a non-NULL column mapping during online redefinition.

**Action:** Pass a NULL column mapping parameter.

**ORA-42001: online redefinition options require COMPATIBLE parameter to be *string* or greater**

**Cause:** The following types of redefinition require a 10.2 or higher compatibility setting:

- o redefining a materialized view log
- o redefining a table with objects
- o redefining a clustered table
- o redefining an AQ queue table

o redefining a table partition The following types of redefinition require an 11.0 or higher compatibility setting:

- o redefining a table with a materialized view log
- o redefining a table with dependent materialized views

**Action:** Shut down and restart with an appropriate compatibility setting.

**ORA-42002: partition "*string*" of table "*string*"."*string*" not being redefined**

**Cause:** An attempt was made to redefine a partition which is not involved in this redefinition.

**Action:** Pass a valid partition name.

**ORA-42003: partition must be specified for this redefinition**

**Cause:** A partition was involved in this redefinition but was not specified.

**Action:** Specify the partition involved in this redefinition.

---

**ORA-42004: redefinition not instantiated**

**Cause:** An attempt was made to complete an instantiation-deferred redefinition without invoking `dbms_redefinition.sync_interim_table`.

**Action:** Invoke `dbms_redefinition.sync_interim_table` to instantiate this redefinition.

**ORA-42005: invalid type of redefinition method**

**Cause:** An unknown redefinition method was used.

**Action:** Use one of the supported redefinition methods: `o dbms_redefinition.cons_use_pk` `o dbms_redefinition.cons_use_rowid`

**ORA-42006: dependent object registration not supported during a partition redefinition**

**Cause:** An attempt was made to register dependent objects when redefining a partition.

**Action:** Do not invoke `dbms_redefinition.register_dependent_object` during a partition redefinition.

**ORA-42007: dependent object unregistration not supported during a partition redefinition**

**Cause:** An attempt was made to unregister dependent objects when redefining a partition.

**Action:** Do not invoke `dbms_redefinition.unregister_dependent_object` during a partition redefinition.

**ORA-42008: error occurred while instantiating the redefinition**

**Cause:** An error occurred while instantiating the online redefinition which requires aborting the redefinition.

**Action:** Correct the error, abort, and restart the online redefinition.

**ORA-42009: error occurred while synchronizing the redefinition**

**Cause:** An error occurred while synchronizing the online redefinition.

**Action:** Correct the error and continue the online redefinition.

**ORA-42010: error occurred while synchronizing the redefinition**

**Cause:** An error occurred while synchronizing the online redefinition which requires aborting the redefinition.

**Action:** Correct the error, abort, and restart the online redefinition.

**ORA-42011: error occurred while completing the redefinition**

**Cause:** An error occurred while completing the online redefinition.

**Action:** Correct the error and continue the online redefinition.

**ORA-42012: error occurred while completing the redefinition**

**Cause:** An error occurred while completing the online redefinition which requires aborting the redefinition.

**Action:** Correct the error, abort, and restart the online redefinition.

**ORA-42013: interim table of an AQ IOT table should be an IOT table**

**Cause:** An attempt was made to create a table that is not an index-organized table (IOT) as the interim table of an AQ IOT table (history, time management, or dequeue).

---

**Action:** Ensure that the interim table is created as an IOT table.

**ORA-42014: online redefinition unable to lock AQ objects**

**Cause:** An online redefinition of an AQ table was unable to lock all related AQ objects.

**Action:** Abort and retry the redefinition.

**ORA-42015: online redefinition unable to log changes made to AQ tables**

**Cause:** An online redefinition of an AQ table was unable to log changes made to AQ tables during the redefinition.

**Action:** Abort and retry the redefinition.

**ORA-42016: shape of interim table does not match specified column mapping**

**Cause:** The number of columns, or the type or the length semantics of a column, in the interim table did not match the specified column mapping.

**Action:** Ensure that the interim table matches the column mapping by either modifying the column mapping string or altering the interim table's column definition(s).

**ORA-42017: interim table of an AQ table should not be an AQ table**

**Cause:** An attempt was made to create an AQ table as an interim table of an online redefined AQ table.

**Action:** Ensure that the interim table is not created as an AQ table.

**ORA-42018: partition cannot be redefined online because of index organization incompatibility**

**Cause:** interim table is incompatible with partition being redefined because one or more of the following apply:

- one is index-organized and the other is not
- one has IOT overflow segment and the other does not
- one has IOT mapping table and the other does not

**Action:** Ensure that the interim table is compatible with the partition being redefined.

**ORA-42019: partition cannot be redefined online because of incompatible partitioning of interim table**

**Cause:** both original and interim tables are partitioned, or original table is composite-partitioned but interim table is non-partitioned.

**Action:** Ensure that the interim table has compatible partitioning with the original table. For example, if the original table is partitioned, the interim table should be non-partitioned. If the original table is composite-partitioned, the interim table should be partitioned.

**ORA-42020: partition cannot be redefined online because of unsupported type of interim table**

**Cause:** An unsupported type of interim table was provided during the partition redefinition. Currently the following types of interim tables are not supported:

- a nested table or has nested-table columns
- an external table
- part of cluster

---

- contains LOB shared segments

**Action:** Do not use unsupported types of interim tables.

**ORA-42021: partition cannot be redefined online because of incompatible row dependencies**

**Cause:** original/interim table was created with row dependency and interim/original table was not.

**Action:** Ensure that both tables are created with same row dependency properties.

**ORA-42022: partition cannot be redefined online because of presence of nested columns**

**Cause:** An attempt was made to online redefine a partition with nested table columns.

**Action:** Do not attempt to online redefine a partition with nested table columns.

**ORA-42023: compatibility of AQ table must be release 8.1.x or later**

**Cause:** An attempt was made to perform online redefinition on an AQ table that was created with compatibility prior to release 8.1.x.

**Action:** Ensure that the AQ table is created with the COMPATIBLE parameter set to release 8.1.x or later before attempting online redefinition.

**ORA-42024: interim table of an AQ table can not be a partitioned table**

**Cause:** An attempt was made to use a partitioned table as an interim table.

**Action:** Ensure that the interim table is not a partitioned table.

**ORA-42025: redefinition of CONS\_USE\_ROWID method cannot be used to redefine an AQ IOT table**

**Cause:** An attempt was made to use method of DBMS\_REDEFINITION.CONST\_USE\_ROWID to redefine an AQ IOT table.

**Action:** Ensure that method of DBMS\_REDEFINITION.CONST\_USE\_PK is used to redefine an AQ IOT table.

**ORA-42026: duplicated rows detected while instantiating the redefinition**

**Cause:** Duplicated rows are detected during instantiation of the redefinition.

**Action:** Abort the redefinition, turn off the optimistic ascending SCN optimization, and restart the redefinition.

**ORA-42027: cannot redefine an object online that is not a table**

**Cause:** An attempt was made to redefine an object online that is not a table.

**Action:** Ensure that the object being redefined online is a table.

**ORA-42028: materialized view log "*string*"."*string*" does not exist**

**Cause:** An attempt was made to register a nonexistent materialized view log as a dependent object.

**Action:** Invoke DBMS\_REDEFINITION.REGISTER\_DEPENDENT\_OBJECT on a valid materialized view log.

**ORA-42029: cannot online redefine table "*string*"."*string*" at this time**

**Cause:** An attempt was made to redefine a table which is incompatible with another ongoing redefinition.

**Action:** Do not perform the redefinition operation on this table or wait until the incompatible ongoing redefinition has completed.

---

```
////////////////////////////////////  
//////////////////////////////////// Reserving 42300 - 42398 for Editioning Views.  
////////////////////////////////////  
////////////////////////////////////
```

**ORA-42300: an Editioning view is already defined on this table**

**Cause:** An attempt was made to create an Editioning view on a table on which another Editioning view is already defined in the same Edition. This violates a restriction that at most one Editioning view may be associated with any base table in a given Edition.

**Action:** Create the new view as a regular view or, if the view being created is really intended to be an Editioning view associated with this table, drop the existing Editioning view before creating the new one.

**ORA-42301: only COMPILER, READ ONLY, READ WRITE clause may be specified for an Editioning view**

**Cause:** ALTER VIEW statement with a clause other than COMPILER, READ ONLY, READ WRITE was issued against an Editioning view, which is the only clause supported for such views.

**Action:** Avoid specifying clauses other than COMPILER, READ ONLY, READ WRITE when issuing ALTER VIEW statement against Editioning views.

**ORA-42302: definition of an Editioning view may not refer to remote tables**

**Cause:** An attempt was made to create an Editioning view referring to remote tables, which is not supported.

**Action:** Do not create an Editioning view if you want the view to refer to a remote table.

**ORA-42303: duplicate column reference in a definition of an Editioning view**

**Cause:** An attempt was made create an Editioning view referencing the same column of a base table more than once, which is not supported.

**Action:** Do not create an Editioning view if you have multiple columns referring to the same column of the base table.

**ORA-42304: base table and the Editioning view must belong to the same schema**

**Cause:** An attempt was made to create an Editioning view in a schema different from that of the base table.

**Action:** Create an Editioning view in the same schema as the base table.

**ORA-42305: only an Editioning view may replace an Editioning view**

**Cause:** An attempt was made to replace an Editioning view with a view which is not an Editioning view or vice versa.

**Action:** Ensure that either both or neither of the views involved are Editioning views.

**ORA-42306: a CrossEdition trigger may not be created on an Editioning view**

**Cause:** An attempt was made to create a CrossEdition trigger on an Editioning view, which is not supported.

**Action:** Instead of creating a CrossEdition trigger on an Editioning view, create it on the Editioning view's underlying table.

**ORA-42307: columns of an Editioning view may only refer to base table columns**

---

**Cause:** An attempt was made to define an Editioning view containing a column referring to an entity other than a base table column (for example, a PL/SQL function without a parameter), which is not supported.

**Action:** Ensure that every column of an Editioning view refers to a column of a base table.

**ORA-42308: view *string.string* is already in read-only mode**

**Cause:** An attempt was made to set a read-only table in read-only mode.

**Action:** This DDL can only be executed on a read/write view.

**ORA-42309: view *string.string* is already in read/write mode**

**Cause:** An attempt was made to set a read/write view in read/write mode.

**Action:** This DDL can only be executed on a read-only view.

**ORA-42310: Implementation restriction: this operation is only permitted on Editioning views**

**Cause:** The view being altered was not an Editioning view. In this release, an ALTER VIEW READ ONLY, or ALTER VIEW READ WRITE operation is only permitted on Editioning views.

**Action:** Ensure that the view is an Editioning view.

**ORA-42311: This operation is only permitted on views with compilation errors**

**Cause:** ALTER VIEW READ ONLY and ALTER VIEW READ WRITE is not permitted on views which has compilation errors.

**Action:** Resolve the compilation errors.

**ORA-42399: cannot perform a DML operation on a read-only view**

**Cause:** An attempt was made to insert, delete, or update row(s) of a view created with read-only option. DML operations on such views are explicitly prohibited.

**Action:** Perform the desired DML operation on the view's underlying base table or issue ALTER VIEW ... READ WRITE command to make the view updatable.



---

## NZE-43000 to NZE-43021

**NZE-43000: pkcs11 library not found**

**Cause:** The PKCS11 library could not be found.

**Action:** Make sure that the pkcs11 library is at the location specified in the wallet.

**NZE-43001: pkcs11 token not found**

**Cause:** The PKCS11 token could not be found.

**Action:** Make sure that a token with correct label is present in slot.

**NZE-43002: pkcs11 passphrase is wrong**

**Cause:** The PKCS11 passphrase is wrong.

**Action:** Make sure that the token passphrase specified is correct.

**NZE-43005: pkcs11: No tokens present**

**Cause:** a token is not present in the slot

**Action:** Place a pkcs11 token in the slot

**NZE-43011: pkcs11: Token login failed**

**Cause:** To login to the pkcs11 token a correct passphrase is needed

**Action:** Check the token passphrase.

**NZE-43014: pkcs11: finding private key on token error**

**Cause:** error occurred while finding private key on token

**Action:** Make sure the private key corresponding to the certificate in wallet is on the token. Check trace message

**NZE-43015: pkcs11: key pair gen error**

**Cause:** error occurred while generating key pair using HSM

**Action:** Check trace message

**NZE-43017: pkcs11: No certificate found on the smart card/HSM**

**Cause:** No certificate was found on the smart card/HSM.

**Action:** Follow smart card/HSM vendor documentation to populate the smart card/HSM with certificate.

**NZE-43018: pkcs11: No user certificate found on the smart card/HSM**

**Cause:** No user certificate was found on the smart card/HSM.

**Action:** Follow smart card/HSM vendor documentation to populate the smart card/HSM with certificate and private key.

---

**NZE-43019: pkcs11: No certificate found on smart card/HSM label with given cert label**

**Cause:** There were no certificate labels on the smart card/HSM that matched the certificate label specified in the wallet.

**Action:** Follow smart card/HSM vendor documentation to set certificate label in smart card/HSM.

**NZE-43020: pkcs11: Multiple certificates found on smart card/HSM with given cert label**

**Cause:** Certificates with identical labels were found in the smart card/HSM.

**Action:** Follow smart card/HSM vendor documentation to assign unique certificate labels to certificates.

**NZE-43021: pkcs11: Certificate with given cert label is not a user cert**

**Cause:** The certificate with the specified certificate label did not have a matching private key in the smart card/HSM.

**Action:** Follow smart card/HSM vendor instructions to create credentials (certificate/private key) in smart card/HSM.

---

---

## ORA-43750 to ORA-44913

**ORA-43750: invalid or illegal combination of COMMIT WRITE options**

**Cause:** invalid or illegal combination of options provided to COMMIT WRITE SQL statement.

**Action:** Provide a valid combination of options for COMMIT WRITE statement

**ORA-43751: invalid value for parameter *string***

**Cause:** invalid or illegal value provided for parameter.

**Action:** Provide a valid value for the parameter

**ORA-43807: indexes on ORA\_ROWSCN not allowed**

**Cause:** An attempt was made to create an index that refers to the ORA\_ROWSCN pseudo-column, either directly or in an expression.

**Action:** Do not use ORA\_ROWSCN to define an index on a table.

**ORA-43851: LOB feature unsupported below compatible 11.0.0**

**Cause:** An 11g LOB feature was specified when the RDBMS is operating at a compatible setting lower than "11.0.0".

**Action:** Upgrade the RDBMS compatible setting to "11.0.0" or higher to enable the desired new features.

**ORA-43852: SECUREFILE and BASICFILE cannot be used together**

**Cause:** SECUREFILE and BASICFILE were both specified.

**Action:** Modify the SQL statement to specify only one of SECUREFILE or BASICFILE.

**ORA-43853: SECUREFILE lobs cannot be used in non-ASSM tablespace "*string*"**

**Cause:** SECUREFILE lobs require ASSM

**Action:** Specify an ASSM tablespace for SECUREFILE lobs.

**ORA-43854: use of a BASICFILE LOB where a SECUREFILE LOB was expected**

**Cause:** A BASICFILE LOB was used in a SQL statement or in a call where a SECUREFILE LOB was expected.

**Action:** Convert the LOB to a SECUREFILE LOB or don't use this keyword or call.

**ORA-43856: Unsupported object type for SECUREFILE LOB operation**

**Cause:** A SECUREFILE Lob operation was issued on an unsupported object type.

**Action:** Don't use this function for BASICFILE LOBs.

---

**ORA-43857: Parameter Error**

**Cause:** Attempt to modify a LOB with an invalid parameter.

**Action:** Fix paramters and retry the operation.

**ORA-43883: SECUREFILE LOBs delta update invalid operation**

**Cause:** Invalid delta update operation was issued on LOB. This includes operation beyond LOB length; move operation with destination offset inside move interval.

**Action:** Check operation parameters for validity.

**ORA-44001: invalid schema**

**Cause:** The schema for the given schema name did not exist.

**Action:** Provide a valid schema name.

**ORA-44002: invalid object name**

**Cause:** The input parameter string was not a qualified SQL identifier of an existing SQL object.

**Action:** Make sure the string matches an existing SQL object that is accessible by the current schema.

**ORA-44003: invalid SQL name**

**Cause:** The input parameter string was not a valid simple SQL name.

**Action:** Check with the DBMS\_ASSERT spec to verify that the parameter string is a valid simple SQL name.

**ORA-44004: invalid qualified SQL name**

**Cause:** The input parameter string was not a valid qualified SQL name.

**Action:** Check with the DBMS\_ASSERT spec to verify that the parameter string is a valid qualified SQL name.

```
////////////////////////////////////  
//////////////////////////////////// Reserving 44101 - 44200 for UTL_MAIL errors  
////////////////////////////////////  
////////////////////////////////////
```

**ORA-44101: invalid priority**

**Cause:** The priority level given by the user was invalid.

**Action:** See UTL\_MAIL for valid priority values and change the priority parameter accordingly.

```
////////////////////////////////////  
//////////////////////////////////// Reserving 44201 - 44300 for Shared Cursor (KKS) errors  
////////////////////////////////////  
////////////////////////////////////
```

**ORA-44203: timeout waiting for lock on cursor**

**Cause:** A timeout occured while waiting for a cursor to be compiled. This is usually caused by the SQL parse requiring access to system resources which are locked by concurrently executing sessions.

**Action:** Investigate possible causes of resource contention. If necessary, contact support for additional information on how to diagnose this problem.

```
////////////////////////////////////  
//////////////////////////////////// Reserving 44301 - 44320 for DBMS_SERVICES errors
```

---

////////////////////////////////////  
////////////////////////////////////

**ORA-44301: NULL service name is not permitted**

**Cause:** The service name argument was found to be NULL.

**Action:** Provide a non-NULL service name.

**ORA-44302: NULL network name is not permitted**

**Cause:** The network name argument was found to be NULL.

**Action:** Provide a non-NULL network name.

**ORA-44303: service name exists**

**Cause:** This service name was already in existence.

**Action:** Provide a new unique service name.

**ORA-44304: service *string* does not exist**

**Cause:** The specified service was not in existence.

**Action:** Provide a valid service name.

**ORA-44305: service *string* is running**

**Cause:** The specified service was running.

**Action:** This message is informational only.

**ORA-44306: service name exceeds maximum length of *string***

**Cause:** The service name was too long.

**Action:** Use a shorter service name.

**ORA-44307: network name too long**

**Cause:** The network name, excluding the domain, was too long.

**Action:** Use a shorter network name.

**ORA-44310: maximum number of services exceeded**

**Cause:** The maximum number of services has been reached.

**Action:** None

**ORA-44311: service *string* not running**

**Cause:** The specified service was not running.

**Action:** This message is informational only.

**ORA-44312: database closed**

**Cause:** The database was closed.

**Action:** Open the database and retry the operation.

**ORA-44313: instance name invalid**

**Cause:** The instance name argument was not valid.

**Action:** Provide a valid instance name.

**ORA-44314: network name already exists**

**Cause:** The network name was already in existence.

**Action:** Use an alternate network name.

---

**ORA-44315: all service attributes null**

**Cause:** All attributes specified were null.

**Action:** At least one attribute must be non-null.

**ORA-44316: invalid argument**

**Cause:** Invalid argument supplied.

**Action:** Supply a valid argument.

**ORA-44317: database open read-only**

**Cause:** The database is open read-only.

**Action:** Close the database and reopen it read/write before trying again.

**ORA-44318: exceeded maximum SERVICE\_NAMES length**

**Cause:** The total length of all running service network names exceeded the maximum allowable length.

**Action:** Stop another service to start this one.

**ORA-44321: cannot read command line from trace file *string***

**Cause:** Trace file could not be read.

**Action:** Make sure trace file exists and contains valid raw trace data.

**ORA-44322: invalid file name "*string*"**

**Cause:** A NULL or zero length file name was specified.

**Action:** Correct the file name to be a nonzero length string.

**ORA-44323: negative <count> "*number*" to *string* option**

**Cause:** The given count was a nonpositive number.

**Action:** Provide a positive count number.

**ORA-44324: no <count> argument to *string* option**

**Cause:** Count number was missing for the option.

**Action:** Provide a count number to the option.

**ORA-44325: no entry points found in trace file *string***

**Cause:** The given trace symbol was not found.

**Action:** None

**ORA-44326: no <symbol> argument to *string* option**

**Cause:** <symbol> argument to `-[un]trace` option was missing.

**Action:** Provide <symbol> argument to `-[un]trace` option.

**ORA-44327: no <filename> argument to *string* option**

**Cause:** <filename> argument to the option was missing.

**Action:** Provide <filename> argument to the option.

**ORA-44328: unsupported version number: *string***

**Cause:** Version of the trace file was not supported.

**Action:** Provide supported version of trace file.

**ORA-44403: invalid value specified for flag parameter**

**Cause:** Mutually exclusive values were specified for the flag parameter.

---

**Action:** Internal error. Contact Oracle Support Services.

**ORA-44404: upicui2 client function requires Oracle server of 10.2 or higher**

**Cause:** A 10.2 or higher client is being used with an older Oracle server.

**Action:** Use an Oracle server with the same version as the client.

**ORA-44411: Invalid ACL: START\_DATE cannot be larger than END\_DATE for all ACE**

**Cause:** The END\_DATE was smaller than the START\_DATE in one of the ACE"s in this ACL.

**Action:** Set all END\_DATE to be larger than or equal to the START\_DATE in each of the ACE"s in this ACL.

**ORA-44412: Invalid ACL: Cyclic ACL inheritance is not allowed**

**Cause:** A cycle was formed by ACL inheritance.

**Action:** Check the ACL inheritance and break the cycle by removing some ACL inheritance.GG function exceeds system limits.

**ORA-44413: Invalid ACL: Security class of parent ACL must be an ancestor of security class of child ACL**

**Cause:** Security class of parent ACL was not an ancestor of security class of child ACL

**Action:** Change the security class of parent ACL to be an ancestor of security class of child ACL.

**ORA-44414: Invalid ACL: Parent ACL "string" does not exist**

**Cause:** The path to the parent ACL was not a valid resource.

**Action:** Change the parent ACL of this resource or create the parent ACL at the specified location.

**ORA-44415: Invalid ACL: Undefined privileges**

**Cause:** An undefined privilege was found in an ACE in the ACL.

**Action:** Make sure the privilege is defined in the security class as specified in the ACL.

**ORA-44416: Invalid ACL: Unresolved principal "string"**

**Cause:** An unresolved principal is found in an ACE in the ACL.

**Action:** Make sure the principal is a valid user or role in the system.

**ORA-44417: Invalid ACL: Invalid ACLID**

**Cause:** The specified ACLID did not point to a valid ACL document.

**Action:** Make sure the ACLID points to a valid ACL document.

**ORA-44421: cannot DISALLOW NONSCHEMA without a SCHEMA clause**

**Cause:** If no SCHEMA clause (explicit schema or ANYSCHEMA) was specified, nonschema data cannot be disallowed.

**Action:** Remove DISALLOW NONSCHEMA or add some SCHEMA clause.

**ORA-44422: nonschema XML disallowed for this column**

**Cause:** An attempt was made to insert nonschema based XML documents in a binary XML column that disallows nonschema data.

---

**Action:** Insert only schema-based documents or alter the column to ALLOW NONSCHEMA data.

**ORA-44423: XML Schema registered for BINARY cannot be used for CLOB/OBJ-REL**

**Cause:** An attempt was made to use a XML Schema registered for binary usage as part of a CLOB or OBJ-REL clause.

**Action:** Specify a schema registered for CLOB or OBJ-REL use. Else specify BINARY XML storage for column.

**ORA-44424: BINARY XML storage requires XML Schema registered for BINARY usage**

**Cause:** An attempt was made to specify BINARY XML storage using an XML schema not registered for BINARY.

**Action:** Specify a schema registered for BINARY usage. Else specify CLOB or OBJ-REL storage for column.

**ORA-44501: QMEL: Too much concurrency.**

**Cause:** Too much concurrency

**Action:** Transient error, try again.

**ORA-44502: QMEL: Lock not found.**

**Cause:** Lock not found

**Action:** Check arguments

**ORA-44503: QMEL: Lock Denied.**

**Cause:** Lock denied

**Action:** None

**ORA-44504: Resource Locked by Implicit Lock**

**Cause:** The resource is locked by an implicit lock

**Action:** Implicit locks are normally caused by NFS locks. Refer to XDB Protocol guide for removing/obtaining information about implicit locks.

**ORA-44505: QMEL: Invalid arguments.**

**Cause:** Arguments to QMEL are not correct.

**Action:** None

**ORA-44700: Language "*string*" is not a valid language for a translation**

**Cause:** Invalid language.

**Action:** The language must conform to IETF RFC 3066.

**ORA-44701: Language not found for translation**

**Cause:** The document had multiple translations and one of them did not have the xml:lang attribute.

**Action:** All translations must have the xml:lang attribute when multiple translations are present.

**ORA-44702: Multiple translations found for language "*string*"**

**Cause:** The document had multiple translations for a language.

**Action:** The document must contain only one translation per language for every translated element.

---

**ORA-44703: Multiple source language translations found**

**Cause:** The document had multiple source language translations.

**Action:** The document must contain only one source language translation for every translated element.

**ORA-44704: XPath "*string*" does not uniquely identify a translated element**

**Cause:** The given XPath pointed to multiple translated elements.

**Action:** The given XPath must uniquely identify a translated element.

**ORA-44705: Must have xdb:maxOccurs="1" for translated elements**

**Cause:** The value of xdb:maxOccurs was not "1" for a translated element.

**Action:** The value of xdb:maxOccurs must be "1" for a translated element.

**ORA-44706: Must have xsd:maxOccurs="unbounded" for translated elements**

**Cause:** The value of xsd:maxOccurs was not "unbounded" for a translated element.

**Action:** The value of xsd:maxOccurs must be "unbounded" for a translated element.

**ORA-44707: No source language translation found**

**Cause:** The document had no source language translation for a translated element.

**Action:** The document must contain exactly one source language translation for every translated element.

**ORA-44708: Translations not supported for object relational storage**

**Cause:** The storage type of the schema was object relational.

**Action:** Register the schema with storage type as clob or binary xml.

**ORA-44709: Invalid schema definition for translated element**

**Cause:** The schema definition for a translated element was invalid.

**Action:** A translated element must be a complex type with simple content which is a restriction or extension of xs:string.

**ORA-44710: Malformed XLIFF document: *string***

**Cause:** The XLIFF document was malformed.

**Action:** Fix the error and try again.

**ORA-44711: XPath refers to an untranslatable element**

**Cause:** XPath pointed to an untranslatable element.

**Action:** XPath for this operation must refer to a translatable element.

**ORA-44712: Invalid XPath in XLIFF document used for merging**

**Cause:** XPath within trans-unit/id attribute was invalid.

**Action:** XPath within trans-unit/id attribute must point to a set of translations, not to a particular translation.

**ORA-44713: XPath does not select all translations**

**Cause:** XPath did not select all translations for a particular element.

**Action:** XPath must point to a set of translations, not to a particular translation.

**ORA-44730: XML Index *string* is not usable at the moment**

---

**Cause:** The async XML Index could not be used since ORACLE is not open for query.

**Action:** Try the same query again when ORACLE is open for query, or use NO\_XMLINDEX\_REWRITE hint.

**ORA-44731: Path *string* cannot be removed from the repository XML Index**

**Cause:** The repository XML Index indexed one of the parent folders of the resource identified by given path.

**Action:** Try removing the parent folder from the repository XML Index.

**ORA-44732: Path *string* cannot be removed from the repository XML Index**

**Cause:** The repository XML Index did not index the resource identified by given path.

**Action:** Try removing a resource that is indexed by the repository XML Index.

**ORA-44733: The repository XML Index cannot be dropped directly**

**Cause:** DROP INDEX could not be used on the repository XML Index.

**Action:** Try using DBMS\_XDB\_ADMIN.DROPREPOSITORYXMLINDEX.

**ORA-44751: XML schema enumeration index is out of range**

**Cause:** The enumeration item corresponding to the enumeration index could not be found in the XML schema.

**Action:** If the XML schema has been evolved, try restarting the client that performed the evolution.

**ORA-44752: New element "*string*" in complex type "*string*" has the same qualified name as another element**

**Cause:** The new element that was added to a complex type by in-place XML schema evolution had the same qualified name as another element in the same complex type or in one of its ancestor complex types.

**Action:** Try adding an element with a different qualified name.

**ORA-44753: Change to minOccurs attribute of element "*string*" is illegal**

**Cause:** The value of attribute minOccurs on an element could not be increased by in-place XML schema evolution.

**Action:** Do not increase the value of attribute minOccurs.

**ORA-44754: Change to maxOccurs attribute of element "*string*" is illegal**

**Cause:** The value of attribute maxOccurs on an element could not be decreased by in-place XML schema evolution.

**Action:** Do not decrease the value of attribute maxOccurs.

**ORA-44755: Change to complexType property of element "*string*" is illegal**

**Cause:** The complexType property on an element could not be changed by in-place XML schema evolution.

**Action:** Do not change the complexType property.

**ORA-44756: Change to SQLType attribute of element "*string*" is illegal**

**Cause:** The SQLType property on an element in a binary XML schema could not be changed by in-place XML schema evolution.

**Action:** Do not change the SQLType property.

---

**ORA-44800: Number of classifiers cannot be NULL**

**Cause:** The num\_classifiers argument was found to be NULL.

**Action:** Provide a non-NULL num\_classifiers.

**ORA-44801: NULL classifier list not permitted**

**Cause:** The wlm\_classifiers argument was found to be NULL.

**Action:** Provide a non-NULL wlm\_classifiers.

**ORA-44802: No new plan (classifier list) has been submitted**

**Cause:** No new plan was created before submission.

**Action:** Create a new plan, followed by adding classifier & PC lists.

**ORA-44803: Plan is in transition (about to be activated)**

**Cause:** New plan was attempted to be created before activating the current plan.

**Action:** Completely submit the current plan and activate it.

**ORA-44804: Plan is not created yet**

**Cause:** A new plan was not created before submitting the Classifier and Performance Class lists.

**Action:** Call dbms\_wlm.create\_plan first to create the plan.

**ORA-44805: No classifier is present**

**Cause:** The classifier list contained no classifiers.

**Action:** Check the syntax of the classifier list.

**ORA-44806: Extra classifiers are present in list**

**Cause:** More classifiers were present in the list than specified.

**Action:** Only include the number of classifiers less than or equal to num\_classifiers mentioned in dbms\_wlm.create\_plan.

**ORA-44807: Performance Class name is too large**

**Cause:** The Performance Class name was larger than 32 bytes.

**Action:** Rename the Performance Class to fit within 32 bytes.

**ORA-44808: Work Request Class name is too large**

**Cause:** The Work Request Class name was larger than 32 bytes.

**Action:** Rename the Work Request Class to fit within 32 bytes.

**ORA-44809: No expression is present for classifier**

**Cause:** This classifiers contained no expression. It should contain one more more expressions.

**Action:** Check syntax in the classifier list.

**ORA-44810: No parameter is present for expression**

**Cause:** This expression contained no paramaters or attribute values. It should contain one or more attribute values. Attributes can be SERVICE, MODULE, ACTION, PROGRAM or USER.

**Action:** Check syntax in the classifier list.

**ORA-44811: Service name is too large**

**Cause:** The service name mentioned in the parameter list was too large.

---

**Action:** Check the service name.

**ORA-44812: Module name is too large**

**Cause:** The module name mentioned in the parameter list was too large.

**Action:** Check the module name.

**ORA-44813: Action name is too large**

**Cause:** The action name mentioned in the parameter list was too large.

**Action:** Check the action name.

**ORA-44814: Program name is too large**

**Cause:** The program name mentioned in the parameter list was too large.

**Action:** Check the program name.

**ORA-44815: User name is too large**

**Cause:** The user name mentioned in the parameter list was too large.

**Action:** Check the user name.

**ORA-44816: Number of Performance Classes is less than specified**

**Cause:** The number of Performance Classes submitted were less than what was specified.

**Action:** Submit the full list of Performance Classes.

**ORA-44817: Classifier list is too large**

**Cause:** The length of the classifier list was greater than 2048 bytes.

**Action:** Break the list into two lists before submission.

**ORA-44818: General failure**

**Cause:** There was an unknown failure.

**Action:** Contact Oracle Support Services.

**ORA-44819: Execution of this WLM function is denied**

**Cause:** Either a WLM plan was being loaded from another instance, or the strict order of the PL/SQL calls for loading WLM plan was not followed.

**Action:** Check if another session is also concurrently trying to load a WLM plan. If that is not true, check the order in which you are making these PL/SQL calls to load your WLM plan.

**ORA-44820: Number of Work Request Classes is less than specified**

**Cause:** The number of Work Request Classes submitted were less than what was specified.

**Action:** Submit the full list of Work Request Classes.

**ORA-44821: Number of classifiers is too large**

**Cause:** A very large number ( > 1024) of classifiers were requested.

**Action:** Submit a smaller ( < 1024) number of classifiers.

////////////////////////////////////

//////////////////////////////////// 44901 - 44950 reserved for XML DB LINKS related error codes.

////////////////////////////////////

////////////////////////////////////

---

**ORA-44901: Unable to resolve symbolic link "*string*"**

**Cause:** The system is unable to resolve the specified symbolic link.

**Action:** Check the definition of the symbolic link to ensure that this refers to a valid resource.

**ORA-44902: Too many steps in resolving symbolic link "*string*"**

**Cause:** This error is raised when the system is unable to fully resolve a path with symbolic links within a reasonable number of steps. It could be due to cycles in definitions of symbolic links or very long chains of symbolic links to symbolic links.

**Action:** Remove any cycles in symbolic link definitions. If there are no cycles, reduce the length of chains of symbolic links to symbolic links.

**ORA-44903: Cannot create hard link to specified resource**

**Cause:** The system cannot create a hard link to the specified resource.

**Action:** Check the configuration parameter(s) to verify the restrictions on creating hard links to folder or non-folder resources.

**ORA-44904: target path in document link exceeds maximum length**

**Cause:** Target path length exceeds the maximum which can be stored to disk.

**Action:** Reduce target path to smaller length

**ORA-44905: extended link type not supported**

**Cause:** XLink type attribute is extended.

**Action:** Remove extended link, or replace with simple link.

**ORA-44906: unable to resolve target in document link**

**Cause:** target path does not resolve to valid resource.

**Action:** check validity of target path.

**ORA-44907: can not delete with incoming hard document links**

**Cause:** there is a hard document link with this resource as the target.

**Action:** query DOCUMENT\_LINKS view to see which resource has a hard link to this resource. Change the document link in the source resource accordingly.

**ORA-44908: found a loop in XInclude elements while expanding *string***

**Cause:** There is a loop in XInclude elements within the document.

**Action:** Remove the loop in XInclude elements.

**ORA-44909: href attribute is required within XInclude element**

**Cause:** The href attribute is missing within XInclude element.

**Action:** Add the href attribute.

**ORA-44910: xpointer not supported within XInclude element**

**Cause:** The xpointer attribute is specified within XInclude element.

**Action:** Remove the xpointer attribute.

**ORA-44911: exceeded maximum depth of nested xinclude expansion**

**Cause:** The depth of nested xinclude expansion has exceeded system limit.

**Action:** Reduce the depth of nested xinclude expansion.

**ORA-44912: invalid or unsupported xpath expression *string***

---

**Cause:** The specified xpath is either invalid or unsupported in this context.

**Action:** Change the xpath expression.

**ORA-44913: error while processing XInclude *string***

**Cause:** There was an error while processing the specified XInclude.

**Action:** Ensure that the XInclude attributes are correct.

---



---

## ORA-46000 to ORA-46108

**ORA-46000: Invalid option to enable Extensible Data Security****Cause:** Input value was not a valid option to enable XDS.**Action:** Use a valid option to enable XDS.**ORA-46001: *string* is not valid for Extensible Data Security policies****Cause:** An illegal argument value was used with DBMS\_RLS to enable XDS.**Action:** Use DBMS\_XDS to enable XDS.**ORA-46002: Privilege "*string*" is not valid in Data Security Document for "*string*"****Cause:** An invalid privilege was specified in the Data Security Document.**Action:** Correct the privilege element in the document.**ORA-46003: Column "*string*" is not valid in Data Security Document for "*string*"****Cause:** An invalid column was specified in the Data Security Document.**Action:** Correct the column element in the document.

```

////////////////////////////////////
//////////////////////////////////// 46050 - 46099 Reserved for eXtensible Security Sessions (XSS)
////////////////////////////////////
////////////////////////////////////

```

**ORA-46051: Invalid XS user specified****Cause:** An invalid extensible security user was specified.**Action:** Check the user name and execute the function or procedure again.**ORA-46052: Invalid Session ID specified****Cause:** An invalid extensible security session ID was specified.**Action:** Check the session ID and execute the function or procedure again.**ORA-46053: Invalid Cookie specified****Cause:** An invalid extensible security session cookie was specified.**Action:** Check the session cookie and execute the function or procedure again.**ORA-46054: Invalid Namespace specified****Cause:** An invalid extensible security application namespace was specified.**Action:** Check the namespace and execute the function or procedure again.**ORA-46055: Invalid Role specified****Cause:** An invalid extensible security role was specified.

---

**Action:** Check the role and execute the function or procedure again.

**ORA-46056: Invalid Namespace or Attribute specified**

**Cause:** An invalid extensible security application namespace or attribute was specified.

**Action:** Check the namespace and attribute, and execute the function or procedure again.

**ORA-46057: Namespace already exists**

**Cause:** The specified extensible security application namespace was already in existence.

**Action:** Execute the function or procedure with a different namespace.

**ORA-46058: Invalid attribute specified**

**Cause:** An invalid extensible security application namespace attribute was specified.

**Action:** Check the attribute, and execute the function or procedure.

**ORA-46059: Invalid ACL identifier specified**

**Cause:** The specified ACL identifier is invalid.

**Action:** Check the ACL identifier, and execute the function or procedure again with a valid ACL ID.

**ORA-46060: Username not specified**

**Cause:** Extensible security Username was not specified.

**Action:** Execute the function or procedure with a username.

**ORA-46061: Session ID not specified**

**Cause:** Extensible security Session ID was not specified.

**Action:** Execute the function or procedure with a session ID.

**ORA-46062: Namespace not specified**

**Cause:** Extensible security Application namespace was not specified.

**Action:** Execute the function or procedure with a namespace.

**ORA-46063: Not attached to XS session**

**Cause:** Not attached to an Extensible security session.

**Action:** Attach to a XS session and execute the function or procedure.

**ORA-46064: Attribute name not specified**

**Cause:** Extensible security Application namespace attribute name was not specified.

**Action:** Execute the function or procedure with an attribute name.

**ORA-46065: Attribute value not specified**

**Cause:** Extensible security Application namespace attribute value was not specified.

**Action:** Execute the function or procedure with an attribute value.

**ORA-46066: Inactivity Timeout not specified**

**Cause:** Extensible security session inactivity timeout was not specified.

**Action:** Execute the function or procedure with an inactivity timeout value.

---

**ORA-46067: Cookie not specified**

**Cause:** Extensible security session cookie was not specified.

**Action:** Execute the function or procedure with a cookie value.

**ORA-46068: Role not specified**

**Cause:** Extensible security Role was not specified.

**Action:** Execute the function or procedure with a Role value.

**ORA-46070: Insufficient privileges**

**Cause:** An attempt was made to execute an Extensible security session function or procedure without the appropriate privilege.

**Action:** Ask the administrator to perform the operation or to grant the appropriate privilege.

**ORA-46071: Error occurred while executing the event handler**

**Cause:** An error or exception was returned by the error handling function invoked as part of the current operation.

**Action:** Check the trace files to identify the source of the error in the event handling function. Attempt the operation again after the error has been resolved.

**ORA-46072: Column width too small**

**Cause:** The size of the column or variable used to store the output of this function or procedure is too small.

**Action:** Increase the size of the column or variable and try again.

**ORA-46073: Cookie already exists**

**Cause:** The specified Extensible security session cookie was used by another Extensible security session.

**Action:** Execute the function or procedure with a different cookie.

**ORA-46074: session ID mismatch**

**Cause:** The specified session ID does not match the attached session ID.

**Action:** Execute the function or procedure without a session ID or with a matching attached session.

**ORA-46075: Already attached to a lightweight user session**

**Cause:** The current database session is already attached to a lightweight user session.

**Action:** Detach from the current lightweight user session before attaching to the new lightweight user session.

**ORA-46076: The specified name string is too long**

**Cause:** The length of the name is longer than allowable limits.

**Action:** Please try again with a new name with a length smaller than the allowable length. Please refer to the documentation to identify the maximum name length for the current operation.

**ORA-46077: Length of value too large**

**Cause:** The specified attribute value is too large.

**Action:** Execute the function or procedure again with a smaller attribute value.

**ORA-46078: Invalid event type specified**

---

**Cause:** The event type specified is invalid.

**Action:** Reattempt the operation with an invalid event type.

```
////////////////////////////////////  
//////////////////////////////////// 46100 - 46149 Reserved for eXtensible Security Security Class  
(XSC)  
////////////////////////////////////  
////////////////////////////////////
```

**ORA-46101: Circular definition for aggregate privilege *string* in security class *string***

**Cause:** Definition of an aggregate privilege contained itself.

**Action:** Fix the aggregate privilege definition.

**ORA-46102: Privilege *string* aggregated in security class *string* is not found**

**Cause:** Definition of an aggregate privilege contained a privilege that is not defined in this or parent security classes.

**Action:** Fix the aggregate privilege definition.

**ORA-46103: Circular definition for security class *string***

**Cause:** Security class definition inherited from itself through circular definition.

**Action:** Fix the security class definition.

**ORA-46104: Security class *string* cannot inherit from base security classes**

**Cause:** Definition of a security class specified an internal base security class as a parent security class.

**Action:** Remove the internal base security class from the "inherits-from" list.

**ORA-46105: Unable to load security class *string***

**Cause:** The specified security class did not exist.

**Action:** Create resource for the security class.

**ORA-46106: Missing parent security class for security class *string***

**Cause:** The specified security class did not have any parent security class.

**Action:** Add a parent security class using "inherits-from" tag.

**ORA-46107: Unable to load security class for privilege *string:string***

**Cause:** The specified privilege did not exist.

**Action:** Create a security class resource for the privilege.

**ORA-46108: Invalid security class targetNamespace or name.**

**Cause:** The security class targetNamespace attribute was either null or was longer than 4000 characters. Or, the security class name attribute was either null or was longer than 1024 characters.

**Action:** Provide valid targetNamespace and name attributes.

---

---

## ORA-47000 to ORA-47999

**ORA-47000: Factor Type *string* already defined**

**Cause:** The object with this name exists already

**Action:** Choose a unique object name and retry the operation

**ORA-47001: Factor Type *string* not found**

**Cause:** The object being requested does not exist

**Action:** Choose an object name that exists and retry the operation

**ORA-47002: error creating Factor Type *string, string***

**Cause:** An unexpected error occurred creating the factor type

**Action:** Please review the definition and retry the operation

**ORA-47003: error deleting Factor Type *string, string***

**Cause:** An unexpected error occurred deleting the factor type

**Action:** Please review the definition and retry the operation

**ORA-47004: error updating Factor Type *string, string***

**Cause:** An unexpected error occurred updating the factor type

**Action:** Please review the definition and retry the operation

**ORA-47005: error renaming Factor Type *string, string***

**Cause:** An unexpected error occurred renaming the factor type

**Action:** Please review the definition and retry the operation

**ORA-47020: Factor *string* already defined**

**Cause:** The object with this name exists already

**Action:** Choose a unique object name and retry the operation

**ORA-47021: Factor *string* not found**

**Cause:** The object being requested does not exist

**Action:** Choose an object name that exists and retry the operation

**ORA-47022: error creating Factor *string, string***

**Cause:** An unexpected error occurred creating the factor

**Action:** Please review the definition for accuracy and retry the operation

**ORA-47023: error deleting Factor *string, string***

**Cause:** An unexpected error occurred deleting the factor

- 
- Action:** Please review the definition for accuracy and retry the operation
- ORA-47024: error updating Factor *string*, *string***  
**Cause:** An unexpected error occurred updating the factor  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47025: Factor Link already exists for *string* and *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47026: error creating Factor Link for *string* and *string*, *string***  
**Cause:** An unexpected error occurred creating the factor link  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47027: Factor Link does not exist for *string* and *string***  
**Cause:** The factor link referenced does not exist  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47028: error deleting Factor Link for *string* and *string*, *string***  
**Cause:** An unexpected error occurred deleting the factor link  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47040: Identity *string* for Factor *string* already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47041: Identity *string* for Factor *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47042: error creating Identity *string* for Factor *string*, *string***  
**Cause:** An unexpected error occurred creating the identity  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47043: error deleting Identity *string* for Factor *string*, *string***  
**Cause:** An unexpected error occurred deleting the identity  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47044: error updating Identity *string* for Factor *string*, *string***  
**Cause:** An unexpected error occurred updating the identity  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47060: Identity map for Identity *string.string*, Factor Link *string*, *string* already defined for operation *string* on *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47061: Identity map for Identity *string.string*, Factor Link *string*, *string* not found for operation *string* on *string***  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation

- 
- ORA-47062: error creating Identity map for Identity *string.string*, Factor Link *string*, *string* already defined for operation *string* on *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47063: error deleting Identity map for Identity *string.string*, Factor Link *string*, *string* already defined for operation *string* on *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47080: code *string* already defined in group *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47081: code *string* not found in group *string***  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47100: Command Rule *string* already defined for *string.string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47101: Command Rule *string* not found for *string.string***  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47102: error creating Command Rule *string* for *string.string*, *string***  
**Cause:** An unexpected error occurred creating the command rule  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47103: error deleting Command Rule *string* for *string.string*, *string***  
**Cause:** An unexpected error occurred deleting the command rule  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47104: error updating Command Rule *string* for *string.string*, *string***  
**Cause:** An unexpected error occurred updating the command rule  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47105: invalid object owner *string* for command *string***  
**Cause:** The object owner is invalid for this command  
**Action:** Choose an object owner other than SYS or a wildcard for this command
- ORA-47120: Document *string* already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47121: Document *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47140: Factor expression *string* already defined**

- 
- Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47141: Factor expression *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47160: Factor link *string* already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47161: Factor link *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47180: Integration Policy for OLS Policy *string* is already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47181: Integration Policy for OLS Policy *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47182: Label algorithm *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47183: error creating Integration Policy for OLS Policy *string*, *string***  
**Cause:** An unexpected error occurred creating the integration policy  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47184: error updating Integration Policy for OLS Policy *string*, *string***  
**Cause:** An unexpected error occurred updating the integration policy  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47185: error deleting Integration Policy for OLS Policy *string*, *string***  
**Cause:** An unexpected error occurred deleting the integration policy  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47200: Integration Policy Factor already defined for Factor *string* and Policy *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47201: Integration Policy Factor not found for Factor *string* and Policy *string***  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47202: error creating Integration Policy Factor for factor *string* and policy *string*, *string***  
**Cause:** An unexpected error occurred creating the integration policy factor

- 
- Action:** Please review the definition for accuracy and retry the operation
- ORA-47203: error deleting Integration Policy Factor for factor *string* and policy *string, string***  
**Cause:** An unexpected error occurred deleting the integration policy factor  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47220: Label *string* for Identity *string.string* under OLS Policy *string* already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47221: Label *string* for Identity *string.string* under OLS Policy *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47222: error creating Label *string* for Identity *string.string* under OLS Policy *string, string***  
**Cause:** An unexpected error occurred creating the identity label  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47223: error deleting Label *string* for Identity *string.string* under OLS Policy *string, string***  
**Cause:** An unexpected error occurred deleting the identity label  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47240: Realm *string* already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47241: Realm *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47242: error creating Realm *string, string***  
**Cause:** An unexpected error occurred creating the realm  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47243: error deleting Realm *string, string***  
**Cause:** An unexpected error occurred deleting the realm  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47244: error updating Realm *string, string***  
**Cause:** An unexpected error occurred updating the realm  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47245: error renaming Realm *string, string***  
**Cause:** An unexpected error occurred renaming the realm  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47260: Realm Authorization to *string* for Realm *string* already defined**  
**Cause:** The object with this name exists already

- 
- Action:** Choose a unique object name and retry the operation
- ORA-47261: Realm Authorization to *string* for Realm *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47262: error creating Realm Authorization to *string* for Realm *string*, *string***  
**Cause:** An unexpected error occurred creating the realm authorization  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47263: error deleting Realm Authorization to *string* for Realm *string*, *string***  
**Cause:** An unexpected error occurred deleting the realm authorization  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47264: error updating Realm Authorization to *string* for Realm *string*, *string***  
**Cause:** An unexpected error occurred updating the realm authorization  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47280: Realm Object *string,string.string* already defined in Realm *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47281: Realm Object *string,string.string* not found in Realm *string***  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47282: error adding Realm Object *string,string.string* to Realm *string*, *string***  
**Cause:** An unexpected error occurred creating the realm object  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47283: error deleting Realm Object *string,string.string* from Realm *string*, *string***  
**Cause:** An unexpected error occurred deleting the realm object  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47284: error adding Realm Object *string.string.string* is not a valid object type**  
**Cause:** The specified object type is not valid.  
**Action:** Enter a valid object type for the specified object name, or enter "%" and all objects with the specified name and the specified owner will be added to the realm.
- ORA-47290: error creating VPD policy for Realm *string*, *string***  
**Cause:** An unexpected error occurred creating the VPD policy  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47300: Role already *string* defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47301: Role *string* not found**  
**Cause:** The object being requested does not exist

- 
- Action:** Choose an object name that exists and retry the operation
- ORA-47302: error creating Role *string, string***  
**Cause:** An unexpected error occurred creating the role  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47303: error deleting Role *string, string***  
**Cause:** An unexpected error occurred deleting the role  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47304: error updating Role *string, string***  
**Cause:** An unexpected error occurred updating the role  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47305: Rule Set violation on *string (string)***  
**Cause:** An operation that was attempted failed due to a rule set violation  
**Action:** Ensure you have sufficient privileges for this operation retry the operation
- ORA-47320: Rule *string* already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47321: Rule *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47322: error creating Rule *string, string***  
**Cause:** An unexpected error occurred creating the rule  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47323: error deleting Rule *string, string***  
**Cause:** An unexpected error occurred deleting the rule  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47324: error updating Rule *string, string***  
**Cause:** An unexpected error occurred updating the rule  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47340: Rule Set *string* already defined**  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47341: Rule Set *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47342: error creating Rule Set *string, string***  
**Cause:** An unexpected error occurred creating the rule set  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47343: error deleting Rule Set *string, string***

- 
- Cause:** An unexpected error occurred deleting the rule set  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47344: error updating Rule Set *string*, *string***  
**Cause:** An unexpected error occurred updating the rule set  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47360: Rule *string* already added to Rule Set *string***  
**Cause:** The object with this name exists already  
**Action:** Choose a unique object name and retry the operation
- ORA-47361: Rule *string* not associated to Rule Set *string***  
**Cause:** The rule specified is not associated to the rule set  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47362: error adding Rule *string* to Rule Set *string*, *string***  
**Cause:** An unexpected error occurred adding the rule to the rule set  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47363: error deleting Rule *string* from Rule Set *string*, *string***  
**Cause:** An unexpected error occurred deleting the rule to the rule set  
**Action:** Please review the definition for accuracy and retry the operation
- ORA-47381: OLS Policy *string* not found**  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47382: OLS Policy Label *string* not found for policy *string***  
**Cause:** The object being requested does not exist  
**Action:** Choose an object name that exists and retry the operation
- ORA-47383: error capturing the session state information**  
**Cause:** An internal error occurred capture the session state  
**Action:** Please retry the operation if possible
- ORA-47390: failed to audit event, *string***  
**Cause:** An internal error auditing the operation  
**Action:** Please retry the operation if possible
- ORA-47391: attempt to set Factor *string* violates Rule Set *string***  
**Cause:** An attempt to set the factor violated the associated rule set  
**Action:** Please check to ensure you have the ability to set the factor
- ORA-47392: Factor *string* cannot be set**  
**Cause:** The attempt to set the factor is not allowed  
**Action:** This factor cannot be set so there is no corrective action
- ORA-47393: Factor *string* value not allowed**  
**Cause:** The value being assigned to the factor is not allowed  
**Action:** None

---

**ORA-47394: Factor assignment rule set not defined**

**Cause:** The rule set being associated to the factor does not exist

**Action:** Please review the definition for accuracy and retry the operation

**ORA-47395: error returned by Factor *string* evaluation expression *string***

**Cause:** The factor retrieval method resulted in an error

**Action:** Please review the retrieval method definition for accuracy and correct it as required

**ORA-47396: error returned by Factor *string* validation expression *string***

**Cause:** The factor retrieval method resulted in an invalid value based on

**Action:** Please review the factor definition and correct it as required

**ORA-47397: incorrect identified by value for Factor *string***

**Cause:** The factor identified by value is incorrect

**Action:** Please review the factor definition and correct it as required

**ORA-47398: multiple identities defined for Factor *string***

**Cause:** The factor has duplicate identities defined

**Action:** Please review the factor definition and correct it as required

**ORA-47399: incorrect labeled by value for Factor *string***

**Cause:** The factor labeled by value is incorrect

**Action:** Please review the factor definition and correct it as required

**ORA-47400: Command Rule violation for *string* on *string***

**Cause:** An operation that was attempted failed due to a command rule violation

**Action:** Ensure you have sufficient privileges for this operation retry the operation

**ORA-47401: Realm violation for *string* on *string.string***

**Cause:** An operation that was attempted failed due to a realm protection

**Action:** Ensure you have sufficient privileges for this operation retry the operation

**ORA-47402: incorrect evaluation options value for Factor *string***

**Cause:** The factor evaluations options value is incorrect

**Action:** Please review the factor definition and correct it as required

**ORA-47403: NULL returned by Factor *string* evaluation expression *string***

**Cause:** The factor evaluated to a NULL value

**Action:** Please review the factor definition and correct it as required

**ORA-47404: NULL trust level for Factor *string***

**Cause:** The factor has a NULL trust level

**Action:** Please review the factor definition and correct it as required

**ORA-47405: negative trust level for Factor *string***

**Cause:** The factor has a negative trust level

**Action:** Please review the factor definition and correct it as required

**ORA-47406: ALWAYS AUDIT option set for Factor *string***

**Cause:** The factor audit option is set to always audit

---

**Action:** No action required

**ORA-47407: ALWAYS AUDIT option set for Rule Set *string***

**Cause:** The rule set audit option is set to always audit

**Action:** No action required

**ORA-47408: Realm violation for the EXECUTE command**

**Cause:** A realm violation has occurred for a realm-protected stored procedure.

**Action:** In order to invoke the realm-protected procedure, you must have GRANT privileges to execute the procedure, or you must be authorized to operate in the procedure's realm.

**ORA-47409: Command Rule violation for the EXECUTE command**

**Cause:** A command rule violation occurred when trying to perform the EXECUTE command for a stored procedure protected by a command rule.

**Action:** Ask the Database Vault administrator to perform the operation or remove the command rule for the protected stored procedure.

**ORA-47901: OLS policy not specified**

**Cause:** An OLS policy name is required for this operation

**Action:** Specify a policy name and retry the operation

**ORA-47902: OLS policy label not specified**

**Cause:** An OLS policy label is required for this operation

**Action:** Specify a policy label and retry the operation

**ORA-47903: OLS policy label *string* not found for policy *string***

**Cause:** The policy label being requested does not exist

**Action:** Choose an object name that exists and retry the operation

**ORA-47904: OLS session label does not exist**

**Cause:** The policy label specified does not exist

**Action:** Choose a valid policy label and retry the operation

**ORA-47905: OLS policy label *string* is not allowed for policy *string***

**Cause:** The policy label specified is not valid for this policy

**Action:** Choose a valid policy label for this policy and retry the operation

**ORA-47906: OLS policy label not specified for identity *string.string* under policy *string***

**Cause:** The policy label is required for this operation

**Action:** Choose a valid policy label for this policy and retry the operation

**ORA-47920: Authorization failed for user *string* to perform this operation**

**Cause:** The operation attempted is not allowed for this user

**Action:** Please ensure you have privileges to perform this operation

**ORA-47921: error adding host *string* to domain *string, string***

**Cause:** An error occurred adding the host specified to the domain specified

**Action:** Please review the host and domain definition and correct it as required

**ORA-47922: error removing host *string* to domain *string, string***

---

**Cause:** An error occurred removing the host specified to the domain specified  
**Action:** Please review the host and domain definition and correct it as required

**ORA-47950: no value defined for required parameter *string***

**Cause:** The operation requires a value for this parameter

**Action:** Please specify the missing parameter and retry the operation

**ORA-47951: invalid input value or length for parameter "*string*"**

**Cause:** The value specified for this parameter is invalid or too large

**Action:** Please specify the a valid parameter and retry the operation

**ORA-47985: password same as or similar to user**

**Cause:** The password specified similar to the user account name and therefore insecure

**Action:** Please specify the more complex password and retry the operation

**ORA-47986: password length must be 8 characters or more**

**Cause:** The password specified is too short and therefore insecure

**Action:** Please specify a password with more characters and retry the operation

**ORA-47987: password is too simple**

**Cause:** The password specified can be guessed based on dictionary terms and therefore insecure

**Action:** Please specify a password that is not based on dictionary terms and retry the operation

**ORA-47988: password should contain at least one numeric and one alphabetic character**

**Cause:** The password does not contain at least one numeric and one alphabetic character

**Action:** Please specify a password with at least one numeric and one alphabetic character and retry the operation

**ORA-47989: password should differ by at least 3 characters**

**Cause:** The password specified does not differ from the previous one by more than 3 characters

**Action:** Please specify a password that differs from the previous one by more than 3 characters and retry the operation

**ORA-47999: internal Database Vault error: *string* Error: *string***

**Cause:** An internal Database Vault framework error occurred.

**Action:** Contact Oracle Customer Support.



---

## DIA-48001 to DIA-51316

**DIA-48001: internal error code, arguments:** *[string], [string], [string], [string], [string], [string], [string], [string]*

**Cause:** This is the generic internal error number for program exceptions. This indicated that a process encountered an exceptional condition.

**Action:** Report as a bug - the first argument is the internal error number.

**DIA-48002: thread terminated by fatal error**

**Cause:** The thread was in an unrecoverable state.

**Action:** Examine the thread trace file for more information.

**DIA-48003: out of process memory when trying to allocate *string* bytes (*string, string*)**

**Cause:** Operating system process private memory was exhausted.

**Action:** None

**DIA-48004: unable to allocate *string* bytes of shared memory**  
(*"string", "string", "string", "string"*)

**Cause:** More shared memory is needed than was allocated in the shared pool.

**Action:** Reduce your use of shared memory or increase the amount of available shared memory.

**DIA-48100: error encountered when attempting to open a file**

**Cause:** There was an error encountered when attempting to open a file with the ADR file interface.

**Action:** Check that the specified directory name, file name, and open options are valid.

**DIA-48101: error encountered when attempting to read a file *[string] [string] [string]***

**Cause:** There was an error encountered when attempting to read a file with the ADR file interface.

**Action:** Check the specified arguments to the read interface.

**DIA-48102: encountered the end-of-file when reading the file**

**Cause:** The ADR file interface encountered the end-of-file when reading the file.

**Action:** Handle the end of file condition.

**DIA-48103: error encountered when attempting to write a file *[string] [string] [string]***

**Cause:** There was an error encountered when attempting to write a file with the ADR file interface.

**Action:** Check the specified arguments to the write interface.

- 
- DIA-48104: read mismatch on blocks requested and returned, [string], [string]**  
**Cause:** There was a mismatch between the number of blocks requested for reading and the number of blocks actually returned.  
**Action:** Check the file to make sure there are no partial blocks.
- DIA-48105: write mismatch on blocks requested and returned, [string], [string]**  
**Cause:** There was a mismatch between the number of blocks requested for writing and the number of blocks actually written.  
**Action:** Check that there is enough space left on the device to write the requested number of blocks.
- DIA-48106: error initializing the ADR string object**  
**Cause:** There was an error encountered during the initialization of one of the ADR file objects.  
**Action:** Check the validity of the specified directory name and file name.
- DIA-48107: invalid Bfile input, [string]**  
**Cause:** An invalid Bfile was passed into the routine to convert the bfile into a file handle.  
**Action:** Verify the contents of the specified Bfile.
- DIA-48108: invalid value given for the diagnostic\_dest init.ora parameter**  
**Cause:** The value given for the diagnostic\_dest directory is not a valid directory. Either the directory does not exist or the process does not have read/write privileges on the directory.  
**Action:** Use a value for diagnostic\_dest that is a valid directory with the proper read and write privileges.
- DIA-48109: invalid lock mode for file descriptor, [string]**  
**Cause:** The lock mode associated with the file descriptor was invalid in the context of the routine.  
**Action:** Verify that a file is not trying to obtain multiple locks and that the file is holding a lock when attempting to release the lock.
- DIA-48110: error encountered while attempting to get a file lock [string] [string]**  
**Cause:** There was an error encountered while trying to get a file lock.  
**Action:** Check the state of the file and operating system.
- DIA-48111: error encountered while attempting to release a file lock [string]**  
**Cause:** There was an error encountered while trying to release a file lock.  
**Action:** Check the state of the file and operating system.
- DIA-48112: invalid flags for open file, string**  
**Cause:** Invalid flags were passed in to the open file routine.  
**Action:** Check to see if the flags are a valid combination.
- DIA-48113: unable to write to stream file because of out of space condition**  
**Cause:** The system is unable to write the requested number of bytes to a stream file. This is due to an out of space condition. The additional information shows how many bytes were not written.  
**Action:** Check that there is enough space left on the device to write the requested number of bytes.

---

**DIA-48114: error encountered when attempting to close a file**

**Cause:** There was an error encountered when attempting to close a file with the ADR file interface.

**Action:** Check the validity of the file descriptor.

**DIA-48115: error encountered while seeking a file position**

**Cause:** There was an error encountered while seeking a position in a file.

**Action:** Check that the requested file position falls within the file boundaries.

**DIA-48116: error encountered when attempting to create a directory [string]**

**Cause:** There was an error encountered when attempting to create a directory.

**Action:** Check the directory name.

**DIA-48117: error encountered when attempting to remove a directory [string]**

**Cause:** There was an error encountered when attempting to remove a directory.

**Action:** Check the directory name.

**DIA-48118: error encountered with list directory [string]**

**Cause:** There was an error with listing the elements of a directory.

**Action:** Check the state of the operating system.

**DIA-48119: error encountered when attempting to remove a file [string] [string]**

**Cause:** There was an error encountered when attempting to remove a file with the ADR file interface.

**Action:** Check the directory name and file name.

**DIA-48120: error encountered when attempting to retrieve the file size [string] [string]**

**Cause:** There was an error encountered when attempting to retrieve the file size with the ADR file interface.

**Action:** Check the directory name and file name.

**DIA-48121: error with opening the ADR stream file [string] [string]**

**Cause:** An error was encountered when attempting to open an ADR stream file.

**Action:** Check the rest of the error stack for details of the actual error that was encountered.

**DIA-48122: error with opening the ADR block file [string] [string]**

**Cause:** An error was encountered when attempting to open an ADR block file.

**Action:** Check the rest of the error stack for details of the actual error that was encountered.

**DIA-48123: error encountered when attempting to flush a file**

**Cause:** There was an error encountered when attempting to flush a file with the ADR file interface.

**Action:** Check the state of the file.

**DIA-48124: device full encountered during write to a file**

**Cause:** The device full error was encountered during the write to a file.

**Action:** Check the amount of free space on the device.

**DIA-48125: illegal identifier length, argn:string, len:string, lim:string**

---

**Cause:** An input identifier was passed in that has a length that is greater than the max length.

**Action:** Make sure the input identifier has a length that is less than the max length.

**DIA-48126: attempting to create a file that already exists**

**Cause:** The client attempted to create a file that already exists.

**Action:** Either remove the file or check if it is okay if the file already exists.

**DIA-48127: attempting to open a file that does not exist**

**Cause:** An attempt was made to open a file that does not exist.

**Action:** Either create the file or check why the file does not exist.

**DIA-48128: opening of a symbolic link is disallowed**

**Cause:** An error was encountered when attempting to open a file that is a symbolic link. Users are not allowed to open symbolic links.

**Action:** Check the specified file name.

**DIA-48129: invalid input for the full path specification**

**Cause:** Input was incorrectly specified for the full path specification, or the default extension may have been incorrectly specified. Or an empty string was passed in for the full path.

**Action:** Check that the full path string is non-NULL. If you want to specify a relative path from ADR Home for the full path specification, then use "<ADR\_HOME>" instead of the actual path to ADR Home. For ADR Base, use "<ADR\_BASE>".

**DIA-48130: invalid lock parameters for get file lock [*string*]**

**Cause:** Invalid lock parameters passed in for the get file lock routine. The user must pass in file as the lock type. Or, there is a lock mode mismatch. Exclusive locks are not allowed in read-only mode, and shared locks are not allowed in write-only mode.

**Action:** Check that correct lock type is specified and that the correct lock mode is requested for the file given its open flags.

**DIA-48131: error encountered when attempting to tell the file position**

**Cause:** An error was encountered when attempting to tell the file position using the ADR file interface.

**Action:** Check the directory and file name of the file along with the open state.

**DIA-48132: requested file lock is busy, [*string*] [*string*]**

**Cause:** The requested file lock is busy because another process is holding the file lock.

**Action:** Try to get the file lock again at a later time.

**DIA-48133: file descriptor has already been opened [*string*] [*string*]**

**Cause:** The specified file descriptor has already been opened.

**Action:** Do not open a file that has previously been opened, or check your code to make sure you are cleaning up a file descriptor that is being reused correctly.

**DIA-48134: invalid file descriptor state for operation, *string*, *string*, *string***

---

**Cause:** The state of the file descriptor was invalid for the requested operation. An example is that a file was opened for read, but a write operation to the file was requested.

**Action:** Check the state of the file descriptor and make sure it matches the operation.

**DIA-48135: uninitialized file descriptor**

**Cause:** The specified file descriptor is uninitialized.

**Action:** Make sure the file descriptor is initialized before passing it into the routine.

**DIA-48136: directory already exists [*string*]**

**Cause:** Operation failed because the specified directory already exists.

**Action:** Remove the directory or ignore this error.

**DIA-48137: uninitialized file handle**

**Cause:** The specified file handle is uninitialized.

**Action:** Make sure the file handle is initialized before passing it into the routine.

**DIA-48138: invalid directory name input for client address**

**Cause:** An invalid directory name was specified as part of the address path specification.

**Action:** Check that the directory name is non-NULL and that the directory name length does not exceed the maximum length.

**DIA-48139: invalid input to ADR initialization routine**

**Cause:** There was an invalid input to the ADR initialization routine.

**Action:** Check the length of the ADR base, product ID, and instance ID input arguments.

**DIA-48140: the specified ADR Base directory does not exist [*string*]**

**Cause:** The specified ADR Base Directory does not exist.

**Action:** Check that the specified ADR Base Directory is a valid path name and that the directory exists.

**DIA-48141: error creating directory during ADR initialization [*string*]**

**Cause:** Error encountered when creating a directory during the initialization of the ADR subsystem.

**Action:** Check the input arguments to the ADR initialization routine and the state of the operating system.

**DIA-48142: invalid permissions input for change permissions**

**Cause:** Invalid permissions passed into change permissions routine.

**Action:** Check the value of the permissions input.

**DIA-48143: error changing permissions for a file**

**Cause:** Error encountered while changing the permissions for a file

**Action:** Check the specified directory and file and the state of the operating system.

**DIA-48144: error encountered while performing standard file I/O**

**Cause:** Error encountered while performing standard file I/O

---

**Action:** Check the validity of standard in, out, and error.

**DIA-48145: invalid seek location, [string], [string]**

**Cause:** Invalid seek location specified for routine.

**Action:** Check the validity of specified seek location.

**DIA-48146: missing read, write, or exec permission on directory during ADR initialization [string] [string]**

**Cause:** Error encountered when checking if the process has read, write, and exec privileges on directories needed by the ADR subsystem. This error occurs during the initialization of the ADR subsystem.

**Action:** Check the input arguments to the ADR initialization routine and the state of the operating system. Ensure that the user has the proper permissions on the ADR directories.

**DIA-48147: invalid home location specification for ADR, [string], [string], [string]**

**Cause:** Invalid read or write home location specification for ADR.

**Action:** An invalid home was specified for the ADR Read or Write Home location.

**DIA-48148: error encountered when attempting to move a file**

**Cause:** There was an error encountered when attempting to move a file with the ADR file interface.

**Action:** Check the directory name and file name.

**DIA-48149: error encountered when attempting to copy a file**

**Cause:** There was an error encountered when attempting to copy a file with the ADR file interface.

**Action:** Check the directory name and file name.

**DIA-48150: error encountered with set current working directory**

**Cause:** There was an error with setting the current working directory.

**Action:** Check the path used, or the state of the operating system.

**DIA-48151: error getting operating system time for a file**

**Cause:** Error encountered while getting the operating system time for a file.

**Action:** Check the specified directory and file and the state of the operating system.

**DIA-48152: lock table is full**

**Cause:** Lock table is full - too many locks granted

**Action:** Try again later

**DIA-48153: error encountered when getting ADR base directory default**

**Cause:** There was an error encountered when attempting to get the ADR base directory default value.

**Action:** Check your environment to see if the \$ORACLE\_BASE and \$ORACLE\_HOME environment variables are set.

**DIA-48154: reached end of file for alert log**

**Cause:** The end of file was reached for reading the Alert Log. There are no more messages to read in the Alert Log.

**Action:** Do not read from the Alert Log

---

**DIA-48155: error encountered when read alert log [string]**

**Cause:** There was an error encountered when attempting to read a message from the Alert Log.

**Action:** Check the error message and the contents of the alert message.

**DIA-48156: Alert log purge has occurred - retry operation**

**Cause:** The purge of the alert log has occurred.

**Action:** Retry the operation.

**DIA-48157: null input to ADR initialization**

**Cause:** There was a null input to the ADR initialization routine.

**Action:** Check the ADR base, product ID, and instance ID input arguments.

**DIA-48158: invalid input for ADR base directory**

**Cause:** An invalid input was passed in for the ADR base directory name. The ADR base directory name is either NULL or too long of a string.

**Action:** Check the ADR base directory input argument.

**DIA-48159: invalid input for ADR product type**

**Cause:** An invalid input was passed in for the ADR product type. The ADR product type is out of bounds.

**Action:** Check the ADR product type input argument.

**DIA-48160: invalid input for ADR product id**

**Cause:** An invalid input was passed in for the ADR product id. The ADR product id is either NULL or too long of a string.

**Action:** Check the ADR product id input argument.

**DIA-48161: invalid input for ADR instance id**

**Cause:** An invalid input was passed in for the ADR instance id. The ADR instance id is either NULL or too long of a string.

**Action:** Check the ADR instance id input argument.

**DIA-48162: string buffer too small to hold input, [string], [string], [string]**

**Cause:** The string buffer is too small to copy an input string into.

**Action:** Check the size of the string buffer and the input string. Look in the argument for the location in the code where the error occurs.

**DIA-48163: error concatenating directory onto path, [string], [string], [string]**

**Cause:** Error encountered while concatenating a directory onto a path name.

**Action:** Check the error returned by the OS and the size of the input and output buffers.

**DIA-48164: error concatenating file onto path, [string], [string], [string]**

**Cause:** Error encountered while concatenating a directory onto a path name.

**Action:** Check the error returned by the OS and the size of the input and output buffers.

**DIA-48165: user missing read, write, or exec permission on specified ADR Base directory [string]**

**Cause:** The specified ADR Base Directory does not have the correct permissions.

---

**Action:** Check the read, write, and exec permissions on the specified ADR Base Directory

**DIA-48166: error with opening ADR block file because file does not exist [string]  
[string]**

**Cause:** An error was encountered with opening an ADR block file because the file does not exist.

**Action:** Check the existence of the ADR Block File.

**DIA-48167: invalid argument for checking ADR initialization**

**Cause:** Invalid arguments were specified for the routine to check ADR initialization.

**Action:** Check the inputs to the ADR initialization routine.

**DIA-48168: the ADR sub-system is not initialized**

**Cause:** The ADR subsystem has not been initialized. The requested operation cannot be performed.

**Action:** Check the usage of the call to the ADR services. The ADR sub-system must be initialized for the call to work.

**DIA-48169: incorrect arguments to ADR deferred initialization**

**Cause:** There are incorrect arguments to the ADR deferred initialization.

**Action:** Check the input arguments. It could be possible that the product is not set up for deferred initialization.

**DIA-48170: unable to lock file - already in use**

**Cause:** the file is locked by another process, indicating that it is currently in use by another process

**Action:** determine which process legitimately owns this file.

**DIA-48171: unable to get share lock - file not readable**

**Cause:** share lock request was made on a file not open for read access.

**Action:** file must be open read-only or read-write to get a share lock.

**DIA-48172: unable to find a valid ADR base**

**Cause:** Unable to find a valid ADR base. We tried the ORACLE\_BASE, ORACLE\_HOME, home, and tmp directories, but none of the directories exist for read/write access.

**Action:** Check the validity of the ORACLE\_BASE, ORACLE\_HOME, home, and tmp directories.

**DIA-48173: error checking directory existence during ADR initialization [string]**

**Cause:** Error encountered when checking directory existence during the initialization of the ADR subsystem. Either the diag or product type directory does not exist underneath the ADR base.

**Action:** The directory in the error message must exist in order for ADR initialization to succeed. Make sure the directories exist.

**DIA-48174: error encountered with get current working directory**

**Cause:** There was an error with getting the current working directory.

**Action:** Check the state of the operating system or the size of the path buffer.

---

**DIA-48175: the path name must not contain the string "..".**

**Cause:** The specified path name contains "..".

**Action:** Correct the path name and retry the operation.

**DIA-48176: error translating a path name into its full path name**

**Cause:** An error was encountered when translating a path name into its full path name.

**Action:** Check the inputted path name to make sure it is a valid relative path.

**DIA-48177: file name with full path information [*string*] not allowed**

**Cause:** Input was incorrectly specified for the file name. The inputted file name is greater than the maximum length, or the file name has path information. In this case, the file name should not have any path information. The path information should be specified in a separate argument.

**Action:** Check that the string for the file name is not too long and does not have path information.

**DIA-48178: error encountered while reading an ADR block file during ADR initialization [*string*]**

**Cause:** An error was encountered while reading an ADR block file during the initialization of the ADR subsystem.

**Action:** Check the state of the file system.

**DIA-48179: OS file synchronization failure**

**Cause:** OS command to synchronize the changes to a file with the operating system failed.

**Action:** Check the state of the file system and the amount of free space left on your device.

**DIA-48180: OS open system call failure**

**Cause:** OS open system call failed. The system failed to open or create a file in the requested mode.

**Action:** Check the OS error code

**DIA-48181: OS write system call failure**

**Cause:** OS write system call failed. The system failed to write to a file.

**Action:** Check the OS error code

**DIA-48182: OS read system call failure**

**Cause:** OS read system call failed. The system failed to read to a file.

**Action:** Check the OS error code

**DIA-48183: OS close system call failure**

**Cause:** OS close system call failed. The system failed to close a file.

**Action:** Check the OS error code

**DIA-48184: OS seek system call failure**

**Cause:** OS seek system call failed. The system failed to seek to a position in a file.

**Action:** Check the OS error code

**DIA-48185: OS file size system call failure**

**Cause:** OS file size call failed. The system failed to retrieve the file size for a file.

---

**Action:** Check the OS error code

**DIA-48186: OS check file exists system call failure**

**Cause:** OS check file exists system call failed. The system failed to perform the check file exists command for a file.

**Action:** Check the OS error code

**DIA-48187: specified directory does not exist**

**Cause:** The specified directory does not exist.

**Action:** Check the directory name.

**DIA-48188: user missing read, write, or exec permission on specified directory**

**Cause:** The user does not have valid permissions on the specified directory. The user is missing either the read, write, or execute permission.

**Action:** Check the permissions of the specified directory.

**DIA-48189: OS command to create directory failed**

**Cause:** The OS command to create a directory failed.

**Action:** Check the error number associated with the create directory failure.

**DIA-48190: OS unlink system call failure**

**Cause:** OS unlink system call failed. The system failed to perform unlink on the specified file.

**Action:** Check the OS error code

**DIA-48191: user missing read or write permission on specified file**

**Cause:** The user does not have valid permissions on the specified file. The user is missing either the read or write permission.

**Action:** Check the permissions of the specified file.

**DIA-48192: OS command to move a file failed**

**Cause:** The OS command to move a file failed.

**Action:** Check the error number associated with the move file.

**DIA-48193: OS command to open a directory failed**

**Cause:** The OS command to open a directory failed.

**Action:** Check the OS error associated with the open directory failure.

**DIA-48194: OS command to close a directory failed**

**Cause:** The OS command to close a directory failed.

**Action:** Check the OS error associated with the close directory failure.

**DIA-48195: OS command to remove a directory failed**

**Cause:** The OS command to remove a directory failed.

**Action:** Check the OS error associated with the remove directory failure.

**DIA-48196: OS command to release advisory lock failed**

**Cause:** The OS command to release the advisory lock failed

**Action:** Check the OS error associated with the release advisory lock failure.

**DIA-48197: OS command to get the file status failed**

---

**Cause:** The OS command to get the file status failed. This could be because the file is not open or file descriptor is invalid.

**Action:** Check the OS error associated with the get file status failure.

**DIA-48198: OS command to change the file permissions failed**

**Cause:** The OS command to change the file permissions failed.

**Action:** Check the OS error associated with the failure.

**DIA-48199: OS command to copy a file failed**

**Cause:** The OS command to copy a file failed.

**Action:** Check the error number associated with the copy file.

**DIA-48200: Illegal Input Argument [string]**

**Cause:** An illegal argument was passed in.

**Action:** Fix the call.

**DIA-48201: Field Length Exceeds Maximum [string] [string] [string]**

**Cause:** An illegal field length was used.

**Action:** Fix the call.

**DIA-48202: Illegal Identifier [string] [string]**

**Cause:** Illegal identifier specified.

**Action:** Use a valid identifier.

**DIA-48203: Illegal Data Type [string]**

**Cause:** Illegal data type specified.

**Action:** Use a valid data type.

**DIA-48204: Illegal Identifier Length [string] [string] [string]**

**Cause:** The input identifier is too long.

**Action:** Specify a shorter identifier.

**DIA-48205: Record Length too Big [string] [string] [string]**

**Cause:** The sum of the maximum lengths of all fields exceeds the maximum record length that is supported.

**Action:** Remove or shorten some of the fields.

**DIA-48206: Illegal Number of Fields [string] [string] [string]**

**Cause:** The number of fields specified exceeds the supported maximum.

**Action:** Remove some of the fields in the relation.

**DIA-48207: Illegal Field Name [string]**

**Cause:** The field name is invalid.

**Action:** Specify a valid field name.

**DIA-48208: Duplicate Fields**

**Cause:** The list of fields specified contains a duplicate field.

**Action:** Remove the duplicate field.

**DIA-48209: Relation Already Exists**

**Cause:** The relation already exists.

---

**Action:** Remove the relation.

**DIA-48210: Relation Not Found**

**Cause:** The relation was not found.

**Action:** Either specify a valid relation name or create one with that name.

**DIA-48211: Illegal Access Mode [string] [string]**

**Cause:** The supplied access mode is not recognized.

**Action:** Supply a valid mode.

**DIA-48212: Open Record Access Not Done**

**Cause:** The open record access call was not performed.

**Action:** The open record access call is required before attempting this call.

**DIA-48213: Incorrect Access Mode for Operation [string] [string]**

**Cause:** The relation was opened in a mode not compatible with the attempted operation being done.

**Action:** Reopen the relation in the correct mode.

**DIA-48214: Sequence Overflow [string] [string] [string]**

**Cause:** The sequence number will exceed the system maximum.

**Action:** Reset the sequence number.

**DIA-48215: Sequence Invalid Operation [string] [string]**

**Cause:** The specified sequence operation is not valid.

**Action:** Specify a valid operation.

**DIA-48216: Field Len Exceeds Max Field Length [string] [string] [string] [string]**

**Cause:** The field length specified exceeds the defined maximum for the field.

**Action:** Supply a smaller field length.

**DIA-48217: Out of Space on Device**

**Cause:** The storage subsystem is out of space.

**Action:** Add more space to the storage subsystem.

**DIA-48218: Duplicate Key Name [string] [string]**

**Cause:** The key name already exists.

**Action:** Specify a different key name.

**DIA-48219: Key Name Doesn't Match Any Existing Key**

**Cause:** The key name provided doesn't match an existing key.

**Action:** Specify a key name that exists.

**DIA-48220: Too Many Keys Defined [string] [string]**

**Cause:** A key is trying to be created that exceeds the maximum number of keys supported.

**Action:** Drop another key.

**DIA-48221: Key Exceeds Maximum Allowed Length [string] [string] [string]**

**Cause:** The sum of the lengths of the fields in the key exceeds the maximum length supported.

---

**Action:** Remove one or more fields from the key.

**DIA-48222: Predicates/Order By Not Allowed**

**Cause:** A predicate or order by can not be added after fetch has started.

**Action:** Put the predicate or order by call before the first fetch.

**DIA-48223: Interrupt Requested - Fetch Aborted - Return Code [string]**

**Cause:** User interrupt has occurred.

**Action:** None

**DIA-48224: DDL has occurred since parse - reparse [string] [string] [string]**

**Cause:** Another session has performed a DDL (i.e. add field, create key, drop key) that prevents this session from being to continue.

**Action:** Call open record access again.

**DIA-48225: No More Space in Order By Buffer**

**Cause:** The order by buffer size is not sufficient for the number of rows.

**Action:** Increase the order by buffer size specified.

**DIA-48226: No Fetch in Progress**

**Cause:** An attempt to perform update or delete has occurred without a fetch.

**Action:** You must first perform a fetch.

**DIA-48227: Invalid Relation File - [string] [string] [string] [string]**

**Cause:** The AMS file is invalid or corrupt.

**Action:** Likely due to disk corruption. Recreate.

**DIA-48228: Missing Define Call [string]**

**Cause:** A call to define was not performed before doing a fetch.

**Action:** Call the define service before fetch.

**DIA-48229: Invalid Relation Handle Provided [string] [string]**

**Cause:** An invalid or corrupt relation handle was used.

**Action:** Possible memory corruption.

**DIA-48230: Expression arguments must match types**

**Cause:** Incorrect type semantics for fields in the predicate.

**Action:** Correct the predicate.

**DIA-48231: Predicate syntax error**

**Cause:** A syntax error exists in the predicate string.

**Action:** Correct the predicate.

**DIA-48232: Debug command syntax error [string]**

**Cause:** An invalid debug command has been specified.

**Action:** Correct the debug command.

**DIA-48233: Invalid Field Handle [string] [string] [string]**

**Cause:** The field handle is invalid.

**Action:** Possible memory corruption.

- 
- DIA-48238: Invalid Surrogate Length Specified [string] [string]**  
**Cause:** An invalid length during create field was specified  
**Action:** Specify a correct length
- DIA-48239: Invalid Predicate Handle Provided [string] [string]**  
**Cause:** An invalid or corrupt relation handle was used.  
**Action:** Possible memory corruption.
- DIA-48240: Field is NOT NULL but NULL value supplied**  
**Cause:** A field [%s] declared to not allow nulls contains a null value.  
**Action:** Specify a correct value
- DIA-48242: Fields that are NOT NULL can not use surrogates**  
**Cause:** NOT NULL fields can not have surrogates specified.  
**Action:** Either remove the constraint or the surrogate.
- DIA-48243: Additional Fields must be declared nulls allowed**  
**Cause:** A field can not be added to a relation that is defined NOT NULL  
**Action:** Do not specify NOT NULL
- DIA-48244: Purge for Retention can't be called while in an Query**  
**Cause:** A query is already running - purge for retention can't be invoked  
**Action:** Fix call sequence
- DIA-48245: Attempt to Update/Delete when at EOF**  
**Cause:** The fetch operation is positioned at EOF - can not update/delete  
**Action:** Do not call update/delete after fetch has returned EOF
- DIA-48246: Illegal Operation on External Relation**  
**Cause:** An illegal call was made using an external relation  
**Action:** Do not perform the API Call
- DIA-48247: Predicate Conversion Error *string***  
**Cause:** A time conversion failed  
**Action:** Fix the input
- DIA-48248: Function *string* type check error; ityp = *string* typ = *string* arg = *string***  
**Cause:** Invalid inputs to the specified function  
**Action:** Change the inputs
- DIA-48251: Failed to open relation due to following error**  
**Cause:** See error below in the error stack  
**Action:** See error below in the error stack
- DIA-48252: Relation does not require migration**  
**Cause:** Relation on disk is compatible with the current code  
**Action:** Don't run the migration services
- DIA-48258: AMS Corrupt Page Found - Rebuild Relation**  
**Cause:** A corrupted page has been found.  
**Action:** Do a rebuild of the relation

---

**DIA-48259: AMS Relation not Created Correctly**

**Cause:** Create relation failed

**Action:** Recreate the relation

**DIA-48300: Incident Record Already Exists**

**Cause:** trying to create an incident that already exists

**Action:** retry operation with new incident ID

**DIA-48301: An Invalid Incident ID was specified**

**Cause:** the specified incident ID was invalid

**Action:** retry operation with correct incident ID

**DIA-48302: Incident Directory does not exist**

**Cause:** the incident directory was not found

**Action:** retry operation with a different incident ID

**DIA-48303: Exceeded max Incident Sequence Value**

**Cause:** the maximum supported incident sequence value was exceeded

**Action:** reset incident sequence and retry operation

**DIA-48304: incident staging file not found**

**Cause:** the incident staging file is missing

**Action:** retry with a different incident ID

**DIA-48305: incident ID range is too large**

**Cause:** the maximum incident sequence value was exceeded

**Action:** retry operation with a smaller range

**DIA-48309: illegal incident state transition, [*string*] to [*string*]**

**Cause:** the incident cannot be moved to the new state

**Action:** retry operation with a valid incident status

**DIA-48310: Incident *string* staging file not found**

**Cause:** the incident staging file does not exist

**Action:** retry operation with a valid incident ID

**DIA-48311: Invalid field name [*string*]**

**Cause:** the specified field name is invalid

**Action:** retry operation with a valid field name

**DIA-48312: Sweep incident *string* staging file failed**

**Cause:** the sweep action of incident staging file failed

**Action:** check the incident ID and retry

**DIA-48313: Updates not allowed on ADR relation [*string*] of Version=*string***

**Cause:** Update operations not supported on this version of ADR relation

**Action:** check ADR version and retry

**DIA-48314: Invalid ADR Control parameter [*string*]**

**Cause:** the specified control parameter is invalid

**Action:** check parameter and reissue command

- 
- DIA-48315: ADR unavailable**  
**Cause:** the ADR directory is not available  
**Action:** enable ADR and retry operation
- DIA-48316: relation [*string*] unavailable or cannot be created**  
**Cause:** the ADR relation is not available  
**Action:** check ADR directory and retry operation
- DIA-48317: ADR Relation [*string*] of version=*string* is obsolete**  
**Cause:** the version of ADR relation is too old and not supported  
**Action:** check the ADR version and retry
- DIA-48318: ADR Relation [*string*] of version=*string* cannot be supported**  
**Cause:** the version of ADR relation is too new and cannot be supported  
**Action:** need to use a newer release to access the ADR
- DIA-48319: Update operation on ADR relation [*string*] not allowed**  
**Cause:** updates to foreign ADR relation cannot be supported  
**Action:** verify ADR location and reissue command
- DIA-48320: Too many incidents to report**  
**Cause:** the result set of incidents is too large to handle  
**Action:** use a predicate to reduce the number of incidents and retry
- DIA-48321: Required ADR Relation [*string*] not found**  
**Cause:** the required ADR relation is missing, ADR may be corrupted  
**Action:** check ADR directory and retry
- DIA-48322: Relation [*string*] of ADR V[*string*] incompatible with V[*string*] tool**  
**Cause:** the tool version is incompatible with the ADR version  
**Action:** use another version of tool and retry
- DIA-48323: Specified pathname [*string*] must be inside current ADR home**  
**Cause:** file outside of ADR home not allowed as incident file  
**Action:** check the file name and retry
- DIA-48324: Incompatible staging file encountered**  
**Cause:** sweep incident failed because staging file is incompatible  
**Action:** check the incident ID and version of ADR and retry
- DIA-48400: ADRCI initialization failed**  
**Cause:** The ADR Base directory does not exist  
**Action:** Either create an ADR Base directory or point to an existing one
- DIA-48401: SET command requires arguments**  
**Cause:** No arguments are input for the SET command  
**Action:** Input the arguments
- DIA-48402: Variable is not defined**  
**Cause:** No substitution value is input.  
**Action:** Input the substitution value following after the variable name.

---

**DIA-48403: DEFINE or UNDEFINE command has no arguments**

**Cause:** DEFINE and UNDEFINE command need users to input the substitution variable name.

**Action:** Input the variable name follow after the DEFINE or UNDEFINE

**DIA-48404: RUN or @ command has no arguments**

**Cause:** RUN and @ commands need users to input script filename

**Action:** Input script filename after RUN and @ commands

**DIA-48405: The option in the command is invalid**

**Cause:** The option is not allowed in the command

**Action:** Check the command syntax

**DIA-48406: ECHO or TERMOUT status must be set to ON or OFF**

**Cause:** the status of ECHO and TERMOUT commands must be ON or OFF

**Action:** input ON or OFF

**DIA-48407: DESCRIBE and QUERY commands need at least relation name argument**

**Cause:** This is no relation name is input as argument

**Action:** Need users to input at least the relation name

**DIA-48408: The incident number exceeds the maximum number [string]**

**Cause:** The input incident number exceeds the maximum number

**Action:** Input less incidents

**DIA-48409: The ADR homes exceeds the maximum number [string]**

**Cause:** The input ADR homes number exceeds the maximum number

**Action:** Input less ADR home string

**DIA-48410: The trace path exceeds the maximum number [string]**

**Cause:** The input trace path exceeds the maximum number

**Action:** Input less trace path

**DIA-48411: The trace files exceeds the maximum number [string]**

**Cause:** The input trace file path number exceeds the maximum number

**Action:** Input less trace file path

**DIA-48412: The parameters exceeds the maximum number [string]**

**Cause:** The input parameter number exceeds the maximum number

**Action:** Input less parameter number or increase the upper bound

**DIA-48413: The number of orderby fields exceeds maximum number [string]**

**Cause:** The orderby field number exceeds the maximum number

**Action:** Input less fields

**DIA-48414: The string in the execution option exceeds maximum length [string]**

**Cause:** The string length is too long

**Action:** Divide the commands into two sets or use adrci scripts.

**DIA-48415: Syntax error found in string [string] at column [string]**

---

**Cause:** Parsing error found in the user input string

**Action:** Validate the input string

**DIA-48419: Illegal arguments**

**Cause:** The input argument is illegal

**Action:** Check the input arguments and make sure it is not null

**DIA-48421: Predicate string in the command must be single or double quoted**

**Cause:** The predicate string is not single or double quoted

**Action:** Put single or double quotes around the predicate string

**DIA-48423: IMPORT command must have a filename**

**Cause:** File name is missing from the command

**Action:** Input the import file name after the IMPORT keyword

**DIA-48424: SHOW TRACE command needs argument**

**Cause:** SHOW TRACE command needs arguments

**Action:** Input arguments

**DIA-48426: The initialization filename is too long**

**Cause:** The initialization filename length exceeds the maximum length

**Action:** This is really an internal setting parameter of the ADRCI, report it as a bug. Alternatively move the initialization file to the current working directory

**DIA-48428: Input command string exceeds max length [*string*]**

**Cause:** The current command string is too long and exceeds the limit

**Action:** Input less characters

**DIA-48429: Variable name [*string*] is an invalid identifier**

**Cause:** The substitution variable name is not a valid identifier

**Action:** Input the valid identifier defined by ADRCI

**DIA-48431: Must specify at least one ADR home path**

**Cause:** The command syntax requires at least one ADR home path to be input

**Action:** Check the command syntax and input the home path

**DIA-48432: The ADR home path [*string*] is not valid**

**Cause:** The adr home user inputs is not valid, which may due to the path does not exist.

**Action:** Check if the input home path exists

**DIA-48433: Unknown help topic**

**Cause:** The input topic is unknown

**Action:** Check if the topic is valid

**DIA-48434: No DDE commands are input**

**Cause:** No DDE commands are input

**Action:** Input a DDE command

**DIA-48435: Input a trace file**

**Cause:** Show trace expects a trace file

- 
- Action:** Input a trace file
- DIA-48436: File [string] does not exist**  
**Cause:** the file does not exist  
**Action:** Validate the trace file name
- DIA-48437: No IPS commands are input**  
**Cause:** No IPS commands are input  
**Action:** Input a IPS command
- DIA-48438: [string] is not a valid number**  
**Cause:** The input number is not valid  
**Action:** Check the input number
- DIA-48439: The input path name exceeds the maximum length [string]**  
**Cause:** The input path name is too long  
**Action:** Report as a bug to change the limit
- DIA-48440: Variable [string] is already defined**  
**Cause:** The variable name is defined previously  
**Action:** Use another variable name
- DIA-48441: The function parameter number exceeds the maximum number [string]**  
**Cause:** The function parameter number exceeds the maximum number  
**Action:** Report it as bug to change the maximum number
- DIA-48442: The control parameter number exceeds the maximum number [string]**  
**Cause:** The control parameter number exceeds the maximum number  
**Action:** Report it as bug to change the maximum number
- DIA-48443: Trace Record type appears in the middle of the path**  
**Cause:** The trace record cannot be in the middle of the path  
**Action:** Validate the input
- DIA-48444: The single "." and "\*" cannot appear in the middle of the path**  
**Cause:** The single "." and "\*" appears in the middle of the path  
**Action:** Validate the input
- DIA-48445: Path expression only supports one bucket dump type**  
**Cause:** The path expression only supports one bucket dump"  
**Action:** Change the path expresison syntax
- DIA-48446: The command needs path input**  
**Cause:** No path is input as a parameter  
**Action:** Input the path
- DIA-48447: The input path [string] does not contain any ADR homes**  
**Cause:** The input path does not contain ADR homes  
**Action:** Validate the path
- DIA-48448: This command does not support multiple ADR homes**

- 
- Cause:** There are multiple homes in the current adr setting.  
**Action:** Use command SET HOMEPATH to set a single home
- DIA-48449: Tail alert can only apply to single ADR home**  
**Cause:** There are multiple homes in the current setting  
**Action:** Use command SET HOMEPATH to set a single home
- DIA-48457: ADRCI core dumped**  
**Cause:** It is adrci internal error.  
**Action:** Report to Oracle
- DIA-48458: "show incident" failed due to the following errors**  
**Cause:** There could be a bug or users do not have the access permission  
**Action:** Report to Oracle if the errors are not due to ADR permission settings
- DIA-48459: "describe" command only supports one ADR home path**  
**Cause:** Multiple ADR home paths in the command  
**Action:** put one ADR home path
- DIA-48460: The home path [*string*] is not valid**  
**Cause:** The input home path is not valid home path  
**Action:** Verify the homepath
- DIA-48461: "describe" failed due to the following errors**  
**Cause:** Underlying code failed  
**Action:** If it is not due to permission issue, report to Oracle
- DIA-48462: Fatal error encountered in [*string*]**  
**Cause:** Fatal error encountered  
**Action:** Report to Oracle
- DIA-48463: The value buffer reached the maximum length [*string*]**  
**Cause:** The value buffer is full  
**Action:** Report to Oracle
- DIA-48464: The predicate buffer reached the maximum length [*string*]**  
**Cause:** The predicate buffer is too small  
**Action:** Report to Oracle
- DIA-48465: The specified type [*string*] is undefined**  
**Cause:** The purge type specified is undefined  
**Action:** Check the type name
- DIA-48466: Internal failure, the report context is not initialized**  
**Cause:** Internal problem failure.  
**Action:** Report to Oracle
- DIA-48467: "*string*" for the keyword "*string*" is not a valid number**  
**Cause:** The keyword value is not a valid number  
**Action:** Check the value

---

**DIA-48468: "string" is not a valid keyword**

**Cause:** The keyword is not defined for the command

**Action:** Check the available keywords

**DIA-48469: Keyword "string" cannot be duplicated**

**Cause:** The command can only allow one key with the name

**Action:** Remove one keyword name from the command

**DIA-48470: Unknown "string" command**

**Cause:** The command is not valid

**Action:** Use help manual to check the command syntax

**DIA-48472: Invalid product name**

**Cause:** The product name provided does not exist

**Action:** Specify a product name, see HELP SHOW BASE

**DIA-48473: Internal failure, unknown return code [string]**

**Cause:** Internal program failure

**Action:** Report to Oracle

**DIA-48474: Syntax error specifying product, must not be NULL**

**Cause:** The product clause is being used, but no product name is provided

**Action:** Supply the product name

**DIA-48475: [string] is not a valid timestamp**

**Cause:** The input timestamp string is not in valid format

**Action:** None

**DIA-48476: Cannot write the results out to a file, please check if the environment variable TMPDIR is set or the current directory is not writable**

**Cause:** The current path may not be writable

**Action:** If the current path is writable, report to Oracle

**DIA-48477: The input path does not contain any valid ADR homes**

**Cause:** The input path does not contain any valid ADR homes

**Action:** Check the path if it is valid

**DIA-48478: No alert messages are created**

**Cause:** No alert messages are created

**Action:** No action

**DIA-48479: No HM runs are created**

**Cause:** There is no hm runs

**Action:** No action

**DIA-48480: No incidents are created**

**Cause:** There is no incident

**Action:** No action

**DIA-48481: Report is not available**

**Cause:** The requested report does not exist"

---

**Action:** Check the report ID

**DIA-48482: Report is not generated**

**Cause:** The requested report is not ready to be generated

**Action:** Check the report ID

**DIA-48483: Spooling failed, it may be because the spool file cannot be created due to a permission issue**

**Cause:** The spooling filename may not be valid or the file cannot be created

**Action:** Check the permissions of the target directory and verify the filename

**DIA-48484: Run script failed, it may be because the script file does not exist**

**Cause:** The script file may not exist

**Action:** Check if the script file exist

**DIA-48485: The file exceeds the maximum length [string]**

**Cause:** The filename is too long

**Action:** Report to Oracle

**DIA-48486: The file [string] exceeds the maximum length [string]**

**Cause:** The filename is too long

**Action:** Report to Oracle

**DIA-48487: The internal predicate string exceeds the maximum length [string]**

**Cause:** The predicate string exceeds the maximum length

**Action:** Report to Oracle

**DIA-48488: The predicate string exceeds the maximum length [string]**

**Cause:** The input predicate string exceeds the maximum length

**Action:** Report to Oracle

**DIA-48489: The input exceeds the maximum length [string]**

**Cause:** The input exceeds the maximum length

**Action:** Report to Oracle

**DIA-48490: The field number exceeds the maximum number [string]**

**Cause:** The input field number exceeds the maximum number

**Action:** Input less field names

**DIA-48491: The program name is too long, exceeds the maximum length [string]**

**Cause:** the program name length exceeds the maximum length setting

**Action:** Report to Oracle

**DIA-48492: The report component name is not defined**

**Cause:** the report component name does not exist

**Action:** Check the component name to ensure it is registered

**DIA-48493: Sweep command needs parameters**

**Cause:** sweep command needs parameter

**Action:** Check the syntax of the command

---

**DIA-48494: ADR home is not set, the corresponding operation cannot be done**

**Cause:** The adr home is not set in the current adrci session

**Action:** Set the adr home using the adrci command "set base" and "set homepath"

**DIA-48495: Interrupt requested**

**Cause:** User requested to interrupt the current action

**Action:** No action is needed

**DIA-48496: "string" is a mandatory keyword for the command**

**Cause:** The keyword is not specified for the command

**Action:** Input the keyword

**DIA-48497: "string" is an invalid product type**

**Cause:** The product type is not registered

**Action:** Check the product type

**DIA-48499: The value of the keyword "string" exceeds the maximum length string**

**Cause:** The keyword value is too long

**Action:** Check the limit and input again

**DIA-48500: File Write Error [string] [string]**

**Cause:** Number of bytes written differs from number requested. Possibly due to out of disk space.

**Action:** Ensure sufficient disk space.

**DIA-48501: File Read Error [string] [string]**

**Cause:** Number of bytes read differs from number requested. Possibly due due to corrupted file.

**Action:** Recreate the file.

**DIA-48502: Invalid Command Line - Missing Required Elements**

**Cause:** Missing required command line arguments.

**Action:** Review the help message and supply the required arguments.

**DIA-48503: Invalid Parameter Specified**

**Cause:** Invalid input parameter supplied.

**Action:** Review the help message and correct the invalid input parameter.

**DIA-48504: Relation Parameter Must be Specified**

**Cause:** Relation parameter must be specified during adrexp.

**Action:** Supply the relation parameter.

**DIA-48505: File Parameter Must be Specified**

**Cause:** File parameter must be specified during adrimp.

**Action:** Supply the file parameter.

**DIA-48506: Existing Relation at different version than export [string] [string]**

**Cause:** Attempting to import into an existing relation and the schema version of that relation differs from the schema of the relation that was exported.

**Action:** Drop the existing relation if you still wish to import the relation.

---

**DIA-48507: Predicate Not Allowed during Import**

**Cause:** The predicate option is not allowed during adrimp.

**Action:** Remove the predicate argument.

**DIA-48508: Export File Version [string] Can Not be Used by Import [string]**

**Cause:** The version of the export file is not able to be read by this version of adrimp.

**Action:** Rerun the export using the current version of adrexp.

**DIA-48509: Error occurred during operation. See the following errors**

**Cause:** An underlying error has occurred.

**Action:** Review and correct the underlying error.

**DIA-48510: Can not export an in memory relation**

**Cause:** In memory relations can not be exported.

**Action:** Pick a different relation.

////////////////////////////////////  
////////////////////////////////////

**DIA-48600: HM run with name [string] already exists**

**Cause:** The specified run name already existed.

**Action:** Specify different run name and re-run the check

**DIA-48615: Parameter [string] value not specified**

**Cause:** Run was invoked without specifying the parameter and its value

**Action:** Specify the needed parameter and its value

**DIA-48800: "string" for the keyword "string" is not in the right format of timestamp**

**Cause:** The value format is not right

**Action:** Check the format ADRCI supports

**DIA-48801: The option "string" is duplicated**

**Cause:** The option has been specified more than once

**Action:** Check the input

**DIA-48802: The options "string" and "string" are mutual exclusive**

**Cause:** These two options cannot be specified together

**Action:** Only specify one of them

**DIA-48803: The keyword "string" is not defined for this command**

**Cause:** The keyword is invalid

**Action:** Check the valid keywords for the command

**DIA-48804: The command needs at least one file input**

**Cause:** No files are specified to view

**Action:** Input the files

**DIA-48805: BEGIN BACKUP issued already - must do an END BACKUP first**

**Cause:** A begin backup was already issued.

---

**Action:** Issue END BACKUP

////////////////////////////////////  
////////////////////////////////////  
////////////////////////////////////

**DIA-48900: Illegal Input Argument [string]**

**Cause:** The input argument is invalid

**Action:** Check the input parameter

**DIA-48906: Parser context is not valid**

**Cause:** The parser context is not initialized

**Action:** Call the initialization routine first before using the context

**DIA-48907: The end of file is reached**

**Cause:** The end of file is reached

**Action:** Handle the end of file

**DIA-48908: No trace files are found**

**Cause:** This is no file in the navigator context, either it is done with parsing, or no file is pushed

**Action:** Check if the file is added to the context

**DIA-48909: Scan context is not initialized**

**Cause:** The scan context is not initialized

**Action:** call the initialization routine of the scan context

**DIA-48912: The specified trace filename is too long**

**Cause:** The resulting trace filename length exceeds the maximum length

**Action:** Use a smaller trace filename suffix or move ADR higher in the directory hierarchy

**DIA-48913: Writing into trace file failed, file size limit [string] reached**

**Cause:** An attempt was made to write into a trace file that exceeds the trace's file size limit

**Action:** increase the trace's file size limit.

**DIA-48914: File position is not in right format**

**Cause:** The file position format is not right

**Action:** Check if the file format string is the right one

**DIA-48928: The predicate exceeds the max limit string**

**Cause:** The predicate is too long, exceeds the max limit

**Action:** Use a shorter predicate

**DIA-48929: The trace record size exceeded the max size that can be read [string]**

**Cause:** A trace record is too large to be read by the ADR viewer

**Action:** Report to Oracle

**DIA-48930: Cannot allocate memory for processing traces**

**Cause:** A memory allocation request failed

**Action:** Report to Oracle

**DIA-48934: invalid input for the file name identifier**

---

**Cause:** An invalid input was given for the file name identifier. The file name is not allowed to have slashes ("", "/") and is not allowed to refer to the parent directory using the ".." characters.

**Action:** Check the file name and provide a valid input.

**DIA-49315: Invalid incident type specified [string]**

**Cause:** The specified incident type is not defined in this ADR.

**Action:** Specify an available incident type.

**DIA-49404: No such package [string]**

**Cause:** The specified package does not exist.

**Action:** Specify an existing package.

**DIA-49405: Cannot change package name [string] [string]**

**Cause:** Attempted to change package name after package generation.

**Action:** Use current name, or create a new package with the desired name.

**DIA-49406: Undefined configuration parameter specified [string]**

**Cause:** The specified configuration parameter was not found in ADR.

**Action:** Specify an existing parameter. Re-populate parameters if necessary.

**DIA-49407: No unpacking history in this home**

**Cause:** No packages were unpacked into this home.

**Action:** Verify the current home. Unpack a package if necessary.

**DIA-49408: Invalid home specified [string]**

**Cause:** An invalid ADR\_HOME was specified.

**Action:** Verify that the directory exists, and has the correct structure.

**DIA-49409: Incremental package provided when complete expected**

**Cause:** No packages were unpacked into this home.

**Action:** Provide a complete package, or use FORCE option.

**DIA-49410: Not an IPS package**

**Cause:** The specified file was not an IPS package.

**Action:** Verify that the file is a valid zip file with expected contents.

**DIA-49412: Package ID does not match existing ID [string] [string]**

**Cause:** The package ID in package file did not match previously unpacked packages.

**Action:** Use the correct location for unpacking the package.

**DIA-49413: Package name does not match existing name [string] [string]**

**Cause:** The package name in package file did not match previously unpacked packages.

**Action:** Use the correct location for unpacking the package.

**DIA-49414: Package sequence later than expected [string] [string]**

**Cause:** The package sequence in package file was later than expected.

**Action:** Apply packages in correct order, or use FORCE option.

---

**DIA-49415: Package sequence earlier than expected [string] [string]**

**Cause:** The package sequence in package file was earlier than expected.

**Action:** Apply packages in correct order, or use FORCE option.

**DIA-49416: Earlier package sequence applied with FORCE option [string] [string]**

**Cause:** An earlier package sequence was applied using the FORCE option.

**Action:** Apply a complete sequence which is later than any already applied, or use FORCE option to apply an incremental package.

**DIA-49417: Cannot modify already generated package**

**Cause:** Attempted to change package attributes after package generation.

**Action:** Create a new package with the desired name.

**DIA-49420: Package too large [string] [string]**

**Cause:** The package is too large.

**Action:** Remove some files or incidents from the package, or try using incremental mode.

**DIA-49423: File outside ADR not allowed**

**Cause:** The specified file is not within the ADR directory structure.

**Action:** Specify a file inside ADR.

**DIA-49424: Directory outside ADR not allowed**

**Cause:** The specified directory is not within the ADR directory structure.

**Action:** Specify a directory inside ADR.

**DIA-49425: File inside ADR not allowed**

**Cause:** The specified file is within the ADR directory structure.

**Action:** Specify a file outside ADR.

**DIA-49426: Directory inside ADR not allowed**

**Cause:** The specified directory is within the ADR directory structure.

**Action:** Specify a directory outside ADR.

**DIA-49427: No such file or file not accessible [string]**

**Cause:** The specified file does not exist or cannot be accessed.

**Action:** Create the file or verify file permissions.

**DIA-49428: No such directory or directory not accessible [string]**

**Cause:** The specified directory does not exist or cannot be accessed.

**Action:** Create the directory or verify directory permissions.

**DIA-49429: File already exists and OVERWRITE option not specified [string]**

**Cause:** The client attempted to create a file that already exists.

**Action:** Either remove the file or use the OVERWRITE option.

**DIA-49430: No such problem [string]**

**Cause:** The specified problem does not exist.

**Action:** Specify a problem that exists in this repository.

**DIA-49431: No such incident [string]**

---

**Cause:** The specified incident does not exist.

**Action:** Specify an incident that exists in this repository.

**DIA-49432: Problem not part of package** [*string*]

**Cause:** The specified problem is not included in the package.

**Action:** Specify a problem that is included in the package.

**DIA-49433: Incident not part of package** [*string*]

**Cause:** The specified incident is not included in the package.

**Action:** Specify an incident that is included in the package.

**DIA-49434: Invalid date format**

**Cause:** An invalid format was used to specify a date

**Action:** Specify the date in a supported format.

**DIA-49435: Flood-controlled incident not allowed here** [*string*]

**Cause:** A flood-controlled incident cannot be included in a package

**Action:** Specify an incident that is not flood-controlled

**DIA-49440: Warnings while unpacking package, details in file** *string*

**Cause:** There were some non-fatal errors when unpacking a package

**Action:** Review the specified unpacking log file

**DIA-49441: Warnings while finalizing package, details in file** *string*

**Cause:** There were some non-fatal errors when finalizing a package

**Action:** Review the specified finalize log file

**DIA-49450: Non-zero return code from archiving utility** [*string*] [*string*]

**Cause:** The archiving utility (zip/unzip) returned a warning or error.

**Action:** Verify that the file and directory exist and are readable, and that the file is a valid zip file.

**DIA-49451: Archive file structure error** [*string*] [*string*]

**Cause:** The archiving utility (zip/unzip) returned an error indicating that the archive file structure is incorrect.

**Action:** Verify that the file was transferred correctly and that the file is a valid zip file.

**DIA-49452: Archiving utility out of memory** [*string*] [*string*]

**Cause:** The archiving utility (zip/unzip) returned an error indicating that it was unable to allocate enough memory.

**Action:** Check for operating system limitations on process memory usage.

**DIA-49453: Invalid command invoking archiving utility** [*string*] [*string*]

**Cause:** The archiving utility (zip/unzip) was invoked with an invalid command line, or with invalid options.

**Action:** Verify that there are no operating system settings affecting the behavior of the archiving utility..

**DIA-49454: Archive is missing or empty** [*string*] [*string*]

**Cause:** The specified archive does not exist, or is empty.

---

**Action:** Check if the specified archive exists.

**DIA-49455: Archive I/O failed [string] [string]**

**Cause:** An attempt to create, write to or read from an archive failed.

**Action:** Verify that operating system I/O operations are working correctly.

**DIA-49456: Operation failed due to insufficient disk space [string] [string]**

**Cause:** An operation on an archive failed due to insufficient disk space.

**Action:** Verify that there is sufficient disk space. Check for operating system quotas or other restrictions.

```
////////////////////////////////////  
//////////////////////////////////// Errors 49500 - 49599 reserved for Incident Meter Errors  
////////////////////////////////////  
////////////////////////////////////
```

**DIA-51001: check [string] not found in HM catalog**

**Cause:** checker name might have been misspelled

**Action:** retry running check with proper checker name

**DIA-51003: run parameters not formatted correctly**

**Cause:** Run parameters were given in a wrong format

**Action:** Correct the run params text and try again

**DIA-51004: Check doesn't take any input params**

**Cause:** run params were passed to the check, which doesn't take any inputs

**Action:** don't pass any run params and try again

**DIA-51006: unexpected delimiter ";" in the run params text**

**Cause:** run params were not properly formatted.

**Action:** correct the run params format and try again

**DIA-51007: parameter [string] not registered with this check**

**Cause:** Wrong inputs were given to this check.

**Action:** correct the run params and try the check again

**DIA-51008: parameter [string] value is not a proper number**

**Cause:** the given parameter value is a not a proper number

**Action:** correct the run params and try again

**DIA-51025: check name should be non NULL value**

**Cause:** NULL value was passed for check name

**Action:** give a proper check name and retry again

**DIA-51035: invalid timeout value**

**Cause:** User specified an invalid timeout value

**Action:** None

**DIA-51102: cannot change priority of a critical failure string**

**Cause:** An attempt was made to change priority of a failure with CRITICAL priority.

**Action:** No action is required.

- 
- DIA-51103: cannot change priority of a closed failure *string***  
**Cause:** An attempt was made to change priority of a closed failure.  
**Action:** No action is required.
- DIA-51105: cannot change priority of a failure to CRITICAL**  
**Cause:** An attempt was made to change priority of a failure to CRITICAL.  
**Action:** No action is required.
- DIA-51106: check failed to complete due to an error. See error below**  
**Cause:** While executing the check, an unexpected error occurred.  
**Action:** Check the errors below and try rerunning the check.
- DIA-51107: failures are changing too rapidly - retry command**  
**Cause:** Failures were added or closed during a Data Recovery Advisor command.  
**Action:** Retry the command.
- DIA-51108: unable to access diagnostic repository - retry command**  
**Cause:** A lock or timeout error occurred when trying to read failure or repair data from the Automatic Diagnostic Repository.  
**Action:** Retry the command.
- DIA-51109: repair script file is too large**  
**Cause:** Data Recovery Advisor generated a repair script file that was too large.  
**Action:** Retry the command with fewer failures selected.
- DIA-51110: buffer size [*string*] is too small - [*string*] is needed**  
**Cause:** An internal buffer was too small.  
**Action:** This is an internal error. Contact Oracle Support Services.
- DIA-51190: Internal error [*string*], [*string*] from DBMS\_IR**  
**Cause:** An unexpected error occurred while executing a routine in the DBMS\_IR package.  
**Action:** This is an internal error. Contact Oracle Support Services.
- DIA-51191: Too many files opened**  
**Cause:** Data Recovery Advisor attempted to open too many files using the DBMS\_IR package.  
**Action:** This is an internal error. Contact Oracle Support Services.
- DIA-51192: File not open**  
**Cause:** Data Recovery Advisor attempted to read or write from a file that was not open.  
**Action:** This is an internal error. Contact Oracle Support Services.
- DIA-51303: illegal check mask value specified**  
**Cause:** An illegal check mask value was specified.  
**Action:** Specify one of the following legal values: COLUMN\_CHECKS, ROW\_CHECKS, REFERENTIAL\_CHECKS, or ALL.
- DIA-51316: No check meta-data found on specified table *string***  
**Cause:** No check meta-data was found for the object

---

**Action:** Table may not exist or no checks currently defined for the table



---

## ‘ ORA-53000 to ORA-54036

**ORA-53000: document type "*string*" is invalid**

**Cause:** An invalid document type was specified.

**Action:** See the ORDDCM\_DOCUMENT\_TYPES view for a list of valid document types.

**ORA-53001: <TAG> and <TAG\_RANGE> tag values are null**

**Cause:** An invalid attribute was found in the private dictionary document. The values specified by the <TAG> and <TAG\_RANGE> tags were null.

**Action:** A private attribute definition must contain either a non-null <TAG> value or a non-null <TAG\_RANGE> value. Correct the values and try the operation again. See the private dictionary schema (ordcmpv.xsd) listed in the Oracle Multimedia documentation for more information.

**ORA-53002: document name "*string*" already inserted**

**Cause:** The specified document name was found in the repository.

**Action:** Specify a unique document name and try again. See the ORDDCM\_DOCUMENTS view for a list of document names.

**ORA-53003: document *string* does not exist**

**Cause:** The specified document name was not found in the repository.

**Action:** Correct the value and try again. See the ORDDCM\_DOCUMENTS view for a list of documents in the repository.

**ORA-53004: The value of tag <VR> "*string*" is invalid.**

**Cause:** An invalid value for the <VR> tag was found in the dictionary document.

**Action:** Correct the value and try again. The value of the <VR> tag must either be a value defined by DICOM or an Oracle extension. See the data type schema (ordcmdt.xsd) listed in the Oracle Multimedia documentation for a list of valid <VR> tag values.

**ORA-53005: tag references found in document: *string***

**Cause:** The delete operation failed because some tags in the dictionary document were being referenced by the listed document.

**Action:** To perform the delete operation, follow these steps:

1. Export the listed referencing document.
2. Delete the listed referencing document.
3. Remove the referencing tags from the exported document.

---

4. Insert the updated document into the repository.

5. Repeat the delete operation.

**ORA-53006: wild card characters are not allowed in <TAG\_RANGE> tags**

**Cause:** A <TAG\_RANGE> tag containing wild card characters "x" or "X" was found in the dictionary document.

**Action:** Remove the wild card characters from <TAG\_RANGE> tag and try again. See the Oracle Multimedia documentation for information about the private dictionary schema (ordcmpv.xsd).

**ORA-53007: The document type STANDARD\_DICTIONARY is not loaded.**

**Cause:** The standard dictionary document was not found.

**Action:** Load the standard dictionary document (ordcmsd.xml). This is an installation error. Contact Oracle Support Services.

**ORA-53008: The <NAMESPACE> tag value is not a registered schema.**

**Cause:** The schema URL specified by the value of the <NAMESPACE> tag was not a registered Oracle XML DB schema.

**Action:** Specify a registered schema URL value. See the ALL\_XML\_SCHEMAS view for a list of registered schemas. See the Oracle XML DB Developers's Guide for information about registering schemas. See the Oracle Multimedia documentation for information about the mapping document schema (ordcmmp.xsd).

**ORA-53009: cannot find the <ROOT\_ELEM\_TAG> tag value in the metadata schema**

**Cause:** The value of the <ROOT\_ELEM\_TAG> tag was not found in the metadata schema specified by the value of the <NAMESPACE> tag.

**Action:** Correct the value and try again. You can either specify a valid value for the <ROOT\_ELEM\_TAG> tag or clear the value of the <NAMESPACE> tag. See the Oracle Multimedia documentation for information about the mapping document schema (ordcmmp.xsd).

**ORA-53010: The value of the <VR> tag is null.**

**Cause:** A null <VR> tag was found in the dictionary document.

**Action:** Correct the value and try again. If the value of the <VR> tag is null, then the value of the <RETIRED> tag must be set to true. See the Oracle Multimedia documentation for information about the standard dictionary schema (ordcmsd.xsd) and the private dictionary schema (ordcmpv.xsd).

**ORA-53011: cannot find the <MAPPED\_ELEM> tag value in the metadata schema**

**Cause:** The value of the <MAPPED\_ELEM> tag was not found in the metadata schema specified by the value of the <NAMESPACE> tag.

**Action:** Correct the value and try again. You can either specify a valid value for the <MAPPED\_ELEM> tag or clear the value of the <NAMESPACE> tag. See the Oracle Multimedia documentation for information on the mapping document schema (ordcmmp.xsd).

**ORA-53012: cannot find the <UNMAPPED\_ELEM> tag value in the metadata schema**

**Cause:** The value of the <UNMAPPED\_ELEM> tag was not found in the metadata schema specified by the value of the <NAMESPACE> tag.

**Action:** Correct the value and try again. You can either specify a valid value for the <UNMAPPED\_ELEM> tag or clear the value of the <NAMESPACE> tag. See

---

the Oracle Multimedia documentation for information about the mapping document schema (ordcmmp.xsd).

**ORA-53013: cannot find the <ATTRIBUTE\_TAG> value: *string* in the dictionaries**

**Cause:** The value of the specified <ATTRIBUTE\_TAG> tag was not found in the standard or private dictionaries.

**Action:** Correct the tag and/or the definer name value and try again. The value of the <ATTRIBUTE\_TAG> tag must refer to a tag and definer name specified in the data dictionaries.

**ORA-53014: The runtime preference table is not empty**

**Cause:** The function was unable to process due to an internal error.

**Action:** Contact Oracle Support Services.

**ORA-53015: An internal dictionary attributes table is empty**

**Cause:** This document could not be processed due to an internal error.

**Action:** Contact Oracle Support Services.

**ORA-53016: null input argument: *string***

**Cause:** The function was unable to process due to an internal error

**Action:** Contact Oracle Support Services.

**ORA-53017: The installation file *string* has an incorrect document type**

**Cause:** An incorrect document type was specified for this file during installation. The function was unable to process due to an internal error.

**Action:** Contact Oracle Support Services.

**ORA-53018: document *string* contains an unsupported encrypt action attribute**

**Cause:** The operation failed because an unsupported encrypt action

**Action:** Change the value of the action attribute to none, remove or replace

**ORA-53019: cannot delete installation document: *string***

**Cause:** The document could not be deleted because it was an installation document.

**Action:** See the ORDDCM\_DOCUMENTS view for a list of the documents in the repository.

**ORA-53020: invalid external reference in the constraint document: *string***

**Cause:** The referenced external rule or macro could not be found in the repository.

**Action:** Insert the referenced documents first and try again.

**ORA-53021: cannot insert a rule or macro *string* that was already inserted**

**Cause:** The rules or macros existed in the repository.

**Action:** Insert a new rule or macro.

**ORA-53022: rules or macros in the constraint document *string* do not exist**

**Cause:** The rules or macros did not exist in the repository.

**Action:** Delete or update an existing rule or macro.

**ORA-53023: cannot delete or update a referenced rule or macro *string***

**Cause:** Because the rules or macros were referenced by other rules or macros, they could not be deleted or updated.

---

**Action:** Delete the referencing rules or macros first and try again.

**ORA-53024: error processing constraint document: *string***

**Cause:** An error occurred while processing the constraint document.

**Action:** If the error described in the message can be corrected, do so; otherwise, contact Oracle Support Services.

**ORA-53025: invalid constraint document: *string***

**Cause:** The constraint document was invalid.

**Action:** Correct the error described in the message and try again.

**ORA-53026: failed to insert the constraint *string* to the database**

**Cause:** An error occurred while trying to insert the constraint document into the database.

**Action:** Contact Oracle Support Services.

**ORA-53031: cannot delete dictionary document: *string***

**Cause:** The delete operation failed.

**Action:** The delete operation for dictionary documents is not supported. Use the `updateDocument` or use the `insertDocument` procedure to make changes to dictionary documents.

**ORA-53032: The default preference document cannot be found.**

**Cause:** The delete operation failed due to an internal error.

**Action:** When a user-defined preference document is deleted, the default values are restored from the Oracle default preference document. The default preference document is loaded during installation. If this document cannot be found, it is an unrecoverable error. Contact Oracle Support Services.

**ORA-53033: The default UID Definition document cannot be found.**

**Cause:** The delete operation failed due to an internal error.

**Action:** When a user-defined UID Definition document is deleted, the default values are restored from the Oracle default UID Definition document. The default UID Definition document is loaded during installation. If this document cannot be found, it is an unrecoverable error. Contact Oracle Support Services.

**ORA-53035: The rows for the mapping document (*string*) do not exist.**

**Cause:** The delete operation failed due to an internal error.

**Action:** Contact Oracle Support Services.

**ORA-53036: An internal table for the mapping document (*string*) is empty.**

**Cause:** The function failed due to an internal error.

**Action:** Contact Oracle Support Services.

**ORA-53037: invalid range tag, <START\_TAG> *string* must be less than <END\_TAG> *string***

**Cause:** The operation failed because an invalid range tag was specified.

**Action:** Correct the value and try the operation again.

**ORA-53038: The data type name for the specified tag cannot be found.**

**Cause:** The function failed due to an internal error.

**Action:** Contact Oracle Support Services.

---

**ORA-53039: user-defined preference document: *string* already exists**

**Cause:** The insert operation failed because only one user-defined preference document was allowed.

**Action:** To change an existing user-defined preference document, follow these steps:

1. Export the existing user-defined document.
2. Delete the existing user-defined document.
3. Make changes to the exported document.
4. Insert the updated document. To add a new user-defined preference document, follow these steps:
  1. Delete the existing user-defined document.
  2. Insert the new document.

**ORA-53040: user-defined UID definition document: *string* already exists**

**Cause:** The insert operation failed because only one user-defined UID definition document was allowed.

**Action:** To change an existing user-defined UID definition document, follow these steps:

1. Export the existing user-defined document.
2. Delete the existing user-defined document.
3. Make changes to the exported document.
4. Insert the updated document. To add a new user-defined UID definition document, follow these steps:
  1. Delete the existing user-defined document.
  2. Insert the new document.

**ORA-53041: The tag value for a replace action attribute is null.**

**Cause:** The operation failed because a null tag value was found for a replace action attribute in the anonymity document

**Action:** Either add a non-null tag value for each replace action attribute

**ORA-53042: tag *string* is referenced by document: *string***

**Cause:** The insert operation failed because the specified tag in the dictionary document was being referenced by the listed document.

**Action:** To perform the insert operation, follow these steps

1. Export the listed document.
2. Delete the listed document.
3. Remove the specified tag from the exported document.
4. Insert the updated document.
5. Repeat the insert operation.

**ORA-53043: tag *string* is referenced by unknown document**

**Cause:** The operation failed because a tag in the specified dictionary document was being referenced by another document in the repository.

**Action:** This is an internal error. Contact Oracle Support Services.

---

**ORA-53044: invalid tag: *string***

**Cause:** The operation failed because the specified tag was invalid.

**Action:** The tag must match the regular expression ([0-9a-fA-FxX]{8}). Correct the tag format and try the operation again. See the dictionary schemas (ordcmsd.xsd, ordcmpv.xsd) listed in the Oracle Multimedia documentation for more information.

**ORA-53045: invalid tag: *string***

**Cause:** The operation failed because the specified tag was invalid.

**Action:** The tag must match the regular expression ([0-9a-fA-F]{8}). Correct the tag format and try the operation again. See the dictionary schemas (ordcmsd.xsd, ordcmpv.xsd) listed in the Oracle Multimedia documentation for more information.

**ORA-53046: tag: *string* collides with existing tag: *string* in document: *string***

**Cause:** The operation failed because the specified tag collided with

**Action:** Tag collisions are not allowed in the dictionary documents. Correct the specified tag in the document and try the operation again.

**ORA-53047: internal error: *string***

**Cause:** This document could not be processed due to an internal error.

**Action:** Contact Oracle Support Services.

**ORA-53048: definer name DICOM is not allowed in a private dictionary**

**Cause:** The operation failed because the definer name DICOM was found in the private dictionary.

**Action:** Correct the definer name and try the operation again.

**ORA-53049: unsupported <ATTRIBUTE\_TAG> tag value: *string***

**Cause:** The operation failed because the value of the specified <ATTRIBUTE\_TAG> tag was not supported.

**Action:** Only simple tags that match the regular expression [0-9A-F]{8}(\(.\*\))? are allowed in the <ATTRIBUTE\_TAG> tag. For example: 00080096(DICOM), 00080096 and so on. Correct the tag format and try the operation again. See the schemas ordcmdt.xsd, ordcmmp.xsd, and ordcman.xsd listed in the Oracle Multimedia documentation for more information.

**ORA-53050: The data model is being edited by another user.**

**Cause:** The operation failed because the data model was being edited by another user. An exclusive lock could not be acquired for the lock - ORD\_DATA\_MODEL\_LOCK.

**Action:** The data model can be edited by only one administrator at a time.

**ORA-53051: no editDataModel session found**

**Cause:** The operation failed because there was no editDataModel session.

**Action:** Call the editDataModel procedure first and try the operation again.

**ORA-53052: lock release returned error: *string***

**Cause:** The operation succeeded, but an error occurred while releasing the lock - ORD\_DATA\_MODEL\_LOCK.

**Action:** This is an internal error. Contact Oracle Support Services.

---

**ORA-53053: lock request error: *string***

**Cause:** The operation failed because an exclusive lock could not be acquired for the lock - ORD\_DATA\_MODEL\_LOCK.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-53054: An editDataModel session already exists.**

**Cause:** The editDataModel procedure was called more than once in the same session.

**Action:** Continue the insert or delete operations, call rollbackDataModel to rollback the data model changes, or call publishDataModel to publish the data model changes.

**ORA-53055: empty data model table**

**Cause:** The operation failed because the data model table was empty.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-53056: unrecognized preference parameter name: *string***

**Cause:** The operation failed because the parameter name was invalid.

**Action:** Correct the value and try the operation again. See the preference schema (ordcmpf.xsd) listed in the Oracle Multimedia documentation for more information.

**ORA-53057: invalid preference parameter value: *string***

**Cause:** The operation failed because the parameter value was invalid.

**Action:** Correct the value and try the operation again. See the preference schema (ordcmpf.xsd) listed in the Oracle Multimedia documentation for more information.

**ORA-53058: The <ATTRIBUTE\_TAG> value:*string* is not a simple tag.**

**Cause:** The operation failed because the value of the specified <ATTRIBUTE\_TAG> tag contained wild card characters "x" or "X".

**Action:** Only simple tags that match the regular expression `[0-9A-F]{8}(\.*\)?` are allowed in the <ATTRIBUTE\_TAG> tag. For example: 00080096(DICOM), 00080096 and so on. Correct the tag format and try the operation again. See the schemas ordcmdt.xsd, ordcmmmp.xsd, and ordcman.xsd listed in the Oracle Multimedia documentation for more information.

**ORA-53059: The <ATTRIBUTE\_TAG> value: *string* has a null definer name.**

**Cause:** The operation failed because the value of the specified <ATTRIBUTE\_TAG> tag had a null definer name.

**Action:** Only simple tags that match the regular expression `[0-9A-F]{8}(\.*\)?` are allowed in the <ATTRIBUTE\_TAG> tag. For example: 00080096(DICOM), 00080096 and so on. Either specify a definer name using the correct format or remove the definer name and try again. See the schemas ordcmdt.xsd, ordcmmmp.xsd, and ordcman.xsd listed in Oracle Multimedia documentation for more information.

**ORA-53060: *string* is not a standard attribute tag**

**Cause:** The operation failed because the specified standard dictionary attribute tag did not have an even group number.

**Action:** A standard dictionary attribute tag represents a two-byte hexadecimal number (group number followed by element number) and must match the regular

---

expression [0-9a-fA-FxX]{3}[02468aceACExX]{1}[0-9a-fA-FxX]{4}. Correct the attribute tag format and try the operation again.

**ORA-53061: document name *string* contains reserved prefix - ORD**

**Cause:** The operation failed because the specified document name contained the ORD prefix that is reserved for Oracle Multimedia documents.

**Action:** Remove the ORD prefix from the document name and try the operation again.

**ORA-53062: invalid model name: *string***

**Cause:** The operation failed because the specified model name was invalid.

**Action:** The model name DEFAULT is the only value that is supported in this release. Remove the model name or replace it with the value DEFAULT and try the operation again.

**ORA-53100: The repository data model is in invalid state.**

**Cause:** Error detected while loading the data model from the repository.

**Action:** Contact Oracle Support Services.

**ORA-53111: The repository data model is not loaded.**

**Cause:** The operation failed because the ord\_dicom.setDataModel procedure was not called to load the repository data model.

**Action:** Call the ord\_dicom.setDataModel procedure first and try the operation again.

**ORA-53112: unable to load repository: *string***

**Cause:** The ord\_dicom.setDataModel procedure failed to load the repository due to the listed error.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-53122: invalid document type : *string***

**Cause:** The ord\_dicom.setDataModel procedure failed to load the repository because an invalid document type was found.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-53124: cannot find VR number for data type: *string***

**Cause:** The VR number for the listed data type could not be found in the lookup table.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-53125: invalid range tag: *string***

**Cause:** The ord\_dicom.setDataModel procedure failed to load the repository because an invalid range tag was found in the dictionary table.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-53126: assertion failure: *string***

**Cause:** The operation failed because an assertion error had occurred.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-53200: Argument *string* is null.**

**Cause:** The argument was expecting a non-null value, but the value of the passed argument was null.

---

**Action:** Check your program and ensure that the caller of the routine does not pass a null argument value.

**ORA-53201: Argument *string* is null or invalid.**

**Cause:** The argument was expecting a non-null, valid value, but the value of the passed argument was null or invalid.

**Action:** Check your program and ensure that the caller of the routine does not pass a null or invalid argument value.

**ORA-53202: internal error, argument [*string*]**

**Cause:** The internal argument was invalid.

**Action:** Contact Oracle Support Services.

**ORA-53203: security violation**

**Cause:** A possible security violation was detected.

**Action:** Check the alert log and trace file for more information.

**ORA-53210: unable to read empty DICOM object**

**Cause:** There was no data in the specified DICOM object.

**Action:** See the Oracle Multimedia documentation for information about loading DICOM object data into the database.

**ORA-53211: unable to read invalid ORDDicom object**

**Cause:** The value of the source attribute or the extension attribute of the ORDDicom object was null.

**Action:** See the Oracle Multimedia documentation for information about creating a valid ORDDicom object.

**ORA-53212: unable to read invalid ORDImage object: attribute *string* is null**

**Cause:** The ORDImage object was invalid.

**Action:** See the Oracle Multimedia documentation for information about creating a valid ORDImage object.

**ORA-53213: cannot access DICOM data with invalid source type**

**Cause:** An invalid source type was stored in the source attribute of the ORDDicom object.

**Action:** See the Oracle Multimedia documentation for information about the supported source types for DICOM data.

**ORA-53214: cannot access DICOM image data with invalid source type**

**Cause:** An invalid source type was stored in the source attribute of the ORDImage object.

**Action:** See the Oracle Multimedia documentation for information about the supported source types for DICOM image data.

**ORA-53215: cannot access ORDDataSource object with invalid source type**

**Cause:** An invalid source type was stored in the ORDDataSource object. Or, an error occurred while trying to retrieve a BFILE while the object status was local.

**Action:** See the Oracle Multimedia documentation for information about the supported source types.

**ORA-53216: cannot export the ORDDataSource object with an external source**

---

**Cause:** The source of the ORDDataSource object was not local.

**Action:** Import the data before calling the export procedure. Or, get the data directly from the external source.

**ORA-53217: The source LOB locator is null.**

**Cause:** The source BLOB locator or BFILE locator was null.

**Action:** Correct the statement to pass an initialized LOB locator.

**ORA-53230: unable to write to an invalid destination ORDDicom object**

**Cause:** The value of the source attribute or the extension attribute of the destination ORDDicom object was null.

**Action:** See the Oracle Multimedia documentation for information about constructing a valid ORDDicom object.

**ORA-53231: unable to write to a nonlocal destination ORDDicom object**

**Cause:** The source attribute of the destination ORDDicom object was not local.

**Action:** See the Oracle Multimedia documentation for information about constructing a local ORDDicom object.

**ORA-53232: unable to write to an invalid destination ORDImage object**

**Cause:** The value of the source attribute of the destination ORDImage object was null.

**Action:** See the Oracle Multimedia documentation for information about constructing a valid ORDImage object.

**ORA-53233: unable to write to a nonlocal destination ORDImage object**

**Cause:** The source attribute of the destination ORDImage object was not local.

**Action:** See the Oracle Multimedia documentation for information about constructing a local ORDImage object.

**ORA-53234: The destination BLOB locator is null.**

**Cause:** The destination BLOB locator was null.

**Action:** Correct the statement to pass an initialized BLOB locator.

**ORA-53250: Mapping document does not exist.**

**Cause:** The specified mapping document did not exist.

**Action:** Check the installed mapping documents, and correct the statement to pass the name of an installed mapping document.

**ORA-53251: Anonymity document does not exist.**

**Cause:** The specified anonymity document did not exist.

**Action:** Check the installed anonymity definition documents, and correct the statement to pass the name of an installed anonymity definition document.

**ORA-53252: Constraint does not exist.**

**Cause:** The specified constraint did not exist.

**Action:** Check the installed constraints, and correct the statement to pass an installed constraint name.

**ORA-53253: The metadata for the new DICOM object is invalid.**

**Cause:** The metadata for the new DICOM object did not conform to the default metadata schema (ordcmmd.xsd).

---

**Action:** Check the metadata argument to ensure it has the correct namespace and conforms to the default metadata schema (ordcmmd.xsd). See the Oracle Multimedia documentation for information about the default metadata schema (ordcmmd.xsd).

**ORA-53254: The SOP INSTANCE UID for the new DICOM object is invalid.**

**Cause:** The SOP INSTANCE UID for the new DICOM object was invalid.

**Action:** See the Oracle Multimedia documentation for information about creating a valid SOP INSTANCE UID.

**ORA-53255: cannot import from a null or invalid source type**

**Cause:** A null or invalid source type was specified in the import procedure.

**Action:** See the Oracle Multimedia documentation for information about the supported source types for the DICOM object.

**ORA-53256: cannot export to a null or invalid destination data type**

**Cause:** A null or invalid destination data type was specified in the export procedure.

**Action:** See the Oracle Multimedia documentation for information about the supported destination data types for the DICOM object.

**ORA-53257: Attribute does not exist.**

**Cause:** The specified attribute did not exist.

**Action:** Ensure that the attribute name is valid.

**ORA-53258: Metadata attribute is not available.**

**Cause:** The value of the metadata attribute of the ORDDicom object was null.

**Action:** Call the setProperties method first.

**ORA-53259: cannot extract metadata that conforms to the schema definition**

**Cause:** The extracted metadata did not conform to its schema definition.

**Action:** Check the metadata schema definition, the mapping document and the parameters for the extractMetadata method to ensure that they are correct. See the Oracle Multimedia documentation for information about creating repository documents and extracting metadata.

**ORA-53400: Missing DICOM magic number.**

**Cause:** The DICOM object did not contain the DICOM magic number "dicm" required by part 10 of the DICOM standard.

**Action:** Fix the DICOM object or the DICOM object source, if possible. Otherwise, update the DICOM preference document to ignore this category of error.

**ORA-53402: Missing DICOM header.**

**Cause:** The DICOM object did not contain the file preamble.

**Action:** Fix the DICOM object or the DICOM object source, if possible. Otherwise, update the DICOM preference document to ignore this category of error.

**ORA-53404: Missing the mandatory DICOM attribute *string*.**

**Cause:** One or more mandatory DICOM attributes were missing from the DICOM object.

**Action:** Fix the DICOM object or the DICOM object source, if possible. Otherwise, update the DICOM preference document to ignore this category of error.

---

**ORA-53406: The DICOM object contains invalid attribute value *string*.**

**Cause:** The DICOM object did not conform to the DICOM standard and contained invalid attribute values.

**Action:** Fix the DICOM object or the DICOM object source, if possible. Otherwise, update the DICOM preference document to ignore this category of error.

**ORA-53408: The DICOM object encoding is wrong *string*.**

**Cause:** The DICOM object did not conform to the DICOM standard's binary encoding rules.

**Action:** Determine if the DICOM object is corrupt. If the DICOM object is not corrupt, verify whether it conforms to the binary encoding rules in the DICOM standard. If the DICOM object is corrupt, fix it if possible. Otherwise, update the DICOM preference document to ignore this category of error.

**ORA-53410: The attribute *string* does not conform to the VM rule.**

**Cause:** The DICOM object either contained an attribute that did not conform to the DICOM value multiplicity rule or was missing an attribute that was required by the DICOM standard.

**Action:** Determine if the DICOM object conforms to the DICOM standard. If it does, verify if the data dictionary matches the DICOM object or is more recent than the DICOM object. If the data dictionary is obsolete, update it using the ORD\_DICOM\_ADMIN repository API, if possible. Otherwise, update the DICOM preference document to ignore this category of error.

**ORA-53412: The DICOM object contains an invalid VR value *string*.**

**Cause:** The DICOM object with explicit value representation encoding had attribute VR values that did not match their definitions in the data dictionary.

**Action:** Determine if the DICOM object conforms to the DICOM standard. If it does, verify if the data dictionary matches the DICOM object or is more recent than the DICOM object. If the data dictionary is obsolete, update it using the ORD\_DICOM\_ADMIN repository API, if possible. Otherwise, update the DICOM preference document to ignore this category of error.

**ORA-53414: The DICOM object contains undefined values *string*.**

**Cause:** The DICOM object had attribute values that were expected to be part of the data model.

**Action:** Determine if the DICOM object conforms to the DICOM standard. If it does, verify if the data model matches the DICOM object or is more recent than the DICOM object. If the data model is obsolete, update it using the ORD\_DICOM\_ADMIN repository API, if possible. Otherwise, update the DICOM preference document to ignore this category of error.

**ORA-53430: The DICOM object contains unsupported values *string*.**

**Cause:** This type of DICOM object is not supported by the current release.

**Action:** Check for software updates, and contact Oracle Support Services for information about feature enhancements.

**ORA-53432: The DICOM object attribute *string* has invalid definer name.**

**Cause:** A private attribute definer for a private attribute contained in this DICOM object had invalid characters.

**Action:** Determine if the DICOM object is corrupt. If the DICOM object conforms to the DICOM standard, contact Oracle Support Services.

---

**ORA-53434: Not a DICOM object.**

**Cause:** The binary object is not a DICOM object.

**Action:** Determine if the DICOM object is corrupt. If the DICOM object conforms to the DICOM standard, contact Oracle Support Services.

**ORA-53500: Not a DICOM image.**

**Cause:** The binary object was not a DICOM image.

**Action:** Determine if the DICOM object is an image. Only DICOM images can be processed with image processing functions.

**ORA-53502: Image processing failure.**

**Cause:** An error occurred when processing a DICOM image.

**Action:** Determine if the DICOM image is corrupt, and if it is supported by the current release.

**ORA-53800: The DICOM object does not contain attribute *string*.**

**Cause:** The DICOM object did not contain the attribute that was required for conformance validation.

**Action:** Determine if the locator path is properly constructed. All attributes used in the locator path must be defined in the DICOM standard, and must not be retired. All attributes except the last attribute in the locator path must be of sequence type. If the locator path is correct, verify if the DICOM data dictionary is up to date. If the data dictionary is obsolete, update it using the ORD\_DICOM\_ADMIN repository API.

**ORA-53810: error logging conformance validation messages**

**Cause:** An error occurred while trying to log conformance validation messages.

**Action:** Contact Oracle Support Services.

**ORA-53820: Invalid locator path.**

**Cause:** A locator path for an attribute was invalid.

**Action:** Please verify the locator path is properly constructed. All attribute used in the locator path must be defined in the DICOM standard and must not be retired. An attribute that is not the last one of the locator path must be a sequence type. If the locator path is correct, please verify the DICOM data dictionary is up-to-date. If the data dictionary is obsolete, please use the ORD\_DICOM\_ADMIN API to update the data dictionary.

**ORA-53900: I/O failure *string*.**

**Cause:** A device I/O failure occurred when attempting to read from and write to a DICOM object.

**Action:** Check the permissions and privileges that have been granted for I/O operations.

**ORA-53910: SQL error *string*.**

**Cause:** An error occurred when attempting to run a SQL command.

**Action:** If you are using a JDBC connection string, ensure that the connection string is valid. Check the user account to see if it is locked. Ensure that the listener and the database server are running. And ensure that the setDataModel() function has been invoked before any other DICOM functions are called.

**ORA-53920: XML error *string*.**

---

**Cause:** An error occurred when attempting to read from and write to XML metadata.

**Action:** Ensure that Oracle XDB and all related schemas are properly installed.

**ORA-53930: XSLT error string.**

**Cause:** An error occurred while attempting to process XML metadata.

**Action:** Ensure that Oracle XDB and all related schemas are properly installed. And, verify that the mapping and anonymity documents are valid.

**ORA-53940: make anonymous error string.**

**Cause:** An error occurred while attempting to make DICOM object anonymous.

**Action:** Ensure that the anonymity document content is valid.

**ORA-53980: unimplemented feature: string**

**Cause:** The specified feature is not implemented.

**Action:** Contact Oracle Support Services.

**ORA-53990: internal error string.**

**Cause:** An internal error occurred while attempting to process a DICOM object.

**Action:** Contact Oracle Support Services, and supply them with a script that can be duplicated as well as the DICOM object that caused this error.

**ORA-54000: Virtual column feature not yet implemented**

**Cause:** Feature has not been implemented.

**Action:** Feature is being implemented.

**ORA-54001: string: invalid identifier specified for virtual column expression**

**Cause:** Column expression referenced a column that does not exist in the table.

**Action:** Rewrite column expression to reference only scalar columns in the table.

**ORA-54002: only pure functions can be specified in a virtual column expression**

**Cause:** Column expression contained a function whose evaluation is non-deterministic.

**Action:** Rewrite column expression to reference only pure functions.

**ORA-54003: specified data type is not supported for a virtual column**

**Cause:** Only scalar data types are supported for virtual columns. LONG, BLOB, REF, and BFILE data types are not supported for virtual columns.

**Action:** Specify the expression column with a supported scalar data type.

**ORA-54004: resultant data type of virtual column is not supported**

**Cause:** The data type of the underlying expression is not supported. Only scalar data types are supported for virtual columns. LONG, BLOB, REF, and BFILE data types are not supported for virtual columns.

**Action:** Specify the expression of virtual column to return a supported scalar data type.

**ORA-54005: keyword VIRTUAL cannot be specified here**

**Cause:** The keyword VIRTUAL was either repeated or incorrectly specified.

**Action:** Remove the keyword from the specified syntax.

**ORA-54006: keyword VISIBLE cannot be specified here**

---

**Cause:** The keyword `VISIBLE` was either repeated or incorrectly specified.

**Action:** Remove the keyword from the specified syntax.

**ORA-54007: keyword `HIDDEN` cannot be specified here**

**Cause:** The keyword `HIDDEN` was either repeated or incorrectly specified.

**Action:** Remove the keyword from the specified syntax.

**ORA-54008: expression column is not supported for an index organized table**

**Cause:** Attempt to create/alter an index organized table with an expression column

**Action:** These columns are not supported, change the DDL.

**ORA-54009: expression column is not supported for an external table**

**Cause:** Attempt to create/alter an external table with an expression column

**Action:** These columns are not supported, change the DDL.

**ORA-54010: expression column is not supported for a temporary table**

**Cause:** Attempt to create/alter a temporary table with an expression column

**Action:** These columns are not supported, change the DDL.

**ORA-54011: expression column is not supported for a clustered table**

**Cause:** Attempt to create/alter a clustered table with an expression column

**Action:** These columns are not supported, change the DDL.

**ORA-54012: virtual column is referenced in a column expression**

**Cause:** This virtual column was referenced in an expression of another virtual column

**Action:** Ensure the column expression definition for any virtual column does not refer to any virtual column

**ORA-54013: `INSERT` operation disallowed on virtual columns**

**Cause:** Attempted to insert values into a virtual column

**Action:** Re-issue the statement without providing values for a virtual column

**ORA-54014: Resulting table from a `CTAS` operation contains virtual column(s)**

**Cause:** Table being created by a `CTAS` operation contains a virtual column definition

**Action:** Remove the virtual column definition from the table being created

**ORA-54015: Duplicate column expression was specified**

**Cause:** Expression of the virtual column being added/created conflicts with an existing/previously specified functional index expression or virtual column expression

**Action:** Change the expression of the virtual column as there are no duplicate expressions

**ORA-54016: Invalid column expression was specified**

**Cause:** Virtual column expression is not a valid arithmetic expression. It probably refers to another column in the table

**Action:** Change the expression of the virtual column

**ORA-54017: `UPDATE` operation disallowed on virtual columns**

---

**Cause:** Attempted to update values of a virtual column

**Action:** Re-issue the statement without setting values for the virtual column

**ORA-54018: A virtual column exists for this expression**

**Cause:** Specified index expression matches an existing virtual column"

**Action:** Re-issue the statement by replacing the index expression with the matching virtual column

**ORA-54019: Virtual column expression cannot be changed because it is a partitioning column**

**Cause:** Attempted to modify the expression of a virtual column that was also a partitioning column.

**Action:** This is not supported.

**ORA-54020: Virtual column expression cannot be changed because it is a subpartitioning column**

**Cause:** Attempted to modify the expression of a virtual column that was also a subpartitioning column.

**Action:** This is not supported.

**ORA-54021: Cannot use PL/SQL expressions in partitioning or subpartitioning columns**

**Cause:** Attempted to partition a table on a virtual column that contained PL/SQL expressions.

**Action:** This is not supported.

**ORA-54022: Virtual column expression cannot be changed because an index is defined on column**

**Cause:** Attempted to change the expression of a virtual column that was indexed.

**Action:** Alter index unusable. Change expression and then rebuild index.

**ORA-54023: Virtual column expression cannot be changed because a constraint is defined on column**

**Cause:** Attempted to change the expression of a virtual column that had a constraint defined on it.

**Action:** Drop constraint and then change expression.

**ORA-54024: expression column is not supported for an organization cube table**

**Cause:** Attempted to create or alter an organization cube table with an expression column

**Action:** These columns are not supported, change the DDL.

**ORA-54025: Virtual column cannot have a default value**

**Cause:** Attempted to alter a virtual column to have a default value.

**Action:** This is not valid, change the DDL.

**ORA-54026: Real column cannot have an expression**

**Cause:** Attempted to alter a real column to have an expression.

**Action:** This is not valid, change the DDL.

**ORA-54027: cannot modify data-type of virtual column**

---

**Cause:** Attempted to change the data-type of virtual column without modifying the underlying expression

**Action:** change the underlying expression to be compatible with the data-type change

**ORA-54028: cannot change the HIDDEN/VISIBLE property of a virtual column**

**Cause:** Attempted to change the HIDDEN/VIRTUAL property of a virtual column

**Action:** re-issue the DDL without the virtual column property change

**ORA-54029: Virtual column cannot be updated in trigger body**

**Cause:** Attempted to change the value of virtual column in a trigger body"

**Action:** This is not valid, change the trigger definition.

**ORA-54030: datatype mismatch between virtual column and expression**

**Cause:** virtual column expression was changed after column was created"

**Action:** change the underlying expression to return datatype that conforms to the virtual column

**ORA-54031: column to be dropped is used in a virtual column expression**

**Cause:** Attempted to drop a column that was used in a virtual column expression.

**Action:** Drop the virtual column first or change the virtual column expression to eliminate dependency on the column to be dropped.

**ORA-54032: column to be renamed is used in a virtual column expression**

**Cause:** Attempted to rename a column that was used in a virtual column expression.

**Action:** Drop the virtual column first or change the virtual column expression to eliminate dependency on the column to be renamed.

**ORA-54033: column to be modified is used in a virtual column expression**

**Cause:** Attempted to modify the data type of a column that was used in a virtual column expression.

**Action:** Drop the virtual column first or change the virtual column expression to eliminate dependency on the column to be modified.

**ORA-54034: virtual columns not allowed in functional index expressions**

**Cause:** An attempt was made to create a functional index with an expression defined on one or more virtual columns.

**Action:** Specify the index expression using only regular columns.

**ORA-54035: keyword HIDDEN cannot be specified here**

**Cause:** Attempted to specify HIDDEN key word for a virtual column

**Action:** This is not supported.

**ORA-54036: cannot define referential constraint with ON DELETE SET NULL clause on virtual column**

**Cause:** Attempted to specify ON DELETE SET NULL clause for a referential integrity constraint on a virtual column.

**Action:** Reissue the statement without specifying ON DELETE SET NULL clause.



---

---

## ORA-54500 to ORA-56974

**ORA-54500: invalid combination of elements**

**Cause:** The geometry did not start from the correct level in the hierarchy.

**Action:** Correct the hierarchy in the geometry.

**ORA-54501: no holes expected**

**Cause:** The geometry contained one or more unexpected holes.

**Action:** Remove any holes in the geometry.

**ORA-54502: solid not closed**

**Cause:** The solid geometry was not closed i.e., faces of solid are not 2-manifold due to incorrectly defined, oriented, or traversed line segment because each edge of a solid must be traversed exactly twice, once in one direction and once in the reverse direction.

**Action:** Correct the orientation of the edges of the neighboring polygons.

**ORA-54503: incorrect solid orientation**

**Cause:** The orientation of the solid was not correct.

**Action:** Correct the orientation or specification of the outer or inner solid geometry according to the geometry rules for such a solid.

**ORA-54504: multiple outer geometries**

**Cause:** The geometry contained more than one outer geometry.

**Action:** Remove all but one of the outer geometries.

**ORA-54505: ring does not lie on a plane**

**Cause:** The ring was not flat.

**Action:** Make sure all of the vertices of the ring are on the same plane.

**ORA-54506: compound curve not supported for 3-D geometries**

**Cause:** The 3-D geometry contained one or more compound curves, which are not supported for 3-D geometries.

**Action:** Remove all compound curves from the geometry.

**ORA-54507: duplicate points in multipoint geometry**

**Cause:** The multipoint geometry had two points that either had identical coordinates or were the same point considering the geometry tolerance.

**Action:** Make sure all points are different, considering the tolerance.

**ORA-54508: overlapping surfaces in a multisolid geometry**

---

**Cause:** The multisolid geometry contained one or more fully or partially overlapping surfaces.

**Action:** Ensure that the multisolid geometry contains no overlapping areas.

**ORA-54509: solid not attached to composite solid**

**Cause:** To connect solids in a composite solid geometry, at least one of the faces of a solid must be shared (fully or partially) with only another solid. However, at least one of the faces in this composite solid was not shared by exactly two solids only.

**Action:** Ensure that at least one face in a composite solid is shared by exactly two solids.

**ORA-54510: no outer geometry expected**

**Cause:** An outer geometry was found when only inner geometries were expected.

**Action:** Remove all outer geometries.

**ORA-54511: edges of inner and outer solids intersect**

**Cause:** An inner solid had a common edge with outer solid.

**Action:** Ensure that edges of inner and outer solids do not intersect.

**ORA-54512: a vertex of an inner solid is outside corresponding outer solid**

**Cause:** A solid geometry contained an inner solid with at least one vertex outside its corresponding outer solid.

**Action:** Ensure that all vertices of inner solids are not outside their corresponding outer solid.

**ORA-54513: inner solid surface overlaps outer solid surface**

**Cause:** One or more faces of an inner solid surface either fully or partially overlapped an outer solid surface.

**Action:** Ensure that inner and outer surfaces have no shared (fully or partially overlapping) faces.

**ORA-54514: overlapping areas in multipolygon**

**Cause:** A multipolygon geometry contained one or more common (shared, fully or partially overlapped) polygons.

**Action:** Ensure that no polygons in a multipolygon overlap.

**ORA-54515: outer rings in a composite surface intersect**

**Cause:** Outer rings, either on the same plane or different planes, in a composite surface intersected.

**Action:** Ensure that outer rings do not intersect. They can share edges.

**ORA-54516: adjacent outer rings of composite surface cannot be on same plane**

**Cause:** The conditional flag was set, and a composite surface had at least two outer rings sharing a common edge on the same plane.

**Action:** Change those outer rings into one larger outer ring.

**ORA-54517: outer ring is on the same plane and overlaps another outer ring**

**Cause:** An outer ring in a composite surface shared a common area with another outer ring.

**Action:** Ensure that no outer rings fully or partially overlap.

---

**ORA-54518: shared edge of composite surface not oriented correctly**

**Cause:** A shared edge (one shared by two polygons) in a composite surface was not correctly oriented. Each shared edge must be oriented in one direction with respect to its first polygon and then in the reverse direction with respect to its second polygon.

**Action:** Reverse one of the directions of the shared edge with respect to its polygons.

**ORA-54519: polygon (surface) not attached to composite surface**

**Cause:** Not all polygons of a surface had a common (fully or partially shared) edge.

**Action:** Ensure that each polygon is attached to the composite surface by one of its edges.

**ORA-54520: inner ring not on the same plane as its outer ring**

**Cause:** An inner ring was not on the same plane as its outer ring.

**Action:** Ensure that each inner ring is on the same plane as its outer ring.

**ORA-54521: inner ring is not inside or is touching outer ring more than once**

**Cause:** An inner ring either was not inside its outer ring or touched its outer ring more than once.

**Action:** Ensure that the inner ring is inside its outer ring and does not touch the outer ring more than once. If an inner ring touches its outer ring more than once, then the outer ring is no longer a topologically simple or singly connected polygon (ring).

**ORA-54522: inner rings of same outer ring cannot intersect or share boundary**

**Cause:** Two inner rings of the same outer ring intersected or shared a boundary.

**Action:** Ensure that line segments of an inner ring do not intersect or fully or partially coincide with line segments of another inner ring sharing the same outer ring.

**ORA-54523: inner rings of same outer ring cannot touch more than once**

**Cause:** Two inner rings of the same outer ring touched more than once.

**Action:** Ensure that inner rings of the same outer ring touch at no more than one point.

**ORA-54524: inner ring cannot be inside another inner ring of same outer ring**

**Cause:** An inner ring was inside another ring of the same outer ring.

**Action:** Ensure that no inner ring is inside another inner ring of the same outer ring.

**ORA-54525: incorrect box volume due to wrong ordinates**

**Cause:** The rectangular box in shortcut format did not have its first  $x,y,z$  coordinates either all greater or less than its second  $x,y,z$  coordinates.

**Action:** Make sure that the first  $x,y,z$  coordinates are either all greater or all less than the second  $x,y,z$  coordinates.

**ORA-54526: multi or composite geometry must be decomposed before extraction**

**Cause:** The extraction could not be performed because the multi or composite geometry must first be decomposed into simple geometries (with or without inner geometries). The multi or composite geometry had a gtype of GTYPE\_

---

MULTISOLID, GTYPE\_MULTISURFACE, GTYPE\_MULTICURVE, GTYPE\_MULTIPOINT, or GTYPE\_COLLECTION, or the geometry was a line string.

**Action:** Use the MULTICOMP\_TOSIMPLE parameter to element extractor to decompose the multi or composite geometry to a simple geometry.

**ORA-54527: operation not permitted on a simple geometry**

**Cause:** A MULTICOMP\_TOSIMPLE parameter to element extractor was attempted on a geometry that is already simple.

**Action:** Do not use the MULTICOMP\_TOSIMPLE parameter to element extractor on simple geometries.

**ORA-54528: inner composite surfaces or surfaces with inner ring(s) expected**

**Cause:** An INNER\_OUTER parameter to element extractor was attempted on a surface that was not simple or composite.

**Action:** Ensure that the etype of the geometry for the INNER\_OUTER parameter to element extractor is ETYPE\_SURFACE or ETYPE\_COMPOSITESURFACE.

**ORA-54529: geometry should have multi-level hierarchy (like triangle)**

**Cause:** The geometry did not have the multi-level hierarchy required for this operation. For example, if the parameter to element extractor (hierarchy level) is not LOWER\_LEVEL, but the geometry etype is ETYPE\_SOLID and gtype is GTYPE\_SOLID, an extract operation is not allowed, because a simple solid can only be decomposed into lower level geometries, such as composite surfaces.

**Action:** Ensure that the geometry has the appropriate hierarchy. For example, if the geometry etype is ETYPE\_SOLID and gtype is GTYPE\_SOLID, the parameter to element extractor (hierarchy level) should be LOWER\_LEVEL.

**ORA-54530: invalid etype for element at element offset**

**Cause:** An invalid etype was encountered.

**Action:** Correct the etype of the geometry.

**ORA-54531: invalid orientation for element at element offset**

**Cause:** The orientation of the current geometry was not valid.

**Action:** Reverse the orientation of the geometry.

**ORA-54532: incomplete composite surface**

**Cause:** The end of composite surface was reached before all necessary surfaces were defined.

**Action:** Add more surfaces to match the geometry definition, or reduce the specified number of surfaces.

**ORA-54533: invalid etype in composite surface of solid**

**Cause:** The etype of the composite surface of a solid was not valid.

**Action:** Ensure that the etype is orient\*1000+ETYPE\_SOLID, where orient is 1 for outer solid and 2 for inner solid.

**ORA-54534: incorrect box surface due to wrong specification**

**Cause:** The elemInfo definition was not correct for the surface of the axis aligned box.

**Action:** Change the interpretation to 3 in the elemInfo definition.

**ORA-54535: incorrect box surface because it is on arbitrary plane**

---

**Cause:** The axis aligned box surface was not on the yz, xz, or xy plane.

**Action:** Ensure that the first and fourth coordinates, or the second and fifth coordinates, or the third and sixth coordinates are the same. This means that the surface is on the yz, xz or xy plane, respectively.

**ORA-54536: axis aligned box surface not defined properly**

**Cause:** The inner geometry etype did not start with 2, or the outer geometry etype did not start with 1, or both occurred.

**Action:** Use the correct etype for the inner and outer geometries.

**ORA-54537: incorrect box surface due to wrong orientation**

**Cause:** The rectangular surface in shortcut format did not have its first x,y,z coordinates all greater than or equal to or all less than or equal to its second x,y,z coordinates.

**Action:** Ensure that the first x,y,z coordinates are either all greater than or equal to or all less than or equal to the second x,y,z coordinates.

**ORA-54538: unexpected gtype**

**Cause:** The gtype of the geometry was not GTYPE\_SOLID, GTYPE\_SURFACE, GTYPE\_CURVE or GTYPE\_POINT.

**Action:** Correct the elemInfo array to fix any invalid gtype and etypes that violate the geometry hierarchy.

**ORA-54539: cannot process the geometry(s) for this operation**

**Cause:** The geometry had errors in it.

**Action:** Validate the geometry or geometries to ensure that each is valid.

**ORA-54540: at least one element must be a surface or solid**

**Cause:** One of the geometries had holes, and the geometries were neither (A) simple, composite, or multisurfaces, or (B) simple, composite, or multisolids. (Surfaces and solids are the only geometries that can have holes. Points and curves cannot have holes.)

**Action:** Ensure that each geometry having holes is a surface or solid (simple, composite, or multi).

**ORA-54545: holes incorrectly defined**

**Cause:** The holes were defined with incorrect etype.

**Action:** Ensure that the etype is correct in the definition of the inner geometry.

**ORA-54546: volume of solid cannot be 0 or less**

**Cause:** The solid geometry having one outer and multiple inner geometries had a negative or zero volume.

**Action:** Correct the orientation or specification of the outer solid geometry to obey outer geometry rules so that the outer geometry has a positive volume.

Additionally, correct the orientation or specification of inner solid geometries to obey inner geometry rules so that each inner geometry has a negative volume.

**ORA-54547: wrong input for COUNT\_SHARED\_EDGES**

**Cause:** The COUNT\_SHARED\_EDGES parameter value was not 1 or 2.

**Action:** Ensure that the COUNT\_SHARED\_EDGES parameter value is either 1 or 2.

---

**ORA-54548: input geometry gtype must be GTYPE\_POLYGON for extrusion**

**Cause:** The input geometry gtype was not GTYPE\_POLYGON.

**Action:** Ensure that the gtype of the input polygon is GTYPE\_POLYGON.

**ORA-54549: input geometry has incorrect elemInfo**

**Cause:** The input 2-D polygon did not have only one outer ring.

**Action:** Ensure that the input 2-D polygon has only one outer ring.

**ORA-54550: input 2-D polygon not valid**

**Cause:** The 2-D polygon violated the rules for polygons and rings.

**Action:** Correct the polygon definition.

**ORA-54551: grdHeight and/or Height array sizes incorrect**

**Cause:** The sizes of grdHeight and Height arrays were not equal to half the size of input 2-D polygon's ordinates array. As a result, each point in the 2-D polygon could not be extruded from the grdHeight entry to the Height entry.

**Action:** Ensure that the sizes of the grdHeight and Height arrays are half that of input 2-D polygon ordinates array.

**ORA-54552: height entries must be >= to ground height entries**

**Cause:** In the definition of a solid, the height values were less than the ground height.

**Action:** Ensure that that height values are greater than or equal to ground height values.

**ORA-54553: incorrect geometry for appending**

**Cause:** The geometry could not be appended to a homogeneous collection (for example, multi-geometry) or to a heterogeneous geometry (for example, collection). In other words, the gtype of the geometry to be appended was neither GTYPE\_COLLECTION or GTYPE\_MULTI-X (where X is point, curve, surface, or solid).

**Action:** Ensure that the geometries involved in the append operation have appropriate gtypes.

**ORA-54554: arcs are not supported as defined**

**Cause:** An arc was defined in a geometry type in which arcs are not supported. Arcs are supported for 2-D (circle) polygons, 2-D compound polygons, 2-D single arc, and 2-D compound (composite) curves only.

**Action:** Remove or simplify the arcs.

**ORA-54555: invalid geometry dimension**

**Cause:** The geometry did not have three dimensions.

**Action:** Ensure that geometry has three dimensions.

**ORA-54556: operation is not supported for 3-D geometry**

**Cause:** A 3-D geometry was passed into an operation that supports only 2-D geometries.

**Action:** Check the Spatial documentation for operations that are supported and not supported on 3-D geometries.

**ORA-54557: incomplete composite solid**

---

**Cause:** The end of composite solid was reached before all necessary solids were defined.

**Action:** Add more solids to match the geometry definition, or reduce the specified number of solids.

**ORA-54601: CREATE\_PC: invalid parameters for creation of Point Cloud**

**Cause:** An invalid or unknown parameter was specified in the creation of Point Cloud.

**Action:** Check for valid set of parameters.

**ORA-54602: CREATE\_PC: input points table *string* does not exist**

**Cause:** The specified table for loading points into a Point Cloud did not exist.

**Action:** Create the points table with appropriate columns, and then create the Point Cloud.

**ORA-54603: CREATE\_PC: specified total dimensionality cannot exceed 8**

**Cause:** The specified total dimensionality for the Point Cloud exceeded the maximum limit of 8.

**Action:** Create the Point Cloud with fewer dimensions. You can store the rest in the output points table.

**ORA-54604: CREATE\_PC: input points table should not be empty**

**Cause:** The input points table had no data.

**Action:** Insert data into the input points table and then create the Point Cloud.

**ORA-54605: CREATE\_PC: scratch-tables/views (*string*) exist and need to be dropped**

**Cause:** Transient tables/views from a previous CREATE\_PC operation were still in existence.

**Action:** Delete the invalid Point Cloud from the base table (for cleanup of scratch tables), and initialize and create the Point Cloud again. Alternately, use SDO\_UTIL.DROP\_WORK\_TABLES with oidstring as the parameter.

**ORA-54607: CREATE\_PC: error fetching data from input points table**

**Cause:** An internal read error occurred during Point Cloud creation.

**Action:** Contact Oracle Support Services with the error number reported.

**ORA-54608: CREATE\_PC: error writing Point Cloud LOB**

**Cause:** An internal LOB write error occurred during Point Cloud creation. The cause might be lack of table space.

**Action:** Look for information from other errors in the stack, or contact Oracle Support Services with the error number reported.

**ORA-54609: CREATE\_PC: input extent cannot be null**

**Cause:** The extent of the Point Cloud was null.

**Action:** Specify an extent for the Point Cloud that is not null.

**ORA-54610: CREATE\_PC: input extent cannot be more than 2-D for geodetic data**

**Cause:** The extent of the Point Cloud was more than 2-D for geodetic data.

**Action:** Change the extent to 2-D (longitude, latitude).

**ORA-54611: INIT: either invalid basetable/schema or they do not exist**

---

**Cause:** The base table or schema, or both, were invalid strings; or the base table and schema combination did not exist.

**Action:** Ensure that the specified base table exists in the specified schema before performing the initialization operation.

**ORA-54613: INIT: internal error creating DML trigger**

**Cause:** The necessary privileges to create the trigger were not granted.

**Action:** Grant the necessary privileges to create the trigger. If necessary, contact Oracle Support Services for help with privileges for trigger creation.

**ORA-54614: INIT: block table name has to be unique**

**Cause:** The specified block table name was not unique. For example, it might have been used for another block table.

**Action:** Specify a different block table name.

**ORA-54616: INIT: internal error [number, string]**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services.

**ORA-54617: CLIP\_PC: invalid Point Cloud; extent is empty**

**Cause:** The input Point Cloud for the CLIP\_PC operation was invalid.

**Action:** Specify a point cloud that was created using the CREATE\_PC procedure.

**ORA-54618: CLIP\_PC: SRIDs of query and Point Cloud are incompatible**

**Cause:** The Point Cloud and the query geometry had incompatible SRID values.

**Action:** Change the query SRID to be compatible with that of the Point Cloud.

**ORA-54619: CLIP\_PC: query and BLKID parameters cannot both be null**

**Cause:** Both the query and BLKID parameters were null in the call to the CLIP\_PC operation.

**Action:** Either specify a query geometry that is not null, or specify a BLKID for use as a query.

**ORA-54620: CLIP\_PC: internal error [number, string]**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services.

**ORA-54621: TO\_GEOMETRY: TOTAL\_DIMENSIONALITY not same as in INIT operation**

**Cause:** The specified TOTAL\_DIMENSIONALITY was invalid.

**Action:** Ensure that the TOTAL\_DIMENSIONALITY matches that specified in the call to the initialization operation.

**ORA-54622: TO\_GEOMETRY: internal error [number, string]**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services.

**ORA-54623: CREATE\_PC: internal error [number, string]**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services.

**ORA-54640: PARTITION\_TABLE utility: invalid input parameters [number, string]**

---

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services.

**ORA-54641: PARTITION\_TABLE utility: scratch tables exist with oidstr = *string***

**Cause:** Scratch tables/views could not be created because they already existed.

**Action:** Use SDO\_UTIL.DROP\_WORK\_TABLES with the specified oidstr parameter to clean up the scratch tables.

**ORA-54642: PARTITION\_TABLE utility: invalid SORT\_DIMENSION specified**

**Cause:** An invalid string was specified for the SORT\_DIMENSION.

**Action:** Specify the SORT\_DIMENSION as "BEST\_DIM", "DIMENSION\_1", "DIMENSION\_2", or "DIMENSION\_3".

**ORA-54643: PARTITION\_TABLE utility: invalid WORKTABLESPACE parameter**

**Cause:** An invalid string was specified for the WORKTABLESPACE parameter.

**Action:** Specify an existing valid tablespace for WORKTABLESPACE (to hold the scratch tables).

**ORA-54644: PARTITION\_TABLE utility: error in reading input, output tables**

**Cause:** The names for the input/output tables were invalid, or the tables did not exist or did not have the right structure.

**Action:** Check the Spatial documentation for PARTITION\_TABLE.

**ORA-54651: CREATE\_TIN: invalid parameters specified in creation of TIN**

**Cause:** An invalid or unknown parameter was specified in the creation of the TIN.

**Action:** Check the Spatial documentation for CREATE\_TIN.

**ORA-54652: CREATE\_TIN: input points table *string* does not exist**

**Cause:** The specified table for loading points into a TIN did not exist.

**Action:** Create the points table with appropriate columns, and then create the TIN.

**ORA-54653: CREATE\_TIN: specified total dimensionality cannot exceed 8**

**Cause:** The specified total dimensionality for the TIN exceeded the maximum limit of 8.

**Action:** Create the TIN with fewer dimensions. You can store the rest in the output points table.

**ORA-54654: CREATE\_TIN: input points table should not be empty**

**Cause:** The input points table had no data.

**Action:** Insert data into the input points table, and then create the TIN.

**ORA-54655: CREATE\_TIN: scratch tables/views(*string*) exist and need to be dropped**

**Cause:** Transient tables from previous CREATE\_TIN operation still existed.

**Action:** Delete the invalid TIN from the base table (for cleanup of scratch tables), and initialize and create the TIN again. Alternately, use SDO\_UTIL.DROP\_WORK\_TABLES with oidstring as its parameter.

**ORA-54656: CREATE\_TIN: error fetching data from input points table**

**Cause:** An internal read error occurred during TIN creation.

**Action:** Contact Oracle Support Services with the error number reported.

- 
- ORA-54657: CREATE\_TIN: error writing TIN LOB**  
**Cause:** An internal LOB write error occurred during TIN creation. The cause might be lack of table space.  
**Action:** Look for information from other errors in the stack, or contact Oracle Support Services with the error number reported.
- ORA-54658: CREATE\_TIN: input extent cannot be null**  
**Cause:** The extent of the TIN was null.  
**Action:** Specify an extent for the TIN that is not null.
- ORA-54659: CREATE\_TIN: input extent has to be 2-D for geodetic data**  
**Cause:** The extent of the TIN was more than 2-D for geodetic data.  
**Action:** Change the extent to 2-D (longitude, latitude).
- ORA-54660: CLIP\_TIN: invalid Point Cloud; extent is empty**  
**Cause:** The input TIN for the CLIP\_TIN operation was invalid.  
**Action:** Specify a TIN that was created using the CREATE\_TIN operation.
- ORA-54661: CLIP\_TIN: SRIDs of query and TIN are incompatible**  
**Cause:** The TIN and the query geometry had incompatible SRID values.  
**Action:** Change the query geometry SRID to be compatible with that of TIN.
- ORA-54662: CLIP\_TIN: query and blkid parameters cannot both be null**  
**Cause:** Both the query and blkid parameters were null in the call to the CLIP\_TIN operation.  
**Action:** Either specify a query geometry that is not null, or specify a blkid for use as a query.
- ORA-54663: CLIP\_TIN: internal error [number, string]**  
**Cause:** An internal error occurred.  
**Action:** Contact Oracle Support Services.
- ORA-54664: TO\_GEOMETRY: internal error [number, string]**  
**Cause:** An internal error occurred.  
**Action:** Contact Oracle Support Services.
- ORA-54665: CREATE\_TIN: internal error [number, string]**  
**Cause:** An internal error occurred.  
**Action:** Contact Oracle Support Services.  
 ////////////////////////////////////// 55200 - 55300  
 Reserved for MGD RFID Exceptions  
 //////////////////////////////////////
- ORA-55200: Java exception from tag data translation java stack**  
**Cause:** Java exceptions.  
**Action:** Turn on java output by calling `dbms_java.set_output(OUTPUT_SIZE)`; Set java logging level by calling `MGD_ID_UTL.setJavaLoggingLevel("INFO")`; Analyze java logging messages.
- ORA-55201: Tag data translation category not found**  
**Cause:** No matching category ID could be found.

---

**Action:** Make sure the input category name, category version or category ID is correct.

**ORA-55202: Tag data translation scheme not found**

**Cause:** No matching scheme could be found for the input data format.

**Action:** Make sure the input data format is supported and correct.

**ORA-55203: Tag data translation level not found**

**Cause:** No matching level could be found for the input data format.

**Action:** Make sure the input data format is supported and correct.

**ORA-55204: Tag data translation option not found**

**Cause:** No matching option could be found for the input data format.

**Action:** Make sure the input data format is supported and correct.

**ORA-55205: Tag data translation field validation failed**

**Cause:** Invalid field value.

**Action:** Make sure the field value of the input data is within the range specified in the tag data translation XML.

**ORA-55206: Tag data translation field not found**

**Cause:** Invalid input field.

**Action:** Make sure the spellings of the input fields are correct.

**ORA-55207: Tag data translation rule evaluation failure**

**Cause:** Error occurred when idcode translator tried to evaluate the rule specified in the tag data translation XML.

**Action:** Java proxy must be set in order to evaluate manager look up rules. Call `MGD_ID_UTL.setProxy(PROXY_HOST, PROXY_PORT)` to enable java proxy.

**ORA-55208: Too many matching levels were found for the input data**

**Cause:** Necessary field values were missing.

**Action:** Add additional field value pairs that are necessary to determine a unique matching level.

**ORA-55300: model *string* does not exist**

**Cause:** The specified model could not be found.

**Action:** Make sure that the model has been created.

**ORA-55301: rulebase *string* does not exist**

**Cause:** The specified rulebase could not be found.

**Action:** Make sure that the rulebase has been created.

**ORA-55302: insufficient privileges *string***

**Cause:** Sufficient privileges were not granted.

**Action:** Ask the database administrator to grant the appropriate privileges.

**ORA-55303: SDO\_RDF\_TRIPLE\_S constructor failed: *string***

**Cause:** SDO\_RDF\_TRIPLE\_S constructor failed.

**Action:** Check the stack trace for additional information.

**ORA-55304: specified reuse-bNode model-id *string* != target model-id *string***

---

**Cause:** The reuse-bNode model-id specified for the SDO\_RDF\_TRIPLE\_S constructor was neither 0 nor the model-id of the target model.

**Action:** Make sure that the reuse-bNode model is either 0 or the model-id of the target model.

**ORA-55305: reification constructor functions not supported**

**Cause:** Unsupported reification constructor functions were used.

**Action:** Insert each triple in the reification quad individually. See documentation for more information.

**ORA-55306: internal error: invalid *string*: value\_name=*string* value\_type=*string***

**Cause:** The value type of this component of the RDF triple was invalid.

**Action:** This is an internal error. Contact Oracle Support Services.

**ORA-55307: invalid value type for lexical value: *string***

**Cause:** The value type of this lexical value was invalid.

**Action:** Make sure that the lexical value format is correct. If this error occurs during bulk load from a staging table, then this may be an internal error. Contact Oracle Support Services.

**ORA-55308: invalid time zone *string* for lexical value *string***

**Cause:** The time zone of this lexical value was invalid.

**Action:** Make sure that the lexical value format is correct. If this error occurs during bulk load from a staging table then this may be an internal error. Contact Oracle Support Services.

**ORA-55309: hash collision resolution failed for lexical value *string***

**Cause:** Attempts to resolve hash collision exceeded the maximum retry count.

**Action:** This may be an internal error. Contact Oracle Support Services.

**ORA-55310: parse failed for the *string* lexical value: *string***

**Cause:** Attempts to insert the specified lexical value failed.

**Action:** This may be an internal error. Contact Oracle Support Services.

**ORA-55311: invalid value type *string* for long lexical value *string***

**Cause:** The value type of this long (length > 4000) lexical value was invalid.

**Action:** Make sure that the long value has a valid value type.

**ORA-55312: parse failed for triple: id-form: *string string string***

**Cause:** Attempts to insert triple failed.

**Action:** This may be an internal error. Contact Oracle Support Services.

**ORA-55313: SDO\_RDF\_TRIPLE\_S constructor failed to process triple containing bNode**

**Cause:** The SDO\_RDF\_TRIPLE\_S constructor without bNode reuse option was invalid for triple containing bNode.

**Action:** Use SDO\_RDF\_TRIPLE\_S constructor that allows bNode reuse.

**ORA-55314: invalid temporary table name (*string*) for use with batch load**

**Cause:** Specified temporary table name was not valid.

**Action:** See documentation for rules for temporary table name validity.

---

**ORA-55315: batch load attempt failed: *string***

**Cause:** The batch load operation failed.

**Action:** This may be an internal error. Contact Oracle Support Services.

**ORA-55316: model *string* does not match model *string* for table and column**

**Cause:** This column of the table was not associated with the specified model.

**Action:** Make sure to use the correct target model.

**ORA-55317: model *string* already exists**

**Cause:** A model with the specified name was already present.

**Action:** Choose a different model name, or delete the existing model and create a new model with the specified name.

**ORA-55318: column *string* in table *string* already contains data**

**Cause:** At model creation time, the table column contained data.

**Action:** Ensure that the table column does not contain data before model creation.

**ORA-55319: model *string* create attempt failed: *string***

**Cause:** The attempt to create the specified model did not succeed.

**Action:** This may be an internal error. Contact Oracle Support Services.

**ORA-55320: model *string* drop attempt failed: *string***

**Cause:** The attempt to drop the specified model did not succeed.

**Action:** This may be an internal error. Contact Oracle Support Services.

**ORA-55321: network already exists**

**Cause:** Attempt to create the network failed because the network already existed.

**Action:** If necessary, drop the network before trying to recreate the network.

**ORA-55322: model(s) exist**

**Cause:** An attempt was made to drop a network that contained one or more models.

**Action:** Drop all the model(s) and then retry the operation.

**ORA-55323: rulebase(s) exist**

**Cause:** An attempt was made to drop a network that contained one or more rulebases.

**Action:** Drop all the rulebase(s) and then retry the operation.

**ORA-55324: no rulebases specified**

**Cause:** Rulebases for the operation were not specified.

**Action:** Specify at least one rulebase.

**ORA-55325: rulebase or rules index *string* already exists *string***

**Cause:** A rulebase or rules index with the specified name already existed.

**Action:** Choose a different name, or delete the existing rulebase or rules index.

**ORA-55326: rules index (*string*) create attempt failed: *string***

**Cause:** The attempt to create the specified rules index did not succeed.

**Action:** This may be an internal error. Contact Oracle Support Services.

- 
- ORA-55327: rule *string* yields a triple with a literal subject or predicate**  
**Cause:** The specified rule created an invalid triple containing a literal in the subject or predicate position.  
**Action:** Check and modify the rule to avoid creation of invalid triple.
- ORA-55328: literal value *string* insert attempt failed**  
**Cause:** The attempt to create the specified literal value failed.  
**Action:** This may be an internal error. Contact Oracle Support Services.
- ORA-55329: same model *string* specified more than once in the list of models**  
**Cause:** The specified model occurred more than once in the list of models.  
**Action:** Eliminate duplicate occurrences of the model in the list of models.
- ORA-55330: rulebase or rules index *string* is busy**  
**Cause:** The specified rulebase or rules index was busy and could not be used.  
**Action:** Retry your operation later.
- ORA-55331: user owns RDF objects**  
**Cause:** The user could not be dropped because it owns RDF objects.  
**Action:** Drop the RDF objects and then retry.
- ORA-55370: input parameter not a zero or positive integer**  
**Cause:** The input parameter was not zero or a positive integer.  
**Action:** Change the input parameter to zero or a positive integer.
- ORA-55371: RDF rules index "*string*" exists for different model-rulebase combination**  
**Cause:** A rules index with the specified name has already been built for a different model-rulebase combination.  
**Action:** Specify a different rules index name, or drop the existing rules index and then create a new rules index with that name.
- ORA-55372: entailment (rules index) "*string*" already exists**  
**Cause:** The entailed graph (rules index) already exists.  
**Action:** Specify a different rules index name, or drop the existing rules index and then create a new rules index with that name.
- ORA-55373: inference internal error: *string***  
**Cause:** An unexpected internal error condition occurred.  
**Action:** Check the error message and the stack trace.
- ORA-55374: query constants not in the database; no rows selected**  
**Cause:** URIs or literals used in the query did not exist in the database.  
**Action:** Check the query, and ensure that the URIs or literals do exist.
- ORA-55375: cannot drop table "*string*" because this table owns RDF objects**  
**Cause:** A table containing RDF data could not be dropped without first dropping its RDF model.  
**Action:** Drop the corresponding RDF model or models, and then drop the table.
- ORA-55376: cannot alter or drop column "*string*" because this column owns RDF objects**

---

**Cause:** A table column containing RDF data could not be altered or dropped without first dropping its RDF model.

**Action:** Drop the corresponding RDF model or models, and then alter or drop the column.

**ORA-55377: number of triples less than 1 or null error indication marker**

**Cause:** An internal error occurred during validation. The number of triples was less than 1 or the error indication marker was null.

**Action:** Check the input parameters, and ensure that the number of triples is 1 or greater and that the error indication marker is not null; or contact Oracle Support Services.

**ORA-55378: invalid error code**

**Cause:** An invalid error code was passed in during validation.

**Action:** Specify a valid error code.

**ORA-55379: too many triples**

**Cause:** An internal error occurred during validation. Too many triples were passed in.

**Action:** Specify a valid number of triples for the operation, or contact Oracle Support Services.

**ORA-55430: query pattern is null**

**Cause:** The query pattern specified in the SEM\_MATCH query was null.

**Action:** Modify the query pattern to be non-null.

**ORA-55455: rules index status not recognized ( *string* )**

**Cause:** The specified rules index status was not recognized.

**Action:** Ensure that the rules index status is VALID, INCOMPLETE, or INVALID, and retry the operation.

**ORA-55456: no valid rules index for this model-rulebase combination**

**Cause:** A valid rules index did not exist for specified combination of models and rulebases.

**Action:** Create a rules index for the specified models and rulebases combination, or use a combination of models and rulebases for which a rules index exists, and retry the operation. Also ensure that the rules index status matches the status for the rules index specified in the query.

**ORA-55457: predicate not found in model**

**Cause:** The predicate value passed in as an argument to the semantic operator did not exist in the model.

**Action:** In the query using semantic operators, use a predicate value that exists in the model and retry the operation.

**ORA-55458: object not found in model**

**Cause:** The object value passed in as an argument to the semantic operator did not exist in the model.

**Action:** In the query using semantic operators, use an object value that exists in the model and retry the operation.

**ORA-55459: invalid parameter string**

---

**Cause:** The parameter string used in the creation of an index of type SEM\_INDEXTYPE had invalid or malformed parameters.

**Action:** See the documentation for information on how to write a valid parameter string.

**ORA-55460: incorrect usage of semantic operators**

**Cause:** There was a syntax error in the call to the SEM\_RELATED operator

**Action:** See the documentation for information on how to use the SEM\_RELATED operator. Check that the value returned by SEM\_RELATED is compared to 1 or 0.

**ORA-55461: no distance information available**

**Cause:** Distance information was not generated during rules index creation.

**Action:** Retry query without the SEM\_DISTANCE operator and/or without specifying bounds in the SEM\_RELATED operator. See the documentation for information on when distance information is generated.

**ORA-55462: internal error**

**Cause:** An internal error occurred during a semantic operator query or during the creation of an index of type SEM\_INDEXTYPE.

**Action:** Contact Oracle Support Services.

**ORA-55501: Backing out live transaction**

**Cause:** Flashback Transaction Backout was requested on a transaction that has not committed yet.

**Action:** Commit the transaction before using this feature.

**ORA-55502: Specified input transaction by name has no SCN hint**

**Cause:** The specified transaction names for Flashback Transaction Backout was missing an SCN hint.

**Action:** Provide an SCN hint, and guarantee that the named transactions start before the given SCN.

**ORA-55503: Mining finished without seeing specified transactions**

**Cause:** The SCN hit passed was not good. The SCN hit may have come after the start of any of the input transactions.

**Action:** Give a lesser and more conservative SCN hint, with greater probability of having seen the start of a transaction.

**ORA-55504: Transaction conflicts in NOCASCADE mode**

**Cause:** Transactions other than the ones specified conflicts with the specified transactions.

**Action:** Try using other options like NONCONFLICT\_ONLY or CASCADE or NOCASCADE\_FORCE.

**ORA-55505: DDL done on an interesting object after mining start SCN**

**Cause:** The Flashback Transaction Backout process encountered an interesting object which had its last DDL operation done on it after the mining start time. An interesting object is one that has been modified by either the specified transactions or any of their dependents.

**Action:** Specify transactions that have committed after the last DDL done on all the objects they touched.

---

**ORA-55506: Transaction performed unsupported change**

**Cause:** A transaction in the dependency DAG performed some

**Action:** The specified transaction cannot be backed out.

**ORA-55507: Encountered mining error during Flashback Transaction Backout.**  
**function:***string*

**Cause:** Mining error.

**Action:** None

**ORA-55508: Invalid input to Flashback Transaction Backout**

**Cause:** Null varrays passed or invalid input specified

**Action:** Specify properly formed varrays and valid options

**ORA-55509: Creation of dependencies could not finish**

**Cause:** One or more input transaction or any of its dependents are not committed or have been aborted after more than 1 minute of calling the backout function.

**Action:** Commit all the active transactions associated with this table and try again.

**ORA-55510: Mining could not start**

**Cause:** Mining could not start for the following reasons.

1. A logminer session was processing
2. The database was not mounted or not opened for read and write
3. Minimum supplemental logging was not enabled
4. Archiving was not enabled

**Action:** Fix the mentioned problems and try again. Note that if you enable supplemental logging now, you will not be able to remove a transaction that has committed without supplemental logging.

**ORA-55511: Flashback Transaction experienced error in executing undo SQL**

**Cause:** There was a constraint violation exception when executing in NOCASCADE\_FORCE mode. Users could also get this error if appropriate supplemental logging is not enabled causing constraint dependencies to go unnoticed.

**Action:** Either use CASCADE or NONCONFLICT\_ONLY options or add appropriate level for supplemental logging.

**ORA-55512: Backing out PDML or XA-RAC transaction**

**Cause:** One of the transactions in the dependency graph was a PDML transaction or a local transaction which is a branch of a global XA transaction, spanning multiple RAC instances. Currently flashback transaction does not support this type of transaction.

**Action:** None

**ORA-55513: Backing out an AQ transaction**

**Cause:** One of the transactions in the dependency graph touched an AQ table. As AQ externalizes database information, these transactions are not backed out, as the entire effects of the transaction cannot be seen from inside the database.

**Action:** None

**ORA-55514: Backing out a DDL transaction**

---

**Cause:** One of the transactions in the dependency graph is a DDL transaction and could not be backed out.

**Action:** None

**ORA-55515: Mining sees input transaction changes without seeing transaction start**

**Cause:** The start SCN provided was higher than the transaction start but below the transaction commit. The result was only partial changes for the given transaction.

**Action:** Please provide a lower scn hint to flashback transaction.

**ORA-55518: Mining across reset logs**

**Cause:** Flashback Transaction Backout cannot work with missing changes. This error is thrown if we walk across a reset-logs branch, where we might have missed changes.

**Action:** If the user knows that the transaction happened in the current reset logs branch, then the SCN-hint is possibly incorrect. Provide an SCN in the current reset log branch.

**ORA-55519: Supplemental logging not available for mining SCN range**

**Cause:** Flashback Transaction cannot work if there are regions in the mining range where supplemental logging is not enabled.

**Action:** If you have provided a SCN/time hint which is approximate and far beyond the specified transaction start time, then readjust the SCN hint and try again. If the system has figured out the transaction start time or you are sure of the range, then the specified transaction cannot be backed out.

**ORA-55520: Log record in compatibility lower than 11.0**

**Cause:** The logical change record shows that the compatibility of the mined redo is lower than version 11.0. Flashback transaction works only on redo versions 11.0 and above.

**Action:** Advance the compatibility and try to back out transactions that have occurred after the compatibility increase.

**ORA-55557: Trigger 4144 corruption**

**Cause:** Above events used for testing corruption path

**Action:** None

**ORA-55558: *string* is not a corrupted transaction**

**Cause:** the given transaction is not in the corrupt list v\$corrupt\_xid\_list

**Action:** check v\$corrupt\_xid\_list

**ORA-55563: *number* is not a valid undo segment number**

**Cause:** the given usn is not a valid one

**Action:** check undo\$

**ORA-55564: *string* is not a valid transaction id**

**Cause:** the given txn is not a valid one

**Action:** check txn id

**ORA-55565: *string* is not a valid undo segment number**

**Cause:** the given usn is not a valid one

**Action:** check undo\$

---

**ORA-55600: The table "*string*"."*string*" is already enabled for Flashback Archive**

**Cause:** The specified table is already enabled for Flashback Archive.

**Action:** No action required.

**ORA-55601: The table "*string*"."*string*" cannot be enabled for Flashback Archive**

**Cause:** An attempt is made to enable Flashback Archive for a table which should never be enabled for Flashback Archive.

**Action:** Check the table name.

**ORA-55602: The table "*string*"."*string*" is not enabled for Flashback Archive**

**Cause:** An attempt was made to disable Flashback Archive on a table on which Flashback Archive is not enabled.

**Action:** Check the table name.

**ORA-55603: Invalid Flashback Archive command**

**Cause:** An invalid Flashback Archive command was specified.

**Action:** Check the SQL statement.

**ORA-55604: Incorrect tablespace is specified**

**Cause:** An attempt was made to add a tablespace that was already used by the Flashback Archive or remove a tablespace that was not used.

**Action:** Check the SQL statement.

**ORA-55605: Incorrect Flashback Archive is specified**

**Cause:** An attempt was made to operate on a Flashback Archive that does not exist, or to create a Flashback Archive that already exists.

**Action:** Check the SQL statement.

**ORA-55606: Event to modify archiver sleep time in seconds**

**Cause:** 30 seconds is recommended as the archiver sleep time for tests.

**Action:** The default archiver sleep time is 300 seconds

**ORA-55607: Event to enable debugging of archiver**

**Cause:** The purpose of this event is for debugging.

**Action:** Attach to process specified.

**ORA-55608: Default Flashback Archive does not exist**

**Cause:** The default Flashback Archive did not exist.

**Action:** Create the default Flashback Archive first.

**ORA-55609: Attempt to create duplicate default Flashback Archive**

**Cause:** An attempt was made to create a default Flashback Archive while one already exists.

**Action:** No action required.

**ORA-55610: Invalid DDL statement on history-tracked table**

**Cause:** An attempt was made to perform certain DDL statement that is disallowed on tables that are enabled for Flashback Archive.

**Action:** No action required.

**ORA-55611: No privilege to manage default Flashback Archive**

---

**Cause:** An attempt was made to create, alter, or drop the default Flashback Archive.

**Action:** No action required.

**ORA-55612: No privilege to manage Flashback Archive**

**Cause:** An attempt was made to create, alter, or drop a Flashback Archive.

**Action:** No action required.

**ORA-55613: Invalid Flashback Archive quota size**

**Cause:** An attempt was made to specify invalid Flashback Archive quota size.

**Action:** Specify size in MB, GB, TB, or PB.

**ORA-55614: AUM needed for transactions on tracked tables**

**Cause:** An attempt was made to execute DML on a tracked table without enabling Auto Undo Management.

**Action:** Disable tracking on the table or enable Auto Undo Management.

**ORA-55615: Event to test archiver scheduled internal tasks**

**Cause:** The purpose of this event is for testing.

**Action:** No action required.

**ORA-55616: Transaction table needs Flashback Archiver processing**

**Cause:** Too many transaction table slots were being taken by transactions on tracked tables.

**Action:** Wait for some amount of time before doing tracked transactions.

**ORA-55617: Flashback Archive "*string*" runs out of space and tracking on "*string*" is suspended**

**Cause:** Flashback archive tablespace quota is running out.

**Action:** Add tablespace or increase tablespace quota for the flashback archive.

**ORA-55618: Insufficient privilege to grant Flashback Archive privilege**

**Cause:** An attempt was made to grant Flashback Archive privilege.

**Action:** No action required.

**ORA-55619: Invalid privilege to grant on Flashback Archive**

**Cause:** An attempt was made to grant invalid privilege on a Flashback Archive object.

**Action:** Specify valid privilege.

**ORA-55620: No privilege to use Flashback Archive**

**Cause:** An attempt was made to enable Flashback Archive on a table without such privileges.

**Action:** No action required.

**ORA-55621: User quota on tablespace "*string*" is not enough for Flashback Archive**

**Cause:** An attempt was made to create or alter a Flashback Archive quota which is larger than the user's quota.

**Action:** No action required.

**ORA-55622: DML, ALTER and CREATE UNIQUE INDEX operations are not allowed on table "*string*".*string*"**

---

**Cause:** An attempt was made to write to or alter or create unique index on a Flashback Archive internal table.

**Action:** No action required. Only Oracle is allowed to perform such operations on Flashback Archive internal tables.

**ORA-55623: Flashback Archive "*string*" is blocking and tracking on all tables is suspended**

**Cause:** Flashback archive tablespace has run out of space.

**Action:** Add tablespace or increase tablespace quota for the flashback archive.

**ORA-55624: The table "*string*"."*string*" cannot be enabled for Flashback Archive at this point**

**Cause:** An attempt was made to enable Flashback Archive again on a table which was just disabled.

**Action:** Try again later.

**ORA-55625: Cannot grant Flashback Archive privilege to a role**

**Cause:** An attempt was made to grant or revoke Flashback Archive privilege to a role.

**Action:** No action required.

**ORA-55626: Cannot remove the Flashback Archive's primary tablespace**

**Cause:** An attempt was made to remove the primary tablespace of the Flashback Archive.

**Action:** No action required.

**ORA-55627: Flashback Archive tablespace must be ASSM tablespace**

**Cause:** An attempt was made to add a tablespace that was not an ASSM tablespace.

**Action:** Add tablespace that is created with segment space management auto.

**ORA-55628: Flashback Archive supports Oracle 11g or higher**

**Cause:** An attempt was made to create a Flashback Archive with incorrect compatible mode.

**Action:** Use compatible mode equal to 11.0 or higher

**ORA-55629: Event to test Flashback Archiver internal management tasks**

**Cause:** The purpose of this event is for testing.

**Action:** No action required.

**ORA-55630: Flashback Data Archive cannot be enabled on this object**

**Cause:** An attempt was made to enable Flashback Data Archive on an object which is not supported by Flashback Data Archive.

**Action:** Do not use Flashback Archive clause for this object.

**ORA-55631: Table has columns with data types that are not supported by Flashback Data Archive**

**Cause:** An attempt was made to add a column of data type that is not supported by Flashback Data Archive. Or, the table on which Flashback Data Archive is being enabled contains column(s) with data types not supported by Flashback Data Archive.

---

**Action:** Do not use FLASHBACK ARCHIVE clause for this object. If adding column, do not use LONG or Nested Table column data type.

**ORA-55700: Event to verify Cleanouts which use MinActiveScn**

**Cause:** Some LRGs run with this event on for testing.

**Action:** No action required.

**ORA-55710: Unable to alter system parameter GLOBAL\_TXN\_PROCESSES at this time**

**Cause:** The system was in the process of adjusting the number of global transaction background processes.

**Action:** Retry the operation at a later time.

**ORA-55711: Unable to bind clusterwide global transactions to compatible undo**

**Cause:** Undo tablespace was not online for automatic undo management.

**Action:** Create undo tablespace if it has not been created.

**ORA-55712: XA transactions on RAC are not supported with GLOBAL\_TXN\_PROCESSES set to 0**

**Cause:** The initialization parameter GLOBAL\_TXN\_PROCESSES was set to 0.

**Action:** Set the initialization parameter GLOBAL\_TXN\_PROCESSES to a value greater than 0.

**ORA-55713: GLOBAL\_TXN\_PROCESSES cannot be set to 0 at runtime**

**Cause:** An attempt was made to set initialization parameter GLOBAL\_TXN\_PROCESSES to 0 at runtime.

**Action:** Set the initialization parameter GLOBAL\_TXN\_PROCESSES to 0 before starting RAC instance to disable GTX background processes. Note that XA transactions are not supported on RAC database when GTX background processes are disabled.

**ORA-55800: NLS errors while processing Oracle number**

**Cause:** Error occurred when trying to convert Oracle number to an integer.

**Action:** Check the input parameters.

**ORA-56500: DRCP: Pool not found**

**Cause:** The pool name passed was either null or an invalid pool name.

**Action:** Input a valid pool name.

**ORA-56501: DRCP: Pool startup failed**

**Cause:** The connection pool failed to start up.

**Action:** Check logs for details.

**ORA-56502: DRCP: Pool is inactive**

**Cause:** The operation is only supported on an active pool.

**Action:** Start the pool.

**ORA-56503: DRCP: Pool is active**

**Cause:** The operation is only supported on an inactive pool.

**Action:** Shutdown the pool.

**ORA-56504: DRCP: Invalid pool configuration parameter name**

- 
- Cause:** The configuration parameter name is null or invalid input.  
**Action:** Input a valid configuration parameter name.
- ORA-56505: DRCP: Invalid pool configuration parameter value**  
**Cause:** The configuration parameter value is null or invalid input.  
**Action:** Input a valid configuration parameter value.
- ORA-56506: DRCP: Pool shutdown failed**  
**Cause:** Connection pool failed to shutdown.  
**Action:** Check logs for details.
- ORA-56507: DRCP: Pool alter configuration failed**  
**Cause:** Connection pool failed to configure pool.  
**Action:** Check logs for details.
- ORA-56508: DRCP: Pool startup failed**  
**Cause:** Connection Broker failed to startup the pool.  
**Action:** Check logs for details.
- ORA-56509: DRCP: Pool shutdown failed**  
**Cause:** Connection Broker failed to shutdown the pool.  
**Action:** Check logs for details.
- ORA-56510: DRCP: Pool alter configuration failed**  
**Cause:** Connection Broker failed to configure the pool.  
**Action:** Check logs for details.
- ORA-56511: DRCP: Cross instance synchronization failed**  
**Cause:** Publish message to all RAC instances failed.  
**Action:** Check logs for details.
- ORA-56512: DRCP: Failed to synchronize RAC instances [*string*]**  
**Cause:** Some of the RAC instances were not synchronized.  
**Action:** Perform the same operations on all the failed instances.
- ORA-56513: DRCP: Cannot perform requested operation using pooled connection**  
**Cause:** This operation was not supported using connections from a pool.  
**Action:** Use a regular connection to perform this operation.
- ORA-56514: DRCP: invalid value for maximum number of connections to Connection broker**  
**Cause:** The value passed exceeded the maximum allowed.  
**Action:** No action required. The maximum number of connections was automatically set to the maximum allowed value.
- ORA-56600: DRCP: Illegal Call**  
**Cause:** An illegal OCI function call was issued  
**Action:** Check the documentation for Database Resident connection pool usage
- ORA-56601: DRCP: Illegal connection class**  
**Cause:** Wrong value for connection class was given.

---

**Action:** Check the documentation for Database Resident connection pool usage.

**ORA-56602: DRCP: Illegal purity**

**Cause:** Wrong value for purity was provided.

**Action:** Check the documentation for Database Resident connection pool usage.

**ORA-56603: DRCP: Internal error**

**Cause:** Malformed input values.

**Action:** Input well-formed values.

**ORA-56604: DRCP: Length[*string*] for *string* exceeded the MAX allowed**

**Cause:** Length exceeded MAX for the value.

**Action:** Use a value within the MAX allowed.

**ORA-56605: DRCP: Session switching and migration not allowed**

**Cause:** Application tried to switch or migrate session across connections.

**Action:** This usage is irrelevant in the Database Resident connection pooling context and is not supported. Release existing session.

**ORA-56606: DRCP: Client version doesnot support the feature**

**Cause:** The client version is lower than 11g.

**Action:** Upgrade to a higher client version or turn off (SERVER=POOLED) in the connect string.

**ORA-56607: DRCP: Connection is already authenticated**

**Cause:** Attempt to reauthenticate the connection which is authenticated.

**Action:** Logoff the connection before reauthenticating.

**ORA-56608: DRCP: Server Group feature is not supported**

**Cause:** Server Group attribute was set on the server handle, connected to a Database Resident connection pool.

**Action:** Do not set Server Group attribute on server handles while using Database Resident connection pool.

**ORA-56609: Usage not supported with DRCP**

**Cause:** This usage was not supported on a DRCP connection.

**Action:** Use a dedicated connection to perform this task.

**ORA-56700: plan *string* is a subplan and SUB\_PLAN attribute cannot be modified**

**Cause:** An attempt was made to modify the SUB\_PLAN attribute of the specified plan.

**Action:** Do not attempt to modify the SUB\_PLAN attribute.

**ORA-56701: INTERNAL\_USE attribute of consumer group *string* cannot be modified**

**Cause:** An attempt was made to modify the INTERNAL\_USE attribute of the specified consumer group.

**Action:** Do not attempt to modify the INTERNAL\_USE attribute.

**ORA-56702: consumer group *string* is for internal use only and cannot be a switch target**

---

**Cause:** An attempt was made to specify an INTERNAL\_USE consumer group as a switch target.

**Action:** Do not attempt to switch to INTERNAL\_USE consumer groups.

**ORA-56703: VKTM process died unexpectedly**

**Cause:** An explicit kill or internal error caused the death of VKTM background process.

**Action:** Restart the instance.

**ORA-56704: EXPLICIT consumer group mapping priority must be set to 1**

**Cause:** An attempt was made to set the EXPLICIT mapping priority to a value other than 1.

**Action:** Set the mapping priorities to unique integers within the documented range with the EXPLICIT priority set to 1.

**ORA-56705: I/O calibration already in progress**

**Cause:** An attempt was made to run a second instance of I/O Calibration

**Action:** Wait until the first I/O calibration run is complete; then, retry the operation.

**ORA-56706: The specified Resource Manager plan is a subplan and cannot be set as a top-level plan**

**Cause:** An attempt was made to set a subplan as a top-level plan.

**Action:** Do not attempt to set subplans as top-level plans.

**ORA-56707: INTERNAL\_QUIESCE plan cannot be specified as a top-level Resource Manager plan**

**Cause:** An attempt was made to specify INTERNAL\_QUIESCE as a top-level Resource Manager plan.

**Action:** Do not attempt to set INTERNAL\_QUIESCE as a Resource Manager plan.

**ORA-56708: Could not find any datafiles with asynchronous i/o capability**

**Cause:** There are no datafiles which are asynchronous I/O capable.

**Action:** Make sure asynchronous i/o is permitted to datafiles.

**ORA-56709: timed\_statistics set to FALSE**

**Cause:** timed\_statistics parameter in database is set to FALSE. Needs to be enabled for calibration.

**Action:** set timed\_statistics=TRUE in init.ora or "alter system set timed\_statistics=TRUE"

**ORA-56710: DBRM process died unexpectedly**

**Cause:** An explicit kill or internal error caused the death of the DBRM background process.

**Action:** Restart the instance.

**ORA-56711: string is an invalid string argument**

**Cause:** The named argument is invalid.

**Action:** Specify a valid argument for this procedure.

**ORA-56713: Insufficient Resource Manager privileges**

---

**Cause:** An attempt was made to switch the consumer group of a user without the appropriate privilege.

**Action:** Ask the database administrator to perform the switch operation or grant switch or system privilege to the user.

**ORA-56714: Plan name *string* exceeds the maximum length allowed**

**Cause:** Plan name is greater than 30 characters long.

**Action:** Do not exceed 30 characters when naming a resource plan.

**ORA-56715: *string* resource plan contains a reserved word**

**Cause:** The specified plan name is prefixed with a reserved prefix such as FORCE or SCHED.

**Action:** Do not prefix resource plan name with FORCE or SCHED.

**ORA-56716: Category *string* does not exist**

**Cause:** A non-existent category was specified as an argument to a procedure in the package, DBMS\_RESOURCE\_MANAGER.

**Action:** Specify an existing category name or create a new category with this name.

**ORA-56717: SWITCH\_TIME is set without specifying SWITCH\_GROUP**

**Cause:** The plan directive specifies a SWITCH\_TIME without a SWITCH\_GROUP.

**Action:** Specify a SWITCH\_GROUP parameter in the plan directive.

**ORA-56718: Timeout occurred while setting resource plan**

**Cause:** A timeout occurred while waiting for one or more RAC instances to set the resource plan.

**Action:** Since the resource plan may have actually been set successfully, first check the current resource plan for each instance by querying gv\$src\_plan. If the resource plan was not successfully set on all instances, then retry the operation.

**ORA-56719: Error spawning or communicating with calibration slave**

**Cause:** An error occurred in calibration slave process - Calibration process aborted.

**Action:** Review trace files for errors.

**ORA-56720: I/O data limit exceeded - call aborted**

**Cause:** The Resource Manager SWITCH\_IO\_MEGABYTES limit was exceeded.

**Action:** Reduce the complexity of the update or query, or contact your database administrator for more information.

**ORA-56721: I/O data limit exceeded - session terminated**

**Cause:** The Resource Manager SWITCH\_IO\_MEGABYTES limit was exceeded.

**Action:** Reduce the complexity of the update or query, or contact your database administrator for more information.

**ORA-56722: I/O request limit exceeded - call aborted**

**Cause:** The Resource Manager SWITCH\_IO\_REQS limit was exceeded.

**Action:** Reduce the complexity of the update or query, or contact your database administrator for more information.

**ORA-56723: I/O request limit exceeded - session terminated**

---

**Cause:** The Resource Manager SWITCH\_IO\_REQS limit was exceeded.

**Action:** Reduce the complexity of the update or query, or contact your database administrator for more information.

**ORA-56725: Could not spawn additional calibration slaves**

**Cause:** An error occurred when spawning calibration slave process - Calibration process aborted.

**Action:** Check OS resources required for spawning processes

**ORA-56800: DSKM process died unexpectedly**

**Cause:** An explicit kill or internal error caused the death of the DSKM background process.

**Action:** Restart the instance.

**ORA-56900: bind variable is not supported inside pivot | unpivot operation**

**Cause:** Attempted to use bind variables inside pivot | unpivot operation.

**Action:** This is not supported.

**ORA-56901: non-constant expression is not allowed for pivot | unpivot values**

**Cause:** Attempted to use non-constant expression for pivot | unpivot values.

**Action:** Use constants for pivot | unpivot values.

**ORA-56902: expect aggregate function inside pivot operation**

**Cause:** Attempted to use non-aggregate expression inside pivot operation.

**Action:** Use aggregate function.

**ORA-56903: sys\_op\_pivot function is not allowed here**

**Cause:** invalid use of sys\_op\_pivot function.

**Action:** Remove sys\_op\_pivot function.

**ORA-56904: pivot value must have datatype that is convertible to pivot column**

**Cause:** Datatype of pivot value is not convertible to the datatype of pivot column.

**Action:** Check and correct pivot value.

**ORA-56950: Invalid value for incident identifier**

**Cause:** Invalid incident identifier argument passed.

**Action:** Check and correct the identifier

**ORA-56971: Invalid set of export options**

**Cause:** The options specified are inconsistent

**Action:** Check and a consistent set of option parameters

**ORA-56972: referenced file not found**

**Cause:** One of the file specified in the test case package is missing

**Action:** rebuild the SQL test case or make sure that all the referenced files are readable and located in the same directory as the SQL test case manifest.

**ORA-56973: import options do not match export options**

**Cause:** The import options specified do not match the export options

**Action:** Check that import is being invoked with the same values for options like export environment, export data and export metadata

---

**ORA-56974: Invalid set of import options**

**Cause:** The import options specified are inconsistent

**Action:** Check that import options are consistent and have valid values

---

## ORA-57000 to ORA-57000

**ORA-57000: TimesTen IMDB error:** *string, number, string*

**Cause:** An OCI interface error occurred during a TimesTen operation.

**Action:** Look up the error code in the TimesTen error documentation to diagnose.



---

---

## ORA-60001 to ORA-60025

**ORA-60001: adding (*string*) blocks to save undo segment in tablespace *string* with MAXSIZE (*string*)**

**Cause:** Save undo for the offline tablespace at segment MAXSIZE.

**Action:** Check the storage parameters for the system tablespace. The tablespace needs to be brought back online so the undo can be applied.

**ORA-60002: adding (*string*) blocks to temporary segment in tablespace *string* with MAXSIZE (*string*)**

**Cause:** Extending a temporary segment violated MAXSIZE limit.

**Action:** Increase the MAXSIZE limit and retry command.

**ORA-60003: adding (*string*) blocks to table *string.string* partition *string* with MAXSIZE (*string*)**

**Cause:** Extending a table partition violated MAXSIZE limit.

**Action:** Increase the MAXSIZE limit and retry command.

**ORA-60004: adding (*string*) blocks to table *string.string* with MAXSIZE (*string*)**

**Cause:** Extending a table violated MAXSIZE limit.

**Action:** Increase the MAXSIZE limit and retry command.

**ORA-60005: adding (*string*) blocks to cluster *string.string* with MAXSIZE (*string*)**

**Cause:** Extending a cluster violated MAXSIZE limit.

**Action:** Increase the MAXSIZE limit and retry command.

**ORA-60006: adding (*string*) blocks to index *string.string* partition *string* with MAXSIZE (*string*)**

**Cause:** Extending an index partition violated MAXSIZE limit.

**Action:** Increase the MAXSIZE limit and retry command.

**ORA-60007: adding (*string*) blocks to index *string.string* subpartition *string* with MAXSIZE (*string*)**

**Cause:** Extending an index subpartition violated MAXSIZE limit.

**Action:** Increase the MAXSIZE limit and retry command.

**ORA-60008: adding (*string*) blocks to index *string.string* with MAXSIZE (*string*)**

**Cause:** Extending an index violated MAXSIZE limit.

**Action:** Increase the MAXSIZE limit and retry command.

- 
- ORA-60009: adding (*string*) blocks to LOB segment *string.string* partition *string* with MAXSIZE (*string*)**  
**Cause:** Extending a LOB segment violated MAXSIZE limit.  
**Action:** Increase the MAXSIZE limit and retry command.
- ORA-60010: adding (*string*) blocks to LOB segment *string.string* with MAXSIZE (*string*)**  
**Cause:** Extending a LOB segment violated MAXSIZE limit.  
**Action:** Increase the MAXSIZE limit and retry command.
- ORA-60011: adding (*string*) blocks to lob segment *string.string* subpartition *string* with MAXSIZE (*string*)**  
**Cause:** Extending a LOB segment violated MAXSIZE limit.  
**Action:** Increase the MAXSIZE limit and retry command.
- ORA-60012: adding (*string*) blocks to table *string.string* subpartition *string* with MAXSIZE (*string*)**  
**Cause:** Extending a table subpartition violated MAXSIZE limit.  
**Action:** Increase the MAXSIZE limit and retry command.
- ORA-60013: invalid MAXSIZE storage option value**  
**Cause:** Invalid value was specified for MAXSIZE storage clause.  
**Action:** Correct the value and retry command.
- ORA-60014: invalid MAXSIZE storage option value**  
**Cause:** Minimum of 1M should have been specified against the MAXSIZE storage clause.  
**Action:** Correct the value and retry command.
- ORA-60015: invalid RETENTION storage option value**  
**Cause:** Value of MIN retention should have been nonzero.  
**Action:** Correct the value and retry command.
- ORA-60016: Operation not supported on SECUREFILE segment**  
**Cause:** The operation to ALTER FREELIST/RETENTION was not supported on SECUREFILE segment.  
**Action:** Check the LOB type and reissue the statement.
- ORA-60018: adding *string* blocks to rollback segment *string* with MAXSIZE (*string*)**  
**Cause:** Extending a rollback segment violated MAXSIZE limit.  
**Action:** Increase the MAXSIZE limit and retry command.
- ORA-60019: Creating initial extent of size *string* in tablespace of extent size *string***  
**Cause:** Creation of SECUREFILE segment failed due to small tablespace extent size.  
**Action:** Create tablespace with larger extent size and reissue command.
- ORA-60025: Event for temp segment cleanup used for temp lobs**  
**Cause:** Temp LOB segments used for temporary LOBs are deleted only on session exit which may lead to large amounts of memory being held across multiple sessions.

---

**Action:** Setting this event will cause temporary LOB segments to be freed when there are no active temporary LOBs in the session. Setting this event will have a significant performance impact as it can cause temporary lob segments to be allocated and deleted many times during a session rather than once per session. Use this event only when temporary LOB segment memory use is an issue.



---

---

## EXP-00000 to EXP-00113

**EXP-00000: Export terminated unsuccessfully**

**Cause:** Export encountered an Oracle error.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual, and take appropriate action.

**EXP-00001: data field truncation - column length=*number*, buffer size=*number* actual size=*number***

**Cause:** Export could not fit a column in the data buffer.

**Action:** Record the given size parameters and the accompanying messages and report this as an Export internal error to customer support. (Part of the table has been exported. Export will continue with the next table.)

**EXP-00002: error in writing to export file**

**Cause:** Export could not write to the export file, probably because of a device error. This message is usually followed by a device message from the operating system.

**Action:** Take appropriate action to restore the device.

**EXP-00003: no storage definition found for segment(*number*, *number*)**

**Cause:** Export could not find the storage definitions for a cluster, index, or table.

**Action:** Record the accompanying messages and report this as an Export internal error to customer support.

**EXP-00004: invalid username or password**

**Cause:** An invalid username or password was specified.

**Action:** Retry with a valid username and password.

**EXP-00005: all allowable logon attempts failed**

**Cause:** Attempts were repeatedly made to log on with an invalid username or password.

**Action:** Shut down the utility, then restart and retry with a valid username and password.

**EXP-00006: internal inconsistency error**

**Cause:** Export's data structure was corrupted.

**Action:** Record the accompanying messages and report this as an Export internal error to customer support.

**EXP-00007: dictionary shows no columns for *string.string***

---

**Cause:** Export failed to gather column information from the data dictionary. The table may have been dropped.

**Action:** Retry the export and, if this error recurs, report it as an Export internal error to customer support.

**EXP-00008: ORACLE error *number* encountered**

**Cause:** Export encountered the referenced Oracle error.

**Action:** Look up the Oracle message in the ORA message chapters of this manual and take appropriate action.

**EXP-00009: no privilege to export *string*'s table *string***

**Cause:** An attempt was made to export another user's table. Only a database administrator can export another user's tables.

**Action:** Ask your database administrator to do the export.

**EXP-00010: *string* is not a valid username**

**Cause:** An invalid username was specified.

**Action:** Shut down the utility, then restart and retry with a valid username.

**EXP-00011: *string.string* does not exist**

**Cause:** Export could not find the specified table.

**Action:** Retry with the correct table name.

**EXP-00012: *string* is not a valid export mode**

**Cause:** An invalid export mode was specified.

**Action:** Retry with a valid export mode.

**EXP-00013: respond with either "Y", "N", RETURN or "." to quit**

**Cause:** An invalid response was entered.

**Action:** Enter any of the responses shown in the message.

**EXP-00014: error on row *number* of table *string***

**Cause:** Export encountered an Oracle error while fetching rows.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual and take appropriate action.

**EXP-00015: error on row *number* of table *string*, column *string*, datatype *number***

**Cause:** Export encountered an error while fetching or writing the column. An accompanying message gives more information.

**Action:** Correct the error and try again.

**EXP-00016: ORACLE error encountered while reading default auditing options**

**Cause:** Export encountered an Oracle error while reading the default auditing options (those for updates, deletes, and so on).

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual and take appropriate action.

**EXP-00017: feature "*string*" is needed, but not present in database**

**Cause:** The command entered requires the specified feature. Either that feature is not installed, or the row describing the feature is missing from table V\$OPTION

**Action:** Reinstall Oracle with the feature specified in the message.

- 
- EXP-00018: datatype (*number*) for column *string*, table *string.string* is not supported**  
**Cause:** Export does not support the referenced datatype.  
**Action:** Retry with an acceptable datatype (CHAR, NUMBER, DATE, LONG, or RAW).
- EXP-00019: failed to process parameters, type "EXP HELP=Y" for help**  
**Cause:** Invalid command-line parameters were specified.  
**Action:** Check the online help screen for the set of valid parameters, then retry.
- EXP-00020: failed to allocate memory of size *number***  
**Cause:** Export failed to allocate the necessary memory.  
**Action:** Decrease the export buffer size so that less memory is required, or increase the runtime memory size for Export.
- EXP-00021: can only perform incremental export in Full Database mode**  
**Cause:** USER or TABLE mode was specified when doing an incremental export.  
**Action:** Specify FULL database mode (FULL=Y) and retry.
- EXP-00022: must be SYS or SYSTEM to do incremental export**  
**Cause:** The privileges needed to do an incremental export do not exist. Only a data base administrator can do incremental exports.  
**Action:** Ask the database administrator to do the incremental export.
- EXP-00023: must be a DBA to do Full Database or Tablespace export**  
**Cause:** The privileges needed to do a FULL database export do not exist. Only a database administrator can do a FULL database export.  
**Action:** Ask the database administrator to do the FULL database export.
- EXP-00024: Export views not installed, please notify your DBA**  
**Cause:** The necessary Export views were not installed.  
**Action:** Ask the database administrator to install the required Export views.
- EXP-00025: dictionary shows no column for constraint *string.number***  
**Cause:** Export failed to gather column information about the referenced constraint from the data dictionary. The constraint may have been altered.  
**Action:** Retry the export and, if this error recurs, report it as an Export internal error to customer support.
- EXP-00026: conflicting modes specified**  
**Cause:** Conflicting export modes were specified.  
**Action:** Specify only one parameter and retry.
- EXP-00027: failed to calculate ORACLE block size**  
**Cause:** Export failed to calculate the Oracle block size.  
**Action:** Report this as an Export internal error to customer support.
- EXP-00028: failed to open *string* for write**  
**Cause:** Export failed to open the export file for writing. This message is usually followed by device messages from the operating system.  
**Action:** Take appropriate action to restore the device.
- EXP-00029: Incremental export mode and consistent mode are not compatible**

---

**Cause:** Both consistent and incremental exports were specified.

**Action:** None. Consistent mode is turned off.

**EXP-00030: Unexpected End-Of-File encountered while reading input**

**Cause:** Encountered an End-Of-File while reading the user input.

**Action:** If input to export is being redirected, check the file for errors.

**EXP-00031: Arraysize not in valid range. Using arraysize=*number***

**Cause:** The arraysize value specified is not in the valid range.

**Action:** None

**EXP-00032: Non-DBAs may not export other users**

**Cause:** Only database administrators can export to other users. A non- database administrator attempted to specify owner=user where exporter is not the user.

**Action:** Request that this operation be performed by the database administrator.

**EXP-00033: Could not find environment character set**

**Cause:** The environment character set is missing or incorrectly specified.

**Action:** Ensure that the environment character set is correctly specified and is present.

**EXP-00034: error on rowid: file# *number* block# *number* slot# *number***

**Cause:** Identifies the rowid on which an error occurred.

**Action:** This is an information message. No action is required.

**EXP-00035: QUERY parameter valid only for table mode exports**

**Cause:** You specified the QUERY parameter in an export command, but you are not performing a table mode export. The QUERY parameter cannot be used for a user mode export, a full export, nor a point in time recovery export.

**Action:** If you want to select a subset of rows for a table, you must export the table independently with a table mode export. Issue a table mode export command that specifies the table name and the query you want to execute during export.

**EXP-00036: Object *number* non-existent in dictionary**

**Cause:** The specified object could not be found in the dictionary. The object might have been dropped during the export

**Action:** The object no longer exists; no action is needed.

**EXP-00037: Export views not compatible with database version**

**Cause:** The Export utility is at a higher version than the database version and is thereby incompatible.

**Action:** Use the same version of Export utility as the database.

**EXP-00038: Bad Hash cluster id in clu\$**

**Cause:** The function id in clu\$ is not a legal number. Clu\$ has become corrupted.

**Action:** Contact Worldwide Support

**EXP-00039: export file *string* must be on a disk**

**Cause:** On some platforms, export can read files from tape. This message is displayed if the first file in an export file set was on disk and you specified a tape device for a second or subsequent file.

---

**Action:** Verify that you have specified the correct file name for the export file. Remember that all export files can be either on disk or all files can be on tape, but not mixed both tape and disk.

**EXP-00040: Dump file and log file must be different**

**Cause:** The dump file and log file cannot be the same file.

**Action:** Specify different file names for the dump file and the log file, then retry the operation.

**EXP-00041: INCTYPE parameter is obsolete**

**Cause:** Export encountered the INCTYPE parameter when parsing Export options. Incremental Exports are no longer supported.

**Action:** Consult the Oracle Backup and Recovery guide. Export will attempt to continue.

**EXP-00042: Missing NLS\_CHARACTERSET/NLS\_NCHAR\_CHARACTERSET in props\$**

**Cause:** A value for NLS\_CHARACTERSET/NLS\_NCHAR\_CHARACTERSET was not entered in the props\$ table"

**Action:** internal error.

**EXP-00043: Invalid data dictionary information in the row where column "string" is "string" in table string**

**Cause:** The export utility retrieved invalid data from the data dictionary.

**Action:** Contact Oracle Worldwide Support.

**EXP-00044: must be connected "AS SYSDBA" to do Point-in-time Recovery or Transportable Tablespace import**

**Cause:** The user must log in "as SYSDBA" to perform transportable tablespace imports or Point-In-Time Recovery imports.

**Action:** Ask your database administrator to perform the Transportable Tablespace import or the Tablespace Point-in-time Recovery import.

**EXP-00045: Cannot export SYSTEM Tablespace for Point-in-time Recovery or Transportable Tablespace**

**Cause:** SYSTEM tablespace cannot be part of recovery set or transportable tablespace set.

**Action:** Contact Oracle Worldwide Support.

**EXP-00046: Tablespace named *string* does not exist**

**Cause:** The specified tablespace does not exist in dictionary.

**Action:** Contact Oracle Worldwide Support.

**EXP-00047: Missing tablespace name(s)**

**Cause:** Tablespace name(s) were not supplied

**Action:** Provide tablespace name(s)

**EXP-00048: Cannot export SYSAUX Tablespace for Point-in-time Recovery or Transportable Tablespace**

**Cause:** SYSAUX tablespace cannot be part of recovery set or transportable tablespace set.

**Action:** Contact Oracle Worldwide Support.

- 
- EXP-00049: *string* option is not compatible with Point-in-time Recovery or Transportable Tablespace Export**  
**Cause:** An option was specified incompatible with Point-in-time Recovery or Transportable Tablespace Export.  
**Action:** Retry the Export without the displayed option.
- EXP-00050: Cannot perform Partition Export "*string*" on non-partitioned table "*string*"**  
**Cause:** The table specified in this Partition Export is not a partitioned table.  
**Action:** Use Table mode, or specify a non-partitioned table.
- EXP-00051: "*string*" - given partition or subpartition name is not part of "*string*" table**  
**Cause:** The specified partition or subpartition name is not in the specified table.  
**Action:** Check if the correct table, partition or subpartition name was specified.
- EXP-00052: error on row *number* of partition *string***  
**Cause:** Export encountered the referenced Oracle error while fetching rows.  
**Action:** Look up the Oracle message in the ORA message chapters of this manual and take appropriate action.
- EXP-00053: unable to execute QUERY on table *string* because the table has inner nested tables**  
**Cause:** You specified the QUERY parameter on a table that has one or more inner nested tables. The QUERY parameter cannot be specified on tables that have inner nested tables.  
**Action:** Export the entire table by omitting the QUERY parameter.
- EXP-00054: error on row *number* of subpartition *string***  
**Cause:** Export encountered the referenced Oracle error while fetching rows.  
**Action:** Look up the Oracle message in the ORA message chapters of this manual and take appropriate action.
- EXP-00055: *string.string* is marked not exportable**  
**Cause:** An object was marked as non-exportable in the NOEXP\$ table.  
**Action:** Consult your database administrator.
- EXP-00057: Failure to initialize parameter manager**  
**Cause:** The parameter manager failed in initialization.  
**Action:** Record the messages that follow and report this to Oracle Worldwide Support as an Export internal bug.
- EXP-00058: Password Verify Function for *string* profile does not exist**  
**Cause:** Cannot find the function for the profile.  
**Action:** Check if the profile was created properly.
- EXP-00059: error converting an object type's identifier to characters**  
**Cause:** An invalid length of an object type identifier prevented its conversion.  
**Action:** Contact Oracle Worldwide Support
- EXP-00060: an object type had multiple TYPE BODYs**  
**Cause:** More than one TYPE BODY was found for an object type.

---

**Action:** Try dropping the TYPE BODY, if that is not successful, contact Oracle Worldwide Support

**EXP-00061: unable to find the outer table name of a nested table**

**Cause:** While exporting a bitmap index or posttable action on an inner nested table, the name of the outer table could not be located, using the NTAB\$ table.

**Action:** Verify the table is properly defined.

**EXP-00062: invalid source statements for an object type**

**Cause:** TYPE was not found in the statements in SOURCE\$ for an Object Type

**Action:** Contact Oracle Worldwide Support.

**EXP-00063: error in changing language handle**

**Cause:** Unable to change language handle.

**Action:** Contact Oracle Worldwide Support.

**EXP-00064: *string* is an inner nested table and cannot be exported.**

**Cause:** An attempt was made to export an inner nested table without its parent table.

**Action:** Export the parent of the inner nested table.

**EXP-00065: Error writing lob to the dump file.**

**Cause:** The current LOB could not be written to the dump file.

**Action:** Identify the cause of the write failure and fix it.

**EXP-00066: Object table *string* is missing its object identifier index**

**Cause:** All object tables must have an object identifier index, but the specified table was missing an index on its object identifier column.

**Action:** Recreate the type table and retry the operation.

**EXP-00068: tablespace *string* is offline**

**Cause:** Export failed to export tablespace (tablespace being offline).

**Action:** Make tablespace online and re export.

**EXP-00070: attempt to free unallocated memory**

**Cause:** An attempt was made to free memory that was not allocated.

**Action:** Contact Oracle Worldwide Support

**EXP-00071: QUERY parameter not compatible with Direct Path export**

**Cause:** You specified a value for the QUERY parameter for a direct path export. The QUERY parameter cannot be used with a direct path export.

**Action:** Re-issue the export command with DIRECT=N or omit the DIRECT parameter from the command line.

**EXP-00072: error closing export file *string***

**Cause:** An error occurred while trying to close the export file.

**Action:** Contact Oracle Worldwide Support.

**EXP-00073: dump file size too small**

**Cause:** You specified either the FILESIZE parameter or the VOLSIZE parameter (if your platform supports it), and the value of the parameter is too small to hold the header information for the export file, plus any data.

---

**Action:** Increase the value of the FILESIZE or VOLSIZE parameter.

**EXP-00074: rounding VOLSIZE down, new value is *string***

**Cause:** The VOLSIZE parameter must be a multiple of the RECORDLENGTH, but the value you specified for VOLSIZE does not meet this requirement. The value of VOLSIZE has been rounded down to be a multiple of the RECORDLENGTH used for the dump file.

**Action:** No action is required. You can adjust the VOLSIZE or RECORDLENGTH parameter to avoid this message. When importing this file, you must specify the VOLSIZE value reported by this message.

**EXP-00075: rounding FILESIZE down, new value is *string***

**Cause:** The FILESIZE parameter must be a multiple of the RECORDLENGTH, but the value you specified for FILESIZE does not meet this requirement. The value of FILESIZE has been rounded down to be a multiple of the RECORDLENGTH used for the dump file.

**Action:** No action is required. You can adjust the FILESIZE or RECORDLENGTH parameter to avoid this message. When importing this file, you must specify the FILESIZE value reported by this message.

**EXP-00076: multiple devices specified for tape output**

**Cause:** You specified multiple file names when doing an export to a tape device. EXPORT uses the same device for writing all files, of the number of tape volumes required. For this reason, export will accept only one value for the FILE parameter when writing to tape.

**Action:** Reenter the EXPORT command, but specify only one tape device in the FILE parameter.

**EXP-00077: multiple output files specified for unbounded export file**

**Cause:** You specified multiple file names when doing an export and you also specified a value of 0 for the FILESIZE parameter. Note that 0 is the value used if FILESIZE is not specified on the command line. Since a value of 0 for FILESIZE means that only one file will be written and there is no size limit for that file, the other files you specified in the FILE parameter can never be used.

**Action:** If you intended to write multiple files, respecify the command but use the FILESIZE to specify the maximum number of bytes that EXPORT should write to each file. If you intended to write only one file with no limits on it's size, reissue the EXPORT command but specify only one file name for the FILE parameter.

**EXP-00078: Error exporting metadata for index *string*. Index creation will be skipped**

**Cause:** Domain indexes export private metadata via anonymous PL/SQL blocks prior to the CREATE INDEX statement. Export does this by calling the ODCIIndexGetMetadata method on the implementation type associated with the index. A problem occurred inside this routine. Because the metadata is considered an integral part of the index, the CREATE INDEX statement was not written to the dump file.

**Action:** Contact the developer of the index's implementation type. If this is an Oracle-supplied index (perhaps via a data cartridge), contact Oracle Worldwide Support.

**EXP-00079: Data in table "*string*" is protected. Conventional path may only be exporting partial table.**

**Cause:** User without the execute privilege on DBMS\_RLS, the access control package, tries to export a table that has access control. Since table owner is also

---

subjected to access control, the owner may not be able to export all rows in the table, but only the ones he can see. Also, to preserve integrity of the table, user exporting the table should have enough privilege to recreate the table with the security policies at import time. Therefore, it is strongly recommended the database administrator should be handling exporting of this table. Granting the table owner execute privilege would also satisfy this security check, though it might have other security implications. If the table does not have objects, can use direct mode.

**Action:** Ask the database administrator to export/import this table/view.

**EXP-00080: Data in table "*string*" is protected. Using conventional mode.**

**Cause:** User without the execute privilege on DBMS\_RLS, the access control package, tries to direct export a table that has access control enabled. Using conventional export mode instead. Note that because of access control, only a partial table may be exported.

**Action:** Ask the database administrator to export/import this table/view.

**EXP-00081: Exporting access control for table/view "*string*" as non-DBA.**

**Cause:** A non-DBA user tries to export table/view and the associated fine grain access control policies. The user may not have enough privilege to recreate the access control policies when importing the table/view. And such an event may cause inconsistency in the security model of the table/view.

**Action:** Ask the database administrator to export/import this table/view.

**EXP-00082: Invalid function name passed to procedural object support: *string***

**Cause:** Internal inconsistency error: The listed function is not a method on export's procedural object interface specification.

**Action:** Contact Oracle Worldwide Support

**EXP-00083: The previous problem occurred when calling *string.string.string***

**Cause:** The listed package provides export/import support for procedural

**Action:** Contact Oracle Worldwide Support. Most packages are supplied by Oracle internal cartridge or server development groups. The package name will help Support determine the correct owner of the problem.

**EXP-00084: Unexpected DbmsJava error *number* at step *number***

**Cause:** The error was returned from a call to a DbmsJava procedure.

**Action:** Record the accompanying messages and report this as an Export internal error to customer support.

**EXP-00085: The previous problem occurred when calling *string.string.string* for object *number***

**Cause:** The listed package provides export/import support for procedural objects, i.e, those whose DDL is supplied by stored procedures. The previously listed error occurred while calling the specified function.

**Action:** Contact Oracle Worldwide Support. Most packages are supplied by Oracle internal cartridge or server development groups. The package name will help Support determine the correct owner of the problem.

**EXP-00086: Primary key REFs in table "*string*" may not be valid on import**

**Cause:** The specified table contains primary key REFs which may not be valid in the import database.

---

**Action:** Do not use Export/Import to move Primary key REFs between databases having differing character sets.

**EXP-00087: Problem with internal hash table of schema/table names**

**Cause:** Most likely a problem with allocating memory for the hash table entries.

**Action:** Contact Oracle Worldwide Support NLS\_DO\_NOT\_TRANSLATE [88,88]

**EXP-00089: invalid FILE\_FORMAT specification**

**Cause:** The FILE\_FORMAT specification did not contain an instance of "%s". This wildcard string must be present.

**Action:** Correct the error and reenter the EXPORT command.

**EXP-00090: cannot pin type "string"."string"**

**Cause:** Export was unable to pin the specified type in the object cache. This is typically caused because a type could not be made valid (for example because of authorization violations in accessing subtypes).

**Action:** Fix the problem with the offending type until the type can be successfully compiled.

**EXP-00091: Exporting questionable statistics.**

**Cause:** Export was able export statistics, but the statistics may not be usable. The statistics are questionable because one or more of the following happened during export: a row error occurred, client character set or NCHARSET does not match with the server, a query clause was specified on export, only certain partitions or subpartitions were exported, or a fatal error occurred while processing a table.

**Action:** To export non-questionable statistics, change the client character set or NCHARSET to match the server, export with no query clause, export complete tables. If desired, import parameters can be supplied so that only non-questionable statistics will be imported, and all questionable statistics will be recalculated.

**EXP-00092: Unable to set NLS\_NUMERIC\_CHARACTERS to required defaults.**

**Cause:** Export was unable to set NLS\_NUMERIC\_CHARACTERS to ".,"

**Action:** Record the accompanying messages and report this as an Export internal error to customer support.

**EXP-00093: Could not convert to server character set's handle**

**Cause:** Internal error.

**Action:** Contact Worldwide support.

**EXP-00094: Could not convert to server national character set's handle**

**Cause:** Internal error.

**Action:** Contact Worldwide support.

**EXP-00095: Flashback\_time and Flashback\_scn are not compatible**

**Cause:** Both flashback\_time and flashback\_scn parameters were specified.

**Action:** Reissue command with only one flashback parameter.

**EXP-00097: Object type "string"."string" is not in a valid state, type will not be exported**

**Cause:** The object type's status is invalid which may be caused by a dependant type's modification (or removal) without cascading the change.

**Action:** The type must be recompiled using ALTER TYPE COMPILE.

---

**EXP-00098: Data in table has not been upgraded, table will not be exported**

**Cause:** Export is attempting to process a table containing references to a type which has evolved. In order for Export to process the table successfully, all data within each table must be upgraded to the latest revision of each referenced type.

**Action:** The table must be updated using ALTER TABLE UPGRADE DATA.

**EXP-00099: Table "*string*"."*string*" is not in a valid state, table will not be exported**

**Cause:** A table or one of its dependant types has modified without cascading the change. This left the table in an INVALID state.

**Action:** The table must be updated using ALTER TABLE UPDATE.

**EXP-00100: error converting an object type's hashcode to characters**

**Cause:** An invalid length of an object type identifier prevented its conversion.

**Action:** Contact Oracle Worldwide Support

**EXP-00101: Version 1 extensible index "*string*"."*string*" can not be included in Transportable Tablespace Export**

**Cause:** Transportable Tablespace extensible indexes must be at least version 2.

**Action:** Upgrade extensible index implementation to version 2 specifications.

**EXP-00102: Resumable parameters ignored -- current session not resumable**

**Cause:** Current session is not resumable.

**Action:** Must specify RESUMABLE=Y to enable resumable session in order for the RESUMABLE\_NAME and RESUMABLE\_TIMEOUT parameters to take effect.

**EXP-00103: The FLASHBACK\_TIME parameter was invalid**

**Cause:** FLASHBACK\_TIME did not contain a valid timestamp or an expression that yields a valid timestamp.

**Action:** Specify a timestamp value in the format of YYYY-MM-DD HH24:MI:SS or an expression that evaluates to a valid timestamp.

**EXP-00104: datatype (*string*) of column *string* in table *string.string* is not supported, table will not be exported**

**Cause:** The column is of a datatype which does not contain the required support. The table will not be exported.

**Action:** Use the Data Pump version of Export to export this table.

**EXP-00105: parameter *string* is not supported for this user**

**Cause:** The user attempted to specify either CONSISTENT or OBJECT\_CONSISTENT when connected as sysdba.

**Action:** If a consistent export is needed, then connect as another user.

**EXP-00106: Invalid Database Link Passwords**

**Cause:** Invalid Encoded Password for Database Link

**Action:** Please drop the Database Link and recreate it after import.

**EXP-00107: Feature (*string*) of column *string* in table *string.string* is not supported. The table will not be exported.**

**Cause:** Export does not contain the required support for this feature. The table will not be exported.

**Action:** Use the Data Pump version of Export to export this table.

---

**EXP-00108: NULL lob fetched**

**Cause:** Internal error

**Action:** Contact Oracle Worldwide Support.

**EXP-00109: XSL delimiter not found**

**Cause:** Internal error

**Action:** Contact Oracle Worldwide Support.

**EXP-00110: Tablespace *string* is encrypted and will not be exported**

**Cause:** Encrypted Tablespace feature is not supported by classic export

**Action:** Use DATAPUMP Utility to export this tablespace.

**EXP-00111: Table *string* resides in an Encrypted Tablespace *string* and will not be exported**

**Cause:** Encrypted Tablespace feature is not supported by classic export

**Action:** Use DATAPUMP Utility to export this table.

**EXP-00112: Index *string* is of XMLType and could not be exported**

**Cause:** Export does not contain the required support for this feature. The index could not be exported.

**Action:** Use Oracle Data Pump Utility to export this index.

**EXP-00113: Feature *string* is unsupported. *string string.string* could not be exported**

**Cause:** Export does not contain the required support for this feature.

**Action:** Use Oracle Data Pump Utility

---

---

## IMP-00000 to IMP-00401

**IMP-00000: Import terminated unsuccessfully**

**Cause:** Import encountered an Oracle error.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual, and take appropriate action.

**IMP-00001: respond with either *string*, *string*, RETURN or "." to quit**

**Cause:** An invalid response was entered.

**Action:** Enter any of the responses shown in the message.

**IMP-00002: failed to open *string* for read**

**Cause:** Import failed to open the export file for reading. This message is usually followed by a device message from the operating system.

**Action:** Take appropriate action to restore the device.

**IMP-00003: ORACLE error *number* encountered**

**Cause:** Import encountered the referenced Oracle error.

**Action:** Look up the Oracle message in the ORA message chapters of this manual, and take appropriate action.

**IMP-00004: invalid username or password**

**Cause:** An invalid username or password was specified.

**Action:** Retry with a valid username and password.

**IMP-00005: all allowable logon attempts failed**

**Cause:** An attempt was repeatedly made to log on with an invalid username or password.

**Action:** Retry with valid username and password.

**IMP-00006: failed to allocate memory of size *number***

**Cause:** Import failed to allocate the necessary memory.

**Action:** Decrease the import buffer size so that less memory is required, or increase the runtime memory size for Import.

**IMP-00007: must be a DBA to import objects to another user's account**

**Cause:** The privileges needed to import into another user's account do not exist. Only a database administrator can import into another user's account.

**Action:** Ask the database administrator to do the import.

**IMP-00008: unrecognized statement in the export file: *string***

---

**Cause:** Import did not recognize a statement in the export file. Either the export file was corrupted, or an Import internal error has occurred.

**Action:** If the export file was corrupted, retry with a new export file. Otherwise, report this as an Import internal error and submit the export file to customer support.

**IMP-00009: abnormal end of export file**

**Cause:** The export file is probably from an aborted Export session.

**Action:** If so, retry the export and import. Otherwise, report this as an Import bug and submit the export file that caused this error to customer support.

**IMP-00010: not a valid export file, header failed verification**

**Cause:** Either the file was not generated by Export or it was corrupted.

**Action:** If the file was indeed generated by Export, report this an Import bug and submit the export file to customer support.

**IMP-00011: formatted table data not currently supported**

**Cause:** You tried to import an export file that contains formatted table data. Import only supports export files containing binary table data. wher

**Action:** Retry using an export file that contains only binary table data.

**IMP-00012: invalid export mode (*character*) in header**

**Cause:** The Export mode specified in the export file header is invalid.

**Action:** Check the export file to see if it was corrupted. If it was not, report this as an Import bug and submit the export file to customer support.

**IMP-00013: only a DBA can import a file exported by another DBA**

**Cause:** The privileges needed to Import an export file generated by a database administrator do not exist. Only a database administrator can import such files.

**Action:** Ask the database administrator to do the import.

**IMP-00014: option "*string*" is needed, but not present in database**

**Cause:** The command entered requires the specified option. Either that option is not installed, or the row describing the option is missing from table V\$OPTION

**Action:** Reinstall Oracle with the option specified by the message.

**IMP-00015: following statement failed because the object already exists:**

**Cause:** Import failed to create an object because it already exists.

**Action:** Specify IGNORE=Y to ignore such errors and import rows even when tables are not created because they already exist.

**IMP-00016: required character set conversion (*type number to number*) not supported**

**Cause:** Import could not convert the character format of the export file into the native character format.

**Action:** Change the user character set by setting the NLS\_LANG environment variable to match the character set of the export file.

**IMP-00017: following statement failed with ORACLE error *number*:**

**Cause:** Import failed to execute the statement from the export file because of an Oracle error.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual and take appropriate action.

---

**IMP-00018: partial import of previous table completed: *number* rows imported**

**Cause:** A table was only partially imported because of an Oracle error.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual and take appropriate action.

**IMP-00019: row rejected due to ORACLE error *number***

**Cause:** Import encountered the referenced Oracle error while trying to import a row.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual and take appropriate action.

**IMP-00020: long column too large for column buffer size (*number*)**

**Cause:** The column buffer is too small. This usually occurs when importing LONG data.

**Action:** Increase the insert buffer size 10,000 bytes at a time (for example). Use this step-by-step approach because a buffer size that is too large may cause a similar problem.

**IMP-00021: INCTYPE parameter is obsolete**

**Cause:** Import encountered the INCTYPE parameter when parsing Import options. Incremental Imports are no longer supported.

**Action:** Consult the Oracle Backup and Recovery guide. Import will attempt to continue.

**IMP-00022: failed to process parameters, type "IMP HELP=Y" for help**

**Cause:** Invalid command-line parameters were specified.

**Action:** Check the online help screen for the set of valid parameters, then retry.

**IMP-00023: Import views not installed, please notify your DBA**

**Cause:** The necessary Import views were not installed.

**Action:** Ask your database administrator to install the required Import views.

**IMP-00024: Only one mode (TABLES, FROMUSER, or FULL) can be specified**

**Cause:** Parameters were specified that conflict with the import specification FULL=Y.

**Action:** Retry, making sure not to specify FULL=Y.

**IMP-00025: for DBA export files, FROMUSER must be specified with TOUSER option**

**Cause:** When importing a database administrator export file, you specified the TOUSER parameter but not the FROMUSER parameter.

**Action:** Specify the FROMUSER parameter so that Import knows which user's objects to import.

**IMP-00027: failed to rollback partial import of previous table**

**Cause:** Import encountered an Oracle error while trying to roll back a partial import.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual and take appropriate action. Then, log on to Oracle and check that the partial import was not committed.

**IMP-00028: partial import of previous table rolled back: *number* rows rolled back**

---

**Cause:** Import encountered an Oracle error while trying to import a table.

**Action:** Look up the accompanying Oracle message in the ORA message chapters of this manual and take appropriate action. Then, if necessary, re-import the table.

**IMP-00029: cannot qualify table name by owner (*string*), use FROMUSER parameter**

**Cause:** A table name was qualified with the name of its owner, as shown in the following example. This is not allowed. IMP SYSTEM/MANAGER TABLES=(SCOTT.EMP)

**Action:** Use the FROMUSER parameter to specify the table's owner, as shown in the following example: IMP SYSTEM/MANAGER FROMUSER=SCOTT TABLES=(EMP, DEPT)

**IMP-00030: failed to create file *string* for write**

**Cause:** Import was unable to create the specified file with write enabled.

**Action:** Check the file name and file system for the source of the error.

**IMP-00031: Must specify FULL=Y or provide FROMUSER/TOUSER or TABLES arguments**

**Cause:** The database administrator did not specify full or partial import.

**Action:** The database administrator must specify FROMUSER/TOUSER or table arguments if not a full import.

**IMP-00032: SQL statement exceeded buffer length**

**Cause:** The buffer was too small for the SQL statement being read.

**Action:** Rerun with a larger buffer. This can also be an indication of a corruption in the import datafile.

**IMP-00033: Warning: Table "*string*" not found in export file**

**Cause:** A table name was specified that does not exist in export file.

**Action:** Correct the table specification.

**IMP-00034: Warning: FromUser "*string*" not found in export file**

**Cause:** The user specified a FROMUSER name that does not exist in export file.

**Action:** Correct the FROMUSER specification.

**IMP-00035: input file *string* must be on a disk**

**Cause:** On some platforms, import can read files from tape. This message is displayed if the first file in an export file set was on disk and you specified a tape device for a second or subsequent file.

**Action:** Verify that you have specified the correct file name for the import file. Remember that all input files can be either on disk or all files can be on tape, but not mixed both tape and disk.

**IMP-00036: Could not find environment character set**

**Cause:** An environment character set was specified that was not recognized by the Import utility.

**Action:** Ensure that the spelling of the character set specified in the command line parameter CHARSET (for Release 6 only) or the environment variable NLS\_LANG is correct.

**IMP-00037: Character set marker unknown**

**Cause:** The export file is corrupted.

---

**Action:** Try to obtain an uncorrupted version of the export file. If the export file is not corrupted, report this as an Import internal error and submit the export file to customer support.

**IMP-00038: Could not convert to environment character set's handle**

**Cause:** Internal error.

**Action:** Contact Worldwide Support.

**IMP-00039: VOLSIZE does not match the value used for export: *string***

**Cause:** The value specified for VOLSIZE does not match the value specified during the creation of the export file.

**Action:** If you believe that the specified VOLSIZE value is correct, verify that you specified the correct file for import. If you specified the correct file but are unsure about the correct value, re-execute the import command but specify VOLSIZE=0.

**IMP-00040: FILESIZE does not match the value used for export: *string***

**Cause:** The value specified for FILESIZE does not match the value specified during the creation of the export file.

**Action:** If you believe the specified FILESIZE value is correct, verify that you specified the correct file for import. If you specified the correct file but are unsure about the correct value, re-execute the import command but specify FILESIZE=0.

**IMP-00041: Warning: object created with compilation warnings**

**Cause:** The object in the SQL statement following this error was created with compilation errors. If this error occurred for a view, it is possible that the base table of the view was missing.

**Action:** This is a warning. The object may have to be recompiled before being used.

**IMP-00042: CHARSET used, but the export file has specific character set**

**Cause:** The user requested that a specific character set be used to process an export file that has a specific embedded character set ID. The ID in the export file is accurate and should be used.

**Action:** Remove the CHARSET keyword from the command line.

**IMP-00043: export file character set inconsistent**

**Cause:** The character set of the export file and the environment character set (or the character set specified with the CHARSET keyword) are inconsistent. One character set is ASCII-based while the other is EBCDIC based.

**Action:** Specify the correct character set with the CHARSET keyword.

**IMP-00044: unable to allocate enough memory for statement**

**Cause:** Import was unable to allocate sufficient memory to read in the specified statement and execute it.

**Action:** Increase the allocation for database buffers, restart the instance, and reexecute the Import command.

**IMP-00045: using VOLSIZE value from export file of *string***

**Cause:** Either you did not specify the VOLSIZE parameter in your IMPORT command, or you specified VOLSIZE=0 and the export was created with a non-zero value for VOLSIZE. Import will use the value specified in the export file.

**Action:** None required.

---

**IMP-00046: using FILESIZE value from export file of *string***

**Cause:** Either you did not specify the FILESIZE parameter in your IMPORT command, or you specified FILESIZE=0 and the export file was created with a non-zero value for FILESIZE. Import will use the value specified in the export file.

**Action:** None required.

**IMP-00047: unexpected file sequence number; expected *number* but found *number***

**Cause:** The header in the export file contains a sequence number that is used to track the order in which multiple export files are written. The first export file is assigned sequence number one, the second file is assigned sequence number two and so on. This message is displayed when a number other than the expected sequence number is found in the file header

**Action:** Execute the import command again, but specify the files in the order in which Export wrote them.

**IMP-00048: mismatched file header**

**Cause:** During verification of the 2nd or subsequent file in a multi-file export, Import found header fields in the file that did not match values in the first file.

**Action:** Check the names of the files created by Export and verify that you specified them correctly for the import operation.

**IMP-00049: Unknown language specified in CHARSET**

**Cause:** An unknown language was listed in the CHARSET option.

**Action:** Use a known character set.

**IMP-00050: Dump file and log file cannot be identical**

**Cause:** Identical names were given to the dump file and log file.

**Action:** Specify different names for the dump file and log file and retry the operation.

**IMP-00051: Direct path exported dump file contains illegal column length**

**Cause:** An invalid column length was encountered while processing column pieces."

**Action:** Check to make sure the export file is not corrupted, or else report this to Oracle Worldwide Support as an Import/Export internal bug and submit the export file.

**IMP-00052: Warning: Unable to set event for freelist communication with server**

**Cause:** An event could not be set for current the session.

**Action:** If Import fails, give the Import user ALTER SESSION PRIV and retry the operation.

**IMP-00053: Import mode incompatible with Export dump file**

**Cause:** The specified import option is incompatible with point-in-time- recovery dump file.

**Action:** Generate a proper dump file or use point-in-time-recovery import mode.

**IMP-00054: must be connected "AS SYSDBA" to do Point-in-time Recovery or Transportable Tablespace import**

**Cause:** The user must log in "as SYSDBA" to perform transportable tablespace imports or Point-In-Time Recovery imports.

---

**Action:** Ask your database administrator to perform the Transportable Tablespace import or the Tablespace Point-in-time Recovery import.

**IMP-00055: Warning: partition or subpartition "*string*":"*string*" not found in export file**

**Cause:** A partition or subpartition name was specified that does not exist in export file.

**Action:** Check to make sure the partition or subpartition name belongs to the table.

**IMP-00056: multiple devices specified for tape input**

**Cause:** You specified multiple file names when doing an import from a tape device. Import uses the same device for reading all tapes, regardless of the number of tape volumes required. For this reason, export will accept only one value for the FILE parameter when writing to tape.

**Action:** Reenter the IMPORT command, but specify only one tape device in the FILE parameter.

**IMP-00057: Warning: Dump file may not contain data of all partitions of this table**

**Cause:** The dump file used for this Table Import might not contain all of the data belonging to the exported table.

**Action:** Check to see if the export was done as intended, or try performing a Partition Import.

**IMP-00059: Failure to initialize parameter manager**

**Cause:** Parameter manager failed in initialization.

**Action:** Report this to Oracle Worldwide Support as an Import internal bug.

**IMP-00060: Warning: Skipping table "*string*"."*string*" because object type "*string*"."*string*" does not exist or has different identifier**

**Cause:** An object type needed by the table, either does not exist on the \* target system or, if it does exist, it has a different object identifier.

**Action:** Create the object type on the target system with a valid \* identifier.

**IMP-00061: Warning: Object type "*string*"."*string*" already exists with a different identifier**

**Cause:** An object type cannot be created because it already exists on the \* target system, but with a different identifier

**Action:** Drop the object type from the target system and retry the operation.

**IMP-00062: Warning: The identifier on the dump file for object type "*string*"."*string*" is invalid**

**Cause:** The character string representing the object type's identifier \* could not be converted to an object identifier.

**Action:** Internal error.

**IMP-00063: Warning: Skipping table "*string*"."*string*" because object type "*string*"."*string*" cannot be created or has different identifier**

**Cause:** An error occurred creating an object type that is used by the \* table.

---

**Action:** Examine the import log to determine why the object type could not  
\* be created. If the object type already existed, with a  
\* different object identifier, then drop the object type and  
\* retry the import.

**IMP-00064: Definition of LOB was truncated by export**

**Cause:** While producing the dump file, Export was unable to write the  
\*entire contents of a LOB. Import is therefore unable to  
\* reconstruct the contents of the LOB. The remainder of the  
\*import of the current table will be skipped.

**Action:** Delete the offending row in the exported database and retry the  
\*export.

**IMP-00065: Import is unable to recreate lobes within objects.**

**Cause:** An error occurred recreating a LOB within an imported object.

**Action:** Report this to Oracle Worldwide Support as an Import internal error.

**IMP-00066: Missing NLS\_CHARACTERSET in props\$**

**Cause:** No value for NLS\_CHARACTERSET in props\$.

**Action:** Contact Worldwide support.

**IMP-00067: Could not convert to server character set's handle**

**Cause:** Internal error.

**Action:** Contact Worldwide support.

**IMP-00068: Could not find environment national character set**

**Cause:** An environment national character set was specified that was not  
recognized by the Import utility.

**Action:** Ensure that the spelling of the national character set specified in the  
environment variable NLS\_NCHAR is correct.

**IMP-00069: Could not convert to environment national character set's handle**

**Cause:** Internal error..

**Action:** Contact Worldwide support.

**IMP-00070: Lob definitions in dump file are inconsistent with database.**

**Cause:** The number of LOBS per row in the dump file is different than the  
\*number of LOBS per row in the table being populated.

**Action:** Modify the table being imported so that it matches the column

\* attribute layout of the table that was exported.

**IMP-00071: Object identifier of imported table mismatches object identifier of existing table**

**Cause:** An attempt was made to import data into a table that was recreated under  
a different object identifier than the object identifier used for the exported object  
table. Under this situation, REF"s to this table that are contained within the dump  
file will also be invalid.

**Action:** Drop the offending object table prior to import.

---

**IMP-00072: Warning: The object table's object identifier is invalid.**

**Cause:** The character string representing the table's object identifier could not be converted to an internal object identifier.

**Action:** Internal error.

**IMP-00073: FILE locator "string" "string" is truncated to "string" "string" in server character set**

**Cause:** The conversion of the specified directory and name strings for a file attribute or column from the export server's character set into the import server's character set exceeded the maximum string lengths allowed within FILE descriptors. The strings will be truncated to the maximum supported lengths.

**Action:** Rename the directory aliases and external filenames to match the truncated names in the specified FILE column or attribute.

**IMP-00074: The constraints flagged by ALL\_CONSTRAINTS.BAD will break in 2000 A.D.**

**Cause:** Constraints exist in the data base that specify date values without fully specifying the year. These constraints could break in the year 2000 A.D.

**Action:** Query ALL\_CONSTRAINTS and correct those constraints marked as bad.

**IMP-00075: Warning: The nested table may contain partial rows or duplicate rows**

**Cause:** An error occurred inserting data into an outer or inner nested table. If the error occurred in the outer table, rows are still inserted into the inner tables. If the error occurred in an inner table, data is still inserted into the outer table and other inner tables. This can result in duplicate inner table rows or partial logical rows.

**Action:** Examine the data in the tables. Delete the incorrect rows or drop the entire table and perform the import again.

**IMP-00076: Missing NLS\_NCHAR\_CHARACTERSET in props\$**

**Cause:** No value for NLS\_NCHAR\_CHARACTERSET in props\$.

**Action:** Contact Worldwide support.

**IMP-00077: Could not convert to server national character set's handle**

**Cause:** Internal error.

**Action:** Contact Worldwide support.

**IMP-00078: Cannot translate FILE locator to "string" "string" in server character set**

**Cause:** (1) The current export dump file was generated using Beta-2 of Oracle8.0 AND (2) there was a File that appeared as an attribute of an ADT within a table's column AND (3) the character set of the export server's database was different than the character set of the import server's database AND (4) when the filename or the aliasname of the File increased in size when it was translated to the character set of the import server. When all of these conditions are true, translation of the strings could yield corruption of the data in the column. Rather than proceeding with the translation, import will leave the character strings in the File in the old character set.

**Action:** After import completes, rename the directory aliases and external filenames to match the real names used for the target database.

**IMP-00079: Warning: National character set data in this table may be incorrect**

**Cause:** Due to a problem in 8.0.2 Export, national character data in NCHAR and NVARCHAR2 columns was incorrectly assumed to be in the export server's data base character set and was converted to the export client's data base character set.

---

This conversion would only be correct if the export server's data base character set was the same as the export server's national character set and the export client's data base character set was the same as the export client's national character set. All other combinations would likely be incorrect. This export dump file was generated by 8.0.2 Export and the export client and server character sets did not fit that criteria.

**Action:** Examine the national character data. If incorrect, update the data with correct data.

**IMP-00080: Error during character conversion of long column or long command**

**Cause:** During piecewise character conversion of the data in a long column or of a long command, a fatal conversion error occurred. Either character truncation occurred or an invalid character set handle was used.

**Action:** Retry the import with a different character set.

**IMP-00081: attempt to free unallocated memory**

**Cause:** An attempt was made to free memory that was not allocated.

**Action:** Contact Oracle Worldwide Support

**IMP-00082: Error during conversion ROWID from string format to internal**

**Cause:** An error occurred while attempting to convert a ROWID from an export dump file into an internal format.

**Action:** Report this to Oracle Worldwide Support as an Import internal error.

**IMP-00083: dump file does not contain an incremental export**

**Cause:** An incremental import was requested and the dump file specified for the import command is either a user or table export.

**Action:** Reissue the command import command but specify the name of a dump file containing an incremental export.

**IMP-00084: attempt to mix incremental import with user or table import**

**Cause:** An incremental import was requested along with the FROMUSER, TOUSER, or TABLE qualifier. An incremental import cannot be done if any of these other qualifiers are also specified.

**Action:** Determine whether you want to do an incremental import, full import, user import or table import and reissue the import command with the appropriate qualifiers.

**IMP-00085: multiple input files specified for unbounded export file**

**Cause:** You specified multiple file names for the FILE parameter when doing an import, but the header in the export file indicates that the export operation could create only one file. Specifying multiple file names is valid for an import operation only if the export files were created by an export operation in which the user specified a non-zero value for the FILESIZE parameter.

**Action:** If you believe the export contains multiple files, verify that you have specified the correct files. If you believe the export should be in only one file then try the import operation again, but specify only one value for the FILE parameter.

**IMP-00086: TOID "string" not found in export file**

**Cause:** Import did not find the type identification specified in the TOID\_NOVALIDATE parameter. The specified type identification does not exist in export file.

**Action:** Correct or omit the TOID\_NOVALIDATE parameter.

---

**IMP-00087: Problem with internal hash table of schema/table names**

**Cause:** Most likely a problem with allocating memory for the hash table entries.

**Action:** Contact Oracle Worldwide Support

**IMP-00088: Problem importing metadata for index *string*. Index creation will be skipped**

**Cause:** Domain indexes import private metadata via anonymous PL/SQL blocks prior to the CREATE INDEX statement. The execution of one of these PL/SQL blocks failed. Because the metadata is considered an integral part of the index, the subsequent CREATE INDEX statement was skipped.

**Action:** Contact the developer of the index's implementation type. If this is an Oracle-supplied index (perhaps via a data cartridge), contact Oracle Worldwide Support.

**IMP-00089: Fine grain policy "*string*" not recreated on table/view "*string*"**

**Cause:** Import user fails to recreate fine grained policies of the table/view being imported. To recreate the policy, the user doing the import needs execute privilege on the package DBMS\_RLS for access policies or DBMS\_FGA for audit policies.

**Action:** Ask the database administrator to perform the export/import of this table/view.

**IMP-00090: Unexpected DbmsJava error *number* at step *number* while creating *string***

**Cause:** The error was returned from a call to a DbmsJava procedure.

**Action:** Record the accompanying messages and report this as an Import internal error to customer support.

**IMP-00091: Above error occurred on the following function and object: *string*. Remaining PL/SQL blocks for this object will be skipped.**

**Cause:** An error occurred while executing a PL/SQL block that implements the DDL for the named function and procedural object. A procedural object is one whose DDL is implemented as stored procedures rather than as standard SQL statements.

**Action:** Contact Oracle Worldwide Support so they may determine the development group responsible for the package that failed.

**IMP-00092: Java object "*string*"."*string*" already exists, cannot be created**

**Cause:** Import failed to create the Java source, class or resource object because it already exists.

**Action:** Drop the object type from the target system and retry the operation.

**IMP-00093: Inconsistency between dumpfile constraint definition for table *string* with columns (*string*)**

**Cause:** Import failed to locate a base table for a constraint that was defined in the dump file and statistics were not imported.

**Action:** Check to see if the table and constraint exist. If the table and constraint exist, then report this to Oracle Support Services as an Import internal error.

**IMP-00094: Warning: The identifier on the dump file for object type "*string*"."*string*" is invalid**

**Cause:** The character string representing the object type's identifier \* could not be converted.

**Action:** Contact Oracle Worldwide Support.

---

**IMP-00095: Resumable parameters ignored -- current session not resumable**

**Cause:** Current session is not resumable.

**Action:** Must specify RESUMABLE=Y to enable resumable session in order for the RESUMABLE\_NAME and RESUMABLE\_TIMEOUT parameters to take effect.

**IMP-00096: Warning: Skipping table "string"."string" because type synonym "string"."string" cannot be created**

**Cause:** An error occurred creating a synonym for a type that is used by the  
\* table.

**Action:** Examine the import log to determine why the type synonym could

\* not be created. If the synonym already existed, but is not

\* needed, then drop the synonym and retry the import. If the

\* synonym is PUBLIC but the importer does not have the

\* CREATE PUBLIC SYNONYM system privilege, then the import must

\* be done by someone possessing that privilege, or the importer

\* must be granted the privilege.

**IMP-00097: STREAMS\_CONFIGURATION=Y ignored, only valid with FULL=Y**

**Cause:** STREAMS\_CONFIGURATION=Y can only be used

\* when FULL=Y is present on the command line

**Action:** Remove conflicting command arguments

**IMP-00098: INTERNAL ERROR: string**

**Cause:** An INTERNAL error occurred.

**Action:** Contact Oracle Worldwide Support.

**IMP-00099: Warning: The typeid in the dump file for object type "string"."string" is invalid**

**Cause:** The character string representing the object type's identifier

\* could not be converted.

**Action:** Contact Oracle Worldwide Support.

**IMP-00400: Warning: Object type "string"."string" already exists with a different typeid**

**Cause:** An object type could not be created because it already existed on the

\* target system, but with a different typeid

**Action:** Drop the object type from the target system and retry the operation.

**IMP-00401: dump file "string" may be an Data Pump export dump file**

**Cause:** A dump file was specified for an import operation which appears to have been created using the Data Pump export utility. These dump files cannot be processed by the original import utility.

**Action:** Try using the Data Pump import utility to process this dump file.

---

## SQL\*Loader-00100 to SQL\*Loader-03120

### SQL\*Loader-00100: Syntax error on command-line

**Cause:** Possible causes for this error include: placing a positional argument after keyword arguments, misspelling a keyword, not balancing parentheses or quotes, or leaving space between the operator, "=", and an argument.

**Action:** Check the command syntax and the spelling, then retry.

### SQL\*Loader-00101: Invalid argument for username/password

**Cause:** The username/password argument specified on the command line was not recognized. Another argument (not identified by a keyword) could be in the position where username/password is expected.

**Action:** Check the format of the username/password argument, which is the first argument on the command line, if arguments are given without keywords.

### SQL\*Loader-00102: Invalid control file name on command line

**Cause:** is the existence of a space between username and password. See error 101, above.

**Action:** Check the spelling and position of the arguments on the command line.

### SQL\*Loader-00103: Invalid log file name on command line

**Cause:** The log file name specified on the command line was not recognized. It could be misspelled, or another argument (not identified by a keyword) could be in its place.

**Action:** Check the spelling and position of the arguments on the command line.

### SQL\*Loader-00104: Invalid bad file name on command line

**Cause:** The bad file name specified on the command line was not recognized. It could be misspelled, or another argument (not identified by a keyword) could be in its place.

**Action:** Correct it.

### SQL\*Loader-00105: Invalid data file name on command line

**Cause:** The datafile name specified on the command line was not recognized. It could be misspelled, or another argument (not identified by a keyword) could be in its place.

**Action:** Check the spelling and position of the arguments on the command line.

### SQL\*Loader-00106: Invalid discard file name on command line

---

**Cause:** The discard file name specified on the command line was not recognized. It could be misspelled, or another argument (not identified by a keyword) could be in its place.

**Action:** Check the spelling and position of the arguments on the command line.

**SQL\*Loader-00107: Invalid maximum number of discards**

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00108: Invalid number of logical records to load**

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00109: Invalid number of logical records to skip**

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00110: Invalid maximum number of errors**

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00111: Invalid number of rows for bind array or data saves**

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00112: Invalid maximum bind array size**

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00113: Invalid silent mode option**

**Cause:** The only valid options for the SILENT command-line argument are ALL, ERROR, FEEDBACK, or HEADER. The argument could be misspelled, or another argument (not identified by a keyword) could be in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00114: Error in OPTIONS statement**

**Cause:** Command line options specified in the SQL\*Loader control file with the OPTIONS clause were found to be incorrect.

**Action:** Check the format of the OPTIONS clause in the SQL\*Loader control file.

**SQL\*Loader-00115: Invalid direct path option**

**Cause:** The only valid options for the DIRECT command-line argument are TRUE or FALSE. The argument could be misspelled, or another argument (not identified by a keyword) could be in its place.

**Action:** Check the command line and retry.

---

**SQL\*Loader-00116: Error prompting for password**

**Cause:** An internal error has occurred.

**Action:** Contact customer support.

**SQL\*Loader-00118: Invalid parallel load option**

**Cause:** The command-line argument used for the parallel load is incorrect.

**Action:** Use only TRUE or FALSE as the value for the parallel load option.

**SQL\*Loader-00119: Invalid parallel file (data file) name on command line**

**Cause:** The command-line argument for the parallel file was entered incorrectly.

**Action:** Check the command line argument and retry the operation.

**SQL\*Loader-00120: Invalid \_synchro option string**

**Cause:** The command-line argument \_synchro is incorrect.

**Action:** Use only one of the allowed modes: see ulminv[.].

**SQL\*Loader-00121: Invalid skip\_unusable\_indexes option**

**Cause:** The command line argument for skip\_unusable\_indexes is incorrect.

**Action:** Use only TRUE or FALSE as the value for the skip\_unusable\_indexes option.

**SQL\*Loader-00122: Invalid skip\_index\_maintenance option**

**Cause:** The command line argument for skip\_index\_maintenance is incorrect.

**Action:** Use only true or false as the value for the skip\_index\_maintenance option.  
(Note: only on direct loads!)

**SQL\*Loader-00123: specified value for bindsize(*number*) less than readsize(*number*)**

**Cause:** The command line argument specified for bindsize was less than the value of readsize.

**Action:** No action is required. SQL\*Loader automatically adjusts the value of bindsize to equal the value of readsize.

**SQL\*Loader-00124: specified value for readsize(*number*) less than bindsize(*number*)**

**Cause:** The command line argument specified for readsize was less than the value of bindsize.

**Action:** No action is required. SQL\*Loader automatically adjusts the value of readsize to equal the value of bindsize.

**SQL\*Loader-00125: specified value for readsize(*number*) less than max\_record\_size(*number*)**

**Cause:** The command line argument specified for readsize was less than the value of max\_record\_size.

**Action:** No action is required. SQL\*Loader automatically adjusts the value of readsize to equal the value of max\_record\_size.

**SQL\*Loader-00126: Invalid read size**

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00127: Invalid maximum record size**

---

**Cause:** The argument's value is inappropriate, or another argument (not identified by a keyword) is in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00128: unable to begin a session**

**Cause:** An error occurred when attempting to start a session on the database.

**Action:** See the message that follows this message for information on the cause of the error.

**SQL\*Loader-00129: Invalid number of rows for direct path column array**

**Cause:** The argument's value is inappropriate

**Action:** Check the command line and retry.

**SQL\*Loader-00130: Invalid direct path stream size**

**Cause:** The argument's value is inappropriate

**Action:** Check the command line and retry.

**SQL\*Loader-00131: Invalid multithreading option**

**Cause:** The only valid options for the MULTITHREADING command-line argument are TRUE or FALSE. The argument could be misspelled, or another argument (not identified by a keyword) could be in its place.

**Action:** Check the command line and retry.

**SQL\*Loader-00132: invalid argument for external table option**

**Cause:** The command line argument specified for external\_tables was not TRUE or FALSE

**Action:** Check the command line and retry.

**SQL\*Loader-00133: Can't specify both direct path and external tables**

**Cause:** Both options for direct path and external tables were indicated. Only one of these can be applied at a time.

**Action:** Change at least one of the parameters to enable only one.

**SQL\*Loader-00134: invalid option specified for EXTERNAL\_TABLE parameter**

**Cause:** An invalid value was specified for the EXTERNAL\_TABLE parameter.

**Action:** Specify one of the following values. NOT\_USED disables use of external tables. GENERATE\_ONLY generates the SQL statements that will use external tables to load the data. EXECUTE both generates the SQL statements and then executes them.

**SQL\*Loader-00135: Invalid argument for RESUMABLE**

**Cause:** The command line argument specified for RESUMABLE was not TRUE or FALSE.

**Action:** Check the command line and retry.

**SQL\*Loader-00136: Invalid argument for RESUMABLE\_NAME**

**Cause:** The command line argument specified for RESUMABLE\_NAME was not a valid string.

**Action:** Check the command line and retry.

**SQL\*Loader-00137: Invalid value for RESUMABLE\_TIMEOUT**

---

**Cause:** The command line argument specified for RESUMABLE\_TIMEOUT was not a valid positive integer.

**Action:** Check the command line and retry.

**SQL\*Loader-00138: Invalid value for DATE\_CACHE**

**Cause:** The command line argument specified for DATE\_CACHE was not a valid positive integer.

**Action:** Check the command line and retry.

**SQL\*Loader-00200: FORMAT clause should not be present - flat data files only**

**Cause:** SQL/DS FORMAT clause is not supported.

**Action:** Remove the FORMAT command from the SQL\*Loader control file or

**SQL\*Loader-00250: Work data sets are not used by SQL\*Loader**

**Cause:** The SQL\*Loader control file contains a WRKDDN statement. SQL\*Loader ignores this clause.

**Action:** No action required. This is an informational message.

**SQL\*Loader-00251: Sort devices are not used by SQL\*Loader**

**Cause:** The SQL\*Loader control file contains a SORTDEVT statement. SQL\*Loader ignores this clause.

**Action:** No action required. This is an informational message.

**SQL\*Loader-00252: Sort data sets are not used by SQL\*Loader**

**Cause:** The SQL\*Loader control file contains a SORTNUM statement. SQL\*Loader ignores this clause.

**Action:** No action required. This is an informational message.

**SQL\*Loader-00253: DB2 partition number has no significance -- ignored**

**Cause:** The SQL\*Loader control file contains a PART statement. SQL\*Loader ignores this clause.

**Action:** No action required. This is an informational message.

**SQL\*Loader-00254: Cannot have DISCARDFILE specs here when multiple data files**

**Cause:** The SQL\*Loader control file contained multiple INFILE statements and a DISCARDFILE statement was found below the RESUME clause.

**Action:** Move the DISCARDFILE statement above the RESUME clause, so it is adjacent to one of the INFILE statements.

**SQL\*Loader-00255: Log file for error recovery not used by SQL\*Loader**

**Cause:** The SQL\*Loader control file contains a LOG statement. SQL\*Loader ignores this clause.

**Action:** No action required. This is an informational message.

**SQL\*Loader-00256: SORTED INDEXES option allowed only for direct path**

**Cause:** The SQL\*Loader control file contains a SORTED INDEXES statement, but it was not used in a direct path load.

**Action:** Specify a direct path load with DIRECT=TRUE on the command line, remove the statement from the SQL\*Loader control file, or

**SQL\*Loader-00257: TERMINATED BY EOF option not valid with ENCLOSED BY option**

---

**Cause:** A field description in the SQL\*Loader control file contains both the TERMINATED BY EOF and the ENCLOSED BY options. These options are mutually exclusive.

**Action:** Remove either or both of the clauses.

**SQL\*Loader-00258: Maximum number of SORTED INDEXES (*number*) exceeded on table *string***

**Cause:** There are too many indexes in the SORTED INDEX clause. The message displays the maximum number that are permitted.

**Action:** Reduce the number of indexes specified in the SORTED INDEX clause or use the conventional path load instead of the direct path load.

**SQL\*Loader-00259: Could not escalate DDL share lock to exclusive on table *string***

**Cause:** This error occurs when another user has a parse lock on the table, for example, when another user is doing a select on the table. The parse lock should clear momentarily.

**Action:** Give the parse lock a chance to clear and then retry or else use the conventional path load.

**SQL\*Loader-00260: TERMINATED BY EOF option available only with LOBFILE option**

**Cause:** The TERMINATED BY EOF option can be used only when describing data to be loaded from a LOBFILE. It cannot be specified at the table level and it cannot be for data in "regular" data files.

**Action:** Verify that you have specified the correct option for TERMINATED BY and verify that the TERMINATED BY option is specified for the correct fields.

**SQL\*Loader-00261: illegal use of TERMINATED BY for RAW field**

**Cause:** The TERMINATED BY option cannot be used for loading data of type RAW from the data file. The only exception is when loading RAW data from LOBFILES. In that case, you may specify the TERMINATED BY EOF option.

**Action:** Remove the TERMINATED BY option from the RAW field in the SQL\*Loader control file.

**SQL\*Loader-00262: PIECED keyword (on column *string*) allowed only when path is direct**

**Cause:** The PIECED keyword cannot be used in a conventional path load.

**Action:** Remove the PIECED keyword or use the direct path load.

**SQL\*Loader-00263: PIECED column *string* must be last specified column in table *string***

**Cause:** A column that is not the last column was specified as PIECED.

**Action:** Remove the PIECED keyword or place the column last.

**SQL\*Loader-00264: File mode token *string* parsed but ignored**

**Cause:** An obsolete file mode token was used in the SQL\*Loader control file. As of Release 1.1 of SQL\*Loader, the file-processing options string is used to control file processing, rather than keywords like STREAM, RECORD, FIXED, and VARIABLE.

**Action:** No action required. This message is informational. Removing the obsolete keywords will eliminate the message without changing the way in which the datafile is processed.

---

**SQL\*Loader-00265: Unable to get default character set name.**

**Cause:** SQL\*Loader was unable to locate the default character set name for the environment.

**Action:** Supply a character set name with the CHARACTERSET keyword.

**SQL\*Loader-00266: Unable to locate character set handle for *string*.**

**Cause:** SQL\*Loader could not find the character set handle for the named character set.

**Action:** Correct the character set name.

**SQL\*Loader-00267: Control file must be first data file.**

**Cause:** The SQL\*Loader control file is specified as containing data using the INFILE "\*" clause, but other datafiles were named first.

**Action:** Move the INFILE "\*" clause so that it is the first datafile declared in the SQL\*Loader control file.

**SQL\*Loader-00268: UNRECOVERABLE keyword may be used only in direct path.**

**Cause:** The UNRECOVERABLE keyword can only be specified in the direct path load.

**Action:** Use the direct path load or remove the keyword. (Conventional path loads are always recoverable).

**SQL\*Loader-00269: Null string not allowed as clause comparison text.**

**Cause:** A clause is being compared to a null string.

**Action:** Modify the clause to compare to at least one character.

**SQL\*Loader-00270: TERMINATED BY EOF valid only for CHAR or RAW datatypes**

**Cause:** A field description in the SQL\*Loader control file used the TERMINATED BY EOF option when the field was not a RAW or CHAR datatype.

**Action:** Modify the SQL\*Loader control file to either remove the TERMINATED BY EOF clause or change the datatype for the field to be CHAR or RAW.

**SQL\*Loader-00271: Not a Parallel load. Table level OPTIONS statement ignored.**

**Cause:** A table-level OPTIONS statement was specified for a non-parallel load.

**Action:** Remove the OPTIONS statement from the SQL\*Loader control file.

**SQL\*Loader-00272: Table level OPTIONS statement ignored.**

**Cause:** In the parallel load option, the file specified on the command line overrides the file specified in the SQL\*Loader control file.

**Action:** Remove the OPTIONS statement from the SQL\*Loader control file.

**SQL\*Loader-00273: READBUFFERS may be used only in direct path.**

**Cause:** The READBUFFERS specification was not entered as part of a direct path.

**Action:** Use the direct path or remove the READBUFFERS specification from the SQL\*Loader control file.

**SQL\*Loader-00274: At least 2 read buffers have to be specified.**

**Cause:** Fewer than 2 read buffers have been specified.

**Action:** Specify at least 2 read buffers in the READBUFFERS statement, in the SQL\*Loader control file.

**SQL\*Loader-00275: Data is in control file but "INFILE \*" has not been specified.**

---

**Cause:** The INFILE specification was not entered in the SQL\*Loader control file.

**Action:** If data in the SQL\*Loader control file is to be read, specify INFILE \* in the SQL\*Loader control file.

**SQL\*Loader-00276: Local storage option overrides global storage.**

**Cause:** A storage clause has been specified in the table level options statement and also in the global options statement.

**Action:** This is only a warning message. Table level options take precedence over global options. Drop the table level options statement if this is not the intent.

**SQL\*Loader-00277: Local file specification overrides global file specification.**

**Cause:** A filename has been specified in the table level options statement and also in the global options statement.

**Action:** This is only a warning message. Table level options take precedence over global options. Drop the table level options statement if this is not the intent.

**SQL\*Loader-00278: Incorrect file specification for parallel load.**

**Cause:** The filename used to perform the parallel load was entered incorrectly.

**Action:** Correct the filename and re-invoke parallel loader.

**SQL\*Loader-00279: Only APPEND mode allowed when parallel load specified.**

**Cause:** INSERT, REPLACE, or TRUNCATE mode was used in a parallel load specification.

**Action:** Change the SQL\*Loader control file to use the APPEND keyword and re-invoke the parallel loader.

**SQL\*Loader-00280: table *string* is a temporary table**

**Cause:** The sqlldr utility does not load temporary tables. Note that if sqlldr did allow loading of temporary tables, the data would disappear after the load completed.

**Action:** Load the data into a non-temporary table.

**SQL\*Loader-00281: Warning: ROWS parameter ignored in parallel mode.**

**Cause:** Specifying save points using the ROWS parameter is not supported for parallel loads.

**Action:** Remove the ROWS parameter from the command-line arguments or specify a non-parallel direct load to have save points performed.

**SQL\*Loader-00282: Unable to locate character set handle for character set ID (*number*).**

**Cause:** SQL\*Loader could not find the character set handle for the given character set ID.

**Action:** The character set ID was obtained from the database server, the SQL\*Loader client does not have knowledge of the given character set ID. Possible mis-match of NLS data on the client and server side.

**SQL\*Loader-00283: file processing string "*string*" ignored for INFILE \***

**Cause:** The SQL\*Loader control file specified INFILE \* for a load data file along with an optional file processing string. This message is a warning that the file processing string will be ignored since SQLLDR will expect the data to have the same record format as the SQL\*Loader control file.

---

**Action:** If the data in the SQL\*Loader control file is in the same format as the rest of the SQL\*Loader control file, then you don't need to do anything. Removing the file processing string will get rid of this error message. If the data in the SQL\*Loader control file has a different record format, then you need to copy the data into a separate file and use that file's name in the INFILE clause.

**SQL\*Loader-00284: Warning: Input data file *string* specified multiple times.**

**Cause:** The same input datafile is loaded multiple times. This can occur if the INFILE keyword is placed out of order in the load syntax statement, which causes the filename of the first datafile loaded to default to the name of the control file with an extension or file type of DAT.

**Action:** Check that INFILE keyword is not placed after one of these - BADFILE/BADDN/DISCARDFILE/DISCARDDN/DISCARDS.

**SQL\*Loader-00285: *string* may be used only in conventional path.**

**Cause:** HIDDEN can only be specified in the conventional path load.

**Action:** Use the conventional path load.

**SQL\*Loader-00286: ROWS parameter is not supported when loading an IOT.**

**Cause:** Specifying save points using the ROWS parameter is not supported when loading an IOT.

**Action:** Remove the ROWS parameter from the command-line arguments.

**SQL\*Loader-00287: No control file name specified.**

**Cause:** No control file name was provided at the control prompt.

**Action:** Provide the name of a valid control file at the prompt or on the command line.

**SQL\*Loader-00288: Delimiters may not be specified for collections stored in SDF.**

**Cause:** A TERMINATED BY or ENCLOSED BY clause was found along with an SDF (secondary data files) clause for a nested table or varray field.

**Action:** The TERMINATED BY or ENCLOSED BY clauses may be specified only if the nested table or VARRAY data is stored in the record in the main data file. If you are loading nested table or VARRAY data from a secondary data file, then you must use COUNT to indicate the number of elements in the secondary data file that are stored in the file.

**SQL\*Loader-00289: SQL string for column *string* occludes SQL string for column *string*.**

**Cause:** A SQL string has been associated with both a column object and one of its attributes in the control file. Because the SQL string of the column object will replace the entire column object in the VALUE clause of the INSERT statement, the SQL string of the attribute is ignored. This could cause unexpected or incorrect values to be loaded.

**Action:** Correct the control file so that only the column object or its attribute has a SQL string, but not both.

**SQL\*Loader-00290: PIECED keyword (on column *string*) allowed only for lob or long columns**

**Cause:** The PIECED keyword cannot be used for non lob or long columns.

**Action:** Remove the PIECED keyword or use lob or long column type.

**SQL\*Loader-00291: Invalid bind variable *string* in SQL string for column *string*.**

---

**Cause:** A bind variable may not refer to a filler field or to a non-existent field. Also, when running in direct-path mode, a bind variable may not refer to field that represents a LOB stored in a secondary file or a collection.

**Action:** Remove the offending bind variable from the SQL string.

**SQL\*Loader-00292: ROWS parameter ignored when an XML, LOB or VARRAY column is loaded**

**Cause:** Command-line arguments contained a ROWS parameter. Specifying save points using the ROWS parameter is not supported when any table being loaded contains a LOB or a column stored as a LOB. XML and VARRAY columns may be stored as a LOB.

**Action:** Remove the ROWS parameter from the command-line arguments.

**SQL\*Loader-00293: Missing XMLTYPE directive in control file for table *string***

**Cause:** A table of sys.xmltype must specify the XMLTYPE directive.

**Action:** Add XMLTYPE directive to control file.

**SQL\*Loader-00294: invalid name % specified in TREAT AS clause**

**Cause:** The type name specified in a TREAT AS clause is invalid. It might contain characters that are not valid in the client character set or a quoted string might not be terminated or the name might be too long to contain a valid schema name and type name.

**Action:** Verify that the type name has valid characters and is not too long. Also, ensure that all quoted strings are terminated.

**SQL\*Loader-00295: Warning: Table *string*, Column *string* - Quoting rule of object attribute bind variables has changed.**

**Cause:** The quoting rule of bind variables consisting of full object attribute names changed. The old quoting rule is incorrect because it can lead to ambiguous column references. For backward compatibility, current load will continue unless ambiguous column references are detected.

**Action:** This is only a warning message. Because the quoting rule of object attribute bind variables has changed, it is recommended that the control file be replaced with the new rule. With the new rule, a full object attribute bind variable name is not enclosed in its entirety in double quotes. Instead, each attribute name in the bind variable should be independently quoted as needed. Note that each attribute name is actually an identifier on its own and thus should follow the quoting rules for an identifier. For example, bind variable ":A.B.C" here consists of 3 attribute names (or identifiers): "A", "B", and "C".

**SQL\*Loader-00296: Bind variable *string* for column *string* is ambiguous.**

**Cause:** A bind variable can only refer to one column in the control file. Current load could not continue due to ambiguous column references.

**Action:** Fix the bind variable. If this bind variable consists of quotes, check that the quotes are used correctly. For example, the old quoting rule of bind variables consisting of full object attribute names was incorrect because it can lead to ambiguous column references. Let's say we have an expression "LTRIM(:'A.B.C')". Using the old quoting rule, this bind variable can refer to object attribute columns "'A"."B"."C'", "'A.B'.C", and "'A"."B.C'". To avoid this confusion, use the new quoting rule for object attribute bind variables, which is to quote each attribute name independently as needed. In the preceding example, if the intended object attribute column is "A.B.C", then the expression rewritten as "LTRIM(:A.B.C)" or "LTRIM(:'A"."B"."C') will not lead to ambiguities.

- 
- SQL\*Loader-00297: Invalid syntax or bind variable in SQL string for column *string*.**  
**Cause:** See following error message for more information. A SQL string cannot have quoted strings improperly terminated. A bind variable in a SQL string cannot have a length of 0, cannot exceed maximum length of 30 characters, and cannot be missing a double quote.  
**Action:** Fix the SQL string. See following error for more information.
- SQL\*Loader-00298: Filler field name is too long**  
**Cause:** The specified filler field name exceeded the maximum of 30 characters.  
**Action:** Specify at most 30 characters.
- SQL\*Loader-00299: Virtual column *string* in table *string.string* cannot be loaded.**  
**Cause:** Virtual columns were specified in the control file.  
**Action:** Virtual columns cannot be specified in the control file. Remove the virtual column from the SQL\*Loader control file.
- SQL\*Loader-00300: error while attempting to enable tracing**  
**Cause:** An error occurred while executing an ALTER SESSION statement to enable tracing. This message will be followed by the error returned from ALTER SESSION.  
**Action:** No action required.
- SQL\*Loader-00301: string for TERMINATED BY or ENCLOSED BY clause is longer than *number* bytes**  
**Cause:** The size of a string literal is longer than the maximum number of bytes allowed for an ENCLOSED BY or TERMINATED BY string. This error can also occur if the string needs to be converted to the character set of the data file and the resulting string is too long.  
**Action:** Use shorter strings for the TERMINATED BY and ENCLOSED BY clauses.
- SQL\*Loader-00303: Non-hex character encountered where hex char expected**  
**Cause:** A non-hex character was found in a hexadecimal string.  
**Action:** Change it to the intended hexadecimal character.
- SQL\*Loader-00304: Illegal combination of non-alphanumeric characters**  
**Cause:** The SQL\*Loader control file contains a combination of non-alphanumeric characters that SQL\*Loader does not recognize. For example, the combination != is recognized as "not equal", but the combination =! is not valid.  
**Action:** Remove the unrecognized characters from the control file.
- SQL\*Loader-00305: More than one end of file character encountered**  
**Cause:** The file contains multiple end-of-file marks.  
**Action:** Remove the excess end-of-file characters.
- SQL\*Loader-00306: Token longer than max allowable length of *number* chars**  
**Cause:** The SQL\*Loader control file contains a single word or combination of characters (a token) that is longer than the maximum permissible value. The maximum possible value is shown. This error could result from missing spaces, so that multiple tokens are joined.  
**Action:** Check that the proper SQL\*Loader control file is being executed Separate tokens, if joined, or shorten the token.

---

**SQL\*Loader-00307: Warning: conflicting lengths *number* and *number* specified for column *string* table *string***

**Cause:** The SQL\*Loader control file specifies two different lengths for the named column. There are three ways to specify the length of a field: --with the POSITION keyword: POSITION(1:3) -- with the length specifier: CHAR(6) -- with the implied length of a datatype; for example, INTEGER -- A conflict could occur between any two of these specifications (or among all three, but only two are shown). A common cause of this error is the specification of some numeric datatype, such as INTEGER, when the numeric external form is intended (INTEGER EXTERNAL). The external form consists of character data, so it is considerably longer than the numeric form, which consists of binary data.

**Action:** No action is necessarily required, because SQL\*Loader uses only one of the lengths. Check the log file under the heading "Len" in the table-description section to see which length was used. Adjusting the SQL\*Loader control file to produce uniform length specifications will remove the warning.

**SQL\*Loader-00308: *string* SQL string of column *string* must be in double quotes.**

**Cause:** A SQL string was found that was not quoted or in single quotes.

**Action:** Use double quotes for the SQL string, rather than single quotes.

**SQL\*Loader-00309: No SQL string allowed as part of *string* field specification**

**Cause:** Particular field types do not allow SQL strings as part of their field specification (e.g. field corresponding to a LOB column). This was violated and needs to be corrected.

**Action:** Remove the SQL string from the particular field specification.

**SQL\*Loader-00310: Interval partition values of table *string* must be in double quotes.**

**Cause:** A string specified for interval partitioning was found that was not quoted or in single quotes.

**Action:** Use double quotes for the interval partitioning values string, rather than single quotes.

**SQL\*Loader-00350: Syntax error at line *number*.**

**Cause:** num identifies the line in the SQL\*Loader control file at which the error occurred. This message is followed by another of the form -- Expecting str1, found str2 where str1 is a description of what SQL\*Loader expected in the SQL\*Loader control file, and str2 is what was found. Then SQL\*Loader displays the offending line from the SQL\*Loader control file, indicating the location of the error in the line by a caret (^) or an asterisk (\*). An example follows: -- SQL\*Loader-350: Syntax error at line 28 -- Expecting column name, found keyword CHAR -- col3 ENCLOSED BY """, CHAR ENCLOSED """,

**Action:** Compare the DDL syntax against the syntax diagrams in Oracle7 Server Utilities and make any necessary corrections.

**SQL\*Loader-00401: End field position *number* must be greater than or equal to start *number***

**Cause:** The named field contains a (start:end) clause in which end is less than start.

**Action:** Modify the clause so that end is greater than or equal to start.

**SQL\*Loader-00402: Unable to determine length of column *string* from specification**

---

**Cause:** The specified datatype does not have an implied length (for example, a numeric external or RAW datatype), it is not specified with delimiters, no length was specified, and a length cannot be determined from a POSITION clause.

**Action:** If a POSITION clause is specified, adding an end location to it produces a length specification. This clause then has the form POSITION(start:end) A length can also be specified after the datatype, as in INTEGER EXTERNAL (6) Finally, the field could be specified with delimiters, or the datatype changed to one that has an implied length.

**SQL\*Loader-00403: Referenced column *string* not present in table *string*.**

**Cause:** The named column is not present in the given table.

**Action:** Correct the column name or table name.

**SQL\*Loader-00404: Column *string* present more than once in *string*'s INTO TABLE block.**

**Cause:** The named column is specified more than once in a single INTO TABLE statement.

**Action:** Remove the extraneous column specification.

**SQL\*Loader-00405: Need termination delim with optional enclosure delim: column *string* table *string***

**Cause:** The named column was specified with an optional enclosure delimiter, but no termination delimiter. Enclosure delimiters can only be optional when termination delimiters are present.

**Action:** Specify a termination delimiter or make the enclosure delimiters non-optional.

**SQL\*Loader-00406: If data is all generated, number to load cannot be ALL**

**Cause:** When only generated data is loaded, a number to load must be given so SQL\*Loader knows when to stop.

**Action:** Specify a number to load.

**SQL\*Loader-00407: If data is all generated, number to skip is meaningless**

**Cause:** When all data is generated, no file is read, and there are no records to skip.

**Action:** Remove the number to skip.

**SQL\*Loader-00408: Physical record stack overflow**

**Cause:** An internal error has occurred.

**Action:** Contact customer support.

**SQL\*Loader-00409: Number to skip must be table-level, not load-level on continued loads**

**Cause:** The SKIP parameter was specified on the command line or in the OPTIONS statement, but the load was specified as continued with CONTINUE\_LOAD. When a multiple-table direct load is interrupted, it is possible that a different number of records were loaded into each table. As a result, the number of records to skip must be specified for each table when continuing the load. In this case, the load is specified as continued with the CONTINUE\_LOAD statement, and the number of records to skip is given in each INTO TABLE statement. See also messages 410 and 411 for more information.

**Action:** Check the log file to determine the appropriate number of records to skip for each table and specify this number in the INTO TABLE statement for each table in a continued load or with the command-line SKIP parameter in a standard load.

---

**SQL\*Loader-00410: Number to skip must be load-level, not table-level**

**Cause:** A SKIP clause was found in the INTO TABLE statement of a standard (non-continued) load. In a standard load, specified with LOAD DATA, it is not possible to skip a different number of records for each table. The number of records to skip must be specified for the entire load by using the SKIP parameter on the command line or in the OPTIONS clause. If table-level skip is required, because a different number of records were loaded into each table (only possible for a multiple-table direct load), then specify a continued load with the CONTINUE\_LOAD statement. See also messages 409 and 411 for more information.

**Action:** If the load was not a multiple-table, direct path load, then move the SKIP clause from the INTO TABLE statements to the command line or to the OPTIONS clause. Otherwise, specify the load as continued with CONTINUE\_LOAD.

**SQL\*Loader-00411: Only a direct path load may be continued**

**Cause:** The load is specified with CONTINUE\_LOAD, but DIRECT=FALSE. CONTINUE\_LOAD is only possible for a direct path load and is only necessary for a multiple-table, direct path load when a different number of records have been loaded into each table. See also messages 409 and 410 for more information.

**Action:** If CONTINUE\_LOAD is necessary, specify a direct load and put the number of records to skip in each INTO TABLE statement. Otherwise, use the command line or OPTIONS clause to specify the number of records to skip and use LOAD DATA instead of CONTINUE\_LOAD.

**SQL\*Loader-00412: More columns specified for table *string* than the maximum (number)**

**Cause:** More columns were specified for the table than the maximum number allowed by the database.

**Action:** Remove the extraneous columns.

**SQL\*Loader-00413: NULLIF or DEFAULTIF clause specified for filler field *string* in table *string*.**

**Cause:** A NULLIF or DEFAULTIF clause was specified in the SQL\*Loader control file for the named filler field. These options cannot be specified for filler fields.

**Action:** Remove the NULLIF or DEFAULTIF clause from the field definition.

**SQL\*Loader-00414: no columns to load for table *string***

**Cause:** There were no fields in the data file to be loaded for the table. Probably all fields were identified as FILLER fields.

**Action:** Verify that the FILLER attribute was set correctly for the fields.

**SQL\*Loader-00415: column *string* in table *string* cannot use and be the object of an SDF or LOBFILE**

**Cause:** The named column is identified as the target of a secondary data file (SDF) or LOBFILE clause. However, the column also gets its value from an SDF or LOBFILE. If a field name is named in an SDF or LOBFILE clause, then that field cannot have an SDF or LOBFILE clause.

**Action:** Verify that the SDF and LOBFILE clauses in the SQL\*Loader control file name the correct fields. Also verify that the SDF and LOBFILE clauses are specified for the correct field.

**SQL\*Loader-00416: SDF clause for field *string* in table *string* references a non-existent field.**

---

**Cause:** The secondary data file clause for the field identified another field that doesn't exist in the table definition for the SQL\*Loader control file.

**Action:** Verify the definition of the secondary data file to make sure it identifies the intended field.

**SQL\*Loader-00417: SQL string (on column *string*) not allowed in direct path.**

**Cause:** Because the direct path bypasses SQL processing, the SQL string cannot be used.

**Action:** Remove the SQL string or use the conventional path.

**SQL\*Loader-00418: Bad datatype for column *string***

**Cause:** The datatype in the data file specified for the column cannot be used to load the column. This message is often displayed for columns that need to be loaded with special features. For example, BFILE columns can only be loaded via the BFILE directive in the control file; same goes for REF fields. in the SQL\*Loader control file. Similarly, REF columns can only be loaded with the REF datatype in the SQL\*Loader control file.

**Action:** Determine the datatype of the column in the database check the documentation for the correct mechanisms to use to load columns of that type.

**SQL\*Loader-00419: input datatype for column *string* is not supported when loading varrays**

**Cause:** The datatype in the SQL\*Loader control file for the column is cannot be used to load data in a varray.

**Action:** Use a different datatype.

**SQL\*Loader-00420: unsupported datatype conversion requested for column *string* in table *string***

**Cause:** The column needs to have its data converted to another datatype before loading the data. The required conversion cannot be done by sqlldr.

**Action:** Verify that the correct datatype was specified for the column.

**SQL\*Loader-00421: error converting data**

**Cause:** This message can be displayed as one of the reasons for rejecting a row. The sqlldr utility was attempting to convert data for the column from its datatype in the data file to the datatype for the column in the database. This message should be followed with another message describing the conversion error.

**Action:** Correct the data in the data file so that it can be converted.

**SQL\*Loader-00422: constant element count of *number* for column *string* is greater than maximum, *number***

**Cause:** The number of elements specified for a varray column in a table is greater than the maximum number of elements allowed for the type of the varray column.

**Action:** Increase the number of elements allowed for the type or remove unwanted elements from the data file.

**SQL\*Loader-00423: element count is greater than maximum allowed for the column**

**Cause:** When building a varray from the data file, SQL\*Loader encountered more varray elements than are allowed for the column.

**Action:** The previous error messages contain the name of the column and the row number containing the bad data.

**SQL\*Loader-00424: table *string* makes illegal reference to collection field *string***

---

**Cause:** A WHEN, OID or SID clause for the table refers to a field declared inside of a collection.

**Action:** Move the data containing the value for a SID or OID clause outside of the collection definition.

**SQL\*Loader-00425: column *string* makes illegal reference to collection field *string***

**Cause:** A clause, such as NULLIF or BFILE clause, for the column refers to a field declared inside of a collection.

**Action:** Move the data containing the value for a SID or OID clause outside of the collection definition.

**SQL\*Loader-00426: count of elements in VARRAY *string* comes after the data for the varray**

**Cause:** The COUNT clause for a VARRAY field indicates that the count of elements in the varray is stored in another data field. However, that data field comes after the varray data in the data file. Since finding the count field would require SQL\*Loader to know the number of elements in the VARRAY first, SQL\*Loader requires that the count field come before the VARRAY data.

**Action:** Move the count field to be before the collection data in the data file.

**SQL\*Loader-00427: a field condition references a non-scalar field or a LOB field *string***

**Cause:** The field condition is referencing a field which is either a nested table, varray, column object, LOB or BFILE field. These fields with these types cannot be referenced by other field.

**Action:** Correct the NULLIF, DEFAULTIF, or WHEN clauses to reference only non-LOB scalar data fields.

**SQL\*Loader-00428: count for field *string* not stored in character or integer field**

**Cause:** The count clause for a field references another field, but the referenced field is not a character or integer datatype.

**Action:** Modify the count field so that it reference a data field that has the count in an integer or character format.

**SQL\*Loader-00429: insufficient number of elements found for varray**

**Cause:** The COUNT directive was specified for a varray, but the number of elements found is less than the number specified by the COUNT directive.

**Action:** Correct the data so that the count and the number of elements agree.

**SQL\*Loader-00430: NULL nested table element is not allowed**

**Cause:** A row in a nested table was set to NULL. Nested tables cannot contain NULL fields.

**Action:** Correct the data so that there are no NULL rows in the nested table.

**SQL\*Loader-00431: illegal NULLIF or DEFAULTIF clause specified for nested table column *string***

**Cause:** Rows in a nested table cannot be set to NULL. SQLLDR displays this error when a NULLIF clause was specified for the element that defines the row that make up a nested table. SQLLDR also displays this error if a DEFAULTIF clause is specified for an element that is a named type, since SQLLDR will set a named type to NULL if the DEFAULTIF evaluates to TRUE.

**Action:** None

---

**SQL\*Loader-00432: converted data too large**

**Cause:** This message is preceded by a message identifying a row and column. It is displayed when there is insufficient room to convert the data from the datatype in the input file to the datatype for the column in the database.

**Action:** Modify the data so that it fits in the database field.

**SQL\*Loader-00433: no attributes found for column object *string* in table *string***

**Cause:** No attributes are to be loaded for a column object named in the control file. This can happen if all fields in the definition for the column object in the control are designated as FILLER fields.

**Action:** Either specify attributes to load for the column object or remove the column object from the control file.

**SQL\*Loader-00434: Can not load LOB/XML in a nested table along with the parent table.**

**Cause:** Loading LOBs and XML data within a nested table at the same time as the parent table is not supported.

**Action:** Load the nested table with the LOB or XML column separately from the parent table.

**SQL\*Loader-00435: invalid constant value *string* for nested table column *string***

**Cause:** A constant value was specified for the SETID of a nested table column. An error occurred while translating the character constant into a SETID.

**Action:** Make sure the constant string contains valid hexadecimal characters and that there are 32 hexadecimal characters.

**SQL\*Loader-00436: error converting GUID**

**Cause:** The value of the field named in the message is used to populate the column named in the message. Because column is a Set ID or an Object ID, the field needs to be converted. This message indicates that there was a conversion error. If the field is a character field, then the conversion error could be caused by too many or too few hexadecimal characters. Also, one or more of the characters in the field might not be a valid hexadecimal character. If the field contains RAW data, then either too many or too few bytes were specified for the field.

**Action:** Fix the data and reload the row.

**SQL\*Loader-00440: Invalid table specified as scope of a REF**

**Cause:** As part of the REF directive one specifies the table name or another field name which contains the table name of the table which the REF references.

**Action:** Make sure that the right referenced table name is specified.

**SQL\*Loader-00456: end of collection found after *number* elements when looking for *number* elements**

**Cause:** A count value was specified for a varray or nested table column and the number of rows found is less than the number of rows specified

**Action:** Verify that the count field has the correct value and that there is no missing data for the collection.

**SQL\*Loader-00457: Comparison text of CONTINUEIF LAST must have length 1 not *number***

**Cause:** The comparison text is too long. It can only be one character.

**Action:** Reduce the comparison text to one character.

- 
- SQL\*Loader-00458: Comparison text ("*string*") of CONTINUEIF LAST must be non-whitespace**  
**Cause:** The comparison text is a whitespace character (blank or tab).  
**Action:** Change the comparison text to a non-whitespace character.
- SQL\*Loader-00459: error fetching numeric value for sequence on column (*string*)**  
**Cause:** An attempt was made to retrieve a non-numeric value for a sequenced column.  
**Action:** Verify that the data for the sequenced column is numeric. Then retry the operation.
- SQL\*Loader-00460: Column (*string*), form of use (*number*) does not match char set id of (*number*)**  
**Cause:** The given column with the given form of use does not have the same character set ID as a previous column with the same form of use.  
**Action:** This should not happen. Contact ORACLE support and supply the following information: DDL for the table being loaded, and the SQL\*Loader control file. ADDED in 8.1
- SQL\*Loader-00461: direct path loading of datatype for column *string* not supported**  
**Cause:** The datatype for the specified column is one that cannot be loaded with direct path.  
**Action:** If the datatype is supported with conventional path, load the table using conventional path.
- SQL\*Loader-00462: error inserting LOB into column *string*, row *number*, table *string***  
**Cause:** An error occurred while attempting to write a lob into a row.  
**Action:** See accompanying messages describing why the LOB could not be loaded, what actions sqlldr took (if any), and where the errors may be in order to reload.
- SQL\*Loader-00463: secondary data file for LOB is *string***  
**Cause:** The secondary data file that was in use for populating the LOB when an error occurred.  
**Action:** None
- SQL\*Loader-00464: file offset for beginning of lob is *string***  
**Cause:** The offset into the secondary data file that contains the start of the LOB that was being written when an error occurred.  
**Action:** None
- SQL\*Loader-00465: *string* directive expects *number* arguments, *number* found.**  
**Cause:** You specified a directive such as COUNT() or BFILE() in the SQL\*Loader control file. This directive specifies a fixed number of arguments, but the SQL\*Loader control file contains a different number of arguments.  
**Action:** Correct the SQL\*Loader control file so that the directive contains the correct number of arguments.
- SQL\*Loader-00466: Column *string* does not exist in table *string*.**  
**Cause:** The SQL\*Loader control file specified a table column that does not exist.  
**Action:** None

---

**SQL\*Loader-00467: attribute *string* does not exist in type *string* for table *string*.**

**Cause:** The SQL\*Loader control file specified an attribute that does not exist for the specified type. The table that contains the type is also identified in the error message.

**Action:** Verify that the correct table in the correct schema is named in the SQL\*Loader control file. Also verify that the column name is spelled correctly.

**SQL\*Loader-00468: OID directive expects 1 argument, *number* found.**

**Cause:** More than one argument was specified for an OID clause.

**Action:** Specify the name of the field containing the value to use for the OID. If the OID for the table is user-defined, then do not use the OID clause in the control file.

**SQL\*Loader-00469: SID directive expects 1 argument, *number* found.**

**Cause:** More than one argument was specified for a SID clause.

**Action:** Only specify the name of the field containing the value to use for the SID in the SID clause.

**SQL\*Loader-00470: table *string* does not have system generated OID**

**Cause:** You specified an OID clause for a table but the table is either not an object table or the table is an object table but the OIDs for the rows are not system generated.

**Action:** Verify that the you are loading the correct table. If you are, then you must not specify the OID clause for this table. You should use the OID clause only when the table is an object table, has system generated OIDs and when you want to specify OIDs to be assigned to each row of the table.

**SQL\*Loader-00471: OID or SID clause has an argument that is CONSTANT**

**Cause:** You specified a CONSTANT as an argument in an OID clause for an object table or in the SID clause for a nested table column. Since these columns must have unique values, SQL Loader does not allow the a constant to be specified for their values.

**Action:** Store the OID for each row in a filler field and specify the name of the filler field as an argument.

**SQL\*Loader-00472: collections can contain only one non FILLER field specification**

**Cause:** More than one non filler field specification is found in a collection field's member field list.

**Action:** See correct syntax in the Utilities Manual. If indeed there is more than one attribute that makes up the particular collection, then it must be a collection of a object type which needs to be specified using the COLUMN OBJECT field specification syntax.

**SQL\*Loader-00473: nesting of collections is not allowed.**

**Cause:** Nesting of one collection type field description within another is not allowed.

**Action:** Verify that collection nesting is attempted in the SQL\*Loader control file. Correct the mistake.

**SQL\*Loader-00474: no value set for dynamic file for column *string* in table *string* row *number***

**Cause:** The data for the named column is in a dynamic LOBFILE or secondary data file. This message is returned when the field containing the name of the file

---

with the data for this field has not been set or is NULL. This could be because the record in the data file does not match the format described by the SQL\*Loader control file.

**Action:** Correct any errors in the data file or the SQL\*Loader control file.

**SQL\*Loader-00475: field for dynamic file name is *string* in table *string***

**Cause:** This message is always displayed after message 474.

**Action:** None

**SQL\*Loader-00476: count of elements for collection is not set or null, 0 will be used**

**Cause:** This message is displayed following a message that identifies the column and row that contained the problem. The message indicates that the collection field named in the previous message has the count of elements in the collection stored in another field. This message is displayed if the field containing the count does not have a value or is set to NULL. When this happens, SQL\*Loader uses 0 as the number of elements.

**Action:** If 0 is not the count of elements for the collection, correct the data in the data file.

**SQL\*Loader-00477: REF directive for field *string* requires at least two arguments**

**Cause:** The SQL Loader control file contains a REF directive for the field, but only one argument was supplied for the directive. The REF directive always requires at least two arguments.

**Action:** Supply the missing argument to the REF directive. Remember that you must always supply a table name to the REF directive even if the REF is scoped.

**SQL\*Loader-00478: unable to continue due to missing filename for LOBFILE or SDF**

**Cause:** The name for a LOBFILE or secondary data file is either missing or NULL for the current row. SQL\*Loader is unable to continue loading since it can't determine how to get the LOB for the next row.

**Action:** Correct the data file so that there are valid values for all fields containing the names of LOBFILES and secondary data files.

**SQL\*Loader-00479: REF directive for column *string* expects *number* arguments; found *number*.**

**Cause:** The number of arguments in the REF directive for the column is incorrect.

**Action:** Specify the correct number of arguments for REF. Remember that the REF directive always requires a table name. Also, primary key REFs require one argument for each field in the primary key.

**SQL\*Loader-00480: EXPRESSION may not be used with elements of a collection.**

**Cause:** The EXPRESSION keyword is followed by a required SQL string expression and is used to load a column with the result of the SQL string expression instead of with a value from the input data file. However, this capability is not allowed with elements of a collection.

**Action:** Remove the EXPRESSION keyword and associated SQL string from the collection element in the control file.

**SQL\*Loader-00481: HIDDEN may not be used with non-scalar fields.**

**Cause:** The HIDDEN keyword is only allowed for scalar fields.

**Action:** Remove the HIDDEN keyword from the non-scalar field in the control file.

---

**SQL\*Loader-00486: sql-strings may not be specified for collection field *string***

**Cause:** A sql-string was specified as part of the description of the field that is inside a nested table or varray. Sql-strings cannot be used to load a field in a varray or nested tables.

**Action:** Remove the sql-string from the field description. Modify the data file so that it contains the values to be loaded into the column in the collection.

**SQL\*Loader-00487: COUNT clause required for collection *string***

**Cause:** A VARRAY or NESTED TABLE was defined in the SQL Loader control file and all of the fields in the VARRAY or NESTED TABLE are generated by SQL Loader and do not come from a data file. SQL Loader requires a COUNT clause be specified so that it knows how many elements to add to the VARRAY or NESTED TABLE for each row.

**Action:** Add a COUNT clause to the VARRAY or NESTED TABLE definition.

**SQL\*Loader-00488: *string* not a named collection type for filler field *string***

**Cause:** The FILLER option was specified for a VARRAY or NESTED TABLE field in the SQL Loader control file. However, the type name specified for the field is not the name of a VARRAY or NESTED TABLE type.

**Action:** Verify that the correct type name was specified. If the type is defined in a different schema, also verify that the correct schema name is specified.

**SQL\*Loader-00489: cannot insert NULL object into object table *string*, row *number***

**Cause:** There was no data specified in the control file, a lob file, or a secondary data file for this object column.

**Action:** Place valid data for this column in the appropriate file prior to invoking SQL\*Loader to load data into this table.

**SQL\*Loader-00490: absolute position is not allowed for inline collections**

**Cause:** The absolute position specification was used for inline collections. Specifying the absolute position for inline collections is not supported.

**Action:** Use relative positioning for inline collections.

**SQL\*Loader-00500: Unable to open file (*string*)**

**Cause:** SQL\*Loader could not open the named file.

**Action:** Check the operating system messages below this one in the log file.

**SQL\*Loader-00501: Unable to read file (*string*)**

**Cause:** SQL\*Loader could not read the named file.

**Action:** Check the operating system messages following this message in the log file.

**SQL\*Loader-00502: unable to open data file "*string*" for field *string* table *string***

**Cause:** An attempt to open a LOBFILE or secondary data file failed.

**Action:** Check the operating system messages following this message for information on why the open failed. Verify that the correct name is specified for the LOBFILE or secondary data file.

**SQL\*Loader-00503: Error appending extension to file (*string*)**

**Cause:** SQL\*Loader could not append the default extension to create the filename. The given name could be too long or contain illegal characters.

**Action:** Check the specified filename.

---

**SQL\*Loader-00504: Error skipping records in file (*string*)**

**Cause:** SQL\*Loader could not open the file or could not read from it.

**Action:** Check that the file is where it is expected and that read access has been granted.

**SQL\*Loader-00505: error reading LOBFILE**

**Cause:** An attempt to read a secondary data file failed.

**Action:** Check the operating system message that follows this message for more information.

**SQL\*Loader-00506: formatting error reading SDF or LOBFILE *string* for column *string* in table *string***

**Cause:** The the record format of the named LOBFILE or SDF file is incorrect.

**Action:** Fix the record formatting problems in the file.

**SQL\*Loader-00507: unexpected EOF reading SDF or LOBFILE *string* for column *string* in table *string***

**Cause:** The end of file was reached for a secondary data file or LOBFILE before the data for the current row was found.

**Action:** If the file is a LOBFILE, verify the correct datatype was specified for the field. If the file is a secondary data file, make sure the record format is specified correctly in the SQL\*Loader control file.

**SQL\*Loader-00508: record formating error in data file *string***

**Cause:** The data found in the data file does not correspond to the record format in the SQL\*Loader control file.

**Action:** Verify that all records in the data file match the format as described in the SQL\*Loader control file.

**SQL\*Loader-00509: System error: *string***

**Cause:** A platform-specific error was returned during an operation. This message is used to display the text of the error.

**Action:** None

**SQL\*Loader-00510: Physical record in data file (*string*) is longer than the maximum(*number*)**

**Cause:** The datafile has a physical record that is too long.

**Action:** Use CONCATENATE or CONTINUEIF. Break up the physical records.

**SQL\*Loader-00511: Unable to initialize read functions**

**Cause:** SQL\*Loader could not initialize the read functions.

**Action:** Check the errors below this message in the log file for more information.

**SQL\*Loader-00512: Unable to free read buffer**

**Cause:** An internal error has occurred.

**Action:** Contact customer support.

**SQL\*Loader-00513: Unable to close file (*string*)**

**Cause:** SQL\*Loader could not close the named file.

**Action:** Check the errors below this message in the log file for more information.

**SQL\*Loader-00514: Error getting elapsed time**

---

**Cause:** SQL\*Loader could not get the elapsed time from the system.

**Action:** No action required.

**SQL\*Loader-00515: Error getting CPU time**

**Cause:** SQL\*Loader could not get the CPU time from the system.

**Action:** No action required.

**SQL\*Loader-00516: Control file (*string*) has no contents**

**Cause:** The named file was found to be empty.

**Action:** Check that the intended file was referenced and that it is not empty.

**SQL\*Loader-00517: Error decomposing file name (*string*)**

**Cause:** SQL\*Loader could not break down the filename into its component parts.

**Action:** Check the filename for illegal characters.

**SQL\*Loader-00518: Error reassembling file name (*string*)**

**Cause:** SQL\*Loader could not put the filename back together again from its components.

**Action:** Check the filename for illegal characters.

**SQL\*Loader-00520: lfimknam failed for file (*string*)**

**Cause:** LFI failed to make a name object for the file.

**Action:** Contact Oracle Worldwide Support.

**SQL\*Loader-00521: lfilini failed for file (*string*)**

**Cause:** LFI failed to create or initialize a file object for the file.

**Action:** Contact Oracle Worldwide Support.

**SQL\*Loader-00522: lfiopn failed for file (*string*)**

**Cause:** LFI failed to open the file.

**Action:** Check for any possible operating system errors and/or potential memory problems.

**SQL\*Loader-00523: error *number* writing to file (*string*)**

**Cause:** Could not write to specified file.

**Action:** Check the following: the file actually resides in the specified location you have write privileges on the file you have sufficient disk space you have not exceeded your disk quota If all of these conditions are satisfied, then retry the operation.

**SQL\*Loader-00524: partial record found at end of datafile (*string*)**

**Cause:** An incomplete record was found at the end of the indicated datafile.

**Action:** Make sure the last record in the datafile is complete and has the correct terminating character(s). Also, if fixed-length records are in use, verify that no record exceeds the platform-specific length for a single record.

**SQL\*Loader-00525: OCI return status: success**

**Cause:** The message describes the status code returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00526: OCI return status: success with info**

**Cause:** The message describes the status code returned by an OCI call.

---

**Action:** See surrounding messages for more information.

**SQL\*Loader-00527: OCI return status: no data**

**Cause:** The message describes the status code returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00528: OCI return status: error**

**Cause:** The message describes the status code returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00529: OCI return status: invalid handle**

**Cause:** The message describes the status code returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00530: OCI return status: need data**

**Cause:** The message describes the status code returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00531: OCI return status: still executing**

**Cause:** The message describes the status code returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00532: OCI return status: continue**

**Cause:** The message describes the status code returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00533: OCI return status: unknown, value is *number***

**Cause:** An unknown status was returned by an OCI call.

**Action:** See surrounding messages for more information.

**SQL\*Loader-00551: internal error: error initializing slf**

**Cause:** An internal error occurred while trying to initialize the file I/O component.

**Action:** Call customer support.

**SQL\*Loader-00552: insufficient privilege to open file**

**Cause:** SQL\*Loader does not have the privileges required to open the file.

**Action:** Verify that the correct file was specified and that the file has the appropriate permissions.

**SQL\*Loader-00553: file not found**

**Cause:** The specified file cannot be found.

**Action:** verify that the correct name exists and whether the file is in the intended location.

**SQL\*Loader-00554: error opening file**

**Cause:** An error occurred while trying to open the file. No further information is available.

**Action:** Verify that the file is accessible.

**SQL\*Loader-00555: unrecognized processing option**

**Cause:** The processing option specified for the file cannot be processed.

---

**Action:** Verify that the processing options specified for the file contain legal syntax for the platform where SQL\*Loader is running.

**SQL\*Loader-00556: unable to allocate read buffer**

**Cause:** Attempt to allocate the read buffer failed.

**Action:** If possible, try specifying a smaller size for the read buffer.

**SQL\*Loader-00557: unable to allocate memory**

**Cause:** An attempt to allocate some memory to track I/O for the file failed.

**Action:** Contact customer support.

**SQL\*Loader-00558: attempt to use SKIP parameter with linked-in loader**

**Cause:** SKIP parameter was specified with a linked-in file processor.

**Action:** Do not use the SKIP parameter in this case.

**SQL\*Loader-00559: error closing file**

**Cause:** An error occurred while closing the file.

**Action:** Contact customer support.

**SQL\*Loader-00560: error reading file**

**Cause:** An error occurred while reading the file.

**Action:** Make sure the file is still accessible.

**SQL\*Loader-00561: end of file**

**Cause:** End of file reached.

**Action:** None

**SQL\*Loader-00562: record too big**

**Cause:** A record in the file is larger than the read buffer.

**Action:** Verify that the file is not corrupt. If not, try specifying a larger size for the read buffer.

**SQL\*Loader-00563: bad length for VAR record**

**Cause:** The length portion of a VAR record contains non-numeric data.

**Action:** Fix the data in the file.

**SQL\*Loader-00564: illegal hexadecimal literal specified for record delimiter**

**Cause:** A hexadecimal literal that contains the record delimiter for the file does not contain a valid hexadecimal string.

**Action:** Verify that the correct hexadecimal value was specified in the processing options for the file.

**SQL\*Loader-00565: unexpected error during skip .**

**Cause:** an unexpected error occurred while attempting to skip records.

**Action:** This message should be followed by another message giving more specific information about the error

**SQL\*Loader-00566: partial record found at end of datafile**

**Cause:** An incomplete record was found at the end of file.

**Action:** Make sure the last record in the datafile is complete and has the correct terminating character(s).

---

**SQL\*Loader-00567: unable to derive file name**

**Cause:** An error occurred while attempting to build a name for a data file, bad file, discard file or log file.

**Action:** Instead of relying on SQL Loader to build these file names, try specifying full file specifications for these files in the control file or on the SQL Loader command line.

**SQL\*Loader-00568: error writing to file**

**Cause:** Unexpected error occurred while writing to a file. This message is followed by another message with more information about the error.

**Action:** None

**SQL\*Loader-00569: READSIZE parameter exceeds maximum value *string* for platform**

**Cause:** The value specified for the READSIZE parameter on the SQL Loader command line was larger than the maximum size allowed on the platform executing the SQL Loader command

**Action:** Decrease the size of the READSIZE parameter to be less than the maximum size allowed on the platform.

**SQL\*Loader-00600: Bind size of *number* bytes increased to *number* bytes to hold 1 row.**

**Cause:** The space needed to contain a single row is longer than the specified bind size. The value used for the bind size will be increased to handle the larger size

**Action:** No action is required. This message will go away if the new value in the error message is specified for the bind size.

**SQL\*Loader-00601: For INSERT option, table must be empty. Error on table *string***

**Cause:** A non-empty table is being loaded with the INSERT option.

**Action:** Use the REPLACE keyword to empty the old table and store the new data in its place. Use the APPEND keyword to leave the table's contents intact and add the new data to it.

**SQL\*Loader-00602: Maximum converted length *number* of column *string* is too big for bind array**

**Cause:** The named column cannot undergo the specified character set conversion and still be placed in a contiguous piece of memory on the system.

**Action:** Specify a shorter data column or eliminate the conversion.

**SQL\*Loader-00603: Maximum length *number* of column *string* is too big for bind array**

**Cause:** The named column cannot be put in a contiguous piece of memory on the system.

**Action:** Specify a shorter data column.

**SQL\*Loader-00604: Error occurred on an attempt to commit**

**Cause:** An error occurred while trying to commit changes to the database.

**Action:** Look at the message listed below this one in the log file for more information.

**SQL\*Loader-00605: Non-data dependent ORACLE error occurred -- load discontinued.**

---

**Cause:** An error occurred that is independent of the data. For example, an out-of-space condition. Because all further rows will be rejected, the load is discontinued. (If the error were data dependent, then other rows might succeed.)

**Action:** See the errors below this one in the log file for more information.

**SQL\*Loader-00606: Object *string* in INTO TABLE clause is not a local table**

**Cause:** The synonym specified in the INTO TABLE clause in the SQL\*Loader control file specifies a remote object via a database link. Only a synonym for an existing local table can be specified in the INTO TABLE clause.

**Action:** Ensure that a local table name or a synonym for a local table is fully specified in the INTO TABLE clause. The table must already exist.

**SQL\*Loader-00607: partition not empty for INSERT option; table *string*, partition *string***

**Cause:** An attempt was made to use the INSERT option on a non-empty partition.

**Action:** Empty the partition, or use the REPLACE or TRUNCATE option.

**SQL\*Loader-00608: subpartition not empty for INSERT option; table *string*, subpartition *string***

**Cause:** An attempt was made to use the INSERT option on a non-empty subpartition.

**Action:** Empty the subpartition, or use the REPLACE or TRUNCATE option.

**SQL\*Loader-00609: value used for ROWS parameter changed from *number* to *number***

**Cause:** SQL Loader adjusted the value it was using for the ROWS parameter to the new value reported. This is an informational message and not an error. SQL Loader will adjust the value of the ROWS parameter if the amount of memory specified by BINDSIZE is not large enough to hold data for the number of rows specified. SQL Loader will also change the value of the ROWS parameter for conventional path loads if the value is larger than 65534. Conventional path load can load at most 65534 rows at a time.

**Action:** If the limit of 65534 rows for conventional path load is not being reached, then try increasing the value of BINDSIZE.

**SQL\*Loader-00610: cannot load system partitioned table *string*; partition name(s) required**

**Cause:** An attempt was made to load a system partitioned table with no partitioning clause specified in the SQL\*Loader control file.

**Action:** Specify the partition name(s) in the SQL\*Loader control file.

**SQL\*Loader-00620: Initial enclosure character not found**

**Cause:** A mandatory initial enclosure delimiter was not present. Either it is missing on the current field or the previous field is missing an identical closing delimiter.

**Action:** Supply the missing delimiters.

**SQL\*Loader-00621: Field in data file exceeds maximum length**

**Cause:** A field exceeded its maximum allowable length. The maximum length is either the length specified in the SQL\*Loader control file, or, for delimitable fields without a length specified, the default maximum length (255 bytes).

**Action:** Check for missing delimiters and/or shorten the field.

---

**SQL\*Loader-00622: Column not found before end of logical record (use TRAILING NULLCOLS)**

**Cause:** The logical record ended before all specified fields were found.

**Action:** If the missing fields should be loaded as null, use the TRAILING NULLCOLS clause. Otherwise, correct the data.

**SQL\*Loader-00623: second enclosure string not present**

**Cause:** The logical end of record or the end of a LOBFILE was reached before a second enclosure delimiter was found.

**Action:** Correct the data file to include the missing delimiter.

**SQL\*Loader-00624: no terminator found after TERMINATED and ENCLOSED field**

**Cause:** No termination delimiter was found after the enclosed field ended.

**Action:** Supply the missing termination delimiter.

**SQL\*Loader-00625: Multibyte character error in control file.**

**Cause:** Incomplete multi-byte character strings were found in the SQL\*Loader control file.

**Action:** Edit the SQL\*Loader control file to check that all multi-byte character data is valid.

**SQL\*Loader-00626: Character set conversion buffer overflow.**

**Cause:** A conversion from the datafile character set to the client character set required more space than that allocated for the conversion buffer. The size of the conversion buffer is limited by the maximum size of a varchar2 column.

**Action:** The input record is rejected. The data will not fit into the column.

**SQL\*Loader-00627: Character set conversion graph not available.**

**Cause:** A conversion from the datafile character set to the client character failed due to the conversion graph not being available.

**Action:** Contact Oracle support. Check NLSRTL installation.

**SQL\*Loader-00628: Character set conversion error.**

**Cause:** A character set conversion error occurred.

**Action:** Contact Oracle support. Check NLSRTL installation. Provide a reproduceable test case.

**SQL\*Loader-00640: Variable length field was truncated.**

**Cause:** The end of the logical record was encountered before the end of a variable length field. The length of each variable-length field is embedded in the field, so SQL\*Loader knows that more data should have been present.

**Action:** Check the data for inadvertent truncation and verify the SQL\*Loader control file specifications against the log file; the field may be starting in the wrong place.

**SQL\*Loader-00641: Invalid packed decimal nibble.**

**Cause:** Each byte in a packed decimal field contains two 4-bit nibbles. Each nibble must have a valid value.

**Action:** Check the SQL\*Loader control file's specifications against the log file to ensure that the field location was specified correctly. Check the contents of the field.

---

**SQL\*Loader-00642: Relative start position > absolute field end position.**

**Cause:** A field specified as POSITION(\*+n:y) had its relative start occur after the absolute position y.

**Action:** Check that a delimiter is not missing and that the values of n and y are correct.

**SQL\*Loader-00643: error executing INSERT statement for table *string***

**Cause:** A fatal error occurred while attempting to insert data into the table.

**Action:** Refer to the messages that follow for more information. If you specified SQL strings for any of your columns, verify that strings are correct. Specifically, check for balanced parenthesis and correct use of quotation marks. Another format error

**SQL\*Loader-00644: end of logical record found when reading length of varying length field**

**Cause:** While attempting to read the length portion of a varying length field, then end of the logical record was reached.

**Action:** Verify that the SQL\*Loader control file describes the data correctly and that the data in the data file matches the description in the SQL\*Loader control file

**SQL\*Loader-00645: error converting character length field to a number**

**Cause:** An error occurred while attempting to convert the characters containing the count portion of a VARCHARC or VARRAWC field.

**Action:** Verify that the count portion for the column has the correct value.

**SQL\*Loader-00646: lob set to EMPTY in column *string*, row number, table *string***

**Cause:** Encountered errors (e.g. parsing errors in LOBFILE) while loading LOBs. The row will remain in the table and its LOB column will be initialized to empty. Loading of other records will continue.

**Action:** Correct the data file (see accompanying messages) and reload.

**SQL\*Loader-00647: Integer to number conversion error**

**Cause:** An error occurred while attempting to convert an integer to an Oracle number format.

**Action:** Verify that the integer field in the data file is a valid integer. If the INTEGER(N) syntax was used, then verify that the length specified is valid.

**SQL\*Loader-00649: Quoted string missing closing quote**

**Cause:** A quoted string in the control file is missing a closing quote.

**Action:** Insert the closing quote as appropriate.

**SQL\*Loader-00650: incomplete lob data written for column *string*, row number, table *string***

**Cause:** Encountered errors (e.g. parsing errors in LOBFILE) while loading LOBs using direct path. The row will remain in the table and its LOB column may not be complete. Loading of other records will continue.

**Action:** Correct the data file (see accompanying messages) and reload.

**SQL\*Loader-00651: error skipping lob for column *string*, row number, table *string***

**Cause:** Encountered errors (e.g. parsing errors in LOBFILE) while skipping LOBs.

**Action:** Correct the data file (see accompanying messages) and reload.

---

**SQL\*Loader-00652: Invalid zoned decimal byte.**

**Cause:** Each byte of a zoned decimal field must have a valid value based on the character set encoding used. ASCII-based zoned decimals must follow the formats specified in the VAX Architecture Reference Manual. EBCDIC-based zoned decimals must follow the formats specified in the ESA/390 Principles of Operations, version 8.1.

**Action:** Check the SQL\*Loader control file's specifications against the log file to ensure that the field location was specified correctly. Check the contents of the field.

**SQL\*Loader-00653: XML data set to NULL in column *string*, row *number*, table *string***

**Cause:** Encountered errors (e.g. parsing errors in LOBFILE) while loading LOBs into an XML column. The row will remain in the table and its XML column will be initialized to null. Loading of other records will continue.

**Action:** Correct the data file (see accompanying messages) and reload.

**SQL\*Loader-00654: Variable length field exceeds maximum length.**

**Cause:** A variable length field (with a leading length subfield) exceeded its maximum allowable length. The maximum length is either the length specified in the SQL\*Loader control file, or, the default if not specified (4kb).

**Action:** Shorten the field and its length.

**SQL\*Loader-00655: cannot load object-relational XML attribute using direct path**

**Cause:** The table being loaded contains a column object which contains an XML attribute with a storage type of object-relational. This type of attribute cannot be loaded with direct path.

**Action:** Perform the load with conventional path mode.

**SQL\*Loader-00656: position specification for column *string* is not allowed in external table loads**

**Cause:** Use of a position specification was present in an external table load.

**Action:** Either remove the position specification, change the position specification to a field name reference, use direct path, or use conventional path.

**SQL\*Loader-00700: Out of memory while performing essential allocations [*number*]**

**Cause:** SQL\*Loader could not allocate the memory it needs.

**Action:** Check the operating system and process memory. Increase memory available to SQL\*Loader, if possible. If using direct path, try lowering the columnarrayrows option (see log file for current default value).

**SQL\*Loader-00702: Internal error - *string***

**Cause:** An internal error has occurred.

**Action:** Make a note of the message and contact customer support.

**SQL\*Loader-00703: Internal error: argument *number***

**Cause:** An internal error has occurred.

**Action:** Make a note of the message and the number, then contact customer support.

**SQL\*Loader-00704: Internal error: *string* [*number*]**

**Cause:** An internal error has occurred.

---

**Action:** Make a note of the message and the number, then contact customer support.

**SQL\*Loader-00705: Internal error**

**Cause:** An internal error has occurred.

**Action:** Contact customer support.

**SQL\*Loader-00706: Bad argument to ulerr [number].**

**Cause:** An internal error has occurred.

**Action:** Contact customer support.

**SQL\*Loader-00708: Internal error: unknown status number returned from sllf layer**

**Cause:** An unknown status was returned by a call to the sllf layer.

**Action:** Contact customer support.

**SQL\*Loader-00709: Internal error calling SLTS layer: string failed**

**Cause:** A nonsuccess status was returned by a call to the SLTS layer.

**Action:** Contact customer support.

**SQL\*Loader-00710: Internal error: direct path stream buffer not loaded**

**Cause:** A direct path stream buffer was built but not loaded.

**Action:** Contact customer support.

**SQL\*Loader-00711: Internal error: bad address for little endian UTF16 conversion**

**Cause:** Address for little endian UTF16 data not in a valid buffer.

**Action:** Contact customer support.

**SQL\*Loader-00712: Internal error: bad address for big endian UTF16 conversion**

**Cause:** Address for big endian UTF16 data not in a valid buffer.

**Action:** Contact customer support.

**SQL\*Loader-00713: Internal error calling SLTS layer: string failed with return code [number].**

**Cause:** A nonsuccess status was returned by a call to the SLTS layer.

**Action:** Contact customer support.

**SQL\*Loader-00800: string specified and ignored**

**Cause:** An option was specified that is not supported by External Table load.

**Action:** Do not specify the unsupported option or do not use External Table load.

**SQL\*Loader-00801: all INTO TABLE clauses must have the same options (string)**

**Cause:** At least two INTO TABLE clauses have different options set.

**Action:** Set the options to be the same or do the loads separately.

**SQL\*Loader-00802: numeric EXTERNAL with DEFAULTIF clause not supported by External Table**

**Cause:** A numeric EXTERNAL type was specified with a DEFAULTIF clause and that is not supported by External Table Load.

**Action:** Remove the clause if possible or do not use External Table Load.

**SQL\*Loader-00803: string field type not supported by External Table**

**Cause:** The specified field type is not supported by External Table Load.

---

**Action:** Remove the specified field type or do not use External Table Load.

**SQL\*Loader-00804: SEQUENCES with intervals are not supported by External Table Load.**

**Cause:** A sequence with an interval is specified and is not supported by External Table Load.

**Action:** Remove the interval from the sequence, or the the sequence itself, or do not use External Table Load.

**SQL\*Loader-00805: *string* not supported by External Table**

**Cause:** The specified option is not supported by External Table Load.

**Action:** Remove the specified option or do not use External Table Load.

**SQL\*Loader-00806: unknown record format specified for data file**

**Cause:** The osd string containing file processing options in the control file specified an unknown file processing option.

**Action:** Verify the correct options are specified for the platform being used.

**SQL\*Loader-00807: error loading table**

**Cause:** An INSERT statement used to load a table from an external table or a temporary internal table failed. The statement that failed is shown immediately preceding this message.

**Action:** See subsequent messages for more information about the error.

**SQL\*Loader-00808: error creating sequence: *string***

**Cause:** An attempt to create a sequence needed for the load failed.

**Action:** See messages that follow this one for information about the failure.

**SQL\*Loader-00809: error dropping sequence: *string***

**Cause:** A sequence needed to be dropped either because SQL Loader found a sequence with the same name it is trying to create or because SQL Loader is cleaning up from sequences it created at the beginning of the load.

**Action:** See messages that follow this one for information about why the attempt to drop the sequence failed.

**SQL\*Loader-00810: error creating external table: *string***

**Cause:** An attempt to create the external table failed for the load.

**Action:** See messages that follow for more information about the failure.

**SQL\*Loader-00811: error dropping external table: *string***

**Cause:** An error occurred when trying to drop an external table. Note that the table may have been left from a previous load.

**Action:** None

**SQL\*Loader-00812: error creating internal table: *string***

**Cause:** An error was encountered trying to create a temporary internal table. The internal table is used only when loading multiple tables from the same data file. The internal table is loaded once and the target tables are loaded from the internal table.

**Action:** None

**SQL\*Loader-00813: error dropping internal table: *string***

---

**Cause:** An error was encountered trying to drop a temporary internal table. The internal table is used only when loading multiple tables from the same data file. The internal table is loaded once and the target tables are loaded from the internal table. The internal table may have been left from a previous build.

**Action:** None

**SQL\*Loader-00816: error creating temporary directory object *string* for file *string***

**Cause:** No existing directory object was found in the database for the directory containing the file. Since all files loaded by external tables must be in a directory named by a directory object, SQL Loader tried to create a directory object for the file.

**Action:** See error messages that follow this message for more information.

**SQL\*Loader-00817: error dropping directory object *string***

**Cause:** SQL Loader created a directory object as part of an external table load. An attempt to cleanup the directory object failed.

**Action:** See messages following this one for more information about the error.

**SQL\*Loader-00820: cannot create where clause with range for table *string***

**Cause:** The EXTERNAL\_TABLE parameter was specified for a multi-table load, and a WHEN clause for one of the tables contains a reference to a range of bytes in the record. SQL Loader uses the WHEN clause from the control file to generate the WHERE clause in the INSERT statement. If the WHERE clause contains a reference to a range of bytes in the table, then a valid WHERE clause can not be generated. Note that SQL Loader will proceed as if GENERATE\_ONLY was specified for the EXTERNAL\_TABLE parameter.

**Action:** Modify the control file to only use field references in the WHEN clause. Note that this may require creating a filler field. Another alternative is to create one control file for each table to be loaded and load the table separately.

**SQL\*Loader-00821: switching to GENERATE\_ONLY**

**Cause:** SQL Loader is not able to execute the SQL statements it generated for loading the data using external tables. See previous messages for more information.

**Action:** None

**SQL\*Loader-00822: operation not supported on external organized table**

**Cause:** User attempted on operation on an external table which is not supported.

**Action:** Don't do that!

**SQL\*Loader-00823: TREAT AS clause for object tables not supported for external tables**

**Cause:** A TREAT AS clause was specified in the INTO TABLE clause for an object table in the SQL\*Loader control file and the EXTERNAL\_TABLES command line parameter was set to either EXECUTE or GENERATE\_ONLY. External tables can be used to load the data, but SQL\*Loader does not generate the correct SQL statements to do this.

**Action:** Use SQL\*Loader direct path or SQL\*Loader conventional path to load the table.

**SQL\*Loader-00901: Error logging on to ORACLE:**

**Cause:** An attempt was made to log on to Oracle in direct path load mode.

---

**Action:** Ensure that the instance is up and running. Check the Oracle messages below this one in the log file for more information.

**SQL\*Loader-00902: Error opening cursor: [number]**

**Cause:** An internal error has occurred.

**Action:** Check the Oracle messages below this one in the log file and contact customer support.

**SQL\*Loader-00903: Database must be at least version  
number.number.number.number.number for direct path**

**Cause:** The direct path load mode is being used with an incompatible database.

**Action:** Upgrade the database to the specified version or else use the conventional path load.

**SQL\*Loader-00904: You cannot used the direct path when linked with v5 of the  
database**

**Cause:** The direct path mode is being used after SQL\*Loader has been linked with a Version 5 database.

**Action:** Use the conventional path.

**SQL\*Loader-00905: Error parsing SQL statement for upi: [number]**

**Cause:** Header message.

**Action:** Check the message below this one in the log file for more information.

**SQL\*Loader-00906: Error executing SQL statement for upi: [number]**

**Cause:** An internal error has occurred.

**Action:** Check the message below this one in the log file for more information.

**SQL\*Loader-00909: Loader views must be loaded (as SYS) for direct path to be used**

**Cause:** Database views required for the direct path mode are not present.

**Action:** The Oracle7 Server Administrator's Guide details how to run the required scripts as user SYS for loading the required views.

**SQL\*Loader-00910: Error binding input variables for upi: [number]**

**Cause:** Header message.

**Action:** Check the message below this one in the log file for more information.

**SQL\*Loader-00911: Error defining output variable(s) for upi: [number]**

**Cause:** Header message.

**Action:** Check the message below this one in the log file for more information.

**SQL\*Loader-00913: Error fetching results of select statement (upi): [number]**

**Cause:** Header message.

**Action:** Check the message below this one in the log file for more information.

**SQL\*Loader-00914: Error locking table *string* in exclusive mode.**

**Cause:** The direct path mode could not lock the named table.

**Action:** Check the message below this one in the log file for more information. Check that the necessary privileges have been granted.

**SQL\*Loader-00915: Error closing cursor: [number]**

**Cause:** Header message.

---

**Action:** Check the message below this one in the log file for more information.

**SQL\*Loader-00916: Error checking path homogeneity**

**Cause:** To do a direct path load when the front end and back end of the database are on separate hardware systems, the systems must be identical, using the same machine, operating system, and character set. This error occurs when SQL\*Loader detects a difference between the systems that will prevent a direct load from operating properly.

**Action:** Use a conventional path load for this configuration.

**SQL\*Loader-00918: The catalog must be loaded (as SYS) for SQL\*Loader to be used**

**Cause:** The catalog is not loaded.

**Action:** Logon as user SYS and load the Oracle7 catalog and the views in the script ULVIEW.SQL.

**SQL\*Loader-00919: Error during upi fetch: [number]**

**Cause:** An internal error has occurred.

**Action:** Check the message below this one in the log file for more information.

**SQL\*Loader-00925: Error while *string***

**Cause:** An internal error has occurred.

**Action:** Check the message below this one in the log file for more information. The table or column referenced may not be accessible.

**SQL\*Loader-00926: OCI error while *string* for table *string***

**Cause:** An OCI error has occurred.

**Action:** Check the message below this one in the log file for more information. The table or column referenced may not be accessible.

**SQL\*Loader-00929: Error parsing insert statement for table *string*.**

**Cause:** The table's insert statement caused a parse error.

**Action:** Check all SQL strings that were used.

**SQL\*Loader-00930: Error parsing insert statement for table *string* column *string*.**

**Cause:** The named column's INSERT statement caused a parse error.

**Action:** Check the message below this one in the log file for more information. Check the SQL string used for this column.

**SQL\*Loader-00931: OCI error while binding variable for column *string* in table *string***

**Cause:** An OCI error has occurred.

**Action:** Check the errors below it for more information. The SQL string for this column may be in error.

**SQL\*Loader-00932: Could not truncate table *string*.**

**Cause:** Truncation of the table was attempted and failed.

**Action:** Check the following errors for more information. Truncation due to referential constraints should not occur.

**SQL\*Loader-00933: Specified file *string* not part of database**

**Cause:** The specified filename to load the table is not a database file.

**Action:** Specify a valid datafile.

---

**SQL\*Loader-00934: Incorrect data file *string* specified for table *string***

**Cause:** A datafile name was given to load the table that is not a part of the tablespace in which the table resides.

**Action:** Specify a valid datafile.

**SQL\*Loader-00935: Error verifying required option for parallel load.**

**Cause:** An error was encountered because a required option was not found or was invalid.

**Action:** Correct the problem as described in the accompanying Oracle message.

**SQL\*Loader-00937: parallel load requested and *string* has enabled triggers or constraints**

**Cause:** A request was made for a parallel direct load, but the object to be loaded has an enabled constraint (check, referential) and/or enabled triggers.

**Action:** Disable the offending enabled constraints and/or triggers and retry the parallel direct load.

**SQL\*Loader-00938: partition load requested and *string* has enabled triggers or constraints**

**Cause:** A request was made for a direct load of a single partition, but the object to be loaded has an enabled constraint (check, referential) and/or enabled triggers.

**Action:** Disable the offending enabled constraints and/or triggers and retry the parallel direct load.

**SQL\*Loader-00939: OCI error while *string* for table *string* partition *string***

**Cause:** Header message.

**Action:** Check the following errors for more information. The table or partition referenced may not be accessible.

**SQL\*Loader-00940: UPI error while setting NCHAR bind attributes for column *string* table *string***

**Cause:** An error occurred while setting the charsetform attribute of an NCHAR column.

**Action:** This is an internal error. Report to ORACLE support.

**SQL\*Loader-00941: Error during describe of table *string***

**Cause:** Error while executing a describe of a select list on the given table. Check the error immediately preceding this error.

**Action:** None

**SQL\*Loader-00942: partition *string* not part of table *string***

**Cause:** the specified partition is not part of the specified table

**Action:** None

**SQL\*Loader-00943: incorrect datafile *string* specified for table *string* partition *string***

**Cause:** The specified datafile is not in the tablespace of the specified partition. Due to use of FILE= keyword on a partitioned table. When loading all partitions of a partitioned table, the partitions must be in the same tablespace. When loading a single partition, the tablespace of the partition being loaded must be the same as the tablespace in which the specified datafile file resides.

**Action:** None

---

**SQL\*Loader-00944: error preparing insert statement for table *string*.**

**Cause:** A call to OCISstmtPrepare for the table's insert statement returned an error.

**Action:** Refer to the message that follows for information about the error returned by OCISstmtPrepare. Make sure the syntax is correct for all SQL strings specified in the SQL\*Loader control file.

**SQL\*Loader-00945: record size *number* too large for direct path**

**Cause:** The maximum size of records in the data file is larger than the maximum size supported by direct path, which is 65535

**Action:** Load the data file using conventional path.

**SQL\*Loader-00946: OCI error while *string* for table *string* subpartition *string***

**Cause:** Header message.

**Action:** Check the following errors for more information. The table or subpartition referenced may not be accessible.

**SQL\*Loader-00947: subpartition load requested and *string* has enabled triggers or constraints**

**Cause:** A request was made for a direct load of a single subpartition, but the object to be loaded has an enabled constraint (check, referential) and/or enabled triggers.

**Action:** Disable the offending enabled constraints and/or triggers and retry the parallel direct load.

**SQL\*Loader-00948: subpartition *string* not part of table *string***

**Cause:** the specified subpartition is not part of the specified table

**Action:** None

**SQL\*Loader-00949: incorrect datafile *string* specified for table *string* subpartition *string***

**Cause:** The specified datafile is not in the tablespace of the specified subpartition. Due to use of FILE= keyword on a subpartitioned table. When loading all subpartitions of a subpartitioned table, the subpartitions must be in the same tablespace. When loading a single subpartition, the tablespace of the subpartition being loaded must be the same as the tablespace in which the specified datafile file resides.

**Action:** None

**SQL\*Loader-00950: Error shipping data structures across 2-task**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00951: Error calling once/load initialization**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00952: Error calling once/data file initialization**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00953: Error shipping read buffer across 2-task**

**Cause:** Header message.

---

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00954: Error shipping index to read buffer across 2-task**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00955: Error calling col array build, block formatter**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00956: Error calling once/data file finishing**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00957: Error shipping text string across 2-task**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00958: Error popping data relocation address stack**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00959: Error shipping buffer across 2-task**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00961: Error calling once/load finishing for table *string***

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00962: Error setting user-side Ctrl-C handler**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00963: Error clearing user-side Ctrl-C handler**

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00965: Error *number* disabling constraint *string* on table *string***

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00966: Error *number* disabling all triggers on table *string***

**Cause:** Header message.

**Action:** Check the error(s) below it for more information.

**SQL\*Loader-00969: Error performing file name translation on kernel side**

**Cause:** File specified for parallel load is probably not a valid database file.

**Action:** Specify a valid database file.

---

**SQL\*Loader-00970: enabled constraint on an XML column not allowed in direct path**

**Cause:** An enabled check constraint existed on an XML column.

**Action:** Disable the check constraint before attempting to load the table data using the direct path mode, or leave the constraint enabled but use the conventional path mode instead.

**SQL\*Loader-00971: parallel load option not allowed when loading lob columns**

**Cause:** An attempt was made to load lob columns using parallel=true. This error will also be issued when loading columns stored as lobs (such as varrays and xml types)

**Action:** Do not use the parallel option when loading lob columns.

**SQL\*Loader-02026: the load was aborted because SQL Loader cannot continue.**

**Cause:** The load cannot continue. See the error message before this \* message for the cause of the error.

**Action:** See the action for the error message that precedes this one.

**SQL\*Loader-02050: Multibyte character error.**

**Cause:** Text specified by POSITION or terminated by newlines is invalid.

**Action:** Edit the SQL\*Loader control file or the data file to fix alignment of column.

**SQL\*Loader-03120: Resumable parameters ignored -- current session not resumable**

**Cause:** Current session is not resumable.

**Action:** Must specify RESUMABLE=TRUE to enable resumable session in order for the RESUMABLE\_NAME and RESUMABLE\_TIMEOUT parameters to take effect.



---

---

## KUP-00552 to KUP-11021

**KUP-00552: internal XAD package failed to load**

**Cause:** An error was encountered while attempting to initialize the XAD package.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**KUP-00554: error encountered while parsing access parameters**

**Cause:** The parser detected a syntax error.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**KUP-00561: invalid length for binary integer field *string***

**Cause:** An integer field was specified with an invalid length. The only supported lengths for binary integer fields are 1, 2, 4, and 8.

**Action:** None

**KUP-00562: unknown escape sequence**

**Cause:** An unknown escape sequence was specified to the parser. An escape sequence is a backslash followed by a character.

**Action:** Consult documentation for list of allowable control characters.

**KUP-00600: internal error, arguments [*string*] [*string*] [*string*] [*string*] [*string*]**

**Cause:** An internal XAD error occurred.

**Action:** Contact Oracle Support.

**KUP-00601: fatal XAD error**

**Cause:** A fatal error has occurred.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**KUP-01006: error signalled during parse of access parameters**

**Cause:** An error was signalled during parsing of the access parameters.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**KUP-01007: at line *number* column *number***

**Cause:** This is an informational message indicating the line and column where a syntax error was detected.

**Action:** None

---

**KUP-01008: the bad identifier was: *string***

**Cause:** This is an informational message indicating the identifier token that caused a syntax error.

**Action:** None

**KUP-02000: wrong message file version (msg *number* not found)**

**Cause:** The kupxx.msb file is not the correct version.

**Action:** Check that the installation was done correctly.

**KUP-02001: unrecognized punctuation symbol "*string*"**

**Cause:** An illegal punctuation character was encountered.

**Action:** Remove the illegal character.

**KUP-02002: unexpected end of input file reached**

**Cause:** This is probably caused by failure to supply the closing quote for a quoted string.

**Action:** Correct the input.

**KUP-02003: unrecognized character: *string***

**Cause:** An input character that is neither an alpha, digit, or punctuation was encountered.

**Action:** Remove the character.

**KUP-02004: quoted string too big**

**Cause:** A quoted string longer than 2000 bytes was encountered.

**Action:** This may be caused by a missing close quote. If so, add the missing quote, otherwise shorten the string.

**KUP-02005: token too big**

**Cause:** A token longer than 1000 bytes was encountered

**Action:** Tokens must be separated by whitespace or punctuation. Either add the missing whitespace or punctuation, or shorten the token.

**KUP-02006: script line too long**

**Cause:** a line longer than 500 bytes was encountered

**Action:** break the line up into shorter lines

**KUP-03001: fatal error during library cache pre-loading**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**KUP-03002: end position (*number*) <= start position (*number*) for field: *string***

**Cause:** Error in specifying position for the specified field in the access parameters."

**Action:** Check that the specified end position is greater than the specified start position.

**KUP-03003: absolute end(*number*) - start(*number*) != fieldlength (*number*) for field *string***

---

**Cause:** The number of bytes occupied by the field as specified by the starting offset and ending offset of the field is not the same as the number of bytes specified for the datatype of the field.

**Action:** Verify the absolute begin/end position(s) specified match the length of the field.

**KUP-03004: absolute end (*number*) specified with relative start (*number*) for field *string***

**Cause:** The position of field was specified with a relative start and an absolute end.

**Action:** Use relative end with relative start

**KUP-03005: relative end (*number*) specified does not match fieldlen(*number*) for field *string***

**Cause:** The number of bytes specified by the relative end position for the field does not match the number of bytes in the datatype.

**Action:** Correct either the datatype length or the relative end position.

**KUP-03006: error initializing handle for character set *string***

**Cause:** Error attempting to retrieve information for the character set.

**Action:** Verify that the character set name is valid.

**KUP-03007: end position (*number*) is less than start position (*number*) for range**

**Cause:** A byte range specified a start position that comes after the end position.

**Action:** Verify the start and end positions are correctly specified.

**KUP-03008: OCI error getting column parameters.**

**Cause:** An error occurred while trying to obtain column parameters.

**Action:** Contact Oracle Support.

**KUP-03009: OCI error getting column name.**

**Cause:** An error occurred while trying to obtain column name.

**Action:** Contact Oracle Support.

**KUP-03010: OCI error getting database column type.**

**Cause:** An error occurred while trying to obtain database column type.

**Action:** Contact Oracle Support.

**KUP-03011: OCI error getting database column size.**

**Cause:** An error occurred while trying to obtain database column size.

**Action:** Contact Oracle Support.

**KUP-03012: OCI error getting database column precision.**

**Cause:** An error occurred while trying to obtain database column precision.

**Action:** Contact Oracle Support.

**KUP-03013: OCI error getting database column scale.**

**Cause:** An error occurred while trying to obtain database column scale.

**Action:** Contact Oracle Support.

**KUP-03014: OCI error getting datetime fsprecision.**

---

**Cause:** An error occurred while trying to obtain a datetime column precision value."

**Action:** Contact Oracle Support.

**KUP-03015: OCI error getting datetime lfprecision.**

**Cause:** An error occurred while trying to obtain database column precision.

**Action:** Contact Oracle Support.

**KUP-03016: length specified for FIXED records must be greater than 0**

**Cause:** A record format of FIXED was specified with a length of 0.

**Action:** None

**KUP-03017: length specified for VARIABLE records must be greater than 0**

**Cause:** A record format of VARIABLE was specified with a length of 0.

**Action:** None

**KUP-03018: invalid date mask "string" specified for column string**

**Cause:** The date mask for the specified column is invalid.

**Action:** None

**KUP-03019: directory object not specified in LOBFILE clause for field string**

**Cause:** A LOBFILE clause was specified for the field, but no directory object was specified. When no directory object is specified, then the default directory specified for the external table is used, but no default directory was specified.

**Action:** Specify a directory object in the LOBFILE clause or specify a default directory for the external table.

**KUP-03020: empty delimiter specified for record**

**Cause:** An empty delimiter string was specified for a record delimiter.

**Action:** Specify the string used to delimiter records.

**KUP-03021: clause references unknown field string**

**Cause:** A WHEN, NULLIF or DEFAULTIF clause referenced a field that doesn't exist in the data file.

**Action:** None

**KUP-03022: lob data could not be found for field string**

**Cause:** The field specified in the data source that contains the name of the lob file for the record could not be identified.

**Action:** None

**KUP-03023: string for TERMINATED BY or ENCLOSED BY clause for record is longer than maximum number**

**Cause:** The string value for a TERMINATED BY or ENCLOSED BY clause is longer than the maximum number of bytes allowed. If the character set of the data file is different than the character set of the database, the string will be converted to the character set of the data file. If the length of the converted string is too large, then this error will also be returned.

**Action:** Use shorter delimiters in the data file and the access parameters.

**KUP-03024: string for TERMINATED BY or ENCLOSED BY clause for column string is longer than maximum number**

---

**Cause:** The string value for a TERMINATED BY or ENCLOSED BY clause for the columns is longer than the maximum number of bytes allowed. If the character set of the data file is different than the character set of the database, the string will be converted to the character set of the data file. If the length of the converted string is too large, then this error will also be returned.

**Action:** Use shorter delimiters in the data file and the access parameters.

**KUP-03998: error *number* formatting KUP message *number***

**Cause:** error occurred while attempting to format a KUP message.

**Action:** contact Oracle support.

**KUP-03999: error occurred while processing a date format: ORA-*number*: *string***

**Cause:** Error converting a date format string into an internal representation.

**Action:** Verify that the date format strings specified in the access parameters are valid.

**KUP-04000: error initializing IO state for file *string* in *string***

**Cause:** An unexpected error occurred while preparing the file.

**Action:** Contact Oracle support.

**KUP-04001: error opening file *string***

**Cause:** An error occurred while attempting to open the specified file. This message should be followed by another message with more information about the error.

**Action:** See the error that follows to determine the action to be taken.

**KUP-04002: error getting file size for file *string***

**Cause:** An error occurred while retrieving the number of bytes in the specified file.

**Action:** See the error that follows to determine the action to be taken.

**KUP-04003: error while closing file *string***

**Cause:** An error occurred while closing the specified file.

**Action:** See the error that follows to determine the action to be taken.

**KUP-04004: error while reading file *string***

**Cause:** An error occurred while reading the specified file.

**Action:** See the error that follows to determine the action to be taken.

**KUP-04005: file operation successful**

**Cause:** A file operation succeeded.

**Action:** None

**KUP-04006: file operation failed**

**Cause:** An operation on a file failed. The file is named in the message preceding this one.

**Action:** See subsequent message for more information about the error.

**KUP-04007: end of file reached**

**Cause:** The end of file was reached for a file. The file is named in the message preceding this one.

**Action:** See the message that follows this one for more information.

---

**KUP-04008: access to file denied**

**Cause:** Access to a file was denied. The file is named in the message preceding this one.

**Action:** See the message that follows for more information. Verify that the correct files are being used and that the appropriate access is allowed to those files.

**KUP-04009: invalid SLF handle**

**Cause:** An internal error caused a data structure associated with the file to become corrupt.

**Action:** Contact Oracle support.

**KUP-04010: file does not exist**

**Cause:** A file operation failed because a file does not exist. The message preceding this message contains the name of the file.

**Action:** Verify that the correct file name was specified.

**KUP-04011: file system is full**

**Cause:** An operation on a file failed because the file system is full. The message preceding this one contains the name of the file.

**Action:** Free space on the file system or move the file to a different file system.

**KUP-04012: file length is too large for output field**

**Cause:** Size of a file is too large.

**Action:** Break the file up into smaller files.

**KUP-04013: other system error**

**Cause:** Internal component SLF was unable to complete an operation because of a system error.

**Action:** The message displayed before this message describes the operation that was being performed when the error occurred.

**KUP-04014: invalid SLF parameter**

**Cause:** An invalid parameter was passed in a call to internal component SLF.

**Action:** Contact Oracle support.

**KUP-04015: internal SLF error**

**Cause:** Internal component SLF encountered an internal error.

**Action:** Contact Oracle support.

**KUP-04016: unknown SLF status code *number***

**Cause:** Internal component SLF returned an unknown error code.

**Action:** Contact Oracle support.

**KUP-04017: OS message: *string***

**Cause:** An error occurred. This message contains the message associated with this error that was returned by the operating system. The message displayed before this one should indicate the operation that failed.

**Action:** None

**KUP-04018: partial record at end of file *string***

**Cause:** An incomplete record was found at the end of the file.

---

**Action:** Verify the file is not corrupt or missing data.

**KUP-04019: illegal length found for VAR record in file *string***

**Cause:** A record in a VAR file has an length field with either no numeric characters in it or with non numeric characters in it.

**Action:** Verify the records in the file have the correct length specified for them.

**KUP-04020: found record longer than buffer size supported, *number, in string***

**Cause:** a record in the data source was longer than the maximum data size supported. The number reported is the maximum supported size of a record.

**Action:** None

**KUP-04021: field formatting error for field *string***

**Cause:** There was an error trying to find the contents of the specified field in a record.

**Action:** This message should be followed by another message containing more specific information about the cause of the error.

**KUP-04022: field start is before start of record**

**Cause:** The position of the start of a field is before the start of a record. This can occur if a negative number is used to indicate the relative start of a field.

**Action:** Verify that the definition of the layout of fields in the data file is correct.

**KUP-04023: field start is after end of record**

**Cause:** This can happen when specifying either absolute or relative positioning for a field.

**Action:** Verify that the definition of the layout of fields in the data file is correct. If it is valid for fields at the end of the record to be missing, use the MISSING FIELD VALUES ARE NULL clause in the access parameters.

**KUP-04024: field end is before field start**

**Cause:** The end of the field comes after the start of the field. This can happen if the field is defined with a relative start position and an absolute end position.

**Action:** Verify that the definition of the layout of fields in the data file is correct.

**KUP-04025: field extends beyond end of record**

**Cause:** This can happen when specifying either absolute or relative positioning for a field.

**Action:** Verify that the definition of the layout of fields in the data file is correct.

**KUP-04026: field too long for datatype**

**Cause:** The character field in the record is larger than the maximum length specified.

**Action:** Make sure the definition of the layout of the fields in the data file is correct. Also make sure the correct maximum size was specified for a character datatype.

**KUP-04027: file name check failed: *string***

**Cause:** The check of the filename failed. These checks are platform specific, but they can include verifying that there are no hard links in the file path, the file is not a soft link, the file specification includes a parent reference ("../" on Unix), or the file was modified between the time the check was made and the file was opened.

---

**Action:** Use a file location that does not violate any of the checks.

**KUP-04028: conversion of character length to a number failed**

**Cause:** The character length portion of the field could not be converted to a number. This message is followed by another message with information on why the conversion failed.

**Action:** Make sure the data is correct. Also verify the datatypes specified for the fields are correct.

**KUP-04029: numeric field overflowed**

**Cause:** An attempt to convert a character string to number failed because the value of the number in the string was too large.

**Action:** None

**KUP-04030: invalid numeric data**

**Cause:** An attempt to convert a character string to a number failed because non-numeric characters were found.

**Action:** None

**KUP-04031: empty filename specified for LOB file in column *string***

**Cause:** The field in the data file that was supposed to contain the name of a LOB file was empty.

**Action:** Correct the data so that it contains a valid file name.

**KUP-04032: internal error *string* while parsing field *string*:**

**Cause:** An internal error occurred while parsing a field.

**Action:** Contact Oracle support.

**KUP-04035: beginning enclosing delimiter not found**

**Cause:** The beginning enclosure was not found for a field that is enclosed by delimiters.

**Action:** Verify that the data is correct. Also verify that the correct enclosing delimiters were specified and whether the enclosing delimiter should be optional.

**KUP-04037: terminator not found**

**Cause:** The terminator for the field is missing.

**Action:** Verify that the records are formatted correctly.

**KUP-04038: internal error: *string***

**Cause:** an unexpected error condition was detected.

**Action:** contact Oracle customer support

**KUP-04039: unexpected error while trying to find file *string* in *string***

**Cause:** An error occurred while trying to find path containing the file.

**Action:** This message should be followed by another message with more information about the error.

**KUP-04040: file *string* in *string* not found**

**Cause:** The file was not found in the directory specified

**Action:** Verify the correct file and directory names were specified.

**KUP-04041: error generating full file name for *string* in *string***

---

**Cause:** Unexpected error occurred while trying to form a file name.

**Action:** None

**KUP-04043: table column not found in external source: *string***

**Cause:** A column in the external table was not found in the access parameters that define the contents of the data source

**Action:** Verify that the external table is defined correctly and that the abstract parameters are also correct.

**KUP-04044: error positioning file *string***

**Cause:** An attempt to position a file to an absolute file offset failed.

**Action:** See messages that follow for more information.

**KUP-04045: unexpected OCI status *string***

**Cause:** An OCI call returned a status that cannot be handled.

**Action:** Contact Oracle support.

**KUP-04047: error parsing record from external data source**

**Cause:** An error occurred while trying to extract a record from the data source.

**Action:** Look in the log file for more messages about the error.

**KUP-04048: internal error parsing record from external data source**

**Cause:** An unexpected or unhandled error occurred while getting a record from the data source

**Action:** Contact Oracle support.

**KUP-04049: record *number* discarded from file *string***

**Cause:** Informational message displayed whenever the WHEN clause has been satisfied. If a DISCARD file has been specified for the operation, the record will be written to that file.

**Action:** None

**KUP-04050: error while attempting to allocate *number* bytes of memory**

**Cause:** d by insufficient memory.

**Action:** Reconnect to the instance and retry the operation.

**KUP-04051: error processing column *string* in row *number* for datafile *string***

**Cause:** an error occurred while trying to convert the data from the data file into the type of a column in the external table.

**Action:** See messages that follow for more details.

**KUP-04052: error processing column *string* in a row for datafile *string***

**Cause:** an error occurred while trying to convert the data from the data file into the type of a column in the external table.

**Action:** See messages that follow for more details.

**KUP-04053: record number *number***

**Cause:** This message identifies a record number in a file for a record that had an error. The message preceding this one contains information about the error and the name of the file.

**Action:** None

---

**KUP-04054: internal error: invalid bad row *number* identified for bad column *number***

**Cause:** This is an internal error.

**Action:** Contact Oracle support.

**KUP-04055: column *string* is both a field in the data file and a column transform**

**Cause:** The specified column was in the list of fields in the data file and in the list of column transforms. The column should be in one list or the other, but not both.

**Action:** Determine whether the value for the field in the data file or the value for the field in the column transform should be loaded in to the table. If the value for the data file is to be loaded, then remove the column transform. If the value for the column transform is to be loaded, then rename the field in the data file so that it does not match the name of a field in the table.

**KUP-04056: internal error: OCI error while fetching record: *number***

**Cause:** An OCI error occurred while processing the granule.

**Action:** Contact Oracle support.

**KUP-04057: internal error: OCI error while fetching record.**

**Cause:** An OCI error occurred while processing the granule.

**Action:** Contact Oracle support.

**KUP-04058: unrecoverable error occurred, operation aborted.**

**Cause:** An unrecoverable error occurred during processing.

**Action:** See preceding error messages for more information.

**KUP-04059: found EOF in length portion of VARIABLE record in file *string***

**Cause:** The record parser was looking for the size portion of a file a record format of VARIABLE. It found EOF before finding all the bytes for the length.

**Action:** Correct the corruption in the file.

**KUP-04060: field *string* referenced by lobfile column *string* not found**

**Cause:** The LOBFILE transform for the named column referenced a field for either the directory object portion or the name portion of the LOBFILE. However, that field did not exist anywhere in the definition of the data file.

**Action:** Verify that the LOBFILE clause is specified correctly. Also verify that the field definitions for the data file are correct.

**KUP-04061: directory object *string* specified for LOBFILE column *string* is not valid**

**Cause:** The column being loaded from a LOBFILE specified the directory object containing the LOBFILE through another field in the data file. In this case, the LOBFILE clause in the access parameters must specify a list of all directory objects that will be used for this field. This error occurs because a field contains the name of a directory object that is not in this list.

**Action:** Verify that the data file contains the correct directory object and verify that the list of valid directory objects in the LOBFILE clause for this column is complete.

**KUP-04062: no data source specified**

**Cause:** No location for the data source of the external table was specified when the external table was created. An empty string is not valid.

---

**Action:** Specify the name of the data source in the LOCATION clause when creating an external table.

**KUP-04063: unable to open log file *string* OS error *string***

**Cause:** An attempt to open the log file failed.

**Action:** Specify a different log file or use NO LOGFILE to disable logging.

**KUP-04064: fatal error during initialization**

**Cause:** An unexpected error occurred while initializing access to an external table.

**Action:** Contact Oracle support.

**KUP-04065: error processing LOBFILE for field *string***

**Cause:** An error occurred while opening or reading a LOBFILE for a column in a row.

**Action:** See message in log file for more information about the error.

**KUP-04066: error initializing access to external table source**

**Cause:** An error occurred while attempting to retrieve information about a data source.

**Action:** See messages preceding this one for more information about the error.

**KUP-04067: internal error allocating handle type *string***

**Cause:** An attempt to create an internal object failed.

**Action:** Contact Oracle support.

**KUP-04068: internal error fetching attribute *string***

**Cause:** An attempt to fetch information about an internal object failed.

**Action:** Contact Oracle support.

**KUP-04069: error fetching data for external table**

**Cause:** An error occurred while attempting to fetch data from an external table.

**Action:** See messages that precede this one for more information.

**KUP-04070: field *string* referenced by column transform *string* not found**

**Cause:** The column transform for the named column references a field that did not exist anywhere in the definition of the data file.

**Action:** Verify that the column transform clause is specified correctly. Also verify that the field definitions for the data file are correct.

**KUP-04071: record discarded from file *string***

**Cause:** Informational message displayed whenever the WHEN clause has been satisfied. If a DISCARD file has been specified for the operation, the record will be written to that file. The record number in the source data file is not known because multiple servers are loading from the file.

**Action:** None

**KUP-04072: error writing to file *string***

**Cause:** An error occurred while attempting to write to the named file.

**Action:** See messages that follow this message for more information about the error.

**KUP-04073: record ignored because all referenced fields are null for a record**

---

**Cause:** A record was rejected because all fields in the data file referenced by the query were NULL.

**Action:** None

**KUP-04074: no write access to directory object *string***

**Cause:** The user does not have write access to the directory object used for a log, bad or reject file.

**Action:** None

**KUP-04075: no read access to directory object *string***

**Cause:** The user does not have read access to the directory object used for a data file.

**Action:** None

**KUP-04076: file name cannot contain a path specification: *string***

**Cause:** The name of a data file, log file, bad file or reject file contains a path specification.

**Action:** Use the name of a directory object to indicate where the file should be stored.

**KUP-04077: unknown format specifier in file name *string***

**Cause:** A format specifier is a percent sign followed by a character. The percent sign and character are replaced by a value depending on the character. This error occurs when the character following the percent sign is not defined to have a value.

**Action:** See the documentation for information on valid format specifiers. If the file to be opened needs to have a percent sign in its name then use two percent signs. They will get replaced by a single percent sign in the resulting file name.

**KUP-04078: invalid file name specified: *string***

**Cause:** Attempt to parse the file name failed.

**Action:** Specify a valid file name.

**KUP-04079: error fetching list of valid directories**

**Cause:** An attempt to retrieve a list of valid directories that can be used by the user to open files failed. See messages that follow for more information.

**Action:** Contact Oracle support. As a workaround try specifying no log file, no discard files and no bad files.

**KUP-04080: directory object *string* not found**

**Cause:** The directory object specified for an input file or a log, bad or discard file does not exist in the database or the user has no privileges to access this directory.

**Action:** None

**KUP-04081: field *string* used in concatenation for column *string* is not a character type**

**Cause:** The specified field was part of a concatenation of strings used to create the value for the names column. However, the field was not of a character datatype. Only character fields may be used as part of concatenating fields.

**Action:** Verify the correct field was used in the CONCAT clause. Also verify that the correct datatype is specified for the field in the field list.

---

**KUP-04082: error converting field *string* for LOBFILE column *string***

**Cause:** The LOBFILE column had either its directory object name or filename specified by a field in the data file and that field needed to be converted to the server's character set before it could be used. This message indicates that an attempt to convert the field failed.

**Action:** Verify that the data file has the correct value for the fields. Also verify that the correct character set was specified for the data file.

**KUP-04083: no directory object specified in LOBFILE clause for column *string***

**Cause:** There was no directory object specified for the LOB files used to populate the named column and no default directory was specified for the external table.

**Action:** Either specify a directory name, or the name of a data field containing the name of the directory object that contains the files.

**KUP-04084: The ORACLE\_DATAPUMP access driver does not support the ROWID column.**

**Cause:** A query of an external table of type ORACLE\_DATAPUMP tried to reference the ROWID column. The ORACLE\_DATAPUMP access driver does not support ROWIDs.

**Action:** Remove the ROWID from the query. If that is not possible, create a table in the database with the same columns as the external table, copy the data from the external table into the newly created table, and use that new table for the query.

**KUP-04085: duplicate directory object *string* and file *string* specified for unload**

**Cause:** A CREATE TABLE AS SELECT statement was executed for an external table of type ORACLE\_DATAPUMP and the same directory object and filename combination was specified multiple times.

**Action:** Issue the CREATE TABLE AS SELECT command again but make sure the combination of directory objects and filenames is unique.

**KUP-04086: length of file name exceeds platform maximum of *number***

**Cause:** The length of a filename is longer than the maximum length supported by Oracle on the server platform.

**Action:** Verify that the name is correct. If so, use a shorter file name.

**KUP-04088: data sampling is not supported by this access driver**

**Cause:** A query of an external table requested a sample of the data returned. The access driver for the external table does not support sampling.

**Action:** Do not try to use sampling for this external table.

**KUP-04089: column transform *string* is not the name of a table column**

**Cause:** The specified column was in the list of column transforms but a column by that name does not exist in the table

**Action:** Verify that the correct name was specified in the column transform.

**KUP-04090: big endian byte order mark found when little endian expected in *string***

**Cause:** A big endian byte order mark was found at the beginning of the specified file and either the access parameters specified the data was in little endian order or the byte order mark for a previous file was little endian.

**Action:** The file needs to be loaded separately. If a byte order was specified in the access parameters, make sure it is changed to be big endian.

---

**KUP-04091: little endian byte order mark found when big endian expected in *string***

**Cause:** A little endian byte order mark was found at the beginning of the specified file and either the access parameters specified the data was in big endian order or the byte order mark for a previous file was big endian.

**Action:** The file needs to be loaded separately. If a byte order was specified in the access parameters, make sure it is changed to be little endian.

**KUP-04100: record rejected in file *string***

**Cause:** A record in the data file was not loaded into the table because of an error while finding fields in the record. See the previous error for more information. The record will be written to the BAD file, if one is being used. The record number in the source data file is not known because multiple servers are loading from the file.

**Action:** None

**KUP-04101: record *number* rejected in file *string***

**Cause:** A record in the data file was not loaded into the table because of an error while finding fields in the record. See the previous error for more information. The record will be written to the BAD file, if one is being used.

**Action:** None

**KUP-04102: record *number* discarded from file *string***

**Cause:** Informational message displayed whenever the WHEN clause has been satisfied. If a DISCARD file has been specified for the operation, the record will be written to that file.

**Action:** None

**KUP-04103: error converting zoned decimal field to number for *string***

**Cause:** An error occurred converting a zoned decimal number to an Oracle number.

**Action:** Verify that the zoned decimal number is formatted correctly.

**KUP-04104: zoned decimal field has bad values for *string***

**Cause:** A zoned decimal number has an invalid format.

**Action:** Verify that the zoned decimal number is formatted correctly.

**KUP-04105: zoned decimal to number conversion caused overflow for *string***

**Cause:** A zoned decimal number could not be converted to an Oracle number because the number is too big for an oracle number.

**Action:** Verify that the zoned decimal number is formatted correctly.

**KUP-04106: precision for zoned decimal number is too large for *string***

**Cause:** The precision of a zoned decimal number is larger than the precision that can be stored in an Oracle number.

**Action:** Verify that the zoned decimal number is formatted correctly.

**KUP-04108: unable to reread file *string***

**Cause:** The query that is executing requires that a data source for an external table be read multiple times. However, the data source is a sequential device that cannot be reread. Examples of this type of data source is a tape or pipe.

**Action:** There are a few ways around this problem. One is to rewrite the query so that the external table is referenced only once. Another option is to move the data

---

source to a rereadable device such as a disk file. A third option is to load the data for the external table into a temporary table and change the query to reference the temporary table.

**KUP-11000: file truncated error**

**Cause:** A truncated file was used for the load operation.

**Action:** Verify unload operation completed successfully.

**KUP-11001: files not from the same unload operation**

**Cause:** Files used for the load operation were not from the same unload operation.

**Action:** Verify the files used are from the same unload operation.

**KUP-11002: unable to read data chunk *string***

**Cause:** A read or seek to this data chunk was not possible. This chunk may not have existed.

**Action:** Verify the files used for the load operation are correct.

**KUP-11003: bad data encountered while reading from file *string***

**Cause:** There was a datatype conversion error while attempting to convert the data in the data file to match the datatype of a column in the external table. The message that follows this one displays the name of the column and the start of the data for the column that could not be converted. The row containing the bad data is rejected and not included as a row in the external table.

**Action:** If the row containing the bad data should not be filtered out, then modify the definition of the external table so that the datatypes of the columns match the datatypes of the fields in the data file.

**KUP-11004: requested version *string* not supported by ORACLE\_DATAPUMP**

**Cause:** This database version (defaulted to COMPATIBLE if not user-specified) was not supported by ORACLE\_DATAPUMP external table access driver. Note: Database versions before 9.2 were not supported.

**Action:** Specify a supported version and rerun the operation.

**KUP-11005: error seeking in file: *string***

**Cause:** An attempt to seek to the specified position in file failed.

**Action:** Review the error message. Resolve the problem and retry the the operation. Contact Oracle Support Services if the problem cannot be resolved.

**KUP-11006: file truncated error in *string***

**Cause:** A truncated or incomplete file was used for the load operation.

**Action:** Verify unload operation completed successfully.

**KUP-11007: conversion error loading table *string.string***

**Cause:** A row could not be loaded into the table because there was a conversion error for one or more columns in a row.

**Action:** See the message that follows for more information about the row that could not be loaded. To avoid this error, make sure the definition of the table being loaded matches the definition of the table being unloaded.

**KUP-11008: conversion error loading table *string.string* partition *string***

**Cause:** A row could not be loaded into the table because there was a conversion error for one or more columns in a row.

---

**Action:** See the message that follows for more information about the row that could not be loaded. To avoid this error, make sure the definition of the table being loaded matches the definition of the table being unloaded.

**KUP-11009: data for row: *string***

**Cause:** A conversion error occurred while loading data into a table. The message shows values for the field in the row that had the conversion error.

**Action:** None. This is only an informational message.

**KUP-11010: unable to open at least one dump file for fetch**

**Cause:** None of the files in the LOCATION clause can be opened for a fetch on an external table.

**Action:** A fetch operation on an external table in SQL mode requires that at least one file could be opened. Check that the directory object and file names to the dump files are correct.

**KUP-11011: the following file is not valid for this load operation**

**Cause:** This file could not be used for this load operation. See the following message for more information.

**Action:** Verify all the files in the LOCATION clause are from the same unload operation and that the unload was successful.

**KUP-11012: file *string* in *string* already exists**

**Cause:** The specified file could not be used for this unload because that would mean overwriting an existing file.

**Action:** Specify a file that does not currently exist.

**KUP-11013: internal number in header in file *string* is not valid**

**Cause:** The specified file could not be used for this operation because the internal number in the header was not valid.

**Action:** If the dump files were transferred over, verify the transfer operation was done correctly.

**KUP-11014: internal metadata in file *string* is not valid**

**Cause:** The specified file could not be used for this operation because the internal metadata stored in this file does not match the metadata stored in the first file piece set.

**Action:** Verify all the files in the LOCATION clause are the correct dump files to use.

**KUP-11015: error in unloading or loading data**

**Cause:** An error has occurred in a stream unload or load operation.

**Action:** Contact Oracle Support Services.

**KUP-11016: database version in file *string* is not valid**

**Cause:** The specified file could not be used for this fetch because its database version was not compatible with the database version in the other files in the LOCATION clause.

**Action:** Verify all the files in the LOCATION clause were populated with compatible database versions.

**KUP-11017: file *string* not found**

**Cause:** The file was not found.

---

**Action:** Verify the correct file (path and file name) was specified.

**KUP-11018: file *string* not a valid dump file**

**Cause:** This file did not have the correct file format. It could not be used for an external table fetch operation.

**Action:** Verify this file is from a SQL mode external table populate operation and that the operation was successful.

**KUP-11019: the following file is not valid for this fetch operation**

**Cause:** A file could not be used for this fetch. See the following message for more information.

**Action:** Verify all the files in the LOCATION clause are from successful populate operations. If the files were generated from various populate operations, then verify that those were done with common attributes such as with the same tables and compatible database versions.

**KUP-11020: header in file *string* may not contain correct information**

**Cause:** The header may be corrupted.

**Action:** Contact Oracle Support Services.

**KUP-11021: header in file *string* has an incompatible version number**

**Cause:** A dump file was specified for a load operation whose version number is incompatible with the dump file version currently produced by the Oracle server on the system. Usually this message indicates that the dump file was produced by a newer version of the Oracle server.

**Action:** Load this dump file using the same version of the Oracle server that created the file.



---

---

## UDE-00001 to UDE-00053

**UDE-00001: user requested cancel of current operation**

**Cause:** User has requested a cancellation of current job.

**Action:** No action is needed.

**UDE-00002: invalid username or password**

**Cause:** An invalid username or password was specified.

**Action:** Retry with a valid username and password.

**UDE-00003: all allowable logon attempts failed**

**Cause:** Attempts were repeatedly made to log on with an invalid username or password.

**Action:** Shut down the utility, then restart and retry with a valid username and password.

**UDE-00004: operation generated ORACLE error *number***

**Cause:** The operation unexpectedly produced the specified error. Refer to the description of that error for more information.

**Action:** s.

**UDE-00005: unexpected End-Of-File encountered while reading input**

**Cause:** Encountered an End-Of-File while reading the user input.

**Action:** If input to export is being redirected, check the file for errors.

**UDE-00006: failed to allocate memory of size *number***

**Cause:** Unable to allocate the necessary memory.

**Action:** Record the messages that follow and report this to Oracle Customer Support as an Export internal bug.

**UDE-00007: attempt to free unallocated memory**

**Cause:** An attempt was made to free memory that was not allocated.

**Action:** Contact Oracle Worldwide Support NLS\_DO\_NOT\_TRANSLATE [8,9]

**UDE-00010: multiple job modes requested, *string* and *string*.**

**Cause:** Multiple job modes were specified.

**Action:** Specify only one valid mode, then retry.

**UDE-00011: parameter *string* is incompatible with parameter *string***

**Cause:** An invalid combination of parameters was specified.

---

**Action:** Refer to documentation for the set of valid modes, then retry.

**UDE-00012: table mode exports only allow objects from one schema**

**Cause:** Multiple schemas were selected for export.

**Action:** Retry export specifying only one schema.

**UDE-00013: internal expdp error.**

**Cause:** Fatal internal Data Pump client error.

**Action:** Contact Oracle Customer Support

**UDE-00014: invalid value for parameter, "string".**

**Cause:** Could not parse the specified parameter or parameter value.

**Action:** Refer to documentation for valid parameter values.

**UDE-00015: invalid context or job state for parameter, "string".**

**Cause:** Invalid job state or context for specified parameter.

**Action:** Refer to documentation for correct parameter usage.

**UDE-00016: "string" parameter requires a value.**

**Cause:** Parameter was specified without a value.

**Action:** Refer to documentation for correct parameter usage.

**UDE-00017: Data Pump job is already executing.**

**Cause:** Incorrect Data Pump job state for requested operation.

**Action:** Refer to documentation for correct usage.

**UDE-00018: Data Pump client is incompatible with database version *string***

**Cause:** The Export utility is at a higher version than the database version and is thereby incompatible.

**Action:** Use the same version of Export utility as the database.

**UDE-00019: "string" parameter list is too long.**

**Cause:** Requested parameter list exceeds 4000 character maximum.

**Action:** Reduce the specified number of parameter values and rerun.

**UDE-00020: Data Pump client is incompatible with Data Pump API.**

**Cause:** The Export utility is at a higher version than the Data Pump server and is thereby incompatible.

**Action:** Use the same version of Export utility as the server.

**UDE-00050: Unable to setup parameter processing.**

**Cause:** An unexpected error occurred during parameter manager initialization.

**Action:** Record the messages that follow and report this to Oracle Customer Support as an Export internal bug.

**UDE-00051: unable to set NLS\_NUMERIC\_CHARACTERS to required defaults.**

**Cause:** Export was unable to set NLS\_NUMERIC\_CHARACTERS to ".,"

**Action:** Record the accompanying messages and report this as an Export internal error to Oracle customer support.

**UDE-00052: incorrect Data Pump client for operation: *string***

**Cause:** Export client attempted to attach to import job.

---

**Action:** Use appropriate client when attaching to an existing job

**UDE-00053: unrecognized client command "*string*"**

**Cause:** Invalid interactive client command.

**Action:** Refer to documentation for valid client commands.



---

---

## UDI-00001 to UDI-00053

**UDI-00001: user requested cancel of current operation**

**Cause:** User has requested a cancellation of current job.

**Action:** No action is needed.

**UDI-00002: invalid username or password**

**Cause:** An invalid username or password was specified.

**Action:** Retry with a valid username and password.

**UDI-00003: all allowable logon attempts failed**

**Cause:** Attempts were repeatedly made to log on with an invalid username or password.

**Action:** Shut down the utility, then restart and retry with a valid username and password.

**UDI-00004: operation generated ORACLE error *number***

**Cause:** The operation unexpectedly produced the specified error. Refer to the description of that error for more information.

**Action:** s.

**UDI-00005: unexpected End-Of-File encountered while reading input.**

**Cause:** Encountered an End-Of-File while reading the user input.

**Action:** If input to import is being redirected, check the file for errors.

**UDI-00006: failed to allocate memory of size *number***

**Cause:** Unable to allocate the necessary memory.

**Action:** Record the messages that follow and report this to Oracle Customer Support as an Import internal bug.

**UDI-00007: attempt to free unallocated memory**

**Cause:** An attempt was made to free memory that was not allocated.

**Action:** Contact Oracle Customer Support NLS\_DO\_NOT\_TRANSLATE [8,9]

**UDI-00010: multiple job modes requested, *string* and *string*.**

**Cause:** Invalid job mode was specified.

**Action:** Specify only one valid mode, then retry.

**UDI-00011: parameter *string* is incompatible with parameter *string***

**Cause:** An invalid combination of parameters was specified.

---

**Action:** Refer to documentation for the set of valid modes, then retry.

**UDI-00012: table mode imports only allow objects from one schema**

**Cause:** Multiple schemas were selected for import.

**Action:** Retry import specifying only one schema.

**UDI-00013: internal impdp error.**

**Cause:** Fatal internal Data Pump client error.

**Action:** Contact Oracle Customer Support.

**UDI-00014: invalid value for parameter, "string"**

**Cause:** Could not parse the specified parameter or parameter value.

**Action:** Refer to documentation for valid parameter values.

**UDI-00015: invalid context or job state for parameter, "string".**

**Cause:** Invalid job state or context for specified parameter.

**Action:** Refer to documentation for correct parameter usage.

**UDI-00016: "string" parameter requires a value.**

**Cause:** Parameter was specified without a value.

**Action:** Refer to documentation for correct parameter usage.

**UDI-00017: Data Pump job is already executing.**

**Cause:** Incorrect Data Pump job state for requested operation.

**Action:** Refer to documentation for correct usage.

**UDI-00018: Data Pump client is incompatible with database version *string***

**Cause:** The Import utility is at a higher version than the database version and is thereby incompatible.

**Action:** Use the same version of Import utility as the database.

**UDI-00019: "string" parameter list is too long.**

**Cause:** Requested parameter list exceeds 4000 character maximum.

**Action:** Reduce the specified number of parameter values and rerun.

**UDI-00020: Data Pump client is incompatible with Data Pump API.**

**Cause:** The Export utility is at a higher version than the Data Pump server and is thereby incompatible.

**Action:** Use the same version of Export utility as the server.

**UDI-00050: unable to setup parameter processing.**

**Cause:** An unexpected error occurred during parameter manager initialization.

**Action:** Record the messages that follow and report this to Oracle Customer Support as an Import internal bug.

**UDI-00051: unable to set NLS\_NUMERIC\_CHARACTERS to required defaults.**

**Cause:** Import was unable to set NLS\_NUMERIC\_CHARACTERS to ".,"

**Action:** Record the accompanying messages and report this as an Import internal error to Oracle Customer Support.

**UDI-00052: incorrect Data Pump client for operation: *string***

**Cause:** Import client attempted to attach to export job.

---

**Action:** Use appropriate client when attaching to an existing job

**UDI-00053: unrecognized client command "*string*"**

**Cause:** Invalid interactive client command.

**Action:** Refer to documentation for valid client commands.



---

---

## DBV-00200 to DBV-00201

**DBV-00200: Block, DBA *number*, already marked corrupt**

**Cause:** The block was previously corrupted. It has been marked as corrupt by the Oracle database server.

**Action:** If the block is not currently allocated to a database object, then no action is required. If the block is allocated, then the options and required action depend on the type and nature of the object which owns the block. To repair an allocated block, perform block or file media recovery.

**DBV-00201: Block, DBA *number*, marked corrupt for invalid redo application**

**Cause:** The block was marked corrupt by the Oracle database server for invalid redo application, ex: media recovery of a NOLOGGING object or direct loaded data.

**Action:** If the block is not currently allocated to a database object, then no action is required. If the block is allocated, then the object will need to be rebuilt, or data to be reloaded.



---

## NID-00001 to NID-00604

**NID-00001: Illegal command line syntax - parse error = (*number*)**

**Cause:** Illegal operand on command line.

**Action:** Remove illegal operand.

**NID-00002: Parse error: *string***

**Cause:** An error was encountered while parsing the command line.

**Action:** Remove offending operand.

**NID-00010: Password:**

**Cause:** Password was not specified in command line.

**Action:** Type password at this prompt.

**NID-00100: Cannot open datafile "*string*"**

**Cause:** The specified datafile could not be opened.

**Action:** Ensure that the specified datafile exists and is writable.

**NID-00101: LOGFILE (*string*) not accessible**

**Cause:** The specified log file could not be opened.

**Action:** Specify a log file that is writable.

**NID-00102: Garbled target string**

**Cause:** The supplied connect string could not be parsed. The connect string does not have the correct format.

**Action:** Refer to Oracle9i Database Concepts.

**NID-00103: Missing password in connect string "*string*"**

**Cause:** Could not find the password in the supplied connect string. The connect string does not have the correct format.

**Action:** Refer to Oracle9i Database Concepts.

**NID-00104: Need to specify TARGET connection parameter in command line**

**Cause:** The mandatory parameter TARGET was not specified.

**Action:** Specify TARGET=<username>/<password> when invoking this utility.

**NID-00105: Need to specify "LOGFILE=<logfile>" when using APPEND=YES option**

**Cause:** The APPEND parameter was specified without a LOGFILE.

**Action:** Specify APPEND=YES only when LOGFILE is also specified.

- 
- NID-00106: LOGIN to target database failed with Oracle error: *string***  
**Cause:** An Oracle error was reported while attempting to log in to the target database.  
**Action:** Follow the actions for the specified Oracle error.
- NID-00107: File I/O error on datafile "*string*" during *string* operation (*number/string*)**  
**Cause:** An operating system error was reported while performing the specified operation in the specified file.  
**Action:** Verify the datafile and check for operating system errors.
- NID-00109: DBNAME *string* length *number* exceeds maximum length of *number***  
**Cause:** The specified new database name exceeded the maximum size.  
**Action:** Specify a shorter, valid name.
- NID-00110: Cannot use REVERT and specify a database name at the same time**  
**Cause:** Conflicting options were specified in the command line.  
**Action:** Choose only one of the options.
- NID-00111: Oracle error reported from target database while executing *string string***  
**Cause:** An Oracle error was reported when executing an OCI operation.  
**Action:** Follow the actions for the specified Oracle error.
- NID-00113: Error reading answer - aborting**  
**Cause:** Response caused an error.  
**Action:** Retry the operation.
- NID-00114: Must specify new database name when SETNAME is used**  
**Cause:** SETNAME=YES was specified but no DBNAME was provided.  
**Action:** Specify DBNAME or remove the SETNAME=YES option.
- NID-00115: Database should be mounted**  
**Cause:** The database was not mounted.  
**Action:** Mount the database.
- NID-00120: Database should be mounted exclusively**  
**Cause:** The database was started in parallel mode. To change the DBID, the database must be mounted exclusively.  
**Action:** Shut down the database and start it in exclusive mode.
- NID-00121: Database should not be open**  
**Cause:** The database was open. To change the DBID, the database must be mounted exclusively.  
**Action:** Shutdown the database and mount it in exclusive mode.
- NID-00122: Database should have no offline immediate datafiles**  
**Cause:** The database has one or more datafiles that are in OFFLINE IMMEDIATE mode.  
**Action:** Drop the datafiles or recover them and bring them online.
- NID-00123: Magic number for datafile "*string*" is incorrect**  
**Cause:** Block 0 header has an incorrect magic number for the specified datafile.

---

**Action:** Verify that the datafile is correct and retry the operation.

**NID-00124: Mismatched dbid for datafile *string*, expected *number*, found *number***

**Cause:** The dbid of the datafile does not match the "old" DBID or the "new" DBID.

**Action:** Verify that this datafile belongs to the database. You may need to restore a backup of the datafile.

**NID-00125: Database should have no disabled datafiles**

**Cause:** The database has one or more datafiles that are disabled.

**Action:** Drop the datafiles or recover them and bring them online.

**NID-00126: Database should have no datafiles in unknown state**

**Cause:** The database has one or more datafiles that are in an unknown state.

**Action:** Drop the datafiles or recover them and bring them online.

**NID-00127: All online files in the database must have the same checkpoint SCN**

**Cause:** The database has one or more datafiles that have a checkpoint SCN that does not match the database checkpoint SCN.

**Action:** Restart the database and shut it down cleanly, then retry the operation.

**NID-00128: Cannot revert change of database, change not in progress**

**Cause:** The REVERT option was used, but the control file does not show that a change of DBID was in progress.

**Action:** Do not use the REVERT option, or possibly restore the control file that was in place when the utility was started.

**NID-00129: Invalid DBID for datafile "*string*", expecting *number*, found *number***

**Cause:** A datafile header shows a different DBID from the rest of the database files.

**Action:** Ensure that the file belongs to this database.

**NID-00130: Mismatched CHECKPOINT\_CHANGE# in datafile "*string*", expecting *string*, found *string***

**Cause:** The datafile header does not match information in the control file.

**Action:** Revert the change, open the database, and verify that all datafiles are consistent. Then, shut down the database and retry the operation.

**NID-00131: Control file is not current**

**Cause:** A non-current control file is currently mounted.

**Action:** Perform necessary actions to make the control file current and retry.

**NID-00132: CHECKPOINT\_CHANGE# in datafile "*string*": *string* in the future of controlfile: *string***

**Cause:** The checkpoint in the datafile header is ahead of the checkpoint in the control file.

**Action:** Make the database consistent and retry.

**NID-00133: Database should have only consistent datafiles**

**Cause:** The database has one or more datafiles that are marked FUZZY in the control file.

**Action:** Restart the database and shut down consistently, then retry the operation.

---

**NID-00134: Datafile "*string*" is not consistent**

**Cause:** The datafile is marked as fuzzy in its header.

**Action:** Restart the database and shut down cleanly, then retry the operation.

**NID-00135: There are *number* active threads**

**Cause:** is that the database crashed the last time it was shut down.

**Action:** Ensure that all threads are closed before retrying the operation. Start and open the database to perform crash recovery, then shut down with the NORMAL or IMMEDIATE options to close it cleanly. Finally, try running the utility again.

**NID-00137: All datafiles that are not dropped should be readable**

**Cause:** The database had one or more files that could not be read.

**Action:** Restore the missing files and retry the operation.

**NID-00138: Block verification failed for datafile *string* (*number*)**

**Cause:** Block header checksum yields a nonzero value for the specified datafile.

**Action:** Verify that the datafile is correct and retry the operation.

**NID-00139: Mismatched dbname for datafile *string*, expected *string*, found *string***

**Cause:** The dbname of the datafile does not match the "old" dbname or the "new" dbname.

**Action:** Verify that this datafile belongs to the database. You may need to restore a backup of the datafile.

**NID-00140: Specified database name *string* does not match previous name used *string***

**Cause:** This is a continuation of a failed attempt. However in the failed attempt, the database name is different than the one used in the last attempt.

**Action:** Retry the command using the original database name.

**NID-00141: No database name specified, previous attempt used *string***

**Cause:** This is a continuation of a failed attempt. However, in the failed attempt, a database name was provided.

**Action:** Retry the command using the original database name.

**NID-00142: Only changing database name, previous attempt changed dbid to *number***

**Cause:** This is a continuation of a failed attempt. However, in the failed attempt, the database id was also being changed.

**Action:** Retry the command removing SETNAME=YES.

**NID-00143: Mismatched controlfile *string***

**Cause:** A controlfile did not have the correct status.

**Action:** Shutdown the database, remove the mismatched controlfile, mount the database, and retry the operation.

**NID-00144: New name for database *string* is the same as current name *string***

**Cause:** The specified name is the same as the current name of the database.

**Action:** Specify a different name or do not use the DBNAME option.

**NID-00145: nls subsystem initialization failure for product=*string*, facility=*string***

---

**Cause:** The NLS product/facility error message file could not be located or properly initialized.

**Action:** Check that the error message directory and file(s) have been properly installed.

**NID-00300: Connected to database *string* (DBID=*number*)**

**Cause:** Informational message.

**Action:** No action required.

**NID-00301: Datafile *string* - dbid changed, wrote new name**

**Cause:** Informational message.

**Action:** No action required.

**NID-00302: Datafile *string* - dbid changed**

**Cause:** Informational message.

**Action:** No action required.

**NID-00303: Datafile *string* - wrote new name**

**Cause:** Informational message.

**Action:** No action required.

**NID-00304: Datafile *string* - reverted**

**Cause:** Informational message.

**Action:** No action required.

**NID-00305: Datafile *string* - already changed**

**Cause:** Informational message.

**Action:** No action required.

**NID-00306: Datafile *string* - no revert needed**

**Cause:** Informational message.

**Action:** No action required.

**NID-00307: Control File *string* - dbid changed, wrote new name**

**Cause:** Informational message.

**Action:** No action required.

**NID-00308: Control File *string* - dbid changed**

**Cause:** Informational message.

**Action:** No action required.

**NID-00309: Control File *string* - wrote new name**

**Cause:** Informational message.

**Action:** No action required.

**NID-00310: Control File *string* - reverted**

**Cause:** Informational message.

**Action:** No action required.

**NID-00311: Control File *string* - modified**

**Cause:** Informational message.

---

**Action:** No action required.

**NID-00312: Connected to server version *string***

**Cause:** Informational message.

**Action:** No action required.

**NID-00315: Operation already in progress, continuing**

**Cause:** Informational message.

**Action:** No action required.

**NID-00320: Operation cancelled at user request**

**Cause:** Informational message.

**Action:** No action required.

**NID-00321: Proceeding with operation**

**Cause:** Informational message.

**Action:** No action required.

**NID-00330: The following datafiles are offline immediate:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00331: The following datafiles are disabled:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00332: The following datafiles are in unknown state:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00333: Cannot read the header of the following datafiles:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00334: The following datafiles are not checkpointed to *string*:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00335: The following datafiles are not consistent:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00336: The following datafiles are offline clean:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00337: The following datafiles are read-only:**

**Cause:** Informational message.

**Action:** No action required.

**NID-00338: Control Files in database:**

---

**Cause:** Informational message.  
**Action:** No action required.

**NID-00350:** *string (number) string*  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00351:** *string (number)*  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00352:** *string (number), error: number*  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00353:** *string*  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00354:** **Instance shut down**  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00370:** **Change database ID of database *string*? (Y/[N]) =>**  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00371:** **Change database name of database *string* to *string*? (Y/[N]) =>**  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00372:** **Change database ID and database name *string* to *string*? (Y/[N]) =>**  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00373:** **Revert changes for database *string* (Y/[N]) =>**  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00390:** **These files must be writable by this utility.**  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00395:** **Reverting database name from *string* to *string***  
**Cause:** Informational message.  
**Action:** No action required.

**NID-00396:** **Reverting database ID from *number* to *number***  
**Cause:** Informational message.  
**Action:** No action required.

- 
- NID-00397: Changing database name from *string* to *string***  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00398: Changing database ID from *number* to *number***  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00400: DBNEWID - Completed with errors.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00401: Must finish REVERT changes before attempting any database operation.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00402: Must finish change or REVERT changes before attempting any database operation.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00403: DBNEWID - Completed with validation errors.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00404: DBNEWID - Completed successfully.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00405: Reversion of database name and database ID failed.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00406: Reversion of database name failed.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00407: Reversion of database ID failed.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00410: Reversion of database changes failed during validation - database is intact.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00415: Change of database name and database ID failed.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00416: Change of database name failed.**

- 
- Cause:** Informational message.  
**Action:** No action required.
- NID-00417: Change of database ID failed.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00420: Change of database name and ID failed during validation - database is intact.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00421: Change of database name failed during validation - database is intact.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00422: Change of database ID failed during validation - database is intact.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00425: Database name restored to *string*.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00426: Database ID for database *string* restored to *number*.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00430: Database is ready to be open or shut down.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00431: DBNEWID - Reversion completed.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00435: Database name changed to *string*.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00436: Modify parameter file and generate a new password file before restarting.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00440: Database ID for database *string* changed to *number*.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00441: All previous backups and archived redo logs for this database are unusable.**

- 
- Cause:** Informational message.  
**Action:** No action required.
- NID-00442: Database has been shutdown, open database with RESETLOGS option.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00450: Successfully changed database name and ID.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00451: Successfully changed database name.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00452: Successfully changed database ID.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00480: Database is intact - database is ready to be open or shut down.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00481: DBNEWID - Cancelled.**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00482: Database is not aware of previous backups and archived logs in Recovery Area.**  
**Cause:** Because the database id was changed, previous backups and archived redo logs in recovery area are not managed by this database.  
**Action:** This is the informational message only.
- NID-00490: LOG being redirected to STDERR due to errors.**  
**Cause:** Could no write message to log file.  
**Action:** None
- NID-00500: Keyword Description (Default)**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00501: -----**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00502: TARGET Username/Password (NONE)**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00503: DBNAME New database name (NONE)**  
**Cause:** Informational message.

- 
- Action:** No action required.
- NID-00504: LOGFILE Output Log (NONE)**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00505: REVERT Revert failed change NO**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00506: SETNAME Set a new database name only NO**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00507: APPEND Append to output log NO**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00508: HELP Displays these messages NO**  
**Cause:** Informational message.  
**Action:** No action required.
- NID-00600: Internal Error - [number] [number] [number] [number]**  
**Cause:** This is the generic internal error number for program exceptions. This indicates that the program has encountered an exceptional condition.  
**Action:** Report as a bug - the first argument is the internal error number
- NID-00601: Internal Error - [number] [string] [number] [number]**  
**Cause:** This is the generic internal error number for program exceptions. This indicates that the program has encountered an exceptional condition.  
**Action:** Report as a bug - the first argument is the internal error number
- NID-00602: Could not allocate number bytes for "string"**  
**Cause:** Memory allocation failed.  
**Action:** Free memory at the operating system level and retry operation.
- NID-00603: No datafiles found in database**  
**Cause:** Controlfile has not datafiles recorded  
**Action:** Report as a bug - the first argument is the internal error number
- NID-00604: No control files found in database**  
**Cause:** Instance has no control files recorded  
**Action:** Report as a bug - the first argument is the internal error number



---

---

## DGM-16900 to DGM-17009

**DGM-16900: Unable to initialize client**

**Cause:** The client could not be initialized.

**Action:** This is an internal error. Contact Oracle Support Services.

**DGM-16901: Unable to initialize environment**

**Cause:** The database environment could not be allocated and initialized.

**Action:** This is an internal error. Contact Oracle Support Services.

**DGM-16902: Unable to allocate handle**

**Cause:** The database handle could not be allocated.

**Action:** This is an internal error. Contact Oracle Support Services.

**DGM-16903: Unable to connect to database**

**Cause:** The specified database was unreachable because it did not exist or was not started.

**Action:** Start the database or validate network connections and try again.

**DGM-16904: Unable to set attribute**

**Cause:** The server attributes could not be set.

**Action:** Check additional error messages.

**DGM-16905: Failed.**

**Cause:** The command failed to execute.

**Action:** Check additional error messages.

**DGM-16906: Unable to accept commands: no memory**

**Cause:** No memory was available for the attempted operation.

**Action:** Check your system and retry the command.

**DGM-16909: Fatal error - quitting...**

**Cause:** A fatal error was encountered.

**Action:** See additional error messages and/or contact Oracle Support Services.

**DGM-16910: Unable to issue command to server**

**Cause:** Command could not be issued to the server.

**Action:** See additional error messages and/or contact Oracle Support Services.

**DGM-16911: Warning:**

---

**Cause:** The command succeeded with warnings.

**Action:** See accompanying error messages and take the appropriate action.

**DGM-16912: Unrecognized command "*string*", try "help"**

**Cause:** An unrecognized command was issued.

**Action:** Try again using a valid command.

**DGM-16916: Missing site name, try "help"**

**Cause:** The site name is missing from the command.

**Action:** Try the command again using correct syntax.

**DGM-16917: Unable to shut down instance "*string*"**

**Cause:** DGMGRL could not shut down the specified instance because of the errors that are displayed with this message.

**Action:** Shut down the instance manually.

**DGM-16933: Unable to start instance "*string*"**

**Cause:** DGMGRL could not start the specified instance because of the errors that displayed with this message.

**Action:** Start the instance manually.

**DGM-16934: You must start instance "*string*" manually**

**Cause:** The operation completed successfully and requires a restart of the specified instance. DGMGRL attempted to restart the instance but was unable to.

**Action:** Start the specified instance manually.

**DGM-16943: You must connect to instance "*string*" and issue the command again**

**Cause:** The operation required DGMGRL to connect to a specific instance to complete, but DGMGRL could not automatically connect to the given instance.

**Action:** Connect to the specified instance and issue the command again.

**DGM-16944: Failover succeeded, new primary is "*string*"**

**Cause:** The failover command completed successfully."

**Action:** No action is required.

**DGM-16945: Syntax error before or at "*string*"**

**Cause:** The command could not be processed because of a syntax error in the named token.

**Action:** Try the command again using valid syntax.

**DGM-16946: Site "*string*" was not found**

**Cause:** The named site could not be found.

**Action:** Try the command again using a valid site name.

**DGM-16948: Unable to switchover, primary database is still "*string*"**

**Cause:** The switchover operation could not be executed due to the errors reported with this error message. The primary role has not been changed.

**Action:** Correct the errors and try the SWITCHOVER command again.

**DGM-16949: Object "*string*" was not found**

**Cause:** The named object was not found.

---

**Action:** Try the command again using a valid database name.

**DGM-16951: Unable to failover**

**Cause:** The failover operation could not be executed due to the errors reported with this error message.

**Action:** Correct the errors and try the FAILOVER command again.

**DGM-16952: Configuration details cannot be determined by DGMGRL**

**Cause:** The broker configuration could not be found.

**Action:** 1) The Data Guard broker process (DMON) could not be contacted. Verify that the DMON process is running. 2) No broker configuration currently exists. You must create one. 3) You are connected to a standby database in the broker configuration that has either been disabled or deleted. While the standby is in this state, the details of the broker configuration are not available on the standby database. Connect to the primary database and reissue the command. 4) You are connected to a database in the broker configuration that must be reinstated or reinstantiated. While in this state, details of the broker configuration are not available. Either reinstate or re instantiate the database and reissue the command, or connect to the primary database and reissue the command.

**DGM-16953: XML document is too long**

**Cause:** The length of the XML document exceeded the internal limit.

**Action:** This is an internal error. Contact Oracle Support Services.

**DGM-16954: Unable to open and lock the Observer configuration file**

**Cause:** The Observer configuration file cannot be opened or cannot be locked for exclusive access.

**Action:** Make sure the Observer has the correct operating system privileges to write the file and there is no other Observer that is using the same file. Try the command again.

**DGM-16959: No response from broker server process**

**Cause:** No response was received from the broker server process (DMON).

**Action:** The Data Guard broker process (DMON) is not available. Verify that the DMON process is running and retry the command.

**DGM-16960: Status not available**

**Cause:** The status could not be retrieved.

**Action:** The Data Guard broker process (DMON) is not available. Verify that the DMON process is running and retry the command.

**DGM-16979: Unable to log on to the primary or standby database as SYSDBA**

**Cause:** The username/password used by the observer to log on to the primary database and Fast-Start Failover target standby database does not have valid SYSDBA credentials.

**Action:** Make sure the primary database and Fast-start failover target database are using a remote login password file. Make sure the SYSDBA password is the same at both databases and that the SYSDBA password is used in the CONNECT command. Start the observer again.

**DGM-16991: Two or more resources have the name "string"**

**Cause:** The named resource exists on more than one site.

**Action:** Use the ON SITE clause and reissue the command.

---

**DGM-16992: You must shut down instance "*string*" manually**

**Cause:** The operation was completed successfully and requires a shut down of the specified instance. DGMGRL attempted to shut down the instance but was unable to.

**Action:** Shut down the specified instance manually.

**DGM-16999: Instance "*string*" was not found**

**Cause:** The named instance could not be found.

**Action:** Try the command again using a valid instance name.

**DGM-17000: Two or more instances have the name "*string*"**

**Cause:** The named instance exists on more than one database.

**Action:** Use the ON DATABASE clause and reissue the command.

**DGM-17002: Primary database cannot be removed**

**Cause:** The named database to be removed is the primary database.

**Action:** Remove the broker configuration instead.

**DGM-17007: Unsupported platform, observer cannot start**

**Cause:** The Observer was started on an operating system that does not support multi-threading.

**Action:** Start the Observer on an operating system that supports multi-threading.

**DGM-17009: New primary database "*string*" is opening...**

**Cause:** The Data Guard broker is opening the specified new primary database. The new primary database is ready to accept transactions once it is open.

**Action:** None

---

---

## LCD-00100 to LCD-00219

**LCD-00100: internal error, argument [*number*]**

**Cause:** An internal error has occurred

**Action:** Report it to your System Administrator immediately

**LCD-00111: value not in legal range [*string*]**

**Cause:** The value of the parameter is outside bounds

**Action:** Refer to the manual for the bounds on the parameter

**LCD-00112: illegal integer radix specification [*string*]**

**Cause:** Self Explanatory

**Action:** valid characters are "d", "h", "D" and "H"

**LCD-00113: integer conversion error or negative integer [*string*]**

**Cause:** A bad or negative integer was assigned to an integer parameter

**Action:** Self explanatory

**LCD-00114: illegal boolean response [*string*]**

**Cause:** You a value than TRUE or FALSE to a boolean parameter

**Action:** Boolean parameters only take TRUE or FALSE

**LCD-00122: unrecognized keyword [*string*]**

**Cause:** You have misspelled the parameter name

**Action:** Spell the parameter name correctly

**LCD-00128: invalid positional parameter value [*string*]**

**Cause:** An invalid positional parameter value has been entered

**Action:** Remove the invalid positional parameter

**LCD-00161: ORACLE error (possible syntax error) parameter [*string*]**

**Cause:** Possible syntax error. Additional messages follow.

**Action:** Correct the parameter in error.

**LCD-00201: could not open specified filename [*string*]**

**Cause:** The file specified does not exist

**Action:** Create an appropriate parameter file

**LCD-00203: missing keyword [*string*]**

**Cause:** A keyword is expected but none was found

---

**Action:** Add a keyword followed by an "=" sign and a parameter value

**LCD-00204: left parenth and no parameter specified [string]**

**Cause:** A parameter list was started but no parameter was specified

**Action:** Add an appropriate list of values and close the parameter list

**LCD-00205: unbalanced parentheses [string]**

**Cause:** Self explanatory

**Action:** Balance the parentheses

**LCD-00206: positional parameter entered after keyword [string]**

**Cause:** An "=" sign is missing

**Action:** All keywords must be followed by "=" signs

**LCD-00207: nested parentheses encountered [string]**

**Cause:** Only one set of parentheses is permitted

**Action:** Remove the nested parentheses

**LCD-00208: unexpected keyword in value list [string]**

**Cause:** A keyword was found instead of a value

**Action:** Insert an appropriate value for the given parameter

**LCD-00209: missing value for keyword at end of string [string]**

**Cause:** A keyword is specified with no value

**Action:** Specify a valid value for the keyword

**LCD-00210: illegal assignment operator [string]**

**Cause:** You used a sign other than "=" to assign a keyword a value

**Action:** Use only the "=" sign

**LCD-00211: unexpected delimiter [string]**

**Cause:** An invalid delimiter was found between values

**Action:** A comma or a space is a valid delimiter

**LCD-00212: runaway quoted string [string]**

**Cause:** The parameter value was quoted on the left side but not on the right

**Action:** Quote the parameter value on both sides

**LCD-00215: parameter files nested too deep [string]**

**Cause:** Too many levels of indirection of file parameters. Maximum is 3.

**Action:** Reduce the level of indirection to less than 3

**LCD-00217: failure while processing file parameter [string]**

**Cause:** An error occurred while processing the specified file parameter

**Action:** Specific details will appear in other messages

**LCD-00218: error in file [string]**

**Cause:** An error occurred in the particular file.

**Action:** Refer to the other messages for the specific error.

**LCD-00219: nested include file [string] is too large**

---

**Cause:** There is a limit on the size of a parameter file, and it was exceeded. This limit is now 8192 bytes.

**Action:** Remove characters from the file to make it smaller, or use another level of nesting.



---

---

## OCI-00601 to OCI-31199

**OCI-00601: cleanup lock conflict**

**Cause:** PMON process runs into lock conflict trying to recover processes.

**Action:** This is trapped internally, no action necessary.

**OCI-00602: internal programming exception**

**Cause:** Internal programming exception.

**Action:** Report as a bug. **Caution:** The following error code is not relocatable.

**OCI-00972: identifier is too long**

**Cause:** An identifier with more than 30 characters was specified.

**Action:** Specify at most 30 characters.

**OCI-01841: (full) year must be between -4713 and +9999, and not be 0**

**Cause:** Illegal year entered

**Action:** Input year in the specified range

**OCI-01854: julian date must be between 1 and 5373484**

**Cause:** An invalid Julian date was entered.

**Action:** Enter a valid Julian date between 1 and 5373484.

**OCI-01858: a non-numeric character was found where a numeric was expected**

**Cause:** The input data to be converted using a date format model was incorrect. The input data did not contain a number where a number was required by the format model.

**Action:** Fix the input data or the date format model to make sure the elements match in number and type. Then retry the operation.

**OCI-01859: a non-alphabetic character was found where an alphabetic was expected**

**Cause:** The input data to be converted using a date format model was incorrect. The input data did not contain a letter where a letter was required by the format model.

**Action:** Fix the input data or the date format model to make sure the elements match in number and type. Then retry the operation.

**OCI-01861: literal does not match format string**

**Cause:** Literals in the input must be the same length as literals in the format string (with the exception of leading whitespace). If the "FX" modifier has been toggled on, the literal must match exactly, with no extra whitespace.

**Action:** Correct the format string to match the literal.

---

**OCI-01862: wrong number of digits for this format item**

**Cause:** The number of digits used for this format item is not equal to the number necessary for this format when specifying Format eXact ("FX") for this item.

**Action:** Fill out this format item with leading zeros to the number necessary for this format. (This is generally the number of characters in the format code--DD needs 2 digits, for example. The exceptions are HH24 & HH12, which both need 2, and J, which needs 9.)

**OCI-01864: the date is out of range for the current calendar**

**Cause:** Your calendar doesn't extend to the specified date.

**Action:** Specify a date which is legal for this calendar.

**OCI-01865: not a valid era**

**Cause:** Era input does not match a known era.

**Action:** Provide a valid era on input.

**OCI-01898: too many precision specifiers**

**Cause:** While trying to truncate or round dates, extra data was found in the date format picture

**Action:** Check the syntax of the date format picture and retry.

**OCI-02083: database name has illegal character "*string*"**

**Cause:** Supplied database name can contain only A-Z, 0-9, "\_", "#", "\$" "." and "@" characters.

**Action:** None

**OCI-02084: database name is missing a component**

**Cause:** Supplied database name cannot contain a leading ".", trailing "." or "@", or two "." or "@" in a row.

**Action:** None

**OCI-04020: deadlock detected while trying to lock object**

*stringstringstringstringstring*

**Cause:** While trying to lock a library object, a deadlock is detected.

**Action:** Retry the operation later.

**OCI-04021: timeout occurred while waiting to lock object**

*stringstringstringstringstring*

**Cause:** While waiting to lock a library object, a timeout is occurred.

**Action:** Retry the operation later.

**OCI-04022: nowait requested, but had to wait to lock dictionary object**

**Cause:** Had to wait to lock a library object during a nowait request.

**Action:** Retry the operation later.

**OCI-04028: cannot generate diana for object *stringstringstringstringstring***

**Cause:** Cannot generate diana for an object because of lock conflict.

**Action:** Please report this error to your support representative.

**OCI-04029: error ORA-*string* occurred when querying *stringstringstring***

**Cause:** The table or view being queried might be missing. The error number indicates the error.

---

**Action:** Fix the error.

**OCI-04030: out of process memory when trying to allocate *string* bytes (*string*,*string*)**

**Cause:** Operating system process private memory has been exhausted

**Action:** None

**OCI-04031: unable to allocate *string* bytes of shared memory**

**(*string*,"*string*","*string*")**

**Cause:** More shared memory is needed than was allocated in the shared pool.

**Action:** Either use the `dbms_shared_pool` package to pin large packages, reduce your use of shared memory, or increase the amount of available shared memory by increasing the value of the `init.ora` parameter "`shared_pool_size`".

**OCI-04054: database link *string* does not exist**

**Cause:** During compilation of a PL/SQL block, an attempt was made to use a non-existent database link.

**Action:** Either use a different database link or create the database link.

**OCI-04060: insufficient privileges to execute *string***

**Cause:** Attempt to execute a stored procedure without sufficient privileges.

**Action:** Get necessary privileges.

**OCI-04061: existing state of *string* has been invalidated**

**Cause:** Attempt to resume the execution of a stored procedure using the existing state which has become invalid or inconsistent with the stored procedure because the procedure has been altered or dropped.

**Action:** Try again; this error should have caused the existing state of all packages to be re-initialized.

**OCI-04062: timestamp of *string* has been changed**

**Cause:** Attempt to execute a stored procedure to serve an RPC stub which specifies a timestamp that is different from the current timestamp of the procedure.

**Action:** Recompile the caller in order to pick up the new timestamp.

**OCI-04063: *string* has errors**

**Cause:** Attempt to execute a stored procedure or use a view that has errors. For stored procedures, the problem could be syntax errors or references to other, non-existent procedures. For views, the problem could be a reference in the view's defining query to a non-existent table.

**Action:** Fix the errors and/or create referenced objects as necessary.

**OCI-04064: not executed, invalidated *string***

**Cause:** Attempt to execute a stored procedure that has been invalidated.

**Action:** Recompile it.

**OCI-04065: not executed, altered or dropped *string***

**Cause:** Attempt to execute a stored procedure that has been altered or dropped thus making it not callable from the calling procedure.

**Action:** Recompile its dependents.

**OCI-04066: non-executable object, *string***

- 
- Cause:** Attempt to execute a non-procedure.  
**Action:** Make sure that a correct name is given.
- OCI-04067: not executed, *string* does not exist**  
**Cause:** Attempt to execute a non-existent stored procedure.  
**Action:** Make sure that a correct name is given.
- OCI-04068: existing state of packages*stringstringstring* has been discarded**  
**Cause:** One of errors 4060 - 4067 when attempt to execute a stored procedure.  
**Action:** Try again after proper re-initialization of any application"s state.
- OCI-19200: Invalid column specification**  
**Cause:** All input arguments must be valid columns  
**Action:** Specify a valid list of columns
- OCI-19201: Datatype not supported**  
**Cause:** The particular datatype is not supported in the XMLGEN operator  
**Action:** Specify only supported datatypes as arguments to the XMLGEN operator
- OCI-19202: Error occurred in XML processing*string***  
**Cause:** An error occurred when processing the XML function  
**Action:** Check the given error message and fix the appropriate problem
- OCI-19203: Error occurred in DBMS\_XMLGEN processing*string***  
**Cause:** An error occurred when processing the DBMS\_XMLGEN functions  
**Action:** Check the given error message and fix the appropriate problem
- OCI-19204: Non-scalar value "*string*" is marked as XML attribute**  
**Cause:** Only scalar values (i.e. values which are not of object or collection type) can be marked as XML attribute,i.e. is prefixed by "@". In this case, a non-scalar value was prefixed with "@"  
**Action:** Remove the "@" sign, or make the value a scalar.
- OCI-19205: Attribute "*string*" qualifies a non-scalar value in the select list**  
**Cause:** The attribute immediately follows a value of object or collection type in the select list or type definition.  
**Action:** Remove the "@" sign, or make the previous value a scalar.
- OCI-19206: Invalid value for query or REF CURSOR parameter**  
**Cause:** The queryString argument passed to DBMS\_XMLGEN.newContext was not a valid query, or REF CURSOR.  
**Action:** Rewrite the query so that the queryString argument is a valid query or REF CURSOR.
- OCI-19207: scalar parameter *string* of XMLELEMENT cannot have an alias.**  
**Cause:** The scalar parameter to XMLELEMENT has been qualified with an alias.  
**Action:** Remove the AS clause of the scalar element.
- OCI-19208: parameter *string* of function *string* must be aliased**  
**Cause:** The indicated parameter of the XML generation function has not been aliased, although it is an expression.

---

**Action:** Specify an alias for the expression using the AS clause.

**OCI-19209: invalid or unsupported formatting argument**

**Cause:** An invalid or unsupported formatting argument was supplied

**Action:** Change the formatting argument to legal supported values

**OCI-19210: column "string", specified to be a key or update column for DBMS\_XMLSTORE, does not exist in table "string"**

**Cause:** The column specified using setKeyColumn()/setUpdateColumn() did not exist in the table.

**Action:** Change the column specified to be a column in the table

**OCI-19211: column "string", specified as key using DBMS\_XMLSTORE.setKeyColumn() , must be of scalar type**

**Cause:** The column specified using setKeyColumn() was a non-scalar type column.

**Action:** Change the column specified to be a scalar column in the table

**OCI-19212: no key columns specified before call to DBMS\_XMLSTORE.updateXML()**

**Cause:** No columns were specified as key columns before the call to DBMS\_XMLSTORE.updateXML.

**Action:** Use DBMS\_XMLSTORE.setKeyColumn() to specify key columns

**OCI-21300: objects option not installed**

**Cause:** The objects option is not installed at this site. Object types and other object features are, therefore, unavailable.

**Action:** Install the objects option. The objects option is not part of the Oracle Server product and must be purchased separately. Contact an Oracle sales representative if the objects option needs to be purchased.

**OCI-21301: not initialized in object mode**

**Cause:** This function requires the oci process to be initialized in object mode.

**Action:** Specify OCI\_OBJECT mode when calling OCIInitialize().

**OCI-21500: internal error code, arguments: [string], [string], [string], [string], [string], [string], [string], [string]**

**Cause:** This is the generic error number for the OCI environment (client-side) internal errors. This indicates that the OCI environment has encountered an exceptional condition.

**Action:** Report as a bug - the first argument is the internal error number.

**OCI-21501: program could not allocate memory**

**Cause:** The operating system has run out of memory.

**Action:** Take action to make more memory available to the program.

**OCI-21503: program terminated by fatal error**

**Cause:** A program is in an unrecoverable error state.

**Action:** Report as a bug.

**OCI-21520: database server driver not installed**

---

**Cause:** User attempted to access a database server through an object-mode OCI environment but the necessary driver for supporting such access to the database server is not installed or linked in.

**Action:** Check if the driver corresponding to the database server has been installed/linked in and entered in the server driver table.

**OCI-21521: exceeded maximum number of connections in OCI (object mode only)**

**Cause:** User exceeded the maximum number of connections (255) that can be supported by an OCI environment in object mode.

**Action:** Close some of existing and unused connections before opening more connections.

**OCI-21522: attempted to use an invalid connection in OCI (object mode only)**

**Cause:** User attempted to use an invalid connection or a connection that has been terminated in an OCI environment (object mode), or user attempted to dereference a REF obtained from a connection which has been terminated.

**Action:** Ensure that the connection exists and is still valid.

**OCI-21523: functionality not supported by the server (object mode only)**

**Cause:** User attempted to use a functionality that the server does not support.

**Action:** Upgrade the server

**OCI-21524: object type mismatch**

**Cause:** The object type of the object is different from what is specified.

**Action:** Check the type of the object and correct it.

**OCI-21525: attribute number (or collection element at index) *string* violated its constraints**

**Cause:** Attribute value or collection element value violated its constraint.

**Action:** Change the value of the attribute or collection element such that it meets its constraints. The constraints are specified as part of the attribute or collection element's schema information.

**OCI-21526: initialization failed**

**Cause:** The initialization sequence failed. This can happen, for example, if an environment variable such as NLS\_DATE\_FORMAT is set to an invalid value.

**Action:** Check that all NLS environment variables are well-formed.

**OCI-21527: internal OMS driver error**

**Cause:** A process has encountered an exceptional condition. This is the generic internal error number for Oracle object management services exceptions.

**Action:** Report this as a bug to Oracle Support Services.

**OCI-21560: argument *string* is null, invalid, or out of range**

**Cause:** The argument is expecting a non-null, valid value but the argument value passed in is null, invalid, or out of range. Examples include when the LOB/FILE positional or size argument has a value outside the range 1 through (4GB - 1), or when an invalid open mode is used to open a file, etc.

**Action:** Check your program and correct the caller of the routine to not pass a null, invalid or out-of-range argument value.

**OCI-21600: path expression too long**

---

**Cause:** The path expression that is supplied by the user is too long. The path expression is used to specify the position of an attribute in an object. This error occurs when one of the intermediate elements in the path expression refers to an attribute of a built-in type. Thus, the OCI function cannot proceed on to process the rest of the elements in the path expression.

**Action:** User should pass in the correct path expression to locate the attribute.

**OCI-21601: attribute is not an object**

**Cause:** The user attempts to perform an operation (that is valid only for an object) to an attribute of a built-in type. An example of such an illegal operation is to dynamically set a null structure to an attribute of a built-in type.

**Action:** User should avoid performing such operation to an attribute of built-in type.

**OCI-21602: operation does not support the specified typecode**

**Cause:** The user attempts to perform an operation that does not support the specified typecode.

**Action:** User should use the range of valid typecodes that are supported by this operation.

**OCI-21603: property id [*string*] is invalid**

**Cause:** The specified property id is invalid.

**Action:** User should specify a valid property id. Valid property ids are enumerated by OCIObjectPropId.

**OCI-21604: property [*string*] is not a property of transient or value instances**

**Cause:** Trying to get a property which applies only to persistent objects.

**Action:** User should check the lifetime and only get this property for persistent objects.

**OCI-21605: property [*string*] is not a property of value instances**

**Cause:** Trying to get a property which applies only to persistent and transient objects.

**Action:** User should check the lifetime and only get this property for persistent and transient objects.

**OCI-21606: can not free this object**

**Cause:** Trying to free an object that is persistent and dirty and the OCI\_OBJECTFREE\_FORCE flag is not specified.

**Action:** Either flush the persistent object or set the flag to OCI\_OBJECTFREE\_FORCE

**OCI-21607: memory cartridge service handle not initialized**

**Cause:** Attempt to use the handle without initializing it.

**Action:** Initialize the memory cartridge service handle.

**OCI-21608: duration is invalid for this function**

**Cause:** Attempt to use a duration not valid for this function.

**Action:** Use a valid duration - a previously created user duration or OCI\_DURATION\_STATEMENT or OCI\_DURATION\_SESSION. For callout duration or external procedure duration, use OCIExtProcAllocCallMemory.

---

**OCI-21609: memory being resized without being allocated first**

**Cause:** Attempt to resize memory without allocating it first.

**Action:** Allocate the memory first before resizing it.

**OCI-21610: size [*string*] is invalid**

**Cause:** Attempt to resize memory with invalid size.

**Action:** Pass in a valid size (must be a positive integer).

**OCI-21611: key length [*string*] is invalid**

**Cause:** Attempt to use an invalid key length.

**Action:** Key length is invalid and valid range is 0 to 64

**OCI-21612: key is already being used**

**Cause:** Attempt to use a key that is already used.

**Action:** Use a new key that is not yet being used.

**OCI-21613: key does not exist**

**Cause:** Attempt to use a non-existent key

**Action:** Use a key that already exists.

**OCI-21700: object does not exist or is marked for delete**

**Cause:** User attempted to perform an inappropriate operation to an object that is non-existent or marked for delete. Operations such as pinning, deleting and updating cannot be applied to an object that is non-existent or marked for delete.

**Action:** User needs to re-initialize the reference to reference an existent object or the user needs to unmark the object.

**OCI-21701: attempt to flush objects to different servers**

**Cause:** User attempted to flush objects to different servers in one function call. These objects are obtained by calling a callback functions provided by the program.

**Action:** User should avoid performing such operation.

**OCI-21702: object is not instantiated or has been de-instantiated in cache**

**Cause:** User attempted to perform an inappropriate operation to a transient object that is not instantiated in the object cache. Operations that cannot be applied to a not-instantiated transient object include deleting or pinning such an object.

**Action:** User should check their code to see if they are performing such an operation without instantiating the object first, or performing such an operation after the allocation duration of the object has expired.

**OCI-21703: cannot flush an object that is not modified**

**Cause:** See the error message.

**Action:** The object should not be flushed.

**OCI-21704: cannot terminate cache or connection without flushing first**

**Cause:** See the error message.

**Action:** The transaction should be aborted or committed before terminating the cache or connection.

**OCI-21705: service context is invalid**

**Cause:** The service context that is supplied by the user is not valid.

---

**Action:** User needs to establish the service context.

**OCI-21706: duration does not exist or is invalid**

**Cause:** The duration number that is supplied by the user is not valid.

**Action:** User needs to establish the duration or use a correct predefined duration.

**OCI-21707: pin duration is longer than allocation duration**

**Cause:** The pin duration supplied by the user is longer than the allocation duration. This affects operations such as pinning and setting default parameters.

**Action:** User should use a shorter pin duration or use the null duration.

**OCI-21708: inappropriate operation on a transient object**

**Cause:** User attempted to perform an inappropriate operation on a transient object. Operations that cannot be applied to a transient object include flushing and locking.

**Action:** User should avoid performing such operation on a transient object.

**OCI-21709: cannot refresh an object that has been modified**

**Cause:** User attempted to refresh an object that has been marked for delete, update or insert (new).

**Action:** User should unmark the object before refreshing it.

**OCI-21710: argument is expecting a valid memory address of an object**

**Cause:** The object memory address that is supplied by the user is invalid. The user may have passed in a bad memory address to a function that is expecting a valid memory address of an object.

**Action:** User should pass in a valid memory address of an object to the function.

**OCI-21779: duration not active**

**Cause:** User is trying to use a duration that has been terminated.

**Action:** User should avoid performing such operation.

**OCI-22053: overflow error**

**Cause:** This operation's result is above the range of Oracle number.

**Action:** Decrease the input value(s) so that the result is in the range of Oracle number.

**OCI-22054: underflow error**

**Cause:** This operation's result is below the range of Oracle number.

**Action:** Increase the input value(s) so that the result is in the range of Oracle number.

**OCI-22055: unknown sign flag value [*string*]**

**Cause:** Signed flag used is not OCI\_NUMBER\_SIGNED or OCI\_NUMBER\_UNSIGNED.

**Action:** Use either OCI\_NUMBER\_SIGNED or OCI\_NUMBER\_UNSIGNED as sign flag.

**OCI-22056: value [*string*] is divided by zero**

**Cause:** Given value is divided by zero.

**Action:** Modify divisor value to be non-zero.

---

**OCI-22057: bad integer length [*string*]**

**Cause:** The length of the integer (ie number of bytes) to be converted to or from an Oracle number is invalid.

**Action:** Use integer length 1, 2, 4 or 8 bytes only.

**OCI-22059: buffer size [*string*] is too small - [*string*] is needed**

**Cause:** The buffer to hold the resulting text string is too small.

**Action:** Provide a buffer of the required size.

**OCI-22060: argument [*string*] is an invalid or uninitialized number**

**Cause:** An invalid or uninitialized number is passed in.

**Action:** Use a valid number. To initialize number call OCINumberSetZero().

**OCI-22061: invalid format text [*string*]**

**Cause:** The numeric format string for converting characters to or from an Oracle number is invalid.

**Action:** Use valid format string as documented in OCI Programmer's Guide.

**OCI-22062: invalid input string [*string*]**

**Cause:** The text string for converting to numbers is invalid.

**Action:** Use a valid input string as documented in OCI Programmer's Guide.

**OCI-22063: reading negative value [*string*] as unsigned**

**Cause:** Attempt to convert a negative number to an unsigned integer.

**Action:** Use the sign flag ORLTSB to convert a signed number.

**OCI-22064: invalid NLS parameter string [*string*]**

**Cause:** The NLS parameter string for converting characters to or from an Oracle number is invalid.

**Action:** Use valid format string as documented in OCI Programmer's Guide.

**OCI-22065: number to text translation for the given format causes overflow**

**Cause:** Rounding done due to the given string format causes overflow.

**Action:** Change the format such that overflow does not occur.

**OCI-22130: buffer size [*string*] is less than the required size [*string*]**

**Cause:** The size of the buffer into which the hexadecimal REF string is to be written is too small.

**Action:** Provide a buffer of the required size.

**OCI-22131: hexadecimal string length is zero**

**Cause:** The given hexadecimal string length must be greater than zero.

**Action:** Specify a length greater than zero.

**OCI-22132: hexadecimal string does not correspond to a valid REF**

**Cause:** The given hexadecimal string is invalid.

**Action:** Provide a valid hexadecimal string which was previously returned by a call to OCISRefToHex().

**OCI-22140: given size [*string*] must be in the range of 0 to [*string*]**

**Cause:** The given resize size is invalid.

---

**Action:** Ensure that the given size is in the required range.

**OCI-22150: variable-length array has not been initialized**

**Cause:** An un-initialized variable-length array is being operated upon.

**Action:** Initialize the variable-length array prior to calling this function.

**OCI-22151: cannot resize non-zero variable-length array to zero elements**

**Cause:** Trying to resize a non-zero variable-length array to 0 elements.

**Action:** Specify a non-zero size.

**OCI-22152: destination variable-length array is not initialized**

**Cause:** The variable-length array on the right-hand-side of an assignment or the destination array of an append is not initialized.

**Action:** Initialize the destination variable-length array prior to calling this function.

**OCI-22153: source variable-length array is not initialized**

**Cause:** The variable-length array on the left-hand-side of an assignment or the source array of an append is not initialized.

**Action:** Initialize the destination variable-length array prior to calling this function.

**OCI-22160: element at index [*string*] does not exist**

**Cause:** Collection element at the given index does not exist.

**Action:** Specify the index of an element which exists.

**OCI-22161: type code [*string*] is not valid**

**Cause:** Given type code is not valid.

**Action:** Use one of the typecodes enumerated in OCITypeCode.

**OCI-22162: element at index [*string*] has been previously deleted**

**Cause:** Trying to delete a non-existent collection element.

**Action:** Check for the existence of the element prior to calling this function.

**OCI-22163: left hand and right hand side collections are not of same type**

**Cause:** Left hand and right side collections are not of same type.

**Action:** Ensure that the same collection type is passed for both left hand and right hand side of this function.

**OCI-22164: delete element operation is not allowed for variable-length array**

**Cause:** Trying to delete an element of a variable-length array.

**Action:** Ensure that the collection is not a variable-length array prior to calling this function.

**OCI-22165: given index [*string*] must be in the range of [*string*] to [*string*]**

**Cause:** Given index is not in the required range.

**Action:** Ensure that the given index is in the required range.

**OCI-22166: collection is empty**

**Cause:** Given collection is empty.

**Action:** Test if collection is empty prior to invoking this function.

---

**OCI-22167: given trim size [*string*] must be less than or equal to [*string*]**

**Cause:** Given trim size is greater than the current collection size.

**Action:** Ensure that the given size is less than or equal to the collection size prior to calling this function.

**OCI-22275: invalid LOB locator specified**

**Cause:** There are several causes: (1) the LOB locator was never initialized; (2) the locator is for a BFILE and the routine expects a BLOB/CLOB/NCLOB locator; (3) the locator is for a BLOB/CLOB/NCLOB and the routine expects a BFILE locator; (4) trying to update the LOB in a trigger body -- LOBs in trigger bodies are read only.

**Action:** For (1), initialize the LOB locator by selecting into the locator variable or by setting the LOB locator to empty. For (2) and (3), pass the correct type of locator into the routine. For (4), remove the trigger body code that updates the LOB value.

**OCI-22276: invalid locator for LOB buffering**

**Cause:** There are several causes: (1) the locator was never enabled for buffering (2) it is not an updated locator but is being used for a write/flush operation

**Action:** For (1) enable the locator for buffering; (2) ensure that only an updated locator is used for a LOB update operation

**OCI-22277: cannot use two different locators to modify the same LOB**

**Cause:** LOB buffering is enabled and an attempt was made to modify the LOB using two different LOB locators.

**Action:** When using LOB buffering, modify the LOB through one LOB locator only.

**OCI-22278: must update the LOB only through the LOB buffers**

**Cause:** LOB buffering is enabled for this LOB and there are buffers for this LOB in the buffer pool. Thus, updating the LOB through means other than the LOB buffers is not allowed.

**Action:** Update the LOB through the LOB buffers using the locator that has LOB buffering enabled. If this operation is required, buffers associated with this LOB should either be flushed as necessary or buffering should be disabled. Once this is done, reissue the command.

**OCI-22279: cannot perform operation with LOB buffering enabled**

**Cause:** The operation attempted is not allowed when LOB buffering is enabled.

**Action:** If the operation is required, LOB buffering should not be used. In this case, flush buffers associated with the input LOB locator as necessary, disable buffering on the input LOB locator and reissue the command.

**OCI-22280: no more buffers available for operation**

**Cause:** There are two causes: (1) All buffers in the buffer pool have been used up by previous operations (2) Attempt to flush a LOB without any previous buffered update operations.

**Action:** For (1), flush the LOB(s) through the locator that is being used to update the LOB. For (2), write to the LOB through a locator enabled for buffering before attempting to flush buffers.

**OCI-22281: cannot perform operation with an updated locator**

**Cause:** The input locator has buffering enabled and was used to update the LOB value through the LOB buffering subsystem. The modified buffer has not been

---

flushed since the write that was performed by the the input locator; thus, the input locator is considered an updated locator. Updated locators cannot be the source of a copy operation. Only one locator per LOB may be used to modify the LOB value through the LOB buffering subsystem.

**Action:** Depending on whether the modifications made through the input locator to the LOB buffering subsystem should be written to the server, either flush the buffer to write the modifications, or, disable buffering on the locator to discard the modifications. Then, reissue the command.

**OCI-22282: non-contiguous append to a buffering enabled LOB not allowed**

**Cause:** The buffered write operation has an input offset value more than one byte or character past the end of the LOB.

**Action:** Specify an input offset value which is exactly one character or byte greater than the length of the LOB that you are attempting to update through a buffered write operation.

**OCI-22285: non-existent directory or file for *string* operation**

**Cause:** Attempted to access a directory that does not exist, or attempted to access a file in a directory that does not exist.

**Action:** Ensure that a system object corresponding to the specified directory exists in the database dictionary, or make sure the name is correct.

**OCI-22286: insufficient privileges on directory or file to perform *string* operation**

**Cause:** The user does not have the necessary access privileges on the directory alias and/or the file for the operation.

**Action:** Ask the database/system administrator to grant the required privileges on the directory alias and/or the file.

**OCI-22287: invalid or modified directory occurred during *string* operation**

**Cause:** The directory alias used for the current operation is not valid if being accessed for the first time, or has been modified by the DBA since the last access.

**Action:** If you are accessing this directory for the first time, provide a valid directory name. If you have been already successful in opening a file under this directory before this error occurred, then close the file and retry the operation with a valid directory alias as modified by your DBA. Oracle recommends that directories should be modified only during quiescent periods.

**OCI-22288: file operation *string* failed *string***

**Cause:** The operation attempted on the file failed.

**Action:** See the next error message for more detailed information. Also, verify that the file exists and that the necessary privileges are set for the specified operation. If the error still persists, report the error to the DBA.

**OCI-22289: cannot perform *string* operation on an unopened file**

**Cause:** The file is not open for the required operation to be performed.

**Action:** Check that the current operation is preceded by a successful file open operation.

**OCI-22290: operation would exceed the maximum number of opened files**

**Cause:** The number of open files has reached the maximum limit.

**Action:** Close some of the opened files and retry the operation.

**OCI-22303: type "*string*". "*string*" not found**

---

**Cause:** The user is trying to obtain information for a type that cannot be found.

**Action:** Check that the schema is correct and that the type has been created correctly.

**OCI-22305: attribute/method/parameter "*string*" not found**

**Cause:** Type element with the given name is not found in the type.

**Action:** Check to make sure that the type element exists.

**OCI-22306: type "*string*"."*string*" already exists**

**Cause:** The user is trying to create a type that already exists.

**Action:** Check to make sure that the type has not been created prior to this.

**OCI-22307: type to alter is not a user-defined type**

**Cause:** The user is trying to alter a built-in type.

**Action:** Check to make sure that only user-defined types are being altered.

**OCI-22309: attribute with name "*string*" already exists**

**Cause:** The user is attempting to create an object type where more than one attributes have the same name.

**Action:** Check to make sure that all attribute names are unique.

**OCI-22311: type for attribute "*string*" does not exist**

**Cause:** The type of the attribute does not exist.

**Action:** No types were created/modified for this DDL transaction. Redo the DDL transaction and add the creation of the attribute's type in the DDL transaction.

**OCI-22313: cannot use two versions of the same type "*string*"**

**Cause:** The version of this type conflicts with the version of this type used by another library that was linked in with the application. An application may only use one version of a type.

**Action:** Check that the libraries being linked with this application and use the same versions of the type.

**OCI-22314: method information mismatch in ALTER TYPE**

**Cause:** The number of methods or the method signature do not match that of the original type declaration. This is not supported.

**Action:** Make sure the method signature stay identical for the previously declared method. Do not drop existing methods.

**OCI-22315: type "*string*" does not contain a map or order function**

**Cause:** The input type does not contain a map or order function so one cannot be returned.

**Action:** Add a map or order function to the type or catch this error.

**OCI-22316: input type is not a collection type**

**Cause:** The user is trying to obtain information for collection types on a non-named collection type.

**Action:** Use a named collection type for the function.

**OCI-22317: typecode *number* is not legal as a number type**

**Cause:** The user is trying to use a number typecode that is not valid.

---

**Action:** Use only OCI\_TYPECODE\_SMALLINT, OCI\_TYPECODE\_INTEGER, OCI\_TYPECODE\_REAL, OCI\_TYPECODE\_DOUBLE, OCI\_TYPECODE\_FLOAT, OCI\_TYPECODE\_NUMBER, or OCI\_TYPECODE\_DECIMAL.

**OCI-22318: input type is not an array type**

**Cause:** The user is trying to obtain the number of elements for a non-array type.

**Action:** Pass in only a named collection type which is an array.

**OCI-22319: type attribute information altered in ALTER TYPE**

**Cause:** The type attribute information does not match that of the original type declaration when altering type. Attributes cannot be altered during ALTER TYPE. Only new methods can be added.

**Action:** Check that all type alterations are legal.

**OCI-22321: method does not return any result**

**Cause:** OCITypeResult() was called on a method that does not return any results.

**Action:** Check that you are passing in the correct method descriptor, or that your method creation was done correctly.

**OCI-22337: the type of accessed object has been evolved**

**Cause:** The type of the accessed object has been altered and the client's object is based on an earlier type definition.

**Action:** The user needs to exit application and modify application to accommodate the type change. From SQL/PLUS, reconnect and resubmit statement.

**OCI-22369: invalid parameter encountered in method *string***

**Cause:** An invalid parameter is being passed to this method of SYS.RowType or SYS.RowSet.

**Action:** Check the parameters being passed to this method and make sure that the parameters are allowed.

**OCI-22370: incorrect usage of method *string***

**Cause:** This method of SYS.RowType or SYS.RowSet is being used inappropriately.

**Action:** Check the documentation for correct usage.

**OCI-22600: encountered 8.0.2 (Beta) VARRAY data that cannot be processed**

**Cause:** Production Oracle8 (8.0.3 and beyond) encounters some VARRAY data which was created and stored by Oracle8 8.0.2 (Beta 2). Production Oracle8 cannot understand or process such VARRAY data.

**Action:** Delete the VARRAY data from the table by dropping the table, deleting the rows, or nulling out the VARRAY columns, and then re-insert the VARRAY data. There is no provided script or tool to help automate this conversion.

**OCI-22601: pickler TDS context [*string*] is not initialized**

**Cause:** Attempt to use the pickler TDS context without initializing it.

**Action:** Use OCIPicklerTdsCtxInit to initialize the context.

**OCI-22602: pickler TDS handle [*string*] is not well-formed**

**Cause:** Attempt to use the pickler TDS handle without initializing/ constructing it.

---

**Action:** Use OCIPicklerTdsInit to initialize the handle before it is constructed. Use OCIPicklerTdsGenerate to generate the TDS before its attributes can be accessed.

**OCI-22603: cannot add an attribute to the already generated TDS handle**

**Cause:** Attempt to add an attribute to the already constructed TDS.

**Action:** Use a TDS handle that is initialized but not yet constructed.

**OCI-22604: TDS handle already generated**

**Cause:** Attempt to generate TDS that is already generated.

**Action:** Use a TDS handle that is initialized but not yet generated.

**OCI-22605: FDO handle [*string*] is not initialized**

**Cause:** Attempt to use an uninitialized FDO handle.

**Action:** Use OCIPicklerFdoInit to initialize FDO handle".

**OCI-22606: pickler image handle [*string*] is not well-formed**

**Cause:** Attempt to use the image handle without initializing/ constructing it.

**Action:** Use OCIPicklerImageInit to initialize the handle before it is constructed. Use OCIPicklerImageGenerate to generate the image before its attributes can be accessed.

**OCI-22607: image handle already generated**

**Cause:** Attempt to generate image that is already generated.

**Action:** Use a image handle that is initialized but not yet generated.

**OCI-22608: cannot add an attribute to the already generated image handle**

**Cause:** Attempt to add an attribute to the already constructed image.

**Action:** Use an image handle that is initialized but not yet constructed.

**OCI-22609: error *string* during initialization of FDO**

**Cause:** Error during FDO initialization.

**Action:** Take an action based on the specified error.

**OCI-22626: Type Mismatch while constructing or accessing OCIAnyData**

**Cause:** Type supplied is not matching the type of the AnyData. If piece wise construction or access is being attempted, the type supplied is not matching the type of the current attribute.

**Action:** Make sure the type supplied matches the type of object to be constructed or accessed.

**OCI-22975: cannot create a PRIMARY KEY-based REF to this object view**

**Cause:** The object view specified in the MAKE\_REF function does not have a PRIMARY KEY-based object identifier. A PRIMARY KEY-based REF cannot be created for such a view.

**Action:** Specify an object view that has a PRIMARY KEY-based object identifier in the MAKE\_REF function.

**OCI-22976: incorrect number of arguments to MAKE\_REF**

**Cause:** Number of arguments for MAKE\_REF is different from the number of PRIMARY KEY attributes of the object view.

**Action:** Specify all the necessary arguments for MAKE\_REF.

---

**OCI-30100: internal error [number]**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Worldwide Support and report the error.

**OCI-30101: unknown parameter name "string"**

**Cause:** You have misspelled the parameter name.

**Action:** Spell the parameter name correctly.

**OCI-30102: "string" is not in the legal range for "string"**

**Cause:** The value of the parameter is not within the legal range.

**Action:** Refer to the manual for the allowable values for this parameter.

**OCI-30103: "string" contains an illegal integer radix for "string"**

**Cause:** An illegal integer radix specification was found.

**Action:** Only "d", "h", "D", and "H" may be used as radix specifications.

**OCI-30104: "string" is not a legal integer for "string"**

**Cause:** The value is not a valid integer.

**Action:** Specify only valid integers for this parameter.

**OCI-30105: "string" is not a legal boolean for "string"**

**Cause:** The value is not a valid boolean.

**Action:** Refer to the manual for allowable boolean values.

**OCI-30107: parameter name abbreviation "string" is not unique**

**Cause:** The abbreviation given was not unique.

**Action:** Use a longer abbreviation to make the parameter name unique.

**OCI-30108: invalid positional parameter value "string"**

**Cause:** An invalid positional parameter value has been entered.

**Action:** Remove the invalid positional parameter.

**OCI-30109: could not open parameter file "string"**

**Cause:** The parameter file does not exist.

**Action:** Create an appropriate parameter file.

**OCI-30110: syntax error at "string"**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**OCI-30111: no closing quote for value "string"**

**Cause:** A quoted string was begun but not finished.

**Action:** Put a closing quote in the proper location.

**OCI-30112: multiple values not allowed for parameter "string"**

**Cause:** You attempted to specify multiple values for a parameter which can take only one value.

**Action:** Do not specify more than one value for this parameter.

**OCI-30113: error when processing file "string"**

**Cause:** A problem occurred when processing this file.

---

**Action:** Examine the additional error messages and correct the problem.

**OCI-30114: error when processing from command line**

**Cause:** A problem occurred when processing the command line.

**Action:** Examine the additional error messages and correct the problem.

**OCI-30115: error when processing an environment variable**

**Cause:** A problem occurred when processing an environment variable.

**Action:** Examine the additional error messages and correct the problem.

**OCI-30116: syntax error at "*string*" following "*string*"**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**OCI-30117: syntax error at "*string*" at the start of input**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**OCI-30118: syntax error at "*string*" at the end of input**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**OCI-30119: unable to obtain a valid value for "*string*"**

**Cause:** No valid value was obtained for this parameter.

**Action:** Rerun the application and enter a valid value.

**OCI-30120: "*string*" is not a legal oracle number for "*string*"**

**Cause:** The value is not a valid oracle number.

**Action:** Refer to the manual for allowable oracle number values.

**OCI-30121: "*string*" is not an allowable value for "*string*"**

**Cause:** The value is not a legal value for this parameter.

**Action:** Refer to the manual for allowable values.

**OCI-30122: value "*string*" for "*string*" must be between "*number*" and "*number*"**

**Cause:** The value of the parameter is not within the legal range.

**Action:** Specify a value that is within the legal range.

**OCI-30129: invalid function argument received**

**Cause:** A function received an invalid argument

**Action:** Check function calls, make sure correct arguments are being passed.

**OCI-30130: invalid parameter key type received**

**Cause:** A function received an invalid parameter key type

**Action:** Check parameter key types in function calls

**OCI-30131: number of keys being set exceeds allocation**

**Cause:** Number of parameter keys being set exceeds allocation

**Action:** Reduce the number of keys being set or increase allocation

**OCI-30132: invalid key index supplied**

---

**Cause:** The key index specified was not within bounds

**Action:** Change key index to ensure it lies within bounds

**OCI-30135: OCI Thread operation fails**

**Cause:** An OCI Thread function call has failed.

**Action:** Check the function call to make sure that the correct parameters are being passed and take the appropriate action.

**OCI-30150: Invalid argument passed to OCIFile function**

**Cause:** An invalid argument is passed to the OCIFile function. The most common cause is that a NULL pointer is passed where a non-NULL pointer is expected.

**Action:** Make sure that the values passed as arguments are valid. Esp check for NULL pointers.

**OCI-30151: File already exists**

**Cause:** Tried to open a file with OCI\_FILE\_EXCL flag and the file already exists.

**Action:** OCIFile is supposed throw this exception in this case.

**OCI-30152: File does not exist**

**Cause:** The OCIFile function requires the file to exist, but it does not.

**Action:** Make sure that the file exists.

**OCI-30153: An invalid File Object is passed to the OCIFile function**

**Cause:** An invalid File Object is passed to the OCIFile function.

**Action:** Make sure that the file object is a valid one. Create a new file object by calling OCIFileOpen if needed.

**OCI-30154: The memory address given as buffer for OCIFileRead/Write is invalid**

**Cause:** An invalid memory address is given as the buffer pointer for OCIFileRead/Write.

**Action:** Make sure that the required memory is allocated and pass a valid memory address as buffer pointer.

**OCI-30155: An I/O Error occured during an OCIFile function call**

**Cause:** An I/O error occurred at the system level.

**Action:** This is a system error and the action will depend on the error.

**OCI-30156: Out of disk space**

**Cause:** The disks associated with the underlying file system are full.

**Action:** Create more disk space.

**OCI-30157: An invalid argument was given to operating system call**

**Cause:** The OS call was called with an invalid argument.

**Action:** Check the values passed. If unsuccessful to solve the problem contact ORACLE support.

**OCI-30158: The OCIFileWrite causes the file to exceed the maximum allowed size**

**Cause:** There is no space to write to the file. Its size is at the maximum limit.

**Action:** Up to the user.

**OCI-30159: OCIFileOpen: Cannot create the file or cannot open in the requested mode**

---

**Cause:** The create flag was specified in OCIFileOpen such that the file was to be created. But unable to do so. Or the file already exists and the permissions on it doesn't allow the file to be opened in the requested open mode

**Action:** Check whether the user has permissions to create the specified file or if the file exists whether the permissions on it allow the requested open mode.

**OCI-30160: Unable to access the file**

**Cause:** The function was unable to access the existing the file.

**Action:** Check if the user has the required permissions on the file.

**OCI-30161: A system error occurred during the OCIFile function call**

**Cause:** A system error occurred while executing the OCIFile function.

**Action:** Depend on the error.

**OCI-30162: The OCIFile context is not initialized**

**Cause:** The function OCIFileInit need to be called before calling any other OCIFile function to initialize the OCIFile context.

**Action:** Call the function OCIFileInit need to be called before calling any other OCIFile function.

**OCI-30163: The thread safety initialization failed**

**Cause:** The call to SlgInit failed in OCIFileInit.

**Action:** Contact support

**OCI-30175: invalid type given for an argument**

**Cause:** There is an argument with an invalid type in the argument list.

**Action:** Use the correct type wrapper for the argument.

**OCI-30176: invalid format code used in the format string**

**Cause:** There is an invalid format code in the format string.

**Action:** Replace the invalid format code with a valid one.

**OCI-30177: invalid flag used in a format specification**

**Cause:** There is an invalid flag in a format specification.

**Action:** Replace the invalid flag with a valid one.

**OCI-30178: duplicate flag used in a format specification**

**Cause:** There is a duplicate flag in a format specification.

**Action:** Remove the duplicate flag.

**OCI-30179: invalid argument index used in a format code**

**Cause:** Zero or negative argument index or index not following (."

**Action:** Replace the invalid argument index with a valid one.

**OCI-30180: argument index is too large**

**Cause:** An argument index exceeds actual number of arguments supplied.

**Action:** Fix format string or pass additional arguments.

**OCI-30181: integer in argument index is not immediately followed by )**

**Cause:** Missing closing parenthesis in argument index.

**Action:** Fix the format specification.

---

**OCI-30182: invalid precision specifier**

**Cause:** Period in format specification not followed by valid format.

**Action:** Replace the invalid precision specifier with a valid one.

**OCI-30183: invalid field width specifier**

**Cause:** Invalid field width supplied.

**Action:** Replace the invalid field width with a valid one.

**OCI-30184: argument type not compatible with a format code**

**Cause:** Bad argument type given for a format code.

**Action:** Make format and arguments be compatible.

**OCI-30185: output too large to fit in the buffer**

**Cause:** The buffer is not large enough to hold the entire output string.

**Action:** Fix the buffer size and length passed in.

**OCI-30191: missing argument list**

**Cause:** No argument list supplied.

**Action:** Modify the argument list to have at least OCIFormatEnd in it.

**OCI-30930: XML node "*string*" (type=*string*) does not support this operation**

**Cause:** The given node's type is not supported for this operation. For example, trying to add children to an attribute node, or passing in a document node as a child, are unsupported operations.

**Action:** Use a valid node type for the operation.

**OCI-30931: Element "*string*" cannot contain mixed text**

**Cause:** XML elements must be declared mixed to contain multiple text nodes

**Action:** Declare this element type as mixed in its schema

**OCI-30932: Reference node "*string*" not contained in specified parent node "*string*"**

**Cause:** When using a reference node, it must have the specified parent node

**Action:** Use a node in the specified parent as the reference

**OCI-30933: Element "*string*" may not appear at this point within parent "*string*"**

**Cause:** The ordering specified by the content model of the parent does not allow for this element to occur at this position.

**Action:** Reorder the child elements to conform with the content model of the parent element

**OCI-30934: "*string*" (*string* node) cannot be inserted in parent "*string*" (*string* node)**

**Cause:** The schema does not allow a child node of this type to be inserted into a parent node of this type. For example, only element nodes may only be inserted into a document

**Action:** Insert only child nodes that make sense for this node type

**OCI-30935: XML maxoccurs value (*string*) exceeded**

**Cause:** An attempt was made to insert more than maxoccurs values into a schema-based XML document.

**Action:** Do not insert more than maxoccurs values into the document.

**OCI-30936: Maximum number (*string*) of "*string*" XML node elements exceeded**

---

**Cause:** An attempt was made to insert more than the allowed number of elements (specified by the maxoccurs facet) into an XML document.

**Action:** Do not attempt to add more than the maximum number of elements to XML documents.

**OCI-30937: No schema definition for "string" (namespace "string") in parent "string"**

**Cause:** The schema definition for the parent node being processed does not allow for the specified child node in its content model. Note that any typecasting via xsi:type must occur before the schema definitions for the new type can be used.

**Action:** Only insert elements and attributes declared in the schema. Check to make sure that xsi:type (if used) is specified first.

**OCI-30938: No prefix defined for namespace "string" (particle string)**

**Cause:** An XML namespace mapping (xmlns:<prefix>=<namespace URL>) must be defined for each particle (element or attribute) stored in an schema-constrained XMLType document.

**Action:** Add an xmlns attribute definition (attribute name="xmlns:prefix" and value="namespace URL") to the current XMLType document. The safest place to add this attribute is in the root node of the document to ensure that the mapping will be in scope.

**OCI-30939: Order violation: Element "string" may not follow element "string"**

**Cause:** The XML schema specifies a content model that is sequential, where the order of nodes in the instance must follow the order specified by the schema, and this instance relies on the schema validity to avoid maintaining instance order information

**Action:** Insert elements only in the order specified in the schema

**OCI-30940: Cannot resolve prefix "string" for QName node "string"**

**Cause:** An attempt was made to store a QName value without having a valid namespace in scope for that prefix.

**Action:** Declare the namespace for the prefix used

**OCI-30941: Cannot specify empty URI for non-default namespace "string"**

**Cause:** An attempt was made to insert a namespace declaration for a non-default namespace using an empty URI string.

**Action:** Specify a non-empty URI for namespace declarations other than the default namespace. // Error 30942 to 30950 reserved for XML Schema Evolution

**OCI-30942: XML Schema Evolution error for schema "string" table string column "string"**

**Cause:** The given XMLType table/column which conforms to the given schema had errors during evolution. For more information, see the more specific error below this one

**Action:** Based on the schema, table and column information in this error and the more specific error below, take corrective action

**OCI-30943: XML Schema "string" is dependent on XML schema "string"**

**Cause:** Not all dependent schemas were specified and/or the schemas were not specified in dependency order, i.e., if schema S1 is dependent on schema S, S must appear before S1.

---

**Action:** Include the previously unspecified schema in the list of schemas and/or correct the order in which the schemas are specified. Then retry the operation.

**OCI-30944: Error during rollback for XML schema "*string*" table *string* column "*string*"**

**Cause:** The given XMLType table/column which conforms to the given schema had errors during a rollback of XML schema evolution. For more information, see the more specific error below this one

**Action:** Based on the schema, table and column information in this error and the more specific error below, take corrective action

**OCI-30945: Could not create mapping table "*string*"**

**Cause:** A mapping table could not be created during XML schema evolution. For more information, see the more specific error below this one

**Action:** Ensure that a table with the given name does not exist and retry the operation

**OCI-30946: XML Schema Evolution warning: temporary tables not cleaned up**

**Cause:** An error occurred after the schema was evolved while cleaning up temporary tables. The schema evolution was successful

**Action:** If the user needs to remove the temporary tables, use the mapping table to get the temporary table names and drop them. // // // End of XML Schema Evolution errors (30942 to 30950 reserved)

**OCI-30951: Element or attribute at Xpath *string* exceeds maximum length**

**Cause:** An attempt was made to insert a node of length exceeding the maximum length (specified by the maxLength facet) into an XML document.

**Action:** Do not attempt to add a node exceeding the maximum length to XML documents.

**OCI-30990: insufficient privileges to change owner of resource *string***

**Cause:** An attempt was made to change the <Owner> field of an XML DB resource without sufficient privileges to do so.

**Action:** Switch to SYS before performing the ownership change, or have the intended recipient of the resource perform the transfer.

**OCI-30991: cannot use DOM to add special attribute to schema-based parent**

**Cause:** An attempt was made to add or remove an xsi:schemaLocation, xsi:noNamespaceSchemaLocation, xsi:type, or xsi:nil attribute to or from a schema-based XML node using DOM.

**Action:** Use the updateXML operator instead of DOM.

**OCI-31000: Resource "*string*" is not an XDB schema document**

**Cause:** The given schema URL does not refer to a registered XDB schema

**Action:** Make sure the specified schema has been registered in XDB

**OCI-31001: Invalid resource handle or path name "*string*"**

**Cause:** An invalid resource handle or path name was passed to the XDB hierarchical resolver.

**Action:** Pass a valid resource handle or path name to the hierarchical resolver.

**OCI-31002: Path name *string* is not a container**

**Cause:** XDB expected the given path name to represent a container.

---

**Action:** Pass a path name or resource handle that represents a container.

**OCI-31003: Parent *string* already contains child entry *string***

**Cause:** An attempt was made to insert a duplicate child into the XDB hierarchical resolver.

**Action:** Insert a unique name into the container.

**OCI-31004: Length *string* of the BLOB in XDB\$H\_INDEX is below the minimum *string***

**Cause:** In the XDB\$H\_INDEX table, the CHILDREN column, a BLOB, must have a certain minimum length without being chained. The calculated length of the LOB was less than the stated minimum.

**Action:** Set the value of the init.ora parameter db\_block\_size to at least 2K. For XDB to run at its fastest, set db\_block\_size to 8K.

**OCI-31005: Path name length *string* exceeds maximum length *string***

**Cause:** The length of a path name passed to the XDB hierarchical resolver exceeded the maximum length.

**Action:** Choose a shorter path name.

**OCI-31006: Path name segment length *string* exceeds maximum length *string***

**Cause:** The length of a path name segment passed to the XDB hierarchical resolver exceeded the maximum length of a path name segment.

**Action:** Choose a shorter path name segment.

**OCI-31007: Attempted to delete non-empty container *string/string***

**Cause:** An attempt was made to delete a non-empty container in the XDB hierarchical resolver.

**Action:** Either perform a recursive deletion, or first delete the contents of the container.

**OCI-31009: Access denied for property *string***

**Cause:** An attempt was made to access a property you don't have access to

**Action:** Check the ACL to see what privileges you have for this property

**OCI-31010: XML element index *string* exceeds maximum insertion index *string***

**Cause:** An attempt was made to insert an XML element at an invalid index location in the node.

**Action:** Choose a new index that falls within the allowed range.

**OCI-31011: XML parsing failed**

**Cause:** XML parser returned an error while trying to parse the document.

**Action:** Check if the document to be parsed is valid.

**OCI-31012: Given XPATH expression not supported**

**Cause:** XPATH expression passed to the function is currently unsupported.

**Action:** Check the xpath expression and change it to use a supported expression.

**OCI-31013: Invalid XPATH expression**

**Cause:** XPATH expression passed to the function is invalid.

**Action:** Check the xpath expression for possible syntax errors.

---

**OCI-31014: Attempted to delete the root container**

**Cause:** An attempt was made to delete the root container in the hierarchical index.

**Action:** Do not delete the root container.

**OCI-31015: Attempted to insert entry without name**

**Cause:** An attempt was made to insert an entry into the hierarchical resolver without a child name.

**Action:** Supply a child name and try inserting again.

**OCI-31016: Attempted to delete entry without name**

**Cause:** An attempt was made to delete an entry from the hierarchical resolver without a child name.

**Action:** Supply a child name and try deleting again.

**OCI-31017: Error generating unique OID for XML document**

**Cause:** An error occurred while generating a globally unique OID for storing an XML document.

**Action:** None

**OCI-31018: Error deleting XML document**

**Cause:** The XMLType object pointed to by the given REF could not be deleted because either the REF was invalid or it pointed to a non-existent table.

**Action:** Either use FORCE deletion or supply a valid REF.

**OCI-31019: Recursive deletion snapshot too old for *string/string***

**Cause:** Changes were made to the structure of a directory while it was being recursively deleted.

**Action:** Try deleting the directory again.

**OCI-31020: The operation is not allowed, Reason: *string***

**Cause:** The operation attempted is not allowed

**Action:** See reason and change to a valid operation.

**OCI-31021: Element definition not found**

**Cause:** The element definition was not found.

**Action:** Supply the definition for the element or use a defined element.

**OCI-31022: Element not found**

**Cause:** The element was not found.

**Action:** Make sure the specified element exists.

**OCI-31023: Index size error**

**Cause:** The index is greater than the allowed value.

**Action:** Make sure the index is less than allowed value.

**OCI-31025: Invalid document element**

**Cause:** An attempt was made to replace the data at an invalid index number in the XML document

**Action:** Supply a correct occurrence number and try again.

**OCI-31027: Path name or handle *string* does not point to a resource**

---

**Cause:** An attempt was made to retrieve a resource based on a path name or resource handle that points to an entity other than a resource.

**Action:** Do not attempt to retrieve a resource based on that path name or resource handle.

**OCI-31028: Resource metadata length *string* exceeded maximum length *string***

**Cause:** An attempt was made to insert resource metadata that exceeded the maximum length of that type of metadata.

**Action:** Keep resource metadata within its allowed length.

**OCI-31029: Cannot bind to unsaved resource**

**Cause:** An attempt was made to bind to a resource that had not been saved to disk.

**Action:** Bind only to saved resources.

**OCI-31030: Unable to retrieve XML document**

**Cause:** The resource had an invalid (dangling) REF to an XML document.

**Action:** Rebind the resource using a valid XMLType REF.

**OCI-31033: Requested number of XML children *string* exceeds maximum *string***

**Cause:** An attempt was made to add more than the maximum number of allowable children in an XML element.

**Action:** Redefine the schema to allow breaking up of the children among siblings.

**OCI-31035: Could not bind locked resource to path *string/string***

**Cause:** An attempt was made to bind an existing resource to a new location in the hierarchy, but a lock could not be obtained on the resource.

**Action:** Commit or roll back the transaction that has the lock on the resource.

**OCI-31037: Invalid XML attribute name *string***

**Cause:** The attribute name in the XML document did not match anything in the associated schema.

**Action:** Supply only schema-defined or XML standard attributes.

**OCI-31038: Invalid *string* value: "*string*"**

**Cause:** The text in the XML document did not represent a valid value given the datatype and other constraints in the schema.

**Action:** Ensure that the specified value in XML documents is valid with respect to the datatype and other constraints in the schema.

**OCI-31039: XML namespace length *string* exceeds maximum *string***

**Cause:** The length of the disk-formatted XML namespace exceeded the maximum.

**Action:** Keep XML namespace declarations below the maximum length.

**OCI-31040: Property *string*: XML type (*string*) not compatible with internal memory type (*string*)**

**Cause:** The XML datatype given is inconsistent with the database datatype, and a conversion cannot be made.

**Action:** This is an internal error, generally resulting from corruption of the compiled XML schema. Re-register schemas, or contact Oracle support.

---

**OCI-31041: Property *string*: Memory type (*string*) not compatible with database type (*string*)**

**Cause:** The memory type associated with this property is mapped to an incompatible database type, and a conversion cannot be made.

**Action:** This is an internal error, generally resulting from corruption of the compiled XML schema. Re-register schemas, or contact Oracle support.

**OCI-31042: Too many properties in type "*string*"**

**Cause:** The type can only have the same number of properties (elements and attributes) as a table can have columns.

**Action:** Modify the XML schema to move properties into subelements that are not inlined.

**OCI-31043: Element "*string*" not globally defined in schema "*string*"**

**Cause:** The specified element name has not been defined at the top level of the XML schema (i.e. globally). Elements must be defined globally to be the root of an XMLType object.

**Action:** Check the XML schema definition to make sure the specified element name has been defined at the top level.

**OCI-31044: Top-level prefix length *string* exceeds maximum *string***

**Cause:** An attempt was made to save to disk a top-level XML namespace prefix whose length exceeded the maximum.

**Action:** Do not define XML namespace prefixes that exceed the maximum length.

**OCI-31045: Cannot store more than *string* extras outside the root XML node**

**Cause:** An attempt was made to store more than the maximum number of XML extras (e.g. comments and processing instructions) either before or after the document's root node.

**Action:** Keep the number of extras outside the root node below the maximum.

**OCI-31046: Incorrect argument(s) specified in the operator**

**Cause:** One or more of the arguments specified in the operator in the query are incorrect

**Action:** Correct the arguments specified in the operator

**OCI-31047: Could not retrieve resource data at path *string***

**Cause:** An error occurred while retrieving the contents and/or metadata of a resource.

**Action:** Contact Oracle customer support.

**OCI-31048: Unsaved resources cannot be updated**

**Cause:** An attempt was made to update a resource that was never saved to disk.

**Action:** Perform a resource insertion instead.

**OCI-31050: Access denied**

**Cause:** The requested access privileges have not been granted to the current user. User must be granted privileges prior to resource access.

**Action:** Check the set of requested access privileges to make sure that they are included in the set of access privileges granted to the user.

**OCI-31051: Requested access privileges not supported**

---

**Cause:** The requested access privileges are not supported for the specified resource.

**Action:** Ensure that the set of requested access privileges are valid access privileges for the specified resource.

**OCI-31052: Cannot delete ACL with other references**

**Cause:** The requested deletion of an ACL resource cannot proceed. The ACL is in use by other resources.

**Action:** Remove the resources that are making reference to the ACL in question and try again.

**OCI-31053: The value of the depth argument in the operator cannot be negative**

**Cause:** The value of the depth argument passed to the primary operator is not a positive integer

**Action:** Pass a positive value of the depth argument

**OCI-31054: The *string* operator cannot have an ancillary operator**

**Cause:** An ancillary operator was used with an operator which does not support ancillary operators

**Action:** Remove the ancillary operator in the query

**OCI-31055: A null XMLType element cannot be inserted into RESOURCE\_VIEW**

**Cause:** The element which is being inserted into the RESOURCE\_VIEW is NULL

**Action:** Specify a non-null XMLType element to insert into RESOURCE\_VIEW

**OCI-31056: The document being inserted does not conform to *string***

**Cause:** The XMLType element being inserted into the RESOURCE\_VIEW does not conform to the specified Schema

**Action:** Insert an element which conforms to the specified Schema

**OCI-31057: Display Name of the element being inserted is null**

**Cause:** The Display Name of the element which is being inserted into the RESOURCE\_VIEW is null

**Action:** Specify the Display Name and insert the element into RESOURCE\_VIEW

**OCI-31058: cannot modify read-only XOBs**

**Cause:** Read-Only XOBs cannot be modified.

**Action:** Use only read operations on such a XOB.

**OCI-31059: Cannot insert root XML document node if it already exists**

**Cause:** An attempt was made to insert a root node into an XML document that already had a root node.

**Action:** Call the appropriate replace function to replace the node instead of inserting it anew.

**OCI-31060: Resource at path *string* could not be deleted**

**Cause:** An error occurred while deleting the named resource. The specific error can be found one lower on the error stack.

**Action:** Look at the next error on the stack and take appropriate action.

**OCI-31062: Cannot delete an unsaved resource**

**Cause:** An attempt was made to delete a resource that had not been saved to disk.

---

**Action:** Delete only saved resources.

**OCI-31065: Cannot modify read-only property [*string*]**

**Cause:** An attempt was made to modify an immutable XML node.

**Action:** Use only read operations on such properties.

**OCI-31066: Insertion of *string* into *string* creates a cycle**

**Cause:** An attempt was made to insert a link into the XDB hierarchy that would create a cycle in the tree.

**Action:** Ensure that links to existing resources do not cause cycles.

**OCI-31067: XML nodes must be updated with nodes of the same type**

**Cause:** An attempt was made to use updateXML to update an XML node with a node of another type.

**Action:** Ensure that the node specified by the XPath matches the type of new data provided.

**OCI-31068: updateXML expected data format [*string*] instead of [*string*]**

**Cause:** An attempt was made to use updateXML to update data with a node of the incorrect type. Text and attribute nodes must be updated with string data, whereas element nodes must be updated with XMLType data.

**Action:** Use CREATEXML or getStringVal to coerce the new data to the proper format.

**OCI-31069: Cannot apply typed changes to non-schema-based XMLType nodes**

**Cause:** An attempt was made to insert, delete, or update a non-schema-based XMLType node using an XML schema definition.

**Action:** Make changes to non-typed nodes only by referencing their tag names.

**OCI-31070: Invalid database user ID *string***

**Cause:** An attempt was made set an invalid user ID into an XDB resource metadata property.

**Action:** Verify the validity of the user ID and try again.

**OCI-31071: Invalid database username or GUID *string***

**Cause:** An attempt was made to set an invalid username or GUID into an XDB resource metadata property.

**Action:** Verify the validity of the username or GUID and try again.

**OCI-31072: Too many child nodes in XMLType fragment for updateXML**

**Cause:** An attempt was made to pass an XMLType fragment with multiple children as new data for the updateXML operator.

**Action:** Extract the desired child from the XMLType before passing it to updateXML as the desired new XML node.

**OCI-31073: Resource not retrieved using path name**

**Cause:** An attempt was made to access the path name of a resource that was either never saved to disk or was loaded using a method other than with its path name.

**Action:** Perform path name operations only on resources obtained using a path name. // // // // 31075 - 31099 reserved for XML Schema Compiler

---

**OCI-31075: invalid *string* declaration in XML Schema**

**Cause:** The XML schema contains an invalid declaration identified by the message.

**Action:** Fix the identified error and try again.

**OCI-31076: required attribute "*string*" not specified**

**Cause:** The XML schema does not specify a required attribute.

**Action:** Specify a value for the required attribute.

**OCI-31077: invalid attribute "*string*" specified**

**Cause:** The XML schema specifies an invalid attribute.

**Action:** Remove specification of the invalid attribute.

**OCI-31078: error in SQL mapping information**

**Cause:** There is an error in the SQL type and table specification within the XML Schema.

**Action:** Ensure that all specified SQL types and tables are valid and compatible with the corresponding XML types.

**OCI-31079: unable to resolve reference to *string* "*string*"**

**Cause:** The identified type or attribute or element could not be resolved.

**Action:** Make sure that the name corresponds to a valid XML (simple/complex) type or attribute or element and try again.

**OCI-31080: type not specified for attribute or element "*string*"**

**Cause:** The identified attribute or element does not have a type.

**Action:** Make sure that every attribute and element has a valid type specification.

**OCI-31081: name not specified for global declaration**

**Cause:** The XML schema does not specify the name for the global declaration of attribute or element or simpleType or complexType.

**Action:** Specify names for all global declarations.

**OCI-31082: invalid attribute "*string*" specified in declaration of "*string*"**

**Cause:** The XML schema specifies an invalid attribute.

**Action:** Remove specification of the invalid attribute.

**OCI-31083: error while creating SQL type "*string*"."*string*"**

**Cause:** An error occurred while trying to create the SQL type based on the specification of a complex type.

**Action:** Fix the identified error and try again.

**OCI-31084: error while creating table "*string*"."*string*" for element "*string*"**

**Cause:** An error occurred while trying to create the table based on the declaration for the identified element.

**Action:** Fix the identified error and try again.

**OCI-31085: schema "*string*" already registered**

**Cause:** An attempt was made to register a schema with the same URL as a previously registered schema.

**Action:** Register the schema with a different URL.

---

**OCI-31086: insufficient privileges to register global schema "*string*"**

**Cause:** An attempt was made to register a global schema without sufficient privileges.

**Action:** Make sure that the user has sufficient privileges to register a global schema.

**OCI-31087: insufficient privileges to delete schema "*string*"**

**Cause:** An attempt was made to delete a schema resource without sufficient privileges.

**Action:** Make sure that the user has sufficient privileges to delete the schema.

**OCI-31088: object "*string*"."*string*" depends on the schema**

**Cause:** An attempt was made to delete a schema which has dependent objects.

**Action:** Either drop the dependent objects prior to deleting the schema or use the CASCADE or FORCE options.

**OCI-31089: schema "*string*" does not target namespace "*string*"**

**Cause:** The schema document contains references (via include and import definitions) to other schemas that do not belong to valid namespaces.

**Action:** Make sure that all schemas referenced via include definitions target the same namespace as the parent schema. Further make sure that the namespace specified in the import definition matches the actual target namespace of the specified schema.

**OCI-31090: invalid database schema name "*string*"**

**Cause:** The XML schema document contains an invalid database schema name. For example, the value of attribute SQLSchema

**Action:** Make sure that all database user/schema names specified in the XML schema document refer to existing database users/schemas.

**OCI-31091: empty string specified as a SQL name**

**Cause:** The XML schema document contains a null SQL name. For example, the values of attributes SQLName, SQLType, defaultTable.

**Action:** Make sure that all names of SQL schema objects specified in the XML schema document are valid SQL names. Otherwise, remove such attributes from the schema and try again.

**OCI-31092: invalid SQL name "*string*"**

**Cause:** The XML schema document contains an invalid SQL name. For example, the values of attributes SQLName, SQLType, defaultTable.

**Action:** Make sure that all names of SQL schema objects specified in the XML schema document are valid SQL names. This implies that the database length and other restrictions on names be satisfied.

**OCI-31093: null or invalid value specified for parameter : *string***

**Cause:** The argument value passed for the given parameter is null or invalid.

**Action:** Make sure that all the input argument values are valid.

**OCI-31094: incompatible SQL type "*string*" for attribute or element "*string*"**

**Cause:** The SQL type information provided in the XML schema is not compatible with the XML datatype for the specified attribute or element.

---

**Action:** Make sure that the specified SQL types are compatible with the declared XML datatypes.

**OCI-31095: cannot generate *string* : "*string.string*" already exists**

**Cause:** The type/table name specified in the XML schema document cannot be generated because it is already being used.

**Action:** Use different names for types/tables or use the NOGEN mode so that schema compiler does not generate new types/tables.

**OCI-31096: validation failed for schema**

**Cause:** The XML Schema could not be validated.

**Action:** Make sure that the SQLType and other datatype mapping is valid.

**OCI-31097: Hierarchical Index not empty**

**Cause:** An attempt was made to rebuild the hierarchical index which is not empty.

**Action:** Delete all rows in the hierarchical index and then rebuild it.

**OCI-31099: XDB Security Internal Error**

**Cause:** An XDB Security internal error has occurred.

**Action:** Contact Oracle Support. ////////////// 31100 - 31110 reserved for WebDAV compliant resource locks

**OCI-31100: XDB Locking Internal Error**

**Cause:** An XDB Locking Internal error has occurred.

**Action:** Contact Oracle Support.

**OCI-31101: Token "*string*" not given while locking resource "*string*"**

**Cause:** Locking attempted on resource when the principal already owns a lock given by the token above.

**Action:** Reattempt the lock with the token.

**OCI-31102: Already locked in exclusive mode. Cannot add lock.**

**Cause:** The resource is already locked in exclusive mode. Cannot add another lock.

**Action:** Unlock the existing lock.

**OCI-31103: Resource locked in shared mode. Cannot add exclusive lock**

**Cause:** The resource is locked in shared mode. Cannot add a shared lock.

**Action:** Try locking in shared mode or unlocking the existing lock.

**OCI-31104: Cannot find lock with token "*string*" on "*string*" for unlock**

**Cause:** The lock may have been unlock or it may have expired.

**Action:** No action needed. Unlock already successful.

**OCI-31105: User does not own lock "*string*"**

**Cause:** The lock to be unlocked is not owned by the user.

**Action:** None

**OCI-31107: Action failed as resource "*string*" is locked by name lock**

**Cause:** Lock requests cause the whole request URI to be locked

**Action:** Supply lock token or unlock the lock

---

**OCI-31108: Action failed as resource *string* is locked**

**Cause:** Delete/Rename failed because of an existing lock

**Action:** Do lockdiscovery to find the lock and delete it.

**OCI-31109: Action failed as parent resource *string* is locked**

**Cause:** Delete/Rename failed because of an lock on parent resource

**Action:** Do lockdiscovery to find the lock and delete it.

**OCI-31110: Action failed as resource *string* is locked by name**

**Cause:** Delete/Rename failed because one of the children is locked.

**Action:** Do lockdiscovery to find the lock and delete it.

**OCI-31111: table *string* cannot be hierarchically enabled**

**Cause:** Trigger <tabname>\_xdb\_pitrigger already exists

**Action:** Delete all rows in the hierarchical index and then rebuild it.

**OCI-31112: fail to *string* for *string* port using xdb configuration**

**Cause:** port number for the defined presentation is not valid

**Action:** Either the port number is already in use or it is protected. Specify another port number.

**OCI-31113: XDB configuration may not be updated with non-schema compliant data**

**Cause:** An attempt was made to update the XDB configuration resource with non-schema or non-schema compliant data.

**Action:** Check the document to make sure it is schema based and schema compliant.

**OCI-31114: XDB configuration has been deleted or is corrupted**

**Cause:** The XDB configuration resource has been deleted or corrupted.

**Action:** Reinstall XDB, or reinsert a valid configuration document.

**OCI-31115: XDB configuration error: *string***

**Cause:** An error related to XDB configuration has occurred.

**Action:** Make sure the configuration resource contains valid data.

**OCI-31116: Tablespace not specified correctly**

**Cause:** XDB cannot be moved to the specified tablespace.

**Action:** Specify a valid tablespace.

**OCI-31121: The *string* operator can not be FALSE**

**Cause:** The value of the operator that is specified is FALSE

**Action:** Specify an operator that evaluates to TRUE

**OCI-31122: The *string* operator has incorrect RHS value**

**Cause:** The right hand side value that has been specified for the operator does not evaluate to TRUE

**Action:** Specify value on the right hand side that evaluate to TRUE // 31151 - 31189 reserved for XML Schema Compiler

**OCI-31151: Cyclic definition encountered for *string*: "*string*"**

**Cause:** The schema definition for this type has cycles.

---

**Action:** Remove cyclic definition and re-compile schema.

**OCI-31153: Cannot create schema URL with reserved prefix  
"http://xmlns.oracle.com/xdb/schemas/"**

**Cause:** This prefix is reserved for XDB extended schema URLs and cannot be used in a user specified URL.

**Action:** Modify the prefix to a different one.

**OCI-31154: invalid XML document**

**Cause:** The XML document is invalid with respect to its XML Schema.

**Action:** Fix the errors identified and try again.

**OCI-31155: attribute *string* not in XDB namespace**

**Cause:** The specified attribute should be prefixed with XDB's namespace.

**Action:** Ensure that all XDB specified attributes are prefixed with XDB's namespace and try again.

**OCI-31157: Invalid Content-Type charset**

**Cause:** HTTP Content-Type header had a charset that Oracle does not understand.

**Action:** Fix the Content-Type header in the HTTP request.

**OCI-31158: schema "*string*" currently being referenced**

**Cause:** The specified schema URL is currently being referenced by the same session. This could happen because of PLSQL XMLType variables still in scope.

**Action:** Ensure all references to this schema in this session are released and try the operation again.

**OCI-31159: XML DB is in an invalid state**

**Cause:** XML DB's internal tables are in an invalid state, probably because the database was not upgraded or the upgrade was not successful

**Action:** Ensure that the database is upgraded successfully. If the problem persists, contact Oracle Support

**OCI-31160: max substitution group size *string* exceeded by "*string*" (*string*) for head element "*string*" (*string*)**

**Cause:** The maximum limit on nested substitution groups has been exceeded by an element.

**Action:** Delete specified schema and re-register it after removing the offending substitution element.

**OCI-31161: element or attribute "*string*" cannot be stored out of line**

**Cause:** An element or attribute of a simple type has SQLInline=false

**Action:** Remove the SQLInline=false qualification for the offending element or attribute

**OCI-31162: element or attribute "*string*" has no SQLType specified**

**Cause:** Schema registration was invoked with GENTYPES=false without specifying a SQLType for some element or attribute

**Action:** Specify a SQLType for the offending element or attribute and register the schema again

---

**OCI-31163: element or attribute "string" has invalid attribute value "string" (should be "string")**

**Cause:** An element or attribute for a complex type derived by restriction has an attribute whose value is different from that in the base type

**Action:** Remove the mismatched attribute values from the offending element or attribute

**OCI-31164: cannot load object-relational XML attribute using direct path**

**Cause:** The table being loaded contains a xml column with object-relational storage. The xmltype column contains a type with subtypes. This type of attribute cannot be loaded with direct path.

**Action:** Perform the load with conventional path mode.

**OCI-31165: cannot load object-relational XML attribute using direct path**

**Cause:** The table being loaded contains a xml column with object-relational storage. The xmltype column either contains an out-of-line partitioned table or the table itself is partitioned by one of the attributes of xmltype. This type of table cannot be loaded with direct path.

**Action:** Perform the load with conventional path mode.

**OCI-31167: XML nodes over 64K in size cannot be inserted**

**Cause:** An attempt was made to insert an XML Text Node with a size greater than 64K. This is not supported.

**Action:** Create text nodes under 64K.

**OCI-31168: Node localname and namespace values should be less than 64K**

**Cause:** An attempt was made to specify an XML Node with localname or namespace value greater than or equal to 64K. This is not supported.

**Action:** Node localnames and namespace values should be under 64K. //////////////  
31180 - 31189 reserved for PL/SQL DOM API

**OCI-31180: DOM Type mismatch in invalid PL/SQL DOM handle**

**Cause:** The specified PL/SQL DOM handle is referencing a DOM Node whose DOM Type that does not match the one available in the session. This could happen because the pl/sql handle was reused, or the original document is no longer available.

**Action:** Ensure that the pl/sql handle for the target node is valid and try the operation again.

**OCI-31181: PL/SQL DOM handle accesses node that is no longer available**

**Cause:** The specified pl/sql handle is referencing a node in a DOM Document that is no longer available.

**Action:** Ensure that the pl/sql handle for the target node is valid and try the operation again.

**OCI-31182: Too many PL/SQL DOM handles specified**

**Cause:** An attempt was made to create a PL/SQL DOM handle that exceeded the maximum allowable number of PL/SQL DOM handles.

**Action:** Free PL/SQL DOM handles and try the operation again.

**OCI-31185: DOM Nodes do not belong to the same DOM Document**

---

**Cause:** The specified PL/SQL DOM Node does not belong to the parent DOM Document of the referring DOM Node.

**Action:** Ensure that both the DOM Nodes are part of the same DOM Document.

**OCI-31190: Resource *string* is not a version-controlled resource**

**Cause:** Either one of the following is the cause:

- Checkout is requested for a resource that isn't under version control". Only version-controlled resource can be checked out.
- Checkout is requested for a row of a non-versioned table.

**Action:** put the resource under version-control before checking out.

**OCI-31191: Resource *string* is already checked out**

**Cause:** Either one of the following is the cause:

- Checkout is requested for a resource that is already checked out to the workspace by the same of different user.

**Action:** checked in the resource from the workspace before checking out

**OCI-31192: Resource *string* has not been checked out**

**Cause:** Either one of the following is the cause:

- Checkin or uncheckout is requested for a resource that has not been checked out to the workspace by any user in a workspace

**Action:** checked in the resource from the workspace before checking out

**OCI-31193: This versioning feature isn't supported for resource *string***

**Cause:** Either one of the following is the cause:

- Container cannot be put under version-controlled.

**Action:** Avoid using these features.

**OCI-31194: Resource *string* is already deleted**

**Cause:** Access a version-controlled resource that is already deleted.

**Action:** Remove the cyclic definitions in the type and retry compilation.

**OCI-31195: XML node "*string*" (type=*string*) does not support this operation**

**Cause:** The given node's type is not supported for this operation. For example, trying to add children to an attribute node, or passing in a document node as a child, are unsupported operations.

**Action:** Use a valid node type for the operation.

**OCI-31196: XML nodes over *string* in size cannot be printed**

**Cause:** An attempt was made to use an XML Text Node with a size greater than 64K, or an XML Comment Node with a size greater than 4K. These cannot be printed. For example, trying to add children to an attribute node, or passing in a document node as a child, are unsupported operations.

**Action:** Use getClobVal() or getStringVal() to print the Document.

**OCI-31197: Error in processing file *string***

**Cause:** An error occurred while operating on the specified file. The possible causes are the file header is corrupt or check the next error on stack

**Action:** Ensure that the specified file is correct. Look at the next error on the stack and take appropriate action.

---

**OCI-31198: Mismatch in number of bytes transferred due to non-binary mode**

**Cause:** An error occurred while reading the specified file. The most probable cause is that the transfer was initiated in ASCII mode.

**Action:** Ensure that the transfer mode is set to BINARY

**OCI-31199: Warning in processing file *string***

**Cause:** A warning was raised while operating on the specified file. However, the current operation was completed successfully.

**Action:** This is primarily an informational message. Look at the next error on the stack to obtain further information.



---

## QSM-00501 to QSM-03120

**QSM-00501: unable to initialize Summary Advisor environment**

**Cause:** The Summary Advisor external procedure initialization process failed.

**Action:** Contact Oracle Worldwide Support.

**QSM-00502: OCI error**

**Cause:** A OCI callback routine reported an error

**Action:** Contact Oracle Worldwide Support.

**QSM-00503: out of memory**

**Cause:** Summary Advisor failed to allocate the necessary memory.

**Action:** Contact Oracle Worldwide Support.

**QSM-00504: internal error**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Worldwide Support.

**QSM-00505: syntax error**

**Cause:** A syntax error occurred.

**Action:** Correct syntax error if possible or contact Oracle Worldwide Support.

**QSM-00506: no fact-tables could be found**

**Cause:** The fact-filter is not specified, and there are no fact-tables in the warehouse. A fact-table is a table having foreign-key constraints to one or more of the dimension-tables in the data warehouse.

**Action:** Check the fact-filter is correctly specified; check that appropriate constraints exist; and the user has privileges to access the tables

**QSM-00507: no dimensions could be found**

**Cause:** The database does not have any dimensions

**Action:** Create the dimensions in your warehouse

**QSM-00508: statistics missing on tables/columns**

**Cause:** The system metadata does not contain statistics on one or more tables or columns. The Advisor needs cardinalities of all fact-tables, and of the level-keys of all dimensions in the data warehouse.

**Action:** Run ANALYZE on the tables and summaries in the warehouse to collect statistics

**QSM-00509: invalid parameter**

---

**Cause:** The indicated parameter has an invalid value

**Action:** Supply a value in the proper range

**QSM-00510: statistics missing on materialized views**

**Cause:** The system metadata does not contain statistics on one or more materialized views. The Advisor needs cardinalities of all materialized views in the data warehouse.

**Action:** Run ANALYZE on the tables and materialized views in the warehouse to collect statistics.

**QSM-00511: invalid fact-tables specified in fact-filter**

**Cause:** The tables specified in the fact-filter are not valid fact-tables. A fact-table must have foreign-key constraints to one or more of the dimension-tables in the data warehouse.

**Action:** Check the fact-filter is correctly specified; check that appropriate constraints exist; and the user has privileges to access the tables

**QSM-00512: invalid summaries specified in the retention-list**

**Cause:** The summaries specified in the retention-list are not valid.

**Action:** Check the spelling of the summary-names; check that they are valid; and the user has privileges to access them.

**QSM-00513: one or more of the workload tables is missing**

**Cause:** One or both of the workload tables are missing. The two workload tables which should be present in the user's schema are V\_192216243\_F\_5\_E\_14\_8\_1 and V\_192216243\_F\_5\_E\_15\_8\_1; the former is mapped to WORK\$\_IDEAL\_MVIEW and the latter to WORK\$\_MVIEW\_USAGE. The workload tables are created by the Oracle Trace Formatter when the data-collection-file (oraclesm.dat) is formatted by the user.

**Action:** Check whether the Formatter succeeded in formatting the data collection. Sometimes the V\_192216243\_F\_5\_E\_14\_8\_1 (i.e WORK\$\_IDEAL\_MVIEW) may not be created whereas the other table is created. The most likely cause of this is the init.ora parameters needed to invoke mview-rewrite are not enabled. Check your documentation for all the init.ora parameters which need to be set for mview-rewrite to occur. Another possibility is no GROUP BY queries were issued during the time the data was collected, in which case, run the Trace collection for a longer time to get a representative sampling of the queries issued in the data warehouse.

**QSM-00514: the size of must-retain summaries exceeds specified space limit**

**Cause:** The specified space limit is greater than the size of must-retain summaries.

**Action:** Reduce the number of must-retain summaries or increase the space limit

**QSM-00515: operation cancelled by user**

**Cause:** The operation has been cancelled by the user

**Action:** None

**QSM-00516: illegal status detected for run**

**Cause:** The run has encountered an illegal value in the status field of the mview\$\_adv\_log table. This could be internal error or an application error.

**Action:** Contact Oracle Worldwide Support.

**QSM-00517: Summary Advisor requires a COMPATIBLE setting of 8.1.0.0 or greater**

---

**Cause:** The current database has a compatibility setting that is earlier than the supported server version.

**Action:** Adjust the instance parameter COMPATIBLE to 8.1.0.0 or greater.

**QSM-00518: Java is not enabled. Please execute INITJVM.SQL and INITQSMA.SQL**

**Cause:** The current database has not been created or upgraded to support Java stored procedures. Summary Advisor requires Java stored procedures.

**Action:** Log into the database with SYSDBA privileges. Execute the INITJVM.SQL script which is found in the ORACLE home directory under JAVAVM. Next, execute the INITQSMA.SQL script found in the ADMIN directory under the ORACLE home.

**QSM-00519: Summary Advisor is not installed. Please execute INITQSMA.SQL.**

**Cause:** The current database has not been created or upgraded to support Summary Advisor. Summary Advisor requires several Java stored procedures.

**Action:** Log into the database with SYSDBA privileges. Execute the INITQSMA.SQL script found in the ADMIN directory under the ORACLE home.  
\*\*\*\* \*\* Messages 520-700 are in the 9i Summary Advisor Java modules 701-708 are Hypothetical Workload generator journal messages

**QSM-00710: data access error in module *string***

**Cause:** SQL Access Advisor detected a severe error while accessing the advisor repository.

**Action:** See the accompanying error message for appropriate actions.

**QSM-00750: the specified value *string* for parameter *string* is invalid or contains an invalid item**

**Cause:** The user attempted to set a task parameter using invalid data.

**Action:** Adjust the data value and retry the operation.

**QSM-00751: the file *string* could not be opened for write access**

**Cause:** Access Advisor could not create the script or report due to a file system error.

**Action:** Verify the location for file write access and retry the operation.

**QSM-00752: the parameter *string* contains an invalid combination of options *string***

**Cause:** The user specified correct option keywords, but entered a combination that is not supported within Access Advisor.

**Action:** Validate the correct option usage and retry the operation.

**QSM-00753: the specified value *string* is out of the acceptable range of *string* to *string* for parameter *string***

**Cause:** The user attempted to set a task parameter using invalid data.

**Action:** Adjust the data value and retry the operation.

**QSM-00754: task *string* does not reference a valid workload and therefore cannot be executed**

**Cause:** The user attempted to execute a advisor task that requires a workload.

**Action:** Specify a workload for the task and retry the operation.

**QSM-00755: a set of workload statements already exists for workload *string***

---

**Cause:** The user attempted to save workload data into an existing workload that already contains data without specifying APPEND or REPLACE.

**Action:** Validate the import mode retry the operation.

**QSM-00756: the specified workload *string* is being used by one or more advisor tasks**

**Cause:** The user attempted to modify or delete a workload that is currently being used by another task.

**Action:** Remove the workload reference from the advisor task and retry the operation.

**QSM-00757: the specified workload *string* is not referenced by task *string***

**Cause:** The user attempted to delete invalid workload reference from the task.

**Action:** Validate the workload reference and retry the operation.

**QSM-00758: the specified parameter *string* is not valid for workload *string***

**Cause:** The user attempted to access a workload parameter that does not exist for the specified workload. The parameter may be misspelled or the user selected a parameter that is not supported by the particular advisor.

**Action:** Validate the parameter name and retry the operation.

**QSM-00759: the user *string* does not exist for the specified workload statement**

**Cause:** The user attempted to add a new SQL statement with an invalid username.

**Action:** Adjust the name and retry the operation.

**QSM-00760: the import mode *string* is invalid for the current operation**

**Cause:** The user attempted to store data in the repository with an invalid import mode.

**Action:** Use one of the following valid values: NEW, APPEND, or REPLACE.

**QSM-00761: the priority *string* is invalid for the current operation**

**Cause:** The user attempted to store data in the repository with an invalid priority.

**Action:** Use one of the following valid values: 1, 2, 3.

**QSM-00762: the specified Summary Advisor workload *string* does not exist**

**Cause:** The user attempted to import an advisor workload from an invalid or non-existent Summary Advisor workload.

**Action:** Validate the Summary Advisor workload identifier and retry the operation.

**QSM-00763: the owner *string* was not found while validating user-defined workload *string.string***

**Cause:** The user attempted to import an advisor workload from a user who may not access to the table.

**Action:** Validate the location of the user-defined workload.

**QSM-00764: the column *string* was not found in the user-defined workload table *string.string***

**Cause:** The user attempted to import an advisor workload from a user table that does not contain the required column.

**Action:** Validate the user-defined workload table and retry the operation.

---

**QSM-00765: cannot validate user-defined workload because table *string.string* is invalid.**

**Cause:** The user attempted to import an advisor workload from a table that is not accessible.

**Action:** Validate the location of the user-defined workload.

**QSM-00766: a SQL statement is required for the current workload operation**

**Cause:** The user attempted to create an entry in a workload collection without specifying a SQL statement.

**Action:** Validate the SQL statement and retry the operation.

**QSM-00767: a SQL cache is not available to user *string***

**Cause:** The user attempted to collect a workload from the SQL without having authorization.

**Action:** Validate the user account and retry the operation.

**QSM-00768: the search condition is invalid for the requested operation**

**Cause:** The user provided a invalid SEARCH argument to an Access Advisor workload operation. A search condition must be a valid SQL search condition using only the column names specified in the procedure documentation.

**Action:** Correct the search condition and retry the operation.

**QSM-00769: the SQL statement *string* was not found for workload *string***

**Cause:** The user attempted to access a SQL statement that does not exist in the workload.

**Action:** Validate the SQL statement identifier and retry the operation.

**QSM-00770: the specified workload *string* is already referenced by task *string***

**Cause:** The user attempted to add a workload reference to a task when the task already contains the reference.

**Action:** Validate the workload reference and retry the operation.

**QSM-00771: the specified SQL statement cannot be stored in the workload because it has no valid table references**

**Cause:** The user attempted to add a workload statement that contains table references that are either system-specified or user-specified invalid tables.

**Action:** Validate the workload statement and retry the operation.

**QSM-00772: the specified SQL statement cannot be stored in the workload due to a statement error**

**Cause:** The user attempted to add a workload statement that contains invalid SQL syntax or an invalid column reference.

**Action:** Validate the workload statement and retry the operation.

**QSM-00773: the parameter *string* contains the invalid *string* name *string***

**Cause:** The task or workload parameter contains a name that is either too long or does not exist in the database.

**Action:** Validate the parameter value and retry the operation.

**QSM-00774: there are no SQL statements to process for task *string***

---

**Cause:** While executing, the specified task found no valid SQL statements to analyze. Possible causes are: an empty workload, table filtering, or username filtering.

**Action:** Validate the workload and the appropriate task parameters and retry the operation.

**QSM-00775: the specified SQL statement cannot be stored in the workload due to invalid table references**

**Cause:** The user attempted to add a workload statement that contains one or more invalid identifier for the parsing user.

**Action:** Validate the workload statement and retry the operation.

**QSM-00776: the user-defined workload *string* is missing the following column: *string***

**Cause:** The user attempted to import a workload from an external table; however, the table does not contain all of the required columns.

**Action:** Adjust the target workload table and retry the operation.

**QSM-00777: the specified directive *string* is unsupported at this time**

**Cause:** The user attempted to create a directive that is not currently supported.

**Action:** Check the advisor documentation for valid directives.

**QSM-00778: the specified output filename *string* is invalid or cannot be accessed**

**Cause:** The user attempted to create a report or script in a file that cannot be written or created.

**Action:** Adjust the file name or directory and retry the operation.

**QSM-00779: the specified directive conflicts with the existing directive *string***

**Cause:** The user attempted to add a directive that cannot operate with an existing directive.

**Action:** Check the advisor documentation for valid directives.

**QSM-00780: the task *string* could not be executed because the workload *string* is being modified**

**Cause:** While attempting to execute a task, Access Advisor checks for exclusive access to all of the referenced workloads. If any cannot be reserved, then the execution fails.

**Action:** Wait until the referenced workloads are free for exclusive access retry the operation.

**QSM-00781: the specified value *string* is invalid for parameter *string*. Valid keywords are *string***

**Cause:** The user attempted to set a task parameter using invalid data.

**Action:** Adjust the data value and retry the operation

**QSM-00782: the specified value *string* is an invalid date format for parameter *string***

**Cause:** The user attempted to set a task parameter using invalid date formatting directives.

**Action:** See the Oracle documentation for valid date-formatting and retry the operation.

**QSM-00783: the specified value *string* contains an invalid date for parameter *string***

---

**Cause:** The user attempted to set a task parameter using invalid date formatting.

**Action:** A date literal must be in the form DD/MM/YYYY HH24:MI:SS.

**QSM-00784: the *string string* referenced in the list *string* is invalid for parameter *string***

**Cause:** The user attempted to set a task parameter using an invalid username or table specification.

**Action:** Validate the object name and retry the operation.

**QSM-00785: the directive *string* is not supported for task *string* at this time**

**Cause:** The user attempted to add an invalid directive to the current task.

**Action:** Validate the directive and retry the operation.

**QSM-00786: the name *string* is invalid for directive *string***

**Cause:** The user attempted to add a directive that contains an empty or invalid object name.

**Action:** Correct the name and retry the operation.

**QSM-00787: the tablespace *string* is invalid for directive *string***

**Cause:** The user attempted to add a directive that contains an empty or invalid tablespace name.

**Action:** Correct the name and retry the operation.

**QSM-00788: The requested recommendation does not support direct implementation**

**Cause:** The user attempted to use the DBMS\_ADVISOR.IMPLEMENT\_TASK procedure to implement a SQL Access Advisor recommendation that cannot be implemented due to its complexity.

**Action:** The user must generate a script and implement the recommendation outside of the SQL Access Advisor.

**QSM-00789: The requested recommendation requires user editing and cannot be implemented**

**Cause:** The user attempted to use the DBMS\_ADVISOR.IMPLEMENT\_TASK procedure to implement a SQL Access Advisor recommendation that cannot be implemented because it requires additional scripting information from the user.

**Action:** The user must generate a script and edit the results.

**QSM-00790: the workload *string* cannot be modified or changed because it is being used by task *string***

**Cause:** The user attempted to change or delete a workload that is referenced by an active task.

**Action:** Remove references to a workload from any tasks that reference that workload, unless the task is in its initial task state.

**QSM-00791: the specified SQL statement cannot be stored in the workload because it contains unsupported statement type**

**Cause:** The user attempted to add a workload statement that contains an invalid statement type. Supported statement types are INSERT, DELETE, UPDATE, SELECT and MERGE.

**Action:** Validate the workload statement and retry the operation.

---

**QSM-00792: the specified SQL statement cannot be stored in the workload because one or more tables have missing statistics**

**Cause:** The user attempted to add a workload statement that contains a table without statistics. Access Advisor requires all referenced tables to have valid statistics.

**Action:** Validate the workload statement and retry the operation.

**QSM-00793: the specified SQL Tuning Set *string* does not exist**

**Cause:** The user specified a SQL Tuning Set that has not been defined in the SQL Tuning Set repository.

**Action:** Correct the SQL Tuning Set name and retry the operation.

**QSM-00794: the statement can not be stored due to a violation of the *string* filter**

**Cause:** The user attempted to manually add a workload statement that failed a filter test. Manual statements must meet the same filtering guidelines as imported statements.

**Action:** Adjust the attributes or the filter and retry the operation.

**QSM-00795: the SQL Tuning Set repository has not been implemented**

**Cause:** The user attempted to collect a workload from a SQL Tuning Set repository that has not yet been implemented or enabled.

**Action:** Validate the existence of the repository and retry the operation.

**QSM-00796: the specified SQL statement cannot be stored in the workload because table *string* does not have valid statistics**

**Cause:** The user attempted to add a workload statement that references a table with missing statistics.

**Action:** Gather statistics for the referenced table and retry the operation.

**QSM-00797: the specified workload *string* does not exist for the current user**

**Cause:** The user attempted to reference an Access Advisor workload using a name that does not exist in the Advisor repository.

**Action:** Adjust the name and retry the operation.

**QSM-00798: the specified workload *string* already exists**

**Cause:** The user attempted to create the specified workload using a name that already exists in the Advisor repository. Task names must be unique to the database user.

**Action:** Adjust the name and retry the operation.

**QSM-00799: the user-defined workload table *string* cannot be found**

**Cause:** The user has attempted to import a workload from an external table that does not exist or cannot be accessed.

**Action:** Adjust the target workload table and retry the operation.

**QSM-00800: the specified workload name *string* is invalid**

**Cause:** The user has specified an invalid workload name.

**Action:** Adjust the target workload name and retry the operation.

**QSM-00801: the specified username *string* is invalid**

**Cause:** The user has specified an invalid username.

**Action:** Adjust the target username and retry the operation.

---

**QSM-00802: An error occurred while implementing action *string* (*string*) *string*.**

**Cause:** While performing IMPLEMENT\_TASK, a specific action operation failed.

**Action:** Make the necessary adjustments as specified in the secondary message and retry the operation.

**QSM-00803: The STORAGE\_CHANGE parameter value *string* cannot be zero or negative for partial workloads.**

**Cause:** While performing EXECUTE\_TASK, the user specified a STORAGE\_CHANGE value that is incompatible with the type of workload data.

**Action:** Set a positive STORAGE\_CHANGE value.

**QSM-00804: not enough space for mandatory access structures**

**Cause:** While performing EXECUTE\_TASK, the user specified a STORAGE\_CHANGE value that leaves no space for mandatory access structures, such as primary key indexes.

**Action:** Set a greater STORAGE\_CHANGE value.

**QSM-00805: the specified recommendation *string* value *string* is invalid**

**Cause:** The user has specified an invalid value when attempting to change a recommendation attribute.

**Action:** Adjust the target attribute value and retry the operation.

**QSM-00806: the *string* parameter value must be specified when STORAGE\_MODE is set to TOTAL**

**Cause:** While performing EXECUTE\_TASK, the user specified a STORAGE\_MODE of TOTAL, but failed to set the DEF\_MVIEW\_OWNER and DEF\_INDEX\_OWNER to valid owner names.

**Action:** Set the specified owner to a valid name

**QSM-00807: the ANALYSIS\_SCOPE parameter value contains an incomplete or invalid combination of options.**

**Cause:** Though the ANALYSIS\_SCOPE parameter supports several options, some combination are not supported.

**Action:** Enter a valid combination of options.

**QSM-00808: parameter *string* only permits a single keyword. Choose one of the following: *string***

**Cause:** The user attempted to set a task parameter using multiple keywords.

**Action:** Adjust the data value and retry the operation

**QSM-00999: Advisor feature is not currently implemented**

**Cause:** The user attempted to execute an unsupported advisor operation.

**Action:** Verify the availability of the operation.

**QSM-01001: query rewrite not enabled**

**Cause:** When query rewrite is disabled, no query rewrite will take place.

**Action:** Enable query rewrite with ALTER SESSION SET QUERY\_REWRITE ENABLE command.

**QSM-01002: no query rewrite when OPTIMIZER\_MODE is rule based**

**Cause:** Query rewrite did not occur because the OPTIMIZER\_MODE was set to RULE.

---

**Action:** Change the optimizer mode using the OPTIMIZER\_MODE parameter.

**QSM-01003: no query rewrite on DDL queries**

**Cause:** If query contains any data definition operations, no query rewrite will take place.

**Action:** None

**QSM-01004: no query rewrite before view merging**

**Cause:** Internal session parameter \_QUERY\_REWRITE\_2 is set to FALSE

**Action:** Change session parameter with ALTER SESSION command.

**QSM-01005: no query rewrite when query has slave SQL**

**Cause:** Current process is a kxfx slave

**Action:** None

**QSM-01006: query rewrite disabled for this query block**

**Cause:** During query rewrite, certain view query blocks cannot be rewritten.

**Action:** None

**QSM-01007: query has NOREWRITE hint**

**Cause:** When query contains a NOREWRITE hint, no query rewrite will take place for that query block.

**Action:** Remove the NOREWRITE hint from the query

**QSM-01008: no query rewrite for update queries**

**Cause:** If a query or part of it has any DML update operations, no query rewrite will take place.

**Action:** None

**QSM-01009: query rewritten with materialized view, *string*, using text match algorithm**

**Cause:** The query was rewritten using a materialized view, because query text matched the definition of the materialized view

**Action:** None

**QSM-01010: table(s) in the query not found in materialized view, *string***

**Cause:** If the materialized view does not reference the base tables found in the query, it cannot be used for rewrite

**Action:** None

**QSM-01011: when heuristic rewrite not set, rewrite hint required**

**Cause:** When using a stored outline, a rewrite hint is required for query rewrite

**Action:** None

**QSM-01012: SAMPLE clause present in FROM**

**Cause:** If a query contains a SAMPLE clause, query rewrite will not take place

**Action:** None

**QSM-01013: nested aggregates or CONNECT BY/START WITH clause present**

**Cause:** If the query contains nested aggregates, CONNECT BY clause, or START WITH clause, query rewrite will not take place

**Action:** None

---

**QSM-01014: top level operator in WHERE clause of the query is an OR**

**Cause:** If the top-level operator in the WHERE clause is an OR and there is more than one table in the FROM list, then query rewrite will not take place.

**Action:** None

**QSM-01015: GROUP BY clause has non-columns**

**Cause:** No query rewrite, if there is no valid column in the GROUP BY clause.

**Action:** None

**QSM-01016: Query rewrite does not support, aggregate, string**

**Cause:** No query rewrite, if the query contains any DISTINCT aggregates other than COUNT, MIN or MAX.

**Action:** None

**QSM-01017: aggregate argument cannot be converted to canonical form**

**Cause:** Argument of each aggregate in the query needs to be convertible into a canonical form for query rewrite.

**Action:** None

**QSM-01018: single table materialized join view rewrite not required**

**Cause:** Materialized join view is more expensive for rewrite than using the base table

**Action:** None

**QSM-01019: no suitable materialized view found to rewrite this query**

**Cause:** There doesn't exist any materialized view in the dataware house that can be used to rewrite this query.

**Action:** Consider creating a new materialized view.

**QSM-01020: materialized view, string, is ineligible**

**Cause:** Materialized view is probably disabled or stale.

**Action:** Consider enabling the materialized view for rewrite or refreshing it.

**QSM-01021: materialized view, string, not found in the hint list**

**Cause:** There is a rewrite hint list specified in the query, but this materialized view is not among the hinted ones.

**Action:** Include this materialized view in the rewrite hint list.

**QSM-01022: a more optimal materialized view than string was used to rewrite**

**Cause:** Query Rewrite always chooses the most optimal materialized view based on certain parameters, such as cardinality of the materialized view, number of joins etc. The materialized view specified was found to be less optimal.

**Action:** To force using a materialized view, consider using a rewrite hint.

**QSM-01023: materialized view, string, has GRANT errors**

**Cause:** Materialized view probably has some metadata errors.

**Action:** Consider recreating it.

**QSM-01024: materialized view, string, has unknown compile errors**

**Cause:** Materialized view probably has some metadata errors.

**Action:** Consider recreating it.

---

**QSM-01025: materialized view, *string*, not found**

**Cause:** The specified materialized view is not found in the database.

**Action:** Check the spelling or create a new materialized view

**QSM-01026: query rewrite is disabled for, *string***

**Cause:** Query rewrite could not use this materialized view, because query rewrite was not enabled for it.

**Action:** Enable query rewrite for the materialized view with ALTER MATERIALIZED VIEW "mv" ENABLE QUERY REWRITE command, where "mv" is the name of the materialized view.

**QSM-01027: materialized view, *string*, is unusable**

**Cause:** Materialized view probably has some metadata errors.

**Action:** Consider recreating it.

**QSM-01028: materialized view, *string*, is currently being refreshed**

**Cause:** Materialized view cannot be used for query rewrite while it is being refreshed

**Action:** Rerun the query, after the refresh operation is completed.

**QSM-01029: materialized view, *string*, is stale in ENFORCED integrity mode**

**Cause:** A stale materialized view cannot be used for query rewrite when the query rewrite integrity mode is set to ENFORCED.

**Action:** Refresh the materialized view or alter the rewrite integrity mode with ALTER SESSION QUERY\_REWRITE\_INTEGRITY = STALE TOLERATED command.

**QSM-01030: materialized view, *string*, has PL/SQL functions in ENFORCED integrity mode**

**Cause:** A materialized view with PL/SQL functions in its definition cannot be used for query rewrite when query rewrite integrity is set to ENFORCED.

**Action:** Consider running the query in STALE TOLERATED mode.

**QSM-01031: materialized view, *string*, is stale in TRUSTED integrity mode**

**Cause:** A stale materialized view cannot be used for query rewrite when the query rewrite integrity mode is set to TRUSTED.

**Action:** Refresh the materialized view or alter the rewrite integrity mode with ALTER SESSION QUERY\_REWRITE\_INTEGRITY = STALE TOLERATED command.

**QSM-01032: materialized view, *string*, not found**

**Cause:** There was no associated metadata for the materialized view.

**Action:** Check the spelling and re-run the query.

**QSM-01033: query rewritten with materialized view, *string***

**Cause:** The specified materialized view was used to rewrite the given query.

**Action:** None

**QSM-01034: materialized view, *string*, needs a dimension level to join table, *string***

**Cause:** One or more hierarchical relationship(s) in the table(s) could not be established.

---

**Action:** Consider adding a level in the dimension to provide the missing intra-table relationships.

**QSM-01035: a row level security policy exists on this table**

**Cause:** Any row level security policy that may exist on a base-table prevents exact text match query rewrite.

**Action:** None

**QSM-01036: unmatched column, *string*, present in query after view merging**

**Cause:** Clearing the columns after view merging failed due to some reasons - bug??

**Action:** None

**QSM-01037: Query Rewrite failed to allocate the necessary query join graph**

**Cause:** Join graph allocation and initialization failed, possibly due to one or more undetermined operand(s) in the query expression.

**Action:** None

**QSM-01038: logical operator(s) could not be processed**

**Cause:** One or more logical operator(s) in the query predicates could not be processed, possibly due to invalid operator(s).

**Action:** None

**QSM-01039: selection present on right hand side of an outer join**

**Cause:** Query cannot be rewritten if any predicate contains a selection on the right hand side of an outer join.

**Action:** None

**QSM-01040: match between the materialized view (*string*) and query join graphs failed**

**Cause:** Query rewrite will not take place if the joins in the query and the materialized view do not have any match.

**Action:** None

**QSM-01041: materialized view, *string*, does not match with a measure in the query**

**Cause:** If a measure (such as SUM, AVERAGE) in the query cannot be matched or computed from the materialized view, it will not be used for rewrite.

**Action:** None

**QSM-01042: anchor and matching join arc check failed for *string***

**Cause:** If there is a lossy join in the materialized view that doesn't exist in the query, query rewrite will not take place.

**Action:** None

**QSM-01043: join back attempted on a table to the RHS of a semi or anti join for *string***

**Cause:** Query Rewrite will not occur if a join back is required to a table that appears to the right hand side of a semi or anti-join.

**Action:** None

**QSM-01044: join back attempted on a view for *string***

---

**Cause:** Query Rewrite will not occur if a join back to a table is required to find any missing columns.

**Action:** None

**QSM-01046: complex join back on correlated columns not allowed (*string*)**

**Cause:** Query Rewrite will not occur if a join back is required on a column that is referenced by a sub-query.

**Action:** None

**QSM-01047: complex join back on non-MAV rewrite not allowed (*string*)**

**Cause:** Query Rewrite can occur by means of a complex join back only during a MAV rewrite.

**Action:** None

**QSM-01048: join back level(s) not present (*string*)**

**Cause:** Query Rewrite requires joining back to a level of a dimension to find a missing information.

**Action:** Consider creating a dimension.

**QSM-01049: semi-join check failed for materialized view, *string***

**Cause:** If there is a semi join in the query, then Query Rewrite will create (select distinct <pk-list>, <ref-col> from mjv) where <pk-list> is the list of rowids/pk of all mjv tables that don't correspond to a right side of a semi-join and <ref-col> are their columns. Query Rewrite will not occur if a join from the materialized view cannot match the semi-join from the query.

**Action:** None

**QSM-01050: roll-up check failed for materialized view, *string***

**Cause:** A column in the query cannot be computed from the materialized view.

**Action:** Consider creating a dimension to supply the missing information

**QSM-01051: no support for rollup when a window function is present on the column**

**Cause:** No query rewrite if a window function is present on a column that requires a roll-up to compute a measure.

**Action:** None

**QSM-01052: referential integrity constraint on table, *string*, not VALID in ENFORCED integrity mode**

**Cause:** A join present in the materialized view requires validated primary/foreign key constraints in ENFORCED query rewrite integrity mode.

**Action:** Validate the constraint or change the integrity mode with ALTER SESSION SET QUERY\_REWRITE\_INTEGRITY = STALE\_TOLERATED command.

**QSM-01053: NORELY referential integrity constraint on table, *string*, in TRUSTED/STALE TOLERATED integrity mode**

**Cause:** A join present in the materialized view requires RELY mode to be set on the primary/foreign key constraints.

**Action:** Set the RELY mode with ALTER TABLE <table> MODIFY CONSTRAINT <constraint> RELY command. Alternatively validate the constraint with ALTER TABLE <table> VALIDATE CONSTRAINT <constraint>.

---

**QSM-01054: no join match between query and summary, *string***

**Cause:** There are no common joins between the query and the the materialized view

**Action:** None

**QSM-01055: Query Rewrite failed to allocate the necessary materialized view join graph**

**Cause:** Join graph allocation and initialization failed, possibly due to one or more undetermined operand(s).

**Action:** None

**QSM-01056: no query rewrite for this DDL expression**

**Cause:** Some SELECT statements which are part of a DDL expression may be eligible for rewrite. These include CREATE AS SELECT and CREATE OUTLINE statements. The given query expression is a DDL expression, which doesn't fall in this category.

**Action:** None

**QSM-01057: no query rewrite for this DML expression**

**Cause:** Current DML is being done using an updatable view, so it is not eligible for rewrite.

**Action:** None

**QSM-01058: MV, *string*, does not have column, *string*, for a joinback**

**Cause:** A GROUP BY column in the query is not present in the GROUP BY clause of of the materialized view. This usually requires a join back to a third table.

**Action:** None

**QSM-01059: HAVING clause in the query block is malformed**

**Cause:** An illegal HAVING clause has been specified in the query.

**Action:** Correct the query syntax and run the query again.

**QSM-01060: illegal subquery in the HAVING clause**

**Cause:** When a HAVING clause has a subquery, then any references to the tables in the outer query should only reference the tables in the GROUP BY clause.

**Action:** Correct error in the syntax and rerun the query.

**QSM-01061: illegal query expression**

**Cause:** An illegal query was specified. Specifically one of the following criteria was not satisfied: (a) All (non-constant, non-aggregate) SELECT expressions in the query should be made up of group expressions. (b) All column references in the HAVING clause should come from the GROUP BY expressions. (c) If there is an ORDER BY clause, then all column references should come from the GROUP BY or SELECT clause, depending on whether the query selects DISTINCT.

**Action:** Correct error in the syntax and rerun the query.

**QSM-01062: query has one or more manual partition(s)**

**Cause:** Query rewrite is not possible if query has any manual partitions.

**Action:** None

**QSM-01063: query has a dictionary table or view**

---

**Cause:** Query rewrite is not allowed if query references any dictionary tables/views.

**Action:** None

**QSM-01064: query has a fixed table or view**

**Cause:** Query rewrite is not allowed if query references any fixed tables/views

**Action:** None

**QSM-01065: materialized view, *string*, cannot compute measure, *string*, in the query**

**Cause:** If the materialized view cannot compute a measure in the query using the measures in its definition, then query rewrite will not occur.

**Action:** None

**QSM-01066: materialized view, *string*, does not have the column, *string*, from query**

**Cause:** Query rewrite will not occur, if the materialized view cannot provide all the columns that the query has

**Action:** None

**QSM-01067: materialized view, *string*, cannot support the query measure, *string***

**Cause:** An attempt was made to push a grouping function through an expression specified in the query to transform a measure. Query rewrite will not occur if this measure transformation failed.

**Action:** None

**QSM-01068: no dimensions present**

**Cause:** An attempt was made to load a dimension from the dataware house, but there were no dimensions present.

**Action:** None

**QSM-01069: summary join graph for, *string*, does not have table, *string***

**Cause:** An attempt to locate an object that is part of a join failed.

**Action:** None

**QSM-01070: equivalence class manager was not found**

**Cause:** An equivalence class manager is required to compute the transitive closure for the columns in an equivalence class.

**Action:** None

**QSM-01071: query rewrite not possible because a join in materialized view % with table % has eliminated some rows found in query**

**Cause:** All lossy joins in the materialized view must be present in the query for query rewrite to occur.

**Action:** None

**QSM-01072: materialized view, *string*, and query have different joins between tables, *string***

**Cause:** Anchors, if any, in the MV and query match. But the joins between these anchors in the MV and query are different.

**Action:** None

**QSM-01073: query rewrite not possible because materialized view, *string*, has a join not found in query**

---

**Cause:** Query rewrite may not be possible if the materialized view has some joins that query does not have

**Action:** None

**QSM-01074: query rewrite not possible because materialized view, *string*, and query have different number of joins between tables, *string***

**Cause:** Query rewrite may not be possible if the query has some joins that the materialized view does not have between the same pair of tables.

**Action:** None

**QSM-01075: materialized view, *string*, does not support aggregate function, *string***

**Cause:** The specified aggregate function is not found in the materialized view.

**Action:** None

**QSM-01076: no materialized join view was found**

**Cause:** To support an MJV rewrite, we require a materialized join view.

**Action:** None

**QSM-01077: materialized view, *string*, is grouping at a higher level than query**

**Cause:** If a query column, which is not present in the materialized view, can be obtained by a rollup within the materialized view, then it should group at a higher level than the materialized view.

**Action:** None

**QSM-01078: materialized view, *string*, is marked invalid**

**Cause:** The materialized view's kglobsta field has KGLSINV bit set.

**Action:** none ??

**QSM-01079: DML operation occurred on a table referenced by MV, *string***

**Cause:** If any dependent tables of a materialized view undergoes a DML operation, query rewrite may be restricted depending on the query rewrite integrity mode for the session. In this situation, query rewrite will take place only if the rewrite integrity mode is STALE\_TOLERATED.

**Action:** Consider refreshing the materialized view changing the rewrite integrity mode to STALE\_TOLERATED.

**QSM-01080: invalid dimension, *string***

**Cause:** This dimension table has authorization or compilation problems.

**Action:** None

**QSM-01081: no primary key or row id found for table, *string*, in MV, *string***

**Cause:** In order to obtain a missing column, the materialized view needs to join back to the above table. But it lacks the primary key or rowid for the table.

**Action:** None

**QSM-01082: Joining materialized view, *string*, with table, *string*, not possible**

**Cause:** A column in the query is not found in the summary. To obtain the column, a join back of materialized view to the table by means of either the primary key, foreign key or rowid of the table is required. The specified materialized view does not have the primary key, foreign key or rowid of the table to perform the join operation.

**Action:** Consider building a dimension-table to provide the missing information.

---

**QSM-01083: query text not available - possible inline view**

**Cause:** During the query rewrite transformation, original query was possibly transformed into an inline view.

**Action:** None

**QSM-01084: materialized view *string* has an anchor table *string* not found in query**

**Cause:** A table in a materialized view is an anchor, (a) if it is not joined to any other table or (b) joined to other tables but each of its joins is either lossy or lossless with the above table being child-side table. If an anchor which is present in the materialized view is not found in the query, then query rewrite will not take place.

**Action:** None

**QSM-01085: materialized view, *string*, has a lossy join between tables, *string***

**Cause:** There are no primary key, foreign key constraints between these tables. But query rewrite is still possible if the lossy join between the above tables also appear in the query

**Action:** None

**QSM-01086: dimension(s) not present or not used in ENFORCED integrity mode**

**Cause:** Query rewrite does not use dimensions in ENFORCED query rewrite integrity mode. If a suitable dimension is present, consider changing the current integrity mode to either TRUSTED or STALE\_TOLERATED by using ALTER SESSION SET QUERY\_REWRITE\_INTEGRITY = command.

**Action:** None

**QSM-01087: query grouping on a column that cannot be derived from materialized view, *string***

**Cause:** Query is grouping on undetermined columns.

**Action:** None

**QSM-01089: an inline view in the query does not have a materialized view**

**Cause:** General query rewrite is not possible if an inline view in the query does not have a matching materialized view in the meta data.

**Action:** None

**QSM-01090: no query rewrite after view merging**

**Cause:** Internal session parameter `_QUERY_REWRITE_1` is set to FALSE

**Action:** Change session parameter with ALTER SESSION command.

**QSM-01091: cost based optimizer found query rewrite is more expensive**

**Cause:** When cost based optimizer is ON, cost of the rewritten cursor is compared to the cursor generated without query rewrite, and the cheaper one is chosen for execution.

**Action:** None

**QSM-01092: mjev tries to rewrite a semi-join and primary key or rowid missing**

**Cause:** Materialized join view tries to rewrite a semi-join (IN sub-query) and the primary keys or rowids of left tables of semi-joins are missing from MJV.

**Action:** None

**QSM-01093: anti-join marker not found in materialized join view**

---

**Cause:** Materialized join view has outer join while the query inner join. For rewrite to succeed MV must have an anti-join marker like the rowid or primary key of the right tables of outer join

**Action:** None

**QSM-01094: outer-join filter not found in materialized join view**

**Cause:** Materialized join view has outer join while the query inner join. For rewrite to succeed MV must have an anti-join marker like the rowid or primary key of the right tables of outer join

**Action:** None

**QSM-01095: no suitable grouping\_id found in MV with grouping sets**

**Cause:** If materialized aggregate view contains grouping sets, then it also must contain the grouping\_id() function. This function must contain all columns in the MV GROUP BY.

**Action:** None

**QSM-01096: Materialized view with grouping sets contains duplicates**

**Cause:** Materialized view with grouping sets contains duplicates and no rewrite is supported for it. For example, GROUP BY GROUPING SET ((a), (a)) is not supported for rewrite.

**Action:** None

**QSM-01097: Materialized view with grouping sets has too long key**

**Cause:** Materialized view with grouping sets has more than 64 different keys in its GROUP BY. No rewrite is supported then.

**Action:** None

**QSM-01098: mv string clause more restrictive than query string clause**

**Cause:** The materialized view contains a selection condition in the WHERE or HAVING clause that is more restrictive than the corresponding selection condition in the request query.

**Action:** Change the selection criteria in the request query to be at least as restrictive as the selection criteria in the materialized view, or drop and recreate the materialized view using less restrictive selection criteria.

**QSM-01099: non-tolerated reference to stale portion of mv for table string**

**Cause:** The materialized view is partially stale. It is stale with respect to one or more partitions in one or more of its detail tables. The request query references one or more such detail partitions.

**Action:** (1) Change the selection criteria of the request to restrict the query to only the fresh portion of the materialized view, or (2) ALTER {SYSTEM | SESSION} QUERY\_REWRITE\_INTEGRITY = STALE\_TOLERATED or (3) refresh the materialized view.

**QSM-01100: containment check failed for mv, string**

**Cause:** The materialized view contains a selection condition in the WHERE or HAVING clause that is more restrictive than the corresponding selection condition in the request query.

**Action:** Change the selection criteria in the request query to be at least as restrictive as the selection criteria in the materialized view, or drop and recreate the materialized view using less restrictive selection criteria.

---

**QSM-01101: rollup(s) took place on mv, *string***

**Cause:** If query's GROUP BY has one of the higher levels of columns found in the materialized view, then the lower level columns in the materialized view will be rolled up to compute the desired results.

**Action:** None

**QSM-01102: materialized view, *string*, requires join back to table, *string*, on column, *string***

**Cause:** A column in the query does not appear in the materialized view. Query rewrite will try to obtain this column from the base table, by doing a join back to that column with the MV.

**Action:** None

**QSM-01103: there is a remote table, *string*, referenced in the query**

**Cause:** Query rewrite does not support query with remote tables.

**Action:** None

**QSM-01104: query is using flashback**

**Cause:** Query rewrite does not support flashback.

**Action:** None

**QSM-01105: no primary key or row id in MV, *string*, is found for table, *string***

**Cause:** In order to obtain a missing column, the materialized view needs to join back to the above table. But it lacks the primary key or rowid for the table.

**Action:** None

**QSM-01106: materialized view, *string*, is stale with respect to some partition(s) in the base table(s)**

**Cause:** Query is requesting some data from the MV that are stale with respect to some partitions in the base tables due to some updates.

**Action:** refresh the stale partitions and rerun the query

**QSM-01107: Partition Containment Tracking (PCT) rewrite is not allowed**

**Cause:** Query rewrite is disabled for PCT through a session parameter

**Action:** None

**QSM-01108: maximum number of disjuncts exceeded in the query *string***

**Cause:** Query rewrite engine cannot process the query if the number of disjuncts (OR"s) in the WHERE clause exceeds the maximum allowed number. The number of disjuncts in the query and the maximum allowed disjuncts are given at the end of the message in the form of (no of disjuncts in query, maximum disjuncts allowed).

**Action:** None

**QSM-01109: while rewriting with MV, *string*, table, *string*, migrated to query delta**

**Cause:** There was an unmatched join on the MV, so a table involved in the join was pushed to the query delta to see if the query can be rewritten

**Action:** None

**QSM-01110: query rewrite not possible with materialized view *string* because it contains a join between tables (*string*) that is not present in the query and that potentially eliminates rows needed by the query**

---

**Cause:** All lossy joins in the materialized view must be present in the query for query rewrite to occur.

**Action:** None

**QSM-01111: no partition key or partition marker found in MV, *string***

**Cause:** In order to do query rewrite with fresh partitions of an MV, the MV should have a partition key or partition marker.

**Action:** None

**QSM-01112: WHERE clause of mv, *string*, is more restrictive than query**

**Cause:** The materialized view contains a selection condition in the WHERE clause that is more restrictive than the corresponding selection condition in the request query.

**Action:** Change the selection criteria in the request query to be at least as restrictive as the selection criteria in the materialized view, or drop and recreate the materialized view using less restrictive selection criteria.

**QSM-01113: HAVING clause of mv, *string*, is more restrictive than query**

**Cause:** The materialized view contains a selection condition in the HAVING clause that is more restrictive than the corresponding selection condition in the request query.

**Action:** Change the selection criteria in the request query to be at least as restrictive as the selection criteria in the materialized view, or drop and recreate the materialized view using less restrictive selection criteria.

**QSM-01115: rollup took place on a column with a window function**

**Cause:** There was a rollup to aggregate the data on a column with a window function.

**Action:** None

**QSM-01116: window function computability checks failed**

**Cause:** The window function in the query could not be computed from the materialized view.

**Action:** None

**QSM-01120: recursive rewrite not allowed here**

**Cause:** This query was possibly rewritten with an equivalence which doesn't allow further rewrites.

**Action:** None

**QSM-01121: materialized view, *string*, is TRUSTED in ENFORCED integrity mode**

**Cause:** A stale materialized view created with USING TRUSTED CONSTRAINTS clause cannot be used when the query rewrite integrity mode is set ENFORCED.

**Action:** Alter materialized view such that it has the ENFORCED CONSTRAINTS ALTER MATERIALIZED VIEW <mv> REFRESH USING ENFORCED CONSTRAINTS

**QSM-01123: self-join algorithm could not resolve multiple instances**

**Cause:** The generalized self-join algorithm could not resolve the multiple instances, likely due to mismatch in joins or measures

**Action:** Consider using aliases in the query to match with the aliases in the materialized view

---

**QSM-01124: set operator materialized view, *string*, doesn't have a marker column**

**Cause:** The specified set operator materialized view does not have a marker column.

**Action:** Add a marker column to the specified materialized view.

**QSM-01125: a more optimal set operator materialized view than *string* was used to rewrite**

**Cause:** Query Rewrite always chooses the most optimal set operator materialized view based on parameters, such as cardinality of the set operator materialized view, number of branches that the set operator materialized view can rewrite etc. The set operator materialized view specified was found to be less optimal.

**Action:** To force using a set operator materialized view, consider using a rewrite hint.

**QSM-01126: query rewritten with set operator materialized view, *string***

**Cause:** The specified set operator materialized view was used to rewrite the given query.

**Action:** None

**QSM-01127: query rewritten with materialized view(s), *string***

**Cause:** The query was successfully rewritten with multiple MVs

**Action:** None

**QSM-01128: Multi MV rewrite is disabled**

**Cause:** When multimv query rewrite is disabled, no multimv query rewrite will take place.

**Action:** Enable multimv query rewrite with ALTER SESSION SET "\_MULTIMV\_QUERY\_REWRITE\_ENABLED" = true .

**QSM-01129: query has NO\_MULTIMV\_REWRITE hint**

**Cause:** When the query has this hint no multimv rewrite will be tried for this query

**Action:** Remove hint from query

**QSM-01130: Multi MV rewrite not allowed if at least one query block has no MVs**

**Cause:** When only multimv query rewrite is enabled, every query block should have at least one MV in it's from clause

**Action:** Disable only multimv query rewrite with ALTER SESSION SET "\_ONLY\_MULTIMV\_QUERY\_REWRITE\_ENABLED" = false .

**QSM-01131: query has ONLY\_MULTIMV\_REWRITE hint**

**Cause:** When the query has this hint no multimv rewrite will be done if the query has a query block with no MVs in the from clause

**Action:** Remove hint from query

**QSM-01132: query has a named array type column**

**Cause:** When the query has a column of named array type, query rewrite cannot be done

**Action:** None

**QSM-01133: query has an ADT column**

**Cause:** When the query has a column of ADT type, query rewrite cannot be done

---

**Action:** None

**QSM-01134: query has a hidden or nested table column**

**Cause:** When the query has a hidden or nested table column, query rewrite cannot be done

**Action:** None

**QSM-01135: query has an LOB column**

**Cause:** When the query has a column stored in LOB, query rewrite cannot be done

**Action:** None

**QSM-01136: query has a nested table column**

**Cause:** When the query has a nested table column, query rewrite cannot be done

**Action:** None

**QSM-01137: dimension level, *string*, marked as SKIP WHEN NULL**

**Cause:** Join back is not possible on a level marked as SKIP WHEN NULL in a dimension

**Action:** None

**QSM-01150: query did not rewrite**

**Cause:** See the other messages from explain\_rewrite() for explanation"

**Action:** None

**QSM-01168: query rewrite not possible when Fine Grain Auditing is present on a base table**

**Cause:** Query rewrite could not take place because Fine Grain Auditing (FGA) was present on a base table in the query

**Action:** None

**QSM-01169: query rewrite not possible for a CREATE or ALTER VIEW statement**

**Cause:** Query rewrite could not take place because the incoming query was either a CREATE or ALTER VIEW statement

**Action:** None

**QSM-01202: query rewrite not possible when OPTIMIZER\_MODE is set to rule based**

**Cause:** Query rewrite did not occur because the OPTIMIZER\_MODE was set to RULE.

**Action:** Change the optimizer mode using the OPTIMIZER\_MODE parameter.

**QSM-01203: query rewrite not possible on DDL queries**

**Cause:** If query contains any data definition operations, no query rewrite will take place.

**Action:** None

**QSM-01204: query rewrite not possible before view merging**

**Cause:** Internal session parameter \_QUERY\_REWRITE\_2 is set to FALSE

**Action:** Change session parameter with ALTER SESSION command.

**QSM-01205: query rewrite not possible when query has slave SQL**

---

**Cause:** Current process is a kxfx slave

**Action:** None

**QSM-01207: query rewrite not possible when query has a NOREWRITE hint**

**Cause:** When query contains a NOREWRITE hint, no query rewrite will take place for that query block.

**Action:** Remove the NOREWRITE hint from the query

**QSM-01208: query rewrite not possible for update queries**

**Cause:** If a query or part of it has any DML update operations, no query rewrite will take place.

**Action:** None

**QSM-01209: query rewritten with materialized view, *string*, using text match algorithm**

**Cause:** The query was rewritten using a materialized view, because query text matched the definition of the materialized view

**Action:** None

**QSM-01210: query rewrite not possible because no common table(s) found between materialized view *string* and query**

**Cause:** If the materialized view does not reference the base tables found in the query, it cannot be used for rewrite

**Action:** None

**QSM-01211: query rewrite not possible when stored outline does not have a rewrite hint**

**Cause:** When using a stored outline, a rewrite hint is required for query rewrite

**Action:** None

**QSM-01212: query rewrite not possible when SAMPLE clause is present in FROM**

**Cause:** If a query contains a SAMPLE clause, query rewrite will not take place

**Action:** None

**QSM-01213: query rewrite not possible when nested aggregates or CONNECT BY/START WITH clause is present**

**Cause:** If the query contains nested aggregates, CONNECT BY clause, or START WITH clause, query rewrite will not take place

**Action:** None

**QSM-01214: query rewrite not possible if OR is the top level operator in query WHERE clause**

**Cause:** If the top-level operator in the WHERE clause is an OR and there is more than one table in the FROM list, then query rewrite will not take place.

**Action:** None

**QSM-01215: query rewrite not possible when query GROUP BY clause has non-columns**

**Cause:** No query rewrite, if there is no valid column in the GROUP BY clause.

**Action:** None

---

**QSM-01218: query rewrite is likely more expensive due to a single table match between materialized view and query**

**Cause:** Materialized join view is more expensive for rewrite than using the base table

**Action:** None

**QSM-01219: no suitable materialized view found to rewrite this query**

**Cause:** There doesn't exist any materialized view in the database that can be used to rewrite this query.

**Action:** Consider creating a new materialized view.

**QSM-01220: materialized view, *string*, is disabled, stale or unusable**

**Cause:** Materialized view is probably disabled or stale.

**Action:** Consider enabling the materialized view for rewrite or refreshing it.

**QSM-01222: materialized view *string* is less optimal than *string***

**Cause:** Query Rewrite always chooses the most optimal materialized view based on certain parameters, such as cardinality of the materialized view, number of joins etc. The materialized view specified was found to be less optimal.

**Action:** To force using a materialized view, consider using a rewrite hint.

**QSM-01241: query measure cannot be derived from the materialized view *string***

**Cause:** If a measure (such as SUM, AVERAGE) in the query cannot be matched or computed from the materialized view, it will not be used for rewrite.

**Action:** None

**QSM-01244: join back could not be done on a view for *string***

**Cause:** Query Rewrite will not occur if a join back to a table is required to find any missing columns.

**Action:** None

**QSM-01246: join back on correlated columns not allowed (*string*)**

**Cause:** Query Rewrite will not occur if a join back is required on a column that is referenced by a sub-query.

**Action:** None

**QSM-01247: join back cannot be done on a materialized view that does not have an aggregate (*string*)**

**Cause:** Query Rewrite can occur by means of a complex join back only during a MAV rewrite.

**Action:** None

**QSM-01248: materialized view does not have the join back level(s) (*string*)**

**Cause:** Query Rewrite requires joining back to level of a dimension to find missing information.

**Action:** Consider creating a dimension.

**QSM-01251: query rewrite cannot perform rollup due to the presence of a window function**

**Cause:** No query rewrite if a window function is present on a column that requires a roll-up to compute a measure.

**Action:** None

---

**QSM-01256: query rewrite not possible for this DDL statement**

**Cause:** Some SELECT statements which are part of a DDL expression may be eligible for rewrite. These include CREATE AS SELECT and CREATE OUTLINE statements. The given query expression is a DDL expression, which doesn't fall in this category.

**Action:** None

**QSM-01257: query rewrite not possible for this DML statement**

**Cause:** Current DML is being done using an updatable view, so it is not eligible for rewrite.

**Action:** None

**QSM-01263: query rewrite not possible when query references a dictionary table or view**

**Cause:** Query rewrite is not allowed if query references any dictionary tables/views.

**Action:** None

**QSM-01271: query rewrite not possible because a join in materialized view *string* with table *string* has eliminated some rows found in query**

**Cause:** A join from the materialized view to any table that eliminates some rows should be present in the query. Otherwise query rewrite will not occur.

**Action:** None

**QSM-01273: query rewrite not possible because materialized view *string* has a join not found in query**

**Cause:** Query rewrite may not be possible if the materialized view has some joins that query does not have

**Action:** None

**QSM-01274: query rewrite not possible because materialized view *string* and query have different number of joins between tables *string***

**Cause:** Query rewrite may not be possible if the query has some joins that the materialized view does not have between the same pair of tables.

**Action:** None

**QSM-01279: query rewrite not possible because DML operation occurred on a table referenced by materialized view *string***

**Cause:** If any dependent tables of a materialized view undergoes a DML operation, query rewrite may be restricted depending on the query rewrite integrity mode for the session. In this situation, query rewrite will take place only if the rewrite integrity mode is STALE\_TOLERATED.

**Action:** Consider refreshing the materialized view changing the rewrite integrity mode to STALE\_TOLERATED.

**QSM-01281: query rewrite not possible because either a primary key or a row id is required to join table *string* with MV *string***

**Cause:** In order to obtain a missing column, the materialized view needs to join back to the above table. But it lacks the primary key or rowid for the table.

**Action:** None

**QSM-01284: materialized view *string* has an anchor table *string* not found in query**

---

**Cause:** A table in a materialized view is an anchor, (a) if it is not joined to any other table or (b) joined to other tables but each of its joins is not guaranteed to provide all the rows or joined with the above table being child-side table. If an anchor which is present in the materialized view is not found in the query, then query rewrite will not take place.

**Action:** None

**QSM-01293: anti-join marker not found in materialized view with joins**

**Cause:** Materialized view has outer join while the query has inner join. For rewrite to succeed MV must have an anti-join marker like the rowid or primary key of the right tables of outer join

**Action:** None

**QSM-01295: no suitable grouping\_id found in materialized view with grouping sets**

**Cause:** If materialized view contains grouping sets, then it also must contain the grouping\_id() function. This function must contain all columns in the MV GROUP BY.

**Action:** None

**QSM-01296: query rewrite not possible because materialized view contains duplicate grouping sets**

**Cause:** Materialized view with grouping sets contains duplicates and no rewrite is supported for it. For example, GROUP BY GROUPING SET ((a), (a)) is not supported for rewrite.

**Action:** None

**QSM-01297: query rewrite not possible because materialized view with grouping sets has more than 64 different keys**

**Cause:** Materialized view with grouping sets has more than 64 different keys in its GROUP BY. No rewrite is supported then.

**Action:** None

**QSM-01298: materialized view *string* clause more restrictive than query *string* clause**

**Cause:** The materialized view contains a selection condition in the WHERE or HAVING clause that is more restrictive than the corresponding selection condition in the request query.

**Action:** Change the selection criteria in the request query to be at least as restrictive as the selection criteria in the materialized view, or drop and recreate the materialized view using less restrictive selection criteria.

**QSM-01299: query rewrite not possible because materialized view *string* is partially stale**

**Cause:** The materialized view is partially stale. It is stale with respect to one or more partitions in one or more of its detail tables. The request query references one or more such detail partitions.

**Action:** (1) Change the selection criteria of the request to restrict the query to only the fresh portion of the materialized view, or (2) ALTER {SYSTEM | SESSION} QUERY\_REWRITE\_INTEGRITY = STALE\_TOLERATED or (3) refresh the materialized view.

**QSM-01303: query rewrite not possible because query references a remote table *string***

---

**Cause:** Query rewrite does not support query with remote tables.

**Action:** None

**QSM-01304: query rewrite not possible because query is using flashback**

**Cause:** Query rewrite does not support flashback.

**Action:** None

**QSM-01307: Partition Containment Tracking (PCT) rewrite is not allowed**

**Cause:** Query rewrite is disabled for PCT through a session parameter

**Action:** None

**QSM-01308: number of "OR"s in query exceeded the maximum value *string***

**Cause:** Query rewrite engine cannot process the query if the number of disjuncts (OR"s) in the WHERE clause exceeds the maximum allowed number. The number of disjuncts in the query and the maximum allowed disjuncts are given at the end of the message in the form of (no of disjuncts in query, maximum disjuncts allowed).

**Action:** None

**QSM-01316: window function could not be computed from materialized view *string***

**Cause:** The window function in the query could not be computed from the materialized view.

**Action:** None

**QSM-01321: query rewrite not possible because materialized view *string* has TRUSTED constraints in ENFORCED integrity mode**

**Cause:** A stale materialized view created with USING TRUSTED CONSTRAINTS clause cannot be used when the query rewrite integrity mode is set ENFORCED.

**Action:** Alter materialized view such that it has the ENFORCED CONSTRAINTS  
ALTER MATERIALIZED VIEW <mv> REFRESH USING ENFORCED  
CONSTRAINTS

**QSM-01332: query rewrite not possible because query has a named array type column**

**Cause:** When the query has a column of named array type, query rewrite cannot be done

**Action:** None

**QSM-01333: query rewrite not possible because query has an ADT column**

**Cause:** When the query has a column of ADT type, query rewrite cannot be done

**Action:** None

**QSM-01334: query rewrite not possible because query has a hidden or nested table column**

**Cause:** When the query has a hidden or nested table column, query rewrite cannot be done

**Action:** None

**QSM-01335: query rewrite not possible because query has an LOB column**

**Cause:** When the query has a column stored in LOB, query rewrite cannot be done

**Action:** None

---

**QSM-01336: the materialized view you specified (*string*) was not used to rewrite the query**

**Cause:** A materialized view specified by the user in the input was not used to rewrite the query, either because query rewrite failed or another more optimal materialized view was used to rewrite.

**Action:** None

**QSM-01339: rewrite not supported on inline view aggregate**

**Cause:** Query has an inline view with an aggregate. Such inline views cannot be matched to any inline views in materialized views.

**Action:** None

**QSM-01340: no inline view match found between query and materialized view(s)**

**Cause:** Query's inline view does not have a match with any inline views in the materialized view

**Action:** None

**QSM-01341: joins between materialized view *string* and query inline views are different**

**Cause:** There is a mismatch between the joins in the query and materialized view inline views

**Action:** None

**QSM-01342: query rewrite not possible because query has full outer join**

**Cause:** When query block has a table involved in full outer join, query rewrite cannot be done

**Action:** None

**QSM-01343: general inline view rewrite not possible on remote objects**

**Cause:** The general inline view rewrite could not take place because the query had remote objects

**Action:** None

**QSM-01344: general inline view rewrite not possible on this WHERE clause construct**

**Cause:** The general inline view rewrite was not supported with this WHERE clause construct

**Action:** None

**QSM-01345: general inline view rewrite not possible when inline view has subquery**

**Cause:** The general inline view rewrite could not take place because there were subqueries

**Action:** None

**QSM-01346: general inline view rewrite not possible with nested inline views**

**Cause:** General inline view rewrite cannot take place with nested inline views

**Action:** None

**QSM-01347: a query inline view could not be matched with any materialized view inline view**

---

**Cause:** No materialized view inline views were found to match with a query inline view

**Action:** None

**QSM-01348: an invalid predicate was found in an inline view**

**Cause:** An inline view in the query contained an invalid WHERE clause predicate

**Action:** None

**QSM-01349: general inline view cannot be supported on this inline view**

**Cause:** Certain inline views are unsupported in general inline view rewrite

**Action:** None

**QSM-01350: query rewrite cannot support this inline view**

**Cause:** Certain inline views are unsupported in general inline view rewrite

**Action:** None

**QSM-01351: query inline view has no matching objects with any materialized view inline views**

**Cause:** There were no matching objects between the query inline view and materialized view inline views

**Action:** None

**QSM-01352: SELECT lists of the query and materialized view inline views do not match**

**Cause:** Query inline view's and materialized view inline view's SELECT list items did not match.

**Action:** None

**QSM-01353: no query rewrite on remote objects unless integrity mode is set to stale\_tolerated**

**Cause:** Query rewrite's integrity mode should be set to stale\_tolerated for query rewrite to occur on queries with remote objects

**Action:** Set the session parameter, QUERY\_REWRITE\_INTEGRITY to stale\_tolerated

**QSM-01354: query rewrite is disabled for remote objects**

**Cause:** Query rewrite was disabled internally for queries referencing remote objects.

**Action:** None

**QSM-01355: multi-mv rewrite not possible in the presence of remote objects**

**Cause:** Multi-MV rewrite not possible for queries referencing remote objects.

**Action:** None

**QSM-01509: equivalence, *string*, matched query text**

**Cause:** The query was rewritten using an equivalence, because query text matched the source statement for this equivalence.

**Action:** None

**QSM-01522: a more optimal equivlanece than *string* was used to rewrite**

---

**Cause:** Query Rewrite always chooses the most optimal equivalence based on certain parameters, such as cardinality of the equivalence, number of joins etc. The equivalence view specified was found to be less optimal.

**Action:** None

**QSM-01526: query rewrite is disabled for equivalence, *string***

**Cause:** Query rewrite could not use this equivalence, because this equivalence was created as disabled.

**Action:** Enable this equivalence using `alter_rewrite_equivalence` procedure from package, `dbms_advanced_rewrite`.

**QSM-01533: query rewritten with equivalence, *string***

**Cause:** The specified equivalence was used to rewrite the given query.

**Action:** None

**QSM-01565: equivalence, *string*, cannot compute measure, *string*, in the query**

**Cause:** If a measure in the query cannot be computed using the measures in the equivalence, then query rewrite will not occur.

**Action:** None

**QSM-01567: equivalence, *string*, cannot support the query measure, *string***

**Cause:** An attempt was made to push a grouping function through an expression specified in the query to transform a measure. Query rewrite will not occur if this measure transformation failed.

**Action:** None

**QSM-01572: equivalence, *string*, and query have different joins between tables, *string***

**Cause:** Anchors, if any, in the equivalence and query match. But the joins between these anchors in the equivalence and query are different.

**Action:** None

**QSM-01582: Joining equivalence, *string*, with table, *string*, not possible**

**Cause:** A column in the query is not found in the equivalence. To obtain the column, a join back of equivalence to the table by means of either the primary key, foreign key or rowid of the table is required. But join backs are not allowed for equivalence rewrite

**Action:** None

**QSM-01584: equivalence, *string*, has anchor, *string*, not found in query**

**Cause:** If an anchor which is present in the equivalence is not found in the query, then query rewrite will not take place.

**Action:** None

**QSM-01601: rollup(s) took place on equivalence, *string***

**Cause:** If query's GROUP BY has one of the higher levels of columns found in the equivalence, then the lower level columns in the equivalence will be rolled up to compute the desired results.

**Action:** None

**QSM-01602: equivalence, *string*, requires join back to table, *string*, on column, *string***

---

**Cause:** A column in the query does not appear in the equivalence. Query rewrite will try to obtain this column from the base table, by doing a join back to that column with a materialized view. But join backs are not allowed for equivalence rewrite as the required constraints are not guaranteed to be found on the tables in the destination statement of the equivalence.

**Action:** None

**QSM-01610: a lossy join in equivalence, *string*, between tables, *string*, not found in query**

**Cause:** All lossy joins in the equivalence must be present in the query for query rewrite to occur.

**Action:** None

**QSM-01617: equivalence definition is disabled**

**Cause:** There is an equivalence definition that could have been probably used by query rewrite to rewrite the query. But this equivalence is disabled.

**Action:** None

**QSM-01618: equivalence, *string*, is enabled for text match rewrite only**

**Cause:** This equivalence was created for text match rewrite only

**Action:** None

**QSM-01619: equivalence cannot be used in ENFORCED integrity mode**

**Cause:** An equivalence cannot be used for query rewrite when the query rewrite integrity mode is set to ENFORCED.

**Action:** None

**QSM-01621: join backs to base tables not allowed with an equivalence**

**Cause:** Query rewrite needs to do a join back to a base table column to answer this query. But join back is not allowed for an equivalence rewrite

**Action:** None

**QSM-01709: query rewritten with equivalence, *string*, using text match algorithm**

**Cause:** The query was rewritten using an equivalence because query text matched the definition of the equivalence

**Action:** None

**QSM-01837: recursive query rewrite on equivalence, *string*, not permitted**

**Cause:** The source and destination statements of this equivalence MV are possibly identical. A recursive rewrite on this equivalence can lead to an infinite loop and thus not permitted.

**Action:** None

**QSM-01838: semijoin transformation not supported on equivalence**

**Cause:** There was a semijoin transformation attempted on an equivalence rewrite. Currently this is not allowed

**Action:** None

**QSM-02001: clustered mv container table**

**Cause:** The capability in question is not supported on a materialized view that has a clustered container table.

**Action:** Recreate the materialized view using a conventional container table.

---

**QSM-02002: DISTINCT aggregate measure in SELECT list**

**Cause:** The capability in question is not supported when the materialized view uses the DISTINCT qualifier on an aggregate function.

**Action:** Remove the DISTINCT qualifier.

**QSM-02003: aggregate function nested within an expression**

**Cause:** The capability in question is not supported when the materialized view contains an aggregate function invocation nested within an outer expression.

**Action:** Re-phrase the expression such that the aggregate function invocation is not nested.

**QSM-02004: grouping column omitted from SELECT list**

**Cause:** The capability in question is not supported when the materialized view contains a column or expression in the GROUP BY clause that is not also present in the list of output select expressions.

**Action:** Include all GROUP BY expressions in the output select list.

**QSM-02005: named view in FROM list**

**Cause:** The capability in question is not supported when a named view appears in the FROM list.

**Action:** Remove the named view from the FROM list.

**QSM-02006: subquery in FROM list**

**Cause:** The capability in question is not supported when a subquery appears in the FROM list.

**Action:** Remove the subquery from the FROM list.

**QSM-02007: multiple instances of the same table or view**

**Cause:** The capability in question is not supported when the same table or view occurs more than once in the FROM list.

**Action:** Re-phrase the query to avoid multiple instances of the same table. For instance,

**QSM-02008: non-join filter condition in WHERE or HAVING clause**

**Cause:** The capability in question is not supported when the materialized view has a selection condition (an expression not representing a join) in the WHERE or HAVING clauses.

**Action:** Remove the selection filter expression.

**QSM-02009: non-inner join**

**Cause:** The capability in question is only supported with inner joins.

**Action:** Re-phrase the query using an inner join. Remove any outer joins.

**QSM-02010: join predicate with operator other than equals (=)**

**Cause:** The capability in question is not supported when the materialized uses a relationship operator other than equals ("=") in a join in the WHERE clause. This is known as a non-equi-join.

**Action:** Re-phrase the query to avoid the non-equi-join.

**QSM-02011: a HAVING clause is present**

**Cause:** The capability in question is not supported when the materialized view uses a HAVING clause.

---

**Action:** Remove the HAVING clause.

**QSM-02012: a CONNECT BY clause is present**

**Cause:** The capability in question is not supported when the materialized view uses a CONNECT BY clause.

**Action:** Re-phrase the query to avoid use of the CONNECT BY clause.

**QSM-02013: SELECT list includes a RAW data type expression**

**Cause:** The capability in question is not supported when the materialized view uses RAW data type in an expression.

**Action:** Remove the reference to the RAW expression.

**QSM-02014: GROUP BY expression other than a column**

**Cause:** The capability in question is not supported when the materialized view uses an expression other than a simple column reference in the GROUP BY clause.

**Action:** Re-phrase the query to use only simple column expressions in the GROUP BY clause.

**QSM-02015: Index Organized Table (IOT) present in FROM list**

**Cause:** The capability in question is not supported when the materialized view references an Index Organized Table in the FROM list.

**Action:** Remove the reference to the Index Organized Table.

**QSM-02016: clustered table in FROM list**

**Cause:** The capability in question is not supported when the materialized view references a clustered table in the FROM list.

**Action:** Remove the reference to the clustered table in the FROM list.

**QSM-02017: subquery present in the HAVING clause**

**Cause:** The capability in question is not supported when the materialized view uses a subquery in the HAVING clause.

**Action:** Re-phrase the query to avoid the subquery in the HAVING clause.

**QSM-02018: subquery present in the WHERE clause**

**Cause:** The capability in question is not supported when the materialized view uses a subquery in the WHERE clause.

**Action:** Re-phrase the query to avoid the subquery in the WHERE clause.

**QSM-02019: mv references another mv in FROM clause**

**Cause:** The capability in question is not supported when the materialized view is nested (i.e., when it references another materialized view in its FROM list).

**Action:** Re-phrase the query to avoid reference to the other materialized view.

**QSM-02020: container column not in SELECT list with NOT NULL constraint**

**Cause:** The capability in question is not supported when the materialized view's container table has a column that does not correspond to an output expression in the select list, and that column has a NOT NULL constraint. This situation can result in problems during refresh since any new rows inserted into the materialized view will set that column to NULL.

**Action:** Disable or remove the NOT NULL constraint.

**QSM-02021: set operator encountered in mv**

---

**Cause:** The capability in question is not supported when the materialized view uses set operators such as UNION, UNION ALL, MINUS, etc.

**Action:** Re-phrase the query to avoid the use of set operators.

**QSM-02022: aggregate selections**

**Cause:** The capability in question is not supported when the materialized view uses an aggregate expression in the HAVING clause.

**Action:** Re-phrase the query to avoid the use of an aggregate in the HAVING clause.

**QSM-02023: nested cursor**

**Cause:** The capability in question is not supported when the materialized view uses a nested cursor expression.

**Action:** Re-phrase the query to avoid use of a nested cursor expression.

**QSM-02024: no GROUP BY clause**

**Cause:** The capability in question is not supported when the materialized view does not use a GROUP BY clause.

**Action:** Re-phrase the query to use a GROUP BY clause.

**QSM-02025: no aggregate functions**

**Cause:** The capability in question is not supported when the materialized view uses no aggregate functions.

**Action:** Re-phrase the query to use aggregate functions.

**QSM-02026: non-AND conjunction in WHERE clause**

**Cause:** The capability in question is not supported when the materialized view uses a conjunction other than AND (such as OR) in the WHERE clause.

**Action:** Re-phrase the query to avoid use of the non-AND conjunction.

**QSM-02027: group by ROLLUP**

**Cause:** The capability in question is not supported when the materialized view uses the ROLLUP operator in the GROUP BY clause.

**Action:** Re-phrase the query to avoid use of the ROLLUP operator.

**QSM-02028: group by CUBE**

**Cause:** The capability in question is not supported when the materialized view uses the CUBE operator in the GROUP BY clause.

**Action:** Re-phrase the query to avoid use of the CUBE operator.

**QSM-02029: PL/SQL function invocation**

**Cause:** The capability in question is not supported when the materialized view invokes a PL/SQL function.

**Action:** Re-phrase the query to avoid use of PL/SQL functions.

**QSM-02030: reduced precision specified for prebuilt mv**

**Cause:** The capability in question is not supported when the materialized view is created with the WITH REDUCED PRECISION clause.

**Action:** DROP the materialized view and re-create it without using the WITH REDUCED PRECISION clause.

**QSM-02031: materialized view cannot support any type of query rewrite**

---

**Cause:** of the problem.

**Action:** Examine the other messages and documentation to determine the

**QSM-02032: no joins are present in the WHERE clause**

**Cause:** The capability in question is not supported when the materialized view includes no join conditions in the WHERE clause.

**Action:** Re-phrase the query to include a join.

**QSM-02033: no filter conditions are present in the WHERE clause**

**Cause:** The capability in question is not supported when the materialized view includes no filter selection conditions in the WHERE clause.

**Action:** Add a filter condition.

**QSM-02034: no joins are present in the HAVING clause**

**Cause:** The capability in question is not supported when the materialized view includes no joins in the HAVING clause.

**Action:** Re-phrase the query to include a join.

**QSM-02035: no filter conditions are present in the HAVING clause**

**Cause:** The capability in question is not supported when the materialized view includes no filter condition in the HAVING clause.

**Action:** Re-phrase the query to include a join.

**QSM-02036: in-list present in mv**

**Cause:** The capability in question is not supported when the materialized view uses an IN list.

**Action:** Re-phrase the query to avoid the use of IN lists.

**QSM-02037: cannot evaluate constant expression at compile time**

**Cause:** The capability in question is not supported when the materialized view uses a compile-time non-constant expression in a filter condition in the WHERE or HAVING clauses. For example, WHERE X=1 uses a compile-time constant expression in a filter condition. WHERE X=MY\_PLSQL\_FUNCTION() uses a compile-time non-constant expression in a filter condition.

**Action:** Re-phrase the query to avoid the use of a compile-time non-constant expressions in filter conditions.

**QSM-02038: Partition Change Tracking (PCT) is enabled**

**Cause:** The Partition Change Tracking (PCT) capability is supported for this materialized view.

**Action:** No action is needed.

**QSM-02039: top level mv query uses grouping sets**

**Cause:** The capability in question is not supported when the materialized view use grouping sets.

**Action:** Re-phrase the query to avoid use of grouping sets.

**QSM-02040: top level query contains GSets and the key is too long for rewrite**

**Cause:** The capability in question is not supported when the materialized view uses a grouping set with too many keys.

**Action:** Reduce the number of grouping set keys.

---

**QSM-02041: nested aggregate function**

**Cause:** The capability in question is not supported when the materialized view nests an aggregate function invocation as an argument to another aggregate function.

**Action:** Re-phrase the query to avoid the nested aggregate function invocation.

**QSM-02042: view or subquery in from list**

**Cause:** The capability in question is not supported when the materialized view references a view or subquery in the FROM list.

**Action:** Re-phrase the query to avoid the use of views or subqueries in the FROM list.

**QSM-02044: ORDER BY clause in mv**

**Cause:** The capability in question is not supported when the materialized view includes an ORDER BY clause.

**Action:** Remove the ORDER BY clause.

**QSM-02045: START WITH clause in mv**

**Cause:** The capability in question is not supported when the materialized view includes a START WITH clause.

**Action:** Re-phrase the query to avoid the use of the START WITH clause.

**QSM-02047: window function in mv**

**Cause:** The capability in question is not supported when the materialized view uses a window function.

**Action:** Re-phrase the query to avoid the use of window functions.

**QSM-02048: outer join in mv**

**Cause:** The capability in question is not supported when the materialized view uses an outer join.

**Action:** Re-phrase the query to avoid the use of outer joins.

**QSM-02049: subquery using the ANY clause in mv**

**Cause:** The capability in question is not supported when the materialized view uses the ANY clause with a subquery.

**Action:** Re-phrase the query to avoid the use of the ANY clause.

**QSM-02050: subquery using the ALL clause in mv**

**Cause:** The capability in question is not supported when the materialized view uses the ALL clause with a subquery.

**Action:** Re-phrase the query to avoid the use of the ALL clause.

**QSM-02051: subquery using the NOT EXISTS clause in mv**

**Cause:** The capability in question is not supported when the materialized view uses the NOT EXISTS with a subquery.

**Action:** Re-phrase the query to avoid the use of the NOT EXISTS clause.

**QSM-02052: subquery using a select list in mv**

**Cause:** The capability in question is not supported when the materialized view uses a select list.

**Action:** Re-phrase the query to avoid the use of a select list.

---

**QSM-02053: collection subquery in mv**

**Cause:** The capability in question is not supported when the materialized view uses a collection subquery.

**Action:** Re-phrase the query to avoid the use of collection subqueries.

**QSM-02054: DISTINCT clause in select list in mv**

**Cause:** The capability in question is not supported when the materialized view uses the DISTINCT clause in the select list.

**Action:** Re-phrase the query to avoid the use of the DISTINCT clause.

**QSM-02055: mv references a packed object table or view**

**Cause:** The capability in question is not supported when the materialized view references a packed object table or view.

**Action:** Re-phrase the query to avoid the use of the packed object tables or views.

**QSM-02056: correlated variable and outer join in mv**

**Cause:** The capability in question is not supported when the materialized view uses a correlated variable and an outer join.

**Action:** Re-phrase the query to avoid the use of the correlated variables or outer joins.

**QSM-02057: ROWNUM referenced in mv**

**Cause:** The capability in question is not supported when the materialized view references the ROWNUM function.

**Action:** Re-phrase the query to avoid the use of the ROWNUM function.

**QSM-02058: set operator in mv and compatibility mode is less than 9.0**

**Cause:** The capability in question is not supported when the materialized view uses a set operator and the compatibility mode is less than 9.0.

**Action:** Re-phrase the query to avoid the use of set operators or set the compatibility mode to 9.0 or greater.

**QSM-02059: join may produce duplicate rows in mv**

**Cause:** The capability in question is not supported when the materialized view contains a join condition that can result in duplicate rows in the materialized view.

**Action:** Re-phrase the query to avoid the occurrence of duplicate rows in the materialized view.

**QSM-02061: one or more joins present in mv**

**Cause:** The capability in question is not supported when the materialized view contains joins.

**Action:** Re-phrase the query to avoid the use of the joins.

**QSM-02062: GROUP BY clause in mv**

**Cause:** The capability in question is not supported when the materialized view uses the GROUP BY clause.

**Action:** Re-phrase the query to avoid the use of the GROUP BY clause.

**QSM-02063: aggregate function in mv**

**Cause:** The capability in question is not supported when the materialized view uses an aggregate function.

**Action:** Re-phrase the query to avoid the use of the aggregate functions.

---

**QSM-02064: subquery in mv**

**Cause:** The capability in question is not supported when the materialized view uses a subquery.

**Action:** Re-phrase the query to avoid the use of the subqueries.

**QSM-02066: Oracle error: see RELATED\_NUM and RELATED\_TEXT for details**

**Cause:** The capability in question is not supported because an attempt to create the materialized view would result in an error.

**Action:** Examine the associated Oracle error code in the RELATED\_NUM column and the Oracle error text in the RELATED\_TEXT column and address the problem.

**QSM-02067: no partition key or PMARKER or join dependent expression in select list**

**Cause:** The capability in question is not supported when the materialized view unless the select list (and group by list if a GROUP BY clause is present) includes the partition key or PMARKER function reference to the table in question or an expression join dependent on the partitioning column of the table in question.

**Action:** Add the partition key or a PMARKER function reference or a join dependent expression to the select list (and the GROUP BY clause, if present).

**QSM-02068: relation is not a partitioned table**

**Cause:** The capability in question is not supported when the relation in question is not a partitioned table.

**Action:** Change the query to reference a partitioned table.

**QSM-02069: PCT not supported with multi-column partition key**

**Cause:** The capability in question is not supported when the table in is partitioned on a multi-column key.

**Action:** Re-phrase the query to reference a table partitioned on a single column key.

**QSM-02070: PCT not supported with this type of partitioning**

**Cause:** The capability in question is not supported when the table in question uses certain types of partitioning.

**Action:** Re-phrase the query to reference a table that is uses a type of partitioning that is supported for this capability.

**QSM-02071: internal error: undefined PCT failure code**

**Cause:** An internal Oracle error has occurred.

**Action:** Report the problem through your normal support channels.

**QSM-02072: requirements not satisfied for fast refresh of nested mv**

**Cause:** The capability in question is not supported because one or more of the requirements for this capability have not been satisfied.

**Action:** Examine the relevant nested materialized view documentation in the Warehouse Guide and address the problem.

**QSM-02073: non-primary key RepAPI mv is not fast refreshable**

**Cause:** Fast refresh is supported for RepAPI materialized views only if it is also a primary key materialized view.

**Action:** Re-design the materialized view to be a primary key materialized view.

---

**QSM-02074: materialized view over Heterogeneous Services link**

**Cause:** The capability in question is not supported when the materialized view uses a heterogeneous link.

**Action:** Re-design the materialized view to avoid the use of the heterogeneous links.

**QSM-02075: materialized view on synonym**

**Cause:** The capability in question is not supported when the materialized view references a synonym, if the compatible parameter is earlier than 10.2.0.

**Action:** Re-phrase the query to avoid the use of the synonyms.

**QSM-02076: sequence number in the mv log is newer than last refresh**

**Cause:** The timestamp of the sequence number in the mv log was after the last refresh time.

**Action:** A complete refresh is required before the next fast refresh.

**QSM-02077: mv log is newer than last full refresh**

**Cause:** The capability in question is not supported when the relevant materialized view log was created after the creation or most recent complete refresh of the materialized view.

**Action:** Perform a complete refresh of the materialized view.

**QSM-02078: mv log must have new values**

**Cause:** The capability in question is not supported when the relevant materialized view log omits new values.

**Action:** Re-create the materialized view log using the NEW VALUES clause.

**QSM-02079: mv log must have ROWID**

**Cause:** The capability in question is not supported when the relevant materialized view log omits ROWIDs.

**Action:** Re-create the materialized view log using the ROWID clause.

**QSM-02080: mv log must have primary key**

**Cause:** The capability in question is not supported when the relevant materialized view log omits primary keys.

**Action:** Re-create the materialized view log using the PRIMARY KEY clause.

**QSM-02081: mv log does not have all necessary columns**

**Cause:** The capability in question is not supported when the relevant materialized view log omits columns referenced in the select list of the materialized view.

**Action:** Re-create the materialized view log and include all columns referenced in the select list.

**QSM-02082: problem with mv log**

**Cause:** The capability in question is not supported because of a problem the materialized view log in question.

**Action:** Examine the relevant materialized view log and fast refresh documentation in the Warehouse Guide and address the problem.

**QSM-02083: mv references PL/SQL function that maintains state**

---

**Cause:** The capability in question is not supported when the materialized view references a PL/SQL function that maintains state and which may not return the same value every time it is invoked against the same set of rows.

**Action:** Re-phrase the query to avoid such a PL/SQL function. Or modify the PL/SQL function to avoid state maintenance and change its declaration accordingly.

**QSM-02084: DISTINCT clause on a duplicate sensitive aggregate function**

**Cause:** The capability in question is not supported when the materialized view uses the DISTINCT clause in this context.

**Action:** Re-phrase the query to avoid the use of the DISTINCT clause.

**QSM-02086: mv uses the MIN or MAX aggregate functions**

**Cause:** The capability in question is not supported when the materialized view uses the MIN or MAX function.

**Action:** Re-phrase the query to avoid the use of the MIN or MAX functions.

**QSM-02088: mv omits at least one grouping key from the select list**

**Cause:** The capability in question is not supported when the materialized view omits any grouping expressions from the select list.

**Action:** Include all GROUP BY expressions in the select list.

**QSM-02090: SELECT includes an expression that is not just a column**

**Cause:** The capability in question is not supported when the materialized view uses an expression in the select list that is not a simple column reference.

**Action:** Re-phrase the query to avoid the use of the expressions that are not simple column references.

**QSM-02091: mv references a non-repeatable or session-sensitive expression**

**Cause:** The capability in question is not supported when the materialized view uses an expression that may not return the same value each time it is invoked against the same set of rows or that may return different values depending on session parameters.

**Action:** Re-phrase the query to avoid the use of such expressions.

**QSM-02092: mv references a sequence number**

**Cause:** The capability in question is not supported when the materialized view references a sequence number.

**Action:** Re-phrase the query to avoid the reference to sequence numbers.

**QSM-02093: mv uses an object REF clause**

**Cause:** The capability in question is not supported when the materialized view uses an object REF clause.

**Action:** Re-phrase the query to avoid the use of an object REF clause.

**QSM-02096: mv references a named view**

**Cause:** The capability in question is not supported when the materialized view references a view.

**Action:** Re-phrase the query to avoid references to views.

**QSM-02099: mv references a remote table or view in the FROM list**

---

**Cause:** The capability in question is not supported when the materialized view references a remote table or view in the FROM list.

**Action:** Re-phrase the query to avoid references to remote tables or views.

**QSM-02101: mv references a synonym in the FROM list**

**Cause:** The capability in question is not supported when the materialized view references a synonym in the FROM list.

**Action:** Re-phrase the query to avoid the reference to the synonym.

**QSM-02102: mv FROM list references an object in the SYS schema**

**Cause:** The capability in question is not supported when the materialized view references an object in the SYS schema.

**Action:** Re-phrase the query to avoid the reference to the SYS schema.

**QSM-02104: aggregate function in a filter condition in the HAVING clause**

**Cause:** The capability in question is not supported when the materialized view references an aggregate function in a filter condition in the HAVING clause.

**Action:** Re-phrase the query to avoid the use of aggregates in filter conditions in the HAVING clause.

**QSM-02106: mv uses a filter condition in the WHERE or HAVING clause**

**Cause:** The capability in question is not supported when the materialized view includes a filter condition in the WHERE or HAVING clause.

**Action:** Re-phrase the query to avoid the use of filter conditions in the WHERE or HAVING clauses.

**QSM-02112: top level query has LEFT OUTER, RIGHT OUTER or FULL OUTER join**

**Cause:** The capability in question is not supported when the materialized view uses these types of joins.

**Action:** Re-phrase the query to avoid the use of these types of joins.

**QSM-02113: expression in select list references multiple tables or views**

**Cause:** The capability in question is not supported when the materialized view includes an expression in the select list that references multiple tables or views.

**Action:** Re-phrase the query to avoid the use of the such expressions.

**QSM-02114: no GROUP BY clause, no aggregates and not >= 9.0 compatibility**

**Cause:** The capability in question is not supported when the materialized view has no GROUP BY clause, no aggregates and compatibility mode is less than 9.0.

**Action:** Re-phrase the query to avoid the include a GROUP BY clause or an aggregate function. Or set compatibility mode to 9.0 or greater.

**QSM-02115: mv references a remote object and is refreshed ON COMMIT**

**Cause:** The capability in question is not supported when the materialized view references a remote object and is refreshed ON COMMIT.

**Action:** Re-phrase the query to avoid the reference to the remote object or alter the materialized view to be refreshed ON DEMAND.

**QSM-02116: multiple master sites**

**Cause:** The capability in question is not supported when the materialized view references multiple remote objects that reside at different remote instances.

---

**Action:** Re-phrase the query to avoid the use of multiple master sites.

**QSM-02117: missing GROUPING\_ID or GROUPING functions on GROUP BY column(s)**

**Cause:** The capability in question is not supported when the materialized view uses grouping sets but omits the relevant GROUPING\_ID or GROUPING functions.

**Action:** Re-phrase the query to include the relevant GROUPING\_ID or GROUPING functions.

**QSM-02118: duplicate grouping sets**

**Cause:** The capability in question is not supported when the materialized view redundantly references grouping sets.

**Action:** Re-phrase the query to avoid the use of the redundant grouping sets.

**QSM-02119: internal error while analyzing required supporting aggregates**

**Cause:** An internal Oracle error has occurred.

**Action:** Report the problem through your normal support channels.

**QSM-02120: compatibility mode must be 9.0 or higher**

**Cause:** The capability in question is not supported when the compatibility mode is less than 9.0.

**Action:** Set the compatibility mode to 9.0 or higher.

**QSM-02121: set operator in a context not supported for fast refresh**

**Cause:** The capability in question is not supported when the materialized view uses a set operator in this context.

**Action:** Re-phrase the query to avoid the use of the set operator.

**QSM-02122: compatibility mode must be 8.1 or higher**

**Cause:** The capability in question is not supported when the compatibility mode is less than 8.1.

**Action:** Set the compatibility mode to 8.1 or higher.

**QSM-02123: subquery and UNION mv's must be primary key mv's**

**Cause:** The capability in question is not supported when the materialized view is not a primary key materialized view and uses subqueries or the union operator in this context.

**Action:** Re-create the materialized view as a primary key materialized view.

**QSM-02124: object type in WHERE clause**

**Cause:** The capability in question is not supported when the materialized view references an object type in the WHERE clause.

**Action:** Re-phrase the query to avoid the reference to the object type.

**QSM-02125: subquery join conditions don't meet requirements for capability**

**Cause:** The capability in question is not supported when the materialized view uses a subquery in a join in this way.

**Action:** Examine the relevant replication documentation concerning subquery materialized views and address the problem.

**QSM-02126: no rowid at master site**

---

**Cause:** The capability in question is not supported when the materialized view references a remote site that does not support rowids.

**Action:** Re-phrase the query to avoid the reference to the remote site.

**QSM-02127: not supported for this type mv by Oracle version at master site**

**Cause:** The capability in question is not supported when the materialized view uses certain constructs and references an older version, remote Oracle instance.

**Action:** Re-phrase the query to avoid the use of the construct or upgrade the remote Oracle instance.

**QSM-02128: does not meet the requirements of a primary key mv**

**Cause:** The capability in question is not supported when the materialized view fails to meet the requirements of a primary key materialized view.

**Action:** Examine the relevant primary key materialized view replication documentation and address the problem.

**QSM-02129: join or filter condition(s) are complex**

**Cause:** The capability in question is not supported when the materialized view uses a complex join or filter condition.

**Action:** Re-phrase the query to simplify the join or filter condition.

**QSM-02130: expression not supported for fast refresh**

**Cause:** The capability in question is not supported when the materialized view references certain, complex expressions.

**Action:** Re-phrase the query to simplify the expression.

**QSM-02131: agg(expr) requires correspondng SUM(expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the SUM function on the same argument.

**Action:** Add the SUM function to the select list.

**QSM-02132: agg(expr) requires correspondng COUNT(expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the COUNT function on the same argument.

**Action:** Add the COUNT function to the select list.

**QSM-02133: agg(expr) requires correspondng MIN(expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the MIN function on the same argument.

**Action:** Add the MIN function to the select list.

**QSM-02134: agg(expr) requires correspondng MAX(expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the MAX function on the same argument.

**Action:** Add the MAX function to the select list.

**QSM-02135: agg(expr) requires correspondng AVG(expr) function**

---

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the AVG function on the same argument.

**Action:** Add the AVG function to the select list.

**QSM-02136: agg(expr) requires corresponding VARIANCE(expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the VARIANCE function on the same argument.

**Action:** Add the VARIANCE function to the select list.

**QSM-02137: agg(expr) requires corresponding STDDEV(expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the STDDEV function on the same argument.

**Action:** Add the STDDEV function to the select list.

**QSM-02138: agg(expr) requires corresponding agg(expr\*expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of that same aggregate function on the square of the same argument.

**Action:** Add an invocation of the same aggregate function on the square of the same argument (that is, the argument multiplied by itself).

**QSM-02139: agg(expr) requires corresponding agg(expr+expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of that same aggregate function on the same argument added to the same argument.

**Action:** Add the indicated aggregate function to the select list.

**QSM-02140: agg(expr) requires corresponding SUM(expr\*expr) function**

**Cause:** The capability in question is not supported when the materialized view uses certain aggregate functions but omits an invocation of the SUM function on the square of the same argument (the argument multiplied by itself).

**Action:** Add the SUM function on the square of the argument.

**QSM-02141: the reason why the capability is disabled has escaped analysis**

**Cause:** The EXPLAIN\_MV analysis engine has failed to capture the reason why the given capability is not possible.

**Action:** Report the problem through your normal problem reporting channels.

**QSM-02142: COUNT(\*) is not present in the select list**

**Cause:** The materialized view query omits COUNT(\*) from the select list.

**Action:** Add COUNT(\*) to the select list.

**QSM-02143: SUM(expr) without COUNT(expr)**

**Cause:** SUM(expr) occurs in the select list without a corresponding COUNT(expr).

**Action:** Add COUNT(expr) to the select list.

**QSM-02144: aggregate functions are present without a GROUP BY clause**

---

**Cause:** One or more aggregate functions are present in the select list but a GROUP BY clause is not used.

**Action:** Add a GROUP BY clause.

**QSM-02145: GROUP BY clause is present but no aggregate functions are used**

**Cause:** A GROUP BY clause is used but no aggregate functions are present in the select list.

**Action:** Add an aggregate function to the select list.

**QSM-02146: see the reason why REFRESH\_FAST\_AFTER\_INSERT is disabled**

**Cause:** REFRESH\_FAST\_AFTER\_ONETAB\_DML is disabled for the same reason that REFRESH\_FAST\_AFTER\_INSERT is disabled.

**Action:** Correct the problem with REFRESH\_FAST\_AFTER\_INSERT.

**QSM-02147: default date format is sensitive to session settings**

**Cause:** You have specified a date conversion operation using either the default format or an incomplete format. The default date format or an incomplete format is sensitive to session settings, and therefore may not be reproducible across different environments.

**Action:** Specify a complete date format string.

**QSM-02148: many to many subquery joins require 9.0 compatibility or higher**

**Cause:** You have specified a many to many join in your materialized view while running in less than 9.0 compatibility mode.

**Action:** Set your compatibility mode to 9.0 or higher or restructure the materialized view query.

**QSM-02149: ON COMMIT with this MV requires 9.0 compatibility or higher**

**Cause:** You have specified a materialized view that uses some combination of the following: joins aggregation filter conditions in the WHERE clause a remote relation in the FROM list a SUM(x) function without a corresponding COUNT(x) function an omitted COUNT(\*) aggregate function a MIN() or MAX() aggregate function in combination with the REFRESH ON COMMIT option while running in less than 9.0 compatibility mode.

**Action:** Set your compatibility mode to 9.0 or higher or restructure the materialized view query.

**QSM-02150: select lists must be identical across the UNION operator**

**Cause:** You have specified a materialized view using the UNION operator and the respective queries on each side of the UNION operator do not have the same select list. The RELATED\_NAME column shows the alias of the first different select list item. The RELATED\_NUM column shows the offset from the SELECT keyword to the start of this select list item.

**Action:** Restructure the materialized view query such that the respective sides of the UNION operator have identical select lists.

**QSM-02151: subquery or named view in FROM list and < 9.0 compatibility**

**Cause:** You have specified a materialized view that references a subquery or named view in its top level FROM list while running in less than 9.0 compatibility mode.

**Action:** Set compatibility mode to 9.0 or higher or restructure the materialized view query.

---

**QSM-02152: subquery or named view in FROM list even after view merging**

**Cause:** You have specified a materialized view that references a subquery or a named view in its top level FROM list that could not be merged during the view merging process.

**Action:** Restructure the materialized view query.

**QSM-02153: inline view or subquery in FROM list not supported for this type MV**

**Cause:** You have specified a materialized view that references an inline view or a subquery. The indicated capability is not supported for this type of materialized view.

**Action:** Restructure the materialized view query.

**QSM-02154: MV is not fast refreshable even with view merging**

**Cause:** You have a materialized view with view in the FROM clause, however it does not meet the criteria for fast refresh after view merging.

**Action:** Restructure the materialized view query to remove the offending view or the complex construct in the view.

**QSM-02161: see the reason why REFRESH\_FAST\_AFTER\_ONETAB\_DML is disabled**

**Cause:** REFRESH\_FAST\_AFTER\_ANY\_DML is disabled for the same reason that REFRESH\_FAST\_AFTER\_ONETAB\_DML is disabled.

**Action:** Correct the problem with REFRESH\_FAST\_AFTER\_ONETAB\_DML.

**QSM-02162: the detail table does not have a materialized view log**

**Cause:** The fast refresh cannot be performed because the master table does not contain a materialized view log.

**Action:** Use the CREATE MATERIALIZED VIEW LOG command to create a materialized view log on the master table.

**QSM-02163: cannot use object id columns from materialized view log**

**Cause:** The materialized view log either does not have object id columns logged, or the timestamp associated with the object id columns is more recent than the last refresh time.

**Action:** A complete refresh is required before the next fast refresh. Add object id columns to the materialized view log, if required.

**QSM-02169: the materialized view contains partition extended table name**

**Cause:** Fast refresh of materialized aggregate views and/or materialized join views are not supported if they were defined using partition extended table names.

**Action:** Create the fast refreshable materialized view without using partition extended table names or create the materialized view as a complete refresh materialized view.

**QSM-02170: tables must be identical across the UNION operator**

**Cause:** You have specified a materialized view using the UNION operator and the tables on each side of the UNION operator do not match. Fast refresh is not supported in this context.

**Action:** Restructure the materialized view query such that the respective sides of the UNION operator have the same table.

**QSM-02171: the materialized view has a join operation in the outer UNION block**

---

**Cause:** Fast refresh is not supported if a materialized view having the UNION operator contains a join operation.

**Action:** Rewrite the materialized view query without the join.

**QSM-02173: the unique constraints does not exist on the join columns of the inner table**

**Cause:** If there are outer joins, unique constraints must exist on the join columns of the inner table. Otherwise, the materialized view can not be fast refreshable.

**Action:** None

**QSM-02174: the materialized view does not have a UNION ALL marker column**

**Cause:** For a materialized view with UNION ALL to be fast refreshable, it must have a UNION ALL marker column. This is a constant column, at the same ordinal position in each query block and must have distinct values in each query block.

**Action:** Add a UNION ALL marker column to each query block in the UNION ALL query defining the materialized view.

**QSM-02175: some query block in UNION ALL MV is not fast refreshable**

**Cause:** For a materialized view with UNION ALL to be fast refreshable, each query block must conform to a fast refreshable materialized join view or materialized aggregate view.

**Action:** Check each query block in the UNION ALL to ensure it is either a materialized view with joins or aggregates.

**QSM-02176: MV with UNION ALL in a view is too complex**

**Cause:** If a materialized view has a view whose definition involves a UNION ALL query, then the materialized view's defining query cannot have any clauses other than SELECT or FROM. Other clauses such as WHERE, HAVING, CONNECT BY, or GROUP BY are not allowed. Further more, the FROM clause should have only one item.

**Action:** Remove any clauses besides SELECT and FROM from the materialized view's defining query.

**QSM-02177: MV with UNION ALL in a view must match the view's SELECT list**

**Cause:** If a materialized view has a view whose definition involves a UNION ALL query, then the materialized view's select list must match the underlying view's select list exactly. It must not have any expressions and must not have add/drop/reorder columns from the underlying view.

**Action:** Use select \* when defining a materialized view with a UNION ALL in a view.

**QSM-02178: MV has a view with UNION ALL that is not fast refreshable**

**Cause:** The materialized view has a view whose definition involves a UNION ALL query that does not satisfy the requirements for fast refresh.

**Action:** Check that the defining query of the view being referenced in the materialized view satisfies conditions for fast refresh of a UNION ALL materialized view.

**QSM-02179: MV with UNION ALL requires compatibility >= 9.2**

**Cause:** The setting of the COMPATIBLE initialization parameter is less than 9.2.0.

**Action:** Set COMPATIBLE to 9.2.0 or higher.

---

**QSM-02180: no primary key constraint in the master table**

**Cause:** The explain\_mv view assumes that the materialized view is going to be created as the Primary Key materialized view. A Primary Key materialized view can not be created if the base table does not have a primary key constraint.

**Action:** Add a primary key constraint to the base table, or create the materialized view as Rowid MV by specifying the WITH ROWID option. If the materialized view is a Rowid MV, then it should be able to do complete refresh and even fast refresh, given that the materialized view log on the master table has a rowid.

**QSM-02181: a SPREADSHEET clause is present**

**Cause:** The capability in question is not supported when the materialized view uses a SPREADSHEET clause.

**Action:** Remove the SPREADSHEET clause.

**QSM-02182: PCT is enabled through a join dependency**

**Cause:** The capability in question is not supported when the materialized view does not contain some expression join dependent on the partitioning key of relation in question in the select list. For definition of join dependency, please look at Oracle documentation.

**Action:** Change the query to contain the partitioning key

**QSM-02183: Expression to enable PCT not in PARTITION BY of analytic function or SPREADSHEET**

**Cause:** The capability in question is not supported when the expression is not in the PARTITION BY clause

**Action:** Change the query so that the expression is in the PARTITION BY

**QSM-02184: Expression to enable PCT cannot be rolled up**

**Cause:** The capability in question is not supported when the expression is rolled up

**Action:** Change the query so that the expression is not rolled up

**QSM-02185: no partition key or PMARKER in select list**

**Cause:** The capability in question is not supported when the materialized view unless the select list (and group by list if a GROUP BY clause is present) includes either the partition key of or a PMARKER function reference to the table in question.

**Action:** Add the partition key or a PMARKER function reference to the select list (and the GROUP BY clause, if present).

**QSM-02186: PARTITIONED OUTER JOIN is present**

**Cause:** The capability in question is not supported when the materialized view has PARTITIONED OUTER JOIN.

**Action:** Remove PARTITIONED OUTER JOIN.

**QSM-02187: materialized view on external table**

**Cause:** The capability in question is not supported when the materialized view references an external table.

**Action:** Re-phrase the query to avoid the use of the external tables.

**QSM-02188: named view in FROM list not supported for this type MV**

---

**Cause:** You have specified a materialized view that references a named view. The indicated capability is not supported for this type of materialized view.

**Action:** Restructure the materialized view query.

**QSM-02189: materialized view definition changes**

**Cause:** The definition of the materialized view has changed. Usually redefining the synonym or table in the definition can cause this. The materialized view can not be fast refreshed.

**Action:** Complete refresh or recreate the materialized view.

**QSM-02190: SQL PIVOT or UNPIVOT is present**

**Cause:** The capability in question is not supported when the materialized view has sql PIVOT or UNPIVOT operation.

**Action:** Remove sql PIVOT or UNPIVOT.

**QSM-03112: Invalid CREATE MATERIALIZED VIEW statement *string***

**Cause:** The CREATE MATERIALIZED VIEW statement that was passed into the procedure was not a valid one.

**Action:** Check the reason(s) following the error or the statement and retry the operation.

**QSM-03113: Cannot tune the MATERIALIZED VIEW statement *string***

**Cause:** The MATERIALIZED VIEW statement could not be tuned.

**Action:** Check the reason(s) following the error or the statement and retry the operation.

**QSM-03114: Cannot tune FOR UPDATE materialized view**

**Cause:** The materialized view was created with the FOR UPDATE option.

**Action:** Rephrase the statement to avoid the use of the FOR UPDATE option.

**QSM-03115: Cannot tune materialized view ON PREBUILT table**

**Cause:** The materialized view was created on a prebuilt table.

**Action:** Rephrase the statement to avoid the use of the ON PREBUILT option.

**QSM-03116: The materialized view is already optimal and cannot be tuned any further**

**Cause:** The materialized view has the capabilities that are specified in the statement.

**Action:** None

**QSM-03117: Cannot tune the materialized view to be fast refreshable**

**Cause:** The materialized view could not be tuned or decomposed to be fast refreshable.

**Action:** Run the `dbms_mview.explain_mview` to find out the reason.

**QSM-03118: Cannot tune the materialized view for general rewrite**

**Cause:** The materialized view could not be tuned for supporting general rewrite.

**Action:** Run the `dbms_mview.explain_mview` to find out the reason.

**QSM-03119: The WHERE/HAVING clause is too complex for general query rewrite**

**Cause:** The WHERE/HAVING was too complex for general rewrite.

---

**Action:** Try to simplify the WHERE/HAVING clause in the materialized view defining query.

**QSM-03120: Cannot create materialized view log on encrypted columns**

**Cause:** There were encrypted columns in materialized view defining query.

**Action:** Try to remove the encrypted columns in the materialized view defining query.



---

## RMAN-00550 to RMAN-20512

**RMAN-00550: parser package failed to load**

**Cause:** lpmloadpkg() return an error indication.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-00551: initialization of parser package failed**

**Cause:** The parser package initialization routine returned an error.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-00552: syntax error in command line arguments**

**Cause:** The arguments supplied to RMAN could not be parsed, or no arguments were supplied at all.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-00553: internal recovery manager package failed to load**

**Cause:** lpmloadpkg() return an error indication.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-00554: initialization of internal recovery manager package failed**

**Cause:** The internal package initialization routine returned an error.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-00555: target database connect string must be specified**

**Cause:** The TARGET parameter was not specified.

**Action:** Supply the necessary parameter.

**RMAN-00556: could not open CMDFILE "*string*"**

**Cause:** An error occurred when trying to open the file.

**Action:** Check that the file name was specified correctly and that the file exists and that the user running RMAN has read permission for the file.

**RMAN-00557: could not open MSGLOG "*string*"**

**Cause:** An error occurred when trying to open the file.

**Action:** Check that the file name was specified correctly and that the file exists and that the user running RMAN has write permission for the file.

---

**RMAN-00558: error encountered while parsing input commands**

**Cause:** The parser detected a syntax error.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-00562: username too long**

**Cause:** The specified user name exceeds the maximum allowable username length.

**Action:** Correct the username.

**RMAN-00563: password too long**

**Cause:** The specified password exceeds the maximum allowable password length.

**Action:** Correct the password.

**RMAN-00564: host data too long**

**Cause:** The SQL\*NET host connect string exceeds the maximum allowable length.

**Action:** Correct the host string.

**RMAN-00565: unable to read input file**

**Cause:** An error occurred while trying to read from STDIN or from the CMDFILE.

**Action:** Ensure that the cmdfile is readable. The cmdfile must be a text file with 1 line per record.

**RMAN-00566: could not open TRACE "string"**

**Cause:** An error occurred when trying to open the file.

**Action:** Check that the file name was specified correctly and that the user running RMAN has write permission for the file.

**RMAN-00567: Recovery Manager could not print some error messages**

**Cause:** An error occurred while trying to print the error message stack.

**Action:** If the associated error message indicates a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-00568: user interrupt received**

**Cause:** The user typed ^C or ATTN.

**Action:** No action is required.

**RMAN-00569: ===== ERROR MESSAGE STACK FOLLOWS**

=====

**Cause:** This message precedes an error message stack.

**Action:** The errors are printed in last-in first-out order. To interpret them correctly, read from the bottom to the top.

**RMAN-00570: \*\*end-of-file\*\***

**Cause:** The end of an inline cmdfile was reached. This is just an informational message.

**Action:** No action is required.

**RMAN-00571:**

=====

**Cause:** Displayed to highlight the error message stack.

---

**Action:** The errors are printed in last-in first-out order. To interpret them correctly, read from the bottom to the top.

**RMAN-00572: waiting for DBMS\_PIPE input**

**Cause:** This message is used only when the PIPE option was specified.

**Action:** enqueue some RMAN input into the pipe

**RMAN-00573: DBMS\_PIPE.NEXT\_ITEM\_TIME returned unknown type code: *number***

**Cause:** This is an internal error.

**Action:** contact Oracle Customer Support.

**RMAN-00574: rman aborting due to errors reading/writing DBMS\_PIPE**

**Cause:** RMAN was run with input/output being sent to DBMS\_PIPE. An error was encountered while reading from or writing to the pipe. This error should be preceded by information describing the error.

**Action:** RMAN terminates. Refer to the cause/action for the preceding errors.

**RMAN-00575: timeout while trying to write to DBMS\_PIPE**

**Cause:** d by death of the process that was talking to rman.

**Action:** RMAN will abort.

**RMAN-00576: PIPE cannot be used with CMDFILE**

**Cause:** The PIPE and CMDFILE options cannot be used together. When using the PIPE option, RMAN must obtain its input from the input pipe.

**Action:** Remove either the PIPE or CMDFILE option.

**RMAN-00577: PIPE requires that TARGET be specified on the command line**

**Cause:** The PIPE option obtains its input from, and writes its output to, an Oracle database pipe in the target database. Therefore, the target database connection must be specified on the command line, so that RMAN can connect to the target database to receive its input from the pipe.

**Action:** Specify the TARGET option on the RMAN command line.

**RMAN-00578: pipe *string* is not private and owned by SYS**

**Cause:** The pipe that RMAN needs to use for its input or output is either a public pipe or a private pipe that is not owned by SYS. This is a potential security problem, because it allows a non-SYS user to issue commands to RMAN or to retrieve the RMAN output.

**Action:** If you are attempting to put data on the RMAN input pipe prior to starting RMAN, so RMAN will process the data on the pipe as soon as it starts, you must be connected as SYS and you must first use the DBMS\_PIPE.CREATE\_PIPE function to explicitly create the pipe as a private pipe.

**RMAN-00579: SCRIPT cannot be used with CMDFILE**

**Cause:** The SCRIPT and CMDFILE options cannot be used together. When using the SCRIPT option, RMAN executes only the specified script.

**Action:** Remove either the SCRIPT or CMDFILE option.

**RMAN-00600: internal error, arguments [*string*] [*string*] [*string*] [*string*] [*string*]**

**Cause:** An internal error in recovery manager occurred.

**Action:** Contact Oracle Customer Support.

---

**RMAN-00601: fatal error in recovery manager**

**Cause:** A fatal error has occurred.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-00700: SCRIPT requires that TARGET be specified on the command line**

**Cause:** A SCRIPT option was included on the RMAN command line without a specified TARGET database.

**Action:** Specify the TARGET option on the RMAN command line.

**RMAN-00701: SCRIPT requires that CATALOG be specified on the command line**

**Cause:** A SCRIPT option was included on the RMAN command line without a specified CATALOG recovery catalog.

**Action:** Specify the CATALOG option on the RMAN command line.

**RMAN-00702: The command has no syntax errors**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-00703: The cmdfile has no syntax errors**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-01006: error signaled during parse**

**Cause:** An error was signaled during parsing.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-01007: at line *number* column *number* file: *string***

**Cause:** This is an informational message indicating the line and column where a syntax error was detected.

**Action:** No action is required.

**RMAN-01008: the bad identifier was: *string***

**Cause:** This is an informational message indicating the identifier token that caused a syntax error.

**Action:** No action is required.

**RMAN-01009: syntax error: found "*string*": expecting one of: "*string*"**

**Cause:** A syntax error was signaled during parsing.

**Action:** Correct the input.

**RMAN-02000: wrong message file version (msg *number* not found)**

**Cause:** The rmanxx.msb file is not the correct version.

**Action:** Check that the installation was done correctly. The RMAN binary (executable, load module, whatever it is called on your O/S) and the rmanxx.msb file must be from the same version, release, and patch level.

**RMAN-02001: unrecognized punctuation symbol "*string*"**

**Cause:** An illegal punctuation character was encountered.

**Action:** Remove the illegal character.

---

**RMAN-02002: unexpected end of input file reached**

**Cause:** This is probably caused by failure to supply the closing quote for a quoted string.

**Action:** Correct the input.

**RMAN-02003: unrecognized character: *string***

**Cause:** An input character that is neither an alpha, digit, or punctuation was encountered.

**Action:** Remove the character.

**RMAN-02004: quoted string too big**

**Cause:** A quoted string longer than 2000 bytes was encountered.

**Action:** This may be caused by a missing close quote. If so, add the missing quote, otherwise shorten the string.

**RMAN-02005: token too big**

**Cause:** A token longer than 1000 bytes was encountered

**Action:** Tokens must be separated by whitespace or punctuation. Either add the missing whitespace or punctuation, or shorten the token.

**RMAN-02006: script line too long**

**Cause:** a line longer than 500 bytes was encountered

**Action:** break the line up into shorter lines

**RMAN-02007: Integer value overflow**

**Cause:** Parser failed to convert input string to integer

**Action:** Acceptable values for integer are from 0 to 2147483648. Retry command using valid integer value.

**RMAN-02008: no value exists for variable "*string*"**

**Cause:** The RMAN variable specified was either undefined or null

**Action:** Verify that a proper value has been given to that variable.

**RMAN-03000: recovery manager compiler component initialization failed**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-03001: recovery manager command sequencer component initialization failed**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-03002: failure of *string* command at *string***

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-03003: command not implemented yet: *string***

**Cause:** The command is not implemented in the current release.

---

**Action:** Avoid using the command.

**RMAN-03004: fatal error during execution of command**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-03008: error while performing automatic resync of recovery catalog**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-03009: failure of *string* command on *string* channel at *string***

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-03010: fatal error during library cache pre-loading**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-03011: Recovery Manager *string***

**Cause:** This is the RMAN banner

**Action:** No action is required.

**RMAN-03012: fatal error during compilation of command**

**Cause:** A fatal error occurred during compilation of a command.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-03013: Copyright (c) 1995, 2003, Oracle Corporation. All rights reserved.**

**Cause:** This is the copyright banner

**Action:** No action is required.

**RMAN-03014: implicit resync of recovery catalog failed**

**Cause:** of the failure.

**Action:** No action is required.

**RMAN-03015: error occurred in stored script *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-03017: recursion detected in stored script *string***

**Cause:** A stored script is calling itself or another script which calls itself.

**Action:** Remove the recursion.

**RMAN-03018: asynchronous RPCs are working correctly**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-03019: asynchronous RPCs are NOT working**

---

**Cause:** The RPCTEST command has determined that RPCs are not executing asynchronously. Instead, they are blocking. This is caused by using a SQL\*NET driver that does not support non-blocking UPI.

**Action:** Try using a different SQL\*NET driver.

**RMAN-03020: asynchronous RPC test will take 1 minute**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-03023: executing command: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-03028: fatal error code for command *string* : *number***

**Cause:** Informational message. This precedes error 3012.

**Action:** No action is required.

**RMAN-03029: echo set on**

**Cause:** a SET ECHO ON command was issued

**Action:** No action is required.

**RMAN-03030: echo set off**

**Cause:** a SET ECHO OFF command was issued

**Action:** No action is required.

**RMAN-03031: this option of set command needs to be used inside a run block**

**Cause:** The option used with the SET command is not valid outside a run block.

**Action:** Change the SET command or place it inside a run block.

**RMAN-03032: this option of set command needs to be used outside of a run block**

**Cause:** The option used with the SET command is not valid inside of a run block.

**Action:** Change the SET command or place it outside a run block.

**RMAN-03033: current log archived**

**Cause:** "ALTER SYSTEM ARCHIVE LOG CURRENT" command completed successfully.

**Action:** None, this is an informational message.

**RMAN-03034: LEVEL *number* is invalid. LEVEL must be between *string* and *string***

**Cause:** An invalid DEBUG LEVEL was used.

**Action:** Change the DEBUG LEVEL argument.

**RMAN-03035: Debugging turned off**

**Cause:** a DEBUG OFF command was issued

**Action:** No action is required.

**RMAN-03036: Debugging set to level=*number*, types=*string***

**Cause:** a DEBUG command was issued

**Action:** No action is required.

**RMAN-03037: Spooling started in log file: *string***

- 
- Cause:** a SPOOL LOG TO ... command was issued  
**Action:** No action is required.
- RMAN-03038: Spooling started in trace file: *string***  
**Cause:** a SPOOL TRACE TO ... command was issued  
**Action:** No action is required.
- RMAN-03039: Spooling for log turned off**  
**Cause:** a SPOOL LOG OFF command was issued  
**Action:** No action is required.
- RMAN-03040: Spooling for trace turned off**  
**Cause:** a SPOOL TRACE TO ... command was issued  
**Action:** No action is required.
- RMAN-03042: error while analyzing automatic repair options**  
**Cause:** of the failure.  
**Action:** No action is required.
- RMAN-03090: Starting *string* at *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.
- RMAN-03091: Finished *string* at *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.
- RMAN-03098: *string*RMAN-number: *stringstring***  
**Cause:** This is the message prefix with a possible indentation.  
**Action:** No action is required.
- RMAN-03099: job cancelled at user request**  
**Cause:** The user interrupted the current job.  
**Action:** None
- RMAN-03999: Oracle error occurred while while converting a date: ORA-number: *string***  
**Cause:** Internal error converting a date.  
**Action:** Contact Oracle Customer Support.
- RMAN-04000: memory allocation failure**  
**Cause:** A memory allocation request could not be satisfied.  
**Action:** Increase the amount of memory available to RMAN.
- RMAN-04001: heap initialization failure**  
**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.  
**Action:** Check the accompanying errors.
- RMAN-04002: OCIPI failed, ORA-*string***  
**Cause:** OCI process level initialization failed.

---

**Action:** This error should not normally occur.

**RMAN-04003: OCIINIT failed**

**Cause:** The call to OCIEnvInit failed.

**Action:** This error should not normally happen. Contact Oracle Customer Support.

**RMAN-04004: error from recovery catalog database: *string***

**Cause:** Oracle error signaled by catalog database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-04005: error from target database: *string***

**Cause:** Oracle error signaled by target database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-04006: error from auxiliary database: *string***

**Cause:** Oracle error signaled by auxiliary database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-04007: WARNING from recovery catalog database: *string***

**Cause:** Non fatal Oracle error signaled by catalog database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-04008: WARNING from target database: *string***

**Cause:** Non fatal Oracle error signaled by target database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-04009: WARNING from auxiliary database: *string***

**Cause:** Non fatal Oracle error signaled by auxiliary database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-04010: target database Password:**

**Cause:** No password was provided for the target database.

**Action:** Provide target database password.

**RMAN-04011: recovery catalog database Password:**

**Cause:** No password was provided for the recovery catalog database.

**Action:** Provide recovery catalog database password.

**RMAN-04012: auxiliary database Password:**

**Cause:** No password was provided for the auxiliary database.

**Action:** Provide auxiliary database password.

**RMAN-04013: must connect before startup**

**Cause:** A STARTUP command was attempted before connecting to the database.

**Action:** Connect to database before attempting STARTUP command.

---

**RMAN-04014: startup failed: *string***

**Cause:** The database failed to startup.

**Action:** The cause of the failure is included in the error message. Correct the cause of the failure and retry the startup command.

**RMAN-04015: error setting target database character set to *string***

**Cause:** An error was received while setting the session character set in the target database.

**Action:** This error should not normally happen. Contact Oracle Customer Support.

**RMAN-04016: could not get OCI error handle**

**Cause:** An error was received while initializing the OCI layer.

**Action:** This error should not normally happen. Contact Oracle Customer Support.

**RMAN-04017: startup error description: *string***

**Cause:** of failure.

**Action:** No action is required.

**RMAN-04020: target database name "*string*" does not match channel's name: "*string*"**

**Cause:** The CONNECT clause in the ALLOCATE command has resulted in a connection to a database which is not the same as the one used to connect to the target database.

**Action:** Verify that the CONNECT string connects to the same database as the one specified in the TARGET connection for the CONNECT command.

**RMAN-04021: target database DBID *string* does not match channel's DBID *string***

**Cause:** The CONNECT clause in the ALLOCATE command has resulted in a connection to a database which is not the same as the one used to connect to the target database.

**Action:** Verify that the CONNECT string connects to the same database as the one specified in the TARGET connection for the CONNECT command.

**RMAN-04022: target database mount id *string* does not match channel's mount id *string***

**Cause:** The CONNECT clause in the ALLOCATE command has resulted in a connection to a database which is not the same as the one used to connect to the target database.

**Action:** Verify that the CONNECT string connects to the same database as the one specified in the TARGET connection for the CONNECT command.

**RMAN-04024: starting Oracle instance without parameter file for retrieval of spfile**

**Cause:** The instance could not be started because no default parameter file (either PFILE or SPFILE) could be found. The instance will be started in restricted mode with default parameters.

**Action:** None - this is an informational message.

**RMAN-04025: unable to generate a temporary file**

**Cause:** Creation of a temporary file failed. It could be that the system does not have enough resources (disk space, memory or similar).

---

**Action:** Verify and free some system resources memory and try again.

**RMAN-04026: unable to open a temporary file: "string"**

**Cause:** Opening of a temporary file failed. It could be that the system does not have enough resources (disk space, memory or similar).

**Action:** Verify and free some system resources memory and try again.

**RMAN-04027: unable to write to a temporary file: "string"**

**Cause:** Writing to a temporary file failed. It could be that the system does not have enough resources (disk space, memory or similar).

**Action:** Verify and free some system resources memory and try again.

**RMAN-04031: initialization parameters used for automatic instance: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-04032: using contents of file *string***

**Cause:** The specified file was included as part of the auxiliary database parameter file. This is an informational message.

**Action:** No action is required.

**RMAN-04033: cannot open auxiliary parameter file *string***

**Cause:** An auxiliary parameter file was specified with SET AUXILIARY INSTANCE PARAMETER FILE command but the specified file cannot be found.

**Action:** Set the parameter file to an existent file or retry the command without setting AUXILIARY INSTANCE PARAMETER FILE.

**RMAN-04034: source recovery catalog database Password:**

**Cause:** A password was not provided for the source recovery catalog database.

**Action:** Provide source recovery catalog database password.

**RMAN-04035: error from source recovery catalog database: *string***

**Cause:** Oracle error signaled by source recovery catalog database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-04036: WARNING from source recovery catalog database: *string***

**Cause:** Nonfatal Oracle error signaled by source recovery catalog database. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-05000: CONFIGURE AUXNAME required for datafile *string***

**Cause:** Either: -) The control file mounted by the auxiliary database does not have an entry for this datafile, therefore file name conversion is not possible. -) A COPY DATAFILE TO AUXNAME command was issued, but no auxname was set for this datafile.

**Action:** Use the CONFIGURE AUXNAME command to specify a file name that the auxiliary database can use as a restore destination.

**RMAN-05001: auxiliary file name *string* conflicts with a file used by the target database**

---

**Cause:** RMAN is attempting to use the specified file name as a restore destination in the auxiliary database, but this name is already in use by the target database.

**Action:** Use the CONFIGURE AUXNAME command to specify a name for the data file that does not conflict with a file name in use by the target db.

**RMAN-05002: aborting Tablespace Point-in-Time Recovery**

**Cause:** Previously encountered error(s) were issued which require corrective action.

**Action:** Resolve the error conditions, and then re-issue the RECOVER command.

**RMAN-05003: Tablespace Point-in-Time Recovery is not allowed for tablespace *string***

**Cause:** The SYSTEM tablespace or a tablespace containing rollback segments is not allowed in Tablespace Point-in-Time Recovery.

**Action:** Remove the indicated tablespace from the recovery set and retry the operation.

**RMAN-05004: target database log mode is NOARCHIVELOG**

**Cause:** An attempt was made to apply Tablespace Point-in-Time Recovery to a database that is in NOARCHIVELOG mode.

**Action:** If all required archived log files are available for Tablespace Point-in-Time Recovery, alter the target database log mode to ARCHIVELOG and retry the Tablespace Point-in-Time Recovery operation. Otherwise, Tablespace Point-in-Time Recovery cannot be applied to this database.

**RMAN-05005: Tablespace Point-in-Time Recovery is not allowed for re-created tablespace *string***

**Cause:** The requested tablespace has been re-created and is not allowed in Point-in-Time Recovery.

**Action:** Remove the indicated tablespace from the recovery set and retry the operation.

**RMAN-05006: cannot recover clone standby single tablespaces**

**Cause:** Standby recover can only be performed for the whole database.

**Action:** Change the tablespace list to a database specification.

**RMAN-05007: no channel allocated**

**Cause:** A command was entered that requires a channel, and no channel is allocated.

**Action:** Use ALLOCATE CHANNEL before using the command

**RMAN-05008: SET NEWNAME TO NEW not allowed (datafile *string*)**

**Cause:** SET NEWNAME ... TO NEW is not allowed with Tablespace Point-in-Time Recovery.

**Action:** Set the new name to a specific file name and retry.

**RMAN-05009: Block Media Recovery requires Enterprise Edition**

**Cause:** The RECOVER...BLOCK command was specified.

**Action:** Remove the RECOVER...BLOCK command.

**RMAN-05010: target database must be opened in READ WRITE mode for Tablespace Point-in-Time Recovery**

---

**Cause:** The target database was not opened in read write mode.

**Action:** Open the database in read write mode.

**RMAN-05011: auxiliary instance must be in NOMOUNT state for Tablespace Point-in-Time Recovery**

**Cause:** The Auxiliary instance was not in NOMOUNT state.

**Action:** Open the auxiliary instance in NOMOUNT state.

**RMAN-05012: trying to start the Oracle instance without parameter files ...**

**Cause:** The instance could not be started because no default parameter file (either PFILE or SPFILE) could be found. The instance will be started in restricted mode with default parameters.

**Action:** None - this is an informational message.

**RMAN-05013: auxiliary control file name *string* conflicts with a file used by the target database**

**Cause:** RMAN is attempting to use the specified control file name for Tablespace Point-in-Time Recovery as a restore destination in the auxiliary database, but this name is already in use by the target database.

**Action:** Set control\_files parameter in the auxiliary instance to a name that does not conflict with a file name in use by the target database.

**RMAN-05014: Tablespaces with undo segments were not found in recovery catalog**

**Cause:** The recovery catalog did not have information about tablespaces with undo segments.

**Action:** Manually specify the tablespaces with undo segments in the optional UNDO tablespaces clause of the RECOVER command.

**RMAN-05015: WARNING: not enough information in recovery catalog for specified point in time recovery**

**Cause:** The recovery catalog did not have information about the tablespaces with undo segments at the specified Point-in-Time. This happened because the current recovery catalog was not in use at the specified Point-in-Time. A list of tablespaces with undo segments was supplied.

**Action:** RMAN assumes that the current set of tablespaces with undo segments is the same set that was in use at the specified Point-in-Time. If the set of tablespaces with undo segments changes, the recovery fails. If recovery fails, use the optional UNDO TABLESPACE clause of the RECOVER command to specify the correct set of tablespaces.

**RMAN-05016: failover to previous backup**

**Cause:** This is an informational message to indicate the RMAN could not successfully restore the files using the specified backups. An attempt was made to restore the datafile/archived logs/ control file/SPFILE using a previous existing backup.

**Action:** See accompanying additional error messages indicating the cause of the failover.

**RMAN-05017: no copy of datafile *number* found to recover**

**Cause:** A RECOVER COPY command was not able to proceed because no copy of indicated file was found to recover. Possible causes include the following:

1. no copy of indicated file exists on disk that satisfy the criteria specified in the user's recover operands.

---

2. copy of indicated datafile exists on disk but no incremental backup was found to apply to the datafile copy.

**Action:** One of the following:

1. Use or correct TAG specification to recover a different datafile copy.
2. Use BACKUP FOR RECOVER OF COPY command to create necessary incremental backup or copy.

**RMAN-05018: some datafile copies cannot be recovered, aborting the RECOVER command**

**Cause:** This error message can follow one or more RMAN-5017 or RMAN-5019 error messages.

**Action:** See RMAN-5017 or RMAN-5019 error messages documentation for more information.

**RMAN-05019: WARNING: no channel of required type allocated to recover copy of datafile *number***

**Cause:** A RECOVER COPY command could not proceed because incremental backup sets exist on a device type that has not been allocated.

**Action:** Use the LIST command to determine which device type is needed, then allocate a channel of that type.

**RMAN-05020: cannot specify AUXILIARY DESTINATION option for normal recovery**

**Cause:** The AUXILIARY DESTINATION option was specified for a normal recovery. It is only allowed for Tablespace Point-in-Time Recovery.

**Action:** Remove the AUXILIARY DESTINATION option and re-run the RECOVER command.

**RMAN-05021: this configuration cannot be changed for a BACKUP or STANDBY control file**

**Cause:** The user attempted to modify the configuration which cannot be changed for a BACKUP or STANDBY control file while the mounted control file was either BACKUP or STANDBY. The following configurations can be changed only when connected to primary database instance that has CURRENT/CREATED control file type mounted: CONFIGURE RETENTION POLICY CONFIGURE EXCLUDE CONFIGURE ENCRYPTION CONFIGURE DB\_UNIQUE\_NAME

**Action:** Connect to primary database instance and execute the command.

**RMAN-05022: TRANSPORT TABLESPACE may not be used with user-managed auxiliary instance**

**Cause:** A user-managed auxiliary instance was specified.

**Action:** Retry the operation with an RMAN-managed auxiliary instance.

**RMAN-05023: TABLESPACE DESTINATION required**

**Cause:** A required TABLESPACE DESTINATION was not specified.

**Action:** Specify a TABLESPACE DESTINATION and retry the operation.

**RMAN-05024: List of tablespaces presumed to have UNDO segments**

**Cause:** Accompanying message to 5015.

**Action:** See action of message 5015.

**RMAN-05025: Tablespace *string***

---

**Cause:** Accompanying message to 5015.

**Action:** See action of message 5015.

**RMAN-05026: WARNING: presuming following set of tablespaces applies to specified point in time**

**Cause:** RMAN assumes that the current set of tablespaces with undo segments is the same set that was in use at the specified Point-in-Time. If the set of tablespaces with undo segments changes, the recovery fails. If recovery fails, use the optional UNDO TABLESPACE clause of the RECOVER command to specify the correct set of tablespaces.

**Action:** RMAN assumes that the current set of tablespaces with undo segments is the same set that was in use at the specified Point-in-Time. If the set of tablespaces with undo segments changes, the recovery fails. If recovery fails, use the optional UNDO TABLESPACE clause of the RECOVER command to specify the correct set of tablespaces.

**RMAN-05027: List of tablespaces expected to have UNDO segments**

**Cause:** Accompanying message to 5026.

**Action:** See action of message 5026.

**RMAN-05028: Tablespace *string***

**Cause:** Accompanying message to 5026.

**Action:** See action of message 5026.

**RMAN-05029: UNDO TABLESPACE clause is only valid for Tablespace Point-in-Time Recovery**

**Cause:** The UNDO TABLESPACE clause was specified for non-Tablespace Point-in-Time Recovery.

**Action:** Remove the UNDO TABLESPACE clause.

**RMAN-05030: CLONE clause cannot be used with Tablespace Point-in-Time Recovery**

**Cause:** The CLONE clause was specified for a Tablespace Point-in-Time Recovery.

**Action:** Remove the CLONE clause.

**RMAN-05031: cannot specify UNDO TABLESPACE clause for normal recovery**

**Cause:** The UNDO TABLESPACE clause was specified for a normal recovery. It is only allowed for Tablespace Point-in-Time Recovery.

**Action:** Remove the UNDO TABLESPACE clause and re-run the RECOVER command.

**RMAN-05032: datafile *string* will be created automatically during restore operation**

**Cause:** The specified datafile did not have an available backup.

**Action:** None. This is an informational message displayed for VALIDATE or PREVIEW option of the RESTORE command.

**RMAN-05033: Media recovery start SCN is *string***

**Cause:** The above SCN would be starting media recovery SCN, if the specified files are restored.

**Action:** None. This is an informational message displayed for PREVIEW option of the RESTORE command.

---

**RMAN-05034: Recovery must be done beyond SCN *string* to clear datafile fuzziness**

**Cause:** The above SCN identifies the minimum SCN beyond which the media recovery must be performed on the specific datafile to clear the media recovery fuzziness for all datafile.

**Action:** None. This is an informational message displayed for PREVIEW option of the RESTORE command.

**RMAN-05035: archived logs generated after SCN *string* not found in repository**

**Cause:** The repository did not have a record of archived logs containing the redo generated after the specified SCN.

**Action:** None. To avoid this message, perform a log switch if the database is in open mode.

**RMAN-05036: FOR DB\_UNIQUE\_NAME option cannot be used for this configuration**

**Cause:** An attempt was made to set the configuration which cannot be used with FOR DB\_UNIQUE\_NAME option.

**Action:** Remove FOR DB\_UNIQUE\_NAME option and execute the command.

**RMAN-05037: FOR DB\_UNIQUE\_NAME option cannot be used in nocatalog mode**

**Cause:** An attempt was made to set the remote configuration in nocatalog mode.

**Action:** Connect to recovery catalog and execute the command.

**RMAN-05040: List of tablespaces that have been dropped from the target database:**

**Cause:** One or more tablespaces in the recovery set were not found in the control file of the target database.

**Action:** None. Informational message.

**RMAN-05041: Error during export of metadata**

**Cause:** Export of metadata received an error from DATAPUMP.

**Action:** This message is accompanied by other error message(s) indicating the cause of the error.

**RMAN-05042: Error during import of metadata**

**Cause:** Import of metadata received an error from DATAPUMP.

**Action:** This message is accompanied by other error message(s) indicating the cause of the error.

**RMAN-05043: Tablespace *string***

**Cause:** Accompanying message to 5040.

**Action:** See Action of message 5040.

**RMAN-05044: Performing export of metadata...**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05045: Performing import of metadata...**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05046: Export completed**

**Cause:** This is an informational message only.

---

**Action:** No action is required.

**RMAN-05047: Import completed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05048: specified file name *string* conflicts with a file used by the target database**

**Cause:** The specified file name was already in use by another datafile in the database.

**Action:** Use SET NEWNAME command to specify a different name for the datafile that does not conflict with a file name in use by the target database.

**RMAN-05049: datafile *string* is an Oracle Managed File, DB\_CREATE\_FILE\_DEST not set at target**

**Cause:** A Tablespace Point-in-Time Recovery was attempted but the datafile is an Oracle Managed File and DB\_FILE\_CREATE\_DEST is not currently set for the target database.

**Action:** Specify DB\_FILE\_CREATE\_DEST for the target database or provide a NEWNAME for the specified datafile.

**RMAN-05051: analyzing automatic repair options; this may take some time**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05052: Repair *string* is not compatible with this version of RMAN.**

**Cause:** The specified repair was not compatible with this version of Recovery Manager (RMAN).

**Action:** Use a newer version of the RMAN executable.

**RMAN-05053: Do you really want to execute the above repair (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-05054: recover block operand *string* cannot be used to recover datafile**

**Cause:** The specified operand could not be used with RECOVER datafile command.

**Action:** Delete the invalid operand and retry the command.

**RMAN-05055: recover datafile operand *string* cannot be used to recover block**

**Cause:** The specified operand could not be used with RECOVER block command.

**Action:** Delete the invalid operand and retry the command.

**RMAN-05057: Do you want to open the database (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-05058: Do you want to open resetlogs the database (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-05060: block specifier must be specified to recover block**

---

**Cause:** Block Specifier was not specified in the command.

**Action:** Specify block specifier and resubmit the command.

**RMAN-05061: analyzing automatic repair options complete**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05500: the auxiliary database must be not mounted when issuing a DUPLICATE command**

**Cause:** A DUPLICATE command was issued, but the auxiliary database is mounted.

**Action:** Dismount the auxiliary database.

**RMAN-05501: aborting duplication of target database**

**Cause:** Previously encountered errors require corrective action.

**Action:** Resolve the error conditions, and reissue the DUPLICATE command.

**RMAN-05502: the target database must be mounted when issuing a DUPLICATE command**

**Cause:** A DUPLICATE command was issued, but the target database control file is not mounted.

**Action:** Mount the target database control file by issuing ALTER DATABASE MOUNT via Enterprise Manager or Server Manager.

**RMAN-05503: at least one auxiliary channel must be allocated to execute this command**

**Cause:** No auxiliary channels were allocated.

**Action:** Allocate an auxiliary channel.

**RMAN-05504: at least two redo log files or groups must be specified for this command**

**Cause:** Only one redo log file or group was specified

**Action:** Specify at least one more redo log file or group

**RMAN-05505: auxiliary file name conversion of "*string*" exceeds maximum length of *string***

**Cause:** When the given file name is converted to the name used for the auxiliary database, the converted name is larger than the maximum allowed file name.

**Action:** Change initialization parameter DB\_FILE\_NAME\_CONVERT to convert to a valid file name.

**RMAN-05506: error during recursive execution**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-05507: standby control file checkpoint (*string*) is more recent than duplication point in time (*string*)**

**Cause:** A DUPLICATE FOR STANDBY command was issued, but the checkpoint of the control file is more recent than the last archived log or the specified point in time.

---

**Action:** If an explicit point in time was specified, change it to be at least the control file checkpoint; otherwise archive (and backup/copy) the current log.

**RMAN-05510: Duplicate finished**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05511: Datafile *string* skipped by request**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05512: Tablespace *string* cannot be skipped from duplication**

**Cause:** The SYSTEM and SYSAUX tablespaces were not included in the DUPLICATE DATABASE. They must be present.

**Action:** Remove the SYSTEM and/or SYSAUX tablespace from the SKIP list and retry the operation.

**RMAN-05513: cannot duplicate, control file is not current or backup**

**Cause:** DUPLICATE requires that the target database has a current control file.

**Action:** Open the target database and retry operation.

**RMAN-05514: Tablespace *string* has undo information, cannot skip**

**Cause:** All tablespaces that have undo information must be included in the duplication.

**Action:** Remove the specified tablespace from the SKIP list and retry the operation.

**RMAN-05515: Duplicate for standby does not allow the use of SET UNTIL**

**Cause:** A SET UNTIL clause was specified for the command.

**Action:** Remove the SET UNTIL clause and try again.

**RMAN-05516: duplicate operand specified: *string***

**Cause:** The specified operand appears more than once in the same DUPLICATE option list

**Action:** Delete the duplicated operand.

**RMAN-05517: tempfile *string* conflicts with file used by target database**

**Cause:** RMAN attempted to use the specified tempfile as a restore destination in the auxiliary database, but this name was already in use by the target database.

**Action:** Use the SET NEWNAME FOR TEMPFILE command to specify a name for the indicated tempfile, making sure that the new name does not conflict with a file name in use by target database. Alternatively, use DB\_FILE\_NAME\_CONVERT and retry the command.

**RMAN-05518: Automatically adding tablespace *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05519: WARNING: tablespace *string* is always included when duplicating**

**Cause:** The SYSTEM and SYSAUX tablespaces were included in the DUPLICATE TABLESPACE command. They were automatically included by the command and did not need to be explicitly named.

---

**Action:** To avoid this warning,, remove the SYSTEM and/or SYSAUX tablespace from the tablespaces list and retry the operation.

**RMAN-05520: database name mismatch, auxiliary instance has *string*, command specified *string***

**Cause:** The database name specified in the initialization parameter was not the same as the database name provided in the DUPLICATE command.

**Action:** Correct the database name in the command or adjust the database name of the auxiliary instance.

**RMAN-05521: WARNING: No undo tablespaces found. Will proceed assuming that list contains all necessary undo tablespaces.**

**Cause:** No information was found about tablespaces with undo segments

**Action:** If TABLESPACE clause does not contain all tablespaces with undo segments, duplication might fail to open the database.

**RMAN-05522: Skipping tablespace *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-05523: Tablespace *string* is read only and SKIP READONLY was specified**

**Cause:** Conflicting parameters were provided.

**Action:** Remove SKIP READONLY or remove read-only tablespace from list of tablespaces to duplicate.

**RMAN-05524: Tablespace *string* is offline**

**Cause:** It was not possible to duplicate offline tablespaces.

**Action:** Remove offline tablespace from list or online tablespace to duplicate it.

**RMAN-05525: SKIP TABLESPACE cannot be used when using DUPLICATE TABLESPACE**

**Cause:** A SKIP TABLESPACE clause was specified for the command.

**Action:** Remove the SKIP TABLESPACE clause and try again.

**RMAN-05526: datafile *number* not processed because file is OFFLINE IMMEDIATE**

**Cause:** A DUPLICATE command omitted processing the indicated datafile because it is offline immediate. The tablespace to which this datafile belongs will also not be included. See message 5528.

**Action:** None, informational message only.

**RMAN-05527: Tablespace *string* has one or more OFFLINE IMMEDIATE datafiles**

**Cause:** It was not possible to duplicate a tablespace who had offline immediate tablespaces.

**Action:** Remove offending tablespace from list or recover datafile which are offline immediate in the tablespace before attempting the command again.

**RMAN-05528: datafile *number* not processed because file belongs to tablespace with one or more offline immediate datafile (*string*)**

**Cause:** A DUPLICATE command omitted processing the indicated datafile because it is part of a tablespace that has offline immediate datafile. See message 5526.

**Action:** No action is required. This is an informational message only.

---

**RMAN-05529: WARNING: DB\_FILE\_NAME\_CONVERT resulted in invalid ASM names; names changed to disk group only.**

**Cause:** It was not possible to convert ASM Oracle Managed Files names using DB\_FILE\_NAME\_CONVERT parameter. RMAN changed these invalid names to the converted disk group name instead.

**Action:** No action is required. This is an informational message only. If the automatic change is incorrect, use one of the following options instead of using DB\_FILE\_NAME\_CONVERT for ASM Oracle Managed Files: 1) use RMAN command SET NEWNAME for each Oracle Managed File. 2) set DB\_CREATE\_FILE\_DEST initialization parameter in auxiliary instance and not specify DB\_FILE\_NAME\_CONVERT.

**RMAN-05530: an UNTIL TIME or SCN cannot be specified with FROM ACTIVE DATABASE**

**Cause:** A DUPLICATE with FROM ACTIVE DATABASE was specified along with either a SET UNTIL statement or UNTIL clause on the command. This is not supported. A DUPLICATE FROM ACTIVE DATABASE always creates a copy as of the current time.

**Action:** Check the statement and remove the use of UNTIL.

**RMAN-05531: a mounted database cannot be duplicated while data files are fuzzy**

**Cause:** A DUPLICATE with FROM ACTIVE DATABASE command was specified while the database was mounted or open read-only. Unless the database is open read/write, the data files cannot be fuzzy.

**Action:** Open the database read/write, then shutdown cleanly before mounting.

**RMAN-05532: PASSWORD FILE specified without FROM ACTIVE DATABASE**

**Cause:** The PASSWORD FILE clause of the DUPLICATE command was specified but the FROM ACTIVE DATABASE clause was not. A password file can only be duplicated if the FROM ACTIVE DATABASE clause has been used.

**Action:** Remove the PASSWORD FILE clause from the command, or perform an online duplicate of the database by specifying the FROM ACTIVE DATABASE clause.

**RMAN-05533: string is not supported on string database**

**Cause:** The specified command is not supported on this type of database. The type of database can be STANDBY, CLONE, or RAC.

**Action:** Do not use the specified command against this database.

**RMAN-05534: WARNING: LOG\_FILE\_NAME\_CONVERT resulted in invalid ASM names; names changed to disk group only.**

**Cause:** It was not possible to convert ASM Oracle Managed Files names using LOG\_FILE\_NAME\_CONVERT parameter. RMAN changed these invalid names to the converted disk group name instead.

**Action:** If the automatic change is incorrect, use one of the following options instead of using LOG\_FILE\_NAME\_CONVERT for ASM Oracle Managed Files: 1) Use the LOGFILE clause for online log files. 2) After DUPLICATE completes, create standby log files using the SQL ALTER DATABASE ADD STANDBY LOGFILE command.

**RMAN-05535: WARNING: All standby logfiles were not created**

**Cause:** It was not possible to convert and create new standby logfiles.

---

**Action:** If standby logfiles are desired, create them after DUPLICATE has completed using the ALTER DATABASE ADD STANDBY LOGFILE SQL command.

**RMAN-05536: auxiliary logfile name *string* conflicts with a file used by the target database**

**Cause:** RMAN attempted to use the specified logfile name as a standby redo log file in the auxiliary database, but this name was already in use by the target database.

**Action:** Use or alter LOG\_FILE\_NAME\_CONVERT so that unique logfile names can be generated. Or wait for the command to complete and create standby logfiles using the SQL ALTER DATABASE ADD STANDBY LOGFILE command.

**RMAN-06000: could not open recovery manager library file: *string***

**Cause:** The "recover.bsq" file could not be opened.

**Action:** Check that the file was installed correctly and that the user running RMAN has authority to read the file.

**RMAN-06001: error parsing job step library**

**Cause:** A syntax error was encountered while parsing "recover.bsq".

**Action:** Ensure that the correct version of the file is installed and that it has not been modified in any way.

**RMAN-06002: command not allowed when not connected to a recovery catalog**

**Cause:** A command that is allowed only when a recovery catalog connect string was supplied was attempted.

**Action:** Avoid using the command, or restart RMAN and supply a recovery catalog connect string via the CATALOG parameter.

**RMAN-06003: ORACLE error from target database: *string***

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-06004: ORACLE error from recovery catalog database: *string***

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-06005: connected to target database: *string* (DBID=*string*)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06006: connected to target database: *string* (not mounted)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06007: target database not mounted and db\_name not set in init.ora**

**Cause:** The target database has not mounted the control file, and its "init.ora" file does not specify the DB\_NAME parameter.

**Action:** MOUNT the target database, or add the DB\_NAME parameter to its "init.ora" and restart the instance.

---

**RMAN-06008: connected to recovery catalog database**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06009: using target database control file instead of recovery catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06010: error while looking up datafile: *string***

**Cause:** An error occurred while looking up the specified datafile in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. Ensure that the file name is entered correctly. If the datafile was added recently, then a RESYNC CATALOG must be done to update the recovery catalog.

**RMAN-06011: invalid level specified: *number***

**Cause:** An invalid incremental backup level was specified.

**Action:** Incremental backup level must be between 0 and 4.

**RMAN-06012: channel: *string* not allocated**

**Cause:** A RELEASE or SETLIMIT command was found for a channel identifier that was not yet allocated.

**Action:** Correct the channel identifier, or add an ALLOCATE CHANNEL command.

**RMAN-06013: duplicate channel identifier found: *string***

**Cause:** A channel identifier was reused without first releasing the channel.

**Action:** Add a RELEASE CHANNEL command.

**RMAN-06014: command not implemented yet: *string***

**Cause:** Not all commands are implemented for the beta release.

**Action:** Avoid using the command.

**RMAN-06015: error while looking up datafile copy name: *string***

**Cause:** An error occurred while looking up the specified datafile copy name in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. Ensure that the file name is entered correctly. If the datafile copy was created when the recovery catalog was not available, then a RESYNC CATALOG must be done to update the recovery catalog.

**RMAN-06016: duplicate backup operand specified: *string***

**Cause:** The specified operand appears more than once in the same backup specifier or backup command.

**Action:** Delete the duplicated operand.

**RMAN-06017: initialization of parser failed**

**Cause:** The parser package initialization routine returned an error.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-06018: duplicate operand specified in backup specification: *string***

---

**Cause:** A backup specification operand appears more than once in a backup specification.

**Action:** Delete the duplicate operand.

**RMAN-06019: could not translate tablespace name "*string*"**

**Cause:** An error occurred while looking up the specified tablespace name in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. Ensure that the tablespace is entered correctly. If the tablespace was added recently, then a RESYNC CATALOG must be done to update the recovery catalog.

**RMAN-06020: connected to auxiliary database (not started)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06021: FROM DATAFILECOPY/BACKUPSET may not be specified with archived logs**

**Cause:** The FROM DATAFILECOPY/BACKUPSET option applies only to datafile and control file restores.

**Action:** Use this option only for datafile and control file restores.

**RMAN-06022: invalid level specified for image copy: *number***

**Cause:** An invalid incremental backup level was specified for an image copy.

**Action:** Incremental backup level must be 0 for image copies.

**RMAN-06023: no backup or copy of datafile *number* found to restore**

**Cause:** A datafile, tablespace, or database restore could not proceed because no backup or copy of the indicated file was found. It may be the case that a backup or copy of this file exists but does not satisfy the criteria specified in the user's restore operands.

**Action:** None - this is an informational message. See message 6026 for further details.

**RMAN-06024: no backup or copy of the control file found to restore**

**Cause:** A control file restore could not proceed because no backup or copy of the control file was found. It may be the case that a backup or copy of this file exists but does not satisfy the criteria specified in the user's restore operands.

**Action:** None - this is an informational message. See message 6026 for further details.

**RMAN-06025: no backup of archived log for thread *number* with sequence *number* and starting SCN of *string* found to restore**

**Cause:** An archived log restore could not proceed because no backup of the indicated archived log was found. It may be the case that a backup of this file exists but does not satisfy the criteria specified in the user's restore operands.

**Action:** None - this is an informational message. See message 6026 for further details.

**RMAN-06026: some targets not found - aborting restore**

**Cause:** Some of the files specified for restore could not be found. Message 6023, 6024, or 6025 is also issued to indicate which files could not be found. Some common reasons why a file can not be restored are that there is no backup or copy of the file that is known to recovery manager, or there are no backups or copies

---

that fall within the criteria specified on the RESTORE command, or some datafile copies have been made but not cataloged.

**Action:** The Recovery Manager LIST command can be used to display the backups and copies that Recovery Manager knows about. Select the files to be restored from that list.

**RMAN-06027: no archived logs found that match specification**

**Cause:** An archived log record specifier did not match any archived logs in the recovery catalog.

**Action:** Resubmit the command with a different archived log record specifier. The rman LIST command can be used to display all archived logs that Recovery Manager knows about.

**RMAN-06028: duplicate operand specified in restore specification: *string***

**Cause:** The CHANNEL, TAG, FROM, PARMS, VALIDATE, DEVICE TYPE, CHECK READONLY or DB\_UNIQUE\_NAME option was specified more than once in the restore command or in one of the restore specifications.

**Action:** Correct and resubmit the command.

**RMAN-06029: the control file may be included only in a datafile backup set**

**Cause:** The "include current/standby control file" option was specified for an archived log backup set.

**Action:** Use this option only for datafile backup sets.

**RMAN-06030: the DELETE [ALL] INPUT option may not be used with a datafile backup set**

**Cause:** The DELETE [ALL] INPUT option was specified for a backup that contains the current control file or datafile.

**Action:** Remove the option and resubmit the command.

**RMAN-06031: could not translate database keyword**

**Cause:** An error was received when calling DBMS\_RCVMAN

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-06032: at least 1 channel of TYPE DISK must be allocated to execute a COPY command**

**Cause:** No channel of TYPE DISK was allocated.

**Action:** Allocate a channel of TYPE DISK and re-issue the command.

**RMAN-06033: channel *string* not allocated**

**Cause:** An rman command requests a specific channel, but the requested channel has not been allocated.

**Action:** ALLOCATE the channel, or correct the channel identifier.

**RMAN-06034: at least 1 channel must be allocated to execute this command**

**Cause:** No channels were allocated.

**Action:** ALLOCATE a channel.

**RMAN-06035: wrong version of recover.bsq, expecting *string*, found *string***

**Cause:** The "recover.bsq" file is incompatible with the RMAN executable.

**Action:** Install the correct version of recover.bsq.

---

**RMAN-06036: datafile *number* is already restored to file *string***

**Cause:** A SET NEWNAME command was issued to restore a datafile to a location other than the original datafile, and Recovery Manager determined that the best candidate for restoring the file is the datafile copy with the same name, therefore the file is already restored and no action need be taken.

**Action:** None - this is an informational message.

**RMAN-06038: recovery catalog package detected an error**

**Cause:** A call to DBMS\_RCVMAN returned an error.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-06039: SET NEWNAME command has not been issued for datafile *string***

**Cause:** A SWITCH command was specified for a datafile, but no destination was specified and no SET NEWNAME command has been previously issued for that file. An explicit file to switch to must be specified if no SET NEWNAME command has been issued.

**Action:** Correct and resubmit the SWITCH command.

**RMAN-06040: control file is already restored to file *string***

**Cause:** The best candidate control file for restoration is the one that is named in the RESTORE CONTROLFILE command, hence no action need be taken.

**Action:** None - this is an informational message.

**RMAN-06041: cannot switch file *number* to copy of file *number***

**Cause:** An attempt was made to switch a datafile to a copy of a different datafile.

**Action:** Correct and resubmit the SWITCH command.

**RMAN-06042: PLUS ARCHIVELOG option is not supported with non-datafile backups**

**Cause:** The PLUS ARCHIVELOG option was supplied but does not apply to this type of backup.

**Action:** Remove the PLUS ARCHIVELOG operand and re-enter the command.

**RMAN-06043: TAG option not supported for archived log copies**

**Cause:** The tag option was supplied but does not apply to this type of copy.

**Action:** Remove the TAG operand and re-enter the command

**RMAN-06045: LEVEL option not supported for archived log or current/standby control file copies**

**Cause:** The LEVEL option was supplied but does not apply to this type of copy.

**Action:** Remove the LEVEL operand and re-enter the command.

**RMAN-06046: archived log name: *string***

**Cause:** An error occurred while translating an archived log name to its recovery catalog RECID/time stamp. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-06047: duplicate datafile *number* specified for restoration from copy**

**Cause:** The indicated datafile was specified more than once in the same restore command.

---

**Action:** Correct and resubmit the RESTORE command.

**RMAN-06048: duplicate control file specified for restoration from copy**

**Cause:** The control file was specified more than once in the same RESTORE command.

**Action:** Correct and resubmit the RESTORE command.

**RMAN-06049: CHECK LOGICAL option not supported for archived log or current/standby control file copies**

**Cause:** The check logical option was supplied but does not apply to this type of copy.

**Action:** Remove the CHECK LOGICAL operand and re-enter the command

**RMAN-06050: archived log for thread *number* with sequence *number* is already on disk as file *string***

**Cause:** An archived log which was requested to be restored (either explicitly or via a range specification) does not need to be restored because it already exists on disk.

**Action:** None - this is an informational message

**RMAN-06051: DELETE INPUT option not implemented yet**

**Cause:** This option was specified in a backup specification.

**Action:** Remove the DELETE INPUT option.

**RMAN-06052: no parent backup or copy of datafile *number* found**

**Cause:** An incremental backup at level 1 or higher could not find any parent backup or copy of the indicated datafile. A level 0 backup of the datafile will be taken automatically.

**Action:** This is an informational message only.

**RMAN-06053: unable to perform media recovery because of missing log**

**Cause:** This message is accompanied with another message identifying the missing log. The log would be needed to perform the media recovery, but the log is not on disk and no backup set containing the log is available.

**Action:** Determine if a backup set containing the log can be made available. If so, then use the CHANGE command to make the backup set available and retry the command. If not, then a point in time recovery up to the missing log is the only alternative.

**RMAN-06054: media recovery requesting unknown archived log for thread *string* with sequence *string* and starting SCN of *string***

**Cause:** Media recovery is requesting a log whose existence is not recorded in the recovery catalog or control file.

**Action:** If a copy of the log is available, then add it to the recovery catalog and/or control file via a CATALOG command and then retry the RECOVER command. If not, then a point in time recovery up to the missing log is the only alternative and database can be opened using ALTER DATABASE OPEN RESETLOGS command.

**RMAN-06055: could not find archived log with sequence *string* for thread *string***

**Cause:** A log which was on disk at the start of media recovery or which should have been restored from a backup set could not be found.

**Action:** Check the Recovery Manager message log to see if the log was restored by a previous job step. If so, then check the V\$ARCHIVED\_LOG view to see if the log

---

is listed in the control file. If so, then validate that the log exists on disk and is readable. If the log was not restored, or was restored but no record of the log exists in V\$ARCHIVED\_LOG, then contact Oracle Customer Support.

**RMAN-06056: could not access datafile *number***

**Cause:** A backup or copy could not proceed because the datafile header could not be read or the header was not valid.

**Action:** Make the datafile accessible or skip it.

**RMAN-06057: a standby control file cannot be included along with a current control file**

**Cause:** "current control file" was specified along with "standby control file".

**Action:** Remove "current control file" or "standby control file" from backup specification.

**RMAN-06058: a current control file cannot be included along with a standby control file**

**Cause:** "standby control file" was specified along with "current control file".

**Action:** Remove "standby control file" or "current control file" from backup specification.

**RMAN-06059: expected archived log not found, lost of archived log compromises recoverability**

**Cause:** The archived log was not found. The repository thinks it does exist. If the archived log has in fact been lost and there is no backup, then the database is no longer recoverable across the point in time covered by the archived log. This may occur because the archived log was removed by an outside utility without updating the repository.

**Action:** If the archived log has been removed with an outside utility and the archived log has already been backed up, then you can synchronize the repository by running CROSSCHECK ARCHIVELOG ALL. If the archived log has not been previously backed up, then you should take a full backup of the database and archived logs to preserve recoverability. Previous backups are not fully recoverable.

**RMAN-06060: WARNING: skipping datafile compromises tablespace *string* recoverability**

**Cause:** SKIP INACCESSIBLE or SKIP OFFLINE option resulted in skipping datafile during BACKUP. If the datafile has in fact been lost and there is no backup, then the tablespace is no longer recoverable without ALL archived logs since datafile creation. This may occur because the datafile was deleted by an outside utility or the datafile is made OFFLINE [DROP].

**Action:** If there is no backup of skipped datafile and the tablespace has to be recoverable without ALL archived logs since datafile creation, then you should make these datafile available for backup.

**RMAN-06061: WARNING: skipping archived log compromises recoverability**

**Cause:** SKIP INACCESSIBLE option resulted in skipping archived logs during BACKUP. If the archived log has in fact been lost and there is no backup, then the database is no longer recoverable across the point in time covered by the archived log. This may occur because archived log was removed by an outside utility without updating the repository.

---

**Action:** If the archived log has been removed with an outside utility and the archived log has already been backed up, then you can synchronize the repository by running CROSSCHECK ARCHIVELOG ALL. If the archived log has not been previously backed up, then you should take a full backup of the database and archived logs to preserve recoverability. Previous backups are not fully recoverable.

**RMAN-06062: can not backup SPFILE because the instance was not started with SPFILE**

**Cause:** A backup command requested a backup of the SPFILE, but no SPFILE was used to startup the instance.

**Action:** Create an SPFILE and re-start the instance using the SPFILE or modify the command.

**RMAN-06063: DBID is not found in the recovery catalog**

**Cause:** DBID is not found in the recovery catalog.

**Action:** Verify that the DBID is correct and restart the command.

**RMAN-06064: creating datafile file number=*string* name=*string***

**Cause:** RESTORE/RECOVER command was issued and there were no backup available for the datafile.

**Action:** This is an informational message only.

**RMAN-06065: The backup operand [*string*] conflicts with another specified operand.**

**Cause:** The user attempted to use two (or more) conflicting operands within the same statement.

**Action:** Remove one or both of the conflicting operands.

**RMAN-06066: the target database must be mounted when issuing a RECOVER command**

**Cause:** A RECOVER command was issued, but the target database control file is not mounted.

**Action:** Mount the target database control file by issuing ALTER DATABASE MOUNT via Enterprise Manager or Server Manager.

**RMAN-06067: RECOVER DATABASE required with a backup or created control file**

**Cause:** The control file has been restored from a backup or was created via ALTER DATABASE CREATE CONTROLFILE.

**Action:** Use the RECOVER DATABASE command to perform the recovery.

**RMAN-06068: recovery aborted because of missing datafiles**

**Cause:** This error should be accompanied by one or more instances of message ORA-06094.

**Action:** Refer to message ORA-06094.

**RMAN-06069: the file name for datafile *string* is missing in the control file**

**Cause:** Media recovery of a backup control file added this datafile to the control file, but it does not set the file name because that is unsafe.

**Action:** If the datafile is on disk, then issue ALTER DATABASE RENAME to correct the control file. Otherwise, RESTORE the datafile, and then use SWITCH to make it known to the control file. If the tablespace containing this datafile will be dropped, then reissue the RECOVER command with a SKIP clause to skip recovery of this tablespace.

---

**RMAN-06070: DBWR could not identify datafile *string***

**Cause:** DBWR could not find the specified datafile.

**Action:** Ensure that the datafile exists and is accessible.

**RMAN-06071: could not open datafile *string***

**Cause:** An error was encountered when trying to open the specified datafile.

**Action:** Ensure that the datafile exists and is accessible.

**RMAN-06073: file header is corrupt for datafile *string***

**Cause:** ORACLE detected a corruption in the file header. A media failure has probably occurred.

**Action:** RESTORE the datafile to a new location, then do a SWITCH, and then retry the RECOVER command.

**RMAN-06074: file *string* is not an ORACLE datafile**

**Cause:** The file header indicates that this file is not a datafile. The file may have been overlaid or corrupted.

**Action:** RESTORE the datafile to a new location, then do a SWITCH, and then retry the RECOVER command.

**RMAN-06075: datafile *string* does not belong to this database**

**Cause:** The file header indicates that this file belongs to some other ORACLE database.

**Action:** RESTORE the datafile to a new location, then do a SWITCH, and then retry the RECOVER command.

**RMAN-06076: datafile *string* contains wrong datafile**

**Cause:** The datafile header indicates the file contains a different datafile number.

**Action:** RESTORE the datafile, and then retry the RECOVER command.

**RMAN-06077: datafile *string* is a different version than contained in the control file**

**Cause:** The control file entry for this datafile specifies a different version of this datafile. Different versions of a datafile can exist when a tablespace is dropped, and a new tablespace is created which reuses the same datafile numbers.

**Action:** If the datafile is correct, fix the control file by using the SWITCH command. Otherwise, RESTORE the correct version of this datafile and retry the RECOVER command.

**RMAN-06078: the control file is older than datafile *string***

**Cause:** The control file appears to be older than the specified datafile, but it is not marked as a backup control file. This indicates that the control file has been replaced with an older version. This error does not occur when a backup control file which was created via Recovery Manager or the ALTER DATABASE BACKUP CONTROLFILE command is restored because such control files are marked as backups.

**Action:** RESTORE a control file and perform RECOVER DATABASE.

**RMAN-06079: database must be mounted to perform recovery**

**Cause:** A RECOVER command was issued, but the target database is not mounted.

**Action:** Issue ALTER DATABASE MOUNT.

---

**RMAN-06080: SWITCH required for datafile *string***

**Cause:** The control file record for this datafile is for an older incarnation of the datafile. A SWITCH command must be issued to update the control file before doing RECOVER.

**Action:** Issue SWITCH command then retry RECOVER.

**RMAN-06081: error reading datafile header for datafile *string*, code *string***

**Cause:** X\$KCVFH returned the specified code in the HXERR column when it was queried for the specified datafile.

**Action:** Ensure the datafile exists and is readable. Using a newer release of Recovery Manager may return a more meaningful error message. If you have no newer version of Recovery Manager, contact Oracle Customer Support.

**RMAN-06082: datafile copy tag *string* is ambiguous**

**Cause:** The specified tag refers to multiple datafile copies belonging to different datafiles.

**Action:** Specify the datafile copy by file name rather than by tag.

**RMAN-06083: error when loading stored script *string***

**Cause:** The recovery catalog database returned an error. This error explains the cause of the problem.

**Action:** Correct the problem and retry.

**RMAN-06084: the target database may not be mounted when issuing REPLICATE**

**Cause:** A REPLICATE command was issued, but the target database is already mounted.

**Action:** Dismount the target database control file by issuing ALTER DATABASE CLOSE and ALTER DATABASE DISMOUNT via Enterprise Manager or Server Manager.

**RMAN-06085: must use SET NEWNAME command to restore datafile *string***

**Cause:** A RESTORE command for the specified datafile could not find a destination name for the specified datafile.

**Action:** Add a SET NEWNAME command prior to the RESTORE command to specify the restore destination for this file.

**RMAN-06086: offline files may only be skipped in a datafile backup set**

**Cause:** The SKIP OFFLINE option was specified for an archived log backup set.

**Action:** Use this option only for datafile backup sets.

**RMAN-06087: read-only files may only be skipped in a datafile backup set**

**Cause:** The SKIP READONLY option was specified for an archived log backup set.

**Action:** Use this option only for datafile backup sets.

**RMAN-06088: datafile copy *string* not found or out of sync with catalog**

**Cause:** The indicated file is not found, or is found but is not the same file that the recovery catalog thinks it is. It is likely that some operation outside of Recovery Manager has altered the file, or that Recovery Manager has not resynced with the target database.

**Action:** Re-catalog the file and retry the operation.

---

**RMAN-06089: archived log *string* not found or out of sync with catalog**

**Cause:** The indicated file is not found, or is found but is not the same file that the recovery catalog thinks it is. It is likely that some operation outside of Recovery Manager has altered the file, or that Recovery Manager has not resynced with the target database.

**Action:** Re-catalog the file and retry the operation.

**RMAN-06090: error while looking up control file copy: *string***

**Cause:** An error occurred while looking up the specified control file copy in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. Ensure that the file name is entered correctly. If the control file copy was created when the recovery catalog was not available, then a RESYNC CATALOG must be done to update the recovery catalog.

**RMAN-06091: no channel allocated for maintenance (of an appropriate type)**

**Cause:** A command was entered that requires a maintenance channel, and no maintenance channel is allocated, or none of the appropriate type.

**Action:** Use ALLOCATE CHANNEL FOR MAINTENANCE before deleting backup pieces, or using the CROSSCHECK or DELETE EXPIRED commands. Proxy copies require a non-DISK channel.

**RMAN-06092: error while looking up backup piece**

**Cause:** An error occurred while looking up the specified backup piece in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. Ensure that the name or key is entered correctly. If the backup piece was created when the recovery catalog was not available, then a RESYNC CATALOG must be done to update the recovery catalog.

**RMAN-06093: recovery catalog contains obsolete version of datafile *string***

**Cause:** The specified datafile number was dropped and then reused. The control file mounted by the target database contains the newer version of the datafile, but the recovery catalog contains information about only the older version.

**Action:** Issue a RESYNC command to update the recovery catalog, then reissue the failing command. If the error persists, contact Oracle Customer Support.

**RMAN-06094: datafile *string* must be restored**

**Cause:** A RECOVER command was issued, and the recovery catalog indicates the specified datafile should be part of the recovery, but this datafile is not listed in the control file, and cannot be found on disk.

**Action:** Issue a RESTORE command for this datafile, using the same UNTIL clause specified to the RECOVER command (if any), then reissue the RECOVER.

**RMAN-06095: a backup control file must be restored to recover datafile *string***

**Cause:** The control file currently mounted by the target database contains a newer incarnation of the datafile than the recovery catalog indicates is appropriate for the Point-in-Time being recovered to.

**Action:** Restore the control file, using the same UNTIL clause specified on the failing RECOVER command, then reissue the command. If no control file can be restored, then you should issue a CREATE CONTROLFILE command.

**RMAN-06096: SWITCH required for newname of datafile *string* to take effect**

---

**Cause:** A SET NEWNAME was issued for this datafile, but no SWITCH command was issued before the RECOVER command.

**Action:** Issue a SWITCH command to make the newname take effect before doing RECOVER.

**RMAN-06098: the target database must be mounted when issuing a BACKUP command**

**Cause:** A BACKUP command was issued, but the target database control file is not mounted.

**Action:** Mount the target database control file by issuing ALTER DATABASE MOUNT via Enterprise Manager or Server Manager.

**RMAN-06099: error occurred in source file: *string*, line: *number***

**Cause:** See accompanying error.

**Action:** See accompanying error.

**RMAN-06100: no channel to restore a backup or copy of datafile *number***

**Cause:** A datafile, tablespace, or database restore could not proceed because the backup of the indicated file exists on a device type that was not allocated for restore.

**Action:** None - this is an informational message. See message 6026 for further details.

**RMAN-06101: no channel to restore a backup or copy of the control file**

**Cause:** A control file restore could not proceed because the backup of the indicated file exists on a device type that was not allocated for restore.

**Action:** None - this is an informational message. See message 6026 for further details.

**RMAN-06102: no channel to restore a backup or copy of archived log for thread *number* with sequence *number* and starting SCN of *string***

**Cause:** An archived log restore could not proceed because the backup of the indicated file exists on a device type that was not allocated for restore.

**Action:** None - this is an informational message. See message 6026 for further details.

**RMAN-06103: duplicate qualifier found in REPORT command: *string***

**Cause:** The indicated qualifier appears more than once in a REPORT qualifier list.

**Action:** delete the duplicate qualifier

**RMAN-06105: duplicate qualifier found in LIST command: *string***

**Cause:** The indicated qualifier appears more than once in a LIST qualifier list.

**Action:** delete the duplicate qualifier

**RMAN-06106: this command requires that target database be mounted**

**Cause:** A command was issued that requires the target database to be mounted, but the target database is not mounted.

**Action:** Mount the target database control file by issuing ALTER DATABASE MOUNT via Enterprise Manager or Server Manager.

**RMAN-06107: WARNING: control file is not current for REPORT NEED BACKUP DAYS**

---

**Cause:** The REPORT NEED BACKUP DAYS command may report some files as requiring backups when they really do not, because the most current online status of the file is not known unless a current control file is mounted.

**Action:** No action is required, however, a current control file should be mounted, if possible, to get the most accurate REPORT output.

**RMAN-06108: changed datafile copy unavailable**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06109: changed archived log unavailable**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06110: changed control file copy unavailable**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06111: changed backup piece unavailable**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06112: changed datafile copy available**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06113: changed archived log available**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06114: changed control file copy available**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06115: changed backup piece available**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06116: cannot crosscheck unavailable object**

**Cause:** An attempt was made to crosscheck an object which is unavailable.

**Action:** Make object available and try again or don't crosscheck object.

**RMAN-06117: cannot do DELETE EXPIRED on an object which is not expired**

**Cause:** An attempt was made to DELETE EXPIRED an object which is not expired.

**Action:** Remove EXPIRED keyword, crosscheck object, or don't delete object.

**RMAN-06118: a backup control file older than SCN *string* must be used for this recovery**

**Cause:** An attempt was made to recover the database, but some files had no backup, and were not present in the control file at the beginning of the restore.

This happens when the control file used during the recovery is a backup control

---

file taken before the creation of some of the files that had no backup. In this situation, the control file that is used must be taken before the creation of all files that have no backup. This will enable RMAN to automatically re-create all of the files that had no backup.

**Action:** Restore a control file that was backed up before the specified SCN. The following RMAN commands can be used to do this: SET UNTIL SCN <x>; (where <x> is the SCN displayed in the message) RESTORE CONTROLFILE;

**RMAN-06119: uncataloged datafile copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06120: uncataloged archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06121: uncataloged control file copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06122: CHANGE .. UNCATALOG not supported for BACKUPSET**

**Cause:** The CHANGE BACKUPSET .. UNCATALOG command was entered. The UNCATALOG operation is not supported with backup set.

**Action:** Use CHANGE BACKUPSET .. DELETE instead.

**RMAN-06123: operation not supported without the recovery catalog or mounted control file**

**Cause:** A command was used which requires a connection to a recovery catalog database or the target database to be mounted. The command cannot be used when no backup repository is available.

**Action:** If a recovery catalog database is available, then connect to the recovery catalog and retry the command, otherwise enter a different command.

**RMAN-06124: error while looking up datafile copy key: *number***

**Cause:** An error occurred while looking up the specified datafile copy key in the recovery catalog.

**Action:** This error is accompanied by other errors describing the reason for the failure.

**RMAN-06125: error while looking up archived log key: *number***

**Cause:** An error occurred while looking up the specified archived log key in the recovery catalog.

**Action:** This error is accompanied by other errors describing the reason for the failure.

**RMAN-06126: skipping offline file *string***

**Cause:** The indicated file will not be included in the backup set because it is offline and the SKIP OFFLINE option was specified.

**Action:** No action is required.

**RMAN-06127: skipping read-only file *string***

---

**Cause:** The indicated file will not be included in the backup set because it is read only and the SKIP READONLY option was specified.

**Action:** No action is required.

**RMAN-06128: skipping inaccessible file *string***

**Cause:** The indicated file will not be included in the backup set because it could not be read, and the SKIP INACCESSIBLE option was specified.

**Action:** No action is required.

**RMAN-06129: invalid reserved channel ID: *string***

**Cause:** The specified channel id is invalid. DELETE and DEFAULT are reserved channel names and may not be specified by users.

**Action:** Specify a different channel ID.

**RMAN-06131: SKIP OFFLINE/READONLY only allowed with current control file**

**Cause:** The SKIP OFFLINE and SKIP READONLY options are only permitted when the target database control file is current. When the target control file is not current, it is not possible to obtain a datafile's offline/read only status.

**Action:** Remove the skip option or mount a current control file on the target database.

**RMAN-06132: cannot backup datafile *string* because it is not in the control file**

**Cause:** A backup command was issued that includes the specified datafile, but the datafile is not listed in the control file. The control file is not current (it is a backup or a created control file).

**Action:** Recover the control file to make it current, then retry the backup command.

**RMAN-06133: recovery catalog may have obsolete data for datafile *string***

**Cause:** A RESTORE UNTIL was issued, and the recovery catalog choose an older incarnation of the datafile than is listed in the control file.

**Action:** If the recovery catalog has correct data for the datafile, then restore a backup control file using the same UNTIL clause, then retry the datafile restore. Otherwise, restore a backup of the incarnation of the datafile listed in the control file.

**RMAN-06134: host command complete**

**Cause:** An operating system command has completed.

**Action:** None - this is an informational message.

**RMAN-06135: error executing host command: *string***

**Cause:** A host command returned a non-zero return code.

**Action:** Correct the offending command.

**RMAN-06136: ORACLE error from auxiliary database: *string***

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-06137: must have recovery catalog for REPORT SCHEMA AT TIME**

**Cause:** A "REPORT SCHEMA at\_clause" command was issued, but there is no recovery catalog database.

---

**Action:** If you are not using a recovery catalog, then you may only issue the "REPORT SCHEMA" command with no at\_clause.

**RMAN-06138: control file not mounted - must specify AT clause with REPORT command**

**Cause:** A "REPORT SCHEMA" with no at\_clause was issued, and there is no recovery catalog, and there is also no control file mounted at the target database, so there is no place to get the information about the current list of files comprising the database.

**Action:** Use a recovery catalog or mount a control file at the target database.

**RMAN-06139: WARNING: control file is not current for REPORT SCHEMA**

**Cause:** A "REPORT SCHEMA" with no at\_clause was issued, and there is no recovery catalog, and the control file mounted by the target instance is not current, so the information about the current list of datafiles may not be current.

**Action:** Use a recovery catalog or mount a current control file.

**RMAN-06140: cannot specify TAG option with LIST INCARNATION**

**Cause:** The TAG option was specified with LIST INCARNATION. This is not permitted because there is no TAG associated with a database incarnation.

**Action:** Remove the TAG option and re-run the LIST command.

**RMAN-06141: cannot specify ARCHIVELOG LIKE option with RESTORE**

**Cause:** The ARCHIVELOG LIKE option was specified with RESTORE. This is not permitted because recovery catalog contains only those records that are not deleted from disk.

**Action:** Remove the ARCHIVELOG LIKE option and re-run the command.

**RMAN-06142: DEVICE TYPE cannot be specified with this command**

**Cause:** The DEVICE TYPE option was specified with a command that does not support it.

**Action:** Remove the DEVICE TYPE option and re-run the command.

**RMAN-06143: LIKE may only be specified with COPY**

**Cause:** The LIKE option was specified with a RMAN command. This is not permitted because only copies of datafiles, control files or archived logs have file names that may be tested with a LIKE operand.

**Action:** Remove the LIKE option and re-run the RMAN command.

**RMAN-06144: FROM or UNTIL may not be specified with LIST INCARNATION**

**Cause:** The FROM or UNTIL option was specified with LIST INCARNATION. This is not permitted because there is no time associated with a database incarnation.

**Action:** Remove the FROM or UNTIL option and re-run the LIST command.

**RMAN-06145: control file is not current - obsolete file list may be incomplete**

**Cause:** A CHANGE or REPORT command needs to compute the list of backups that are redundant and may be deleted. If the mounted control file is not current, it may not be possible to determine if a satisfactory backup exists for files which have been offline since the last OPEN RESETLOGS.

**Action:** No action need be taken - this is an informational message only. To ensure a complete report of obsolete backups, mount a current control file.

---

**RMAN-06146: changes found for file *number* beyond offline SCN**

**Cause:** A CHANGE or REPORT command needs to compute the list of backups that are redundant and may be deleted. A backup was found for a file which is shown as offline in the target database control file, but the backup contains changes beyond the SCN when the file went offline. This is most likely because the target database control file is not really current, but is a restored copy of an older control file.

**Action:** Mount a current control file or a backup control file.

**RMAN-06147: no obsolete backups found**

**Cause:** A CHANGE or REPORT command could find no files that meet the specified criteria for obsolescence.

**Action:** None - this is an informational message.

**RMAN-06148: redundancy count must be greater than zero**

**Cause:** The REDUNDANCY operand specified for a CHANGE or REPORT OBSOLETE command was zero.

**Action:** Specify a REDUNDANCY operand of 1 or greater.

**RMAN-06150: auxiliary name for datafile *number* set to: *string***

**Cause:** This message is issued in response to a CONFIGURE AUXNAME command.

**Action:** None - this is an informational message.

**RMAN-06151: datafile *string* creation SCN *string***

**Cause:** This is an informational message. It should be accompanied by other messages.

**Action:** None

**RMAN-06153: validation failed for datafile copy**

**Cause:** The CHANGE DATAFILECOPY VALIDATE command found that the datafile copy could not be found or no longer contains the same data, so its record was deleted from the recovery catalog.

**Action:** None - this is an informational message.

**RMAN-06154: validation succeeded for datafile copy**

**Cause:** The CHANGE DATAFILECOPY VALIDATE command found that the datafile copy still matches its data in the recovery catalog.

**Action:** None - this is an informational message.

**RMAN-06155: validation failed for control file copy**

**Cause:** The CHANGE CONTROLFILECOPY VALIDATE command found that the control file copy could not be found or no longer contains the same data, so its record was deleted from the recovery catalog.

**Action:** None - this is an informational message.

**RMAN-06156: validation succeeded for control file copy**

**Cause:** The CHANGE CONTROLFILECOPY VALIDATE command found that the control file copy still matches its data in the recovery catalog.

**Action:** None - this is an informational message.

**RMAN-06157: validation failed for archived log**

---

**Cause:** The CROSSCHECK ARCHIVELOG command determined that the archived log could not be found or no longer contained the same data, so its record was marked expired.

**Action:** None - this is an informational message.

**RMAN-06158: validation succeeded for archived log**

**Cause:** The CROSSCHECK ARCHIVELOG command or VALIDATE HEADER option determined that the archived log still matches its data.

**Action:** None - this is an informational message.

**RMAN-06159: error while looking up backup set**

**Cause:** An error occurred while looking up the specified backup set in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. Ensure that the key is entered correctly. If the backup set was created when the recovery catalog was not available, then a RESYNC CATALOG must be done to update the recovery catalog.

**RMAN-06160: no backup pieces found for backup set key: *number***

**Cause:** No backup pieces for the requested backup set were found in the recovery catalog, or the target database control file.

**Action:** Specify an existing backup set.

**RMAN-06161: error when inspecting auxiliary file name: *string***

**Cause:** This error is accompanied by other errors explaining the cause.

**Action:** Correct the auxiliary file name if it is wrong via the CONFIGURE AUXNAME command.

**RMAN-06162: sql statement: *string***

**Cause:** This is the sql statement about to be executed for a SQL command.

**Action:** None, informational message only.

**RMAN-06163: some datafiles cannot be recovered, aborting the RECOVER command**

**Cause:** This message should be followed by one or more 6162 or 6164 messages.

**Action:** Check the accompanying errors.

**RMAN-06164: WARNING: no channel of required type allocated to recover datafile *number***

**Cause:** A RECOVER command could not proceed because incremental backup sets or archived log backup sets exist on a device type that has not been allocated.

**Action:** Use the LIST command to determine which device type is needed, then allocate a channel of that type.

**RMAN-06165: datafile *string* is too old to recover, restore a more recent copy**

**Cause:** The archived logs and/or incremental backup sets required to recover the datafile do not exist, but a more recent backup of the datafile exists which can be recovered.

**Action:** Issue a RESTORE for the datafile, then reissue the RECOVER command.

**RMAN-06166: datafile *string* cannot be recovered**

---

**Cause:** Incremental backups or archived redo logs needed to recover the datafile cannot be found, and no recoverable full backup or datafile copy exists.

**Action:** Use the LIST command to see if there is a backup set or datafile copy that can be made AVAILABLE. If not, then the datafile is unrecoverable. If a full or datafile copy exists, then a Point-in-Time Recovery may be possible.

**RMAN-06167: already connected**

**Cause:** a CONNECT command was issued, but RMAN is already connected to the specified database.

**Action:** RMAN has no DISCONNECT command, so to connect to a different instance, exit RMAN and start it again.

**RMAN-06168: no backup pieces with this tag found: *string***

**Cause:** A tag was used to specify a list of backup pieces, but no backup pieces with this tag could be found.

**Action:** Make sure the tag is specified correctly.

**RMAN-06169: could not read file header for datafile *string* error reason *string***

**Cause:** The specified datafile could not be accessed. The reason codes are: 1 - file name is MISSINGxx in the control file 2 - file is offline 3 - file is not verified 4 - DBWR could not find the file 5 - unable to open file 6 - I/O error during read 7 - file header is corrupt 8 - file is not a datafile 9 - file does not belong to this database 10 - file number is incorrect 12 - wrong file version 15 - control file is not current

**Action:** If the error can be corrected, do so and retry the operation. The SKIP option can be used to ignore this error during a backup.

**RMAN-06170: no control file copy found with offline range RECID *string* STAMP *string* datafile *string***

**Cause:** This offline range is needed for recovering the specified data file, but the offline range record has aged out of the current control file and no control file copy with the record could be accessed. At least 1 control file copy containing the offline range was found in the recovery catalog and was in AVAILABLE status.

**Action:** Query the RC\_CONTROLFILE\_COPY view for the names of all control file copies, then issue a CHANGE CONTROLFILECOPY ... VALIDATE; command for them. Then reissue the RECOVER command.

**RMAN-06171: not connected to target database**

**Cause:** A command was issued but no connection to the target database has been established.

**Action:** Issue a CONNECT TARGET command to connect to the target database.

**RMAN-06172: no AUTOBACKUP found or specified handle is not a valid copy or piece**

**Cause:** A restore could not proceed because no AUTOBACKUP was found or specified handle is not a valid copy or backup piece. In case of restore from AUTOBACKUP, it may be the case that a backup exists, but it does not satisfy the criteria specified in the user's restore operands. In case of restore from handle, it may be the handle is not a backup piece or control file copy. It may be that it does not exist.

**Action:** Modify AUTOBACKUP search criteria or verify the handle.

**RMAN-06173: SET NEWNAME command has not been issued for datafile *string* when restore auxiliary**

---

**Cause:** Auxiliary type was specified for the control file, but no SET NEWNAME command has been previously issued for a datafile.

**Action:** Issue SET NEWNAME command for every datafile in the recovery set.

**RMAN-06174: not connected to auxiliary database**

**Cause:** An auxiliary command was issued but no connection to a auxiliary database has been established.

**Action:** Issue a CONNECT AUXILIARY command to connect to the auxiliary database.

**RMAN-06175: deleted script: *string***

**Cause:** A DELETE SCRIPT command was executed.

**Action:** None, informational message only.

**RMAN-06176: no recovery required; all files are read only or offline**

**Cause:** A RECOVER DATABASE command does not need to recover any files because all of the files to be recovered are offline or read only. This can only occur when the SKIP clause includes the SYSTEM tablespace.

**Action:** None, informational message only

**RMAN-06177: restore not done; all files read only, offline, or already restored**

**Cause:** A RESTORE command does not need to restore any files, because all of the files to be restored are offline, read-only, or are already restored to their correct destinations.

**Action:** None, informational message only

**RMAN-06178: datafile *number* not processed because file is offline**

**Cause:** A RESTORE DATABASE or RECOVER DATABASE command omitted processing the indicated datafile because it is offline clean at the desired point in time.

**Action:** None, informational message only

**RMAN-06179: datafile *number* not processed because file is read-only**

**Cause:** A RESTORE DATABASE or RECOVER DATABASE command omitted processing the indicated datafile because it is part of a read-only tablespace at the desired point in time.

**Action:** None, informational message only

**RMAN-06180: incremental backups require Enterprise Edition**

**Cause:** A BACKUP command with INCREMENTAL LEVEL > 0 was specified.

**Action:** Use FULL, or INCREMENTAL LEVEL 0.

**RMAN-06181: multiple channels require Enterprise Edition**

**Cause:** Attempt to allocate more than 1 channel in a job.

**Action:** Remove all except one ALLOCATE CHANNEL command.

**RMAN-06182: archived log *string* of thread *string* with sequence *string* larger than MAXSETSIZE**

**Cause:** A BACKUP ARCHIVELOG command specified the MAXSETSIZE operand too low. The specified archived log is larger than MAXSETSIZE will allow.

**Action:** Increase MAXSETSIZE limit.

---

**RMAN-06183: datafile or datafile copy *string* (file number *string*) larger than MAXSETSIZE**

**Cause:** A BACKUP DATAFILE(copy) command specified the MAXSETSIZE operand too low. The specified datafile is larger than MAXSETSIZE will allow.

**Action:** Increase MAXSETSIZE limit.

**RMAN-06184: duplicate object in backup specifier: *string string***

**Cause:** A backup command specifies the same datafile or copy of a data file multiple times.

**Action:** Eliminate the duplicates.

**RMAN-06185: Recovery Manager incompatible with *string* database: RMAN *number.number.number.number* to *number.number.number.number* required**

**Cause:** This version of recovery manager was incompatible with the indicated database or the DBMS\_BACKUP\_RESTORE package installed in the indicated database.

**Action:** If the database has been upgraded from an earlier version, ensure that the catxxx.sql script has been run successfully. Re-install dbmsbkrs.sql and prvtbkrs.plb if necessary. Otherwise, use a version of RMAN within the range specified in the error message.

**RMAN-06186: PL/SQL package *string.string* version *string* in *string* database is too old**

**Cause:** The specified PL/SQL package is a version that is too old to work with this version of the Recovery Manager (RMAN).

**Action:** If the database indicated is CATALOG, then you can use the UPGRADE CATALOG command to upgrade the recovery catalog to the most current version. If the database is TARGET or AUXILIARY, then you must either upgrade the specified database or use an older version of RMAN.

**RMAN-06187: control file copy *string* not found or out of sync with catalog**

**Cause:** The indicated file is not found, or is found but is not the same file that the recovery catalog thinks it is. It is likely that some operation outside of Recovery Manager has altered the file, or that Recovery Manager has not resynced with the target database.

**Action:** Re-catalog the file and retry the operation.

**RMAN-06188: cannot use command when connected to a mounted target database**

**Cause:** An attempt was made to issue a command that can be used only when there is no connection to the target database or when the target database is not mounted.

**Action:** Dismount the database or restart RMAN and use the command before connecting to the target database.

**RMAN-06189: current DBID *number* does not match target mounted database (*number*)**

**Cause:** SET DBID was used to set a DBID that does not match the DBID of the database to which RMAN is connected.

**Action:** If the current operation is a restore to copy the database, do not mount the database. Otherwise, avoid using the SET DBID command, or restart RMAN.

**RMAN-06190: PL/SQL package *string.string* version *string* in *string* database is not current**

---

**Cause:** RMAN detected an old version of the specified package. RMAN will execute in backwards-compatible mode.

**Action:** No action is required, but certain features and bug-fixes may not be available when RMAN runs in backwards-compatible mode. If the database is CATALOG, then you can use the UPGRADE CATALOG command to upgrade the recovery catalog to the most current version. If the database is TARGET or AUXILIARY, then you must either upgrade the specified database or use an older version of RMAN. The files that must be run to upgrade the target or auxiliary database are dbmsrman.sql and prvtrman.plb.

**RMAN-06191: PL/SQL package *string.string* version *string* in *string* database is too new**

**Cause:** RMAN detected an incompatible version of the specified package.

**Action:** Use a newer version of recovery manager. Message 6439 indicates the minimum required version of recovery manager.

**RMAN-06192: maximum value for MAXPIECESIZE or MAXSETSIZE must be between 1 Kb and 2048 Gb**

**Cause:** Input size for MAXPIECESIZE or MAXSETSIZE was out of range.

**Action:** Specify a valid size and retry the command.

**RMAN-06193: connected to target database (not started)**

**Cause:** This is an informational message only.

**Action:** The database must be started before any other RMAN commands are issued.

**RMAN-06194: target database instance not started**

**Cause:** A command was issued that requires the target database instance be started.

**Action:** Issue a STARTUP command to start the instance.

**RMAN-06195: auxiliary database not started**

**Cause:** A command was issued that requires the auxiliary database instance be started.

**Action:** Issue a STARTUP AUXILIARY command.

**RMAN-06196: Oracle instance started**

**Cause:** A STARTUP command completed successfully.

**Action:** None, this is an informational message.

**RMAN-06197: Total System Global Area *string* bytes**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06198: *string string* bytes**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06199: database mounted**

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-06200: Changed *string* objects to AVAILABLE status**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06201: Deleted *string* objects**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06202: Deleted *string* EXPIRED objects**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06203: Changed KEEP options for *string* objects**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06204: Changed *string* objects to UNAVAILABLE status**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06205: Uncataloged *string* objects**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06206: Crosschecked *string* objects**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06207: WARNING: *string* objects could not be deleted for *string* channel(s) due**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06208: to mismatched status. Use CROSSCHECK command to fix status**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06209: List of failed objects**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06210: List of Mismatched objects**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06211: =====**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06212: Object Type Filename/Handle**

**Cause:** This is an informational message only.

---

**Action:** No action is required.

**RMAN-06213: -----**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06214: *string string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06215: List of objects that must perform same operation at other database**

**Cause:** This is an informational message only.

**Action:** The specified list of objects were not accessible at connected target database. Re-run the CROSSCHECK command after connecting to database that has DB\_UNIQUE\_NAME displayed in output for the specified object.

**RMAN-06216: WARNING: db\_unique\_name mismatch - *string* objects could not be updated**

**Cause:** This is an informational message only.

**Action:** Run CROSSCHECK command after connecting to a primary or physical standby database that can access the specified objects.

**RMAN-06217: not connected to auxiliary database with a net service name**

**Cause:** A command that moves files from the target instance to the auxiliary instance was requested. Such a command requires a net service name be present in the connect string used to connect to the auxiliary instance.

**Action:** Issue a CONNECT AUXILIARY command and include a net service name in the connect string. That service name must be valid on the target instance.

**RMAN-06218: List of objects requiring same operation on database with db\_unique\_name *string***

**Cause:** This is an informational message only.

**Action:** The specified list of objects were not accessible by the target database. Re-run the same command after connecting to database that has DB\_UNIQUE\_NAME displayed in output for the specified object.

**RMAN-06219: List of objects not associated with all known db\_unique\_names**

**Cause:** This is an informational message only.

**Action:** The specified list of objects were not accessible by the target database. Re-run the same command after connecting to primary database or physical standby database that can access the specified objects.

**RMAN-06220: Creating automatic instance, with SID="*string*"**

**Cause:** No connection to the auxiliary instance was provided, but the command requires an auxiliary instance.

**Action:** No action is required unless you want to create a permanent database, in which case you should stop the command and re-run it, providing an auxiliary instance connection.

**RMAN-06221: Removing automatic instance**

**Cause:** RMAN is removing the automatic auxiliary instance that was created for this command.

---

**Action:** No action is required.

**RMAN-06223: starting up automatic instance *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06224: Automatic instance created**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06225: shutting down automatic instance *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06226: Automatic instance removed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06230: List of Stored Scripts in Recovery Catalog**

**Cause:** This message is issued in response to a LIST SCRIPT NAMES command. The following fields are shown for each script that is stored in the recovery catalog: Header indicating to what database the script belongs. Script Name: name of the script. Description: comment associated with this script.

**Action:** No action is required.

**RMAN-06238: List of Databases**

**Cause:** This message is issued in response to a LIST DB\_UNIQUE\_NAME command. The following fields are shown for each database that is known to the recovery catalog: DB Key: This is the unique key which identifies this database in the recovery catalog. DB Name: The name of the database. DB ID: The database ID. This is a number which remains the same for the life of the database, even if the database name is changed. DB\_UNIQUE\_NAME: db\_unique\_name value for the database.

**Action:** No action is required.

**RMAN-06246: List of Database Incarnations**

**Cause:** This message is issued in response to a LIST INCARNATION OF DATABASE command. The following fields are shown for each database that is registered with the recovery catalog: DB Key: This is the unique key which identifies this database in the recovery catalog. Inc Key: This is the unique key which identifies this incarnation of the database in the recovery catalog. DB Name: The name of the database. DB ID: The database ID. This is a number which remains the same for the life of the database, even if the database name is changed. Status: "YES" if this is the current incarnation of this database, otherwise "NO". Reset SCN: SCN of the most recent RESETLOGS operation. Reset Time: Time of the most recent RESETLOGS operation.

**Action:** No action is required.

**RMAN-06250: Report of files that need backup due to unrecoverable operations**

**Cause:** An unlogged change (such as "create table unrecoverable") has been made to this file, and the most recent backup of the file does not contain those changes.

---

**Action:** Take a backup of this file. If this file is lost before a backup is taken, then the unlogged modifications will be lost. The message indicates whether a full backup is required or whether an incremental backup will suffice.

**RMAN-06263: *string string string***

**Cause:** This message is issued in response to the REPORT NEED BACKUP INCREMENTAL command, for those files which would use more than the specified number of incrementals during recovery.

**Action:** To reduce the number of incremental backups which would be used during recovery of this datafile, take a new full backup of this file now.

**RMAN-06270: Report of files whose recovery needs more than *number* days of archived logs**

**Cause:** This message is issued in response to the REPORT NEED BACKUP DAYS command for those files which need more than the specified number of days" archived logs for recovery.

**Action:** To reduce the number of log files needed for recovery of this datafile, take a new full or incremental backup now.

**RMAN-06274: Report of files that must be backed up to satisfy *number* days recovery window**

**Cause:** This message is issued in response to the REPORT NEED RECOVERY WINDOW OF n DAYS command for those files that must be backed up to satisfy specified retention policy.

**Action:** To satisfy specified recovery window for this datafile, take a new full or incremental backup now.

**RMAN-06275: invalid number of days specified for report : *string* days**

**Cause:** This message is issued in response to the REPORT NEED RECOVERY WINDOW OF n DAYS or REPORT NEED BACKUP DAYS n command when an invalid number of days was specified in input command.

**Action:** The number of days specified in REPORT command must be greater than zero.

**RMAN-06280: Report of obsolete backups and copies**

**Cause:** This message is issued in response to the REPORT OBSOLETE command. Each of the files listed is obsolete because it is more redundant than the level of redundancy specified in the REPORT command.

**Action:** Depending on your needs, you might need to take new backups.

**RMAN-06290: Report of database schema for database with *db\_unique\_name string***

**Cause:** This message is issued in response to the REPORT SCHEMA command. The report shows the physical schema of the database at the indicated time. The following fields are shown for each datafile and tempfile: File: The file number. Size(MB): The size of the file in mega bytes. Tablespace: The name of the tablespace which contains this file. RB segs: YES if this file is part of a tablespace containing rollback segments, otherwise NO. Datafile/Tempfile Name: The file name. Maxsize(MB): Maximum file size to which file can be extended

**Action:** No action is required.

**RMAN-06300: Report of files with less than *number* redundant backups**

---

**Cause:** This message is issued when the REPORT NEED BACKUP REDUNDANCY command is used for those files which have less than the specified number of backups which can be used for recovery.

**Action:** Take another backup of the datafiles listed.

**RMAN-06306: =====**

**Cause:** This message is issued in response to a LIST BACKUP DATABASE/TABLESPACE/DATAFILE command when some backups were taken with the PROXY option. If a recovery catalog is in use, then the information comes from the recovery catalog, otherwise it comes from the target database control file. The following fields are shown for each proxy datafile backup. Key: This is the unique key which identifies this proxy backup in the recovery catalog. This value can be used in a CHANGE command to change its status. If the target database control file is being used as the recovery catalog, then this field uniquely identifies this copy in the control file. File: The file number that this file was copied from. Status: This is the status of the file. Possible values are: A - Available U - Unavailable D - Deleted X - Expired Status "U" will not be used if the target database control file is being used as the recovery catalog. Completion time: This is the date and time when the backup was created. This column will be printed in the default Oracle date format, unless overridden with a NLS\_DATE\_FORMAT environment variable. Ckp SCN: This is the checkpoint SCN of the backup. The file contains all changes made at or before this SCN. Ckp time: This is the time that the file was last checkpointed. Handle: This is the media manager handle of the proxy backup.

**Action:** No action is required.

**RMAN-06378: List of Backup Sets**

**Cause:** This message is issued in response to a LIST BACKUP command.

**Action:** No action is required.

**RMAN-06400: database opened**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06401: database is already started**

**Cause:** A STARTUP command without the FORCE option was issued, but the target database is already started.

**Action:** Use the FORCE option if you want to restart the database.

**RMAN-06402: Oracle instance shut down**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06403: could not obtain a fully authorized session**

**Cause:** The most likely cause of this error is that one of the databases to which RMAN had previously connected is not started or has has been shutdown. Other error messages should identify exactly which database is the problem.

**Action:** Startup the database causing the problem.

**RMAN-06404: database dismounted**

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-06405: database closed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06406: deleted archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06407: auxiliary instance file *string* deleted**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06408: recovery catalog upgraded to version *string***

**Cause:** This is an informational message issued by the UPGRADE CATALOG command. It indicates the version of the recovery catalog schema to which the recovery catalog was just upgraded. Note that this version number may not reflect the version number of your rman executable or target database, because the recovery catalog schema is not changed with each Oracle release.

**Action:** No action is required.

**RMAN-06409: LIKE clause in LIST BACKUP OF ARCHIVELOG is not supported**

**Cause:** LIST BACKUP OF ARCHIVELOG LIKE was used, which is not supported.

**Action:** Remove LIKE clause from command.

**RMAN-06410: cannot use command when channels are allocated**

**Cause:** An attempt was made to issue a command that can be used only when there are no allocated channels.

**Action:** Do not use the command, or de-allocate channels and use the command when no channels are allocated.

**RMAN-06411: backup copies setting out of range (1-4): *number***

**Cause:** An attempt was made to set backup copies to an invalid value.

**Action:** Use a value in the specified range.

**RMAN-06412: no proxy copy channel found**

**Cause:** A proxy copy was started, but no allocated channel supports proxy copy. This could be because the media management software used by the target database does not support proxy copy, or because all of the allocated channels are of type DISK, which never support proxy copy.

**Action:** If this is a backup, then either allocate a non-disk channel, or do not use the PROXY option. If this is a restore, then a channel of the same type which created the proxy backup was allocated, but now does not support proxy copy. If proxy copy is no longer supported by the media management software at the target database, the CROSSCHECK or CHANGE commands should be used so that those backups will not be considered for further restores.

**RMAN-06413: channel *string* does not support proxy copy**

**Cause:** The channel which was specified for this backup or restore does not support proxy copy. This could be because the media management software used by the target database does not support proxy copy, or because the channel is of type DISK, which never supports proxy copy.

---

**Action:** If this is a backup, then either allocate a non-disk channel, or do not use the PROXY option. If this is a restore, then a channel of the same type which created the proxy backup was allocated, but now does not support proxy copy. If proxy copy is no longer supported by the media management software at the target database, the CROSSCHECK command should be used so that those backups will not be considered for further restores.

**RMAN-06414: target database COMPATIBLE option does not support proxy copy**

**Cause:** PROXY was specified, and the target database uses a media manager that supports proxy copy, but the COMPATIBLE initialization parameter of the target database must be 8.1.0 or greater to create proxy backups. If the database is downgraded to the earlier release that is specified in the COMPATIBLE parameter, then it will no longer be able to restore proxy backups.

**Action:** Either take a non-proxy backup or change the target database COMPATIBLE parameter.

**RMAN-06415: file *string* cannot be proxy backed up**

**Cause:** The PROXY option was specified, but the media management software used by the target database cannot back up the specified file using proxy copy. If PROXY ONLY was specified, then the backup is terminated. If PROXY was specified, then this file will be placed into a non-proxy backup set.

**Action:** Remove the ONLY option to place the files into a regular backup set, or contact the media management vendor if you believe that the media management software should support proxy copy of this file.

**RMAN-06416: PROXY ONLY was specified and some files could not be proxy copied**

**Cause:** PROXY ONLY was specified, and some of the files to be backed up could not be backed up by the media management software used by the target database. Message 6415 is issued for each file that cannot be proxy copied.

**Action:** Remove the ONLY option to place the files into a regular backup set, or contact the media management vendor if you believe that the media management software should support proxy copy of these files.

**RMAN-06417: command not allowed when connected to a virtual private catalog**

**Cause:** The command that was entered cannot be used while connected to a virtual private catalog.

**Action:** Connect to the base catalog and re-execute the command.

**RMAN-06418: proxy incremental backups with level > 0 not supported**

**Cause:** PROXY was specified for a non-level-zero incremental backup. Proxy backups may only be full or level 0 backups.

**Action:** Remove one of the conflicting options.

**RMAN-06419: file *string* cannot be proxy restored from handle *string***

**Cause:** The media management software used by the target database indicated that it cannot restore the specified file from the specified backup handle.

**Action:** Consult the media management software documentation to find out why this restriction exists or contact the media management vendor.

**RMAN-06420: some files could not be proxy restored - aborting restore**

---

**Cause:** Some of the files to be restored could not be restored by the media management software used by the target database. Message 6419 is issued for each file that cannot be restored.

**Action:** Contact the media management vendor if you believe that the media management software should support proxy copy of these files. The CROSSCHECK or CHANGE commands can be used to remove these proxy copies from the catalog to prevent the RESTORE command from trying to restore from them.

**RMAN-06421: sent command to channel: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06422: no channels found for SEND command**

**Cause:** No channels with the specified names or device types were found. If no channel qualifiers were specified, then no channels were allocated.

**Action:** Specify a different channel type or allocate a channel of the desired type.

**RMAN-06423: requested limit of *number* exceeds vendor limit of *number***

**Cause:** A SETLIMIT CHANNEL command was used to set the backup piece size limit, but the media management software used by the target database cannot create backup pieces that large.

**Action:** Specify a smaller backup piece limit.

**RMAN-06424: error while looking up proxy copy**

**Cause:** An error occurred while looking up the specified proxy copy in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. Ensure that the name or key is entered correctly. If the proxy copy was created when the recovery catalog was not available, then a RESYNC CATALOG must be done to update the recovery catalog.

**RMAN-06425: <datafile pathname not available>**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06426: RECOVERY\_CATALOG\_OWNER role must be granted to user *string***

**Cause:** The CREATE CATALOG or UPGRADE CATALOG command was used, but the USERID that was supplied in the CATALOG connect string does not have the RECOVERY\_CATALOG\_OWNER role granted as a DEFAULT role.

**Action:** Grant the RECOVERY\_CATALOG\_OWNER role to the recovery catalog owner.

**RMAN-06427: recovery catalog already exists**

**Cause:** The CREATE CATALOG command cannot be used when the recovery catalog already exists.

**Action:** Use the UPGRADE CATALOG command to upgrade your recovery catalog to the most current release without losing any existing backup data. Use the DROP CATALOG command to remove an existing recovery catalog.

**RMAN-06428: recovery catalog is not installed**

**Cause:** A recovery catalog database connection has been made, but the recovery catalog tables and views have not been installed.

---

**Action:** If you mis-typed the recovery catalog owner USERID, then correct the USERID and reconnect to the recovery catalog. If this is the first time that you have signed on to Recovery Manager with this recovery catalog owner USERID, then use the CREATE CATALOG command to create the recovery catalog schema. Alternatively, exit RMAN and connect without specifying a recovery catalog connection.

**RMAN-06429: *string* database is not compatible with this version of RMAN**

**Cause:** The indicated database is not compatible with this version of the Recovery Manager (RMAN). Other messages have also been issued which detail the cause of the error.

**Action:** See the other messages. If the database is CATALOG, then you may be able to use the CREATE CATALOG or UPGRADE CATALOG commands to correct the problem. If the database is TARGET or AUXILIARY, then you must either upgrade the target database or use a newer version of the RMAN executable.

**RMAN-06430: recovery catalog USERID cannot be SYS**

**Cause:** A recovery catalog connection was made to USERID SYS. The recovery catalog must be created in a USERID other than SYS.

**Action:** Specify a different USERID in the CATALOG connect string.

**RMAN-06431: recovery catalog created**

**Cause:** This is an informational message issued by the CREATE CATALOG command.

**Action:** No action is required.

**RMAN-06432: recovery catalog dropped**

**Cause:** This is an informational message issued by the DROP CATALOG command.

**Action:** No action is required.

**RMAN-06433: error installing recovery catalog**

**Cause:** An error was received from the recovery catalog database while it was being installed. Another error message shows the error message from the server.

**Action:** The most common reasons for failure to install the recovery catalog are:

- Lack of space in the recovery catalog database: allocate more space, use the DROP CATALOG command to remove any partially installed recovery catalog, and retry the command.
- Object already exists: This is caused by a partial recovery catalog installation. Use the DROP CATALOG command to remove the partially installed recovery catalog and retry the command.

**RMAN-06434: some errors occurred while removing recovery catalog**

**Cause:** Some errors were received from the recovery catalog database while removing the recovery catalog.

**Action:** Correct the error(s) and retry the command. Note that Recovery Manager intercepts and ignores common errors, such as "object not found", which can happen while removing a partially installed recovery catalog. Only serious errors will be displayed while removing the recovery catalog.

**RMAN-06435: recovery catalog owner is *string***

---

**Cause:** This is an informational message issued by the UPGRADE CATALOG and DROP CATALOG commands.

**Action:** No action is required.

**RMAN-06436: enter DROP CATALOG command again to confirm catalog removal**

**Cause:** The DROP CATALOG command deletes the recovery catalog, rendering all database backups unusable, and should be used with care. The command must be entered twice to ensure that this is really what you want to do.

**Action:** If you really want to remove the recovery catalog, then enter the DROP CATALOG command again.

**RMAN-06437: cannot drop catalog - catalog is newer than this RMAN**

**Cause:** The DROP CATALOG command was entered, but the recovery catalog was created by a newer version of the Recovery Manager (RMAN). This version of RMAN may not be able to drop the entire recovery catalog.

**Action:** Use the version of RMAN which most recently created or upgraded the recovery catalog.

**RMAN-06438: error executing package DBMS\_RCVMAN in *string* database**

**Cause:** Recovery Manager requires the DBMS\_RCVMAN package in the SYS schema of the indicated database. Normally this package is installed during database creation. To re-create the package, run the files dbmsrman.sql and prvtrmns.plb.

**Action:** re-create the DBMS\_RCVMAN package in the SYS schema.

**RMAN-06439: RMAN must be upgraded to version *string* to work with this package**

**Cause:** This message indicates the minimum version of recovery manager required to use the package which was specified in message 6191.

**Action:** A newer version of RMAN must be used with this package.

**RMAN-06440: virtual catalog dropped**

**Cause:** This is an informational message issued by the DROP CATALOG command, when connected to a virtual private catalog. Note that dropping a virtual private catalog does not delete any data, because the catalog data is owned by the base catalog.

**Action:** No action is required.

**RMAN-06441: cannot upgrade catalog - catalog is already newer than this RMAN**

**Cause:** The recovery catalog is already at a version level that is greater than this version of the Recovery Manager. The UPGRADE CATALOG command is not needed.

**Action:** Either upgrade to a more recent Recovery Manager, or continue to use the current version. Message 6191 will be issued if the recovery catalog is too new to work with this version of Recovery Manager.

**RMAN-06442: enter UPGRADE CATALOG command again to confirm catalog upgrade**

**Cause:** The UPGRADE CATALOG command alters the recovery catalog schema. Although the recovery catalog is designed to be compatible with older versions of the Recovery Manager (RMAN), it is possible that an upgrade will remove support for older versions of RMAN.

**Action:** If you really want to upgrade the recovery catalog, then enter the UPGRADE CATALOG command again. If you are not going to use an older

---

version of RMAN with this recovery catalog, then compatibility is not an issue. If you plan to also continue using an older version of RMAN with this recovery catalog then, before upgrading, consult the Migration Guide for the current Oracle release to determine if upgrading to the current version of the recovery catalog will remove support for older versions of RMAN.

**RMAN-06443: error upgrading recovery catalog**

**Cause:** An error was received from the recovery catalog database while upgrading the recovery catalog.

**Action:** Correct the error and retry the command. Note that the Recovery Manager intercepts and ignores common errors, such as "column already exists," which can happen if the recovery catalog has already been partially upgraded. Only serious errors will be displayed while upgrading the recovery catalog.

**RMAN-06444: error creating *string***

**Cause:** During the CREATE CATALOG or UPGRADE CATALOG command, the indicated object could not be created due to errors.

**Action:** Make sure that the RECOVER.BSQ file has not been modified or damaged, and then if this error persists, contact Oracle support. If the error refers to one of the RMAN PL/SQL packages, connect to the recovery catalog owner and query the USER\_ERRORS view to find out the details of the compilation errors.

**RMAN-06445: cannot connect to recovery catalog after NOCATALOG has been used**

**Cause:** The CONNECT CATALOG command was used after the user had already specified the NOCATALOG option.

**Action:** Re-start rman if you wish to use a recovery catalog.

**RMAN-06446: changed proxy copy unavailable**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06447: changed proxy copy available**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06448: uncataloged proxy copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06449: deleted proxy copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06450: crosschecked proxy copy: found to be "*string*"**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06451: proxy copy handle=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06452: *string* package upgraded to version *string***

---

**Cause:** This is an informational message issued by the UPGRADE CATALOG command. It indicates the version to which the indicated package was just upgraded. Note that this version number may not reflect the version number of your rman executable or target database, because the recovery catalog packages are not changed with each Oracle release.

**Action:** No action is required.

**RMAN-06453: RECOVERABLE may only be used with datafile objects**

**Cause:** An attempt was made to use LIST ... RECOVERABLE .. with OF CONTROLFILE or OF ARCHIVELOG.

**Action:** Remove the RECOVERABLE keyword and try again.

**RMAN-06454: duplexed backups require Enterprise Edition**

**Cause:** The SET COPIES or CONFIGURE BACKUP COPIES command was used to create more than one copy of each backup piece, but Enterprise Edition is not installed.

**Action:** Do not attempt to create more than one copy of each backup piece.

**RMAN-06455: Tablespace Point-in-Time Recovery requires Enterprise Edition**

**Cause:** Tablespace Point-in-Time Recovery was attempted, but Enterprise Edition is not installed.

**Action:** Do not attempt Tablespace Point-in-Time Recovery.

**RMAN-06456: command is obsolete**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06457: UNTIL SCN (*string*) is ahead of last SCN in archived logs (*string*)**

**Cause:** UNTIL SCN cannot be more than the last SCN of the last archived log

**Action:** Check the UNTIL SCN.

**RMAN-06458: AS COPY option cannot be used with RECOVERY FILES, RECOVERY AREA or DB\_RECOVERY\_FILE\_DEST**

**Cause:** The RECOVERY FILES, RECOVERY AREA or DB\_RECOVERY\_FILE\_DEST was specified with AS COPY.

**Action:** Remove the AS COPY option and resubmit the command.

**RMAN-06459: BACKUP <VALIDATE | DURATION> is not supported with PROXY**

**Cause:** BACKUP <VALIDATE | DURATION> and PROXY were specified in the same backup command.

**Action:** Remove the incompatible option.

**RMAN-06460: control file copy *string* cannot be backed up by proxy.**

**Cause:** The PROXY option was specified, but proxy copy of control file is not supported. This file will be placed into a non-proxy backup set.

**Action:** No action required, this is an informational message.

**RMAN-06461: current control file cannot be backed up by proxy.**

**Cause:** The PROXY option was specified, but proxy copy of control file is not supported. This file will be placed into a non-proxy backup set.

**Action:** No action required, this is an informational message.

---

**RMAN-06462: no backup sets found on device DISK that match specification**

**Cause:** A backup set record specifier did not match an backup set on device DISK in the recovery catalog.

**Action:** Resubmit the command with a different backup set record specifier. The rman LIST command can be used to display all backup sets that Recovery Manager knows about.

**RMAN-06463: Backup set key *string* cannot be backed up by proxy.**

**Cause:** The PROXY option was specified, but proxy copy of backup set is not supported. This file will be placed into a non-proxy backup set.

**Action:** No action required, this is an informational message.

**RMAN-06464: BACKUP BACKUPSET is not supported with VALIDATE option**

**Cause:** BACKUP BACKUPSET and VALIDATE were specified in the same backup command.

**Action:** To VALIDATE BACKUPSET use "validate" or "restore validate" command.

**RMAN-06465: configuration not implemented: *string***

**Cause:** The configuration is not implemented in the current release.

**Action:** Avoid using the command.

**RMAN-06466: error parsing configuration string (*string*)**

**Cause:** Unsupported configuration string is stored in recovery catalog or target database control file.

**Action:** Check compatibility matrix rman executable and target database and recover catalog. Use DBMS\_BACKUP\_RESTORE.DELETECONFIG to remove problematic configuration.

**RMAN-06467: could not translate DBA: *number***

**Cause:** An error was received when calling DBMS\_RCVMAN

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-06468: Invalid Data Block Address: *number***

**Cause:** The DBA specified doesn't belong to the mentioned tablespace

**Action:** Check the DBA

**RMAN-06469: could not translate corruption list**

**Cause:** An error was received when calling DBMS\_RCVMAN

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-06470: DEVICE TYPE is supported only when automatic channels are used**

**Cause:** The DEVICE TYPE option was specified with a BACKUP, RESTORE, RECOVER, DUPLICATE, CHANGE, VALIDATE, CROSSCHECK, or DELETE EXPIRED command. This option is allowed only when automatically allocated channels are used.

**Action:** Remove the DEVICE TYPE option and re-run the command. Or Remove all ALLOCATE commands and re-run the script so that channels are automatically allocated.

---

**RMAN-06471: no configuration found to allocate channels for *string***

**Cause:** Device type configuration was not found in recovery catalog

**Action:** Setup device type configuration using configure command for required device type

**RMAN-06472: channel id *string* is automatically allocated**

**Cause:** Channel id was used on ALLOCATE/RELEASE command.

**Action:** Use other channel id that does not belong to reserved channel id's name space

**RMAN-06474: maintenance channels are not allocated**

**Cause:** RELEASE CHANNEL was used without allocating any maintenance channels.

**Action:** Allocate maintenance channel before executing this command.

**RMAN-06475: parallelism setting out of range (1-254): *number***

**Cause:** Parallelism for the device type in CONFIGURE PARALLELISM command is out of range

**Action:** Enter value of parallelism that are within the allowed range.

**RMAN-06476: channel number out of range (1-254): *number***

**Cause:** Channel number entered in CONFIGURE CHANNEL command is out of range.

**Action:** Enter channel number within allowed range and retry the command. for this device and retry the command

**RMAN-06477: configuration value length exceeds 1024**

**Cause:** CONFIGURE CHANNEL command entered has configuration value greater than 1024 bytes.

**Action:** Reduce the length of CONFIGURE CHANNEL command options

**RMAN-06478: WARNING: datafile copy "*string*" cannot be found on disk**

**Cause:** The CHANGE DATAFILECOPY AVAILABLE command was used, but the datafile copy cannot be found on disk.

**Action:** If the storage containing the datafile copy has been removed from the host, restore it and retry the command. If the datafile copy is permanently gone, then issue the CHANGE DATAFILECOPY DELETE command for this datafile.

**RMAN-06479: WARNING: control file copy "*string*" cannot be found on disk**

**Cause:** The CHANGE CONTROLFILECOPY AVAILABLE command was used, but the control file copy cannot be found on disk.

**Action:** If the storage containing the control file copy has been removed from the host, restore it and retry the command. If the control file copy is permanently gone, then issue the CHANGE CONTROLFILECOPY DELETE command for this control file.

**RMAN-06480: WARNING: archived log "*string*" cannot be found on disk**

**Cause:** The CHANGE ARCHIVELOG AVAILABLE command was used, but the archived log cannot be found on disk.

**Action:** If the storage containing the archived log has been removed from the host, restore it and retry the command. If the archived log is permanently gone, then issue the CHANGE ARCHIVELOG DELETE command for this archived log.

---

**RMAN-06481: WARNING: backup piece "string" cannot be found on the storage medium**

**Cause:** The CHANGE BACKUPPIECE AVAILABLE command was used, but the backup piece cannot be found on the storage medium.

**Action:** If the storage containing the backup piece has been removed from the host, restore it and retry the command. If the backup piece is permanently gone, then issue the CHANGE BACKUPPIECE DELETE command for this backup piece.

**RMAN-06482: WARNING: proxy copy "string" cannot be found on the storage medium**

**Cause:** The CHANGE PROXY AVAILABLE command was used, but the proxy copy cannot be found on disk.

**Action:** If the storage containing the proxy copy has been removed from the host, restore it and retry the command. If the proxy copy is permanently gone, then issue the CHANGE PROXY DELETE command for this proxy copy.

**RMAN-06483: changed datafile copy expired**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06484: changed control file copy expired**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06485: changed archived log expired**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06486: changed backup piece expired**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06487: changed proxy copy expired**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06488: restore from AUTOBACKUP does not allow any other modifiers**

**Cause:** A control file or SPFILE restore from AUTOBACKUP was attempted and other restore options were used.

**Action:** Do not specify any other options for the control file AUTOBACKUP restore.

**RMAN-06489: no configuration found to allocate clone channel *number* for device type *string***

**Cause:** Target channel configuration could not be used for clone channel as it contains CONNECT option.

**Action:** Setup clone channel configuration using CONFIGURE CLONE command for required number and type of channels.

**RMAN-06490: WARNING: limit of AUTOBACKUPS for the day has been reached**

**Cause:** No more control file AUTOBACKUPS are possible in this day.

---

**Action:** This is a warning message, no action is required.

**RMAN-06491: control file AUTOBACKUP format "*string*" contains more than one "*string*" format specifier**

**Cause:** A CONTROLFILE AUTOBACKUP FORMAT cannot have more than one reserved format specifier.

**Action:** Specify only one reserved format specifier or use an alternative format.

**RMAN-06492: control file AUTOBACKUP format "*string*" must specify a "*string*" format specifier**

**Cause:** A reserved format specifier was not specified for the CONTROLFILE AUTOBACKUP FORMAT

**Action:** Add a specifier to the CONTROLFILE AUTOBACKUP FORMAT

**RMAN-06493: only UNTIL TIME clause is allowed when performing a restore from AUTOBACKUP, found: *string***

**Cause:** For restoring a control file AUTOBACKUP only SET UNTIL TIME can be used. It is not possible to translate the others to a precise day.

**Action:** Specify SET UNTIL TIME to indicate the day to start the restore of a control file AUTOBACKUP.

**RMAN-06494: *string* = *string* is out of range (*string-string*)**

**Cause:** The specified parameter for restoring a control file AUTOBACKUP is out of the valid range.

**Action:** Change the parameter value to a valid number or do not specify it.

**RMAN-06495: must explicitly specify DBID with SET DBID command**

**Cause:** Restore of a control file AUTOBACKUP or ADVISE FAILURE was attempted when the database is not mounted.

**Action:** Specify the DBID of the database using SET DBID or mount the database.

**RMAN-06496: must use the TO clause when the database is mounted or open**

**Cause:** A control file restore was attempted when the database is mounted or open and no alternate destination was specified.

**Action:** Specify an alternate destination with the TO clause or dismount the database.

**RMAN-06497: WARNING: control file is not current, control file AUTOBACKUP skipped**

**Cause:** Control file AUTOBACKUP is not possible without a current control file.

**Action:** This is a warning message, no action is required.

**RMAN-06498: skipping datafile *string*; already backed up *string* time(s)**

**Cause:** The indicated datafile will not be included in the backup set. It is already backed up on the device requested and file is offline/read-only datafile. Use the FORCE option to override backup optimization.

**Action:** No action is required.

**RMAN-06499: skipping archived log file *string*; already backed up *string* time(s)**

**Cause:** The indicated log file will not be included in the backup set because it is already backed up on the device requested. Use FORCE option to override backup optimization.

---

**Action:** No action is required.

**RMAN-06500: skipping backup set key *string*; already backed up *string* time(s)**

**Cause:** The indicated backup set will not be copied because it is already backed up on the device requested. Use FORCE option to override backup optimization.

**Action:** No action is required.

**RMAN-06501: skipping datafile *string*; already backed up on *string***

**Cause:** The indicated datafile will not be included in the backup set. It is already been backed up once, or before the since time specified.

**Action:** No action is required.

**RMAN-06502: skipping archived log file *string*; already backed on *string***

**Cause:** The indicated log file will not be included in the backup set. It is already been backed up once, or before the since time specified.

**Action:** No action is required.

**RMAN-06503: skipping backup set key *string*; already backed up on *string***

**Cause:** The indicated backup set will not be backed up. It has already been backed up on the device once, or before the since time specified.

**Action:** No action is required.

**RMAN-06504: PROXY option with multiple backup copies is not supported**

**Cause:** Multiple backup copies and PROXY option were specified in BACKUP command.

**Action:** Resolve the conflict.

**RMAN-06506: the MAXSETSIZE option cannot be used with a backup backup set**

**Cause:** The MAXSETSIZE option was specified for a backup backup set command.

**Action:** Remove the option and resubmit the command.

**RMAN-06507: trying alternate file for archived log of thread *number* with sequence *number***

**Cause:** This is an informational message, appearing when an archived log was found out of sync with catalog database.

**Action:** No action is required.

**RMAN-06508: MAXSETSIZE *string* KBYTES should be greater than block size *string* bytes**

**Cause:** MAXSETSIZE configured or specified in backup command should be greater than database block size.

**Action:** Specify a larger MAXSETSIZE limit.

**RMAN-06509: only SPFILE or control file can be restored from AUTOBACKUP**

**Cause:** A datafile or archived log restore from AUTOBACKUP was attempted.

**Action:** Do not specify DATAFILE or ARCHIVELOG for restore from AUTOBACKUP.

**RMAN-06510: RMAN retention policy is set to recovery window of *number* days**

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-06511: RMAN retention policy is set to redundancy *number***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06512: copy will be obsolete on date *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06513: copy will never be obsolete**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06514: archived logs required to recover from this copy will not be kept**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06515: archived logs required to recover from this copy will expire when this copy expires**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06516: time specified in KEEP UNTIL clause must be after today**

**Cause:** KEEP UNTIL support only a future time.

**Action:** Correct the time and retry the command.

**RMAN-06517: KEEP option is not supported for archived log backups**

**Cause:** The KEEP option is not supported for archived logs.

**Action:** Either remove KEEP option and retry the command or don't specify archived logs for this backup.

**RMAN-06518: backup will be obsolete on date *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06519: backup will never be obsolete**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06520: archived logs will not be kept or backed up**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06521: archived logs required to recover from this backup will expire when this backup expires**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06522: KEEP FOREVER option is not supported without the recovery catalog**

**Cause:** The KEEP FOREVER option was used, but it requires a connection to a recovery catalog database. The KEEP FOREVER option cannot be used when the

---

backup repository is the target database control file. This is because information about this backup cannot be permanently stored. (If information is stored just in the control file it will be aged out depending on CONTROL\_FILE\_RECORD\_KEEP\_TIME initialization parameter.)

**Action:** If a recovery catalog database is available, then connect to the recovery catalog and retry the command, otherwise use a different KEEP option. 6523, 1, "unused"

**RMAN-06524: RMAN retention policy will be applied to the command**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06525: RMAN retention policy is set to none**

**Cause:** Command DELETE OBSOLETE and REPORT OBSOLETE requires that either:

\* RMAN retention policy is not NONE or,

\* RMAN retention policy is specified with REPORT/DELETE command.

**Action:** Either configure RMAN retention policy with CONFIGURE command or specify it at the end of DELETE/REPORT command.

**RMAN-06526: KEEP option cannot be used with incremental backup**

**Cause:** The KEEP option was specified for a incremental backup.

**Action:** Remove the option and resubmit the command.

**RMAN-06527: KEEP option is not supported for backup of backup sets**

**Cause:** The KEEP option is not supported for backup of backup sets.

**Action:** Either remove KEEP option and retry the command or don't specify backup sets for this backup.

**RMAN-06528: CHANGE ... KEEP not supported for BACKUPPIECE**

**Cause:** The CHANGE BACKUPPIECE ... KEEP command was entered. KEEP attributes cannot be specified for backup pieces.

**Action:** Use CHANGE BACKUPSET ... KEEP instead.

**RMAN-06529: CHANGE ... KEEP not supported for ARCHIVELOG**

**Cause:** The CHANGE ARCHIVELOG ... KEEP command was entered. KEEP attributes cannot be specified for archived logs.

**Action:** Use CHANGE BACKUPSET ... KEEP instead.

**RMAN-06530: CHANGE ... KEEP LOGS not supported for backup set which contains archived logs**

**Cause:** The CHANGE BACKUPSET ... KEEP command was entered, but the BACKUPSET contains archived logs. Backup sets with archived logs cannot have KEEP attributes.

**Action:** Do not specify backup set with archived logs for the CHANGE BACKUPSET ... KEEP command.

**RMAN-06531: CHANGE ... KEEP not supported for incremental BACKUPSET**

**Cause:** The CHANGE BACKUPSET ... KEEP command was entered, but the BACKUPSET is an incremental backup set. Incremental backup sets cannot have KEEP attributes.

---

**Action:** Do not specify a backup set with archived logs for the CHANGE BACKUPSET ... KEEP command.

**RMAN-06532: redundancy count must be greater than zero**

**Cause:** The REDUNDANCY operand specified for the retention policy was zero.

**Action:** Specify a REDUNDANCY operand of 1 or greater.

**RMAN-06533: KEEP ... NOLOGS option cannot be used when datafiles are fuzzy**

**Cause:** The KEEP ... NOLOGS option was specified for a backup or copy of files in a fuzzy state. This kind of backup requires archived logs for recovery, so archived logs must be kept.

**Action:** Remove the KEEP ... NOLOGS option or make sure the files are not in a fuzzy state and resubmit the command.

**RMAN-06534: archived logs required to recover from this backup will be backed up**

**Cause:** This is an informational message only. An archived backup will be created and kept so the specified backup can be recovered to a consistent state.

**Action:** No action is required.

**RMAN-06535: LIST COPY OF SPFILE is not supported**

**Cause:** LIST COPY OF SPFILE was used, which is not supported because SPFILE cannot have a copy.

**Action:** Remove SPFILE from the command.

**RMAN-06536: BACKED UP ... TIMES option is supported only for archived logs**

**Cause:** The BACKED UP ... TIMES option was used as a qualifier. This option is supported only for archived logs.

**Action:** Remove the option and resubmit the command.

**RMAN-06537: CHANGE ... KEEP not supported for BACKUP**

**Cause:** The CHANGE BACKUP... KEEP command was entered. KEEP attributes cannot be specified for copies and backup pieces in a single command.

**Action:** Use CHANGE BACKUPSET ... KEEP instead.

**RMAN-06540: Tablespace *string* will be excluded from future whole database backups**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06541: Tablespace *string* will be included in future whole database backups**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06542: file *string* is excluded from whole database backup**

**Cause:** The indicated file will not be included in the backup set because its tablespace is configured as excluded from backup.

**Action:** No action is required.

**RMAN-06543: duplicate or conflicting LIST options: *string* and *string***

**Cause:** The indicated options conflict with each other or appear more than once in a LIST command.

**Action:** remove the duplicate/conflicting option from the command.

---

**RMAN-06544: Do you really want to delete the above objects (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-06545: "string" is an invalid response - please re-enter.**

**Cause:** An incorrect response was entered.

**Action:** Enter a correct response.

**RMAN-06546: Error occurred getting response - assuming NO response**

**Cause:** An error occurred reading user response.

**Action:** No action is required, this is an informational message only.

**RMAN-06547: SYSTEM tablespace cannot be excluded from whole database backup**

**Cause:** The SYSTEM tablespace must be included in whole database backup.

**Action:** Remove the SYSTEM tablespace from the CONFIGURE ... EXCLUDE and retry the operation.

**RMAN-06548: connected to auxiliary database: string (DBID=string)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06549: connected to auxiliary database: string (not mounted)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06550: clone database not mounted and db\_name not set in init.ora**

**Cause:** The clone database "init.ora" file does not specify the DB\_NAME parameter.

**Action:** Add the DB\_NAME parameter to the clone database "init.ora" and restart the instance.

**RMAN-06551: error while looking up datafile copy for file number: string**

**Cause:** An error occurred while looking up the specified datafile copy in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure. If the datafile copy was created during a RESTORE with a new name, ensure that the RESTORE completed successfully.

**RMAN-06552: newname for datafile number was set to NEW, but file was not restored**

**Cause:** A SWITCH command was specified for a datafile, but the newname was set to NEW and the file was not restored. If newname is set to NEW, the file must be restored before issuing a SWITCH command.

**Action:** Correct and resubmit the SWITCH command.

**RMAN-06553: DB\_CREATE\_FILE\_DEST must be set for SET NEWNAME ... TO NEW**

**Cause:** The SET NEWNAME ... TO NEW option was specified but the OMF destination init parameter DB\_CREATE\_FILE\_DEST is not set.

**Action:** Supply a full name to the SET NEWNAME command or set DB\_CREATE\_FILE\_DEST at the target database.

---

**RMAN-06554: WARNING: file *string* is in backup mode**

**Cause:** A file which is being backed up or copied is in backup mode. RMAN will back up the file anyway, but files do not need to be put into backup mode before backing them up with RMAN.

**Action:** Use the ALTER TABLESPACE ... END BACKUP statement, at the target database server, to take the files out of backup mode.

**RMAN-06555: datafile *string* must be restored from backup created before *string***

**Cause:** An incomplete recovery session was started, but the file is in newer than the UNTIL TIME clause.

**Action:** Check the UNTIL TIME clause or restore the file from a sufficient old backup.

**RMAN-06556: datafile *string* must be restored from backup older than SCN *string***

**Cause:** An incomplete recovery session was started, but the file is newer than the UNTIL clause.

**Action:** Check the UNTIL clause or restore the file from a sufficient old backup.

**RMAN-06557: unable to restore archived log of thread *number* with sequence *number***

**Cause:** Restore of the specified archived log failed because the size of the archived log is larger than available disk space.

**Action:** One of the following: 1) Increase the MAXSIZE parameter and retry the command. 2) Free up disk space in the recovery area.

**RMAN-06558: archived log size of *number* kb is bigger than available space of *number* kb**

**Cause:** This message should be followed by one or more 6557 messages.

**Action:** Check the accompanying errors.

**RMAN-06559: MAXSIZE must be larger than 1 kb**

**Cause:** The MAXSIZE parameter is out of range.

**Action:** Specify a valid size and retry the command.

**RMAN-06560: WARNING: backup set with key *number* will be read *number* times**

**Cause:** This message should be followed by one or more 6562 messages.

**Action:** Check the accompanying messages.

**RMAN-06561: available space must be larger than *number* kb**

**Cause:** The recovery failed because it requires more disk space. One of the following could have caused this error: 1) The MAXSIZE option is used but is not large enough to restore files. 2) Files should be restored to recovery area, but available disk space is not large enough to restore files.

**Action:** One of the following: 1) Increase the MAXSIZE parameter and retry the command. 2) Free up disk space in the recovery area.

**RMAN-06562: available space of *number* kb needed to avoid reading the backup set multiple times**

**Cause:** A backup set is read more than once. Multiple reads of a backup set can slow restore performance. One of the following could have caused this: 1) The MAXSIZE option is used but is not large enough to restore files. 2) Files should be

---

restored to a recovery area, but the available disk space is not large enough to restore files.

**Action:** One of the following: 1) Increase the MAXSIZE parameter and retry the command. 2) Free up disk space in the recovery area.

**RMAN-06563: control file or SPFILE must be restored using FROM AUTOBACKUP**

**Cause:** RESTORE CONTROLFILE or RESTORE SPFILE was specified without the FROM AUTOBACKUP option when RMAN is not connected to the recovery catalog.

**Action:** If the recovery catalog is available, connect to the recovery catalog and retry the restore. If the recovery catalog is not available, following is the procedure to restore control file or SPFILE:

1. Specify the DBID of the database with the SET DBID command.
2. If the AUTOBACKUP was created with non-default AUTOBACKUP format, then specify the AUTOBACKUP format using the SET CONTROLFILE AUTOBACKUP FORMAT command.
3. If the backup was created with SBT device, then allocate an SBT channel using the ALLOCATE CHANNEL command.
4. Restore control file or SPFILE by starting the RESTORE ... FROM AUTOBACKUP command.

**RMAN-06564: must use the TO clause when the instance is started with SPFILE**

**Cause:** A restore of the SPFILE from AUTOBACKUP was attempted when the instance is started with SPFILE and no alternate destination was specified.

**Action:** Specify an alternate destination with the TO clause.

**RMAN-06565: WARNING: *string*: sqlcode *number* was caught, automatic retry #*number***

**Cause:** The RMAN client caught a transient error and will automatically retry several times.

**Action:** No action required, this is an informational message.

**RMAN-06566: target database incarnation not found in control file**

**Cause:** RESETLOGS CHANGE# and/or time of the target database doesn't match any database incarnation in the control file.

**Action:** One of the following actions can be taken to resolve this error 1) Restore the control file from the incarnation. 2) To populate the new incarnation, inspect or restore an archived log/datafile/datafile copy/backup set from the target incarnation

**RMAN-06567: connected to auxiliary database: *string* (DBID=*string*, not open)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06568: connected to target database: *string* (DBID=*string*, not open)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06570: datafile *number* switched to datafile copy "*string*"**

**Cause:** This message was issued in response to a SWITCH command.

**Action:** No action is required, this is an informational message.

---

**RMAN-06571: datafile *number* does not have recoverable copy**

**Cause:** The SWITCH command with the option TO COPY was specified but the datafile has no valid copy to switch to.

**Action:** Verify whether the datafile has a valid datafile copy.

**RMAN-06572: database is open and datafile *number* is not offline**

**Cause:** The SWITCH command with the option TO COPY was specified, but datafile is not offline and database is open.

**Action:** Either make sure the datafile is offline or the database must be mounted but not opened.

**RMAN-06575: platform id *number* found in datafile *string* header is not a valid platform id**

**Cause:** The platform id found in the datafile header was not recognized.

**Action:** Verify that this is a valid datafile.

**RMAN-06576: platform "*string*" (*number*) found in header of datafile *string* does not match specified platform name "*string*" (*number*)**

**Cause:** The platform specified in the command did not match the platform found in the datafile header.

**Action:** Specify the correct platform name and retry the command.

**RMAN-06577: FROM TAG option may only be used with datafile copies**

**Cause:** The FROM TAG option was specified for datafiles.

**Action:** Remove the option and resubmit the command.

**RMAN-06578: INCREMENTAL LEVEL > 0 must be specified with FOR RECOVER OF**

**Cause:** The FOR RECOVER OF option was specified without specifying INCREMENTAL LEVEL > 0.

**Action:** Specify INCREMENTAL LEVEL > 0 and resubmit the command.

**RMAN-06580: the *string* option cannot be used with AS COPY**

**Cause:** The specified option was specified for a backup as copy command.

**Action:** Remove the option and resubmit the command.

**RMAN-06581: option *string* not supported**

**Cause:** This option was specified and it is not supported.

**Action:** Remove the specified option.

**RMAN-06582: AS COPY option cannot be used when backing up backup sets**

**Cause:** The backup set was specified with AS COPY.

**Action:** Remove the AS COPY option or remove the backup sets.

**RMAN-06583: at least 1 channel of TYPE DISK must be allocated to use AS COPY option**

**Cause:** No channel of TYPE DISK was allocated.

**Action:** Allocate a channel of TYPE DISK and re-issue the command or remove AS COPY.

**RMAN-06584: WARNING: AS BACKUPSET option added due to allocation of multiple channel types**

---

**Cause:** DISK and non DISK channels were allocated for a backup command. Configuration indicates to produce image copies to DISK, however due to the mixed channel types BACKUPSETS will be created on DISK.

**Action:** Do not allocate non DISK channels to produce image copies to DISK or allocate only non DISK channels to produce BACKUPSETS only.

**RMAN-06585: no copy of datafile *number* found**

**Cause:** An available datafile copy for the specified datafile could not be found.

**Action:** make sure that all specified datafiles have a copy available.

**RMAN-06586: no copy of datafile *number* with tag *string* found**

**Cause:** An available datafile copy for the specified datafile could not be found.

**Action:** make sure that all specified datafiles have a copy available.

**RMAN-06587: one or more datafile copies were not found**

**Cause:** This error message was accompanied by an additional error message or messages indicating the cause of the error.

**Action:** Follow the recommended actions of the additional error message or messages.

**RMAN-06588: number of patterns (*number*) to DB\_FILE\_NAME\_CONVERT should be even**

**Cause:** An uneven number of patterns was specified.

**Action:** Specify one more or one less pattern.

**RMAN-06589: cannot specify DB\_FILE\_NAME\_CONVERT option without AS COPY**

**Cause:** The DB\_FILE\_NAME\_CONVERT option was specified without AS COPY. This is not permitted for backup set backups where multiple files are combined into a set.

**Action:** Remove the DB\_FILE\_NAME\_CONVERT option and re-run the BACKUP command.

**RMAN-06590: Tablespace *string* cannot be converted**

**Cause:** The system tablespaces could not be transported to other platforms.

**Action:** Remove the specified tablespace from the CONVERT command and retry the operation.

**RMAN-06593: platform name "*string*" specified in FROM PLATFORM is not valid**

**Cause:** The platform name was not recognized.

**Action:** Specify a valid platform name.

**RMAN-06594: platform name "*string*" specified in TO PLATFORM is not valid**

**Cause:** The platform name was not recognized.

**Action:** Specify a valid platform name.

**RMAN-06595: platform name "*string*" does not match database platform name "*string*"**

**Cause:** The platform name specified did not match the name of the database performing the conversion.

**Action:** Specify the correct platform name.

---

**RMAN-06596: *string* requires target database compatibility *string*, currently set to *string***

**Cause:** A command or option was used that requires a higher database compatibility than is currently set at the target database.

**Action:** Raise the compatibility of the database before attempting the command again.

**RMAN-06597: conversion between platforms "*string*" and "*string*" is not implemented**

**Cause:** Conversion of Oracle datafiles between the specified platforms was not supported.

**Action:** Do not do the conversion.

**RMAN-06599: Tablespace *string* is not read-only**

**Cause:** A conversion was attempted on a tablespace which is not read-only.

**Action:** Change the tablespace to read-only and retry the operation.

**RMAN-06600: old RMAN configuration parameters:**

**Cause:** This message is issued in response to a CONFIGURE command.

**Action:** No action is required, this is an informational message only.

**RMAN-06601: new RMAN configuration parameters:**

**Cause:** This message is issued in response to a CONFIGURE command.

**Action:** No action is required, this is an informational message only.

**RMAN-06604: new RMAN configuration parameters are successfully stored**

**Cause:** This message is issued in response to a CONFIGURE command.

**Action:** No action is required, this is an informational message only.

**RMAN-06605: old RMAN configuration parameters are successfully deleted**

**Cause:** This message is issued in response to a CONFIGURE command.

**Action:** No action is required, this is an informational message only.

**RMAN-06606: RMAN configuration parameters are successfully reset to default value**

**Cause:** This message is issued in response to a CONFIGURE command.

**Action:** No action is required, this is an informational message only.

**RMAN-06607: RMAN configuration parameters for database with *db\_unique\_name string* are:**

**Cause:** This message is issued in response to a SHOW command.

**Action:** No action is required, this is an informational message only.

**RMAN-06608: RMAN configuration has no stored or default parameters**

**Cause:** This message is issued in response to a SHOW command.

**Action:** No action is required, this is an informational message only.

**RMAN-06609: AS COPY can be configured only for disk device**

**Cause:** The AS COPY option was specified for non disk device.

**Action:** Remove the AS COPY option and resubmit the command.

---

**RMAN-06610: For record type *string* RECIDS from *number* to *number* are re-used before resync**

**Cause:** This message is issued when the control file records were re-used before resyncing to catalog database.

**Action:** Increase control\_file\_keep\_record\_time setting or issue BACKUP command that it will generate fewer control file records, e.g., backup few tablespaces instead of the complete database in one BACKUP command.

**RMAN-06611: Following RMAN configuration applied before deleting logs:**

**Cause:** This message is issued in response to a DELETE command.

**Action:** No action is required, this is an informational message only.

**RMAN-06612: Incompatible options were specified for archivelog deletion policy**

**Cause:** Incompatible options were specified on CONFIGURE ARCHIVELOG DELETION POLICY command.

**Action:** Remove incompatible options and retry the command. BACKED UP option can be used individually or combined with SHIPPED or APPLIED option. Following are invalid combination of options: a) TO NONE cannot be used with other options b) SHIPPED ON STANDBY and SHIPPED ON ALL STANDBY cannot be used together. c) APPLIED ON STANDBY and APPLIED ON ALL STANDBY cannot be used together. d) SHIPPED and APPLIED cannot be used together.

**RMAN-06613: Connect identifier for DB\_UNIQUE\_NAME *string* not configured**

**Cause:** The connect identifier for the specified DB\_UNIQUE\_NAME initialization parameter was not configured.

**Action:** Configure the appropriate connect identifier for the DB\_UNIQUE\_NAME initialization parameter and re-run the command.

**RMAN-06614: DB\_UNIQUE\_NAME string is too long**

**Cause:** The DB\_UNIQUE\_NAME initialization parameter string was too long.

**Action:** Configure the appropriate DB\_UNIQUE\_NAME initialization parameter string and re-run the command.

**RMAN-06615: resyncing from database with DB\_UNIQUE\_NAME *string***

**Cause:** Resync was performed remotely for the specified DB\_UNIQUE\_NAME initialization parameter without connecting to it as target database. This type of remote resync has limitations. For example, RMAN output cannot be resynced. Please refer to RMAN documentation for a complete set of limitations.

**Action:** This is an informational message.

**RMAN-06616: RMAN output not resynced for database with DB\_UNIQUE\_NAME *string***

**Cause:** V\$RMAN\_OUTPUT contents were not resynced when the RESYNC CATALOG FROM DB\_UNIQUE\_NAME command was executed."

**Action:** This is an informational message.

**RMAN-06700: error parsing text script in file *string***

**Cause:** Incorrect syntax or invalid commands were found.

**Action:** Fix text script and retry the command.

**RMAN-06701: could not construct path for file: "*string*"**

---

**Cause:** An error was encountered when trying to construct the full pathname for the specified file.

**Action:** Ensure that the path is correct.

**RMAN-06702: could not initialize for input file: "*string*"**

**Cause:** An error was encountered when trying to initialize the specified file for input.

**Action:** Ensure that the file exists.

**RMAN-06703: could not open file: "*string*" (reason=*string*)**

**Cause:** An error was encountered when trying to open the specified file.

**Action:** Ensure that the file has correct permissions.

**RMAN-06705: text script line is too long (>1024)**

**Cause:** A text script contained a line longer than the permitted maximum length.

**Action:** Split the line in smaller lines and retry the operation.

**RMAN-06706: could not close file: "*string*" (reason=*string*)**

**Cause:** An error was encountered when trying to close the specified file.

**Action:** Ensure that the file has correct permissions and still exists.

**RMAN-06707: could not initialize for output file: "*string*"**

**Cause:** An error was encountered when trying to initialize the specified file for output.

**Action:** Ensure that the file exists.

**RMAN-06708: short write while writing file "*string*". Wrote *string* bytes instead of *string* bytes**

**Cause:** An attempt was made to write to a file system that was full.

**Action:** Ensure that the file system has room for the file. Check system logs.

**RMAN-06709: No scripts in recovery catalog**

**Cause:** An attempt was made to list the scripts in the catalog, but no scripts could be found in the specified recovery catalog.

**Action:** No action required, this is an informational message only.

**RMAN-06710: script *string* not found in catalog**

**Cause:** An attempt was made to call a script that could not be found in the target database or as a global script in the specified catalog.

**Action:** Verify the script name and retry the command.

**RMAN-06711: global scripts require a target connection**

**Cause:** Connection to a target database was not specified.

**Action:** Provide a target connection and retry the command.

**RMAN-06716: skipping datafile *number*; already restored to file *string***

**Cause:** Recovery Manager determined that this file is already restored. Use FORCE option to override this optimization.

**Action:** No action required, this is an informational message only.

**RMAN-06717: number of source files (*string*) and destination files (*string*) does not match**

---

**Cause:** The number of files to retrieve from the catalog does not match the number of destinations specified.

**Action:** Ensure that the number of files to be retrieved matches the number of destinations specified.

**RMAN-06718: could not find file "*string*" in catalog**

**Cause:** The file name provided was not found in the catalog.

**Action:** The specified file is not stored in the catalog, or it is stored with a different path than the one provided. Specify the file name as stored in the catalog.

**RMAN-06719: file "*string*" (*string* bytes) retrieved from catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06720: file "*string*" removed from catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06721: could not normalize path for file: "*string*"**

**Cause:** An error was encountered when trying to normalize the pathname for the specified file.

**Action:** Ensure that the path is correct.

**RMAN-06722: unable to remove file "*string*" from catalog**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Follow actions for other messages.

**RMAN-06723: file "*string*" (*string* bytes) updated in catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06724: backup not done; all files already backed up**

**Cause:** A BACKUP command does not need to backup any files, because all of the files to backup are already backed up.

**Action:** No action required, this is an informational message only.

**RMAN-06725: database not open: sort area size too small**

**Cause:** sort area size too small to execute RMAN commands.

**Action:** open the database or increase sort\_area\_size.

**RMAN-06726: could not locate archived log *string***

**Cause:** The specified archived log could not be found on any allocated channel.

**Action:** Allocate additional channels on other nodes of the cluster, or, if the archived logs have been deleted, use the CROSSCHECK ARCHIVELOG command to correct the recovery catalog entries.

**RMAN-06727: could not locate datafile copy *string***

**Cause:** The specified datafile copy could not be found on any allocated channel.

**Action:** Allocate additional channels on other nodes of the cluster, or if the datafile copy have been deleted, use the CROSSCHECK DATAFILECOPY command to correct the recovery catalog entries.

---

**RMAN-06728: could not locate control file copy *string***

**Cause:** The specified control file copy could not be found on any allocated channel.

**Action:** Allocate additional channels on other nodes of the cluster, or if the control file copy have been deleted, use the CROSSCHECK CONTROLFILECOPY command to correct the recovery catalog entries.

**RMAN-06729: no backup of the SPFILE found to restore**

**Cause:** A SPFILE restore could not proceed because no backup of the SPFILE was found. It may be the case that a backup of this file exists but does not satisfy the criteria specified in the user's restore operands.

**Action:** Modify options for the SPFILE restore.

**RMAN-06730: no channel to restore a backup of the SPFILE**

**Cause:** A SPFILE restore could not proceed because the backup on a device type that was not allocated for restore.

**Action:** No action required, this is an informational message only. See message 6026 for further details.

**RMAN-06731: command *string:string%* complete, time left *number:number:number***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06732: database dropped**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06733: database unregistered from the recovery catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06734: Do you really want to drop all backups and the database (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-06735: Do you really want to drop the database (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-06736: Do you really want to unregister the database (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-06737: database name "*string*" does not match target database name "*string*"**

**Cause:** The UNREGISTER DATABASE command was used with a database name that does not match the name of the database to which RMAN is connected.

**Action:** Specify the correct database name or avoid specifying the database name when connected to the target database.

**RMAN-06738: database name "*string*" is not unique in the recovery catalog**

---

**Cause:** The UNREGISTER DATABASE command was used with a database name that is ambiguous.

**Action:** Use the SET DBID command to specify the database id and resolve the ambiguity.

**RMAN-06739: database "*string*" is not found in the recovery catalog**

**Cause:** The UNREGISTER DATABASE command was used with a database name that was not found in the recovery catalog.

**Action:** Make sure the database name specified in the DROP DATABASE command syntax is correct.

**RMAN-06740: database name is not specified**

**Cause:** The command failed because of the following:

- o RMAN is not connected to the target database
- o The database name is not specified in the command
- o DBID is not set with the SET DBID command

**Action:** Any one of the following actions will fix the problem: o Connect to the target database o Specify database name o Set DBID with SET DBID command

**RMAN-06741: database name is "*string*" and DBID is *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06742: platform name "*string*" longer than *number***

**Cause:** The specified platform name exceeds the maximum allowable platform name.

**Action:** Correct the platform name.

**RMAN-06743: specification does not match any backup set in the repository**

**Cause:** The specified backup sets are not found in the repository.

**Action:** Verify backup set existence and retry the command.

**RMAN-06744: specification does not match any datafile copy in the repository**

**Cause:** The specified datafile copies are not found in the repository.

**Action:** Verify datafile copy existence and retry the command.

**RMAN-06745: skipping datafile copy *string*; already backed up *string* time(s)**

**Cause:** The indicated datafile copy was not included in the backup set because it was already backed up on the device requested.

**Action:** Use FORCE option to override backup optimization.

**RMAN-06746: backup cancelled because all files were skipped**

**Cause:** All files for this backup set were skipped, therefore no backup no backup set was created.

**Action:** This message is informational only.

**RMAN-06747: at least 1 channel of tertiary storage must be allocated to execute this command**

**Cause:** The executed command requires a SBT channel, but no channels of type SBT were configured or allocated.

---

**Action:** ALLOCATE or CONFIGURE a SBT channel.

**RMAN-06748: no or more than one tertiary storage channel found**

**Cause:** RECOVERY FILES, RECOVERY AREA or DB\_RECOVERY\_FILE\_DEST option was specified in BACKUP command, but no or more than one tertiary channel was found. One of the following could have caused this error: 1) All of the allocated channels are of type DISK. 2) No tertiary storage (SBT) channel configured. 3) CHANNEL or DEVICE TYPE option specified is of DISK type. 4) More than one tertiary storage channel allocated or configured and no DEVICE TYPE or CHANNEL option specified.

**Action:** One of the following: 1) Allocate a channel of TYPE SBT. 2) Configure a SBT channel. 3) Specify CHANNEL, DEVICE TYPE option of TYPE SBT.

**RMAN-06749: restore point *string* does not exist.**

**Cause:** The specified restore point does not exist in v\$restore\_point table of the target database.

**Action:** Check the name of restore point and retry the command.

**RMAN-06750: SPFILE cannot be backed up by proxy.**

**Cause:** The PROXY option was specified, but proxy copy of SPFILE is not supported. This file will be placed into a non-proxy backup set.

**Action:** No action required, this is an informational message only.

**RMAN-06751: ASM file *string* cannot be proxy backed up.**

**Cause:** The PROXY option was specified, but proxy copy of ASM file is not supported. This file will be placed into a non-proxy backup set.

**Action:** No action required, this is an informational message only.

**RMAN-06752: error while looking up tempfile: *string***

**Cause:** An error occurred while looking up the specified tempfile in the recovery catalog or target database control file.

**Action:** This error is accompanied by other errors describing the reason for the failure; see those error messages for further information. One possible problem is that the tempfile name was not entered correctly.

**RMAN-06753: tempfile not found in the repository**

**Cause:** The specified tempfile is not found in the control file or recovery catalog.

**Action:** Make sure that the tempfile name is correct and retry

**RMAN-06754: INCREMENTAL FROM SCN option is not supported with [*string*]**

**Cause:** The INCREMENTAL FROM SCN option was supplied but does not apply to this type of backup.

**Action:** Remove the INCREMENTAL FROM SCN operand and re-enter the command.

**RMAN-06755: WARNING: datafile *string*: incremental-start SCN is too recent; using checkpoint SCN *string* instead**

**Cause:** The incremental-start SCN which was specified when starting an incremental datafile backup is greater than the datafile checkpoint SCN, which could cause some blocks to be missed.

**Action:** Specify a smaller incremental-start SCN.

---

**RMAN-06756: cannot flashback database to non-guaranteed restore point *string* when flashback is off**

**Cause:** The indicated restore point was not guaranteed and flashback was disabled. When flashback is disabled, Oracle can flashback only to guaranteed restore point.

**Action:** Specify a guaranteed restore point or turn on flashback and retry the command. the command.

**RMAN-06757: DB\_UNIQUE\_NAME "*string*" does not match target database ("*string*")**

**Cause:** The value specified in the FOR DB\_UNIQUE\_NAME option did not match the DB\_UNIQUE\_NAME parameter setting of the target database.

**Action:** Use the RMAN STARTUP command, with no parameter file option, to start the target database without a parameter file, then run the RESTORE SPFILE command again.

**RMAN-06758: DB\_UNIQUE\_NAME is not unique in the recovery catalog**

**Cause:** RMAN could not identify which SPFILE to restore for this target database, because the recovery catalog contained two or more different instances of this database, each with different DB\_UNIQUE\_NAME values.

**Action:** Use the FOR DB\_UNIQUE\_NAME option to specify the name of the instance whose parameter file you want to restore.

**RMAN-06759: skipping datafile copies that are already backed up**

**Cause:** Some datafile copies were not be backed up because they were already backed up on the device requested.

**Action:** No action is required. You can use the FORCE option to override backup optimization and force these files to be backed up.

**RMAN-06760: skipping archived logs that are already backed up**

**Cause:** Some archived logs were not be backed up because they were already backed up on the device requested.

**Action:** No action is required. You can use the FORCE option to override backup optimization and force these files to be backed up.

**RMAN-06761: skipping backup sets that are already backed up**

**Cause:** Some backup sets were not be backed up because they were already backed up on the device requested.

**Action:** No action is required. You can use the FORCE option to override backup optimization and force these files to be backed up.

**RMAN-06762: ignoring encryption for proxy or image copies**

**Cause:** This information message is displayed when the RMAN client is generating proxy or image copies and encryption was enabled for the input files.

**Action:** This is an informational message only.

**RMAN-06763: specified encryption algorithm not supported**

**Cause:** An encryption algorithm not supported by the database is specified during backup.

**Action:** Refer to contents of v\$rman\_encryption\_algorithms view for the list of supported encryption algorithm. Specify a valid encryption algorithm and retry the command.

---

**RMAN-06764: *string***

**Cause:** An error occurred when processing user request.

**Action:** None

**RMAN-06765: Tablespace *string* will be encrypted in future backup sets**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06766: Tablespace *string* will not be encrypted in future backup sets**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06767: Tablespace *string* will default to database encryption configuration**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06768: duplicate or conflicting options are specified: *string* and *string***

**Cause:** An error occurred when processing the command because user specified two duplicate options or the two options are not allowed to be used together.

**Action:** Remove one of the above options and retry the command.

**RMAN-06769: length of password must be greater than zero**

**Cause:** Zero length password was specified for encrypted backups.

**Action:** Retry the command using a password with non-zero length.

**RMAN-06770: backup encryption requires Enterprise Edition**

**Cause:** The backup command tried to create encrypted backups, but Enterprise Edition is not installed.

**Action:** Do not create encrypted backups.

**RMAN-06771: cannot do IMPORT CATALOG after NOCATALOG has been used**

**Cause:** The IMPORT CATALOG command was used after the NOCATALOG option was already specified.

**Action:** Restart RMAN and connect to recovery catalog if you wish to IMPORT CATALOG.

**RMAN-06772: cannot do IMPORT CATALOG before connecting to recovery catalog**

**Cause:** The IMPORT CATALOG command was used before connecting to the recovery catalog.

**Action:** Connect to recovery catalog using CONNECT CATALOG command if you wish to IMPORT CATALOG.

**RMAN-06773: connected to source recovery catalog database**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06774: must specify a TNS service name for source recovery catalog database**

**Cause:** The connect string does not contain TNS service name. IMPORT CATALOG without TNS service name is not supported.

**Action:** Specify a service name and resubmit the command.

**RMAN-06775: not connected to source recovery catalog database**

---

**Cause:** IMPORT CATALOG command was issued but no connection to the source recovery catalog database has been established.

**Action:** Resubmit IMPORT CATALOG command with correct connect string.

**RMAN-06776: source recovery catalog database not started**

**Cause:** IMPORT CATALOG command was issued which requires the source recovery catalog to be open.

**Action:** Open the source recovery catalog database and re-submit the command.

**RMAN-06777: ORACLE error from source recovery catalog database: *string***

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-06778: WARNING: *string*: sqlcode *number* was caught, automatic retry #*string***

**Cause:** The RMAN client caught a transient error during temporary resource allocate for IMPORT CATALOG command and will automatically retry several times.

**Action:** No action required, this is an informational message.

**RMAN-06779: import validation complete**

**Cause:** This is an informational message only.

**Action:** No action required.

**RMAN-06780: database unregistered from the source recovery catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06781: *string* package version *string* in source database is not of version *string***

**Cause:** The catalog schema version of the source recovery catalog is not the same as the target recovery catalog. The two catalog

**Action:** UPGRADE source recovery catalog schema and recovery catalog schema to same version and retry the command.

**RMAN-06782: Datafile headers of locally managed datafiles need to be updated.**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06783: Update of datafile headers of locally managed datafiles finished.**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06784: One or more datafile headers of locally managed datafiles were not updated.**

**Cause:** Errors prevented the update of one or more datafile headers.

**Action:** See trace file for details of the problem.

**RMAN-06785: This operation might take some time.**

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-06786: could not read file header for datafile *string* to do FLASHBACK.**

**Cause:** The indicated datafile header could not be read to do FLASHBACK DATABASE.

**Action:** If the database must be taken back in time then a restore and incomplete recovery must be performed.

**RMAN-06791: changed the DB\_UNIQUE\_NAME value from *string* to *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06792: database db\_unique\_name is "*string*", db\_name is "*string*" and DBID is *string***

**Cause:** UNREGISTER DB\_UNIQUE\_NAME or CHANGE DB\_UNIQUE\_NAME command was executed, hence RMAN displayed the database information for which DB\_UNIQUE\_NAME the metadata will be removed/renamed in the recovery catalog.

**Action:** No action required, this is an informational message only.

**RMAN-06793: database with db\_unique\_name *string* unregistered from the recovery catalog**

**Cause:** UNREGISTER DB\_UNIQUE\_NAME command was executed.

**Action:** No action required, this is an informational message only.

**RMAN-06794: Want to unregister the database with target db\_unique\_name (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-06795: Flashback database logging is not on.**

**Cause:** A FLASHBACK DATABASE command was tried but flashback database logging has not been enabled.

**Action:** Flashback database logging must be enabled via the ALTER DATABASE FLASHBACK ON command before a FLASHBACK DATABASE command can be tried. If the database must be taken back in time then a restore and incomplete recovery must be performed.

**RMAN-06796: Not enough flashback database log data to do FLASHBACK.**

**Cause:** There was not enough flashback database log data to do the FLASHBACK DATABASE.

**Action:** If the database must be taken back in time then a restore and incomplete recovery must be performed.

**RMAN-06797: Grant succeeded.**

**Cause:** This is an informational message issued in response to a GRANT command.

**Action:** No action required.

**RMAN-06798: Revoke succeeded.**

**Cause:** This is an informational message issued in response to a REVOKE command.

**Action:** No action required.

---

**RMAN-06799: found eligible base catalog owned by *string***

**Cause:** When creating a virtual private catalog, an 11g base catalog was found, owned by the specified user, and the currently connected catalog user has been granted privileges on this catalog, and can therefore create a virtual private catalog using this base catalog. This is an informational message issued in response to a CREATE VIRTUAL CATALOG command.

**Action:** No action required.

**RMAN-06800: found ineligible base catalog owned by *string***

**Cause:** When creating a virtual private catalog, an 11g base catalog was found, owned by the specified user, and the currently connected catalog user has not been granted any privileges on this catalog. This is an informational message issued in response to a CREATE VIRTUAL CATALOG command.

**Action:** No action required.

**RMAN-06801: no base catalog found**

**Cause:** When trying to create a virtual catalog, either no base catalog was found, or this user has no privilege to create a virtual catalog against any existing base catalog.

**Action:** Establish the correct privileges and re-create the virtual catalog.

**RMAN-06802: too many eligible base catalogs found**

**Cause:** When trying to create a virtual catalog, more than one base catalog was found that is eligible to be the base catalog for this virtual catalog.

**Action:** Revoke privileges so that the current catalog user has privileges on only one base catalog, then re-issue the CREATE VIRTUAL CATALOG command.

**RMAN-06803: created virtual catalog against base catalog owned by *string***

**Cause:** A virtual private catalog was created, where the base catalog data is owned by the specified user. This is an informational message issued in response to a CREATE VIRTUAL CATALOG command.

**Action:** No action required.

**RMAN-06804: Enter value for *string*:**

**Cause:** This is a user prompt.

**Action:** Enter a substitution value to proceed.

**RMAN-06805: SET NEWNAME command has not been issued for tempfile *string***

**Cause:** A SWITCH command was specified for a tempfile, but no destination was specified and no SET NEWNAME command has been previously issued for that file. An explicit file to switch to must be specified if no SET NEWNAME command has been issued.

**Action:** Correct and resubmit the SWITCH command.

**RMAN-06806: compression algorithm not supported**

**Cause:** An unsupported compression algorithm was specified for the backup.

**Action:** Query the V\$RMAN\_COMPRESSION\_ALGORITHM view for the list of supported compression algorithms. Specify a valid compression algorithm and retry the command.

**RMAN-06807: compression algorithm cannot be used because database compatibility is less than *string***

---

**Cause:** The compression algorithm is not supported because the current compatibility level of the database is too low.

**Action:** Query the V\$RMAN\_COMPRESSION\_ALGORITHM view for the list of supported compression algorithms. Specify a valid compression algorithm and retry the command.

**RMAN-06808: SECTION SIZE cannot be used when piece limit is in effect**

**Cause:** The SECTION SIZE backup option was used together with the MAXPIECESIZE channel limit. These options are mutually exclusive, because they are independent methods of creating multiple backup pieces with one backup command.

**Action:** Use one option or the other, but not both.

**RMAN-06899: updating recovery catalog with new database incarnation**

**Cause:** The target database has a new incarnation that has not already been seen by the recovery catalog. This usually happens because a Point-in-Time Recovery was done. RMAN has made the necessary updates to the recovery catalog.

**Action:** This is an informational message only.

**RMAN-06900: WARNING: unable to generate V\$RMAN\_STATUS or V\$RMAN\_OUTPUT row**

**Cause:** The routine createRmanStatusRow() or createRmanOutputRow() could add new row into V\$RMAN\_STATUS or V\$RMAN\_OUTPUT.

**Action:** Check the associated error messages. If the associated error message indicates a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-06901: WARNING: disabling update of the V\$RMAN\_STATUS and V\$RMAN\_OUTPUT rows**

**Cause:** Informational message only.

**Action:** No action required.

**RMAN-06902: AS COMPRESSED BACKUPSET option cannot be used when backing up backup sets**

**Cause:** The backup set was specified with AS COMPRESSED BACKUPSET.

**Action:** Remove the AS COMPRESSED BACKUPSET option.

**RMAN-06903: backup of datafile *string* was cancelled**

**Cause:** This is an informational message displayed when PARTIAL option of DURATION option was specified on the BACKUP command and backup could not be completed within the given duration time.

**Action:** Run the BACKUP command to backup cancelled files, or let the next backup window backup the cancelled files. It should be noted that the files that were skipped in the current job will be given preference to other files for next the BACKUP command with DURATION option.

**RMAN-06904: backup of archived log for thread *number* with sequence *number* and starting SCN of *string* was cancelled**

**Cause:** This is an informational message displayed when PARTIAL option of DURATION option was specified on the BACKUP command and backup could not be completed within the given duration time.

**Action:** Run BACKUP command to backup cancelled files, or let the next backup window backup the cancelled files. It should be noted that the files that were

---

skipped in the current job will be given preference to other files for next the BACKUP command with DURATION option.

**RMAN-06905: backup of backup set key *number* was cancelled**

**Cause:** This is an informational message displayed when PARTIAL option of DURATION option was specified on the BACKUP command and backup could not be completed within the given duration time.

**Action:** Run BACKUP command to backup cancelled files, or let the next backup window backup the cancelled files. It should be noted that the files that were skipped in the current job will be given preference to other files for next the BACKUP command with DURATION option.

**RMAN-06906: backup of control file was cancelled**

**Cause:** This is an informational message displayed when PARTIAL option of DURATION option was specified on the BACKUP command and backup could not be completed within the given duration time.

**Action:** Run BACKUP command to backup cancelled files, or let the next backup window backup the cancelled files. It should be noted that the files that were skipped in the current job will be given preference to other files for next the BACKUP command with DURATION option.

**RMAN-06907: MINIMIZE LOAD option not allowed for the specified input files**

**Cause:** This option was specified in a backup command specification for BACKUP BACKUPSET or BACKUP CURRENT CONTROLFILE command.

**Action:** Remove the MINIMIZE LOAD option and retry the command.

**RMAN-06908: WARNING: operation will not run in parallel on the allocated channels**

**Cause:** RMAN allocated more than one channel for a job, but the job will not run in parallel on these channels because parallelism require Enterprise Edition.

**Action:** None

**RMAN-06909: WARNING: parallelism require Enterprise Edition**

**Cause:** RMAN allocated more than one channel for a job, but the job will not run in parallel on these channels because parallelism require Enterprise Edition.

**Action:** None

**RMAN-06910: can not invoke parallel recovery for test recovery**

**Cause:** Recover database was called with TEST and PARALLEL option

**Action:** Call recover database with either just the TEST or PARALLEL option

**RMAN-06911: only one PARALLEL or NOPARALLEL clause may be specified**

**Cause:** Recover database was called with PARALLEL and NOPARALLEL option

**Action:** Call recover database with either just the PARALLEL or NOPARALLEL option.

**RMAN-06912: backup of spfile was cancelled**

**Cause:** This is an informational message displayed when PARTIAL option of DURATION option was specified on the BACKUP command and backup could not be completed within the given duration time.

**Action:** Run BACKUP command to backup cancelled files, or let the next backup window backup the cancelled files. It should be noted that the files that were

---

skipped in the current job will be given preference to other files for next the BACKUP command with DURATION option.

**RMAN-06913: validate cancelled because no files to validate**

**Cause:** All files for this validate command were skipped, therefore no files to validate.

**Action:** This message is informational only.

**RMAN-06914: BLOCK *string* must be greater or equal to BLOCK *string***

**Cause:** The value of TO block number was less than the value of from block number.

**Action:** Increase the value of TO BLOCK past the value of from BLOCK and retry the command.

**RMAN-06915: restore point *string* already exists**

**Cause:** The specified restore point already exists on this database.

**Action:** Use LIST RESTORE POINT to see existing names and retry the command with a unique restore point name.

**RMAN-06920: database *string* is not open read-only**

**Cause:** CONVERT DATABASE attempted on a database that was not open read-only.

**Action:** Open the database in read-only mode and retry the operation.

**RMAN-06921: Convert database check failed**

**Cause:** This database could not be transported because DBMS\_TDB.CHECK\_DB returned FALSE.

**Action:** None

**RMAN-06922: External table *string.string* found in the database**

**Cause:** An external table was found in the database.

**Action:** Redefine the table in the transported database.

**RMAN-06923: Directory *string.string* found in the database**

**Cause:** A directory object was found in the database.

**Action:** Redefine the directory in the transported database.

**RMAN-06924: BFILE *string.string* found in the database**

**Cause:** A BFILE was found in the database.

**Action:** Redefine the BFILE in the transported database.

**RMAN-06925: BFILES are used in the system, please redefine them in the transported database**

**Cause:** BFILES may or may not exist in the database. Automatically performed BFILE check failed because database was open read-only and could not allocate temporary space. This does not affect CONVERT DATABASE operation.

**Action:** Use DBMS\_TDB.CHECK\_EXTERNAL to perform BFILE check when the database is open in read/write mode.

**RMAN-06926: User *string* with *string* privilege found in password file**

**Cause:** Password file was used.

---

**Action:** Re-create the password file on the target platform using ORAPWD for the transported database.

**RMAN-06927: Cannot specify NEW DATABASE clause more than once**

**Cause:** NEW DATABASE clause specified more than once

**Action:** Remove redundant NEW DATABASE clause and retry the operation.

**RMAN-06928: Cannot specify ON TARGET PLATFORM clause more than once**

**Cause:** ON TARGET PLATFORM clause specified more than once

**Action:** Remove redundant ON TARGET PLATFORM clause and retry the operation.

**RMAN-06929: Cannot specify TRANSPORT SCRIPT clause more than once**

**Cause:** TRANSPORT SCRIPT clause specified more than once

**Action:** Remove redundant ON TARGET PLATFORM clause and retry the operation.

**RMAN-06930: Cannot specify SKIP clause more than once**

**Cause:** SKIP clause specified more than once

**Action:** Remove redundant SKIP clause and retry the operation.

**RMAN-06931: Cannot specify FROM PLATFORM clause**

**Cause:** CONVERT DATABASE command cannot use FROM PLATFORM clause.

**Action:** Change FROM PLATFORM clause and retry.

**RMAN-06932: Database name "*string*" longer than *number***

**Cause:** The specified database name exceeded the maximum allowable database name length.

**Action:** Correct the database name.

**RMAN-06933: Transport script name too long**

**Cause:** The specified transport script name exceeded the maximum allowable script name length.

**Action:** Correct the script name.

**RMAN-06934: Format string too long**

**Cause:** The specified format string exceeded the maximum allowable format string length.

**Action:** Correct the format string.

**RMAN-06935: Convert script name too long**

**Cause:** The specified convert script name exceeded the maximum allowable script name length.

**Action:** Correct the script name.

**RMAN-06941: Database must be closed and mounted EXCLUSIVE and RESTRICTED.**

**Cause:** DROP DATABASE was attempted while the database was open or not mounted EXCLUSIVE and RESTRICTED.

**Action:** Change the database state to mounted EXCLUSIVE and RESTRICTED.

---

**RMAN-06942: OPTION *number* is invalid; OPTION must be between *string* and *string***

**Cause:** An invalid OPTION was used.

**Action:** Change the OPTION argument.

**RMAN-06943: no automatic repair OPTION *number* was listed in ADVISE FAILURE**

**Cause:** The OPTION specified was not one of the automatic repair options listed by ADVISE FAILURE or there were no options listed by the ADVISE FAILURE command.

**Action:** Change the OPTION argument or resubmit ADVISE FAILURE with a different set of failures.

**RMAN-06944: contents of repair script:**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06945: no repair script present for REPAIRID *string***

**Cause:** REPAIRID option specified in the command was invalid or the repair script had been purged from Automated Diagnostic Repository.

**Action:** Retry REPAIR FAILURE command with a different OPTION number.

**RMAN-06946: executing repair script**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06947: searching flashback logs for block images until SCN *string***

**Cause:** Starting the flashback log search for RECOVER...BLOCK command. The log is searched until the indicated SCN.

**Action:** None. This is an informational message displayed for RECOVER...BLOCK command.

**RMAN-06948: searching flashback logs for block images**

**Cause:** Starting the flashback log search for RECOVER...BLOCK command. The log is searched until the end of the log.

**Action:** None. This is an informational message displayed for RECOVER...BLOCK command.

**RMAN-06949: finished flashback log search, restored *string* blocks**

**Cause:** Flashback log search finished for RECOVER...BLOCK command.

**Action:** None. This is an informational message displayed for RECOVER...BLOCK command.

**RMAN-06950: invalid validate option specified: *string***

**Cause:** The specified object was invalid with VALIDATE command.

**Action:** Delete the invalid operand.

**RMAN-06951: repair failure complete**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-06952: database needs to be restarted**

---

**Cause:** The target database control file was missing.

**Action:** Restart the instance and repair the database.

**RMAN-06953: no automatic repairs were listed by ADVISE FAILURE**

**Cause:** There were no automatic repairs listed by the ADVISE FAILURE command.

**Action:** Choose a different failure, submit ADVISE FAILURE command, and then submit REPAIR FAILURE command.

**RMAN-06954: REPAIR command must be preceded by ADVISE command in same session**

**Cause:** The ADVISE command was not issued in the same session as the REPAIR command.

**Action:** Submit ADVISE command and then submit the REPAIR command in same session.

**RMAN-06955: Network copies are only supported for image copies.**

**Cause:** An attempt was made to specify BACKUP AUXILIARY FORMAT without specifying the AS COPY clause. A network copy is only supported with an image copy.

**Action:** Seek an alternate method of copying the desired files.

**RMAN-06956: create datafile failed; retry after removing *string* from OS**

**Cause:** An attempt was made to re-create a database file. This attempt failed.

**Action:** If the indicated file already exists, remove the file from operating system and retry the RMAN command.

**RMAN-07000: List of SPFILE Backups**

**Cause:** This message is issued in response to a LIST BACKUP OF SPFILE command.

**Action:** No action is required.

**RMAN-07025: *string* is not supported for foreign archived log**

**Cause:** The specified option was not supported for foreign archived log.

**Action:** Do not use the specified command for foreign archived log.

**RMAN-07200: no failures found that match specification**

**Cause:** A failure specifier did not match any failures in the Automated Diagnostic Repository.

**Action:** Resubmit the command with a different failure specifier. You can use the LIST FAILURE ALL command in Recovery Manager to display all failures known to RMAN.

**RMAN-07201: Do you really want to change the above failures (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-07207: changed *string* failures to HIGH priority**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07208: changed *string* failures to LOW priority**

---

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07209: closed *string* failures**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07210: new failures after most recent LIST FAILURE command**

**Cause:** New failures were found since last LIST FAILURE command in this RMAN session.

**Action:** No action is required. This is an informational message only.

**RMAN-07211: failure option not specified**

**Cause:** ALL, CRITICAL, HIGH, LOW, or list of failure numbers was not specified.

**Action:** Specify a failure option and resubmit the command.

**RMAN-07212: skipping failure *string* because it was CLOSED**

**Cause:** The specified failure has been already closed, so ADVISE FAILURE or CHANGE FAILURE cannot be executed on this failure.

**Action:** This is an informational message only. No action is required.

**RMAN-07213: Mandatory Manual Actions**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07215: Automated Repair Options**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07220: no manual actions available**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07222: =====**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07251: Repair script: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07252: =====**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07253: =====**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07255: priority change for failure *string* failed**

**Cause:** An attempt was made to change the priority of a child failure.

---

**Action:** Specify the parent failure ID to change the child failure.

**RMAN-07256: cannot change priority of child failure**

**Cause:** An attempt was made to change the priority of child failure.

**Action:** This message should be followed by one or more 7255 messages.

**RMAN-07259: *string* critical failures exist; cannot exclude from ADVISE FAILURE**

**Cause:** ADVISE FAILURE was executed for HIGH or LOW priority failures when CRITICAL failures existed.

**Action:** Execute ADVISE FAILURE with the CRITICAL or ALL options.

**RMAN-07262: no automatic repair options available**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07500: searching for all files that match the pattern *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07501: searching for all files in the recovery area**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07502: List of Files Unknown to the Database**

**Cause:** This message is issued in response to a CATALOG command.

**Action:** No action is required.

**RMAN-07505: no files found to be unknown to the database**

**Cause:** This is an informational message displayed by the CATALOG command. The command either found no files, or all files that matched the specified search pattern were already present in the target database control file.

**Action:** No action is required.

**RMAN-07506: Do you really want to catalog the above files (enter YES or NO)?**

**Cause:** This is a user prompt.

**Action:** Answer the question to proceed.

**RMAN-07507: cataloging files...**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07508: cataloging done**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07509: List of Cataloged Files**

**Cause:** This message is issued in response to a CATALOG command.

**Action:** No action is required.

**RMAN-07513: List of Files Which Where Not Cataloged**

**Cause:** This message is issued in response to a CATALOG command.

---

**Action:** No action is required.

**RMAN-07514:** =====

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07515: File Name:** *string*

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07516: Reason: Error reading**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07517: Reason: The file header is corrupted**

**Cause:** Either the file is not an Oracle file or the file header is corrupted.

**Action:** Delete the file using OS utility.

**RMAN-07518: Reason: Foreign database file DBID:** *string* **Database Name:** *string*

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07519: Reason: Error while cataloging. See alert.log.**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07520: Reason: Data pump dump file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-07521: cannot create recovery catalog in database version *string*; version *string* required**

**Cause:** An attempt was made to use a version of the recovery catalog schema that was incompatible with the version of the database.

**Action:** Upgrade the catalog database to at least the required version or install the catalog schema in a different database which is of at least the required version.

**RMAN-07522: CREATE TYPE privilege must be granted to user *string***

**Cause:** The CREATE CATALOG or UPGRADE CATALOG command was used, but the USERID that was supplied in the CATALOG connect string does not have the CREATE TYPE privilege granted.

**Action:** Grant CREATE TYPE privilege to the recovery catalog owner.

**RMAN-07523: List of files in Recovery Area not managed by the database**

**Cause:** This message was issued in response to a CATALOG RECOVERY AREA command.

**Action:** No action is required.

**RMAN-07524:**

=====

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-07525: Reason: File is not a supported file type in Recovery Area**

**Cause:** This message should be accompanied by other message(s) indicating the name of file that was not supported in flash recovery area. Any file other than current control file, online log, archived log, RMAN backups and flashback log is not supported in flash recovery area. This is an informational message only.

**Action:** No action is required.

**RMAN-07526: Reason: File is not an Oracle Managed File**

**Cause:** This message should be accompanied by other message(s) indicating the name of file that was not a oracle managed file. This is an informational message only.

**Action:** No action is required.

**RMAN-07527: Reason: File was not created using DB\_RECOVERY\_FILE\_DEST initialization parameter**

**Cause:** This message should be accompanied by other message(s) indicating the name of file that was not created using DB\_RECOVERY\_FILE\_DEST initialization parameter. One of the following scenarios caused this error: 1) This is an archived log file and was created when the LOG\_ARCHIVE\_DEST\_n initialization parameter was set explicitly to flash recovery area location. For example, LOG\_ARCHIVE\_DEST\_1="location=+FRA" where "+FRA" was also your DB\_RECOVERY\_FILE\_DEST value. 2) This is an RMAN backup file and was created in a flash recovery area using the FORMAT option of the BACKUP command. 3) This is an online log file or current control file and was created prior to setting the flash recovery area. 4) This file fits none of the above scenarios and is not supported by the flash recovery area.

**Action:** All of following actions will resolve future occurrences of this error: 1) To create archived logs in flash recovery area, set the LOG\_ARCHIVE\_DEST\_n initialization parameter to "location=USE\_DB\_RECOVERY\_FILE\_DEST". Do not explicitly set the LOG\_ARCHIVE\_DEST\_n initialization parameter to a flash recovery area location. 2) To create RMAN backups in flash recovery area, do not use the FORMAT option of the BACKUP command. All of following actions will resolve current problem: 1) If this is an archived log file or an RMAN backup file, use the CATALOG command to re-catalog the files. 2) If this is an online log file or a current control file to be managed by the flash recovery area, re-create the file using the DB\_RECOVERY\_FILE\_DEST initialization parameter.

**RMAN-07528: number of files not managed by recovery area is *string*, totaling *stringB***

**Cause:** This message should be accompanied by other message(s) indicating the list of files. Either the files listed are not known to the database or not managed by flash recovery area. The number and size of the files are shown. This is an informational message only.

**Action:** No action is required.

**RMAN-07529: Reason: catalog is not supported for this file type**

**Cause:** The CATALOG command encountered one or more files of types that cannot be cataloged. These file types include online redo logs, flashback logs, block change tracking files, and data pump files. This message will be accompanied by other messages indicating the names of the file's that could not be cataloged.

**Action:** No action is required.

**RMAN-07530: Reason: This file type is not requested for cataloging**

---

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08000: channel *string*: copied datafile *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08001: restore not complete**

**Cause:** All of the backup pieces have been successfully applied, but DBMS\_BACKUP\_RESTORE package indicates that the restore conversation is not complete. This usually means that the backup set contained corrupt data.

**Action:** Restore the files from a different backup set, if possible. The Recovery Manager CHANGE BACKUPPIECE UNAVAILABLE can be used to prevent Recovery Manager from attempting to restore from the corrupt backup piece(s).

**RMAN-08002: starting full resync of recovery catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08003: channel *string*: reading from backup piece *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08004: full resync complete**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08005: new incarnation of database registered in recovery catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08006: database registered in recovery catalog**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08007: channel *string*: copied datafile copy of datafile *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08008: channel *string*: starting full datafile backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08009: channel *string*: starting archived log backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08010: channel *string*: specifying datafile(s) in backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-08011: including current control file in backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08012: including control file copy in backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08013: channel *string*: backup piece *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08014: channel *string*: specifying archived log(s) in backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08015: datafile *string* switched to datafile copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08016: channel *string*: starting datafile backup set restore**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08017: channel *string*: starting archived log restore to default destination**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08018: channel *string*: starting archived log restore to user-specified destination**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08019: channel *string*: restoring datafile *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08020: including standby control file in backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08021: channel *string*: restoring control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08022: channel *string*: restoring archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08023: channel *string*: restored backup piece *string***

**Cause:** This is an informational message only.

---

**Action:** No action is required.

**RMAN-08025: channel *string*: copied control file copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08026: channel *string*: copied archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08027: channel *string*: copied current control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08028: channel *string*: copy current control file failed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08029: snapshot control file name set to default value: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08030: allocated channel: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08031: released channel: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08032: channel *string*: RECID *string* STAMP *string* does not match recovery catalog**

**Cause:** The record that identifies the source file for a copy or backup database does not contain the same data as is stored in the recovery catalog.

**Action:** Perform a full resync and retry the operation. If the problem persists, then contact Oracle.

**RMAN-08033: channel *string*: including datafile copy of datafile *string* in backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08034: full resync skipped, target database not mounted**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08035: partial resync skipped, target database not mounted**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08036: channel *string*: could not create control file record for *string string***

**Cause:** The record identifying the named file was no longer present in the target database control file, and repeated attempts to inspect the file were unsuccessful in

---

creating the record. This could be because the circular-reuse section of the control file which holds information about the specified type of file is too small and there is other database activity which is causing the record to be overwritten before it can be used.

**Action:** Try increasing either the size of the control file circular-reuse section for this file type (datafile copy or archived log, as indicated in the error message, or the CONTROL\_FILE\_RECORD\_KEEP\_TIME initialization parameter. If neither of those remedies works then contact Oracle.

**RMAN-08037: channel *string*: unexpected validation return code *string***

**Cause:** This is an internal error that should never be issued.

**Action:** Contact Oracle Support.

**RMAN-08038: channel *string*: starting piece *string* at *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08039: channel *string*: starting incremental datafile backup set restore**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08040: full resync skipped, control file is not current or backup**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08041: partial resync skipped, control file is not current or backup**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08042: channel *string*: copied standby control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08043: channel *string*: copy standby control file failed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08044: channel *string*: finished piece *string* at *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08045: channel *string*: finished piece *string* at *string* with *string* copies**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08046: channel *string*: starting compressed full datafile backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08047: channel *string*: starting compressed incremental level *string* datafile backup set**

**Cause:** This is an informational message only.

---

**Action:** No action is required.

**RMAN-08048: channel *string*: starting incremental level *string* datafile backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08049: channel *string*: starting compressed archived log backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08050: cataloged datafile copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08051: cataloged archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08052: cataloged control file copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08053: channel *string*: finished piece *string* at *string* with *string* copies and tag *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08054: starting media recovery**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08056: skipping datafile *string* because it has not changed**

**Cause:** The specified datafile has not had its checkpoint advanced since the previous backup, therefore it does not need a new incremental backup.

**Action:** This is an informational message only.

**RMAN-08057: channel *string*: backup cancelled because all files were skipped**

**Cause:** All datafiles for this backup were skipped, therefore no backup is created.

**Action:** This is an informational message only.

**RMAN-08058: replicating control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08059: media recovery failed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08060: unable to find archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-08061: WARNING: change failure ID *string* failed due to error  
ORA-05*number***  
**Cause:** CHANGE FAILURE for the indicated failure ID encountered an error.  
**Action:** See the indicated ORA error message for the cause of the error.

**RMAN-08066: database reset to incarnation *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08070: deleted datafile copy**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08071: channel *string*: deleting archived log(s)**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08072: deleted control file copy**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08073: deleted backup piece**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08074: crosschecked backup piece: found to be "*string*"**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08085: created script *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08086: replaced script *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08087: channel *string*: started backup set validation**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08088: applied offline range to datafile *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08089: channel *string*: specifying datafile(s) to restore from backup set**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08090: channel *string*: starting proxy restore**  
**Cause:** This is an informational message only.

---

**Action:** No action is required.

**RMAN-08091: channel *string*: specifying datafile(s) for proxy backup**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08092: channel *string*: specifying datafile copy of datafile *string* for proxy backup**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08093: specifying current control file for proxy backup**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08094: channel *string*: specifying datafile(s) for proxy restore**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08096: channel *string*: starting validation of datafile backup set**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08097: channel *string*: starting validation of archived log backup set**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08099: specifying standby control file for proxy backup**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08100: channel *string*: starting proxy validation**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08101: channel *string*: proxy validation complete**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08102: channel *string*: located backup piece: *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08103: channel *string*: could not locate backup piece: *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08104: input backup set count=*string* STAMP=*string* creation\_time=*string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

---

**RMAN-08105: channel *string*: backup cancelled because no pieces were found**

**Cause:** All backup sets specified has no pieces. Therefore, no backup set is created.

**Action:** This is an informational message only.

**RMAN-08106: channel *string*: restoring block(s)**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08108: channel *string*: specifying block(s) to restore from backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08109: channel *string*: restored block(s) from backup piece *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08110: failover to next copy of backup piece**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08111: some blocks not recovered: See trace file for details**

**Cause:** Some blocks not recovered due to errors.

**Action:** See trace file for details of the problem.

**RMAN-08112: archived log failover was done on *string*, check alert log for more info**

**Cause:** This is an informational message to indicate the server found a corrupted block in an archived log and had to switch to another copy of the same archived log in an alternate archived log destination to get corresponding un-corrupted block.

**Action:** If backup is done with delete input option, nothing needs to be done. Otherwise delete the archived log that has corrupted block(s) as recovery on applying this log would fail. Alert log contains name of the log that has corrupted block(s).

**RMAN-08113: including current SPFILE in backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08114: channel *string*: restoring SPFILE to PFILE**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08115: channel *string*: restoring SPFILE**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08116: output file name is original SPFILE location**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08117: channel *string*: the AUTOBACKUP does not contain an SPFILE**

---

**Cause:** The requested AUTOBACKUP does not contain a SPFILE. This is because the instance was not started with a SPFILE when the AUTOBACKUP was created.

**Action:** No action is required. RMAN will try three older AUTOBACKUPS before signaling ORA-19687.

**RMAN-08118: WARNING: could not delete the following archived redo log**

**Cause:** The routine deleteArchivedLog() could not delete an archived redo log on the target instance.

**Action:** Check the accompanying file specification and the associated error messages. The file specification indicates what archived redo log on the target instance RMAN was trying to delete and the error messages indicate why RMAN was unable to delete it. Resolve the problem by first confirming that the archived redo log in question has been backed up, do the deletion manually, and then do a crosscheck so that RMAN is aware of the deletion.

**RMAN-08119: skipping backup piece handle *string*; already exists**

**Cause:** A BACKUP command does not need to backup control file AUTOBACKUP pieces, because they already exists.

**Action:** This is an informational message, no action is required.

**RMAN-08120: WARNING: archived log not deleted, not yet applied by standby**

**Cause:** This is an informational message to alert the user that an archived log that should have been deleted was not as it has not been applied to the standby database. The next message identifies the archived log

**Action:** Archivelog can be deleted after it has been applied to standby database.

**RMAN-08121: keep attributes for the backup are deleted**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08122: keep attributes for the backup are changed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08123: keep attributes for the datafile/control file copy are deleted**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08124: keep attributes for the datafile/control file copy are changed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08125: keep attributes for the proxy copy are deleted**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08126: keep attributes for the proxy copy are changed**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08127: cataloged backup piece**

**Cause:** This is an informational message only.

---

**Action:** No action is required.

**RMAN-08128: uncataloged backup piece**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08129: failover to piece handle=*string* tag=*string***

**Cause:** This is an informational message to indicate the server found a corrupted block in a piece and had to switch to another copy of piece to get corresponding un-corrupted block.

**Action:** See alert log for information on corruption block(s) and the name of the piece that has the corrupted block(s).

**RMAN-08130: failover to copy on device type *string***

**Cause:** This is an informational message to indicate the RMAN could not successfully restore the database using the specified backups. An attempt was made to restore the datafiles/archived logs/ control file/SPFILE using the same backup set on a different device type.

**Action:** See accompanying additional error messages indicating the cause of the failover.

**RMAN-08131: channel *string*: specifying datafile copies to recover**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08132: WARNING: cannot update recovery area reclaimable file list**

**Cause:** This error should be accompanied by other errors giving the cause of failure to update reclaimable file list.

**Action:** Check the accompanying error.

**RMAN-08133: channel *string*: the AUTOBACKUP does not contain a standby control file.**

**Cause:** The requested AUTOBACKUP did not contain a standby control file.

**Action:** No action is required, RMAN will try three older AUTOBACKUPS before signaling ORA-19687.

**RMAN-08135: some corrupt blocks found during conversion of file *string***

**Cause:** While converting the specified file from one platform to another, some corrupt blocks were discovered in the specified file. Details about the corruption have been written to a server trace file.

**Action:** If these corrupt blocks are unexpected, you may be able to use Block Media Recovery at the source database to fix the problem, then re-convert the files.

**RMAN-08136: channel *string*: deleting incremental backup(s)**

**Cause:** This is an informational message only.

**Action:** No Action Required.

**RMAN-08137: WARNING: archived log not deleted as it is still needed**

**Cause:** An archived log that should have been deleted was not as it was required by Streams, Data Guard or Guaranteed Restore Point. The next message identifies the archived log.

---

**Action:** This is an informational message. The archived log can be deleted after it is no longer needed. See the documentation for Data Guard to alter the set of active Data Guard destinations. See the documentation for Streams to alter the set of active streams. See the documentation for Guaranteed restore point for set of active restore points.

**RMAN-08138: WARNING: archived log not deleted - must create more backups**

**Cause:** An archived log that should have been deleted was not as it did not meet the user specified archive log deletion policy of number of backups required before deleting the logs.

**Action:** This is an informational message. The archived log can be deleted after more backups are created to satisfy archive log deletion policy.

**RMAN-08139: WARNING: archived redo log not deleted, needed for guaranteed restore point**

**Cause:** An archived log that should have been deleted was not because it is required for guaranteed restore point.

**Action:** This is an informational message. The archived redo log can be deleted after backups are created or after deleting the guaranteed restore point that requires the log.

**RMAN-08140: channel *string*: starting validation of datafile**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08141: channel *string*: specifying datafile(s) for validation**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08142: including standby control file for validation**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08143: including current control file for validation**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08144: channel *string*: validation complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08145: channel *string*: starting validation of archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08146: channel *string*: specifying archived log(s) for validation**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08150: created global script *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-08151: replaced global script *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08152: global script *string* written to file *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08153: deleted global script: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08154: deleted script: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08155: printing stored global script: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08156: printing stored script: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08157: script *string* written to file *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08158: executing script: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08159: executing global script: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08160: script commands will be loaded from file *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08161: contents of Memory Script:**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08162: executing Memory Script**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08163: validation succeeded for backup piece**

**Cause:** The VALIDATE HEADER option determined that the backup piece still matches its data.

---

**Action:** None - this is an informational message.

**RMAN-08164: validation succeeded for proxy copy**

**Cause:** The VALIDATE HEADER option determined that the proxy copy still matches its data.

**Action:** None - this is an informational message.

**RMAN-08165: could not locate proxy copy *string***

**Cause:** The specified proxy copy could not be found on proxy channel.

**Action:** If the proxy copy have been deleted, use the CROSSCHECK BACKUP command to correct the recovery catalog entries.

**RMAN-08166: validation succeeded for datafile copy and control file copy**

**Cause:** The VALIDATE HEADER option found that the datafile copy and controlfile copy still matches its data in the recovery catalog.

**Action:** None - this is an informational message.

**RMAN-08180: channel *string*: restore complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08181: media recovery complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08182: channel *string*: validation complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08183: channel *string*: block restore complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08184: added tempfile *string* to tablespace *string* in control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08185: renamed tempfile *string* to *string* in control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08186: tempfile *string* size altered in control file**

**Cause:** One of tempfile size attributes AUTOEXTEND, MAXSIZE, NEXTSIZE was altered. This is an informational message only.

**Action:** No action is required.

**RMAN-08187: WARNING: media recovery until SCN *string* complete**

**Cause:** Media recovery was completed until the indicated SCN because the database was in NOARCHIVELOG mode.

**Action:** This is an informational message only. No action is required.

**RMAN-08190: validate found one or more corrupt blocks**

---

**Cause:** Backup validate found that one or more blocks were corrupt in the specified datafiles. This message should be followed by 8191 message.

**Action:** Repair them at your earliest convenience.

**RMAN-08191: See trace file *string* for details**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08300: Run SQL script *string* on the target platform to create database**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08301: Edit init.ora file *string*. This PFILE will be used to create the database on the target platform**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08302: Run RMAN script *string* on target platform to convert datafiles**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08303: To recompile all PL/SQL modules, run utlirp.sql and utlrp.sql on the target platform**

**Cause:** This is an informational message only.

**Action:** Transport script invokes utlirp.sql and utlrp.sql.

**RMAN-08304: To change the internal database identifier, use DBNEWID Utility**

**Cause:** This is an informational message only.

**Action:** Transport script does not invoke DBNEWID Utility automatically.

**RMAN-08305: channel *string*: starting to check datafiles**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08306: channel *string*: datafile checking complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08500: channel *string*: SID=*string* device type=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08501: output file name=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08503: piece handle=*string* comment=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-08504: input archived log thread=*string* sequence=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08505: output file name=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08506: input file name=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08507: input datafile copy RECID=*string* STAMP=*string* file name=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08508: archived log destination=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08509: destination for restore of datafile *string*: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08510: archived log thread=*string* sequence=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08511: piece handle=*string* tag=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08512: waiting for snapshot control file enqueue**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08513: datafile copy file name=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08514: archived log file name=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08515: archived log file name=*string* thread=*string* sequence=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08516: control file copy file name=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

---

**Action:** No action is required.

**RMAN-08517: backup piece handle=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08518: channel *string*: scanning control file copy *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08519: channel *string*: scanning datafile copy *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08520: channel *string*: scanning archived log *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08521: offline range RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08522: input datafile file number=*string* name=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08523: restoring datafile *string* to *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08524: input control file copy name=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08525: backing up blocks *string* through *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08526: channel *string*: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08527: channel *string*: starting *string* proxy datafile backup at *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08528: channel *string*: proxy copy complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08529: proxy file handle=*string***

---

**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08530: piece handle=*string* tag=*string* comment=*string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08531: channel *string*: proxy copy *string* is *string* in media management catalog**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08532: channel *string*: restoring block(s) from datafile copy *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08533: restoring blocks of datafile *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08534: channel *string*: control file restore from AUTOBACKUP complete**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08535: channel *string*: looking for AUTOBACKUP on day: *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08536: channel *string*: AUTOBACKUP found: *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08537: channel *string*: skipped, AUTOBACKUP already found**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08538: channel *string*: no AUTOBACKUP in *string* days found**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08539: backup set key=*string* RECID=*string* STAMP=*string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08540: channel *string*: backup set complete, elapsed time: *string***  
**Cause:** This is an informational message only.  
**Action:** No action is required.

**RMAN-08541: channel *string*: SPFILE restore from AUTOBACKUP complete**  
**Cause:** This is an informational message only.  
**Action:** No action is required.

---

**RMAN-08542: channel *string*: starting proxy archived log backup at *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08543: channel *string*: specifying archived log(s) for proxy backup**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08544: channel *string*: specifying archived log(s) for proxy restore**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08545: flashback command failed: See trace file for details**

**Cause:** An attempt was made to issue a flashback command which failed due to errors. See trace file for details.

**Action:** See trace file for details of the problem.

**RMAN-08546: channel *string*: AUTOBACKUP *string* found in the recovery area**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08547: channel *string*: no AUTOBACKUPS found in the recovery area**

**Cause:** The recovery area does not have desired AUTOBACKUP.

**Action:** Check the option UNTIL TIME in case an existing AUTOBACKUP does satisfy the criteria specified in the restore command. Otherwise, verify the init.ora parameters DB\_RECOVERY\_FILE\_DEST and DB\_UNIQUE\_NAME to verify whether the recovery area location is set correctly. Note that the parameters can be specified as options to the restore command.

**RMAN-08548: recovery area destination: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08549: database name (or database unique name) used for search: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08550: AUTOBACKUP search with format "*string*" not attempted because DBID was not set**

**Cause:** Restore of a control file AUTOBACKUP was attempted without DBID being set.

**Action:** If you want to search for AUTOBACKUP with the indicated format, then specify the DBID of the database using SET DBID and retry the command.

**RMAN-08551: recovering datafile copy file number=*string* name=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08552: backup and output file names are identical: *string***

**Cause:** The backup file name chosen was identical to output file name specified for a restore operation.

---

**Action:** This is an informational message only. RMAN will failover to next available backup.

**RMAN-08553: channel *string*: restoring control file from AUTOBACKUP *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08554: channel *string*: restoring spfile from AUTOBACKUP *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08555: channel *string*: restoring section *string* of *string***

**Cause:** This is an informational message only

**Action:** No action is required.

**RMAN-08580: channel *string*: starting datafile copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08581: channel *string*: datafile copy complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08582: channel *string*: starting archived log copy**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08583: channel *string*: archived log copy complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08584: copying current control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08585: copying standby control file**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08586: output file name=*string* tag=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08587: input is copy of datafile *string*: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08588: converted datafile=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-08589: channel *string*: starting datafile conversion**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08590: channel *string*: datafile conversion complete, elapsed time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08591: WARNING: invalid archived log deletion policy**

**Cause:** An invalid ARCHIVELOG DELETION POLICY was supplied. The archived log deletion policy was APPLIED but there was no mandatory archived log destinations.

**Action:** One of the following: 1) Change archived log deletion policy using CONFIGURE command 2) Make one or more of standby destination as MANDATORY.

**RMAN-08599: channel *string*: throttle time: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08600: ASM disk group to search: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08601: channel *string*: AUTOBACKUP *string* found in ASM disk group *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08602: channel *string*: no AUTOBACKUPS found in ASM disk group *string***

**Cause:** The specified ASM area does not have desired AUTOBACKUP.

**Action:** Check the option UNTIL TIME in case an existing AUTOBACKUP does satisfy the criteria specified in the restore command. Otherwise, verify the values used for the format of the CONFIGURE CONTROLFILE AUTOBACKUP FORMAT command and DB\_UNIQUE\_NAME to verify whether the ASM area location is set correctly. Note that the DB\_UNIQUE\_NAME can be specified as option to the restore command.

**RMAN-08603: skipping *string*: file in use by another process**

**Cause:** The indicated file was not included in the backup because it is part of another restore or delete operation.

**Action:** No action is required. Wait for the other operation to complete, then retry.

**RMAN-08604: skipping *string*: file deleted from recovery area to reclaim disk space**

**Cause:** The indicated file was not included in the backup because it was deleted from the flash recovery area to reclaim disk space for other operations.

**Action:** No action is required.

**RMAN-08605: channel *string*: SID=*string* instance=*string* device type=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-08606: WARNING: The change tracking file is invalid.**

**Cause:** Backup found changed blocks that were not marked in the change tracking file. See alert log for more information.

**Action:** Do not use any of the incremental backups taken since the last full backup.

**RMAN-08607: List of remote backup files**

**Cause:** RESTORE command detected that one or more remote backup files were required to perform restore operation.

**Action:** Recall the media from remote site that contains the specified backup files before actual restore operation. The message should be accompanied with the list of remote backup files.

**RMAN-08608: Initiated recall for the following list of remote backup files**

**Cause:** This is an informational message displayed when the specified RECALL option of the RESTORE command detected that one or more remote backup files were required to perform the restore operation. The message indicated that RMAN had initiated the request on SBT channel to recall the remote backup files.

**Action:** No action required.

**RMAN-08609: channel *string*: starting incremental datafile backup set**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08610: channel *string*: restoring datafile *string* to *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08611: channel *string*: piece handle=*string* tag=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08612: channel *string*: failover to duplicate backup on device *string***

**Cause:** This is an informational message to indicate the RMAN could not successfully restore the files using the specified backups. An attempt was made to restore the datafiles/archived logs/ control file/SPFILE using a previous existing backup.

**Action:** See accompanying additional error messages indicating the cause of the failover.

**RMAN-08613: channel *string*: failover to piece handle=*string* tag=*string***

**Cause:** This is an informational message to indicate the server found a corrupted block in a backup piece and had to switch to another copy of the piece to get the same block.

**Action:** See alert log for information on corruption block(s) and the name of the backup piece that has the corrupted block(s).

**RMAN-08614: channel *string*: errors found reading piece handle=*string***

**Cause:** This is an informational message to indicate the server found a corrupted block in a backup piece. Accompanying error will describe the action taken.

**Action:** See alert log for more information.

---

**RMAN-08615: channel *string***

**Cause:** This is an informational message to indicate the server could not perform the restore due to the included errors. A least recent backup set will be used to perform the restore.

**Action:** See alert log for information on corruption block(s) and the name of the backup piece that has the corrupted block(s).

**RMAN-08616: validating blocks *string* through *string***

**Cause:** This is an informational message only

**Action:** No action is required.

**RMAN-08617: validation failed for foreign archived log**

**Cause:** The CROSSCHECK FOREIGN ARCHIVELOG command determined that the foreign archived log could not be found or no longer contained the same data, so its record was marked expired.

**Action:** None - this is an informational message.

**RMAN-08618: validation succeeded for foreign archived log**

**Cause:** The CROSSCHECK FOREIGN ARCHIVELOG command determined that the foreign archived log still matches its data.

**Action:** None - this is an informational message.

**RMAN-08619: foreign archived log file name=*string* RECID=*string* STAMP=*string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08620: uncataloged foreign archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-08621: deleted foreign archived log**

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-10000: error parsing target database connect string "*string*"**

**Cause:** An invalid target connect string was supplied.

**Action:** Specify a valid connect string and re-run the job.

**RMAN-10001: error parsing recovery catalog connect string "*string*"**

**Cause:** An invalid recovery catalog connect string was supplied.

**Action:** Specify a valid connect string and re-run the job.

**RMAN-10002: ORACLE error: *string***

**Cause:** The specified Oracle error was received. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-10003: unable to connect to target database**

**Cause:** Recovery manager was unable to connect to the target database. This message should be accompanied by other error message(s) indicating the cause of the error.

---

**Action:** Ensure that that the target database is started, and that the connect string is valid.

**RMAN-10004: unable to connect to recovery catalog**

**Cause:** Recovery manager was unable to connect to the recovery catalog

**Action:** Ensure that that the recovery catalog is started, and that the connect string is valid. This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-10005: error opening cursor**

**Cause:** An error was received while trying to open a cursor. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** If the associated Oracle error message indicates a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-10006: error running SQL statement: *string***

**Cause:** An error message was received while running the SQL statement shown.

**Action:** If the associated Oracle error message indicates a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-10007: error closing cursor**

**Cause:** An error was received while trying to close a cursor. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** If the associated Oracle error message indicates a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-10008: could not create channel context**

**Cause:** An error was received while trying create a channel context. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** If the associated Oracle error message indicates a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-10009: error logging off of Oracle**

**Cause:** An error was received while disconnecting from Oracle. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** This is an informational message only.

**RMAN-10010: error while checking for RPC completion**

**Cause:** Recovery Manager's channel context had an error while checking to see if a remote procedure call had completed. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** If other error messages indicate a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-10011: synchronization error while polling for rpc number, action=*string***

**Cause:** Recovery Manager could not synchronize properly with a remote procedure call.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10012: KGU error: *string***

**Cause:** An error occurred while initializing the KGU subsystem

---

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10013: error initializing PL/SQL**

**Cause:** An error occurred while initializing the PL/SQL subsystem.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10014: PL/SQL error *number on line number column number: string***

**Cause:** PL/SQL error

**Action:** The text of this message will be issued by the PL/SQL subsystem. See the PL/SQL error message manual.

**RMAN-10015: error compiling PL/SQL program**

**Cause:** An error occurred while compiling a PL/SQL program.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10018: error cleaning up channel context**

**Cause:** An error was received during inter-step cleanup of a channel context.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10020: error initializing Recovery Manager execution layer**

**Cause:** An error was received while initializing the Recovery Manager execution layer in preparation for running a job. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** If other error messages indicate a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-10022: error in system-dependent sleep routine**

**Cause:** An error was received while waiting for a remote RPC to complete. The error occurred in the system-dependent sleep routine.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10023: RPC attempted to unrecognized package**

**Cause:** The Recovery Manager internal RPC router received a package name that it could not understand.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10024: error setting up for rpc polling**

**Cause:** The Recovery Manager could not create the RPC polling context which is required to test for RPC completion. This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** If other error messages indicate a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-10025: connection is already registered for events**

**Cause:** The Recovery Manager could not enable the target database connection to test for RPC completion.

---

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10026: network error *number-number* occurred registering connection**

**Cause:** An network error occurred while attempting to register the target database connection to test for RPC completion.

**Action:** This is an internal error that should not be issued. The message numbers are issued by the Sql\*Net layer. Contact Oracle Support.

**RMAN-10027: could not locate network layer context**

**Cause:** Recovery Manager could not locate a necessary context area while attempting to register the target database connection to test for RPC completion.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10028: network error *number-number* occurred during remote RPC**

**Cause:** An network error occurred while waiting for a remote RPC to complete.

**Action:** This is an internal error that should not be issued. The message numbers are issued by the Sql\*Net layer. Contact Oracle Support.

**RMAN-10029: unexpected return code *number* from PL/SQL execution**

**Cause:** PL/SQL returned an unexpected return code while executing one channel program.

**Action:** This is an internal error that should not be issued. Contact Oracle Support.

**RMAN-10030: RPC call appears to have failed to start on channel *string***

**Cause:** An RPC to a target database instance was issued, but was not observed to start within 5 timeouts.

**Action:** This error is probably accompanied by other error messages giving the precise cause of the failure.

**RMAN-10031: RPC Error: ORA-*number* occurred during call to *string.string***

**Cause:** An RPC to the target database or recovery catalog database encountered an error.

**Action:** This error is accompanied with the error message from the server where the error occurred.

**RMAN-10032: unhandled exception during execution of job step *number: string***

**Cause:** An unhandled PL/SQL exception occurred during a job step.

**Action:** This error is accompanied by the error messages describing the exception.

**RMAN-10033: error during compilation of job step *number: string***

**Cause:** PL/SQL detected a problem during the compilation of a job step

**Action:** This error message is accompanied by the error messages describing

**RMAN-10034: unhandled exception during execution of job step *number*, error unknown**

**Cause:** PL/SQL detected an unhandled exception during execution of a job step, but no further information available

**Action:** None

---

**RMAN-10035: exception raised in RPC: *string***

**Cause:** A call to a remote package resulted in an exception.

**Action:** The exception should indicate what went wrong.

**RMAN-10036: RPC call OK on channel *string***

**Cause:** This is just an informational message. It should be preceded by message 10030.

**Action:** No action is required.

**RMAN-10037: RPC anomaly detected on channel *string*, UPINBLT=*number***

**Cause:** This is an debugging message and can be ignored.

**Action:** No action is required.

**RMAN-10038: database session for channel *string* terminated unexpectedly**

**Cause:** The database connection for the specified channel no longer exists. Either the session was terminated by some external means or the channel terminated because of an internal error.

**Action:** Check for an oracle trace file for detailed information on why the session terminated.

**RMAN-10039: error encountered while polling for RPC completion on channel *string***

**Cause:** This error should be accompanied by other errors giving the cause of the polling error.

**Action:** Check the accompanying errors.

**RMAN-10040: asynchronous support not detected, RMAN will run synchronously**

**Cause:** The database connection does not support asynchronous operation, so RMAN will not multi-task work among multiple channels. Multiple channels can still be allocated, but they will not run work concurrently.

**Action:** Use a connection type that supports asynchronous operations.

**RMAN-10041: Could not re-create polling channel context following failure.**

**Cause:** The RPC polling context, which is required to test for RPC completion, failed and Recovery Manager could not re-create this channel. This message should be accompanied by other error messages indicating the cause of the error.

**Action:** If other error messages indicate a condition that can be corrected, do so, otherwise contact Oracle.

**RMAN-11000: message number *number* not found in recovery manager message file**

**Cause:** Recovery manager message file is out of date.

**Action:** Make sure that the recovery manager error message file is current and installed in the correct location.

**RMAN-11001: Oracle Error: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-11002: could not open a cursor to the target database**

**Cause:** This is an informational message only.

**Action:** No action is required.

---

**RMAN-11003: failure during parse/execution of SQL statement: *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-11004: format requires %c when duplexing**

**Cause:** SET\_DUPLEX=ON was specified, but %c was not part of the format.

**Action:** Include %c in format, or use %U.

**RMAN-11005: conflicting media information for piece "*string*"**

**Cause:** While restoring the specified backup piece, RMAN received conflicting information about the physical location of the piece from the Media Management software. This can cause poor restore performance.

**Action:** If RMAN does not parallelize the restore from all of the available channels, then you should contact the Media Management vendor.

**RMAN-11006: WARNING: test recovery results: *string***

**Cause:** User called recover database with the test option

**Action:** None required

**RMAN-12000: execution layer initialization failed**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-12001: could not open channel *string***

**Cause:** An ALLOCATE CHANNEL command could not be processed.

**Action:** This message should be accompanied by other error message(s) indicating the cause of the error.

**RMAN-12005: error during channel cleanup**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

**Action:** Check the accompanying errors.

**RMAN-12007: cannot allocate more than *number* channels**

**Cause:** The maximum number of RMAN channels has been exceeded. Note that one channel is reserved for RMAN.

**Action:** Allocate fewer channels. Contact Oracle if you have a need for more channels in a single job.

**RMAN-12008: could not locate backup piece *string***

**Cause:** There was at least 1 backup set that could not be accessed by any of the allocated channels.

**Action:** Allocate additional channels on other nodes of the cluster

**RMAN-12009: command aborted because some backup pieces could not be located**

**Cause:** Same as 7008.

**Action:** Refer to 7008.

**RMAN-12010: automatic channel allocation initialization failed**

**Cause:** This message should be accompanied by other error message(s) indicating the cause of the error.

---

**Action:** Check the accompanying errors.

**RMAN-12011: multiple records for default device type found in catalog**

**Cause:** configuration for default device type not consistent.

**Action:** re-run CONFIGURE DEFAULT DEVICE TYPE command to set device type.

**RMAN-12012: multiple records for *string* parallelism found in catalog**

**Cause:** configuration for device parallelism is not consistent.

**Action:** re-run CONFIGURE PARALLELISM command for device to set parallelism.

**RMAN-12013: multiple records for *string* channel number found in catalog**

**Cause:** configuration for the channel is not consistent.

**Action:** re-run CONFIGURE CHANNEL command to configure this channel.

**RMAN-12014: multiple records for default channel configuration for *string* found in catalog**

**Cause:** configuration for the channel is not consistent.

**Action:** re-run CONFIGURE CHANNEL command to configure the channel.

**RMAN-12015: configuration for *string* channel number is ignored**

**Cause:** This is an informational message only. Parallelism for the device is less than associated channel number.

**Action:** To use this configuration increase parallelism for this device. To clear this configuration use CONFIGURE CHANNEL... CLEAR command.

**RMAN-12016: using channel *string***

**Cause:** This is an informational message only.

**Action:** No action is required.

**RMAN-12017: could not locate pieces of backup set key *string***

**Cause:** No copies of the specified backup set key can be accessed on any of the allocated channels.

**Action:** Allocate additional channels on other nodes of the cluster, or, if the backup pieces have been deleted, use the CROSSCHECK BACKUP command to correct the recovery catalog entries.

**RMAN-12018: channel *string* disabled, job failed on it will be run on another channel**

**Cause:** This is an informational message displayed whenever a retryable error occurs for the job and there are channels available to run this step.

**Action:** No action is required.

**RMAN-12019: continuing other job steps, job failed will not be re-run**

**Cause:** This is an informational message displayed whenever there is a non-retryable error occurred for the job.

**Action:** No action is required.

**RMAN-12020: error on step filtered for normal output *string***

**Cause:** This message is added when stacking errors for failed jobs after channel failover was performed. It will be filtered from normal output.

---

**Action:** No action is required.

**RMAN-20000: abnormal termination of job step**

**Cause:** A job step encountered an error and could not recover. This error should be followed by other errors indicating the cause of the problem.

**Action:** Check the accompanying error.

**RMAN-20001: target database not found in recovery catalog**

**Cause:** target database is not found in the recovery catalog

**Action:** make sure that the target database is registered in the recovery recovery catalog

**RMAN-20002: target database already registered in recovery catalog**

**Cause:** target database is already registered in the recovery catalog

**Action:** if the target database is really registered, there is no need to register it again. Note that the recovery catalog enforces that all databases have a unique DBID. If the new database was created by copying files from an existing database, it will have the same DBID as the original database and cannot be registered in the same recovery catalog.

**RMAN-20003: target database incarnation not found in recovery catalog**

**Cause:** RESETLOGS CHANGE# and/or time of the target database doesn't match any database incarnation in the recovery catalog.

**Action:** if target database was opened with RESETLOGS option then use "reset database" to register the new incarnation.

**RMAN-20004: target database name does not match name in recovery catalog**

**Cause:** name of the target database doesn't match the one stored in the recovery catalog

**Action:** This is an internal error.

**RMAN-20005: target database name is ambiguous**

**Cause:** two or more databases in the recovery catalog match this name

**Action:** None

**RMAN-20006: target database name is missing**

**Cause:** target database instance is not started or db\_name initialization parameter is not set

**Action:** startup the instance and make sure that db\_name parameter is set

**RMAN-20009: database incarnation already registered**

**Cause:** this incarnation is already registered in the recovery catalog

**Action:** No action is required.

**RMAN-20010: database incarnation not found**

**Cause:** database incarnation does not match any database incarnation in the recovery catalog

**Action:** specify a valid database incarnation key

**RMAN-20011: target database incarnation is not current in recovery catalog**

---

**Cause:** the database incarnation that matches the RESETLOGS CHANGE# and time of the mounted target database control file is not the current incarnation of the database

**Action:** If "reset database to incarnation <key>" was used to make an old incarnation current then restore the target database from a backup that matches the incarnation and mount it. You will need to do "STARTUP NOMOUNT" before you can restore the control file using RMAN. Otherwise use "reset database to incarnation <key>" make the intended incarnation current in the recovery catalog.

**RMAN-20012: not authorized to register new database**

**Cause:** You attempted to register a new database with this recovery catalog, but you are using a virtual private catalog, and you have not been granted permission by the catalog administrator to register this database with this recovery catalog

**Action:** Ask the catalog administrator to grant permission for you to register this database.

**RMAN-20013: error upgrading virtual private catalog**

**Cause:** An error occurred while automatically upgrading a virtual private catalog.

**Action:** Ensure that the virtual private catalog userid has all of the required privileges, such as being granted the RECOVERY\_CATALOG\_OWNER role.

**RMAN-20014: virtual private catalog owner must be granted RECOVERY\_CATALOG\_OWNER role**

**Cause:** An attempt was made to establish a virtual private RMAN catalog in a schema that is not granted the RECOVERY\_CATALOG\_OWNER role.

**Action:** Grant RECOVERY\_CATALOG\_OWNER to the virtual private catalog owner.

**RMAN-20015: not authorized to share this catalog**

**Cause:** You attempted to share a recovery catalog but were not authorized to do this by the catalog administrator.

**Action:** Ask the catalog administrator to grant permission for you to share this catalog.

**RMAN-20016: virtual private catalog user cannot modify global scripts**

**Cause:** A virtual private catalog user attempted to create, delete, or modify a global script. Virtual private catalog users cannot modify global scripts.

**Action:** Connect to the catalog owner userid and retry the global script operation.

**RMAN-20017: illegal script update operation**

**Cause:** An illegal script operation was performed.

**Action:** None

**RMAN-20018: database not found in recovery catalog**

**Cause:** An attempt was made to grant or revoke catalog access to a database whose name was not registered in the recovery catalog.

**Action:** Correct the database name and re-issue the GRANT or REVOKE command. If this is an attempt to grant or revoke access to a database that is not yet registered, then re-issue the command using the database ID of the desired database.

**RMAN-20019: database name not unique in recovery catalog**

---

**Cause:** An attempt was made to grant or revoke catalog access to a database whose name is not unique in the recovery catalog.

**Action:** Re-issue the command specifying the database ID of the desired database.

**RMAN-20029: cannot make a snapshot control file**

**Cause:** another operation that needs the snapshot control file is in progress

**Action:** try again later if necessary

**RMAN-20030: resync in progress**

**Cause:** this procedure cannot be called while a resync is in progress

**Action:** This is an internal error.

**RMAN-20031: resync not started**

**Cause:** this procedure can only be called in a resync

**Action:** This is an internal error.

**RMAN-20032: checkpoint CHANGE# too low**

**Cause:** the checkpoint change# is less than the one of the previous resync or the checkpoint change# is null

**Action:** make sure that the right control file is used

**RMAN-20033: control file SEQUENCE# too low**

**Cause:** the control file sequence is less than the one of the previous resync

**Action:** make sure that the right control file is used

**RMAN-20034: resync not needed**

**Cause:** the control file has not changed since the previous resync

**Action:** nothing since the recovery catalog is in sync

**RMAN-20038: must specify FORMAT for CONVERT command**

**Cause:** No FORMAT was specified when using CONVERT command.

**Action:** Resubmit the command using FORMAT clause.

**RMAN-20039: format requires character when duplexing**

**Cause:** SET\_DUPLEX=ON was specified, but %c was not part of the format.

**Action:** Include %c in format, or use %U.

**RMAN-20045: must specify FORMAT for BACKUP INCREMENTAL FROM SCN command**

**Cause:** No FORMAT was specified when using BACKUP INCREMENTAL FROM SCN command.

**Action:** Resubmit the command using FORMAT clause.

**RMAN-20079: full resync from primary database is not done**

**Cause:** Resync from standby detected that a full resync from primary database is required. One of the following events on primary database may have caused this error: 1) one or more tablespaces or datafiles were added 2) one or more tablespaces or datafiles were dropped 3) one or more datafiles status changed

**Action:** Perform full resync after connecting to primary database.

**RMAN-20081: change stamp for the record**

**Cause:** A record with same recid and stamp is already known to catalog.

---

**Action:** None. This error is automatically handled by RMAN client by changing the stamp in control file during resync.

**RMAN-20108: control file for remote database cannot be updated**

**Cause:** RESYNC CATALOG FROM DB\_UNIQUE\_NAME command was attempted, but the control file at the database with DB\_UNIQUE\_NAME needs to be resynced directly instead of through the current target.

**Action:** Directly connect as target to the remote database with the specified DB\_UNIQUE\_NAME and resync.

**RMAN-20109: remote database has different database ID**

**Cause:** Command RESYNC CATALOG FROM DB\_UNIQUE\_NAME was executed and the database ID of the remote database was different than the connected target database.

**Action:** The remote database should have the same database ID as the database connected as the target database. Fix the connect identifier for the remote database and retry the command.

**RMAN-20201: datafile not found in the recovery catalog**

**Cause:** The specified datafile is not found in the recovery catalog

**Action:** make sure that the datafile name is correct and that the recovery catalog is up-to-date

**RMAN-20202: Tablespace not found in the recovery catalog**

**Cause:** the specified tablespace is not found in the recovery catalog

**Action:** make sure that the tablespace name is correct and that the recovery catalog is up-to-date

**RMAN-20203: translation in progress**

**Cause:** this procedure can not be called when name translation is in progress

**Action:** This is an internal error.

**RMAN-20204: translation not started**

**Cause:** GETDATAFILE procedure was called before TRANSLATETABLESPACE

**Action:** This is an internal error.

**RMAN-20205: incomplete UNTIL clause**

**Cause:** The sequence# was NULL

**Action:** This is an internal error.

**RMAN-20206: log sequence not found in the repository**

**Cause:** The specified log sequence does not exist in log history of the current database incarnation

**Action:** check the thread# and sequence#

**RMAN-20207: UNTIL TIME or RECOVERY WINDOW is before RESETLOGS time**

**Cause:** UNTIL TIME and RECOVERY WINDOW cannot be less than the database creation time or RESETLOGS time.

**Action:** Check the UNTIL TIME or RECOVERY WINDOW. If the database needs to be restored to an old incarnation, use the RESET DATABASE TO INCARNATION command.

---

**RMAN-20208: UNTIL CHANGE is before RESETLOGS change**

**Cause:** UNTIL CHANGE cannot be less than the database RESETLOGS change.

**Action:** Check the UNTIL CHANGE. If the database needs to be restored to an old incarnation, use the RESET DATABASE TO INCARNATION command.

**RMAN-20209: duplicate datafile name**

**Cause:** Two datafiles have the same name

**Action:** This is an internal error.

**RMAN-20211: FROM TIME is before RESETLOGS time**

**Cause:** FROM TIME cannot be less than the database creation time or RESETLOGS time.

**Action:** Check the FROM TIME. If the database needs to be restored to an old incarnation, use the RESET DATABASE TO INCARNATION command.

**RMAN-20212: UNTIL CHANGE is an orphan incarnation**

**Cause:** Specified UNTIL CHANGE was an orphan incarnation.

**Action:** Check the UNTIL CHANGE or UNTIL RESTORE POINT. If the database needs to be restored or flashed back to an orphan incarnation, use the RESET DATABASE TO INCARNATION command.

**RMAN-20215: backup set not found**

**Cause:** The specified backup set key was not found in the recovery catalog

**Action:** Specify a different backup set key.

**RMAN-20217: datafile not part of the database**

**Cause:** the datafile does not exist or did not exist at until time/scn

**Action:** check the datafile name or number. This is an internal error. for restore database or tablespace.

**RMAN-20218: datafile not found in recovery catalog**

**Cause:** This is an internal error.

**Action:** Contact Oracle Customer Support.

**RMAN-20220: control file copy not found in the recovery catalog**

**Cause:** the specified control file is not in the recovery catalog or it has been marked deleted

**Action:** check the file name

**RMAN-20221: ambiguous control file copy name**

**Cause:** more than one control file copy in the recovery catalog match the specified name.

**Action:** None

**RMAN-20222: datafile name not found in recovery catalog or is ambiguous**

**Cause:** The specified datafile name is not the name of a datafile that is currently part of the target database, or an UNTIL clause has been specified and the file name was for a different datafile at the time specified by the UNTIL clause than it is now.

**Action:** Use a datafile number to specify the datafile you want to RESTORE or RECOVER.

---

**RMAN-20230: datafile copy not found in the recovery catalog**

**Cause:** the specified datafile is not in the recovery catalog or it has been marked deleted

**Action:** check the datafile copy name or key

**RMAN-20231: ambiguous datafile copy name**

**Cause:** more than one control file copy in the recovery catalog match the specified name.

**Action:** use the datafile copy key to uniquely specify the datafile copy

**RMAN-20240: archived log not found in the recovery catalog**

**Cause:** the specified archived log was not found in the recovery catalog or it has been marked deleted

**Action:** check the archived log name or key

**RMAN-20241: ambiguous archived log name**

**Cause:** more than one archived log in the recovery catalog match the specified name

**Action:** use the archived log key to uniquely specify the archived log

**RMAN-20243: database db\_unique\_name is not known to the recovery catalog**

**Cause:** the user specified DB\_UNIQUE\_NAME not known to the recovery catalog.

**Action:** change the database DB\_UNIQUE\_NAME to a known database value. To display list of known db\_unique\_names execute LIST DB\_UNIQUE\_NAME OF DATABASE

**RMAN-20244: can not change currently connected database db\_unique\_name**

**Cause:** the user specified currently connected DB\_UNIQUE\_NAME value to unregister.

**Action:** use the DB\_UNIQUE\_NAME other than connected target database's DB\_UNIQUE\_NAME value.

**RMAN-20245: can not specify db\_unique\_name option in nocatalog mode**

**Cause:** the user specified DB\_UNIQUE\_NAME in nocatalog mode.

**Action:** remove the DB\_UNIQUE\_NAME option from the command.

**RMAN-20246: new db\_unique\_name is already known to the recovery catalog**

**Cause:** the user specified known DB\_UNIQUE\_NAME value when renaming a DB\_UNIQUE\_NAME in the recovery catalog.

**Action:** change the database DB\_UNIQUE\_NAME to an known DB\_UNIQUE\_NAME value; or unregister the new DB\_UNIQUE\_NAME before renaming an old DB\_UNIQUE\_NAME value for a database. To display the list of all DB\_UNIQUE\_NAME for the databases LIST DB\_UNIQUE\_NAME OF DATABASE command can be executed.

**RMAN-20250: offline range not found in the recovery catalog**

**Cause:** the specified offline was not found in the recovery catalog

**Action:** check that recovery catalog is current

**RMAN-20260: backup piece not found in the recovery catalog**

---

**Cause:** the specified backup piece is not in the recovery catalog or it has been marked deleted

**Action:** check the backup piece handle or key

**RMAN-20261: ambiguous backup piece handle**

**Cause:** more than one backup piece in the recovery catalog match the specified handle

**Action:** use the backup piece key to uniquely specify the backup piece

**RMAN-20272: no parent backup found for the incremental backup**

**Cause:** no available backup or copy that could be used as the parent of the incremental backup was found in the recovery catalog.

**Action:** take a level 0 backup or copy of the datafile first

**RMAN-20280: too many device types**

**Cause:** more than 8 device types were allocated

**Action:** make sure that the job allocates at most 8 different device types

**RMAN-20298: DBMS\_RCVCAT package not compatible with the recovery catalog**

**Cause:** The version of the recovery catalog tables does not work with this version of the DBMS\_RCVCAT package.

**Action:** Check that the recovery catalog packages and schema are installed correctly. The UPGRADE CATALOG command can be used to upgrade the recovery catalog tables and packages to the most current version.

**RMAN-20299: DBMS\_RCVMAN package not compatible with the recovery catalog**

**Cause:** The version of the recovery catalog tables does not work with this version of the DBMS\_RCVMAN package.

**Action:** Check that the recovery catalog packages and schema are installed correctly. The UPGRADE CATALOG command can be used to upgrade the recovery catalog tables and packages to the most current version.

**RMAN-20310: proxy copy not found in the recovery catalog**

**Cause:** the specified proxy copy is not in the recovery catalog or it has been marked deleted

**Action:** check the proxy copy handle or key

**RMAN-20311: ambiguous proxy copy handle**

**Cause:** more than one proxy copy in the recovery catalog matches the specified handle

**Action:** use the proxy copy key to uniquely specify the proxy copy

**RMAN-20401: script already exists**

**Cause:** a CREATE SCRIPT was issued, but a script with the specified name already exists.

**Action:** use a different name or use REPLACE SCRIPT.

**RMAN-20501: redo logs from parent database incarnation cannot be applied**

**Cause:** A RESTORE or RECOVER of a datafile was requested, but recovery of the datafile would require applying redo logs that were generated before the most recent OPEN RESETLOGS.

---

**Action:** If a full backup or datafile copy from the current database incarnation exists, ensure that it is marked AVAILABLE, and that a channel of the correct device type is allocated. It may also be necessary to remove the FROM BACKUPSET or FROM DATAFILECOPY or FROM TAG operands if these have been specified.

**RMAN-20502: DELETE EXPIRED cannot delete objects that exist - run CROSSCHECK**

**Cause:** A DELETE EXPIRED command was run, but the object was actually found to exist. This means the recovery catalog or control file is out of sync with reality.

**Action:** Run CROSSCHECK.

**RMAN-20503: DELETE cannot delete expired objects - run CROSSCHECK or DELETE EXPIRED**

**Cause:** A DELETE command was run without EXPIRED option, but the object doesn't exist. This means the recovery catalog or control file is out of sync with reality.

**Action:** Run CROSSCHECK.

**RMAN-20504: corruption list not found in recovery catalog**

**Cause:** corruption list is empty

**Action:** make sure that one or more blocks are marked corrupted in v\$copy\_corruption and v\$backup\_corruption and recovery catalog is up-to-date.

**RMAN-20505: create datafile during recovery**

**Cause:** applying of archived log caused a create datafile redo-entry to terminate recovery.

**Action:** none. This message is never displayed. RMAN automatically detects this case and creates the datafile.

**RMAN-20506: no backup of archived log found**

**Cause:** during the recover process, no backup was found from which the archived logs could be restored.

**Action:** this message should be followed by a list of missing archived logs. Please make the necessary archived log backups available and try again.

**RMAN-20507: some targets are remote - aborting restore**

**Cause:** during the restore process, one or more backup files were unavailable locally for the restore operation.

**Action:** This message should be accompanied with the list of remote backup files. Recall these backups from remote location and retry the RESTORE command.

**RMAN-20508: temporary resource already in use**

**Cause:** Temporary resource that was allocated for IMPORT CATALOG command was already in use.

**Action:** Retry IMPORT CATALOG command.

**RMAN-20509: temporary resource not found**

**Cause:** Temporary resource that was allocated for IMPORT CATALOG command was not found.

**Action:** Retry IMPORT CATALOG command.

**RMAN-20510: database not found in source recovery catalog database**

---

**Cause:** Database that was specified in IMPORT CATALOG command was not found in the source recovery catalog database.

**Action:** Make sure that the database is registered in the source recovery catalog database.

**RMAN-20511: database name is ambiguous in source recovery catalog database**

**Cause:** Two or more databases in the source recovery catalog database match this name.

**Action:** Use DBID option in IMPORT CATALOG command to specify the source database.

**RMAN-20512: source database already registered in recovery catalog**

**Cause:** Source database was already registered in the recovery catalog.

**Action:** If the source database is really registered, there is no need to register it again. Note that the recovery catalog enforces that all databases have a unique DBID. If the new database was created by copying files from an existing database, it will have the same DBID as the original database and cannot be registered in the same recovery catalog.



---

---

## LRM-00100 to LRM-00123

**LRM-00100: internal error [number]**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services and report the error.

**LRM-00101: unknown parameter name "string"**

**Cause:** The parameter name was misspelled.

**Action:** Spell the parameter name correctly.

**LRM-00102: "string" is not in the legal range for "string"**

**Cause:** The value of the parameter is not within the legal range.

**Action:** Refer to the manual for the allowable values for this parameter.

**LRM-00103: "string" contains an illegal integer radix for "string"**

**Cause:** An illegal integer radix specification was found.

**Action:** Only "d", "h", "D", and "H" may be used as radix specifications.

**LRM-00104: "string" is not a legal integer for "string"**

**Cause:** The value is not a valid integer.

**Action:** Specify only valid integers for this parameter.

**LRM-00105: "string" is not a legal Boolean for "string"**

**Cause:** The value is not a valid Boolean.

**Action:** Refer to the manual for allowable Boolean values.

**LRM-00106: out of memory**

**Cause:** The operating system has run out of memory.

**Action:** Take action to make more memory available to the program.

**LRM-00107: parameter name abbreviation "string" is not unique**

**Cause:** The given abbreviation was not unique.

**Action:** Use a longer abbreviation to make the parameter name unique.

**LRM-00108: invalid positional parameter value "string"**

**Cause:** An invalid positional parameter value has been entered.

**Action:** Remove the invalid positional parameter.

**LRM-00109: could not open parameter file "string"**

**Cause:** The parameter file does not exist.

---

**Action:** Create an appropriate parameter file.

**LRM-00110: syntax error at "*string*"**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**LRM-00111: no closing quote for value "*string*"**

**Cause:** A quoted string was started but not finished.

**Action:** Put a closing quote in the proper location.

**LRM-00112: multiple values not allowed for parameter "*string*"**

**Cause:** An attempt was made to specify multiple values for a parameter which can take only one value.

**Action:** Do not specify more than one value for this parameter.

**LRM-00113: error when processing file "*string*"**

**Cause:** A problem occurred when processing this file.

**Action:** Examine the additional error messages and correct the problem.

**LRM-00114: error when processing from command line**

**Cause:** A problem occurred when processing the command line.

**Action:** Examine the additional error messages and correct the problem.

**LRM-00115: error when processing an environment variable**

**Cause:** A problem occurred when processing an environment variable.

**Action:** Examine the additional error messages and correct the problem.

**LRM-00116: syntax error at "*string*" following "*string*"**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**LRM-00117: syntax error at "*string*" at the start of input**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**LRM-00118: syntax error at "*string*" at the end of input**

**Cause:** A syntax error was detected.

**Action:** Change the input so that the correct syntax is used.

**LRM-00119: unable to obtain a valid value for "*string*"**

**Cause:** No valid value was obtained for this parameter.

**Action:** Rerun the application and enter a valid value.

**LRM-00120: "*string*" is not a legal Oracle number for "*string*"**

**Cause:** The value is not a valid Oracle number.

**Action:** Refer to the manual for allowable Oracle number values.

**LRM-00121: "*string*" is not an allowable value for "*string*"**

**Cause:** The value is not a legal value for this parameter.

**Action:** Refer to the manual for allowable values.

---

**LRM-00122: value "*string*" for "*string*" must be between "*number*" and "*number*"**

**Cause:** The value of the parameter is not within the legal range.

**Action:** Specify a value that is within the legal range.

**LRM-00123: invalid character *number* found in the input file**

**Cause:** A character that is invalid was found in the input file.

**Action:** Specify an input file that contains only valid characters.



---

---

## LFI-00002 to LFI-01523

**LFI-00002: Out of memory. *string***

**Cause:** The File IO package failed in trying to dynamically allocate memory. function name is used for additional comments to indicate where, when and why the error occurred.

**Action:** Perform whatever actions necessary to make more memory available to the executing program.

**LFI-00003: Internal exception code. icode = [*string*], [*string*].**

**Cause:** Unknown - indicated by parameters. The first "%s" gives the internal exception code; the second is for any other additional comments.

**Action:** Report to the appropriate development group

**LFI-00004: Call to *string* failed.**

**Cause:** A function call has failed. This error is a generic message to show that the exception has occurred in a particular function function name. This allows the client to know the trace runtime calling sequence by examining the exception stack.

**Action:** See the accompanying error messages for more information.

**LFI-00005: Free some memory failed in *string*.**

**Cause:** A call to free some memory in function function name has failed.

**Action:** See the accompanying error messages for more information and contact Oracle Worldwide Support immediately.

**LFI-00006: Invalid parameter to function *string*.**

**Cause:** The function was called with an invalid parameter.

**Action:** Check the function call to make sure that the correct parameters are being passed.

**LFI-00007: NLSRTL's call failed. *string*.**

**Cause:** LX calls return failure

**Action:** Check if our parameters are correct. Contact the appropriate group immediately if we parameters are valid.

**LFI-00008: SLTS's initializing/terminating mutex failed for *string*.**

**Cause:** SLTS's call return failure in function "%s".

**Action:** Contact the appropriate development group.

**LFI-00100: Unable to perform operation, file not opened in *string*.**

---

**Cause:** The file has not been successfully opened at the time the operation is attempted.

**Action:** Check to make sure that the file exists (for read) or that the program has access to the write a file (for write). It is also possible that the file was just never opened

**LFI-00101: Write failed, file cannot be written to.**

**Cause:** The buffer write operation failed. Possibly due to incorrect parameters being passed in.

**Action:** Check the underlying error for more information.

**LFI-00102: Unable to seek in sequentially accessed file.**

**Cause:** The file was opened with the flag LFILFA\_SEQ for sequential file operations. Use seek only on files that are opened with the LFILFA\_RANDOM flag for random access.

**Action:** Check to see how the file is being opened and accessed and make the two operations consistent (that is, make them both operations either sequential or random).

**LFI-00103: Seek operation failed.**

**Cause:** The buffer seek operation failed. Probably due to incorrect parameters or flags.

**Action:** Check syntax of the seek command and retry the operation.

**LFI-00104: Read operation failed.**

**Cause:** The buffer read operation failed. Probably due to incorrect parameters or flags.

**Action:** Check syntax of the read command and retry the operation.

**LFI-00105: Unable to add path.**

**Cause:** One of the following might have caused the error: the current path might not be in the proper format the directory might not be in the proper format the name object might not have been initialized properly

**Action:** Check the format of the current path and the new directory; check that the name object was initialized properly.

**LFI-00106: Path object holds more than one path.**

**Cause:** The path object passed to lfippth() holds more than one path.

**Action:** Make sure that the path object used in lfippth() holds only one path.

**LFI-00107: Open does not expect the file [*string*][*string*] to exist.**

**Cause:** The flags specified for the open indicate that the file does not exist. However, the file does exist.

**Action:** Check to make sure that the options that were specified for the file are correct and that you do not expect that the file should exist. If so then find out why the file does exist.

**LFI-00108: Open expect the file [*string*][*string*] to exist.**

**Cause:** The flags specified for the open indicate that the file the file to exist and it does not.

---

**Action:** Check to make sure that the options that were specified for the file are correct and that you expect that the file should exist. If so then find out why the file doesn't.

**LFI-00109: Unable to open file [string][string]. string.**

**Cause:** Either: the process does not have the proper access rights to open the file the file is already open

**Action:** Check to make sure the proper access permissions are assigned. If they are and the file still cannot be opened, then contact Oracle Worldwide Support.

**LFI-00110: Unable to initialize the Buffer Manager.**

**Cause:** The Buffer Manager initialization routine failed; probably because memory was exhausted.

**Action:** See the accompanying error messages for more information.

**LFI-00111: No other flags allowed in fixed length format.**

**Cause:** The function lfigfo() was called with an invalid File ID Descriptor. The valid File ID Descriptors are LFISTDIN, LFISTDOUT, and LFISTDERR.

**Action:** Check the call to lfigfo() to make sure it is correct.

**LFI-00113: Unable to initialize the Standard File object string.**

**Cause:** The call to open the standard file object failed.

**Action:** Check the underlying errors for more information.

**LFI-00114: Append is not allowed with string.**

**Cause:** Attempting to append using certain options.

**Action:** Check the flag options to verify its usage.

**LFI-00115: Buffer free failed.**

**Cause:** Probably do to the buffer flush failing.

**Action:** See the accompanying error messages for more information.

**LFI-00116: Unable to close file in operation string.**

**Cause:** The file close operation failed.

**Action:** See the accompanying error messages for more information.

**LFI-00117: Unable to rename file.**

**Cause:** The rename operation failed. Rename is called when we are protecting a file by operating on a temp file.

**Action:** Check to make sure that the process has the correct access rights to perform a rename.

**LFI-00118: Unable to change type to Unknown.**

**Cause:** The function lfichty() was called to change the file extension to LFIEXUNK (Unknown). This is not a valid operation.

**Action:** Check why you are doing this. If the extension is already unknown then you do not need to do this. If you just want no extension then use the extension type LFIEXNONE.

**LFI-00119: Unable to Abort an Unprotected file.**

**Cause:** The Abort function lfiabt() was called on a file that was not opened as a protected file. As such the abort operation is not valid.

---

**Action:** Check to see if you intended to open the file as a protected file.

**LFI-00120: Unable to parse root filename *string*.**

**Cause:** The root filename that was given to `lfimknam()` is not in a format that this platform understands.

**Action:** Check the format of the filename and retry the operation.

**LFI-00121: Only one of REPLACE, or PROT allowed for *opty*.**

**Cause:** Two or more of the following open type options were specified for the `lfilini()` function: `LFILOPTY_REPLACE`, or `LFILOPTY_PROT`.

**Action:** Remove one or more the of options such that you are only passing in one of the three.

**LFI-00122: Can only delete a file if we create it.**

**Cause:** The delete file flag was specified for a file that was not created by this file operation. The ability to delete a file is not portable. As such the only deletion that is allowed by this package is if we know we want to delete the file when we create it.

**Action:** You can only delete a file that you create. If you need to delete a file that you do not create then you will have to find another means of doing so.

**LFI-00123: Cannot access file Sequentially and Randomly.**

**Cause:** Both the `LFILFA_SEQ` (sequential) and `LFILFA_RANDOM` (random) flags were specified during the file object creation. This is not allowed. Only one of the two may be specified.

**Action:** Choose how you wish to access the file. If you choose random you can still access sequentially by just not using the repositioning functions.

**LFI-00124: No access mode was specified, default is sequential.**

**Cause:** Neither `LFILFA_SEQ` (sequential) or `LFILFA_RANDOM` (random) were specified during file object creation.

**Action:** The default is sequential but this should be explicitly set.

**LFI-00125: Random access only allowed on fixed length record files.**

**Cause:** The `LFILFA_RANDOM` flag was specified on a file that was not organized into fixed-length records. Random access is only allowed on fixed-length record files.

**Action:** Determine if the organization of your data needs to be in variable-length records and if you need to have random access to the file. If both conditions are true then you might need to buffer the entire file or enough of it to remove your need for random access. Another option is to close and rescan the file although this is not the optimal solution.

**LFI-00126: Record format can only be one of Fixed or Variable.**

**Cause:** Both `LFILRF_FIXED` (fixed) and `LFILRF_VAR` (variable) were specified during file object creation. Only one of the two is allowed for a given file.

**Action:** Determine how the file is organized and choose the option that matches.

**LFI-00127: No Record Format was specified, default is variable.**

**Cause:** Neither `LFILRF_FIXED` (fixed) or `LFILRF_VAR` (variable) were specified for record format. One of the two must be specified for each file.

**Action:** The default is `LFILRF_VAR`, but this should be explicitly set during file object creation.

---

**LFI-00128: Carriage Control is only valid for Standard file objects.**

**Cause:** The Carriage Control option is only valid for the standard file objects (LFISTDIN, LFISTDOUT, LFISTDERR). You may not specify this option for any other type of file.

**Action:** Choose between LFILRF\_FIXED and LFILRF\_VAR for the record format.

**LFI-00129: Invalid option *string* were specified on an input only file.**

**Cause:** The file was opened as input only but the output mode option LFILRF\_WR\_ASIS or delete option LFLOPTY\_DELETE was specified.

**Action:** Check to see how you intend to open this file and make the necessary changes.

**LFI-00130: Input option specified on output only file.**

**Cause:** The file was opened as output only but one of the input mode options (LFILRF\_READ\_NL or LFILRF\_FORCE\_NL) or was specified.

**Action:** Check to see how you intend to open this file and make the necessary changes.

**LFI-00131: No open type specified.**

**Cause:** The file object was created without an open type (that is, LFILOPTY\_INPUT, LFILOPTY\_OUTPUT, etc.).

**Action:** Decide how the file should be accessed and specify one of the open types.

**LFI-00132: Record length *string* is greater than max length of *string*.**

**Cause:** The record length specified for the file is greater than the max supported by this platform.

**Action:** Decrease the record length.

**LFI-00133: Trying to create file *string* that already exists.**

**Cause:** The file object was initialized with LFILOPTY\_OUTPUT and without LFILOPTY\_REPLACE and yet a file by this name already exists.

**Action:** Check to make sure that you are creating the right file. If you intend to overwrite the file if it exists that specify the replace option LFILOPTY\_REPLACE when initializing the file object.

**LFI-00134: Unable to protect a file for an append operation.**

**Cause:** The LFILOPTY\_APPEND and LFILOPTY\_PROT options were both specified for the file. This is currently not allowed because it would require copying the entire file at open time.

**Action:** Decide if you really need to protect the file for append. If so then think about making a copy of it before appending.

**LFI-00135: Unable to remove temporary file.**

**Cause:** A temporary file was created to protect a file and when the the tempfile was no longer needed it LFI attempted to remove it and was unable to do so.

**Action:** Check the permissions and where the temp files are being created.

**LFI-00136: Unable to change type of open file.**

**Cause:** The function lfichty() was called on an opened file.

**Action:** This is a bug in the client code. lfichty() cannot be used in this case.

**LFI-00137: Unable to perform *string* on a file object that is *string*.**

---

**Cause:** Unable to perform an LFI operation on a file object for the given reason.

**Action:** Take the appropriate corrective measure. For example if a file is supposed to be opened before the operation can be performed, client code will need to open the file first.

**LFI-00138: Unable to perform *string* on a name object that is *string*.**

**Cause:** Unable to perform an LFI operation on a name object for the given reason.

**Action:** Take the appropriate corrective measure.

**LFI-00139: Option *string* cannot be used with option *string* in calling *string*.**

**Cause:** First option cannot be used with second option in such a function call.

**Action:** Re-examine code to determine which option is needed.

**LFI-00140: Invalid option *string* were specified on input-output file.**

**Cause:** The file was opened as input-output and one of the mode options (LFIOPTY\_DELETE or non-LFIOPTY\_RANDOM) was specified.

**Action:** Check to see how you intend to open this file and make the necessary changes.

**LFI-00141: Unable to abort file in operation *string*.**

**Cause:** The abort operation failed.

**Action:** Check the underlying errors for more information.

**LFI-00142: Unable to delete an existing file [*string*][*string*] not owned by Oracle.**

**Cause:** The file was not created by Oracle.

**Action:** Change owner of file to Oracle or give Oracle access privileges to delete it.

**LFI-00143: Unable to delete non-existent file *string*.**

**Cause:** The file to be deleted does not exist.

**Action:** Check the underlying errors for more information.

**LFI-00144: File [*string*][*string*] does not exist**

**Cause:** The file does not exist.

**Action:** Check to make sure the file exists and retry the operation.

**LFI-00145: User buffer too short.**

**Cause:** The buffer that was passed is not large enough.

**Action:** Allocate a larger buffer and retry the operation.

**LFI-00146: copy does not expect the file *string.string* to exist**

**Cause:** We are expecting the destination file not to exist and it does.

**Action:** Find out why the file does exist.

**LFI-00147: File *string.string* does not exist**

**Cause:** The file does not exist.

**Action:** Check to make sure the file exists and retry the operation.

**LFI-00148: *string* can be called only on files opened in byte mode**

**Cause:** A routine that should be used only for files in byte mode was called for a file that was opened in record mode

**Action:** In order to use this function, the file should be opened in byte mode.

---

**LFI-00149: Error on destroying hash table in function *string***

**Cause:** We were expecting the cache path object and it does not.

**Action:** In order to use this function, the path object should be cache path object.

**LFI-00150: Error on creating hash table in function *string***

**Cause:** routine failed to create path object hash table

**Action:** make sure that startsize <= LHTQMAXSLOTS

**LFI-00151: Error on inserting into hash table in function *string***

**Cause:** routine failed to insert into hash table

**Action:** make sure there is enough memory for allocation and that the hash table exists.

**LFI-00152: Read operation (byte mode) failed.**

**Cause:** Byte mode read operation failed. Probably due to incorrect parameters or flags, or trying to read beyond end of file.

**Action:** Check syntax of the read command and size of file.

**LFI-01000: Unable to write line to file.**

**Cause:** The file being written to may no longer be open or we may have reached the end of the file.

**Action:** Examine underlying errors for more information.

**LFI-01001: Unable to write *string* bytes to file.**

**Cause:** The file being written to may no longer be open or we may have reached the end of the file.

**Action:** Examine underlying errors for more information.

**LFI-01002: Unable to read line from file.**

**Cause:** The file being read from may no longer be open.

**Action:** Examine underlying errors for more information.

**LFI-01003: Unable to read *string* bytes from file.**

**Cause:** The file being read from may no longer be open.

**Action:** See the accompanying error messages for more information.

**LFI-01004: Unable to empty buffer.**

**Cause:** The buffer manager is probably unable to write to the underlying file.

**Action:** Examine underlying errors for more information.

**LFI-01005: Unable to fill buffer.**

**Cause:** The buffer manager is probably unable to read from the underlying file.

**Action:** See the accompanying error messages for more information.

**LFI-01006: File ends in partial character in *string*.**

**Cause:** A line ends in a partial character.

**Action:** Examine underlying errors for more information.

**LFI-01007: Line is too long; encountered in function *string*.**

**Cause:** The length of the line exceeds the maximum length.

**Action:** Examine underlying errors for more information.

---

**LFI-01500: Error condition on call to OSD function *string*.**

**Cause:** An error condition arises in calling an OSD function. This message occurs if calls to malloc or free functions failed.

**Action:** Contact Oracle Worldwide Support.

**LFI-01501: tmpnam() fails to generate temporary file name.**

**Cause:** Operating system was unable to create temporary file name.

**Action:** Contact the development organization.

**LFI-01502: Base filename does not exist.**

**Cause:** The filename that was parsed had no base file. It was either all path or extension.

**Action:** Check the filename being passed in to make sure it is correct.

**LFI-01503: Max filename size exceeded generating filename.**

**Cause:** While building a filename we exceeded the buffer allocated to hold the new filename.

**Action:** Contact the development organization.

**LFI-01504: fseek() failed(OSD return value = *string*) in *string*.**

**Cause:** The function fseek() returned an error condition.

**Action:** Contact Oracle Worldwide Support.

**LFI-01505: fclose() failed(OSD return value = *string*) in *string*.**

**Cause:** The function fclose() returned an error condition.

**Action:** Contact Oracle Worldwide Support.

**LFI-01506: fflush() failed(OSD return value = *string*).**

**Cause:** The function fflush() returned an error condition.

**Action:** Contact the development organization.

**LFI-01507: fwrite() failed(OSD return value = *string*) in *string*.**

**Cause:** File pointer may be null or may not be opened for write.

**Action:** Contact the development organization.

**LFI-01508: access() failed.**

**Cause:** Call to access() failed.

**Action:** Contact the development organization.

**LFI-01509: fopen() failed(OSD return value = *string*).**

**Cause:** Call to fopen() failed.

**Action:** Contact Oracle Worldwide Support.

**LFI-01510: fread() failed(OSD return value = *string*) in *string*.**

**Cause:** Call to fread() failed.

**Action:** Contact Oracle Worldwide Support.

**LFI-01511: unlink() failed(OSD errno = *string*) in *string*.**

**Cause:** Call to unlink() failed.

**Action:** Contact the development organization.

---

**LFI-01512: stat() failed**

**Cause:** Call to stat() failed.

**Action:** Contact Oracle Worldwide Support.

**LFI-01514: ftell() failed in *string***

**Cause:** The ftell() function returned an error.

**Action:** Contact Oracle Worldwide Support.

**LFI-01515: truncate() failed.**

**Cause:** The function truncate() returned an error condition.

**Action:** Contact the development organization.

**LFI-01516: read() failed (OSD return value = *string*) in *string*.**

**Cause:** Call to read() failed.

**Action:** Contact the development organization.

**LFI-01517: open() failed(OSD return value = *string*).**

**Cause:** Call to open() failed.

**Action:** Contact the development organization.

**LFI-01518: write() failed(OSD return value = *string*) in *string*.**

**Cause:** Call to write() failed.

**Action:** Contact the development organization.

**LFI-01519: lseek() failed(OSD return value = *string*) in *string*.**

**Cause:** The lseek() function returned an error.

**Action:** Contact Oracle Worldwide Support.

**LFI-01520: close() failed(OSD return value = *string*) in *string*.**

**Cause:** The function close() returned an error condition.

**Action:** Contact the development organization.

**LFI-01521: fsync() failed(OSD return value = *string*) in *string*.**

**Cause:** The function fsync() returned an error condition.

**Action:** Contact the development organization.

**LFI-01522: opendir() failed.**

**Cause:** The function opendir() returned an error condition.

**Action:** Contact the development organization.

**LFI-01523: rename() failed.**

**Cause:** A call to lficstd() had failed.

**Action:** Contact development service



---

---

## PLS-00049 to PLS-01916

**PLS-00049: bad bind variable "string"**

**Cause:** The client (caller) of PL/SQL has parsed a bind variable that it has informed to be "bad".

**Action:** None

**PLS-00102: parser stack overflow because nesting is too deep**

**Cause:** The parser, which checks the syntax of PL/SQL statements, uses a data structure called a stack; the number of levels of nesting in the PL/SQL block exceeded the stack capacity.

**Action:** Reorganize the block structure to avoid nesting at too deep a level. For example, move the lowest-level sub-block to a higher level.

**PLS-00103: string**

**Cause:** This error message is from the parser. It found a token (language element) that is inappropriate in this context.

**Action:** Check previous tokens as well as the one given in the error message. The line and column numbers given in the error message refer to the end of the faulty language construct.

**PLS-00104: empty argument list in call of procedure "string" must be omitted**

**Cause:** In a subprogram call, the name of the subprogram was followed by an empty parameter list. For example, procedure P was called as P(). This is not allowed.

**Action:** Remove the empty parameter list. In the example, change the procedure call to P.

**PLS-00105: at most one forward declaration of type "string" is permitted**

**Cause:** More than one forward declaration of a type is redundant.

**Action:** Remove all but one forward declaration.

**PLS-00108: declarative units must be a single variable declaration**

**Cause:** While checking a declarative unit (a top-level declare block without the BEGIN...END), PL/SQL found that there was more than one item declared or that the item was not a variable declaration. A table is a common variable declaration at the unit level. To define a TABLE, compile a DECLARE compilation unit, but only one at a time is allowed.

**Action:** Declare variables in separate declarative units.

**PLS-00109: unknown exception name "string" in PRAGMA EXCEPTION\_INIT**

---

**Cause:** No declaration for the exception name referenced in an EXCEPTION\_INIT pragma was found within the scope of the pragma.

**Action:** Make sure the pragma follows the exception declaration and is within the same scope.

**PLS-00110: bind variable "*string*" not allowed in this context**

**Cause:** A bind variable, that is, an identifier prefixed with a colon, was found in an inappropriate context.

**Action:** Remove the colon or replace the bind variable with the appropriate object.

**PLS-00111: end-of-file in comment**

**Cause:** A Comment had a comment initiator (/\*), but before the

**Action:** Remove the Comment initiator or add a comment terminator. The line and column numbers accompanying the error message refer to the beginning of the last legal token before the Comment initiator.

**PLS-00112: end-of-line in quoted identifier**

**Cause:** A quoted identifier had a beginning quote ("), but before the ending quote (") was found, an end-of-line marker was encountered.

**Action:** Remove the beginning quote or add the ending quote. The line and column numbers accompanying the error message refer to the beginning of the quoted identifier.

**PLS-00113: END identifier "*string*" must match "*string*" at line *string*, column *string***

**Cause:** Following the keyword END, which terminates some language constructs (such as loops, blocks, functions, and procedures), you can optionally place the name of that construct. For example, at the end of the definition of loop L you might write END L. This error occurs when the optional name does not match the name given to the language construct. It is usually caused by a misspelled identifier or by faulty block structure.

**Action:** Make sure the spelling of the END identifier matches the name given to the language construct and that the block structure is correct.

**PLS-00114: identifier "*string*" too long**

**Cause:** The name of a PL/SQL variable is longer than 30 characters. Legal identifiers (including quoted identifiers) have a maximum length of 30 characters. A string literal might have been mistakenly enclosed in double quotes instead of single quotes, in which case PL/SQL considers it a quoted identifier.

**Action:** Shorten the identifier.

**PLS-00115: this PRAGMA must follow the declaration of "*string*"**

**Cause:** The pragma refers to a PL/SQL object that was not declared or is not within the scope of the reference. Identifiers must be declared before they are used in a pragma; forward references are not allowed.

**Action:** Check the spelling and declaration of the identifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00116: Duplicate where-clause in table expression**

**Cause:** Two or more WHERE clauses were found in a DELETE, SELECT, or UPDATE statement. The WHERE clause specifies a condition under which rows in a table are processed. The condition can contain several logical expressions connected by AND or OR, but a statement can contain only one WHERE clause.

---

**Action:** Remove one of the WHERE clauses and, if necessary, connect logical expressions by AND or OR

**PLS-00117: Duplicate connect-by clause in table expression**

**Cause:** Two or more CONNECT BY clauses were found in a SELECT statement. The CONNECT BY clause defines a relationship used to return rows in a hierarchical order. The relationship can contain two expressions separated by a relational operator (such as = or !=), but a statement can contain only one CONNECT BY clause.

**Action:** Remove one of the CONNECT BY clauses and, if necessary, separate expressions by a relational operator.

**PLS-00118: Duplicate group-by clause in table expression**

**Cause:** Two or more GROUP BY clauses were found in a SELECT statement. The GROUP BY clause lists column expressions used to form a summary row for each group of selected rows. The list can contain several column expressions separated by commas, but a statement can contain only one GROUP BY clause.

**Action:** Remove one of the GROUP BY clauses and, if necessary, separate column expressions by commas.

**PLS-00119: Duplicate having-clause in table expression**

**Cause:** Two or more HAVING clauses were found in a SELECT statement. The HAVING clause specifies a condition under which groups of rows (formed by the GROUP BY clause) are included in the result. The condition can include several logical expressions connected by AND or OR, but a statement can contain only one HAVING clause.

**Action:** Remove one of the HAVING clauses and, if necessary, connect logical expressions by AND or OR.

**PLS-00120: inappropriate argument in OPEN statement**

**Cause:** The asterisk (\*) option was used in the argument list of a SQL group function other than COUNT. For example, the code might look like SELECT SUM(\*) INTO emp\_count FROM emp; -- should be COUNT(\*) Only COUNT permits the use of the asterisk option, which returns the number of rows in a table.

**Action:** Remove the asterisk option from the argument list and replace it with an expression that refers to one or more database columns.

**PLS-00122: string as separator is allowed only with specific built-in functions**

**Cause:** A few built-in functions use keywords (instead of commas) as argument separators: Built-in function Argument separators

----- CHR, TRANSLATE USING CAST AS TRIM TRAILING, LEADING, BOTH, FROM A function different from one of these built-in functions is using a keyword as an argument separator.

**Action:** Correct the argument list or change the function name.

**PLS-00123: program too large (string)**

**Cause:** PL/SQL was designed primarily for robust transaction processing. One consequence of the special-purpose design is that the PL/SQL compiler imposes a limit on block size. The limit depends on the mix of statements in the PL/SQL block. Blocks that exceed the limit cause this error.

**Action:** The best solution is to modularize the program by defining subprograms, which can be stored in an Oracle database. Another solution is to break the program into two sub-blocks. Have the first block INSERT any data the second

---

block needs into a temporary database table. Then, have the second block SELECT the data from the table.

**PLS-00124: name of exception expected for first arg in exception\_init pragma**

**Cause:** The first argument passed to the EXCEPTION\_INIT pragma was something other than an exception name. The first argument must be the name of a legally declared exception.

**Action:** Replace the first argument with the name of a legally declared exception.

**PLS-00125: type name expected**

**Cause:** When a constant or variable was declared, its datatype was not specified. For example, the code might look like pi CONSTANT := 3.14159; -- should be CONSTANT REAL := 3.14159 Every constant and variable must have a datatype, which specifies a storage format, constraints, and valid range of values.

**Action:** Supply the type name

**PLS-00126: selector ALL is not allowed**

**Cause:** The ALL shortcut for specifying system privileges or statement options was used in a SQL statement. PL/SQL does not support the ALL shortcut.

**Action:** Remove the ALL shortcut from the SQL statement.

**PLS-00127: Pragma *string* is not a supported pragma**

**Cause:** The named pragma (compiler directive) is not among those supported by PL/SQL. The pragma name might be misspelled, or the pragma syntax might be faulty.

**Action:** Check the spelling of the pragma name, and make sure the proper syntax was used.

**PLS-00128: Illegal number of arguments for pragma *string***

**Cause:** The number of arguments (actual parameters) passed to the named pragma (compiler directive) is incorrect. A required argument was omitted from the argument list, or the pragma syntax is faulty (for example, a comma might be missing between two parameters).

**Action:** Supply the missing argument, or correct the faulty syntax.

**PLS-00129: Pragma INTERFACE only supports C as its first argument**

**Cause:** The first parameter passed to pragma INTERFACE specified a host language other than C. Currently, C is the only host language supported. The parameter might be misspelled, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

**Action:** Check the spelling of the first parameter, which should be C, and make sure the proper syntax was used.

**PLS-00130: Pragma *string* expects 1st argument to be a procedure/function/package/cursor**

**Cause:** The first argument (actual parameter) passed to the named pragma (compiler directive) was not the name of a subprogram, package, or cursor, as required. The parameter might be misspelled, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

**Action:** Check the spelling of the first parameter, and make sure the proper syntax was used.

**PLS-00131: Pragma *string* expects 2nd argument to be a procedure/function**

---

**Cause:** The second argument (actual parameter) passed to the named pragma (compiler directive) was not the name of a procedure or function, as required. The parameter cannot be a non-static method. The parameter might be misspelled or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

**Action:** Check the spelling of the second parameter and make sure the proper syntax was used.

**PLS-00132: Pragma *string* does not support *string***

**Cause:** One of the parameters passed to pragma RESTRICT\_REFERENCES was not among the following, as required: WNDS, WNPS, RNDS, RNPS. The parameter might be misspelled, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters)

**Action:** Check the spelling of all the parameters, and make sure the proper syntax was used.

**PLS-00133: Pragma *string* expects 1st argument to be an identifier or string-literal**

**Cause:** The first argument (actual parameter) passed to the named pragma (compiler directive) was not an identifier or string literal, as required. The parameter might be misspelled, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

**Action:** Check the spelling of the first parameter, and make sure the proper syntax was used.

**PLS-00134: Pragma *string* expects 2nd argument to be an identifier or string-literal**

**Cause:** The second argument (actual parameter) passed to the named pragma (compiler directive) was not an identifier or string literal, as required. The parameter might be misspelled, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

**Action:** Check the spelling of the second parameter, and make sure the proper syntax was used.

**PLS-00135: Pragma *string* expects 3rd argument to be an identifier, string or numeric literal**

**Cause:** The fourth argument (actual parameter) passed to the named pragma (compiler directive) was not a numeric literal, as required. The parameter might be miscoded, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

**Action:** Check the coding of the fourth parameter, and make sure the proper syntax was used.

**PLS-00138: Precision for a binary type must be one of 8, 16, or 32**

**Cause:** Invalid precision was specified for a signed or unsigned binary type.

**Action:** Specify precision as one of 8, 16, or 32.

**PLS-00139: duplicate external NAME specification in subprogram expression**

**Cause:** The subprogram was found to have two external NAME specifications.

**Action:** Remove one of the external NAME specifications.

**PLS-00140: duplicate external LIBRARY specification in subprogram expression**

**Cause:** The subprogram was found to have two external LIBRARY specifications.

**Action:** Remove one of the external LIBRARY specifications.

---

**PLS-00141: duplicate external PARAMETER STYLE specification in subprogram expression**

**Cause:** The subprogram was found to have two external PARAMETER STYLE specifications.

**Action:** Remove one of the external PARAMETER STYLE specifications.

**PLS-00142: duplicate external PARAMETER list specification in subprogram expression**

**Cause:** The subprogram was found to have two external PARAMETER STYLE specifications.

**Action:** Remove one of the external PARAMETER STYLE specifications.

**PLS-00143: duplicate external LANGUAGE specification in subprogram expression**

**Cause:** The subprogram was found to have two external LANGUAGE specifications.

**Action:** Remove one of the external LANGUAGE specifications.

**PLS-00144: duplicate external CALLING STANDARD specification in subprogram expression**

**Cause:** The subprogram was found to have two external CALLING STANDARD specifications.

**Action:** Remove one of the external CALLING STANDARD specifications.

**PLS-00145: duplicate external WITH CONTEXT specification in subprogram expression**

**Cause:** The subprogram was found to have two external WITH CONTEXT specifications.

**Action:** Remove one of the external WITH CONTEXT specifications.

**PLS-00146: duplicate external TRUSTED/UNTRUSTED specification in subprogram expression**

**Cause:** The subprogram was found to have two external TRUSTED/UNTRUSTED specifications.

**Action:** Remove one of the external external TRUSTED/UNTRUSTED specifications.

**PLS-00147: LIBRARY or ASSEMBLY file specification string is empty**

**Cause:** A zero-length string was found for the LIBRARY or ASSEMBLY file specification.

**Action:** Specify a non-zero length string for the LIBRARY or ASSEMBLY file specification.

**PLS-00148: Only 1 pragma of this type is allowed per subprogram**

**Cause:** The subprogram was found to have two PRAGMA RESTRICT\_REFERENCES.

**Action:** Remove one of the PRAGMA RESTRICT\_REFERENCES.

**PLS-00150: found: *string* but expected : INTEGER**

**Cause:** This error happens in the creation of a pl/sql external type: [SIGNED | UNSIGNED] BINARY INTEGER (<precision>). It may be referenced only in a create type statement. Such types are non-queryable. Something other than "INTEGER" was supplied.

---

**Action:** None

**PLS-00151: Expression or Variable is an illegal type to PLS/QL: *string***

**Cause:** A type was used which does not belong PL/SQL. This type can only be referenced in CREATE TYPE statements, and is a non-queryable data type.

**Action:** None

**PLS-00152: POINTER type may only reference an object type.**

**Cause:** A POINTER type which does not belong to PL/SQL can only refer to an object type. This type can only be referenced in CREATE TYPE statements, and is a non-queryable data type.

**Action:** None

**PLS-00153: A *string* type may only be used as an object type attribute.**

**Cause:** A POINTER or [SIGNED/UNSIGNED] BINARY INTEGER can only be used as attributes of object types. These types can only be referenced in CREATE TYPE statements, and are non-queryable data types. One of these external PL/SQL types outside of an object type.

**Action:** None

**PLS-00154: An object type may have only 1 MAP or 1 ORDER method.**

**Cause:** More than one map or order function was declared. An object type can have only one map function or one order function, but not both.

**Action:** None

**PLS-00155: Only a function may be a MAP, ORDER or CONSTRUCTOR method.**

**Cause:** A procedure was declared as a MAP, ORDER or CONSTRUCTOR method. Only functions can be MAP, ORDER or CONSTRUCTOR methods.

**Action:** None

**PLS-00156: Null constraints not supported for object attributes.**

**Cause:** A null constraint was specified for an attribute in an object. This is not supported.

**Action:** Remove the constraint.

**PLS-00157: AUTHID only allowed on schema-level programs**

**Cause:** An AUTHID clause was specified for a subprogram inside a package or type. These clauses are only supported for top-level stored procedures, packages, and types.

**Action:** Remove the clause

**PLS-00160: AUTHID must specify CURRENT\_USER or DEFINER**

**Cause:** The only two allowed options for AUTHID are CURRENT\_USER and DEFINER.

**Action:** Fix the AUTHID clause to specify CURRENT\_USER or DEFINER

**PLS-00161: Pragma *string* expects 3rd argument to be an identifier or a string literal**

**Cause:** The third argument (actual parameter) passed to the named pragma (compiler directive) was not an identifier or a string literal when there is a fourth argument to the pragma. The parameter might be misspelled, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

---

**Action:** Check the spelling of the third parameter, and make sure the proper syntax was used.

**PLS-00162: Pragma *string* expects 4th argument to be a positive integer literal**

**Cause:** The fourth argument (actual parameter) passed to the named pragma (compiler directive) was not a numeric literal, as required. The parameter might be misspelled, or the pragma syntax might be faulty (for example, a comma might be missing between two parameters).

**Action:** Check the spelling of the fourth parameter, and make sure the proper syntax was used.

**PLS-00164: cursor subqueries are not supported in this release**

**Cause:** This feature is not yet implemented.

**Action:** None

**PLS-00165: call statement is not supported in PL/SQL**

**Cause:** A CALL statement was found in PL/SQL source.

**Action:** Use an ordinary PL/SQL function or procedure call.

**PLS-00166: bad format for date, time, timestamp or interval literal**

**Cause:** The contents of the date, time, timestamp or interval literal did not match the expected format.

**Action:** Correct the format for the date, datetime, or interval literal.

**PLS-00167: keyword BULK is used in a wrong context**

**Cause:** keyword BULK is used illegally. For example, BULK is used without INTO clause

**Action:** remove the keyword BULK.

**PLS-00168: duplicate modifier specification "*string*"**

**Cause:** A method or object type modifier was specified more than once.

**Action:** Remove all but one occurrence of the duplicate modifier.

**PLS-00169: modifier "*string*" conflicts with prior "*string*" specification**

**Cause:** The method or object type modifier specified conflicts with an earlier modifier. For example, a FINAL modifier cannot be combined with a NOT FINAL modifier.

**Action:** Remove one of the conflicting modifiers.

**PLS-00170: the SQL statement in an OPEN statement or FOR loop must be a SELECT**

**Cause:** An OPEN cursor statement or cursor FOR loop can only invoke a SELECT statement, not an UPDATE, INSERT or DELETE.

**Action:** Use only SELECT statements in OPEN or cursor FOR loops

**PLS-00171: duplicate dedicated AGENT specification in subprogram expression**

**Cause:** The subprogram was found to have two dedicated AGENT specifications.

**Action:** Remove one of the dedicated AGENT specifications.

**PLS-00172: string literal too long**

**Cause:** The string literal was longer than 32767 bytes.

**Action:** Use a string literal of at most 32767 bytes.

---

**PLS-00173: SPACE, TAB or RETURN are disallowed as alternative quote delimiters**

**Cause:** SPACE, TAB or RETURN was used as alternative quote delimiter.

**Action:** Use a character other than SPACE, TAB or RETURN as the alternative quote delimiter.

**PLS-00174: a static boolean expression must be used**

**Cause:** The expression contained a syntax or semantic error, or it did not have a boolean type or its evaluation raised an exception.

**Action:** Write correct static boolean expression.

**PLS-00176: unexpected preprocessor token "\$string"**

**Cause:** A preprocessor token was used inappropriately.

**Action:** Remove the preprocessor token that is inappropriately used.

**PLS-00177: "\$string" preprocessor directive does not end properly**

**Cause:** A preprocessor directive was not ended properly.

**Action:** Use \$end to end the preprocessor directive properly.

**PLS-00178: a static character expression must be used**

**Cause:** The expression contained a syntax or semantic error, or it did not have a character type or its evaluation raised an exception.

**Action:** Write correct static character expression.

**PLS-00179: \$ERROR: string**

**Cause:** \$ERROR directive was used. This is an expected error message.

**Action:** NA

**PLS-00180: preprocessor directives are not supported in this context**

**Cause:** A preprocessor directive was used in a compilation unit for which conditional compilation is not supported.

**Action:** Do not use any preprocessor directives in this compilation unit.

**PLS-00181: unsupported preprocessor directive "string"**

**Cause:** An unsupported preprocessor directive was used.

**Action:** Use a supported preprocessor directive.

**PLS-00201: identifier "string" must be declared**

**Cause:** You tried to reference either an undeclared variable, exception, procedure, or other item, or an item to which no privilege was granted or an item to which privilege was granted only through a role.

**Action:** 1) Check your spelling and declaration of the referenced name. 2) Verify that the declaration for the referenced item is placed correctly in the block structure. 3) If the referenced item is indeed declared but you don't have privileges to refer to that item, for security reasons, you will be notified only that the item is not declared. 4) If the referenced item is indeed declared and you believe that you have privileges to refer to that item, check the privileges; if the privileges were granted only via a role, then this is expected and documented behavior. Stored objects (packages, procedures, functions, triggers, views) run in the security domain of the object owner with no roles enabled except PUBLIC. Again, you will be notified only that the item was not declared.

**PLS-00202: type "string" must be declared**

---

**Cause:** An attempt was made to reference an undefined type. Either the type specifier was not declared or it is not within the scope of the reference.

**Action:** Check the spelling and declaration of the type specifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00203: function DECODE must be called with at least 3 non-boolean arguments**

**Cause:** Less than three arguments were passed to the built-in function DECODE. Though DECODE takes a variable number of (non-Boolean) arguments, at least three arguments must be passed.

**Action:** Call DECODE with three or more arguments

**PLS-00204: function or pseudo-column "string" may be used inside a SQL statement only**

**Cause:** A pseudocolumn or proscribed function was used in a procedural statement. The SQL pseudocolumns (LEVEL, ROWID, ROWNUM) can be used only in SQL statements. Likewise, certain functions such as DECODE, DUMP, and VSIZE and the SQL group functions (AVG, MIN, MAX, COUNT, SUM, STDDEV, VARIANCE) can be used only in SQL statements.

**Action:** Remove the pseudocolumn reference or function call from the procedural statement. Or, replace the procedural statement with a SELECT INTO statement; for example, replace `bonus := DECODE(rating, 1, 5000, 2, 2500, ...)`; with the following statement: `SELECT DECODE(rating, 1, 5000, 2, 2500, ...) INTO bonus FROM dual;`

**PLS-00205: Aggregate not allowed here**

**Cause:** An aggregate, that is, a parenthesized list of values such as (7788, "SCOTT", 20), was found in an inappropriate context.

**Action:** Remove or relocate the aggregate.

**PLS-00206: %TYPE must be applied to a variable, column, field or attribute, not to "string"**

**Cause:** The program object declared using the %TYPE datatype attribute is not of the appropriate class. It must be a variable, column, record component, subprogram formal parameter, or other object to which values can be assigned.

**Action:** Declare an object of the appropriate class or define the datatype in another way (for example, use %ROWTYPE).

**PLS-00207: identifier "string", applied to implicit cursor SQL, is not a legal cursor attribute**

**Cause:** An identifier that is not a cursor attribute was applied to the identifier SQL. For example, this error occurs if the cursor attribute is misspelled.

**Action:** Check the spelling of the cursor attribute name. Make sure the attribute is one of these: %NOTFOUND, %FOUND, %ROWCOUNT, %ISOPEN.

**PLS-00208: identifier "string" is not a legal cursor attribute**

**Cause:** An identifier not declared as a cursor attribute was applied to an identifier declared as a cursor. For example, this error occurs if the cursor attribute is misspelled.

**Action:** Check the spelling of the cursor attribute name. Make sure the attribute is one of these: %NOTFOUND, %FOUND, %ROWCOUNT, %ISOPEN.

**PLS-00209: table "string" is not in FROM clause**

---

**Cause:** In a query, a table referenced by the select list is not named in the FROM clause.

**Action:** Check the spelling of the table names, make sure each column in the select list refers to a table in the FROM clause, then re-execute the query.

**PLS-00210: an OTHERS clause is required in this CASE statement**

**Cause:** Unless the clauses of a CASE statement mention all values of the type of the selecting expression, an OTHERS clause must be provided as the last clause of the CASE statement. It is impossible to cover all values of type INTEGER (or NUMBER), so an OTHERS clause is always required when the expression following the keyword CASE is of type INTEGER (or NUMBER).

**Action:** None

**PLS-00211: CASE labels or ranges must not be duplicated in different WHEN clauses**

**Cause:** In this CASE statement, a value appears in more than one WHEN clause. A value may appear in at most one WHEN clause of a CASE statement.

**Action:** None

**PLS-00212: could not obtain enough memory to compile CASE statement**

**Cause:** The CASE statement is too big. The compiler did not have enough storage to process it.

**Action:** None

**PLS-00213: package STANDARD not accessible**

**Cause:** The PL/SQL compiler could not find package STANDARD in the current Oracle database. To compile a program, PL/SQL needs package STANDARD.

**Action:** Make sure that package STANDARD is available in the current Oracle database, then retry the operation.

**PLS-00214: BEGIN...END block nesting is too deep**

**Cause:** The number of levels of nesting in the PL/SQL block is too large. Blocks can be nested up to 255 levels deep, depending on the availability of system resources such as memory.

**Action:** Reorganize the block structure to avoid nesting at too deep a level. For example, move the lowest-level sub-block to a higher level.

**PLS-00215: String length constraints must be in range (1 .. 32767)**

**Cause:** When a character variable was declared, a length outside the legal range was specified. For example, the following declarations are illegal: flag CHAR(0); -- illegal; zero length name VARCHAR2(-10); -- illegal; negative length

**Action:** Change the length constraint, making sure that it lies in the range 1 .. 32767.

**PLS-00216: NUMBER precision constraint must be in range (1 .. 38)**

**Cause:** A NUMBER variable was declared with a precision that is outside the legal range. Declarations such as N NUMBER(800) or N NUMBER(123,10) are not supported.

**Action:** Change the illegal NUMBER precision constraint, making sure that it lies in the range 1 .. 38.

**PLS-00217: NUMBER scale constraint must be in range (-84 .. 127)**

---

**Cause:** A NUMBER variable was declared with a scale that is outside the legal range. Declarations such as N NUMBER(10,345) or N NUMBER(10,-100) are not supported.

**Action:** Change the illegal NUMBER scale constraint, making sure that it lies in the range -84 .. 127.

**PLS-00218: a variable declared NOT NULL must have an initialization assignment**

**Cause:** In general, variables that have no initialization clause in their declaration are automatically initialized to NULL. This is illogical for NOT NULL variables; therefore, an initialization clause is required.

**Action:** Add an initialization clause to the variable declaration. If the initialization is too complicated for the syntax, one can add a function call (in a later release).

**PLS-00219: label "string" reference is out of scope**

**Cause:** A block or loop label was used to qualify a variable (as in outer\_block.date) that was not declared or is not within the scope of the label. The variable name might be misspelled, its declaration might be faulty, or the declaration might be placed incorrectly in the block structure.

**Action:** Check the spelling and declaration of the variable name. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00220: simple name required in this context**

**Cause:** A qualified name such as A.B or A.B.C is not permitted here.

**Action:** Use a simple name such as A instead.

**PLS-00221: "string" is not a procedure or is undefined**

**Cause:** An identifier being referenced as a procedure was not declared or actually represents another object (for example, it might have been declared as a function).

**Action:** Check the spelling and declaration of the identifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00222: no function with name "string" exists in this scope**

**Cause:** An identifier being referenced as a function was not declared or actually represents another object (for example, it might have been declared as a procedure).

**Action:** Check the spelling and declaration of the identifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00223: parameterless procedure "string" used as function**

**Cause:** An identifier being referenced as a parameterless function actually represents a procedure.

**Action:** Check the spelling and declaration of the identifier. Also confirm that the declaration is placed correctly in the block structure. If necessary, change the declaration of the identifier or change the reference so that it does not require a return value.

**PLS-00224: object "string" must be of type function or array to be used this way**

**Cause:** An identifier being referenced as a function or an array actually represents an object (a number or date, for example) that cannot be referenced in this way.

**Action:** Check the spelling and declaration of the identifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00225: subprogram or cursor "string" reference is out of scope**

---

**Cause:** The prefix in a qualified name was a subprogram or cursor which was not in an enclosing scope; i.e., a subprogram or cursor name is being used as a scope qualifier for a reference to an entity (within that subprogram or cursor) that is not in scope. Example: declare x number; type t1 is record (a number); function f return t1 is a number; begin x := f.a; -- legal use of function "f" as a scope qualifier; -- resolves to local variable "a" in function "f". x := f().a; -- legal reference to component "a" of returned record end; begin x := f.a; -- illegal use of function "f" as a scope qualifier x := f().a; -- legal reference to component "a" of returned record end;

**Action:** a) if the intention was to refer to a local variable of a non-enclosing function, this is not allowed; remove the reference b) if this is a parameterless function, and the the intention was to access a field of the result of a call to this function, then use empty parentheses in the call.

**PLS-00226: package "string" used as variable reference**

**Cause:** A package was referenced in an expression as if it were a variable or function. Either the name of the variable or function is misspelled or the reference is not fully qualified. For example, to call the function my\_function, which is stored in package my\_package, dot notation must be used, as follows: ... my\_package.my\_function ...

**Action:** Correct the spelling of the variable or function name or use dot notation to reference the packaged variable or function.

**PLS-00227: subprogram "in" formal string is not yet denotable**

**Cause:** When the formal parameters of a subprogram were declared, one parameter was used to initialize another, as in PROCEDURE my\_proc (j NUMBER, k NUMBER := j) IS ... The first parameter has no value until run time, so it cannot be used to initialize another parameter.

**Action:** Remove the illegal formal parameter reference.

**PLS-00228: Illegal declaration of variable of type LONG**

**Cause:** The identifier is a formal parameter which is being used in the context of a default expression value for a formal parameter in the same formal parameter list. E.g.: procedure p(j number, k number := j).

**Action:** Remove the offending variable definition

**PLS-00229: Attribute expression within SQL expression**

**Cause:** An attribute expression, such as SQL%NOTFOUND, was used in a SQL statement, but attribute expressions are allowed only in procedural statements.

**Action:** To workaround this limitation, assign the value of the attribute expression to a variable, then use the variable in the SQL statement. For example, replace the statement INSERT INTO audits VALUES (c1%ROWCOUNT, ...); with the following statements: row\_count := c1%ROWCOUNT; INSERT INTO audits VALUES (row\_count, ...);

**PLS-00230: OUT and IN OUT formal parameters may not have default expressions**

**Cause:** When the formal parameters of a procedure were declared, an OUT or IN OUT parameter was initialized to a default value, as in PROCEDURE calc\_bonus (bonus OUT REAL := 0, ...) IS ... However, only IN parameters can be initialized to default values.

**Action:** Remove the illegal default expression.

**PLS-00231: function "string" may not be used in SQL**

---

**Cause:** A proscribed function was used in a SQL statement. Certain functions such as SQLCODE and SQLERRM can be used only in procedural statements.

**Action:** Remove the function call from the SQL statement. Or, replace the function call with a local variable. For example, the following statement is illegal: INSERT INTO errors VALUES (SQLCODE, SQLERRM); However, you can assign the values of SQLCODE and SQLERRM to local variables, then use the variables in the SQL statement, as follows: err\_num := SQLCODE; err\_msg := SQLERRM; INSERT INTO errors VALUES (err\_num, err\_msg);

**PLS-00232: nested packages not permitted**

**Cause:** A package was declared inside another package, but package declarations are allowed only at the top level. In other words, packages cannot be nested.

**Action:** Move the package declaration outside the enclosing package.

**PLS-00233: function name used as an exception name in when clause**

**Cause:** The WHEN clause in an exception handler contains a function call instead of an exception name. A valid exception handler consists of a WHEN clause, which must specify an exception, followed by a sequence of statements to be executed when that exception is raised.

**Action:** Check the spelling of the identifier in the WHEN clause, then replace the function call with an exception name.

**PLS-00234: PARAMETER STYLE SQL may not be specified with a PARAMATERS list**

**Cause:** A subprogram cannot specify both PARAMETER STYLE SQL and an explicit PARAMETERS list. Use PARAMETER STYLE GENERAL to supply default PARAMETERS list types.

**Action:** Change the subprogram specification.

**PLS-00235: the external type is not appropriate for the parameter**

**Cause:** An unsuccessful attempt was made to convert a parameter to the specified external parameter type.

**Action:** Specify a different external type or parameter type.

**PLS-00236: Invalid external type specification for *string*.**

**Cause:** The external type specified is not valid for one of the following: INDICATOR, LENGTH, MAXLEN, TDO, DURATION, CHARSETID, or CHARSETFORM.

**Action:** Check the manual and specify an appropriate external type.

**PLS-00237: invalid BY VALUE indicator or length specification**

**Cause:** BY VALUE was specified with an indicator or length parameter that is being passed in OUT or IN OUT mode. Only IN mode parameters may be passed by value.

**Action:** Remove the BY VALUE specification or change it to IN mode.

**PLS-00238: external parameter name *string* not found in formal parameter list**

**Cause:** An external parameter name was specified that does not match one in the formal parameter list.

**Action:** Correct the external parameter name.

**PLS-00239: invalid external type specification for SQLCODE**

---

**Cause:** An inappropriate external parameter type was specified for the SQLCODE parameter.

**Action:** Correct the SQLCODE parameter specification.

**PLS-00240: Invalid type specification for RETURN indicator, length, tdo, duration**

**Cause:** An inappropriate external parameter type was specified for the RETURN indicator, LENGTH, TDO, or DURATION.

**Action:** Correct the RETURN parameter specification.

**PLS-00241: invalid external type specification for SQLSTATE**

**Cause:** An inappropriate external parameter type was specified for the SQLSTATE parameter.

**Action:** Correct the SQLSTATE parameter specification.

**PLS-00242: invalid external type specification for CONTEXT**

**Cause:** An inappropriate external parameter type was specified for the CONTEXT parameter.

**Action:** Correct the CONTEXT parameter specification.

**PLS-00243: invalid external type specification for SQLNAME**

**Cause:** An inappropriate external parameter type was specified for the SQLNAME parameter.

**Action:** Correct the SQLNAME parameter specification.

**PLS-00244: Multiple declarations in foreign function formal parameter list**

**Cause:** There are multiple declarations of at least one the following FORMAL, INDICATOR, LENGTH, MAXLENGTH, or CONTEXT. PL/SQL allows only one declaration of the above for each formal parameter in the PARAMETERS clause.

**Action:** Correct the PARAMETERS clause.

**PLS-00245: Formals used in the "parameters" clause must appear exactly once**

**Cause:** There are multiple declarations of the formal parameter in the PARAMETERS clause. PL/SQL allows only one declaration of the formal parameter in the PARAMETERS clause.

**Action:** Correct the PARAMETERS clause.

**PLS-00246: PARAMETER STYLE is unsupported**

**Cause:** A PARAMETER STYLE clause was placed in the external subprogram body.

**Action:** Remove the PARAMETER STYLE clause.

**PLS-00247: LIBRARY or ASSEMBLY name must be specified**

**Cause:** The LIBRARY or ASSEMBLY name is missing from the external subprogram body.

**Action:** The LIBRARY or ASSEMBLY name was not specified in the external subprogram body.

**PLS-00248: Invalid Library Syntax**

**Cause:** The LIBRARY syntax was entered incorrectly.

**Action:** Correct the LIBRARY syntax and recompile.

**PLS-00249: Invalid WITH CONTEXT Syntax**

---

**Cause:** CONTEXT was used in a WITH CONTEXT or a PARAMETERS clause. This is invalid.

**Action:** Check if WITH CONTEXT is used without specifying CONTEXT in the PARAMETERS clause or vice versa. The PARAMETERS clause must be complete. Thus if WITH CONTEXT is specified, then CONTEXT must be referenced in the PARAMETERS clause (if there is one).

**PLS-00250: Incorrect Usage of *string* in parameters clause.**

**Cause:** The usage of Keywords such as MAXLEN, LENGTH, CHARSETID, CHARSETFORM RETURN in the parameters clause was incorrect

**Action:** This error occurs if keywords like MAXLEN, LENGTH, TDO, DURATION, CHARSETID, or CHARSETFORM cannot be used with PL/SQL formal parameters or the mode of the formal parameter. For example, MAXLEN can only be declared for a CHAR or VARCHAR2 PL/SQL variable and its use is allowed only for OUT or INOUT PL/SQL variables. Also, RETURN was specified in the parameters clause for a PL/SQL PROCEDURE. E.g. CREATE PROCEDURE proc IS EXTERNAL NAME ... LIBRARY ... PARAMETERS(RETURN INDICATOR SHORT, RETURN);

**PLS-00251: RETURN, for actual function return, must be last in the parameters clause**

**Cause:** RETURN specification for the actual function return, used within the parameters clause must hold the very last position. Example : The following will give this error since the RETURN specification for the actual function return in the parameters clause is not the last. FUNCTION myexternalfunc (var1 BINARY\_INTEGER, var2 BINARY\_INTEGER) RETURN BINARY\_INTEGER IS EXTERNAL NAME "myexternalfunc" LIBRARY somelib PARAMETERS (var1 LONG, var2 SHORT, RETURN INT, RETURN INDICATOR SHORT); The correct syntax is the following. Note that RETURN for actual function return is the last specification in the parameters clause. FUNCTION myexternalfunc (var1 BINARY\_INTEGER, var2 BINARY\_INTEGER) RETURN BINARY\_INTEGER IS EXTERNAL NAME "myexternalfunc" LIBRARY somelib PARAMETERS (var1 LONG, var2 SHORT, RETURN INDICATOR SHORT, RETURN INT);

**Action:** Correct the syntax of the RETURN specification in the parameters clause

**PLS-00252: reference to the wrong copy of package STANDARD**

**Cause:** A reference is made to the fixed package version of STANDARD when the database is open, or to the on-disk version when the database is closed. Explicit use of a SYS.X\$ package name can lead to this. One might also see this from a compilation that begins while the db is closed but has the bad luck to have another session open the db before compilation is complete. Another possible cause is having "set serveroutput on" through svrmgrl when doing an "alter database close".

**Action:** Make use of on-disk versions of packages when the database is open and fixed (preloaded) versions when the database is closed. Do not attempt to use the wrong set. It should be quite hard to reference the wrong set, except by using SYS.X\$ package names explicitly. Also, be sure to "set serveroutput off" before doing an "alter database close".

**PLS-00253: Formal parameter *string* missing in the parameters clause**

**Cause:** The parameter clause does not have a matching parameter for a parameter specified in the formal parameter list.

**Action:** Provide a matching parameter in parameters clause for every formal parameter.

---

**PLS-00254: OUT and IN/OUT modes cannot be used in this context**

**Cause:** actual parameter mode (OUT, or IN/OUT) is not used properly in USING clause. For USING clause in an OPEN statement, only IN mode is allowed.

**Action:** change the parameter mode in the USING clause to an appropriate mode.

**PLS-00255: CALL Specification parameters cannot have default values**

**Cause:** CALL Specification formal parameters default values are disallowed.

**Action:** Remove the default values in the formal parameter list (spec or body) and compile again.

**PLS-00256: *string* is not a valid external library or assembly**

**Cause:** The supplied external library or assembly name in the external clause is not a valid alias library or assembly.

**Action:** Provide the name of a valid alias library or assembly which is previously declared.

**PLS-00257: illegal use of EXTERNAL clause in a TYPE or PACKAGE specification**

**Cause:** An EXTERNAL Clause was detected in a TYPE Specification or a PACKAGE specification.

**Action:** Remove the EXTERNAL Clause and use the new CALL Specification syntax.

**PLS-00258: constrained datatypes disallowed in CALL Specifications**

**Cause:** A call specification for C or Java cannot have constraints on the PL/SQL formal parameter types. PL/SQL types which have constraints are NATURAL, NATURALN, POSITIVE, POSITIVEN, SIGNTYPE, INTEGER, INT, SMALLINT, DECIMAL, NUMERIC, DEC This includes NOT NULL constraints from POSITIVEN, NATURALN

**Action:** Use the unconstrained type for that PL/SQL formal declaration i.e NUMBER, BINARY\_INTEGER or PLS\_INTEGER

**PLS-00259: rights model (AUTHID) must be specified**

**Cause:** It is mandatory to specify the rights model if a PL/SQL PROCEDURE, FUNCTION, PACKAGE OR TYPE HAS CALL-Specifications

**Action:** Add the AUTHID clause indicating the rights model.

**PLS-00260: Datetime/Interval constraints must be in range (0 .. 9)**

**Cause:** A Datetime/Interval variable or attribute was declared with a constraint outside the legal range.

**Action:** Change the illegal constraint.

**PLS-00261: Java CALL Specification not yet allowed as a method in an object type**

**Cause:** A call specification declaring that an implementation is in Java has been found for a method of an object or opaque type. This usage is not yet supported.

**Action:** Implement the method using a language other than Java. A PL/SQL method implementation is permitted to call to Java through a call specification provided as a schema-level procedure or in a package; such a call specification can only target a static Java method, however. \*\*\*\*\* errors until 300 are reserved for External Procedures \*\*\*\*\* PH2 errors \*\*\*\*\*

**PLS-00302: component "*string*" must be declared**

---

**Cause:** In a reference to a component (for example, in the name "A.B", "B" is a component of "A"), the component has not been declared. The component might be misspelled, its declaration might be faulty, or the declaration might be placed incorrectly in the block structure.

**Action:** Check the spelling and declaration of the component. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00303: qualifier "*string*" must be declared**

**Cause:** In a name such as "A.B", "A" is the qualifier, and "B" is a component of the qualifier. This error occurs when no declaration for the qualifier is found. The qualifier might be misspelled, its declaration might be faulty, or the declaration might be placed incorrectly in the block structure.

**Action:** Check the spelling and declaration of the qualifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00304: cannot compile body of "*string*" without its specification**

**Cause:** The compiled package specification required to compile a package body could not be found. Some possible causes follow: --the package name is misspelled --the package specification was never compiled --the compiled package specification is not accessible The package specification must be compiled before compiling the package body, and the compiler must have access to the compiled specification.

**Action:** Check the spelling of the package name. Compile the package specification before compiling the package body. Also, make sure the compiler has access to the compiled specification.

**PLS-00305: previous use of "*string*" (at line *string*) conflicts with this use**

**Cause:** While looking for prior declarations of a cursor, procedure, function, or package, the compiler found another object with the same name in the same scope. Or, the headers of subprogram in a package specification and body do not match word for word.

**Action:** Check the spelling of the cursor, procedure, function, or package name. Also check the names of all constants, variables, parameters, and exceptions declared in the same scope. Then, remove or rename the object with the duplicate name. Or, change the headers of the packaged subprogram so that they match word for word.

**PLS-00306: wrong number or types of arguments in call to "*string*"**

**Cause:** This error occurs when the named subprogram call cannot be matched to any declaration for that subprogram name. The subprogram name might be misspelled, a parameter might have the wrong datatype, the declaration might be faulty, or the declaration might be placed incorrectly in the block structure. For example, this error occurs if the built-in square root function SQRT is called with a misspelled name or with a parameter of the wrong datatype.

**Action:** Check the spelling and declaration of the subprogram name. Also confirm that its call is correct, its parameters are of the right datatype, and, if it is not a built-in function, that its declaration is placed correctly in the block structure.

**PLS-00307: too many declarations of "*string*" match this call**

**Cause:** The declaration of a subprogram or cursor name is ambiguous because there was no exact match between the declaration and the call and more than one declaration matched the call when implicit conversions of the parameter datatypes were used. The subprogram or cursor name might be misspelled, its declaration

---

might be faulty, or the declaration might be placed incorrectly in the block structure.

**Action:** Check the spelling and declaration of the subprogram or cursor name. Also confirm that its call is correct, its parameters are of the right datatype, and, if it is not a built-in function, that its declaration is placed correctly in the block structure.

**PLS-00308: this construct is not allowed as the origin of an assignment**

**Cause:** The construct or expression does not designate a value that can be assigned to a variable. For example, the datatype name NUMBER cannot appear on the right hand side of an assignment statement as in X := NUMBER.

**Action:** Correct the illegal assignment statement.

**PLS-00309: with %LAST attribute, "string" must be a variable of an enumerated type**

**Cause:** The "%LAST" attribute must be applied to an identifier that has been declared as a variable of an enumerated type (or subtype of an enumerated type). This error occurs when "%LAST" follows some identifier that has not been so declared.

**Action:** None

**PLS-00310: with %ROWTYPE attribute, "string" must name a table, cursor or cursor-variable**

**Cause:** The %ROWTYPE attribute must be applied to an identifier declared as a cursor, cursor variable, or database table. This error occurs when %ROWTYPE follows some identifier that has not been so declared.

**Action:** Change the declaration or do not apply the %ROWTYPE attribute to the identifier.

**PLS-00311: the declaration of "string" is incomplete or malformed**

**Cause:** This occurrence of the identifier cannot be compiled because its type has not been properly defined.

**Action:** Correct the faulty datatype declaration.

**PLS-00312: a positional parameter association may not follow a named association**

**Cause:** When a list of parameters is passed to a subprogram or cursor, if both positional and named associations are used, all positional associations must be placed in their declared order and before all named associations, which can be in any order.

**Action:** Reorder the parameter list to meet the requirements or use named association only.

**PLS-00313: "string" not declared in this scope**

**Cause:** There is no declaration for the given identifier within the scope of reference. The identifier might be misspelled, its declaration might be faulty, or the declaration might be placed incorrectly in the block structure.

**Action:** Check the spelling and declaration of the identifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00314: TABLE declarations are not allowed as PL/SQL local variables**

**Cause:** In a precompiled program, the DECLARE TABLE statement was mistakenly used inside an embedded PL/SQL block. If an embedded PL/SQL block refers to a database table that does not yet exist, use the DECLARE TABLE

---

statement to tell the precompiler what the table will look like. However, DECLARE TABLE statements are allowed only in the host program.

**Action:** Move the DECLARE TABLE statement outside the embedded PL/SQL block. If you want a variable that can store an entire row of data selected from a database table or fetched from a cursor or cursor variable, use the %ROWTYPE attribute.

**PLS-00315: Implementation restriction: unsupported table index type**

**Cause:** In the INDEX BY clause of a PL/SQL table declaration, a datatype other than BINARY\_INTEGER, PLS\_INTEGER, or VARCHAR2 was specified. PL/SQL tables can have one column and a primary key. The column can have any scalar type, but the primary key must be either a binary integer type or VARCHAR2.

**Action:** Use one of the supported key types in the INDEX BY clause.

**PLS-00316: PL/SQL TABLEs must use a single index**

**Cause:** In the INDEX BY clause of a PL/SQL table declaration, a composite primary key was specified. PL/SQL tables must have a simple, unnamed primary key of a binary integer or VARCHAR2 type.

**Action:** Use one of the supported key types in the INDEX BY clause.

**PLS-00317: incomplete type "string" was not completed in its declarative region**

**Cause:** An incomplete type declaration was not completed in the declarative region where it was declared.

**Action:** Complete the type appropriately, then retry the operation.

**PLS-00318: type "string" is malformed because it is a non-REF mutually recursive type**

**Cause:** A type-declaration such as: -- a non-REF recursive type, for example: type t is record (a t); or -- non-REF mutually dependent types, for example: type t1; type t2 is record (a t1); type t1 is record (a t2); was performed. In these examples, the type is malformed because it participates in a mutually recursive non-REF relationship with itself and possibly other types.

**Action:** Use another type to remove the recursion.

**PLS-00319: subquery in an IN or NOT IN clause must contain exactly one column**

**Cause:** An invalid expression such as X IN (SELECT A,B ...) was used. When a [NOT]IN clause is used with a subquery, it does not test for set membership. The number of expressions in the [NOT]IN clause and the subquery select list must match. So, in the example above, the subquery must specify at most one column.

**Action:** Change the subquery to select only one column.

**PLS-00320: the declaration of the type of this expression is incomplete or malformed**

**Cause:** In a declaration, the name of a variable or cursor is misspelled or the declaration makes a forward reference. Forward references are not allowed in PL/SQL. A variable or cursor must be declared before it is referenced in other statements, including other declarative statements. For example, the following declaration of dept\_rec raises this exception because it refers to a cursor not yet declared: DECLARE dept\_rec dept\_cur%ROWTYPE; CURSOR dept\_cur IS SELECT ... ..

**Action:** Check the spelling of all identifiers in the declaration. If necessary, move the declaration so that it makes no forward references.

---

**PLS-00321: expression "*string*" is inappropriate as the left hand side of an assignment statement**

**Cause:** The expression does not designate a variable that can have a value assigned to it. For example, the function SYSDATE cannot appear on the left hand side of an assignment statement such as SYSDATE := "01-JAN-1990";

**Action:** Correct the illegal assignment statement.

**PLS-00322: declaration of a constant "*string*" must contain an initialization assignment**

**Cause:** A constant declaration lacks the assignment of an initial value. For example, in the following declaration " := 3.14159" is the initialization clause: "pi constant number := 3.14159;"

**Action:** Correct the constant declaration by supplying the missing initialization assignment.

**PLS-00323: subprogram or cursor "*string*" is declared in a package specification and must be defined in the package body**

**Cause:** A subprogram specification was placed in a package specification, but the corresponding subprogram body was not placed in the package body. The package body implements the package specification. So, the package body must contain the definition of every subprogram declared in the package specification.

**Action:** Check the spelling of the subprogram name. If necessary, add the missing subprogram body to the package body.

**PLS-00324: cursor attribute may not be applied to non-cursor "*string*"**

**Cause:** This error occurs when a cursor-attribute ("%FOUND", "%NOTFOUND", "%ROWS", "%IS\_OPEN", etc.) appears following an identifier that is not declared as a cursor or cursor variable. It occurs, for example, if the variable name my\_cur in my\_cur%FOUND was not properly declared as a cursor or if the variable declaration was placed incorrectly in the block structure.

**Action:** Check the spelling and declaration of the identifier. Also confirm that the declaration is placed correctly in the block structure.

**PLS-00325: non-integral numeric literal *string* is inappropriate in this context**

**Cause:** A non-integral numeric literal was used in a context that requires an integer (a number with no digits to the right of its decimal point).

**Action:** Replace the inappropriate literal with an integer literal.

**PLS-00326: IN clause must contain same number of expressions as subquery**

**Cause:** The number of expressions in an IN clause did not equal the number of expressions in a corresponding subquery select list. For example, the following statement is invalid because the IN clause contains two expressions, but the subquery select list contains just one: ... WHERE (ename, sal) IN (SELECT sal FROM emp);

**Action:** Check the number of expressions in each set, then revise the statement to make the numbers equal.

**PLS-00327: "*string*" is not in SQL scope here**

**Cause:** In a SQL statement, a reference was made to an out-of-scope database object. The referenced object might be misspelled, or the reference might be mixed, as in the following example: CURSOR c1 IS SELECT dept.dname FROM emp;

**Action:** Check the spelling of all database objects in the SQL statement, and make sure all references are to objects within the current scope.

---

**PLS-00328: A subprogram body must be defined for the forward declaration of *string*.**

**Cause:** A subprogram specification was declared, but the corresponding subprogram body was not defined. Write the subprogram specification and body as a unit. An alternative solution is to separate the specification from its body, which is necessary when you want to define mutually recursive subprograms or you want to group subprograms in a package.

**Action:** Check the spelling of the subprogram name. If necessary, supply the missing subprogram body.

**PLS-00329: schema-level type has illegal reference to *string***

**Cause:** An attempt was made to make a reference from a schema-level type to something other than a schema-level type.

**Action:** Replace the illegal reference and retry the operation.

**PLS-00330: invalid use of type name or subtype name**

**Cause:** A datatype or subtype specifier was mistakenly used in place of a constant, variable, or expression. For example, the code might look like `IF emp_count > number THEN ... -- illegal; NUMBER` is a datatype specifier

**Action:** Replace the datatype or subtype specifier with a valid constant, variable, or expression.

**PLS-00331: illegal reference to *string***

**Cause:** You had an EITHER

1. an illegal reference to some object in user SYS. to use one of them in an illegal way OR
2. an illegal reference to a remote object type.

**Action:** Remove the reference.

**PLS-00332: "*string*" is not a valid prefix for a qualified name**

**Cause:** You have a malformed qualified name because the prefix is not valid.

**Action:** Remove or change the reference.

**PLS-00333: "*string*" must match an object-table alias in this context**

**Cause:** The name, appearing in the context of a REF or VALUE, did not resolve to an object-table alias.

**Action:** 1) If there is no object table in the scope, then remove the REF or VALUE; or provide the missing object table reference. 2) If there is an object table in the scope, but you're not referring to it, add the reference.

**PLS-00334: "*string*" matches table or view without an alias**

**Cause:** You have a reference to a table or view name without an alias.

**Action:** Replace the reference with a reference to an object-table alias.

**PLS-00335: a package name conflicts with an existing object**

**Cause:** In a CREATE PACKAGE statement, a package (which is a database object that groups logically related PL/SQL types, objects, and subprograms) was given the same name as an existing database object.

**Action:** Give the package a unique name.

**PLS-00336: non-object-table "*string*" illegal in this context**

---

**Cause:** You have a REF or VALUE modifier for a non-object-table

**Action:** Replace the reference with a reference to an object-table alias.

**PLS-00337: "string" matches too many object table aliases**

**Cause:** You have an ambiguous reference to an object-table alias; there are at least two object-table aliases in the same scope.

**Action:** Remove all but one of the references or change the alias names of the remaining.

**PLS-00338: unable to resolve "string" as a column or row expression**

**Cause:** You have a reference to a name that could not be resolved as a column or row expression. This occurred in an update or insert statement involving an object-table.

**Action:** If this is an update statement and you intended to code this as a column reference, fix it as such. If you intended to code this as a row expression, change this to refer to an alias of an object-table.

**PLS-00339: "string" matches object-table without a REF or VALUE modifier**

**Cause:** You have an object-table name appearing without a REF or VALUE modifier.

**Action:** If you intended to code this with a REF or VALUE modifier, add the modifier; if you intended to code this as a column reference, change the reference appropriately; otherwise, remove the reference.

**PLS-00341: declaration of cursor "string" is incomplete or malformed**

**Cause:** A cursor declaration is improper or an identifier referenced in the cursor declaration was not properly declared. A return type that does not refer to an existing database table or a previously declared cursor or cursor variable might have been specified. For example, the following cursor declaration is illegal because c1 is not yet fully defined: `CURSOR c1 RETURN c1%ROWTYPE IS SELECT ... -- illegal` In this case, a return type does not have to be specified because it is implicit.

**Action:** Check the spelling and declaration of the cursor name and any identifiers referenced in the cursor declaration. Also confirm that the declaration is placed correctly in the block structure. If a return type was specified, make sure that it refers to an existing database table or a previously declared cursor or cursor variable.

**PLS-00351: Not logged onto database "string"**

**Cause:** An attempt was made to access an Oracle database without being logged on. Probably, an invalid username or password was entered.

**Action:** Log on to Oracle with a correctly spelled username and password before trying to access the database.

**PLS-00352: Unable to access another database "string"**

**Cause:** An attempt was made to reference an object in a database other than the current local or remote Oracle database.

**Action:** Correct the reference and make sure the object is in the current Oracle database.

**PLS-00353: "string" must name a user in the database**

**Cause:** This error occurs when the username was misspelled or when the user does not exist in the database.

---

**Action:** Check the spelling of the username and make sure the user exists.

**PLS-00354: username must be a simple identifier**

**Cause:** A qualified username such as scott.accts is not permitted in this context.

**Action:** Specify a simple username such as scott instead.

**PLS-00355: use of pl/sql table not allowed in this context**

**Cause:** A PL/SQL table was referenced in the wrong context (for example, with a remote link).

**Action:** Remove the PL/SQL table reference or change the context.

**PLS-00356: "string" must name a table to which the user has access**

**Cause:** The named table is not accessible to the user. This error occurs when the table name or username was misspelled, the table and/or user does not exist in the database, the user was not granted the necessary privileges, or the table name duplicates the name of a local variable or loop counter.

**Action:** Check the spelling of the table name and username. Also confirm that the table and user exist, the user has the necessary privileges, and the table name does not duplicate the name of a local variable or loop counter.

**PLS-00357: Table, View Or Sequence reference "string" not allowed in this context**

**Cause:** A reference to database table, view, or sequence was found in an inappropriate context. Such references can appear only in SQL statements or (excluding sequences) in %TYPE and %ROWTYPE declarations. Some valid examples follow: SELECT ename, emp.deptno, dname INTO my\_ename, my\_deptno, my\_dept .FROM emp, dept WHERE emp.deptno = dept.deptno; DECLARE last\_name emp.ename%TYPE; dept\_rec dept%ROWTYPE;

**Action:** Remove or relocate the illegal reference.

**PLS-00358: column "string" exists in more than one table; use qualifier**

**Cause:** The statement is ambiguous because it specifies two or more tables having the same column name. For example, the following statement is ambiguous because deptno is a column in both tables: SELECT deptno, loc INTO my\_deptno, my\_loc FROM emp, dept;

**Action:** Precede the column name with the table name (as in emp.deptno) so that the column reference is unambiguous.

**PLS-00359: assignment target in "string" must have components**

**Cause:** An assignment target was declared that lacks the components needed to store the assigned values. For example, this error occurs if you try to assign a row of column values to a variable instead of a record, as follows: DECLARE dept\_rec dept%ROWTYPE; my\_deptno dept.deptno%TYPE; ... BEGIN SELECT deptno, dname, loc INTO my\_deptno -- invalid FROM dept WHERE ...

**Action:** Check the spelling of the names of the assignment target and all its components. Make sure the assignment target is declared with the required components and that the declaration is placed correctly in the block structure.

**PLS-00360: cursor declaration without body needs return type**

**Cause:** A cursor declaration lacks either a body (SELECT statement) or a return type. If you want to separate a cursor specification from its body, a return type must be supplied, as in CURSOR c1 RETURN emp%ROWTYPE;

**Action:** Add a SELECT statement or return type to the cursor declaration.

---

**PLS-00361: IN cursor "*string*" cannot be OPEN"ed**

**Cause:** A cursor parameter with mode IN cannot be modified, and therefore cannot be opened.

**Action:** Change the cursor parameter to be IN OUT or OUT

**PLS-00362: invalid cursor return type; "*string*" must be a record type**

**Cause:** In a cursor specification or REF CURSOR type definition, a non-record type such as NUMBER or TABLE was specified as the return type. This is not allowed. Only the following return types are allowed: <record\_type\_name> <record\_name>%TYPE <table\_name>%ROWTYPE <cursor\_name>%ROWTYPE <cursor\_variable\_name>%ROWTYPE

**Action:** Revise the cursor specification or REF CURSOR type definition so that it specifies one of the above return types.

**PLS-00363: expression "*string*" cannot be used as an assignment target**

**Cause:** A literal, constant, IN parameter, loop counter, or function call was mistakenly used as the target of an assignment. For example, the following statement is illegal because the assignment target, 30, is a literal: SELECT deptno INTO 30 FROM dept WHERE ... -- illegal

**Action:** Correct the statement by using a valid assignment target.

**PLS-00364: loop index variable "*string*" use is invalid**

**Cause:** An attempt was made to assign the value of an OUT parameter to

**Action:** Use an IN OUT parameter instead of the OUT parameter. Inside a

**PLS-00366: subtype of a NOT NULL type must also be NOT NULL**

**Cause:** After a subtype was defined as NOT NULL, it was used as the base type for another subtype defined as NULL. That is not allowed. For example, the code might look like DECLARE SUBTYPE Weekday IS INTEGER NOT NULL; SUBTYPE Weekend IS Weekday NULL; -- illegal instead of DECLARE SUBTYPE Weekday IS INTEGER NOT NULL; SUBTYPE Weekend IS Weekday;

**Action:** Revise the subtype definitions to eliminate the conflict.

**PLS-00367: a RAISE statement with no exception name must be inside an exception handler**

**Cause:** A RAISE statement not followed by an exception name was found outside an exception handler

**Action:** Delete the RAISE statement, relocate it to an exception handler, or supply the missing exception name.

**PLS-00368: in RAISE statement, "*string*" must be an exception name**

**Cause:** The identifier in a RAISE statement is not a valid exception name.

**Action:** Make sure the identifier in the RAISE statement was declared as an exception and is correctly placed in the block structure. If you are using the name of a PL/SQL predefined exception, check its spelling.

**PLS-00369: no choices may appear with choice OTHERS in an exception handler**

**Cause:** A construct of the form WHEN excep1 OR OTHERS => was encountered in the definition of an exception handler. The OTHERS handler must appear by itself as the last exception handler in a block.

**Action:** Remove the identifier that appears with OTHERS or write a separate exception handler for that identifier.

---

**PLS-00370: OTHERS handler must be last among the exception handlers of a block**

**Cause:** One or more exception handlers appear after an OTHERS handler. However, the OTHERS handler must be the last handler in a block or subprogram because it acts as the handler for all exceptions not named specifically.

**Action:** Move the OTHERS handler so that it follows all specific exception handlers.

**PLS-00371: at most one declaration for "string" is permitted**

**Cause:** A reference to an identifier was ambiguous because there were multiple declarations for the identifier. At most one local variable with a given identifier is permitted in the declarative part of a block, procedure, or function. At most one label with a given identifier may appear in a block.

**Action:** Check the spelling of the identifier. If necessary, remove all but one declaration of the identifier.

**PLS-00372: In a procedure, RETURN statement cannot contain an expression**

**Cause:** In a procedure, a RETURN statement contains an expression, which is not allowed. In functions, a RETURN statement must contain an expression because its value is assigned to the function identifier. However, in procedures, a RETURN statement simply lets you exit before the normal end of the procedure is reached.

**Action:** Remove the expression from the RETURN statement, or redefine the procedure as a function.

**PLS-00373: EXIT/CONTINUE label "string" must label a LOOP statement**

**Cause:** The label in the EXIT or CONTINUE statement did not refer to a LOOP statement. An EXIT or CONTINUE statement need not specify a label. However, if a label is specified (as in EXIT my\_label or CONTINUE my\_label), it must refer to a LOOP statement.

**Action:** Make sure the label name is spelled correctly and that it refers to a LOOP statement.

**PLS-00374: illegal EXIT/CONTINUE statement; must appear inside the loop labeled "string"**

**Cause:** The label in the EXIT or CONTINUE statement did not refer to a loop statement. An EXIT or CONTINUE statement need not specify a label. However, if a label is specified (as in EXIT my\_label or CONTINUE my\_label), the EXIT or CONTINUE statement must be inside the LOOP statement designated by that label.

**Action:** Make sure the label name is spelled correctly; if necessary, move the EXIT or CONTINUE statement inside the LOOP statement to which the label refers.

**PLS-00375: illegal GOTO statement; this GOTO cannot branch to label "string"**

**Cause:** The line and column numbers accompanying the error message refer to a GOTO that branches from outside a construct (a loop or exception handler, for example) that contains a sequence of statements to a label inside that sequence of statements. Such a branch is not allowed.

**Action:** Either move the GOTO statement inside the sequence of statements or move the labeled statement outside the sequence of statements.

**PLS-00376: illegal EXIT/CONTINUE statement; it must appear inside a loop**

**Cause:** An EXIT or CONTINUE statement was found outside of a loop construct. The EXIT statement is used to exit prematurely from a loop and the CONTINUE

---

statement is used to begin the next iteration of a loop; each must always appear within a loop.

**Action:** Either remove the EXIT or CONTINUE statement or place it inside a loop.

**PLS-00377: internal type PLS\_INTEGER is not included in this release of PL/SQL**

**Cause:** The type-name INTEGER was used in a declaration.

**Action:** None

**PLS-00378: invalid compilation unit for this release of PL/SQL**

**Cause:** A compilation unit is a file containing PL/SQL source code that is passed to the compiler. Only compilation units containing blocks, declarations, statements, and subprograms are allowed. This error occurs when some other language construct is passed to the compiler.

**Action:** Make sure the compilation unit contains only blocks, declarations, statements, and subprograms.

**PLS-00379: CASE statements are not included in this release of PL/SQL**

**Cause:** The unit being compiled contains a CASE statement. However, the current release of PL/SQL does not support CASE statements.

**Action:** Remove the CASE statement from the compilation unit.

**PLS-00380: functions and procedures are not included in this release of PL/SQL**

**Cause:** The program being compiled contains a declaration of a FUNCTION or PROCEDURE.

**Action:** None

**PLS-00381: type mismatch found at "string" between column and variable in subquery or INSERT**

**Cause:** The datatypes of a column and a variable do not match. The variable was encountered in a subquery or INSERT statement.

**Action:** Change the variable datatype to match that of the column.

**PLS-00382: expression is of wrong type**

**Cause:** An expression has the wrong datatype for the context in which it was found.

**Action:** Change the datatype of the expression. You might want to use datatype conversion functions.

**PLS-00383: type mismatch found at "string" inside an IN or NOT IN clause**

**Cause:** In a test for set membership such as X NOT IN (SELECT Y ... ), the expressions X and Y do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the expressions so that their datatypes match. You might want to use datatype conversion functions in the select list.

**PLS-00384: type mismatch found at "string" in UPDATE's SET clause**

**Cause:** The column to the left of the equal sign in the SET clause of an UPDATE statement does not match in datatype with the column, expression, or subquery to the right of the equal sign, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the expressions so that their datatypes match. You might want to use datatype conversion functions in the SET clause.

---

**PLS-00385: type mismatch found at "string" in SELECT...INTO statement**

**Cause:** The expressions to the left and right of the INTO clause in a SELECT...INTO statement do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the expressions so that their datatypes match. You might want to use datatype conversion functions in the select list.

**PLS-00386: type mismatch found at "string" between FETCH cursor and INTO variables**

**Cause:** An assignment target in the INTO list of a FETCH statement does not match in datatype with the corresponding column in the select list of the cursor declaration, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the cursor declaration or change the datatype of the assignment target. You might want to use datatype conversion functions in the select list of the query associated with the cursor.

**PLS-00387: INTO variable cannot be a database object**

**Cause:** An item in the INTO list of a FETCH or SELECT statement was found to be a database object. INTO introduces a list of user-defined variables to which output values are assigned. Therefore, database objects cannot appear in the INTO list.

**Action:** Check the spelling of the INTO list item. If necessary, remove the item from the INTO list or replace it with a user-defined output variable.

**PLS-00388: undefined column "string" in subquery**

**Cause:** A subquery contains a column name that was not defined in the specified table.

**Action:** Change the expression to specify a column that was defined.

**PLS-00389: table, view or alias name "string" not allowed in this context**

**Cause:** A table, view or alias name <name> corresponding to a regular (non-object) table appeared in an inappropriate context.

**Action:** Remove the reference, or, if you intended to code this as a column reference, fix it as such.

**PLS-00390: undefined column "string" in INSERT statement**

**Cause:** Check the spelling of the column name, then change the expression so that it refers only to defined columns.

**Action:** Check the spelling of the column name, then change the expression so that it refers only to defined columns.

**PLS-00391: undefined column "string" in UPDATE statement**

**Cause:** An UPDATE statement refers to a column not defined for the table or view being updated.

**Action:** Check the spelling of the column name, then revise the statement so that it refers only to defined columns.

**PLS-00392: Type mismatch in arguments to BETWEEN**

**Cause:** In a comparison such as X BETWEEN Y AND Z, the expressions X, Y, and Z do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

---

**Action:** Change the expressions so that their datatypes match. You might want to use datatype conversion functions.

**PLS-00393: wrong number of columns in SELECT...INTO statement**

**Cause:** The number of columns selected by a SELECT...INTO statement does not match the number of variables in the INTO clause.

**Action:** Change the number of columns in the select list or the number of variables in the INTO clause so that the numbers match.

**PLS-00394: wrong number of values in the INTO list of a FETCH statement**

**Cause:** The number of variables in the INTO clause of a FETCH statement does not match the number of columns in the cursor declaration.

**Action:** Change the number of variables in the INTO clause or the number of columns in the cursor declaration so that the numbers match.

**PLS-00395: wrong number of values in VALUES clause of INSERT statement**

**Cause:** The number of columns in an INSERT statement does not match the number of values in the VALUES clause. For example, the following statement is faulty because no column is specified for the value 20: INSERT INTO emp (empno, ename) VALUES (7788, "SCOTT", 20);

**Action:** Change the number of items in the column list or the number of items in the VALUES list so that the numbers match.

**PLS-00396: INSERT statement's subquery yields wrong number of columns**

**Cause:** The number of columns in an INSERT statement does not match the number of columns in a subquery select list. For example, the following statement is faulty because no corresponding column is specified for col3: INSERT INTO emp (ename, empno) SELECT col1, col2, col3 FROM ...

**Action:** Change the number of items in the column list of the INSERT statement or the number of items in the select list so that the numbers match.

**PLS-00397: Type mismatch in arguments to IN**

**Cause:** In a test for set membership such as X IN (Y, Z), the expressions X, Y, and Z do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the expressions so that their datatypes match. You might want to use datatype conversion functions.

**PLS-00398: wrong number of columns in UNION, INTERSECT, or MINUS expression**

**Cause:** The SELECT clauses to the left and right of a UNION, INTERSECT, or MINUS expression do not select the same number of columns. For example, the following statement is faulty because the select lists do not contain the same number of items: CURSOR my\_cur IS SELECT ename FROM emp INTERSECT SELECT ename, empno FROM emp;

**Action:** Change the select lists so that they contain the same number of items.

**PLS-00399: different types of columns in UNION, INTERSECT, or MINUS expression**

**Cause:** The select lists to the left and right of a UNION, INTERSECT, or MINUS expression select at least one column that is mismatched in datatype. For example, the following statement is faulty because the constant 3 has datatype NUMBER,

---

whereas SYSDATE has datatype DATE: CURSOR my\_cur IS SELECT 3 FROM emp INTERSECT SELECT SYSDATE FROM emp;

**Action:** Change the select lists so that they match in datatype. You might want to use datatype conversion functions in the select list of one or more queries.

**PLS-00400: different number of columns between cursor SELECT statement and return value**

**Cause:** In a cursor declaration, a return type (such as RETURN emp%ROWTYPE) was specified, but the number of returned column values does not match the number of select-list items.

**Action:** Change the cursor return type or the select list so that the number of returned column values matches the number of select-list items.

**PLS-00401: different column types between cursor SELECT statement and return value found at "string"**

**Cause:** In a cursor declaration, a return type (such as RETURN emp%ROWTYPE) was specified, but a returned column value and its corresponding select-list item have different datatypes.

**Action:** Change the cursor return type or the select list so that each returned column value and its corresponding select-list item have the same datatype.

**PLS-00402: alias required in SELECT list of cursor to avoid duplicate column names**

**Cause:** A cursor was declared with a SELECT statement that contains duplicate column names. Such references are ambiguous.

**Action:** Replace the duplicate column name in the select list with an alias.

**PLS-00403: expression "string" cannot be used as an INTO-target of a SELECT/FETCH statement**

**Cause:** A FETCH statement was unable to assign a value to an assignment target in its INTO list because the target is not a legally formed and declared variable. For example, the following assignment is illegal because "Jones" is a character string, not a variable: FETCH my\_cur INTO "Jones";

**Action:** Check the spelling and declaration of the assignment target. Make sure that the rules for forming variable names are followed.

**PLS-00404: cursor "string" must be declared with FOR UPDATE to use with CURRENT OF**

**Cause:** The use of the CURRENT OF cursor\_name clause is legal only if cursor\_name was declared with a FOR UPDATE clause.

**Action:** Add a FOR UPDATE clause to the definition of the cursor or do not use the CURRENT OF cursor\_name clause.

**PLS-00405: subquery not allowed in this context**

**Cause:** A subquery was used in an inappropriate context, such as: if (SELECT deptno FROM emp WHERE ... ) = 20 then ... Subqueries are allowed only in SQL statements.

**Action:** The same result can be obtained by using a temporary variable, as in: SELECT deptno INTO temp\_var FROM emp WHERE ...; IF temp\_var = 20 THEN ...

**PLS-00406: length of SELECT list in subquery must match number of assignment targets**

---

**Cause:** A query select list is not the same length as the list of targets that will receive the returned values. For example, the following statement is faulty because the subquery returns two values for one target: UPDATE emp SET ename = (SELECT ename, empno FROM emp WHERE ename = "SMITH") ...

**Action:** Change one of the lists so that they contain the same number of items.

**PLS-00407: "\*" not allowed here; a list of columns is required**

**Cause:** An asterisk (\*) was used as an abbreviation for a list of column names. However, in this context the column names must be written out explicitly.

**Action:** Replace the asterisk with a list of column names.

**PLS-00408: duplicate column "string" not permitted in INSERT or UPDATE**

**Cause:** An UPDATE or INSERT statement has a column list that contains duplicate column names.

**Action:** Check the spelling of the column names, then eliminate the duplication.

**PLS-00409: duplicate variable "string" in INTO list is not permitted**

**Cause:** The same variable appears twice in the INTO list of a SELECT or FETCH statement.

**Action:** Remove one of the variables from the INTO list.

**PLS-00410: duplicate fields in RECORD, TABLE or argument list are not permitted**

**Cause:** When a user-defined record was declared, the same name was given to two fields. Like column names in a database table, field names in a user-defined record must be unique.

**Action:** Check the spelling of the field names, then remove the duplicate.

**PLS-00411: Number of values in aggregate and in subquery don't match**

**Cause:** In a statement of the form aggregate = subquery, the numbers of values in the aggregate and subquery are unequal. For example, the code might look like ... WHERE (10,20,30) = (SELECT empno,deptno FROM emp WHERE...);

**Action:** Revise the aggregate or subquery so that the numbers of values match.

**PLS-00412: list of values not allowed as argument to this function or procedure**

**Cause:** A parenthesized list of values separated by commas (that is, an aggregate) was used in the wrong context. For example, the following usage is invalid: WHERE (col1, col2) > (SELECT col3, col4 FROM my\_table ...) However, an equal sign can take a list of values and a subquery as left- and right-hand-side arguments, respectively. So, the following usage is valid: WHERE (col1, col2) = (SELECT col3, col4 FROM my\_table ...)

**Action:** Rewrite the expression. For example, the clause WHERE (col1, col2) > (SELECT col3, col4 FROM my\_table ...) can be rewritten as WHERE col1 > (SELECT col3 FROM my\_table ...) AND col2 > (SELECT col4 FROM my\_table ...)

**PLS-00413: identifier in CURRENT OF clause is not a cursor name**

**Cause:** The identifier in a CURRENT OF clause names an object other than a cursor.

**Action:** Check the spelling of the identifier. Make sure that it names the cursor in the DELETE or UPDATE statement and that it names the cursor itself, not a FOR-loop variable.

**PLS-00414: no column "string" in table**

---

**Cause:** A table name or alias was used to qualify a column reference, but the column was not found in that table. Either the column was never defined or the column name is misspelled.

**Action:** Confirm that the column was defined and check the spelling of the column name.

**PLS-00415: "string" is an OUT parameter and cannot appear in a function**

**Cause:** An OUT or IN OUT formal parameter was used in a function specification.

**Action:** None

**PLS-00416: The third argument of DECODE cannot be NULL**

**Cause:** The third argument of DECODE is NULL.

**Action:** Enter an argument with a proper type and value.

**PLS-00417: unable to resolve "string" as a column**

**Cause:** A database table, view, or column was specified in a SQL statement that does not exist, or the privileges required to access the table or view were not granted.

**Action:** Check the spelling of the table (or view) and column names; make sure the table and columns exist. If necessary, ask the DBA to grant the privileges required to access the table.

**PLS-00418: array bind type must match PL/SQL table row type**

**Cause:** A host array was passed (by an Oracle Precompiler program, for example) to a PL/SQL subprogram for binding to a PL/SQL table parameter. However, the datatypes of the array elements and PL/SQL table rows are incompatible. So, the binding failed.

**Action:** Change the datatype of the array elements or PL/SQL table rows to make the datatypes compatible.

**PLS-00419: reference to remote attribute not permitted**

**Cause:** An attempt was made to reference a remote cursor attribute, which is not allowed. For example, the code might look like `IF SQL%NOTFOUND@newyork THEN ...`

**Action:** Do not try to reference a remote cursor attribute.

**PLS-00420: can't call builtin routines remotely**

**Cause:** An attempt was made to call a built-in PL/SQL function remotely, which is not allowed. For example, the code might look like `my_sqlerrm := SQLERRM@newyork; or INSERT INTO emp VALUES (my_empno, STANDARD.RTRIM@newyork(my_ename), ...);`

**Action:** Always call built-in functions locally; never specify a database link.

**PLS-00421: circular synonym "string"**

**Cause:** Directly or indirectly, a synonym was defined in terms of itself, creating a circular definition.

**Action:** Redefine the synonyms to eliminate the circular definition.

**PLS-00422: no PL/SQL translation for the bindtype given for this bind variable**

**Cause:** A host variable was passed (by an Oracle Precompiler program, for example) to PL/SQL for binding. However, its datatype is not compatible with any PL/SQL datatype. So, the binding failed.

---

**Action:** Change the datatype of the host variable to make it compatible with a PL/SQL datatype.

**PLS-00423: ORDER BY item must be the number of a SELECT-list expression**

**Cause:** A column alias was used in the ORDER BY clause of a SELECT statement that uses a UNION, INTERSECT, or MINUS set operator. This is not allowed. In such cases, expressions in the ORDER BY clause must be unsigned integers that designate the ordinal positions of select-list items.

**Action:** Change the alias in the ORDER BY clause to an unsigned integer that designates the ordinal position of the select item in question.

**PLS-00424: RPC defaults cannot include Package State**

**Cause:** An attempt was made to call a remote subprogram whose defaulted parameters depend on package state, which is not allowed. When calling remote subprograms, the actual parameters must be passed explicitly if the corresponding formal parameters depend on package state.

**Action:** Call the remote subprogram by passing each actual parameter explicitly.

**PLS-00425: in SQL, function argument and return types must be SQL type**

**Cause:** When a cursor variable was declared as the formal parameter of a

**Action:** Change the parameter mode from OUT to IN or IN OUT.

**PLS-00427: RPC defaults cannot use builtins when versions of STANDARD differ**

**Cause:** An attempt was made to call a remote subprogram whose defaulted parameter value is calculated using a builtin operation. If the calling system uses a different version of package STANDARD than does the called system, a defaulted expression must be either a simple numeric or string literal, NULL, or a direct call to a user-written function.

**Action:** Call the remote subprogram by passing each actual parameter value explicitly.

**PLS-00428: an INTO clause is expected in this SELECT statement**

**Cause:** The INTO clause of a SELECT INTO statement was omitted. For example, the code might look like SELECT deptno, dname, loc FROM dept WHERE ... instead of SELECT deptno, dname, loc INTO dept\_rec FROM dept WHERE ... In PL/SQL, only a subquery is written without an INTO clause.

**Action:** Add the required INTO clause.

**PLS-00429: unsupported feature with RETURNING clause**

**Cause:**

- INTO clause and RETURNING clause cannot be use in the same statement

- RETURNING clause is currently not supported for object type columns, LONG columns, records, %rowtypes, remote tables and INSERT with subquery. This is as ORA-28815.

**Action:** Use separate select statement to get the values.

**PLS-00430: FORALL iteration variable *string* is not allowed in this context**

**Cause:** FORALL iteration variable can only be used as a subscript. It cannot be used directly or as a part of an expression.

**Action:** Use FORALL variable only as a collection subscript.

**PLS-00431: bulk SQL attributes must use a single index**

---

**Cause:** More than one index specified to access SQL bulk attribute.

**Action:** Use a single index of integer datatype.

**PLS-00432: implementation restriction: cannot use FORALL and BULK COLLECT INTO together in SELECT statements**

**Cause:** SELECT statement contains both the FORALL and BULK COLLECT INTO phrases.

**Action:** Do not use FORALL and BULK COLLECT INTO together in SELECT statements.

**PLS-00433: inconsistent package STANDARD**

**Cause:** PL/SQL compiler could not find the entries (such as type declarations) that should exist in the package STANDARD.

**Action:** Make sure that the correct version of package STANDARD is available in the current Oracle database, then retry compilation.

**PLS-00434: record field has unsupported type: "string"**

**Cause:** An attempt was made to use an unsupported type for a record field. In this release, the use of the SQL92 datetime types (time, timestamp, time with time zone, timestamp with time zone, interval year to month, interval day to second) are not supported in record fields.

**Action:** Use only supported types for record fields.

**PLS-00435: DML statement without BULK IN-BIND cannot be used inside FORALL**

**Cause:** The DML (SELECT/INSERT/DELETE/UPDATE) statement inside the FORALL statement does not contain BULK IN-BIND variables.

**Action:** The DML (SELECT/INSERT/DELETE/UPDATE) statement inside the FORALL statement must contain BULK IN-BIND variables.

**PLS-00436: implementation restriction: cannot reference fields of BULK IN-BIND table of records or objects**

**Cause:** table(bulk\_index).field is not supported at run-time.

**Action:** Use FOR loop with instead of the FORALL DML statement (MERGE/INSERT/DELETE/UPDATE).

**PLS-00437: FORALL bulk index cannot be used in string clause**

**Cause:** RETURNING table(bulk\_index) is not supported.

**Action:** Use RETURNING BULK COLLECT instead

**PLS-00438: value in LIMIT clause: "string" use is invalid**

**Cause:** The evaluation value in the LIMIT clause of a bulk fetch was found in an inappropriate context. For example, the following statement is illegal because the LIMIT clause in a bulk fetch expects a numeric value. FETCH c1 BULK COLLECT INTO var\_tab LIMIT "22333"; -- illegal

**Action:** Change the expression of the LIMIT clause so that the evaluation result is compatible to a numeric value.

**PLS-00439: A LIMIT clause must be used within a BULK FETCH**

**Cause:** A LIMIT clause is used within a non-bulk fetch

**Action:** Do not use a LIMIT clause when a non-bulk fetch is used.

**PLS-00440: FORALL bulk IN-bind variables cannot be used here**

---

**Cause:** A reference to a FORALL statement's bulk IN-bind variable was found in a context in which it is not permitted. For example, such variables are not permitted in expressions in the USING clause of a dynamic SQL statement: forall j in 1..Users.Count() execute immediate " insert into System\_Users(Username) values :U" using Upper(Users(j));

**Action:** In the case described above, move the expression from the USING clause into the SQL statement: forall j in 1..Users.Count() execute immediate " insert into System\_Users(Username) values Upper(:U)" using Users(j);

**PLS-00441: EXIT/CONTINUE statement may have a label here; "string" is not a label**

**Cause:** The specified name was not a label. An EXIT or CONTINUE statement does not require a label, but when the optional name appears, it must be a label.

**Action:** Check the spelling of the name. Make sure that the name is the label of a loop in which the EXIT or CONTINUE statement is nested. If a label is not needed for this statement, delete the name.

**PLS-00442: CONTINUE statement may not have the prefix STANDARD**

**Cause:** The procedure CONTINUE appears in STANDARD but that procedure may not be called either with its name alone or with the prefix STANDARD. It exists only to help in analysis of the CONTINUE statement.

**Action:** If a CONTINUE statement is intended, remove the prefix. If some other procedure was intended, check the spelling of the prefix and of the procedure name.

**PLS-00450: a variable of this private type cannot be declared here**

**Cause:** A variable declaration uses a type that is declared PRIVATE in some other compilation unit.

**Action:** Do not use this type in a PRIVATE variable declaration.

**PLS-00452: Subprogram "string" violates its associated pragma**

**Cause:** A packaged function cannot be called from SQL statements unless its purity level is asserted by coding a RESTRICT\_REFERENCES pragma in the package specification. The pragma, which is used to control side effects, tells the PL/SQL compiler to deny the packaged function read/write access to database tables, public packaged variables, or both. A SQL statement that violates the pragma will cause a compilation error.

**Action:** Raise the purity level of the function, or relax the pragma restrictions.

**PLS-00453: remote operations not permitted on object tables or user-defined type columns**

**Cause:** A reference to a remote object tables or user-defined type column was found.

**Action:** Do not refer to it.

**PLS-00454: with a returning into clause, the table expression cannot be remote or a subquery**

**Cause:** A reference to a remote table or subquery was found in a sql statement with a returning into clause.

**Action:** Do not refer to it, or do use a subsequent select statement.

**PLS-00455: cursor "string" cannot be used in dynamic SQL OPEN statement**

---

**Cause:** dynamically OPEN a REF CURSOR that has RETURN type. However, only REF CURSOR without RETURN type can be OPEN"ed by an embedded dynamic OPEN statement.

**Action:** define a REF CURSOR without return type, and use it in the statement.

**PLS-00456: item "*string*" is not a cursor**

**Cause:** the given variable is not a cursor and therefore cannot be OPEN"ed or FETCH"ed from.

**Action:** check the spelling and declaration for the given variable.

**PLS-00457: expressions have to be of SQL types**

**Cause:** an expression of wrong type is in USING or dynamic RETURNING clause. In USING or dynamic RETURNING clause, an expression cannot be of non-SQL types such as BOOLEAN, INDEX TABLE, and record.

**Action:** change the expression type to a SQL type.

**PLS-00458: subprogram "*string*" cannot be called from a REPEATABLE subprogram**

**Cause:** The subprogram is not REPEATABLE and cannot be called from a REPEATABLE subprogram.

**Action:** delete the call or delete REPEATABLE.

**PLS-00459: this feature is not allowed in REPEATABLE subprogram**

**Cause:** Having one of the followings feature in the REPEATABLE subprogram: dynamic SQL statements or autonomous transaction.

**Action:** delete the statements or delete REPEATABLE.

**PLS-00460: REPEATABLE subprogram "*string*" has to be RNDS, WNDS, RNPS, and WNPS**

**Cause:** Repeatable subprogram can neither read database state (RNDS), write database state (WNDS), read package state (RNPS), nor write package state (WNPS).

**Action:** make the subprogram to be RNDS, WNDS, RNPS, and WNPS or delete REPEATABLE

**PLS-00461: mismatch REPEATABLE information between specification and body of "*string*"**

**Cause:** REPEATABLE is declared at the subprogram"s specification, but not at its body, or vice versa.

**Action:** make sure both specification and body are declared as REPEATABLE

**PLS-00462: nested subprogram "*string*" has to be REPEATABLE**

**Cause:** the nested subprogram of a REPEATABLE subprogram is not declared as REPEATABLE. If a subprogram is REPEATABLE, all of its nested subprograms has to be declared as REPEATABLE.

**Action:** declared the nested subprogram as REPEATABLE

**PLS-00483: exception "*string*" may appear in at most one exception handler in this block**

**Cause:** An exception appears in two different WHEN clauses (that is, two different exception handlers) in the exception-handling part of a PL/SQL block or subprogram.

**Action:** Remove one of the references to the exception.

---

**PLS-00484: redundant exceptions "string" and "string" must appear in same exception handler**

**Cause:** Using the EXCEPTION\_INIT pragma, different exceptions were initialized to the same Oracle error number; then, they were referenced in different exception handlers within the same exception-handling part. Such references conflict.

**Action:** Remove one of the exceptions or initialize it to a different Oracle error number.

**PLS-00485: in exception handler, "string" must be an exception name**

**Cause:** An identifier not declared as an exception appears in an exception handler WHEN clause. Only the name of an exception is valid in a WHEN clause.

**Action:** Check the spelling of the exception name and make sure the exception was declared properly.

**PLS-00486: select list cannot be enclosed in parentheses**

**Cause:** In a SELECT statement, the select list was enclosed in parentheses, as in: SELECT (deptno, dname, loc) FROM dept INTO ... This breaks the rules of SQL syntax. Parentheses are not required because the keywords SELECT and FROM delimit the select list.

**Action:** Remove the parentheses enclosing the select list.

**PLS-00487: Invalid reference to variable "string"**

**Cause:** A variable was referenced in a way that is inconsistent with its datatype. For example, a scalar variable might have been mistakenly referenced as a record, as follows: DECLARE CURSOR emp\_cur IS SELECT empno, ename, sal FROM emp; emp\_rec emp\_cur%ROWTYPE; my\_sal NUMBER(7,2); BEGIN ... total\_sal := total\_sal + my\_sal.sal; -- invalid ...

**Action:** Check the spelling of the variable name. Make sure the variable was declared properly and that the declaration and reference are consistent regarding datatype.

**PLS-00488: "string" must be a type**

**Cause:** The datatype specifier in a declaration or expression does not designate a legal type. For example, the %TYPE attribute might not have been added to a declaration, as in DECLARE my\_sal emp.sal%TYPE; my\_ename emp.ename; -- missing %TYPE ... When declaring a constant or variable, to provide the datatype of a column automatically, use the %TYPE attribute. Likewise, when declaring a record, to provide the datatypes of a row automatically, use the %ROWTYPE attribute.

**Action:** Make sure the datatype specifier designates a legal type. Remember to use the %TYPE and %ROWTYPE attributes when necessary.

**PLS-00489: invalid table reference: "string" must be a column in this expression**

**Cause:** In a query, a select-list item refers to a table in the FROM clause but not to a database column.

**Action:** Check the spelling of the column names, make sure each column in the select list refers to a table in the FROM clause, then re-execute the query.

**PLS-00490: illegal statement**

**Cause:** A constant, variable, function call, or incomplete statement was used where a statement was expected. For example, instead of calling a function from an expression, it might have been called as a statement (as if it were a procedure).

---

**Action:** Check the statement, making sure that its commands, identifiers, operators, delimiters, and terminator form a complete and valid PL/SQL statement.

**PLS-00491: numeric literal required**

**Cause:** A constant or variable was used where a numeric literal is required. For example, the code might look like `my_ename VARCHAR2(max_len)`; instead of `my_ename VARCHAR2(15)`; When specifying the maximum length of a VARCHAR2 variable, an integer literal must be used.

**Action:** Replace the identifier with a numeric literal.

**PLS-00492: variable or constant initialization may not refer to functions declared in the same package**

**Cause:** If a package spec `p` declares a function `f`, that function may not be used in any variable declarations in that same package spec. This is because of a circular instantiation problem: in order to fully instantiate the package spec, the variable must be initialized. To initialize the variable, the function body code in the package body must be executed. That requires that the package body be instantiated. However, the package body cannot be instantiated until the package spec is fully instantiated.

**Action:** Remove the reference to the function from the variable initialization. A technique which often works is to move the variable initialization from the variable declaration (in the package spec) to the package body initialization block.

**PLS-00493: invalid reference to a server-side object or function in a local context**

**Cause:** A reference to a server-side object (e.g. a table column) or function (a group function such as SUM, AVG, MIN, MAX, ... ) was found in a context where only PL/SQL objects may be present (such as within the parameter list of a local function or as the index of a (local) PL/SQL table.)

**Action:** Rewrite the offending statement; or (if a local function call is the problem context), make the function non-local (either packaged or top- level.)

**PLS-00494: coercion into multiple record targets not supported**

**Cause:** The INTO list of a SELECT or FETCH specified more than a single record-type target and the column types required coercion into a record to match the INTO list. This is type checked as correct, but not yet supported.

**Action:** Create a new record type to hold all of the column types or code the SELECT with an INTO target for every source column.

**PLS-00495: too many columns in SELECT...INTO statement after bursting record targets**

**Cause:** Type checking indicated the columns in a SELECT or FETCH were being collected into a record in the INTO list. The record was burst into its fields. There were not enough fields in the record for each of the columns.

**Action:** Change the number of columns or the record variable(s) in the INTO clause so that they match.

**PLS-00496: too few columns in SELECT...INTO statement after bursting record targets**

**Cause:** Type checking indicated the columns in a SELECT or FETCH were being collected into a record in the INTO list. The record was burst into its fields. There were not enough columns to fill all of the fields in the record.

---

**Action:** Change the number of columns or the record variable(s) in the INTO clause so that they match.

**PLS-00497: cannot mix between single row and multi-row (BULK) in INTO list**

**Cause:** - When BULK syntax (e.g. BULK COLLECT INTO) is used to retrieve data, every variable in the INTO list has to be of type that is a collection of the type of the corresponding column.

- When BULK is NOT used, every variable in the INTO list has to be of compatible type with the corresponding column.

**Action:** Change the INTO list so that all variables have correct data types

**PLS-00498: illegal use of a type before its declaration**

**Cause:** A variable or constant was declared to be of a type whose declaration appears later in the compilation unit; or, a type or subtype was declared in terms of another type whose declaration appears later in the compilation unit.

**Action:** Ensure that the type declaration precedes its use in the variable/constant/type declaration.

**PLS-00499: coercion into collection of records not supported**

**Cause:** A SELECT or FETCH may specify a column list to be coerced into a variable which is a collection of records. This is type checked as correct, but not yet supported because of the implicit layout change required.

**Action:** Express the SELECT with an object constructor around the columns and use a collection of objects as an INTO variable. Or, build the collection one row at a time coercing each row into a record which happens to be an element. Or, use a record of collections.

**PLS-00500: invalid operator binding**

**Cause:** An operator binding function cannot be found in the specified scope.

**Action:** Provide the correct number and types of parameters for the operator binding function. Or, specify the correct names for schema, package, or type containing the operator binding function.

**PLS-00503: RETURN <value> statement required for this return from function**

**Cause:** In a function body, a RETURN statement was used that contains no expression. In procedures, a RETURN statement contains no expression because the statement simply returns control to the caller. However, in functions, a RETURN statement must contain an expression because its value is assigned to the function identifier.

**Action:** Add an expression to the RETURN statement.

**PLS-00504: type *string\_BASE* may not be used outside of package STANDARD**

**Cause:** In a declaration, the datatype NUMBER\_BASE (for example) was mistakenly specified. The datatypes CHAR\_BASE, DATE\_BASE, MLSLABEL\_BASE, and NUMBER\_BASE are for internal use only.

**Action:** Specify (for example) the datatype NUMBER instead of NUMBER\_BASE.

**PLS-00505: User Defined Types may only be defined as PLSQL Tables or Records**

**Cause:** An attempt was made to define a type other than TABLE or RECORD, but these are the only user-defined types allowed in this release of PL/SQL. For example, the following type definition is illegal: TYPE Byte IS INTEGER(2); -- illegal

---

**Action:** Remove the type definition, or revise it to specify a TABLE or RECORD type.

**PLS-00506: User Defined Constrained Subtypes are disallowed**

**Cause:** An attempt was made to define a constrained subtype, but only unconstrained subtypes are allowed in this release of PL/SQL. For example, the following type definition is illegal: SUBTYPE Acronym IS VARCHAR2(5); -- illegal

**Action:** Remove the illegal type constraint.

**PLS-00507: a PLSQL Table may not contain a table or a record with composite fields**

**Cause:** In a TABLE type definition, a nested record type was specified as the element type. This is not allowed. All fields in the record must be scalars.

**Action:** Remove the TABLE type definition, or replace the nested record type with a simple record type.

**PLS-00508: The expression in a RETURN statement cannot be a type**

**Cause:** A datatype specifier was used instead of an expression in the RETURN statement of a user-defined function, as shown in the example below. Do not confuse the RETURN statement, which sets the function identifier to the result value, with the RETURN clause, which specifies the datatype of the result value. FUNCTION credit-rating (acct\_no NUMBER) RETURN BOOLEAN IS BEGIN ... RETURN NUMBER; -- should be an expression END;

**Action:** Replace the datatype specifier in the RETURN statement with an appropriate expression.

**PLS-00509: Implementation Restriction : Pass a returned record to a temporary identifier before selecting a field**

**Cause:** Illegal syntax was used to call a parameter-less function that returns a record or a PL/SQL table of records. When calling a function that takes parameters and returns a record, you use the following syntax to reference fields in the record: function\_name(parameters).field\_name However, you cannot use the syntax above to call a parameter-less function because PL/SQL does not allow empty parameter lists. That is, the following syntax is illegal: function\_name().field\_name -- illegal; empty parameter list You cannot just drop the empty parameter list because the following syntax is also illegal: function\_name.field\_name -- illegal; no parameter list.

**Action:** Declare a local record or PL/SQL table of records to which you can assign the function result, then reference its fields directly.

**PLS-00510: Float cannot have scale**

**Cause:** When a FLOAT variable was declared, its precision and scale were specified, as shown in the following example: DECLARE Salary FLOAT(7,2); However, a scale for FLOAT variables cannot be specified; only a precision can be specified, as in salary FLOAT(7);

**Action:** Remove the scale specifier from the declaration, or declare a NUMBER variable instead.

**PLS-00511: a record may not contain a PL/SQL table of records**

**Cause:** In a RECORD definition, one of the fields was declared as a PL/SQL table of records. This is not allowed. A record can be the component of another record (that is, records can be nested), but a PL/SQL table of records cannot be the component of a record.

**Action:** Remove the field declaration, or revise it to specify a simple record type.

---

**PLS-00512: Implementation Restriction: "string": Cannot directly access remote package variable or cursor**

**Cause:** An attempt was made to reference a remote packaged variable or cursor. This is not allowed. Instead, add to the remote package a function that returns the value of the variable or cursor.

**Action:** Remove the illegal reference.

**PLS-00513: PL/SQL function called from SQL must return value of legal SQL type**

**Cause:** In a SQL statement, do not call a PL/SQL function having a return type that can not be handled by SQL. For example, type BOOLEAN, records and indexed-tables are not supported by SQL and functions returning such values can not be called from SQL.

**Action:** None

**PLS-00514: INSERT statement with REF INTO clause requires a typed table**

**Cause:** This INSERT statement provides REF INTO clause, which is only legal when the table specified in the INTO clause is an object table.

**Action:** None

**PLS-00515: The type of the REF INTO variable "string" must be REF to the table's type**

**Cause:** In INSERT statement with REF INTO clause, the type of the data item must be REF to the type of the table used in INTO clause.

**Action:** None

**PLS-00516: Type mismatch between object table and value "string" in INSERT statement.**

**Cause:** In the INSERT statement operating on typed tables (tables of objects), the type of a non-aggregate value did not match the object type of the table.

**Action:** None

**PLS-00517: Type mismatch between a select list element "string" and corresponding table column in INSERT statement with a subquery**

**Cause:** In an INSERT statement with subquery, at least one of the elements of the select list was not type-compatible with the corresponding column of the table in the INTO clause. This error indicates that the subquery should be rewritten to match the structure of the target table.

**Action:** None

**PLS-00518: This INSERT statement requires VALUES clause containing a parenthesised list of values**

**Cause:** A VALUES clause was entered without a list of SQL data items in parentheses. In all INSERT statements with an explicit column list, the VALUES clause must contain a list of SQL data items in parentheses. For example: INSERT INTO my\_tab (a,b,c) VALUES (1,2,my\_variable);

**Action:** Rewrite the statement to include a list of SQL data items in parentheses.

**PLS-00519: This INSERT statement requires a VALUES clause containing an object type expression, not a list of values**

**Cause:** In an INSERT statement with typed tables, an aggregate was used when an object type item was expected.

---

**Action:** Replace the aggregate with an object constructor or other object type expression.

**PLS-00520: MAP methods must be declared without any parameters other than (optional) SELF.**

**Cause:** A MAP member function was declared with a parameter. Map member functions can have only one parameter: the default SELF parameter. Map methods must be declared without any parameters. The compiler adds the SELF parameter.

**Action:** Remove the parameter from the map member function.

**PLS-00521: ORDER methods must be declared with 1 (one) parameter in addition to (optional) SELF.**

**Cause:** An order member function was declared without the user-specified parameter. Order member functions have two parameters, one is the default SELF parameter which is added by the compiler. the second parameter is added by the user and must declare an order method which must be the same type as the containing object type.

**Action:** Check and correct the way the parameter is specified.

**PLS-00522: MAP methods must return a scalar type.**

**Cause:** The MAP member function was written such that it returns something other than a scalar type.

**Action:** Rewrite the MAP function such that it returns a scalar type.

**PLS-00523: ORDER methods must return an INTEGER.**

**Cause:** An order member function was written such that it returns something other than an integer type.

**Action:** Rewrite the ORDER method such that it returns an integer type.

**PLS-00524: The parameter type in an ORDER method must be the containing object type.**

**Cause:** An order member function was declared without the user-specified parameter. Order member functions have two parameters, one is the default SELF parameter which is added by the compiler. the second parameter is added by the user and must declare an order method which must be the same type as the containing object type.

**Action:** Check and correct the way the parameter is specified.

**PLS-00525: Within SQL statements, only equality comparisons of objects are allowed without a map or order function.**

**Cause:** A map or order function was not provided for a relational comparison. Only equality comparisons may be used when a map or order function is not supplied.

**Action:** Supply either a map or order function for the object. Otherwise change the program to use only equality comparisons.

**PLS-00526: A MAP or ORDER function is required for comparing objects in PL/SQL.**

**Cause:** Within stand alone PL/SQL, an attempt was made to compare objects without a map or order function.

**Action:** Provide a map or order function and retry the operation.

---

**PLS-00527: MAP or ORDER functions require a PRAGMA RESTRICT\_REFERENCES specifying :WNDS,WNPS,RNPS,RNDS.**

**Cause:** Either a PRAGMA RESTRICT\_REFERENCES was not specified or it was specified without one of the following: WNDS, WNPS, RNPS, or RNDS.

**Action:** Add or correct the PRAGMA and retry the operation.

**PLS-00528: The parameters to an ORDER function must have IN mode**

**Cause:** You declared parameter to an ORDER function to have OUT or IN OUT mode.

**Action:** Correct the parameter to use IN mode only.

**PLS-00529: Bad column name *string* in INSERT statement (must be an identifier)**

**Cause:** In an INSERT statement, an attempt was made to use a column name that is not an identifier. In any INSERT statement with explicit column list a column name must be a simple identifier.

**Action:** Rewrite the INSERT statement, using a simple identifier for the column name.

**PLS-00530: Illegal type used for object type attribute: "*string*".**

**Cause:** An attempt was made to use an invalid type for an object type attribute.

**Action:** Use only supported types for the object type attribute.

**PLS-00531: Unsupported type in a VARRAY or TABLE type: "*string*".**

**Cause:** An attempt was made to use an unsupported type in a VARRAY or TABLE type.

**Action:** Use only supported types in a VARRAY or TABLE type.

**PLS-00532: Target of REF must be a complete or incomplete object type.**

**Cause:** The target of a REF can only be a complete or an incomplete object type.

**Action:** If a REF is to be used, change the type; otherwise, remove the REF.

**PLS-00533: Tables of non\_queryable types are not supported.**

**Cause:** An attempt was made to create a table of a type which cannot be queried. Tables of such types are not supported.

**Action:** Create an object type containing the non-queryable type. Then create a table of the object type.

**PLS-00534: A Table type may not contain a nested table type or VARRAY.**

**Cause:** An attempt was made to do one of the following: define a table type which contained nested collection types. or define an object table that has (perhaps nested) another table type or VARRAY type.

**Action:** Check the table definitions to be sure that they do not contain nested tables or VARRAYs.

**PLS-00535: A VARRAY type may not contain a NESTED TABLE, VARRAY or LOB**

**Cause:** An attempt was made to do one of the following: define a VARRAY type containing a nested collection type or LOB or define a VARRAY type of an object type that has a nested attribute which is one of NESTED TABLE, VARRAY or LOB type.

**Action:** Check the VARRAY definitions to be sure that they do not contain nested collection types, LOBs or nested attributes.

---

**PLS-00536: Navigation through REF variables is not supported in PL/SQL.**

**Cause:** The expression of the form refvar.field was entered. This is not supported in PL/SQL, ver 8.0.

**Action:** None

**PLS-00537: A VARRAY must have a positive limit**

**Cause:** A VARRAY type was declared with a non-positive limit, for example VARRAY(0).

**Action:** Declare the VARRAY with a positive limit and retry the operation.

**PLS-00538: subprogram or cursor "string" is declared in an object type specification and must be defined in the object type body**

**Cause:** The specified subprogram is declared in an object type's specification, but is not defined in the object type body.

**Action:** Define the subprogram in the object type body, or remove the declaration from the specification.

**PLS-00539: subprogram "string" is declared in an object type body and must be defined in the object type specification**

**Cause:** The specified subprogram is declared in an object type's body, but is not defined in the object type's specification. Notice cursor bodies can exist without a specification.

**Action:** Define the subprogram in the object type's specification, or remove the declaration from the body.

**PLS-00540: object not supported in this context.**

**Cause:** An object was declared inside a local scope (Function, Procedure, or anonymous block), or in a package scope which is not supported.

**Action:** Declare the type in a global or data base scope.

**PLS-00541: size or length specified is too large.**

**Cause:** A length or size that is too large was specified for a data item.

**Action:** Specify a smaller value and retry the operation.

**PLS-00542: CLOB and NCLOB cannot use varying-width character sets in the server**

**Cause:** A server type is being created with an embedded CLOB or NCLOB attribute which uses a varying-width character set.

**Action:** Use VARCHAR2 instead of CLOB, or use a fixed-width character set.

**PLS-00543: a PLSQL Table may not contain a nested table type or VARRAY.**

**Cause:** An attempt was made to define a PLSQL table that contained a (possibly deeply) nested table type or VARRAY. Nested collection types are not supported.

**Action:** Remove the nested table type or VARRAY from the table. Then retry the operation.

**PLS-00546: SELF may not be declared as a REF parameter.**

**Cause:** SELF was declared as a ref parameter to a member function or procedure. SELF is not supported as a REF.

**Action:** Redefine SELF as a value parameter.

**PLS-00548: invalid use of operator.**

---

**Cause:** A name of an operator is used as a qualifier or appears outside from sql context.

**Action:** Eliminate the use of operator name as a qualifier or place it in a sql clause.

**PLS-00550: character set specification is not allowed for this type**

**Cause:** A character set specification was made on a type that does not require one.

**Action:** Remove the character set specification, or change the type.

**PLS-00551: character set ANY\_CS is only allowed on a subprogram parameter**

**Cause:** The character set ANY\_CS was specified when it is not allowed.

**Action:** Change or remove the character set specification.

**PLS-00552: flexible character set is not allowed on component element**

**Cause:** ANY\_CS or %CHARSET was used to reference an ANY\_CS parameter which is not a CHAR, VARCHAR2, or CLOB type. ANY\_CS or %CHARSET is not allowed for fields of a record , object, elements of a collection, etc.

**Action:** Change or remove the character set specification.

**PLS-00553: character set name is not recognized**

**Cause:** An unrecognized name appears in a character set specification.

**Action:** Change or remove the character set specification.

**PLS-00554: character set has already been determined**

**Cause:** A redundant or conflicting character set was specified.

**Action:** Remove the CHARACTER SET specification, or change the character set specified.

**PLS-00555: default expressions are not allowed for SQL operators**

**Cause:** A default expression has been specified for a SQL operator.

**Action:** Eliminate the default expression from the operator.

**PLS-00560: character set mismatch**

**Cause:** An expression was used that has the wrong character set for this context.

**Action:** Adjust the expression, using TRANSLATE(... USING ...) or by rethinking the logic.

**PLS-00561: character set mismatch on value for parameter "string"**

**Cause:** An expression was used that contains an incorrect character set. The actual argument has a character set conflict. If a default argument value is being used, it might be in conflict with some actual argument that must have the same character set.

**Action:** Adjust the expression, using TRANSLATE(... USING ...) or change the character set.

**PLS-00562: a function must return a type.**

**Cause:** The current function was defined to return something other than a data type.

**Action:** Make sure the function is returning a data type.

**PLS-00563: illegal use of CAST expression**

**Cause:** CAST (in PLSQL) was used outside of a DML scope.

**Action:** Do not use CAST outside DML statements.

---

**PLS-00564: lob arguments are not permitted in calls to remote server**

**Cause:** use of lob argument in call to remote server

**Action:** Do not use LOBs in call to remote server

**PLS-00565: string must be completed as a potential REF target (object type)**

**Cause:** Incomplete library units that are potential targets of REF dependencies must be completed so that they continue to remain potential targets of REF dependencies (since there might be library units with REF dependencies on this library unit). Potential REF targets include complete and incomplete object types. This error happened because an attempt was made to complete a potential REF target as something other than a potential REF target.

**Action:** Use another name for this library unit, or drop the original incomplete library unit.

**PLS-00566: type name "string" cannot be constrained**

**Cause:** A lob, date, boolean, rowid, or mlslabel type was constrained with a length specification. For example: X BLOB(5);

**Action:** Remove the constraint.

**PLS-00567: cannot pass NULL to a NOT NULL constrained formal parameter**

**Cause:** You attempted to pass NULL to a NOT NULL constrained parameter.

**Action:** Pass a NOT NULL expression instead.

**PLS-00568: cannot access rows from a non-nested table item**

**Cause:** You attempted to use TABLE expression, from a non-nested table

**Action:** pass the correct parameter

**PLS-00569: numeric overflow or underflow**

**Cause:** A constant literal is either too large or too small to fit in an Oracle number

**Action:** Change the value of the literal

**PLS-00570: different number of columns in the multiset and cast expressions**

**Cause:** Number of columns in the collection returned by MULTiset and the number of columns for the CAST type don't match. For example: create type tab\_obj as object (n number); create type tab1 as table of tab\_obj; create table tab2 (col1 number, col2 number); select CAST(MULTiset(select col1, col2 from tab2) as tab1) from tab2;

**Action:** None

**PLS-00571: method access through data base link not yet supported on client side**

**Cause:** Remote link is used with on client side

**Action:** Create a dummy function to call symbolic link on server side or wait till it is implemented

**PLS-00572: improper constraint form used**

**Cause:** "number" types cannot have a range. user-defined aggregate types and integer types cannot have scale or precision specified. Example: "x number(5,3)" is acceptable but "x number range 1..10" is not.

**Action:** Remove the constraint

**PLS-00573: cannot constrain scale, precision, or range of an anchored type declaration**

---

**Cause:** A variable declared with %TYPE or %ROWTYPE cannot have a scale, precision, or range constraint. Example: x y%TYPE(10) is not acceptable. It is legal to add "NOT NULL" or non-conflicting CHARACTER SET constraints to anchored type declarations.

**Action:** Remove the constraint or use a type name instead of an anchored type.

**PLS-00580: supertype must be an object type**

**Cause:** An attempt was made to declare an object type to have a supertype, but the specified supertype was not itself an object type. Object types can inherit only from other object types.

**Action:** Remove the supertype specification, or change it to refer to an object type. If the declaration appears correct, make sure the supertype has compiled correctly.

**PLS-00581: inheritance is not supported for opaque types**

**Cause:** An attempt was made to declare an opaque type with a supertype.

**Action:** Remove the supertype specification.

**PLS-00582: attribute declarations are not allowed in opaque types**

**Cause:** An attempt was made to declare an attribute in an opaque type.

**Action:** Remove the attribute declaration.

**PLS-00583: size must be specified if opaque type is fixed-length**

**Cause:** An attempt was made to declare a fixed-length opaque type without specifying an explicit size.

**Action:** Specify an explicit size, or change the declaration to be varying-length.

**PLS-00584: size of an opaque type must be between 1 and 4000 bytes**

**Cause:** An attempt was made to specify an explicit size for an opaque type, but the specified size was out of the valid range.

**Action:** Change the explicit size to be between 1 and 4000 bytes, or change the declaration to be varying-length without an explicit size.

**PLS-00585: declared support library for opaque type is not a library**

**Cause:** An attempt was made to name a support library for an opaque type, but the name refers to an object that is not a library.

**Action:** Change the declaration to name a valid library.

**PLS-00586: a static method cannot declare a parameter named SELF**

**Cause:** An attempt was made to name a parameter SELF when declaring a static method. SELF is reserved as a parameter name in methods, to hold the object instance on which the method is applied. A parameter named SELF is not allowed in static methods because static methods do not apply to a particular object instance.

**Action:** Change the name of the parameter in the declaration.

**PLS-00587: a static method cannot be invoked on an instance value**

**Cause:** An attempt was made to use an object instance value, not a typename, as the qualifier of the name of a method invocation, but only a typename can be used as the qualifier when calling a static method.

**Action:** Use the typename, not an object instance value, to qualify the name of a method if the method is static.

---

**PLS-00588: unqualified instance attribute references allowed only in member methods**

**Cause:** An attempt was made to use the name of an object instance attribute in the body of a static method, or in an initialization default value on another attribute. If the instance attribute is not qualified with a particular object instance that supplies a value, the instance attribute can be named only when it is inside a member method.

**Action:** Qualify the attribute reference with the name of an object value, or change the containing method to a member method rather than a static method.

**PLS-00589: no attributes found in object type "string"**

**Cause:** Table of non adt type is defined.

**Action:** Table of type should be of ADT type only

**PLS-00590: attempting to create a subtype UNDER a FINAL type**

**Cause:** An attempt was made to create a subtype UNDER a FINAL type.

**Action:** Avoid deriving a subtype from this FINAL type.

**PLS-00591: this feature is not supported in client-side programs**

**Cause:** One of the following features was used in a wrong context: pragma AUTONOMOUS\_TRANSACTION, dynamic SQL statements, (e.g. EXECUTE IMMEDIATE), and bulk binds. These listed features can only be used in server-side programs but not client-side programs.

**Action:** Remove it or define a server-side subprogram to do the work and call the subprogram from the client.

**PLS-00592: the type of a object table must be an object type**

**Cause:** You have defined a typed-table of a non-object type.

**Action:** Replace the non-object type with an object-type.

**PLS-00593: default value of parameter "string" in body must match that of spec**

**Cause:** The default value initialization of a parameter in a subprogram body contained in a package body did not match that of the corresponding subprogram specification in the corresponding package specification.

**Action:** Change the default initialization of the parameter in body to match that of spec.

**PLS-00594: the SELF parameter can be declared only as IN or as IN OUT**

**Cause:** The SELF parameter was declared as an OUT parameter.

**Action:** Declare the SELF parameter as either an IN or an IN OUT parameter.

**PLS-00595: the TABLE operator is not allowed in this context**

**Cause:** This feature is not yet implemented.

**Action:** Don't use weak ref cursors with bulk binds.

**PLS-00597: expression "string" in the INTO list is of wrong type**

**Cause:** This exception is raised for the following errors:

- the expression in INTO clause of OPEN or RETURNING statement is neither of legal SQL datatypes nor of PL/SQL RECORD datatype

- a collection of records is used in INTO clause of OPEN or RETURNING statement.

---

- a record or a collection of records is used in BULK COLLECT INTO

**Action:** Use expression with correct datatype in the INTO clause

**PLS-00598: comparison of object with NULL using "string" is not allowed**

**Cause:** An object is compared with NULL using a relational operator.

**Action:** Use IS NULL comparison operator.

**PLS-00599: SAMPLE percentage must be in the range [0.000001,100)**

**Cause:** The percentage number is not in the range [0.000001,100)

**Action:** Use a percentage number in the range [0.000001,100)

**PLS-00600: SAMPLE cannot be applied to a remote object**

**Cause:** SAMPLE applying to a remote object is not supported

**Action:** Do not use SAMPLE with a remote object

**PLS-00601: partition extended object names may only be used with tables**

**Cause:** User attempted to use a partition-extended object name with an object which is not a table.

**Action:** Avoid using partition-extended name syntax with objects which are not tables

**PLS-00602: CUBE and ROLLUP may appear only in a GROUP BY clause**

**Cause:** User attempted to use the keywords CUBE or ROLLUP outside a GROUP BY clause

**Action:** Avoid using the keywords CUBE and ROLLUP outside the GROUP BY clause

**PLS-00603: GROUPING function supported only with GROUP BY CUBE or ROLLUP**

**Cause:** User attempted to use the GROUPING function without GROUP BY CUBE or GROUP BY ROLLUP

**Action:** Avoid using the GROUPING function without GROUP BY CUBE or ROLLUP

**PLS-00604: aggregate function is not allowed here**

**Cause:** One of the functions, such as AVG, COUNT, MAX, MIN, SUM, STDDEV or VARIANCE, was used in a WHERE or GROUP BY clause

**Action:** Remove the group function from the WHERE or GROUP BY clause. The desired result may be achieved by including the function in a subquery or HAVING clause.

**PLS-00605: set operators are not yet supported as an argument to a MULTISSET operator**

**Cause:** A set operator was used in a subquery that was the argument to a MULTISSET operator.

**Action:** Rewrite your SQL statement so that it does not use a set operator in the subquery that is the argument to the MULTISSET operator.

**PLS-00606: cursor subquery is not supported on client side in this release**

**Cause:** A query that contains a cursor subquery is being used from client side.

**Action:** Use this feature from server side only.

---

**PLS-00607: SQLJ Object Types can have only SQLJ Types as its supertype or subtype**

**Cause:** You were trying to create a SQLJ Object Type under a non-SQLJ Object Type.

**Action:** Recreate the type as a SQLJ Object Type.

**PLS-00608: the value of the USING clause must match that of the supertype**

**Cause:** You were trying to create a SQLJ Object Type with a different value of the USING clause from the USING clause specified in its supertype.

**Action:** Change the value of the USING clause to match the USING clause in its supertype.

**PLS-00609: the OVERRIDING clause is not valid for SQLJ Object Types**

**Cause:** You were trying to a SQLJ Object Type method that override an inherited method.

**Action:** Change the SQLJ Object Type defintion by removing the OVERRIDING method.

**PLS-00610: ROW can be used only once in SET clause of UPDATE statement**

**Cause:** You were trying to use ROW more than once in UPDATE statement.

**Action:** Remove all the additional ROW in set clause of UPDATE statement.

**PLS-00611: right hand side can be only the variables of record type**

**Cause:** with ROW on LHS, only PL/SQL records or %ROWTYPE variables are allowed on right hand side..

**Action:** Make appropriate changes, so that right hande side should only have variables of record or %ROWTYPE.

**PLS-00612: Number of attributes do not match in SET clause**

**Cause:** Number of columns do not match with number of attributes on record type on rhs.

**Action:** Make sure that number of columns match with the number of attributes in record on rhs.

**PLS-00613: only one item is allowed, when using variables of record type**

**Cause:** You are trying to use more than one values in VALUES clause or RETURNING INTO clause, when one of the value is of record type..

**Action:** Specify only one variable of record type, or don't use variables of record type.

**PLS-00614: creating a FINAL NOT INSTANTIABLE type**

**Cause:** An attempt was made to create a FINAL NOT INSTANTIABLE type. No useful operation can be performed with this type.

**Action:** Avoid using the keywords FINAL and NOT INSTANTIABLE together when creating types.

**PLS-00615: type mismatch found at "string" between CASE operand and WHEN operands**

**Cause:** In a simple CASE statement or expression, the CASE operand and WHEN operands do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

---

**Action:** Change the CASE operand and WHEN operands so that their datatypes match. Consider using datatype conversion functions in the CASE operand and/or WHEN operands.

**PLS-00616: type mismatch found at "string" among result expressions in a CASE expression**

**Cause:** In a CASE expression, the result expressions do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the result expressions so that their datatypes match. Consider using datatype conversion functions in the result expressions.

**PLS-00617: at least one result in the CASE expression must not be NULL**

**Cause:** All the results in the CASE expression are the literal NULL.

**Action:** Change at least one result in the CASE expression to be non-NULL.

**PLS-00618: type mismatch found at "string" between operands in a NULLIF expression**

**Cause:** In a NULLIF expression, the two operands do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the operands so that their datatypes match. Consider using datatype conversion functions in the operands.

**PLS-00619: the first operand in the NULLIF expression must not be NULL**

**Cause:** The first operand in the NULLIF expression is the literal NULL.

**Action:** Change the first operand in the NULLIF expression to be non-NULL.

**PLS-00620: type mismatch found at "string" among operands in a COALESCE expression**

**Cause:** In a COALESCE expression, the operands do not match in datatype, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the operands so that their datatypes match. Consider using datatype conversion functions in the operands.

**PLS-00621: at least one operand in the COALESCE expression must not be NULL**

**Cause:** All the operands in the COALESCE expression are the literal NULL.

**Action:** Change at least one operand in the COALESCE expression to be non-NULL.

**PLS-00622: range constraints must be between -2147483647 and 2147483647**

**Cause:** The range constraints specified for a pls\_integer or binary\_integer declaration did not fall between -2147483647 and 2147483647.

**Action:** Use range constraints between -2147483647 and 2147483647.

**PLS-00623: FLOAT precision constraint must be between 1 and 126**

**Cause:** The precision specified for a FLOAT, REAL or DOUBLE PRECISION did not fall between 1 and 126.

**Action:** Use precision constraints between 1 and 126.

**PLS-00624: USING clause must be used with either aggregate or pipelined functions**

**Cause:** USING clause cannot be used with functions that are not declared with AGGREGATE or PIPELINED properties.

---

**Action:** Define function body in PL/SQL or some other language (using external callout call specification).

**PLS-00625: PARTITION/CLUSTER/ORDER-BY clause can only be used with IN parameters**

**Cause:** A PARTITION/CLUSTER/ORDER-BY clause was used with an OUT or IN OUT ref-cursor parameter.

**Action:** Change the parameter mode to IN or use some other parameter with the PARTITION/CLUSTER/ORDER-BY clause.

**PLS-00626: partitioned/clustered/ordered parameter must be a function argument**

**Cause:** A partitioning or clustering/ordering specification specified on an argument that is not one of the function arguments.

**Action:** Specify partitioning/clustering/ordering based on the function ref-cursor formal argument.

**PLS-00627: "string" must be a strongly typed ref cursor**

**Cause:** A partitioning or clustering/ordering specification specified on an argument that is not a strongly typed ref cursor.

**Action:** Specify partitioning/clustering/ordering based on the function ref-cursor formal argument.

**PLS-00628: "string" must be a valid record attribute**

**Cause:** A partitioning or clustering/ordering specification must use only valid record attributes.

**Action:** Specify partitioning/clustering/ordering based on valid record attributes.

**PLS-00629: PIPE statement cannot be used in non-pipelined functions**

**Cause:** A PIPE statement was used in a non-pipelined function.

**Action:** Use PIPE statement only in pipelined functions.

**PLS-00630: pipelined functions must have a supported collection return type**

**Cause:** A pipelined function was specified with an unsupported return type. The following are not supported as return types of pipelined functions:

- non-collections,
- PL/SQL tables,
- associative arrays,
- collections of PL/SQL types: rowid, mlslabel, long, long raw, boolean, binary\_integer, pls\_integer, string and urowid The following restrictions apply:
  - If the return type is a collection of records, then each of the attributes of the record must be a supported type.
  - A collection of records must not contain a record type as one of its attributes.

**Action:** Specify a supported collection type as the pipelined function return type.

**PLS-00631: PARTITION-BY and CLUSTER/ORDER-BY clauses must be used with the same function argument**

**Cause:** PARTITION-BY and CLUSTER/ORDER-BY clauses are specified on different function arguments.

**Action:** Use the same argument in both PARTITION-BY and CLUSTER/ORDER-BY clauses.

---

**PLS-00632: NOT INSTANTIABLE method cannot have a body**

**Cause:** An attempt was made to provide an implementation for a NOT INSTANTIABLE method.

**Action:** Remove the implementation for the NOT INSTANTIABLE method.

**PLS-00633: RETURN statement in a pipelined function cannot contain an expression**

**Cause:** A RETURN statement in a pipelined function contains an expression, which is not allowed. Pipelined functions must send back values to the caller by using the PIPE statement.

**Action:** Remove the expression from the RETURN statement and use a PIPE statement to return values. Else, convert the function into a non-pipelined function.

**PLS-00634: type with NOT INSTANTIABLE methods must be declared NOT INSTANTIABLE**

**Cause:** The type being created contains NOT INSTANTIABLE methods, either declared or inherited. The type must be explicitly declared NOT INSTANTIABLE

**Action:** Explicitly specify the NOT INSTANTIABLE keyword or provide implementations for all the NOT INSTANTIABLE methods.

**PLS-00635: method does not override**

**Cause:** The method specification contains the OVERRIDING keyword but the method does not override a method in the ancestor types.

**Action:** Check the method specification.

**PLS-00636: overriding method requires OVERRIDING keyword**

**Cause:** An attempt was made to provide an overriding method specification, but the OVERRIDING keyword was not specified.

**Action:** Modify the method specification and specify the OVERRIDING keyword.

**PLS-00637: FINAL method cannot be overridden or hidden**

**Cause:** An attempt was made to override a FINAL MEMBER method or hide a FINAL STATIC method.

**Action:** Avoid overriding FINAL MEMBER methods or hiding FINAL STATIC methods

**PLS-00638: cannot overload MAP method**

**Cause:** The MAP method does override the inherited one.

**Action:** Make the specifications match.

**PLS-00639: NCHAR/NVARCHAR2 cannot be byte length semantics**

**Cause:** NCHAR/NVARCHAR can only be codepoint length semantics. BYTE qualifiers used with NCHAR is illegal: nc NCHAR(7 BYTE); name NVARCHAR2(10 byte);

**Action:** Remove BYTE qualifier to make it as codepoint length semantics

**PLS-00640: a pipelined function cannot be called from PL/SQL context**

**Cause:** A pipelined function was invoked from a PL/SQL expression.

**Action:** Use the pipelined function in the FROM clause of a SQL query.

**PLS-00641: INTO clause not allowed for this SELECT statement**

---

**Cause:** A SELECT statement in a cursor definition, an OPEN statement or a cursor FOR loop has an erroneous INTO clause.

**Action:** Remove the INTO clause.

**PLS-00642: local collection types not allowed in SQL statements**

**Cause:** A locally-defined (i.e. not schema level) collection type was used in a SQL statement. The type must be defined in a schema to be accepted in a SQL statement.

**Action:** Define the collection type in your schema, not inside a PL/SQL subprogram.

**PLS-00643: booleans, index tables, records and cursors not allowed in SQL statements**

**Cause:** Items of type boolean, table of foo index by binary\_integer, record and static cursors cannot be used in SQL statements.

**Action:** Remove expressions of these types from the SQL statement.

**PLS-00644: character set mismatch found at "string" among result expressions in a CASE expression**

**Cause:** In a CASE expression, the result expressions do not match in character set, and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the result expressions so that their character sets match.

**PLS-00645: character set mismatch found at "string" among operands in a COALESCE expression**

**Cause:** In a COALESCE expression, the operands do not match in character set and it is unclear which implicit conversion is required to correct the mismatch.

**Action:** Change the operands so that their character sets match.

**PLS-00646: MAP or ORDER method must be defined in the root of the subtype hierarchy**

**Cause:** An attempt was made to define a MAP or ORDER method in a subtype.

**Action:** Define the MAP or ORDER method in the root of the subtype hierarchy. You can override MAP methods in subtypes.

**PLS-00647: attribute by name "string" conflicts with method by same name**

**Cause:** While creating a subtype some attribute name conflicted with a method name.

**Action:** Use a different name for attribute or method in the type being created.

**PLS-00648: type of supertype attribute "string" can not be a subtype or reference to a subtype in this release**

**Cause:** User tried to complete a type, Tsub as a subtype of another type, Tsuper where Tsuper contained an attribute of type Tsub or of type REF to Tsub. This is an implementation restriction.

**Action:** Change the design of code to not use any type with attribute whose type is of subtype or REF to subtype.

**PLS-00649: method "string" can be overridden only once per object type**

**Cause:** User tried to override the method more than once in the same subtype.

---

**Action:** Either make this an extra overload by removing the OVERRIDING keyword where the method signature is different. The argument types should be reconsidered otherwise.

**PLS-00650: invalid type for PARTITION/CLUSTER/ORDER BY clause**

**Cause:** User tried to use invalid type for PARTITION/CLUSTER/ORDER BY clause.

**Action:** Use legal allowed types.

**PLS-00651: implementation type in Aggregate/Table function should be a valid type**

**Cause:** User tried to use some other database object like a package to define implementation type of an aggregate/table function.

**Action:** Use a valid user defined type as implementation type.

**PLS-00652: aggregate functions should have exactly one argument**

**Cause:** User tried to create aggregate function with either 0 or more than one arguments.

**Action:** Do not create aggregate function with 0 or more than one argument.

**PLS-00653: aggregate/table functions are not allowed in PL/SQL scope**

**Cause:** User tried to use a table/aggregate function in PL/SQL scope.

**Action:** Do not use table/aggregate function in PL/SQL scope.

**PLS-00654: PARTITION/ORDER/CLUSTER BY are allowed for only with PARALLEL\_ENABLE**

**Cause:** User tried partition by order by cluster by without parallel enable clause in table function.

**Action:** specify parallel enable also when using partition by, cluster by order by clause.

**PLS-00655: only functions can be declared as PIPELINED**

**Cause:** user is trying to declare a procedure to be pipelined function

**Action:** declare a function instead of a procedure to be a pipelined function

**PLS-00656: field "string" not available in input argument**

**Cause:** An EXTRACT operation specified a field that was not present. For example, you tried to extract the YEAR field from a TIME variable.

**Action:** Specify a legal field in the call to EXTRACT.

**PLS-00657: Implementation restriction: bulk SQL with associative arrays with VARCHAR2 key is not supported.**

**Cause:** Variable or expression of associative array type was used as bulk SQL bind or define.

**Action:** Use collection types supported by bulk SQL.

**PLS-00658: constructor method name must match type name**

**Cause:** The name of the object type constructor does not match the type name.

**Action:** Change the name of the constructor method to match the type name.

**PLS-00659: constructor method must return SELF AS RESULT**

**Cause:** The return clause of the constructor method did not specify SELF AS RESULT.

---

**Action:** Change the return clause to include RETURN SELF AS RESULT.

**PLS-00660: SELF parameter of constructor method must be IN OUT**

**Cause:** The mode of the SELF parameter of the constructor was not IN OUT.

**Action:** Change the mode of the SELF parameter to be IN OUT.

**PLS-00661: RETURN statement in a CONSTRUCTOR cannot include an expression**

**Cause:** An attempt was made to include an expression in the RETURN statement of a CONSTRUCTOR body.

**Action:** Remove the expression from the RETURN statement.

**PLS-00662: Non-external object types containing external mapped attributes are not allowed**

**Cause:** An attempt was made to create a non-external object, whose attributes are mapped externally.

**Action:** Create the object as an external object.

**PLS-00663: the NEW keyword is not allowed in this context**

**Cause:** The NEW keyword is not followed by an call to a constructor method.

**Action:** Remove the NEW keyword, or make sure the expression following it is a constructor call.

**PLS-00664: Both ORDER BY and CLUSTER BY can not be specified for the same table function**

**Cause:** An attempt was made to specify both ORDER BY and CLUSTER BY for the same table function.

**Action:** specify either ORDER BY or CLUSTER BY for a table function, but not both.

**PLS-00665: ORDER BY and CLUSTER BY clauses require a PARTITION BY clause**

**Cause:** An attempt was made to specify an ORDER BY or CLUSTER BY clause without also specifying a PARTITION BY clause.

**Action:** Add a PARTITION BY clause, or remove the ORDER BY or CLUSTER BY clause.

**PLS-00666: Only index by binary\_integer/pls\_integer associative arrays allowed here**

**Cause:** An attempt was made to specify index collection that was not indexed by binary\_integer or pls\_integer.

**Action:** Change the index collection variable type to associative array that is indexed by binary\_integer or pls\_integer.

**PLS-00667: Element type of associative array should be pls\_integer or binary\_integer**

**Cause:** An attempt was made to specify index collection whos element type was not one of pls\_integer or binary\_integer.

**Action:** Change the index collection variable type to associative array whose element type is pls\_integer or binary\_integer.

**PLS-00668: Type of expression should be a collection type**

**Cause:** An attempt was made to specify expression after INDICES OF or VALUES OF clause whose type is not a collection type.

---

**Action:** Change the index collection expression type to a valid collection type.

**PLS-00669: Type of expression should be a valid collection variable**

**Cause:** An attempt was made to specify expression after INDICES OF or VALUES OF clause that is not a collection variable.

**Action:** Change the index collection expression type to a valid collection variable.

**PLS-00670: sort columns must be simple column names**

**Cause:** An attempt was made to specify an expression as a sort column in a PARTITION BY, CLUSTER BY or ORDER BY clause. Only simple column names are permitted.

**Action:** Specify a simple column name.

**PLS-00671: this expression is allowed only with instance methods**

**Cause:** The generalized invocation syntax was used in instance method context.

**Action:** The generalized invocation syntax can only be used in a instance method that is not a constructor

**PLS-00672: The expression *string* should be a subtype of the type *string***

**Cause:** The expression in the generalized expression should be a sub type of the type.

**Action:** The type of expression should be a subtype of the type name

**PLS-00673: Generalized expression is not allowed in this context**

**Cause:** The generalized expression is used in wrong context

**Action:** Fix the expression and remove the generalized expression syntax.

**PLS-00674: references to fields of BULK In-BIND table of records or objects must have the form A(I).F**

**Cause:** The form table(bulk\_index).field is the only field selection supported at runtime.

**Action:** Use a FOR loop instead of the FORALL DML statement (MERGE/INSERT/DELETE/UPDATE) or revise reference to fit the form allowed.

**PLS-00675: invalid section for this type of Compound Trigger**

**Cause:** Before and After row sections are not allowed for Compound triggers defined on the Table and instead of row section is not allowed for Compound Triggers defined on a view.

**Action:** Remove the invalid sections for this context.

**PLS-00676: duplicate Compound Triggers section**

**Cause:** Each Compound Trigger Section can appear at most once in a body of the compound trigger

**Action:** Remove the offending sections.

**PLS-00677: Compound Triggers cannot be autonomous transactions**

**Cause:** The Compound Triggers has pragma autonomous transaction.

**Action:** Call autonomous function or procedure, if autonomous transaction behavior is desired from Compound Triggers.

**PLS-00678: RETURN statement not allowed inside Compound Triggers**

**Cause:** A return Statement was seen inside a compound trigger

---

**Action:** Remove Return statement and use other PL/SQL constructs to transfer flow of control.

**PLS-00679: trigger binds not allowed in before/after statement section**

**Cause:** :new or :old were used in this section.

**Action:** Do not use trigger binds in this section

**PLS-00680: BEFORE/AFTER ROW sections were used in a view trigger**

**Cause:** BEFORE/AFTER ROW sections are not allowed with instead of row triggers.

**Action:** Remove the offending sections.

**PLS-00700: PRAGMA EXCEPTION\_INIT of *string* must follow declaration of its exception in the same declarative part**

**Cause:** An EXCEPTION\_INIT pragma was not declared in the same block as its exception. They must be declared in the proper order in the same block, with the pragma declaration following the exception declaration.

**Action:** Place the EXCEPTION\_INIT pragma directly after the exception declaration referenced by the pragma.

**PLS-00701: illegal ORACLE error number *string* for PRAGMA EXCEPTION\_INIT**

**Cause:** The error number passed to an EXCEPTION\_INIT pragma was out of range. The error number must be in the range -9999 .. -1 (excluding -100) for Oracle errors or in the range -20000 .. -20999 for user-defined errors.

**Action:** Use a valid error number.

**PLS-00702: second argument to PRAGMA EXCEPTION\_INIT must be a numeric literal**

**Cause:** The second argument passed to an EXCEPTION\_INIT pragma was something other than a numeric literal (a variable, for example). The second argument must be a numeric literal in the range -9999 .. -1 (excluding -100) for Oracle errors or in the range -20000 .. -20999 for user-defined errors.

**Action:** Replace the second argument with a valid error number.

**PLS-00703: multiple instances of named argument in list**

**Cause:** Two or more actual parameters in a subprogram call refer to the same formal parameter.

**Action:** Remove the duplicate actual parameter.

**PLS-00704: "*string*" must be declared as an exception**

**Cause:** The exception\_name parameter passed to an EXCEPTION\_INIT pragma is misspelled or does not refer to a legally declared exception. Or, the pragma is misplaced; it must appear in the same declarative section, somewhere after the exception declaration.

**Action:** Check the spelling of the exception\_name parameter. Then, check the exception declaration, making sure the exception name and the keyword EXCEPTION are spelled correctly. Also make sure the pragma appears in the same declarative section somewhere after the exception declaration.

**PLS-00705: exception "*string*" used in expression requiring return type**

**Cause:** An exception was referred to in an expression. Exceptions have names but not values and therefore cannot contribute values to an expression. For example, the following RETURN statement is illegal: FUNCTION credit\_limit (cust\_no

---

INTEGER) RETURN NUMBER IS limit NUMBER; over\_limit EXCEPTION; ...  
BEGIN ... RETURN over\_limit; -- illegal END;

**Action:** Check the spelling of the identifiers in the expression, then rewrite the expression so that it does not refer to an exception.

**PLS-00706: Exception *string* cannot be used as prefix of a selected component**

**Cause:** An exception name was mistakenly used to qualify a reference to a component. For example, when dot notation was used to specify fields within a record, an exception name might have been coded instead of the record name.

**Action:** Rewrite the component reference using a valid prefix (for example, the name of a package, record, or schema).

**PLS-00707: unsupported construct or internal error [*string*]**

**Cause:** At run time, this is an internal error. At compile time, it indicates one of the following problems: -- A call was made to a remote subprogram that has a parameter type or default expression not supported at the calling site. -- An incomplete upgrade or downgrade was done to a database that has stored procedures. Perhaps incorrect versions of system packages such as STANDARD.SQL were installed. -- A compiler bug was encountered. In such cases, legal PL/SQL syntax will fail to compile.

**Action:** Either report the internal error to your Customer Support representative or, depending on the problem, take one of the following actions: -- Revise the logic of the application to use parameter types and default expressions that are supported at both the local and remote sites. -- Complete the upgrade or downgrade properly, making sure to install correct versions of all system packages. -- Report the legal-syntax error to your Customer Support representative. If there are line and column numbers displayed with the error message, they might help you find a workaround. For example, try recoding the offending line to avoid the bug.

**PLS-00708: Pragma *string* must be declared in a package specification**

**Cause:** The named pragma was not declared in a package specification, as required. For example, the pragma RESTRICT\_REFERENCES must be declared in a package specification.

**Action:** Remove or relocate the misplaced pragma.

**PLS-00709: pragma *string* must be declared in package specification and body**

**Cause:** The named pragma was declared in a package specification but not in the corresponding package body or vice-versa, as well as the package body.

**Action:** Add the pragma to that part of the package declaration that does not have the pragma.

**PLS-00710: Pragma *string* cannot be specified here**

**Cause:** The pragma was specified in an inappropriate context.

**Action:** Remove or relocate the misplaced pragma. Check the documentation to determine the correct context for this pragma.

**PLS-00711: PRAGMA *string* cannot be declared twice**

**Cause:** The PRAGMA was declared twice in the same block.

**Action:** remove the duplicate declaration of the PRAGMA

**PLS-00712: illegal option for subprogram *string***

---

**Cause:** Only top level subprograms or subprogram declarations in PACKAGE or TYPE specifications are allowed to have the options DETERMINISTIC or PARALLEL\_ENABLE. For example, this error would be raised if the options are used in PACKAGE or TYPE body.

**Action:** remove the option.

**PLS-00713: attempting to instantiate a type that is NOT INSTANTIABLE**

**Cause:** An attempt was made to instantiate a type that is defined as NOT INSTANTIABLE.

**Action:** Avoid instantiating variables of this NOT INSTANTIABLE type, instead derive an INSTANTIABLE subtype from it and instantiate variables of the subtype.

**PLS-00714: supertypes's AUTHID is DEFINER but supertype and subtype are not in same schema**

**Cause:** The supertype's AUTHID is DEFINER, but the supertype and subtype are defined in different schemas. SQL statements executed in dynamically dispatched methods can potentially pick up different values from database tables in the two schemas.

**Action:** Create the subtype in the same schema as the supertype.

**PLS-00715: attribute or method by name "string" does not exist**

**Cause:** An attempt was made to drop a nonexistant method or attribute from the type being altered.

**Action:** Check the spelling of the attribute or method name. Make sure it is locally defined in the type and not inherited.

**PLS-00716: Attribute/method "string" can occur only once in an ALTER TYPE statement**

**Cause:** User attempted more than one of ADD, DROP or MODIFY on an attribute in single ALTER TYPE statement. User attempted more than one of ADD or DROP on a method in single ALTER TYPE statement.

**Action:** Do only one ADD, DROP or MODIFY for an attribute in single ALTER TYPE statement. Do only one ADD or DROP for a method in single ALTER TYPE statement.

**PLS-00717: method "string" does not have matching signature among existing methods**

**Cause:** The method to be dropped matches the name of some existing method but does not match it in signature.

**Action:** Make sure that a matching method signature is provided for dropping a method.

**PLS-00718: type of attribute "string" does not allow modifications to the attribute**

**Cause:** The type of the attribute to modify is not one of VARCHAR2, NUMBER, or RAW.

**Action:** Only VARCHAR2, NUMBER and RAW type attributes are allowed to be modified.

**PLS-00719: only widening of attribute "string" constraints is allowed**

**Cause:** Modification to the attribute did not widen its constraints or attempted to change the type of the attribute. For NUMBER type attributes, scale and precision can be changed to allow increase in number of digits after and before the decimal

---

point. For VARCHAR2 and RAW type attributes the size can be increased. Other type attributes are not allowed to be modified. Change of type of attribute is also not allowed.

**Action:** Change the constraint specification so as to widen the existing constraints. To narrow the constraints or to change the type of the attribute, you must drop the attribute and add it with new constraints or new type. In that case you must also take appropriate steps to preserve your existing data based on the type (if you want to preserve it). Typically this will involve backing up the data and restoring it after the ALTER TYPE.

**PLS-00720: type "string" has evolved**

**Cause:** The type has evolved. The version of the type used by the compiled code is not the same as the latest version of the type.

**Action:** Recompile the code to use the latest version of the type.

**PLS-00721: "string" formed a non-REF mutually-dependent cycle with "string"**

**Cause:** This compilation was aborted because the library unit that was compiled would have formed a non-REF mutually-dependent cycle with some other library units. This happens when an attempt is made to compile types that have attributes of other types that may participate in a cycle with this type. Example: create type t1; create type t2 (a t1); create type t1 (a t2);

**Action:** Break the cycle (possibly by adding a REF or by using another type).

**PLS-00722: supertypes's AUTHID is different than subtype's AUTHID**

**Cause:** The subtype's AUTHID must be same as the supertype's AUTHID.

**Action:** Create the subtype with AUTHID of its supertype or do not specify AUTHID for subtype.

**PLS-00725: type "string" must be a supertype or subtype of the TREAT expression**

**Cause:** In TREAT(<expr> AS <type>), type must be a supertype or subtype of <expr>.

**Action:** None

**PLS-00726: MODIFY ELEMENT is supported only on schema-level varray and nested tables**

**Cause:** An attempt was made to modify the limit of a type that was not a schema-level varray and nested table type.

**Action:** This is not a legal ALTER TYPE command for this type.

**PLS-00727: MODIFY LIMIT is supported only on schema-level varray types**

**Cause:** An attempt was made to modify the limit of a type that was not a schema-level varray type.

**Action:** This is not a legal ALTER TYPE command for this type.

**PLS-00728: the limit of a VARRAY can only be increased and to a maximum 2147483647**

**Cause:** An attempt was made to decrease the limit or raise it past 2147483647.

**Action:** This is not a legal limit for this type, change it.

**PLS-00729: only widening of the collection element type is allowed**

**Cause:** Modification to the collection element type did not widen its constraints or attempted to change the type of the element. For NUMBER types, scale and

---

precision can be changed to allow increase in number of digits after and before the decimal point. For VARCHAR2 and RAW type attributes the size can be increased.

**Action:** Change the constraint specification so as to widen the existing constraints.

**PLS-00730: collection element type does not allow modifications**

**Cause:** The element type to modify is not one of VARCHAR2, NUMBER, or RAW.

**Action:** Only VARCHAR2, NUMBER and RAW collection elements can be modified.

**PLS-00731: ALTER TYPE is supported only on schema-level types**

**Cause:** An attempt was made to alter a type that was not schema-level.

**Action:** ALTER TYPE is not legal for this type.

**PLS-00732: Illegal overload of ellipsis in formal parameter list**

**Cause:** An ellipsis and a non-ellipsis type appeared at the same position in separate overload candidates. Currently, if ellipsis types are used they must appear in ALL overload candidates with the same name (regardless of the number or types of their formal parameters) at the same position in the formal parameter list.

**Action:** Make sure that ellipsis types appear at the same position in all overload candidates.

**PLS-00733: RPCs to variable argument functions are not allowed**

**Cause:** Attempted to call a vararg function (a function which contains ellipsis in the formal parameter list) as an RPC.

**Action:** Do not call vararg functions as an RPC.

**PLS-00734: Illegal use of an associational parameter with a formal ellipsis**

**Cause:** Attempted to use an associational actual argument for a formal ellipsis type argument.

**Action:** Remove associational parameters which correspond to formal ellipsis types.

**PLS-00735: Attempted to declare more than one formal ellipsis parameter**

**Cause:** More than one ellipsis ("...") was found in a formal parameter specification for a function or procedure

**Action:** Make sure only one ellipsis appears in a formal parameter specification for any given function or procedure

**PLS-00736: user-declared operators are not allowed**

**Cause:** An attempt was made by the user to declare an operator (a function whose name is enclosed in single quotes ('')). Operators may only be declared in package STANDARD.

**Action:** Remove the single quotes from around the function name, replacing them with double quotes (""") only if needed.

**PLS-00737: LIBRARY or ASSEMBLY file specification exceeds the maximum allowed length**

**Cause:** A string of more than expected number of characters was found for the LIBRARY or ASSEMBLY file specification.

**Action:** Limit the LIBRARY or ASSEMBLY file specification to the appropriate size for the platform.

---

**PLS-00738: REF target *string* changed during compilation**

**Cause:** The current unit contains a REF to a target object. During compilation, the REF's target object was simultaneously changed by a different session. The current unit is therefore invalid and needs to be recompiled to pick up the latest definition of the REF target.

**Action:** Recompile the unit that has this error.

**PLS-00739: FORALL INSERT/UPDATE/DELETE not supported on remote tables**

**Cause:** The current statement refers to remote insert/update/delete for remote object.

**Action:** Use a FOR loop instead of a FORALL loop or call a remote function or procedure that includes the FORALL INSERT/UPDATE/DELETE statement.

**PLS-00740: ASSEMBLY identity specification exceeds the maximum allowed length**

**Cause:** A string of more than expected number of characters was found for the ASSEMBLY identity specification.

**Action:** Limit the ASSEMBLY identity specification to the appropriate size.

**PLS-00741: *string* must be specified on subprogram *string*'s declaration and definition**

**Cause:** A property was specified on a subprogram's declaration but not on its definition or vice-versa.

**Action:** Certain subprogram properties (e.g., RESULT\_CACHE) must be specified as part of the subprogram declaration and definition. For example, if the property RESULT\_CACHE is specified on a subprogram declared in a package specification, then it must also be specified on the subprogram's definition in the package body (and vice-versa).

**PLS-00742: field *string* is not yet denotable**

**Cause:** When the fields of a record were declared, one field was used to initialize another, as in: TYPE my\_rec IS RECORD (f1 varchar2(10), f2 varchar2(10) := f1); The first field has no value until run time, so it cannot be used to initialize another field.

**Action:** Remove the illegal field reference.

**PLS-00751: cannot find PACKAGE SYS\_STUB\_FOR\_PURITY\_ANALYSIS**

**Cause:** A top level subprogram (function or procedure) cannot be created if the system package SYS\_STUB\_FOR\_PURITY\_ANALYSIS is missing in the Oracle database.

**Action:** Make sure the package is in the database, and retry the creation

**PLS-00752: Table function *string* is in an inconsistent state.**

**Cause:** Some of the internally generated types prefixed with SYS\_ have been dropped. These should never be dropped by the user.

**Action:** Recompile the table function or the package or type that contains the table function.

**PLS-00753: malformed or corrupted wrapped unit**

**Cause:** The format of the wrapped unit being compiled is not understood by the compiler. This may be because the unit was edited or modified after it was wrapped.

**Action:** Rewrap the unit.

---

**PLS-00754: illegal reference to versionable object *string***

**Cause:** The unit being compiled was not versionable, but contained a reference to a versionable object. This reference was illegal because the edition name corresponding to the versionable object could not be determined.

**Action:** Remove the reference.

**PLS-00755: SYSAUX tablespace offline while saving identifier data**

**Cause:** The SYSAUX tablespace was offline while attempting to save identifier data. Any identifier data previously collected and saved for the libunit will be invalid.

**Action:** Bring the SYSAUX tablespace back online and recompile the object. NLS\_DO\_NOT\_TRANSLATE [800,800]

**PLS-00801: internal error [*string*]**

**Cause:** This is a generic internal error that might occur during compilation or execution. The first parameter is the internal error number.

**Action:** Report this error as a bug to your Customer Support representative.

**PLS-00900: can't find body of unit "*string*"**

**Cause:** At run time, the body of a program unit could not be found. This can happen for one of two reasons. -- First, there may be a unit "a" which calls a module "b", where the spec for "b" exists but not the body. In this case, since the spec is present, there will be no compile-time errors. -- Secondly, this can occur if there is a reference to a sequence outside of the proper context such as a SQL statement. In this case, the "spec" of the sequence reference can be found, but it is invalid to actually run code which references the sequence outside a SQL statement, as in: `i := seq.nextval;`

**Action:** If caused by the first reason, create a body for the object that is being referenced. If caused by the second reason, move the sequence into a SQL statement. For example, `i := seq.nextval;` can be replaced by: `select seq.nextval into temp from dual; i := temp;`

**PLS-00901: the data type of column "*string*" of table "*string*" is not supported**

**Cause:** A column in a database table belongs to a datatype that is not supported by the current release of PL/SQL.

**Action:** Remove the offending column from the table or copy the desired columns to another table.

**PLS-00902: A READ-ONLY bind variable used in OUT or IN-OUT context**

**Cause:** A host variable that is protected from update was used in a context that allows an update.

**Action:** Check the context and change the use of the host variable, or assign the value of the host variable to a PL/SQL local variable, then use the local variable instead.

**PLS-00904: insufficient privilege to access object *string***

**Cause:** An attempt was made to operate on a database object without the required privilege. This error occurs, for example, if an attempt was made to UPDATE a table for which only SELECT privileges were granted.

**Action:** Ask the DBA to perform the operation or to grant you the required privilege.

**PLS-00905: object *string* is invalid**

---

**Cause:** An invalid package specification or stored subprogram was referenced. A package specification or stored subprogram is invalid if its source code or any database object it references has been DROPPed, REPLACEd, or ALTERed since it was last compiled.

**Action:** Find out what invalidated the package specification or stored subprogram, then make sure that Oracle can recompile it without errors.

**PLS-00906: Compilation is not possible**

**Cause:** The PL/SQL compiler cannot run properly because its operating environment is corrupted. For example, its error message file might be inaccessible.

**Action:** Check the PL/SQL operating environment, making sure that all files required by the compiler are accessible.

**PLS-00907: cannot load library unit *string* (referenced by *string*)**

**Cause:** PL/SQL is unable to find and load a library unit that was previously available. This typically happens when you try to load a unit which references another library unit that is non-existent or invalid.

**Action:** Provide the needed library unit.

**PLS-00908: The stored format of *string* is not supported by this release**

**Cause:** PL/SQL cannot understand the stored format of a library unit. It has been compiled or shrink-wrapped with a version of PL/SQL either too new or too old for this version to understand it.

**Action:** Recompile the library unit for this version of PL/SQL.

**PLS-00909: object *string* is not declared or insufficient privileges to access object *string***

**Cause:** An object from the operator declaration is not declared, or it is declared but there is no sufficient privileges to access that object.

**Action:** Declare the object, or ask the DBA to grant the privileges required to access the object.

**PLS-00910: insufficient privilege to inherit from type *string***

**Cause:** An attempt was made to inherit from a type without the required UNDER privilege.

**Action:** None

**PLS-00920: parameter `plsql_native_library_dir` is not set**

**Cause:** A PL/SQL program is being compiled natively, but the compiler parameter `plsql_native_library_dir`, which denotes the directory to store the native shared objects (DLL), is not set.

**Action:** The DBA should set this parameter.

**PLS-00923: native compilation failed: *string:string***

**Cause:** The native compilation of PL/SQL program has failed because the native shared object (DLL) could not be created successfully.

**Action:** The DBA should ensure that the commands specified in `spnc_commands` file are correct.

**PLS-00924: native compilation is not supported on this platform**

**Cause:** Native compilation of PL/SQL programs is not supported on this platform.

---

**Action:** Compile the PL/SQL program to bytecode by setting the parameter `plsql_compiler_flags` to `INTERPRETED`.

**PLS-00925: native compilation failed: Unable to create file (*string string*)**

**Cause:** Native compilation of a PL/SQL program failed because a file could not be created. It is likely that the system parameter `plsql_native_library_dir` does not reference a writable, existing directory

**Action:** Ensure that the system parameter `plsql_native_library_dir` references a directory which exists, and is writable.

**PLS-00950: In this version, PL/SQL tables can not be used in this SQL statement.**

**Cause:** In a SQL statement, a PL/SQL table was referenced incorrectly. For example, the following reference might have been made, but PL/SQL table attributes can only be used in procedural statements: `SELECT ename_tab.COUNT INTO name_count WHERE ...`

**Action:** Remove the incorrect reference from the SQL statement.

**PLS-00951: *string* Feature is not supported by this release**

**Cause:** PL/SQL cannot understand something in an imported library unit. It uses some feature either too new or too old for this version to understand it.

**Action:** Recompile the imported library unit with this version of PL/SQL, to discover more precisely what feature is not supported.

**PLS-00960: RPCs cannot use parameters with schema-level object types in this release**

**Cause:** Schema-level object types, or types which recursively use such types, were used in an RPC, which is not permitted. For example: `create type foo as object (...)`  
`create package my_pack is type my_rec is record(v foo);` -- on a remote server: `x my_pack.my_rec@rpc;` -- illegal attempt to use type `my_rec`

**Action:** Use only PL/SQL-defined types in RPC calls. It may be necessary to add extra code to element-wise copy schema-level types into local types in order to move such data through an RPC.

**PLS-00970: The class name of a method must match that of EXTERNAL NAME clause in the type header**

**Cause:** The class name defined as part of the method signature does not match the one defined in the type header in the `EXTERNAL NAME` clause. `create type foo as object EXTERNAL NAME "foo" LANGUAGE JAVA (... MEMBER FUNCTION my (number) return number EXTERNAL NAME "bar.func(oracle.sql.NUMBER) return oracle.sql.NUMBER", .. );`

**Action:** Either omit the class name from the method signature or use the one defined in the type header.

**PLS-00989: Cursor Variable in record, object, or collection is not supported by this release**

**Cause:** 3.0 Implementation Restriction for Ref Cursors

**Action:** None

**PLS-00990: Index Tables of Cursor Variables are disallowed**

**Cause:** 2.2 Implementation Restriction for Ref Cursors

**Action:** None

**PLS-00992: Cursor Variables cannot be FETCH'ed from**

---

**Cause:** 2.2 Implementation Restriction for Ref Cursors

**Action:** None

**PLS-00993: Cursor variables cannot be passed as forwarded RPC arguments or results**

**Cause:** An attempt was made to pass a cursor variable to or from a remote subprogram by way of a forwarded RPC, which is not allowed. For example, from a client-side tool, a procedure on a remote database cannot be used to open a cursor variable because remote subprograms cannot return the values of cursor variables.

**Action:** Change the subprogram call to reference the local database.

**PLS-00994: Cursor Variables cannot be declared as part of a package**

**Cause:** An attempt was made to declare a cursor variable in a package specification, which is not allowed. Although REF CURSOR types can be defined in a PL/SQL block, subprogram, or package, cursor variables can be declared only in a block or subprogram.

**Action:** Move the cursor variable declaration into a PL/SQL block or subprogram.

**PLS-00995: unhandled exception # string**

**Cause:** An exception was raised for which no handler was found. If it cannot find a handler for a raised exception, PL/SQL returns an unhandled exception to the host environment. The number embedded in the message is an Oracle error code listed in this manual.

**Action:** Fix the condition that raised the exception, write an appropriate exception handler, or use the OTHERS handler. If there is an appropriate handler in the current block, the exception was raised in a declaration or exception handler, and therefore propagated immediately to the enclosing block.

**PLS-00996: out of memory**

**Cause:** A request from PL/SQL for more memory failed.

**Action:** Make sure that you are not referencing the wrong row in a PL/SQL table and that the program is not recursing too deeply.

**PLS-00997: no cursor return types allowed in this beta version**

**Cause:** Cursor return types have bugs, and it is best to disable them for now.

**Action:** None

**PLS-01400: Use of "||" token**

**Cause:** Use of "||" token in expressions is not in ANSI's grammar. This corresponds to the "binary\_add\_op"'s reduction to a "CAT\_" in plsql.y

**Action:** None

**PLS-01401: Identifier over 18 characters long**

**Cause:** Identifiers over 18 characters long are not allowed under the ANSI grammar.

**Action:** None

**PLS-01402: Use of quoted identifier**

**Cause:** The use of quoted identifiers is a PL/SQL extension and is not allowed under the ANSI grammar.

**Action:** None

---

**PLS-01403: Comment delimiters /\* \*/**

**Cause:** C-style comments (introduced with the "/" and "\*" characters) are not part of the ANSI grammar. To conform with ANSI, comments must be preceded by the ANSI comment introducer, "--", and must not contain a newline. If someone can figure out a way to make this message look less cheesy without ending up with nested comments, be my guest.

**Action:** None

**PLS-01404: ANSI Identifiers can only consist of letters, digits, and the underscore character**

**Cause:** ANSI identifiers can only consist of letters, digits, and the underscore character. PL/SQL allows "#" and "\$" in identifiers, but these are not ANSI.

**Action:** None

**PLS-01405: Under ANSI's grammar, numeric data represented in exponent notation must use an uppercase E**

**Cause:** Under ANSI's grammar, numeric data represented in exponent notation must use an uppercase "E". Example: 3.45E-6 is ANSI, but 3.45e-6 is not.

**Action:** None

**PLS-01406: An identifier has been found that is considered a keyword in ANSI's grammar but not in PL/SQL's**

**Cause:** An identifier has been found that is considered a keyword in ANSI's grammar but not in PL/SQL's.

**Action:** None

**PLS-01407: One of the identifiers CHAR, CHARACTER, or INTEGER has been redefined by the programmer**

**Cause:** One of the identifiers "CHAR", "CHARACTER", or "INTEGER" (all ansi keywords) has been redefined by the programmer.(special case of 1406, above).

**Action:** None

**PLS-01408: Use of "&" token**

**Cause:** Use of "&" token in expressions is not in ANSI's grammar.

**Action:** None

**PLS-01409: Use of "PRIOR\_" token**

**Cause:** Use of "PRIOR\_" token in expressions is not in ANSI's grammar.

**Action:** None

**PLS-01410: Use of "MOD" token**

**Cause:** Use of "MOD" token in expressions is not in ANSI's grammar.

**Action:** None

**PLS-01411: Use of "REM" token**

**Cause:** Use of "REM" token in expressions is not in ANSI's grammar.

**Action:** None

**PLS-01412: Use of "EXP" token**

**Cause:** Use of "EXP" token in expressions is not in ANSI's grammar.

**Action:** None

---

**PLS-01413: Use of NULL an expression**

**Cause:** Use of NULL an expression not in ANSI's grammar.

**Action:** None

**PLS-01414: Use of qualified expression here**

**Cause:** Use of qualified expression here is not in ANSI's grammar.

**Action:** None

**PLS-01415: Use of aggregate value here**

**Cause:** Use of aggregate value here is not in ANSI's grammar.

**Action:** None

**PLS-01416: Use of <id> (<value>...) here**

**Cause:** Use of <id> (<value>...) here is not in ANSI's grammar.

**Action:** None

**PLS-01417: Use of %attribute**

**Cause:** Use of %%attribute value here is not in ANSI's grammar.

**Action:** None

**PLS-01418: Subquery cannot include set operators in ANSI's grammar**

**Cause:** Subquery cannot include set operators in ANSI's grammar.

**Action:** None

**PLS-01419: Subquery must have either "\*" or exactly one column in its select list**

**Cause:** Subquery must have either "\*" or exactly one column in its select list according to ANSI's grammar.

**Action:** None

**PLS-01420: INTERSECT and MINUS set operators are not ANSI**

**Cause:** INTERSECT and MINUS set operators are not ANSI

**Action:** None

**PLS-01421: FOR UPDATE clause**

**Cause:** FOR UPDATE clause is not in ANSI's grammar.

**Action:** None

**PLS-01422: Aliases**

**Cause:** Aliases are not in ANSI's grammar.

**Action:** None

**PLS-01423: Subquery on right-hand-side in set clause**

**Cause:** Subquery on right-hand-side in set clause is not in ANSI's grammar.

**Action:** None

**PLS-01424: Non-ANSI order of clauses**

**Cause:** ANSI specifies an ordering to clauses in a table-expression which PL/SQL doesn't. The ordering according to ANSI must be: (1) from clause (2) where clause (3) group-by clause (4) having clause In PL/SQL, the from clause must come first, and the clauses after it can appear in any order (with the addition of the non-ansi connect-by clause).

---

**Action:** None

**PLS-01425: Connect-by clause**

**Cause:** ANSI doesn't allow connect-by clauses.

**Action:** None

**PLS-01450: This <value expression> contains a nonconforming data type**

**Cause:** This <value expression> contains a nonconforming data type. Section 4.2 of X3H2, "Data types" states that: "A nonnull value is either a character string or a number." Many builtin functions in STANDARD will be flagged with this warning by means of a pragma.

**Action:** None

**PLS-01451: The data types of these <value expressions> must be comparable**

**Cause:** The data types of these <value expressions> must be comparable. Section 4.2 of X3H2, "Data types", states that: "A character string and a number are not comparable values." Many builtin functions in STANDARD will be flagged with this warning by means of a pragma. This warning will be place on data-type coercion functions, for example, TO\_CHAR(<number>), that are inserted in OracleSQL to allow non-conforming data type combinations.

**Action:** None

**PLS-01452: This function is not part of the ANSI standard**

**Cause:** This function is not part of the ANSI standard. This warning is used to flag such functions as "POWER" that are not mentioned in the ANSI specifications.

**Action:** None

**PLS-01453: This procedure is not part of the ANSI standard**

**Cause:** This procedure is not part of the ANSI standard. This warning is used to flag such procedures as "STOP" that are not mentioned in the ANSI specifications.

**Action:** None

**PLS-01454: No operator may be used with values of data type CHAR**

**Cause:** No operator may be used with values of data type "character string". Section 5.9, "<value expression>", syntax rule 3, of X3H2 states: "If the data type of a <primary> is character string, then the <value expression> shall not include any operators." This warning is placed on many functions in STDBASE that take CHAR args.

**Action:** None

**PLS-01455: The predicates IS NULL and IS NOT NULL are defined only for column specifications**

**Cause:** The predicates "IS NULL" and "IS NOT NULL" are defined only for column specifications, not for any other expressions. Section 5.15, "<null predicate>", indicates that in the predicate "x IS NULL", x must be a column, and may not be any other kind of expression.

**Action:** None

**PLS-01458: The set clause in an UPDATE statement requires a column name of length 1**

**Cause:** The set clause in an UPDATE statement requires a column name of length 1. Sect. 8.11, 8.12

**Action:** None

---

**PLS-01460: Cannot access object on a remote host**

**Cause:** Cannot access object on a remote host.

**Action:** None

**PLS-01463: STDDEV is not a standard set function**

**Cause:** STDDEV is not a standard set function.

**Action:** None

**PLS-01464: VARIANCE is not a standard set function**

**Cause:** VARIANCE is not a standard set function.

**Action:** None

**PLS-01466: Null strings are not allowed**

**Cause:** Null strings are not allowed.

**Action:** None

**PLS-01467: The value list of the IN predicate, if not a subquery, must contain only value\_specifications**

**Cause:** The value list of the IN predicate, if not a subquery, must contain only value\_specifications (i.e. literals and PL/SQL or embedded variables).

**Action:** None

**PLS-01468: The first argument of the like-predicate must be a column of type character string**

**Cause:** The first argument of the like-predicate must be a column of type character string.

**Action:** None

**PLS-01469: ANSI standard does not permit records**

**Cause:** ANSI standard does not permit records.

**Action:** None

**PLS-01470: The escape character in the like-predicate must be a literal or a variable of type CHAR**

**Cause:** The escape character in the like-predicate must be a literal or a variable of type character.

**Action:** None

**PLS-01471: The keyword DISTINCT must be present in a COUNT(DISTINCT sim\_expr)**

**Cause:** The keyword DISTINCT must be present in a COUNT(DISTINCT sim\_expr). Sect 5.8

**Action:** None

**PLS-01472: In a set\_function\_specification, if DISTINCT is present, the expression must be a column\_specification**

**Cause:** In a set\_function\_specification, if DISTINCT is present, the expression must be a column\_specification.

**Action:** None

**PLS-01473: Use <> instead of != or ~=**

**Cause:** Use <> instead of != or ~= . Sect 5.11.

---

**Action:** None

**PLS-01474: Use of ANY is non\_ANSI**

**Cause:** Due to the combining of comparison\_predicate and quantified\_predicate, we may have something like sim\_expr = ANY\_ sim\_expr, which is nonetheless accepted by kernel.

**Action:** None

**PLS-01500: Unions are not allowed in the definition of a view**

**Cause:** Unions are not allowed in the definition of a view. Sect. 6.9

**Action:** None

**PLS-01501: Options in CREATE TABLE statement is non-ANSI.**

**Cause:** CREATE TABLE allows only the definition of the structure of a table. None of the .SPACE\_\_name. .PCTFREE\_\_numeric\_literal. .cluster. is ANSI. Sect. 6.2

**Action:** None

**PLS-01502: Constraint name and constraint status are non-ANSI.**

**Cause:** Constraint name and constraint status are non-ANSI. Sect. 6.3

**Action:** None

**PLS-01503: The expression in a SET clause must not include a set function**

**Cause:** The expression in a SET clause must not include a set function. Sect. 8.12.

**Action:** None

**PLS-01504: Use of AS phase in CREATE TABLE statement is non\_ANSI**

**Cause:** CREATE TABLE allows only the definition of the structure of a table. Use of AS phase in CREATE TABLE statement is non-ANSI.

**Action:** None

**PLS-01505: ALTER is non-ANSI**

**Cause:** ALTER is non-ANSI

**Action:** None

**PLS-01506: CREATE INDEX is non-ANSI**

**Cause:** CREATE INDEX is non-ANSI

**Action:** None

**PLS-01507: DROP is non-ANSI**

**Cause:** DROP is non-ANSI

**Action:** Sect. 6.2

**PLS-01701: Illegal syntax in ROLLBACK WORK statement**

**Cause:** Illegal syntax in ROLLBACK WORK statement.

**Action:** None

**PLS-01702: Illegal syntax in COMMIT WORK statement**

**Cause:** Illegal syntax in COMMIT WORK statement.

**Action:** None

**PLS-01703: Cursor name in CLOSE statment must be of length 1**

**Cause:** Cursor name in CLOSE statment must be of length 1.

---

**Action:** None

**PLS-01704: The expressions in a sort clause must be column specs or unsigned integers, with optional ASC or DESC**

**Cause:** The expressions in a sort clause may only be column specifications or unsigned integers, followed by optional ASC or DESC.

**Action:** None

**PLS-01705: table specified by a cursor not updatable if cursor specification has a UNION or ORDER\_BY**

**Cause:** Missing keyword FROM.

**Action:** None

**PLS-01707: In positioned DELETE or UPDATE statement, table must be identified in specification of cursor**

**Cause:** In a positioned DELETE or UPDATE statement, the table deleted from or updated must be identified in the specification of the cursor.

**Action:** None

**PLS-01708: In searched DELETE, UPDATE or INSERT, table must not appear in FROM clause of subqueries in search condition**

**Cause:** In a searched DELETE, UPDATE or INSERT statement, the table affected must not appear in a FROM clause in any of the subqueries in the search condition.

**Action:** None

**PLS-01709: value list of INSERT statement, if specified with value list rather than subquery, must be value specification**

**Cause:** In an INSERT statement, the insert value list, if specified with a value list rather than a subquery, must be value specifications, i.e. no compound expressions or column references. Sect 8.7.

**Action:** None

**PLS-01710: In a positioned DELETE or UPDATE statement, the cursor name must be of length 1**

**Cause:** In a positioned DELETE or UPDATE statement, the cursor name must be of length 1.

**Action:** None

**PLS-01711: A SELECT statement may not contain ORDER\_BY, HAVING, or GROUP\_BY clause**

**Cause:** A SELECT statement may not contain ORDER\_BY, HAVING, or GROUP\_BY clause. Sect. 8.10.

**Action:** None

**PLS-01712: ANSI does not allow bind variables as INDICATORS**

**Cause:** ANSI does not allow bind variables as INDICATORS

**Action:** None

**PLS-01713: The constraints on these types do not match**

**Cause:** The constraints on these types do not match

**Action:** None

---

**PLS-01714: ANSI expects a column name not a literal value here**

**Cause:** ANSI expects a column name not a literal value here

**Action:** None

**PLS-01900: : character to number conversion error**

**Cause:** There was a failure while converting a character string into a numeric value.

**Action:** Verify that all character strings assigned to number variables have valid numeric value interpretations.

**PLS-01901: : host bind array too small**

**Cause:** PL/SQL was unable to transfer data into a host array because the array is too small.

**Action:** Increase the size of the host array.

**PLS-01902: : hex to raw conversion error**

**Cause:** There was a failure while converting a hexadecimal string to a raw.

**Action:** Verify that the hexadecimal variable to be converted contains a valid hexadecimal value.

**PLS-01903: : non-integer error number**

**Cause:** SQLERRM() was called with a non-integer value.

**Action:** Make sure SQLERRM() is called with an integer value.

**PLS-01904: : NULL index table key value**

**Cause:** An attempt was made to index into an index table with a NULL key value.

**Action:** Make sure key values used to index into index tables are non-NULL.

**PLS-01905: : character string buffer too small**

**Cause:** An error was encountered while moving a character string from a source to a destination. This error occurs if, for example, an attempt is made to move a character string of 10 characters into a 1 character buffer. The cause of this error may not always be obvious. For example, the following will result in this error: a varchar2(1); b number; b := 10; a := b; An error results because an implicit conversion causes the number 10 to become the character string "10", which does not fit in the character buffer of 1 allocated for the variable a.

**Action:** First, look for character string assignment statements where the buffer size is mismatched. If there are none found, then consider the implicit conversion case illustrated in the example above.

**PLS-01906: : raw variable length too long**

**Cause:** The length of a raw variable being copied or assigned was too long to fit into its destination.

**Action:** Make sure the raw variable length is correct.

**PLS-01907: : number precision too large**

**Cause:** The number being copied or assigned had too many digits to the left of the decimal and did not fit into its destination. In other words, there is a number precision mismatch. This error may also occur if, for example, an attempt is made to assign a character string to a number, as demonstrated below. a varchar2(4); b number(1,1); a := "10.1"; b := a;

---

**Action:** First, check explicit number precision value mismatches. If none are found, then consider implicit conversions of other types to numbers, including conversions performed during binds.

**PLS-01908: : RETURNING INTO buffer too small**

**Cause:** PL/SQL determined that a server side DML with a RETURNING INTO clause does not use a buffer that is large enough to hold the data being returned.

**Action:** Increase the size of the RETURNING INTO clause buffer.

**PLS-01909: : cannot assign supertype instance to subtype**

**Cause:** An attempt was made to assign or copy a supertype instance to a container (destination) that can only hold a subtype instance.

**Action:** Make sure the runtime type of the source of the assignment or copy is the same type as the destination or is a subtype of the destination type

**PLS-01910: : associative array shape is not consistent with session parameters**

**Cause:** NLS parameters affecting comparison of keys have been altered dynamically. The associative array's index is invalid.

**Action:** Avoid using associative arrays with string keys in applications which require frequent changes of NLS\_COMP and/or NLS\_SORT.

**PLS-01911: : associative array key violates its type constraints**

**Cause:** The key value of an element being inserted into an associative array violates the the key type constraints.

**Action:** Relax the constraints if the key value is meant to be acceptable. Otherwise, apply a valid key value when inserting an element.

**PLS-01912: : instance must of be of type "string"**

**Cause:** The run-time type of the instance is not the declared type. e.g. If the return value of a user defined constructor is wrong.

**Action:** Return the correct type.

**PLS-01913: : instance must of be of type "string" or one of its subtypes**

**Cause:** The run-time type of the instance is the not declared type or one of its subtypes. e.g. TREAT(supertype AS subtype) fails.

**Action:** Catch the exception.

**PLS-01914: duplicate SECURITY specification in subprogram expression**

**Cause:** The subprogram was found to have two SECURITY specifications.

**Action:** Remove one of the SECURITY specifications.

**PLS-01915: duplicate ASSEMBLY specification in subprogram expression**

**Cause:** The subprogram was found to have two ASSEMBLY specifications.

**Action:** Remove one of the ASSEMBLY specifications.

**PLS-01916: SECURITY level specification exceeds ASSEMBLY SECURITY specification**

**Cause:** The security level specified in the callspec exceeds the maximum security level allowed by the assembly.

**Action:** Lower the security level specified in the callspec to match the maximum security level specified in the assembly.



---

---

## PLW-05000 to PLW-07206

**PLW-05000: mismatch in NOCOPY qualification between specification and body**

**Cause:** The indicated parameter was declared with the NOCOPY hint in the subprogram specification but not in the body, or it was declared with the NOCOPY hint in the body but not in the specification.

**Action:** Ensure that the specification and the body agree in their use of NOCOPY. If this mismatch is not corrected, the program will obey the declaration given in the specification, ignoring that in the body.

**PLW-05001: previous use of "string" (at line *string*) conflicts with this use**

**Cause:** While looking for prior declarations of a variable, constant, or label, the compiler found another declaration with the same name in the same scope. Or, the headers of subprogram in a package specification and body were not identical.

**Action:** Check the spelling of the variable, constant, or label name. Also check the names of all parameters and exceptions declared in the same scope. Then, remove or rename the object with the duplicate name. Or, change the headers of the packaged subprogram in the package specification or body so that they are identical.

**PLW-05003: same actual parameter(*string* and *string*) at IN and NOCOPY may have side effects**

**Cause:** The indicated parameter was declared with the NOCOPY hint in the subprogram specification but not in the body, or it was declared with the NOCOPY hint in the body but not in the specification.

**Action:** Ensure that the specification and the body agree in their use of NOCOPY. If this mismatch is not corrected, the program will obey the declaration given in the specification, ignoring that in the body.

**PLW-05004: identifier *string* is also declared in STANDARD or is a SQL builtin**

**Cause:** The indicated identifier was also either: o) declared in package STANDARD, or o) a SQL builtin function, or o) a pseudo-column. This situation can result in name resolution issues since the STANDARD/builtin declaration will be chosen over the local declaration in SQL statements; however the local declaration will be chosen over the STANDARD/builtin declaration outside SQL scope. (See the documentation on PL/SQL name resolution.)

**Action:** Either: o) rename the given identifier, o) qualify any references to the identifier with the containing scope's name, or o) make sure the intended resolution occurs if using the identifier in SQL scope.

**PLW-05005: function *string* returns without value at line *string***

---

**Cause:** The function exited without a return value. Return statements are required for all PL/SQL functions.

**Action:** Inspect the function source code for exit points, and place a return at each point so that no runtime error will be generated when the function exits.

**PLW-05006: shadow type generation resulted in warning: *string***

**Cause:** Compilation of a table function causes the creation of internally-generated types. A problem occurred during creation of these types which was not severe enough to prevent the creation of the types, but which may impact the usage of the table function. See the accompanying error message for more information.

**Action:** Fix the issue reported in the accompanying error message.

**PLW-05007: first parameter to pragma INLINE must be an identifier**

**Cause:** The first parameter to the pragma INLINE must be an identifier denoting a procedure or function.

**Action:** Use a procedure or function name

**PLW-05008: illegal number of arguments for pragma *string***

**Cause:** The number of arguments (actual parameters) passed to the named pragma (compiler directive) is incorrect. A required argument was omitted from the argument list, or the pragma syntax is faulty (for example, a comma might be missing between two parameters).

**Action:** Supply the missing argument or correct the faulty syntax.

**PLW-05009: pragma INLINE may not appear in a declaration list**

**Cause:** Pragma INLINE applies only to the following statement, and can not appear immediately prior to a declaration

**Action:** Remove the pragma.

**PLW-05010: duplicate pragma INLINE on procedure "*string*"**

**Cause:** Pragma INLINE was applied twice to the same procedure in the same statement. The procedure will be inlined only if all duplicates specify a control value of "YES"

**Action:** Remove the duplicate pragma.

**PLW-05011: pragma INLINE for procedure "*string*" does not apply to any calls**

**Cause:** A pragma INLINE was provided, but there was no call to the mentioned procedure in the next statement.

**Action:** Remove the unnecessary pragma.

**PLW-05012: pragma INLINE for procedure "*string*" could not be applied**

**Cause:** A pragma INLINE(<name>, "yes") was used, but the named procedure could not be inlined.

**Action:** Eliminate the reasons which are blocking the inlining. See the documentation for possible problems. NLS\_DO\_NOT\_TRANSLATE [5400,5401]

**PLW-05013: second parameter to pragma INLINE "*string*" is not "YES" or "NO"**

**Cause:** The second parameter to the pragma INLINE governs whether or not a procedure call can be inlined. The only legal values are "YES", meaning that the compiler should attempt to inline the call, and "NO", meaning that the compiler must not inline the call.

**Action:** Use "YES" or "NO" as appropriate.

---

**PLW-05014: Pragma *string* cannot be specified here**

**Cause:** The pragma was specified in an inappropriate context.

**Action:** Remove or relocate the misplaced pragma. Check the documentation to determine the correct context for this pragma.

**PLW-05015: implementation restriction - too many debug records**

**Cause:** The program is so large that it overflowed a compiler limit on the size of the debug symbol table. The module was compiled with partial debugging information.

**Action:** Compile the module with PLSQL\_DEBUG=FALSE, or split it into multiple modules

**PLW-05016: INTO clause should not be specified here**

**Cause:** The INTO clause was incorrectly specified on a cursor declaration. It should have been specified on the FETCH statement.

**Action:** Relocate the misplaced clause.

**PLW-05017: prefix of the expression will be ignored**

**Cause:** Generalized invocation with explicit SELF and a dotted name was used to call the type method causing the prefix of the dotted name to be ignored.

**Action:** Do not use a dotted name to invoked type method in this context.

**PLW-06002: Unreachable code**

**Cause:** d by expression evaluation at compile time.

**Action:** Inspect program logic for possible defects. Disable the warning if much code is made unreachable intentionally and the warning message is more annoying than helpful.

**PLW-06003: unknown inquiry directive "*string*"**

**Cause:** An unknown inquiry directive was used. The inquiry directive is neither predefined nor user-defined.

**Action:** Use a predefined inquiry directive or define the inquiry directive.

**PLW-06004: inlining of call of procedure "*string*" requested**

**Cause:** A pragma INLINE(, "YES") referring to the named procedure was found. The compiler will, if possible, inline this call.

**Action:** None

**PLW-06005: inlining of call of procedure "*string*" was done**

**Cause:** A call to the procedure was inlined.

**Action:** None

**PLW-06006: uncalled procedure "*string*" is removed.**

**Cause:** Static program analysis determined that the procedure can never be called or executed. Therefore, it has been removed to save time during compilation and space during execution.

**Action:** Inspect program logic for possible defects. Disable the warning if the procedure is useful but simply not being used right now and the warning message is more annoying than helpful.

**PLW-06007: procedure "*string*" is removed because optimization removed calls**

---

**Cause:** Static program analysis determined that the procedure can never be called or executed. Therefore, it has been removed to save time during compilation and space during execution.

**Action:** Inspect program logic for possible defects. Disable the warning if the procedure is useful but simply not being used right now and the warning message is more annoying than helpful.

**PLW-06008: call of procedure "*string*" will not be inlined**

**Cause:** A pragma INLINE(, "NO") referring to the named procedure was found. The compiler is prevented from inlining this call.

**Action:** None

**PLW-06009: procedure "*string*" OTHERS handler does not end in RAISE or RAISE\_APPLICATION\_ERROR**

**Cause:** The OTHERS handler can exit without executing some form of RAISE or or a call to the standard procedure RAISE\_APPLICATION\_ERROR.

**Action:** Good programming practices suggest that OTHERS handlers must always pass an exception upward. Inspect the program logic to determine if the handler code needs revision.

**PLW-06010: keyword "*string*" used as a defined name**

**Cause:** A PL/SQL or SQL keyword was used as defined name. Although legal, this is not recommended.

**Action:** Choose another name for the defined item.

**PLW-06011: detailed dependency information discarded due to size limitations**

**Cause:** The compiled unit was so large that the compiler could not store detailed dependency information that could be used to quickly recompile the unit if it was invalidated.

**Action:** Break up the unit into smaller units.

**PLW-06012: SQL statement cannot be inlined. *string***

**Cause:** The SQL statement could not be inlined.

**Action:** None

**PLW-06013: deprecated parameter PLSQL\_DEBUG forces PLSQL\_OPTIMIZE\_LEVEL <= 1**

**Cause:** The PLSQL\_DEBUG parameter was set to TRUE forcing the optimization level to 1 (or 0 if the user selected 0) regardless of the setting of the PLSQL\_OPTIMIZE\_LEVEL parameter to a higher level

**Action:** Do not use the PLSQL\_DEBUG parameter; it is deprecated. Instead, set the PLSQL\_OPTIMIZE\_LEVEL parameter to 1.

**PLW-06014: PLSQL\_OPTIMIZE\_LEVEL <= 1 turns off native code generation**

**Cause:** Native code generation was not done because the optimization was set to 1 or less.

**Action:** The goal of native code generation is high performance and a low optimization level defeats that purpose. Either request a higher optimization level or remove the request for native code generation. Note that using the deprecated parameter PLSQL\_DEBUG also forces the optimization level to 1; do not use this parameter when native code generation is desired.

---

**PLW-06015: parameter PLSQL\_DEBUG is deprecated; use PLSQL\_OPTIMIZE\_LEVEL = 1**

**Cause:** The PLSQL\_DEBUG parameter was specified.

**Action:** The parameter PLSQL\_DEBUG no longer controls the generation of debugging information by the PL/SQL compiler; debugging information is always generated and no special parameter is needed.

**PLW-07202: bind type would result in conversion away from column type**

**Cause:** The column type and the bind type do not exactly match. This will result in the column being converted to the type of the bind variable. This type conversion may prevent the SQL optimizer from using any index the column participates in. This may adversely affect the execution performance of this statement.

**Action:** To make use of any index for this column, make sure the bind type is the same type as the column type.

**PLW-07203: parameter "string" may benefit from use of the NOCOPY compiler hint**

**Cause:** The mode of the specified parameter was IN OUT or OUT. Use of the NOCOPY compiler hint may speed up calls to this subprogram.

**Action:** Change the mode of the parameter to explicitly use the NOCOPY compiler hint. For example, if your subprogram declaration is: PROCEDURE proc(p1 IN OUT CLOB); you can change it to: PROCEDURE proc(p1 IN OUT NOCOPY clob); to get the benefit of the NOCOPY hint. For member procedures or functions in object types, you may have to explicitly declare the SELF parameter as illustrated in the following: MEMBER PROCEDURE proc(SELF IN OUT NOCOPY MY\_TYPE);

**PLW-07204: conversion away from column type may result in sub-optimal query plan**

**Cause:** The column type and the bind type do not exactly match. This may result in the column being converted to the type of the bind variable. This type conversion may prevent the SQL optimizer from using any index the column participates in. This may adversely affect the execution performance of this statement.

**Action:** To make use of any index for this column, make sure the bind type is the same type as the column type.

**PLW-07205: SIMPLE\_INTEGER is mixed with BINARY\_INTEGER or PLS\_INTEGER**

**Cause:** Using SIMPLE\_INTEGER and BINARY\_INTEGER or PLS\_INTEGER arguments in the same arithmetic expression may inhibit certain optimizations.

**Action:** Try using SIMPLE\_INTEGER values only if the expression is computed on a performance critical path.

**PLW-07206: analysis suggests that the assignment to "string" may be unnecessary**

**Cause:** This assignment may be unnecessary; the PL/SQL optimizer could not find any further use of the variable which was being set. If the assignment was being done for some side-effect such as raising a specific exception, the compiler may not have been able to understand the side-effect and this warning may be inappropriate.

**Action:** If the assignment sets a variable whose value will not be used again and there are no side-effects (exceptions or calls) to consider, remove the assignment

---

for better performance. If the assignment was in place to raise a specific known exception, replace the assignment with a RAISE statement.

---

## AMD-00100 to AMD-00160

**AMD-00100: not found: *string* "*string*"**

**Cause:** A metadata entity could not be found in the OLAP Catalog.

**Action:** Check that the metadata entity name and owner are properly specified. Refer to the OLAP Catalog union views named with the OLAP2U prefix) for existing OLAP metadata entity names.

**AMD-00101: cannot create *string* "*string*"; metadata entity already exists**

**Cause:** A metadata entity could not be created, because it already exists in the OLAP Catalog.

**Action:** When creating a new metadata entity, specify an entity name that is unique for the entity owner. Refer to the OLAP Catalog union views (named with the OLAP2U prefix) for existing OLAP metadata entity names.

**AMD-00102: invalid metadata entity: *string* "*string*"**

**Cause:** An OLAP metadata entity was found to be invalid.

**Action:** Check the mapping to columns in your data warehouse tables or views.

**AMD-00103: *string* "*string*" does not have a *string***

**Cause:** A required child entity was not found for a metadata entity.

**Action:** Refer to the Oracle9i OLAP User's Guide to determine which metadata entities require dependent entities.

**AMD-00104: Level "*string*" cannot be added to the hierarchy; parent and child parameters represent the same level**

**Cause:** The same level name was specified for both the parent and the child parameters of the ADD\_LEVEL\_TO\_HIERARCHY procedure.

**Action:** Determine which level should be the parent of the new level being added to the hierarchy. Specify the parent in the parent parameter and the new level in the child parameter of the ADD\_LEVEL\_TO\_HIERARCHY procedure. Re-run the procedure.

**AMD-00105: Level "*string*" cannot be added to the hierarchy; the specified parent level "*string*" is already the parent of "*string*"**

**Cause:** The level specified as the parent in the ADD\_LEVEL\_TO\_HIERARCHY procedure could not be used, because it was the parent of another level within the hierarchy.

**Action:** In the ADD\_LEVEL\_TO\_HIERARCHY procedure, specify a parent that is not already a parent of another level within a hierarchy.

---

**AMD-00106: parent *string* "string" must be removed before child *string* "string" can be removed**

**Cause:** A metadata entity could not be removed, because it was the child of another metadata entity.

**Action:** Remove the parent metadata entity. All the dependent entities will be removed with the parent.

**AMD-00107: no root level in hierarchy: "string"**

**Cause:** A hierarchy was found to have no root level.

**Action:** Use the ADD\_LEVEL\_TO\_HIERARCHY procedure to add a level to the hierarchy. Specify the root level in the child parameter and leave the parent parameter blank.

**AMD-00108: Dimension "string" is improperly mapped; the dimension has *string* hierarchies mapped, but hierarchy level "string" has *string* columns mapped**

**Cause:** Dimension table columns could not be accessed, because dimension hierarchies were incorrectly mapped.

**Action:** Add or remove dimension hierarchies or hierarchy level mappings. The number of dimension hierarchies must equal the number of hierarchy level columns.

**AMD-00109: Parent metadata entity has too many child entities. *string* "string" has more than *string string***

**Cause:** A metadata entity was found to have too many dependent entities of another type.

**Action:** Add the required mapping.

**AMD-00110: parameter *string* of "string" not valid**

**Cause:** A parameter was found to be invalid.

**Action:** Ensure that the parameter is correctly formed and valid.

**AMD-00111: PROCEDURE *string*, invalid directory: "string"**

**Cause:** Directory name provided to a procedure was found to be invalid.

**Action:** Ensure that the directory name represents a valid directory.

**AMD-00112: PROCEDURE *string*, invalid mode**

**Cause:** UTL\_FILE.INVALID\_MODE: An error occurred when accessing a file.

**Action:** Check that files being accessed have correct permissions, then retry.

**AMD-00113: PROCEDURE *string*, invalid operation**

**Cause:** UTL\_FILE.INVALID\_OPERATION: An error occurred when accessing a file.

**Action:** Check that the file being accessed is not already opened by another program, then retry.

**AMD-00114: PROCEDURE *string*, internal error**

**Cause:** UTL\_FILE.INTERNAL\_ERROR: Possible hardware or software problem when accessing a file.

**Action:** Verify that hardware is functioning normally, then retry. Contact Oracle Support Services if needed.

**AMD-00115: PROCEDURE *string*, invalid file handle**

---

**Cause:** UTL\_FILE.INVALID\_FILEHANDLE: Possible software or hardware problem when accessing a file.

**Action:** Verify that hardware is functioning normally, then retry. Contact Oracle Support Services if needed.

**AMD-00116: PROCEDURE *string*, read error**

**Cause:** UTL\_FILE.READ\_ERROR: Possible software or hardware problem when accessing a file.

**Action:** Verify that hardware is functioning normally, then retry. Contact Oracle Support Services if needed.

**AMD-00117: input file "*string*" not found**

**Cause:** The input text file was not found in the specified location.

**Action:** Copy the input text file to the specified location, then retry.

**AMD-00118: output file "*string*" already exists**

**Cause:** The output file already exists in the specified location.

**Action:** Delete or rename the file, then retry.

**AMD-00119: analytic workspace dimensions not specified in input**

**Cause:** Either the input text file or the input string did not specify an analytic workspace dimension.

**Action:** Add one or more dimensions to the input text file or the input string. At least one dimension is required.

**AMD-00120: dimension #*string*: analytic workspace dimension name not specified**

**Cause:** Dimension name was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing dimension name.

**AMD-00121: dimension #*string*: analytic workspace hierarchy not specified**

**Cause:** Hierarchy for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing hierarchy.

**AMD-00122: dimension #*string*: analytic workspace hierarchy dimension not specified**

**Cause:** Hierarchy dimension for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing hierarchy dimension.

**AMD-00123: dimension #*string*: analytic workspace hierarchy dimension value not specified**

**Cause:** Hierarchy dimension value for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing hierarchy dimension value.

**AMD-00124: dimension #*string*: analytic workspace GID variable not specified**

---

**Cause:** Analytic workspace GID variable for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing Analytic Workspace GID variable.

**AMD-00125: dimension #string: analytic workspace column level dimension not specified**

**Cause:** Analytic workspace column level dimension for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing analytic workspace column level dimension.

**AMD-00126: dimension #string: analytic workspace column level relation not specified**

**Cause:** Analytic workspace column level relation for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing analytic workspace column level dimension.

**AMD-00127: dimension #string: RDBMS dimension column not specified**

**Cause:** RDBMS dimension column for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing RDBMS dimension column.

**AMD-00128: dimension #string: RDBMS parent column not specified**

**Cause:** RDBMS parent column for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing RDBMS parent column.

**AMD-00129: dimension #string: RDBMS GID column not specified**

**Cause:** RDBMS GID column for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing RDBMS GID column.

**AMD-00130: dimension #string: RDBMS dimension column data type not specified**

**Cause:** RDBMS dimension column data type for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing RDBMS dimension column data type.

**AMD-00131: dimension #string: RDBMS parent column data type not specified**

**Cause:** RDBMS dimension column data type for this dimension was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing RDBMS dimension column data type.

**AMD-00132: dimension #string: RDBMS GID column data type not specified**

**Cause:** RDBMS dimension column data type for this dimension was not specified in either the input text file or the input string.

---

**Action:** Modify the input text file or the input string to include the missing RDBMS dimension column data type.

**AMD-00133: measure #string: analytic workspace measure name not specified**

**Cause:** Analytic workspace measure name for this measure was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing analytic workspace measure name.

**AMD-00134: measure #string: RDBMS measure column name not specified**

**Cause:** RDBMS measure column name for this measure was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing RDBMS measure column name.

**AMD-00135: measure #string: RDBMS measure column data type not specified**

**Cause:** RDBMS measure column data type for this measure was not specified in either the input text file or the input string.

**Action:** Modify the input text file or the input string to include the missing RDBMS measure column data type.

**AMD-00136: Generation of SQL script "string" failed**

**Cause:** There was a program error or a system resource limit was exceeded.

**Action:** Verify that sufficient system resources are available, then retry.

**AMD-00137: prefix "string" exceeds maximum permitted length of string characters**

**Cause:** A prefix supplied to an API call was too long.

**Action:** Change the prefix so that it is within the permitted length, then re-issue the API call.

**AMD-00138: level names parameter not null or defaulted**

**Cause:** Level names were provided to the LEVELS\_LIST parameter, but the LEVELS parameter did not specify the number of levels.

**Action:** Either set the LEVELS\_LIST parameter to null (the default) or set the LEVELS parameter to the number of levels.

**AMD-00139: level names parameter not valid**

**Cause:** The number of names in the LEVELS\_LIST parameter did not equal the number specified by the LEVELS parameter.

**Action:** Ensure that the LEVELS\_LIST parameter is correctly formed and that it holds the number of names specified by the LEVELS parameter.

**AMD-00140: internal error: [string] [string] [string] [string] [string]**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**AMD-00141: parameter string of "string" not valid starting around "string"**

**Cause:** A parameter was found to be invalid.

**Action:** Ensure that the parameter is correctly formed and valid.

**AMD-00142: Analytic Workspace name "string" must be fully qualified with the Owner.**

---

**Cause:** A parameter was found to be invalid.

**Action:** Ensure that the parameter is correctly formed and valid. For example, SCOTT.EMP is a fully qualified name.

**AMD-00143: View name "*string*" must be fully qualified with the Owner.**

**Cause:** A parameter was found to be invalid.

**Action:** Ensure that the parameter is correctly formed and valid. For example, SCOTT.EMP is a fully qualified name.

**AMD-00144: Custom Measure "*string*" does not exist in Workspace "*string*"**

**Cause:** A required object does not exist in specified Workspace.

**Action:** Ensure that the parameter is correctly formed and valid.

**AMD-00145: error attaching Workspace "*string*" in mode "*string*"**

**Cause:** Either the Workspace does not exist, is already attached in a different mode, or there are insufficient system resources to attach Workspace.

**Action:** Ensure that workspace name is correct and can be currently attached in the specified mode.

**AMD-00146: Custom Measure "*string*" already exists in Workspace "*string*"**

**Cause:** You have attempted to create a Custom Measure when it already exists.

**Action:** Ensure that the Custom Measure name is correct and does not already exist in the specified Workspace.

**AMD-00147: invalid Custom Measure creation mode "*string*" specified**

**Cause:** Custom Measure creation mode must be "PERMANENT" or "TEMPORARY."

**Action:** Ensure that the Custom Measure creation mode is correct.

**AMD-00148: Workspace "*string*" is not currently open. No update done.**

**Cause:** The Workspace must be attached before a Custom Measure can be updated.

**Action:** Attach Workspace first before attempting to modify Custom Measure.

**AMD-00149: Custom Measure to delete "*string*" does not exist in Workspace "*string*"**

**Cause:** The Custom Measure does not exist in specified Workspace.

**Action:** Ensure that the Custom Measure name is correct and exists in specified Workspace.

**AMD-00150: Custom Measure to delete "*string*" not mapped to View "*string*"**

**Cause:** The Custom Measure to delete is not mapped to the View specified.

**Action:** Ensure that the Custom Measure and View Name name are correct, and mapped to each other.

**AMD-00151: Creation of Custom Measure "*string*" in Workspace "*string*" failed**

**Cause:** Invalid parameters were supplied, or a program error occurred.

**Action:** Ensure that API parameters are correct and sufficient system resources are available.

**AMD-00152: Workspace "*string*" is not currently open.**

**Cause:** The Workspace must be attached before an operation can be performed on it.

---

**Action:** Attach the Workspace first before attempting operation.

**AMD-00153: error detaching workspace "*string*"**

**Cause:** The Workspace was not attached or a program error occurred.

**Action:** Ensure the Workspace name is correct and it is attached in the current session.

**AMD-00154: Cannot delete session object "*string*" in Workspace "*string*"**

**Cause:** You cannot delete a session object. These are deleted automatically when the session is ended.

**Action:** Ensure that API parameters are correct.

**AMD-00155: Object to delete "*string*" does not exist in Workspace "*string*"**

**Cause:** The Object slated for deletion does not exist in the Workspace specified.

**Action:** Ensure that API parameters are correct.

**AMD-00156: formula "*string*" to modify does not exist in Workspace "*string*"**

**Cause:** Formula does not exist in Workspace specified.

**Action:** Ensure that API parameters are correct.

**AMD-00157: invalid attach mode "*string*" specified when attempting to attach Workspace "*string*"**

**Cause:** An invalid parameter supplied.

**Action:** Attach mode must be "RO" (read only) or "RW" (read/write).

**AMD-00158: The Workspace "*string*" is currently open in read-only mode.**

**Cause:** An invalid parameter was supplied. You may not specify an operation which requires an update when the Workspace is open in read-only mode.

**Action:** The Creation Mode parameter must be "TEMPORARY" for a Workspace open in read-only mode.

**AMD-00159: The Workspace "*string*" is currently attached in read/write mode.**

**Cause:** An invalid parameter was supplied.

**Action:** The Creation Mode parameter must be "PERMANENT" for a Workspace open in read/write mode.

**AMD-00160: Warning! Exceeded maximum Custom Measure number of "*string*"**

**Cause:** The system limit has been reached.

**Action:** Old Custom Measures created against the specified View have to be deleted before new Custom Measures can be created.



---

---

## CLSR-00001 to CLSR-06507

**CLSR-00001: Oracle error *number* encountered**

**Cause:** Oracle-related error is encountered.

**Action:** Check alert log and trace file for more detail.

**CLSR-00002: Oracle error encountered while executing *string***

**Cause:** Oracle-related error is encountered while executing a request.

**Action:** Check alert log for more detail.

**CLSR-00003: ORACLE\_HOME environment variable not set**

**Cause:** ORACLE\_HOME environment variable is not set.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported.

**CLSR-00004: Error encountered at *string*, category=*number*, operation=*string*, OS error=*number***

**Cause:** Operating system error occurred.

**Action:** Check for the error message for more detail.

**CLSR-00005: Error encountered during memory allocation**

**Cause:** System memory is insufficient.

**Action:** Check the availability of memory in the system before retrying.

**CLSR-00006: Error encountered when writing file *string***

**Cause:** Error when writing file.

**Action:** Check the permission of the file and the existence of its path.

**CLSR-00007: Error encountered when reading file *string***

**Cause:** Error when reading file.

**Action:** Check the permission and existence of the file.

**CLSR-00501: Error *number* encountered when connecting to EVM daemon**

**Cause:** Error encountered when connecting to EVM daemon.

**Action:** Check status of EVM daemon and log file for detail.

**CLSR-00502: Error *number* encountered when subscribing an EVM event**

**Cause:** Error encountered when subscribing an EVM event.

**Action:** Contact customer support.

**CLSR-00503: Error *number* encountered when creating an EVM event**

---

**Cause:** Error encountered when creating an EVM event.

**Action:** Contact customer support.

**CLSR-00504: Error *number* encountered when posting an EVM event**

**Cause:** Error encountered when posting an EVM event.

**Action:** Contact customer support.

**CLSR-00505: Empty event type is specified**

**Cause:** Empty event type is specified.

**Action:** Try again with a valid event type.

**CLSR-00506: Unmatched resource name prefix *string* is specified**

**Cause:** Specified resource name prefix does not match as required.

**Action:** Try again with a valid resource name prefix.

**CLSR-00507: The length of the facility name *string* exceeds the limit (*number*)**

**Cause:** The given facility name is too long.

**Action:** Try again with a short facility name.

**CLSR-00508: Invalid message number *number***

**Cause:** An incorrect message number is specified.

**Action:** Try again with a correct message number.

**CLSR-00509: Unable to initialize NLS**

**Cause:** Failed to initialize callback structure for NLS.

**Action:** Contact customer support.

**CLSR-00510: Unable to load NLS data**

**Cause:** Failed to initialize NLS data loading.

**Action:** No action required as default data loading will be used.

**CLSR-00511: Error *number* encountered when handling incoming EVM message**

**Cause:** Error encountered when handling incoming EVM message.

**Action:** Check log file for detail.

**CLSR-00512: Invalid CAA trigger event type [*string*]**

**Cause:** Invalid CAA trigger event type is specified.

**Action:** Try again with a valid type.

**CLSR-00513: Message file is not found**

**Cause:** The requested OCI message file is not found.

**Action:** Check if the message file is properly installed.

**CLSR-00514: Unable to locate PMON [*pid=string*]**

**Cause:** Cannot find PMON with this pid.

**Action:** Check the existence of PMON.

**CLSR-00515: A service member is already running on this node**

**Cause:** There is a service member of the same service running on this node.

**Action:** No action required as the service member will try to start on another node.

---

**CLSR-00516: No service provider found at this node**

**Cause:** No suitable service provider is found on this node.

**Action:** No action required as the service member will try to start on another node.

**CLSR-00517: Failed to register a service name**

**Cause:** The requested service name cannot be registered.

**Action:** Check log file for detail.

**CLSR-00518: Failed to register a preconnect service name**

**Cause:** The requested preconnect service name cannot be registered.

**Action:** Check log file for detail.

**CLSR-00519: No instance found**

**Cause:** No instance is found running for the database resource.

**Action:** No action required as the database resource will fail itself.

**CLSR-00520: No service member found**

**Cause:** No service member is found running for the composite service resource.

**Action:** No action required as the composite service resource will fail itself.

**CLSR-00521: Event *string* is rejected by EVM daemon**

**Cause:** No template has been registered for the event or caller is not authorized to post the event.

**Action:** Check if there is a template registered for this event and the authority of posting this event.

**CLSR-00522: Resource *string* is not registered**

**Cause:** CRS resource is not registered.

**Action:** Register the CRS resource.

**CLSR-00523: Resource *string* is not enabled**

**Cause:** CRS resource is not enabled.

**Action:** Enable the CRS resource.

**CLSR-00524: Resource *string* is stopping, resource *string* cannot start**

**Cause:** Resource cannot start because its composite resource is stopping.

**Action:** Retry to start the resource when its composite resource is not stopping.

**CLSR-00525: prsr initialization failed**

**Cause:** See the related error message.

**Action:** Run `crs_stat` to make sure CSS and OCR working properly.

**CLSR-00526: Failed to retrieve database configuration in OCR**

**Cause:** See the related error message.

**Action:** Run `crs_stat` to make sure CSS and OCR working properly and database configuration in ocr is initialized.

**CLSR-00527: OCR operation failed**

**Cause:** See related error messages about the OCR operation.

**Action:** Fix the related error. Then try again.

- 
- CLSR-00528: RACGONS: host and port number already configured in OCR**  
**Cause:** host and port number already configured in OCR.  
**Action:** None
- CLSR-00529: RACGONS: host and port number to be removed does not exist**  
**Cause:** host and port number to be removed is not configured in OCR.  
**Action:** None
- CLSR-00530: Can not get user name**  
**Cause:** Error caused by OSD layer.  
**Action:** Contact Oracle support.
- CLSR-00531: Can not get primary group name**  
**Cause:** There is no primary group for this OS.  
**Action:** Not fatal. None.
- CLSR-01001: Unsupported open mode *number* is specified**  
**Cause:** Unsupported open mode is specified for mounting database.  
**Action:** Retry again with a valid open mode.
- CLSR-01002: Unable to process instance startup**  
**Cause:** ORACLE\_HOME environment variable not set.  
**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported.
- CLSR-01003: Error *number* encountered during mounting database**  
**Cause:** Unexpected error occurs when mounting database.  
**Action:** Check current status of database before retrying.
- CLSR-01004: Failed to mount database**  
**Cause:** Database cannot be mounted by an instance.  
**Action:** Check alert log for error detail.
- CLSR-01005: Error *number* encountered during altering database open mode**  
**Cause:** Unexpected error occurs when altering database open mode.  
**Action:** Check current database status.
- CLSR-01006: Unable to process instance shutdown**  
**Cause:** ORACLE\_HOME environment variable not set.  
**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported.
- CLSR-01007: Connection to database was not established**  
**Cause:** Connection to database is failed to establish.  
**Action:** Make sure connection and environment are properly set up.
- CLSR-01008: Error *number* encountered during querying for PMON status**  
**Cause:** Unexpected error encountered when querying v\$process for PMON.  
**Action:** Check alert log and connection to database.
- CLSR-01009: database management module failed to start**

- 
- Cause:** Error encountered during initializing database management module.  
**Action:** Check previous error message for detail.
- CLSR-01010: Unable to record PMON pid to *string***  
**Cause:** Failed to write os pid for PMON to file.  
**Action:** Check file system for disk space and access privilege.
- CLSR-01011: Invalid instance startup mode [*string*] is specified**  
**Cause:** Invalid startup mode is specified.  
**Action:** Retry again with a valid startup mode.
- CLSR-01012: Invalid instance stop mode [*string*] is specified**  
**Cause:** Invalid stop mode is specified.  
**Action:** Retry again with a valid stop mode.
- CLSR-06500: Invalid input arguments**  
**Cause:** Invalid input arguments are specified.  
**Action:** Retry again with a valid argument.
- CLSR-06501: Exceeds maximum number of arguments**  
**Cause:** Too many input arguments are specified.  
**Action:** Retry again with correct number of arguments.
- CLSR-06502: Failed to connect to database "*string*" as user "*string*"**  
**Cause:** Failed to connect to database.  
**Action:** Check database and log file for details.
- CLSR-06503: Service name already registered**  
**Cause:** Requested service name has been registered by another service.  
**Action:** Choose another service name and retry registration again.
- CLSR-06504: Service name not in SERVICE\_NAMES**  
**Cause:** Requested service name is not registered.  
**Action:** Make sure the correct service name is specified in the request.
- CLSR-06505: SERVICE\_NAMES found null and fixed**  
**Cause:** SERVICE\_NAMES parameter becomes null after the delete operation.  
**Action:** Not action required as SERVICE\_NAMES is set to default value.
- CLSR-06506: Error *number* encountered when executing *string***  
**Cause:** Error occurred when executing the SQL statement.  
**Action:** Check alert log for more detail.
- CLSR-06507: Cannot add to SERVICE\_NAMES, SERVICE\_NAMES will be too long**  
**Cause:** Adding the service name will exceed the limit of SERVICE\_NAMES.  
**Action:** Change the configuration to avoid SERVICE\_NAMES becomes too long.



---

---

## CLSS-00001 to CLSS-03202

**CLSS-00001: skgxn not active**

**Cause:** The skgxn service is required, but is not active

**Action:** Verify that the clusterware skgxn is active and restart it if necessary

**CLSS-00002: unable to determine local node number. type *string***

**Cause:** Either the skgxn service is unavailable, or the OCR configuration is incomplete/inaccurate.

**Action:** Verify that the clusterware skgxn is active and restart it if necessary. Additionally validate that the clusterware installation was successful, and that the local node was entered in the node listings.

**CLSS-00003: unable to determine cluster name. type *string***

**Cause:** Name of the cluster cannot be determined from configuration.

**Action:** Verify that the clusterware installation was successful and that the OCR registry is available.

**CLSS-00004: unable to allocate memory resources**

**Cause:** Memory allocation routines failed.

**Action:** Validate that the system has sufficient memory resources to use the product.

**CLSS-00099: logfile open failed for *string*, err *string***

**Cause:** The log file could not be opened, with error type err

**Action:** Verify that the log directory specified during installation exists and that the ocssd executable has permission to create a file in that directory

**CLSS-00100: configuration data access failed for key *string***

**Cause:** Access of the configuration data indicated by key failed with error code error

**Action:** Verify that the clusterware installation was successful and that the OCR registry is accessible

**CLSS-00101: Oracle Cluster Repository mismatch with node *string*. (*string* != *string*)**

**Cause:** A remote node is accessing a different set of configuration. This situation can be caused by attempting to reinstall while there are active cluster nodes.

**Action:** Verify that the local and remote nodes are accessing the same Oracle Cluster Repository.

**CLSS-00102: initialization failure: [*string*] [*string*] [*string*] [*string*] [*string*] [*string*]**

---

**Cause:** A general initialization failure occurred.

**Action:** Contact Oracle Customer Service for more information.

**CLSS-00103: unable to read configuration information for node *string***

**Cause:** Incomplete configuration information for the specified node was found.

**Action:** Validate the integrity of the Oracle Cluster Repository, restoring it from backup if necessary.

**CLSS-00200: local node *string* not listed in configuration**

**Cause:** The OCR configuration information does not list this node as a member of the cluster

**Action:** Verify that the clusterware installation was successful and that the node has not been added since installation

**CLSS-01200: skgxn error: category *string*, operation *string*, loc *string***

**Cause:** The skgxn service encountered an error, the information in the error message is vendor supplied diagnostic information

**Action:** Report this error to the vendor who supplied the skgxn

**CLSS-02000: reconfiguration successful, incarnation *string* with *string* nodes**

**Cause:** A rconfiguration has completed successfully

**Action:** None

**CLSS-02001: local node number *string*, master node number *string***

**Cause:** Informational message regarding this incarnation

**Action:** None

**CLSS-02200: Received node deletion request for active node *string*.**

**Cause:** User attempted to delete a node from the configuration before shutting it down.

**Action:** Shut down the specified node and retry the node deletion.

**CLSS-02201: endpoint already in use: *string***

**Cause:** The specified endpoint is already in use. Another process is using the endpoint.

**Action:** Shut down the other process, and retry the startup attempt.

**CLSS-02202: voting device access took an excessive amount of time. (*string* sec)**

**Cause:** A read or write to the voting device took an unacceptable amount of time.

**Action:** Contact the disk hardware vendor for information on improving the availability of the disk.

**CLSS-02203: unable to access voting device: *string***

**Cause:** The CSS daemon received a failure using the voting device.

**Action:** Examine the permissions on the voting device. If this failure occurred later than boot time, then access to the voting device was lost.

**CLSS-02204: voting device not configured. [*string*] [*string*]**

**Cause:** A voting device was not supplied during configuration.

**Action:** The voting device assists in ensuring data integrity and is required by the CSS daemon. Configure a voting device and restart the cluster.

---

**CLSS-02205: remote node *string* signaled our eviction via voting device: cause *string***

**Cause:** A remote node of the cluster evicted the local node due to network failure or due to software failure in the local CSS daemon.

**Action:** Verify the stability of the private network between the local node and the specified remote node.

**CLSS-02206: local node evicted by vendor node monitor**

**Cause:** The Operating System vendor's node monitor evicted the local node.

**Action:** Examine the vendor node monitor's logs for relevant information.

**CLSS-02207: error *string* getting status from vendor node monitor**

**Cause:** The CSS daemon received a failure interacting with the vendor node monitor. The local node may have been evicted or the vendor node monitor may have been shut down.

**Action:** Examine the vendor node monitor's logs for relevant information.

**CLSS-03000: reconfiguration successful, incarnation *string* with *string* nodes**

**Cause:** A reconfiguration has completed successfully

**Action:** None

**CLSS-03001: local node number *string*, master node number *string***

**Cause:** Informational message regarding this incarnation

**Action:** None

**CLSS-03200: timed out waiting on nested reconfiguration**

**Cause:** The current reconfiguration hung. A network failure may have occurred.

**Action:** The local node will terminate itself to cause remote nodes to enter a nested reconfiguration. This may allow the cluster to continue operation.

**CLSS-03201: An attempt to begin a nested reconfiguration failed.**

**Cause:** unable to cancel previous reconfiguration to begin a new one

**Action:** None

**CLSS-03202: out of sync with master: [*string*] [*string*] [*string*] [*string*]**

**Cause:** Consistency checks between the local node and the master failed.

**Action:** The local daemon will terminate itself to ensure that the surviving cluster is all properly coordinated.



---

---

## CRS-00184 to CRS-02292

**CRS-00184: Cannot communicate with the CRS daemon.**

**Cause:** The CRS daemon on the local node is either not running or there was an internal communication error with the CRS daemon.

**Action:** Check if the CRS daemon process is running on the local node.

**CRS-00210: Could not find resource "*string*".**

**Cause:** An attempt was made to operate on a resource that is not registered.

**Action:** Check if the resource is registered using `crs_stat`.

**CRS-00211: Resource "*string*" has already been registered.**

**Cause:** An attempt was made to register a resource that is already registered.

**Action:** Check if the resource is registered using `crs_stat`.

**CRS-00213: Could not register resource "*string*".**

**Cause:** There was an internal error while registering the resource.

**Action:** Check the CRS daemon log file.

**CRS-00214: Could not unregister resource "*string*".**

**Cause:** There was an internal error while unregistering the resource.

**Action:** Check the CRS daemon log file.

**CRS-00215: Could not start resource "*string*".**

**Cause:** There was an internal error while starting the resource.

**Action:** Check the CRS daemon log file.

**CRS-00216: Could not stop resource "*string*".**

**Cause:** There was an internal error while stopping the resource.

**Action:** Check the CRS daemon log file.

**CRS-00217: Could not relocate resource "*string*".**

**Cause:** There was an internal error while relocating the resource.

**Action:** Check the CRS daemon log file.

**CRS-00218: Could not restart the resource "*string*" on the original node.**

**Cause:** There was an internal error while restarting the resource.

**Action:** Check the CRS daemon log file.

**CRS-00219: Could not update resource "*string*".**

---

**Cause:** There was an internal error while updating the resource.

**Action:** Check the CRS daemon log file.

**CRS-00220: Resource "*string*" has invalid resource profile.**

**Cause:** Invalid attributes in the resource profile.

**Action:** Run `crs_profile -validate` to identify the invalid attributes.

**CRS-00221: Resource "*string*"'s action script cannot be found.**

**Cause:** The action script has been deleted from the file system.

**Action:** Run `crs_stat -p` to determine the action script location and to check for its existence.

**CRS-00223: Resource "*string*" has placement error.**

**Cause:** There was no host available to on which failover/start the resource based on the Placement Policy for the resource.

**Action:** Check the target host for the resource and restart the resource using the `crs_start` command.

**CRS-00230: Member "*string*" is not in the cluster.**

**Cause:** The hostname was not found in the cluster.

**Action:** Check the hostnames in the cluster.

**CRS-00232: Cluster member is down. Cannot perform operation.**

**Cause:** The node on which CRS is attempting to start the resource is down.

**Action:** Start the node and retry the operation.

**CRS-00233: Resource or relatives are currently involved with another operation.**

**Cause:** Another CRS daemon was operating on the same resource.

**Action:** Wait for a minute and try the command or operation again.

**CRS-00253: CRS configuration error, the CRS default directory is not set in Oracle Cluster Registry.**

**Cause:** The Oracle Cluster Registry key which contains the user default CRS key is not initialised.

**Action:** Check the CRS configuration. If necessary reinstall CRS.

**CRS-00254: authorization failure**

**Cause:** The user permissions were insufficient to operate on the resource.

**Action:** Check the permissions associated with the resource using `crs_getperm`.

**CRS-00255: CRSD is not running in privileged mode. Insufficient permissions to run this command.**

**Cause:** The CRS daemon was not running as the privileged user.

**Action:** Check if the CRS daemon is running as root (Unix) or Administrator (Windows).

**CRS-00256: Username conflicts with the owner of the resource.**

**Cause:** An attempt was made to give separate user level permissions for the owner of the resource.

**Action:** Check the owner of the resource and the user being given permissions.

**CRS-00257: Groupname conflicts with the primary group of the resource.**

---

**Cause:** An attempt was made to give separate group level permissions for the primary group of the resource.

**Action:** Check the primary group of the resource and the group being given permissions.

**CRS-00258: Invalid ACL string format.**

**Cause:** An invalid permission string (ACL) was supplied.

**Action:** Check the syntax of the permission string (ACL).

**CRS-00259: Owner of the resource does not belong to the group.**

**Cause:** The owner of the resource does not belong to the expected group.

**Action:** If this resource is owned by the root user, check if the root user belongs to the dba group.

**CRS-00271: CRSD shutdown is already in progress.**

**Cause:** crsctl stop command is issued before waiting for a prior stop command to finish.

**Action:** Wait for the currently running shutdown command to complete before issuing subsequent command.

**CRS-00402: Could not make safe dir("string")**

**Cause:** Unable to create safe directory("%s")

**Action:** Please check if you have proper permissions and sufficient space on the disk to create the directory.

**CRS-00403: Could not chdir to safe dir("string")**

**Cause:** Unable to change directory to safe dir("%s")

**Action:** Please check if safe dir exists and if you have proper permissions.

**CRS-00406: Could not create lock dir ("string")**

**Cause:** Unable to create lock directory ("%s")

**Action:** Please check if you have proper permissions and sufficient space on the disk to create the directory.

**CRS-00407: Another CRSD may be running, could not obtain lock file "string".**

**Cause:** Unable to obtain lock file as another CRSD may be running

**Action:** Please stop the existing CRSD before attempting to start CRSD again.

**CRS-00413: Could not initialize the Cluster Synchronization Services context**

**Cause:** Unable to communicate with the cluster services.

**Action:** Verify that the Cluster Synchronization Services Daemon is properly configured and is running.

**CRS-00414: Could not establish Event Manager connection**

**Cause:** Unable to communicate with Event Manager daemon

**Action:** Run the "crsctl check evmd" command to determine whether Event Manager daemon is properly configured and is running.

**CRS-00451: CRS configuration error, unable to initialize Oracle Cluster Registry.**

**Cause:** The Oracle Cluster Registry that contains information about the CRS configuration is unavailable.

**Action:** Check the CRS configuration. If necessary reinstall CRS.

---

**CRS-00452: CRS configuration error, unable to find CRSD Connection Information in Oracle Cluster Registry.**

**Cause:** The Oracle Cluster Registry key which contains the user default CRSD connection is not initialised.

**Action:** Check the CRS configuration. If necessary reinstall CRS.

**CRS-00453: CRS configuration error, unable to find Instance Information in Oracle Cluster Registry.**

**Cause:** The Oracle Cluster Registry key which contains the Instance's information is not initialised.

**Action:** Add the instance using srvctl.

**CRS-00471: Node number is not found**

**Cause:** Cluster Services is unable to retrieve the node name

**Action:** Verify your cluster installation, including any vendor cluster ware. If necessary reinstall the cluster.

**CRS-00472: Node name is not found**

**Cause:** Cluster Services is unable to retrieve the node name

**Action:** Verify your cluster installation, including any vendor cluster ware. If necessary reinstall the cluster.

**CRS-01005: Failed to get required resources**

**Cause:** There was an internal error while evaluating the required resources for the subject resource.

**Action:** Check if the status of any resource is UNKONOWN using crs\_stat -t.

**CRS-01006: No more members to consider**

**Cause:** There was no host found on which to start the resource based on the placement policy.

**Action:** Check the placement policy and the required resources for the subject resource.

**CRS-01007: Failed after successful dependency consideration**

**Cause:** There was no host found on which to start the resource based on the placement policy.

**Action:** Check the placement policy and the required resources for the subject resource.

**CRS-01009: Resource "*string*" is already running on member "*string*"**

**Cause:** An attempt was made to start a resource on a host while it is already running on that host.

**Action:** This is an insignificant error. Check the operation being performed.

**CRS-02001: User does not have permission to start CRSD.**

**Cause:** Unable to start CRSD due to insufficient permissions

**Action:** Start CRSD as a privileged user.

**CRS-02007: Could not communicate with Event Manager.**

**Cause:** Unable to communicate with Event Manager daemon

**Action:** Run the "crsctl check evmd" command to determine whether Event Manager daemon is properly configured and is running.

---

**CRS-02282: Failure to allocate *number* bytes for username.**

**Cause:** System is out of memory.

**Action:** Free up memory on system and retry.

**CRS-02283: The requested setting must be between *number* and *number*.**

**Cause:** An attempt to change a setting to an out of bounds value.

**Action:** Retry with the setting within the proper limits.

**CRS-02284: Unable to lock the configuration before making changes. *number***

**Cause:** Failure in a CSS API acquiring a lock.

**Action:** Retry or contact support for information on the error code.

**CRS-02285: Change to configuration failed, but was successfully rolled back.**

**Cause:** See accompanying messages for explanation of cause.

**Action:** No action is required. This indicates that no damage was done.

**CRS-02286: Unable *number* to mark unformat information on voting disk *string***

**Cause:** Probably an unreadable / unwritable voting disk was being removed.

**Action:** If cause is correct, this is ignorable, but not ideal.

**CRS-02287: Unable *number* to apply correct permissions to new voting disk *string*.**

**Cause:** Attempted to create and apply permissions changes to new disk.

**Action:** Examine OS-specific error and try again with another disk.

**CRS-02288: Unable *number* to undo initialization of voting disk.**

**Cause:** Could not roll back format of voting disk.

**Action:** Disk should be cleaned out before an attempt to add again.

**CRS-02289: Unable *number* to roll back OCR settings for voting disk.**

**Cause:** Could not remove temporary changes to OCR adding voting disk.

**Action:** Shut down the cluster and restart. New voting disk must be removed with "crsctl delete css votedisk".

**CRS-02290: This could take several minutes.**

**Cause:** CRS daemons is engaged in an activity take could potentially take a long time.

**Action:** None

**CRS-02291: Retrying stop resources.**

**Cause:** crsctl command is trying again to stop resources.

**Action:** None

**CRS-02292: All resources could not be stopped.**

**Cause:** CRSD could not stop all resources when trying to shut the stack down.

**Action:** The resources may have to be stopped manually.



---

## EVM-00001 to EVM-00901

**EVM-00001: Cannot write raw events to a terminal**

**Cause:** Attempted to redirect binary events to a terminal.

**Action:** Use `evmshow` to format events for display.

**EVM-00002: Use `evmshow` to format events for display**

**Cause:** Attempted to redirect binary events to a terminal.

**Action:** Use `evmshow` instead.

**EVM-00003: Failed to open file "*string*": *string***

**Cause:** Filename, path or the permissions were not valid.

**Action:** Use a valid path and filename, check permissions. Otherwise contact Oracle Customer Support.

**EVM-00004: Failed to open channel config file "*string*"**

**Cause:** Configuration file name, the path or the permissions were not valid.

**Action:** Use a valid path and filename, check permissions. Otherwise contact Oracle Customer Support.

**EVM-00006: Failed to create temporary file**

**Cause:** The file being used as a temporary file for `evmsort` had one of the following issues; filename, path or the permissions were not valid.

**Action:** Use a valid path and filename, check permissions. Otherwise contact Oracle Customer Support.

**EVM-00007: Failed to write to temporary file**

**Cause:** The file being used as a temporary file for `evmsort` had one of the following issues; filename, path or the permissions were not valid.

**Action:** Use a valid path and filename, check permissions. Otherwise contact Oracle Customer Support.

**EVM-00008: Failed to read from temporary file**

**Cause:** The file being used as a temporary file for `evmsort` had one of the following issues; filename, path or the permissions were not valid.

**Action:** Use a valid path and filename, check permissions. Otherwise contact Oracle Customer Support.

**EVM-00009: Failed to create EVM posting connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

---

**EVM-00010: Failed to read from EVM posting connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

**EVM-00011: Failed to write to EVM posting connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

**EVM-00012: Failed to create EVM listening connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

**EVM-00013: Failed to read from EVM listening connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

**EVM-00014: Failed to write to EVM listening connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

**EVM-00015: Failed to create EVM service connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

**EVM-00016: Failed to read from EVM service connection**

**Cause:** Error occurred while communicating with the EVM daemon.

**Action:** Check log and status of the EVM daemon.

**EVM-00017: Failed to start EVM service "*string*"**

**Cause:** EVM daemon failed to start.

**Action:** Check log for the EVM daemon.

**EVM-00018: Failed to write to output stream**

**Cause:** Failed to write to standard output.

**Action:** Contact Oracle Customer Support.

**EVM-00019: Failed to read event from input stream**

**Cause:** Bad input file for evmshow/evmsort EOF missing.

**Action:** Check the input file.

**EVM-00020: Failed to create event subscription**

**Cause:** Bad network connection between subscriber and EVM daemon.

**Action:** Check the network connection and filter string.

**EVM-00021: Failed to create filter**

**Cause:** Used a null filter string or memory allocation failed.

**Action:** Use a non null filter string.

**EVM-00022: Invalid filter string**

**Cause:** Used a null or invalid filter string.

**Action:** Contact Oracle Customer Support.

---

**EVM-00023: Filter test operation failed**

**Cause:** Used a null or invalid filter string.

**Action:** Use a non null filter string. Otherwise contact Oracle Customer Support.

**EVM-00024: Lost connection to EVM daemon**

**Cause:** Evmlogger lost connection to evmdaemon.

**Action:** Check status of evmlogger, evmd daemons and logs.

**EVM-00025: Authorization database error**

**Cause:** Not authorized to post/listen for certain events.

**Action:** Check evm.auth file to ensure the current user is authorized to post/listen for specific events.

**EVM-00026: Failed to post event "*string*"**

**Cause:** Evmpost failed to post an event.

**Action:** Check the status and log for EVM daemon.

**EVM-00027: Memory allocation failure**

**Cause:** The system is running low on memory.

**Action:** Check the availability of memory in the system.

**EVM-00029: Event contains invalid values**

**Cause:** Invalid syntax for an event was used.

**Action:** Use a valid syntax for an event.

**EVM-00030: Event name is missing**

**Cause:** Name of the event was missing.

**Action:** Use a valid syntax for an event.

**EVM-00031: Event name has too few components**

**Cause:** Invalid syntax for an event was used.

**Action:** Use a valid syntax for an event.

**EVM-00032: Failed to write event**

**Cause:** Failed to write event to output file.

**Action:** Check the permissions of the file. Otherwise contact Oracle Customer Support.

**EVM-00033: Error in input file "*string*", line *number***

**Cause:** Failed to parse input file.

**Action:** Check input file and the line for possible errors. Otherwise contact Oracle Customer Support.

**EVM-00034: Error: *string***

**Cause:** Error Occured.

**Action:** Look at the error message for details.

**EVM-00035: EVM service "*string*" terminated with exit code *number***

**Cause:** EVM daemon died.

**Action:** Check the EVM daemon log.

---

**EVM-00036: Host "*string*" is unknown**

**Cause:** Invalid hostname discovered while trying to create a connection to the EVM daemon.

**Action:** Check the hostname, on which EVM daemon is running. Otherwise contact Oracle Customer Support.

**EVM-00037: Failed to connect to EVM daemon on "*string*"**

**Cause:** EVM daemon is dead or is not responding.

**Action:** Check the status of EVM daemon and logs.

**EVM-00038: Failed to create an EVM event**

**Cause:** Failed to create an EVM event.

**Action:** Check the EVM daemon log.

**EVM-00039: Invalid port number in host name "*string*"**

**Cause:** Used an invalid port number.

**Action:** Use a valid or a different port number.

**EVM-00040: Error occurred while reading from "*string*"**

**Cause:** Error occurred when evmshow was reading from an input file.

**Action:** Check the input file.

**EVM-00042: Use "*string -A*" to format events, or pipe output to evmshow**

**Cause:** Invalid use of evmshow command.

**Action:** Use evmshow command as instructed.

**EVM-00043: Attempting to reconnect to the EVM daemon...**

**Cause:** Evmwatch trying to reconnect to the evm daemon.

**Action:** Not an error message.

**EVM-00044: Attempting to reconnect to the EVM daemon on "*string*"...**

**Cause:** Evmwatch trying to reconnect to the evm daemon on this host.

**Action:** Not an error message.

**EVM-00045: EVM connection re-established**

**Cause:** Evmwatch was able to reconnect to the evm daemon.

**Action:** Not an error message.

**EVM-00104: End of file reached unexpectedly**

**Cause:** End of event template file reached unexpectedly.

**Action:** Check the event template file in evm/admin.

**EVM-00105: Missing end-of-group character**

**Cause:** end-of-group character missing in event template file.

**Action:** Check the event template file in evm/admin.

**EVM-00106: Missing end-of-string character**

**Cause:** end-of-string character missing in event template file.

**Action:** Check the event template file in evm/admin.

**EVM-00107: Value "*string*" is not valid**

- 
- Cause:** Invalid value found in the event template file.  
**Action:** Check the event template file in evm/admin.
- EVM-00108: Keyword "*string*" is not valid**  
**Cause:** Invalid keyword found in the event template file.  
**Action:** Check the event template file in evm/admin.
- EVM-00201: Failed to allocate space for application object**  
**Cause:** The system is running low on memory.  
**Action:** Check the availability of memory in the system.
- EVM-00202: Failed to allocate space for local lock pathname**  
**Cause:** The system is running low on memory.  
**Action:** Check the availability of memory in the system.
- EVM-00301: Failed to open logger config file "*string*"**  
**Cause:** Configuration file had one of the following problems; filename, path or permissions were not valid.  
**Action:** Check whether path and permissions are valid. Otherwise contact Oracle Customer Support.
- EVM-00302: Configuration error - using default configuration**  
**Cause:** Configuration file had invalid configuration details  
**Action:** Check the configuration file.
- EVM-00303: Keyword "*string*" is invalid in this position**  
**Cause:** Valid Keyword was used in an invalid position in configuration file.  
**Action:** Use the correct syntax.
- EVM-00304: Configuration error in file *string*, line *number***  
**Cause:** Configuration error in configuration file.  
**Action:** Check the configuration file.
- EVM-00305: Memory allocation failure for "*string*"**  
**Cause:** The system is running low on memory.  
**Action:** Check the availability of memory in the system.
- EVM-00306: Failed to create filter for "*string*"**  
**Cause:** Failed to create a filter for events for evmlogger.  
**Action:** Check the availability of memory.
- EVM-00307: Filter string invalid for "*string*"**  
**Cause:** Used a null filter string or memory allocation failed.  
**Action:** Use a non null filter string.
- EVM-00308: Failed to open eventlog "*string*": *string***  
**Cause:** Eventlog file had one of the following problems; filename, path or permissions were not valid.  
**Action:** Check whether path and permissions are valid. Otherwise contact Oracle Customer Support.

---

**EVM-00309: Failed to write to eventlog "*string*"**

**Cause:** Eventlog had one of the following problems; size or permissions were not valid.

**Action:** Check the permissions and the size of the eventlog file. Otherwise contact Oracle Customer Support.

**EVM-00310: Invalid suppression filter for eventlog "*string*"**

**Cause:** Invalid filter was used.

**Action:** Use a non null filter. Otherwise contact Oracle Customer Support.

**EVM-00311: Invalid entry in eventlog "*string*" (*number events* OK)**

**Cause:** Evmlogger found an invalid entry in eventlog.

**Action:** Check the eventlog file.

**EVM-00312: Eventlog "*string*" disabled**

**Cause:** Events could not be written to the eventlog file.

**Action:** Check the permissions,max size of the logfile.

**EVM-00313: Eventlog "*string*" re-enabled**

**Cause:** Events logging is reenabled.

**Action:** Not an error message.

**EVM-00314: Forwarder "*string*" disabled**

**Cause:** Forwarding is disabled by the evmlogger.

**Action:** Not an error message.

**EVM-00315: Forwarder "*string*" re-enabled**

**Cause:** Forwarding is disabled by the evmlogger.

**Action:** Not an error message.

**EVM-00316: Suppression disabled for "*string*"**

**Cause:** Error message filtering suppression disabled for this string.

**Action:** Not an error message.

**EVM-00317: Suppression re-enabled for "*string*"**

**Cause:** Error message filtering suppression reenabled for this string.

**Action:** Not an error message.

**EVM-00318: Failed to open config info file "*string*"**

**Cause:** Configuration file had one of the following problems; filename, path or permissions were not valid.

**Action:** Check whether path and permissions are valid. Otherwise contact Oracle Customer Support.

**EVM-00319: Keyword "*string*" is not allowed in a secondary config file**

**Cause:** Invalid Keyword was used.

**Action:** Use a valid Keyword.

**EVM-00323: Config file "*string*" has insecure write permission**

**Cause:** The configuration file had write permissions for the group "other".

**Action:** Change the write permissions for the configuration file

---

**EVM-00324: Config file "*string*" has incorrect ownership**

**Cause:** Configuration file should be owned by root or bin.

**Action:** Change the owner of configuration file to root or bin.

**EVM-00325: Config file "*string*" is not a regular file**

**Cause:** Configuration file is not a regular file.

**Action:** Check the configuration file.

**EVM-00401: Failed to open binary event library file**

**Cause:** Binary event file had one of the following problems; filename, path or permissions were not valid.

**Action:** Check whether path and permissions are valid. Otherwise contact Oracle Customer Support.

**EVM-00601: Data read from the input stream is not a valid EVM event**

**Cause:** evmshow tried to read an invalid EVM event.

**Action:** Check the logs for the evm daemon.

**EVM-00701: Check that the event is registered and you are authorized to post it**

**Cause:** Not authorized to post for certain events.

**Action:** Check evm.auth file to ensure the current user is authorized to post the specific event.

**EVM-00702: Priority must be an integer in the range 0-*number***

**Cause:** Used an integer out of the range for priority.

**Action:** Use a valid integer.

**EVM-00801: Missed *number* subscribed-to event(s)**

**Cause:** Missed some events during the connection setup phase.

**Action:** Not an error message.

**EVM-00802: Failed to reconnect within *number* seconds - terminating**

**Cause:** Failed to establish a connection with EVM daemon.

**Action:** Check the logs for EVM daemon.

**EVM-00901: Invalid sort specification "*string*"**

**Cause:** Invalid sort specification used for evmsort.

**Action:** Use a valid sort specification. Look at documentation for evmsort using evmsort -h.



---

---

## CLST-01101 to CLST-03203

**CLST-01101: assigning default private interconnect name *string* for node *string***

**Cause:** A private interconnect name was not specified. The node name was used as a default instead.

**Action:** Verify that the node name refers to IP addresses on the private interconnect. Using a non-private network can cause performance and stability issues.

**CLST-01102: assigning default host name *string* for node *string***

**Cause:** A host name for the node was not specified. The node name was used as a default instead.

**Action:** If the node name is not equal to the host name, the host name must be supplied to clscfg. Failure to do so will cause the Cluster Ready Services daemons not to function.

**CLST-01103: existing configuration version (*string*) detected**

**Cause:** An existing configuration was detected.

**Action:** Informational message only. No action is required. clscfg will not modify the existing configuration unless explicitly requested with the `-force` flag.

**CLST-01104: successfully determined required configuration for all components**

**Cause:** clscfg was able to determine the proper configuration requirements.

**Action:** Informational message only. No action is required. clscfg will attempt to write the configuration next.

**CLST-01105: An existing configuration was detected. It was not overwritten.**

**Cause:** An existing configuration was detected, and clscfg chose not to overwrite it.

**Action:** This message may be ignored if it is seen as part of starting any node other than the first one. The `-force` option can be used to override this decision, but if it is used when there are active cluster members, failure CLSS-0101 and data integrity issues are likely.

**CLST-01301: successfully deleted *string* of *string* configuration values**

**Cause:** clscfg completed a portion of the delete operation.

**Action:** Informational message only. No action is required. If some of the values were not deleted, another error message should be visible with more information.

**CLST-01302: successfully deleted *string* of *string* configuration keys**

**Cause:** clscfg completed a portion of the delete operation.

---

**Action:** Informational message only. No action is required. If some of the keys were not deleted, another error message should be visible with more information.

**CLST-01303: successfully rolled back delete operation**

**Cause:** The delete node operation failed, but the configuration was properly restored to its original state.

**Action:** Informational message only. No action is required.

**CLST-01304: node deletion successful**

**Cause:** The delete node operation succeeded.

**Action:** Informational message only. No action is required.

**CLST-01401: formatting voting device: *string***

**Cause:** clscfg started formatting the voting device.

**Action:** Informational message only. No action is required.

**CLST-01501: tried to delete key *string* but it was not there**

**Cause:** clscfg attempted to delete a key as part of a delete operation, but it had already been deleted.

**Action:** Informational message only. No action is required. This might be an indication of corrupted configuration, or a previous delete operation that did not complete.

**CLST-01901: configuring TCP ports *string, string, string, and string***

**Cause:** The specified ports were configured for use with the Cluster Ready Services Daemons.

**Action:** Informational message only. No action is required. To change the ports used, specify 4 alternate ports with "-t". Example: -t 1001,1002,1003,1004

**CLST-01902: configuring node: node number *string*, node name *string***

**Cause:** This node configuration was requested.

**Action:** Informational message only. No action is required. To alter the list of nodes re-run the install and specify a different set of nodes, or make use of the add and delete node install options after the current install is complete.

**CLST-01903: configuring node: host name *string*, private interconnect name *string***

**Cause:** This node configuration was requested.

**Action:** Informational message only. No action is required. To alter the list of nodes re-run the install and specify a different set of nodes, or make use of the add and delete node install options after the current install is complete.

**CLST-01904: creating configuration with user (*string*) and group (*string*)**

**Cause:** The configuration was set up with the specified user and group.

**Action:** Informational message only. No action is required. Some configuration information will only be accessible to members of the specified group. Note: On Windows platforms the group may be blank.

**CLST-01999: Warning: -force specified. Overwriting existing configuration.**

**Cause:** The -force parameter was supplied.

**Action:** The -force parameter will cause clscfg to overwrite the existing configuration. If used while a Cluster Ready Services cluster is actively running, this can cause instability and data integrity exposures.

---

**CLST-02101: Too many nodes were specified. limit is *string***

**Cause:** Too many nodes were specified on command line.

**Action:** Retry the operation with a smaller number of simultaneous changes.

**CLST-02102: Node *string* specified is out of range. Maximum node number is *string*.**

**Cause:** A node was specified with node number out of range.

**Action:** Retry the operation with a smaller node number.

**CLST-02103: Unable to parse TCP port options specified.**

**Cause:** Arguments to the -t flag were not valid port numbers, or some number other than 4 ports were supplied.

**Action:** Correct the arguments to the -t flag and rerun the operation.

**CLST-02104: TCP port *string* is out of bounds.**

**Cause:** The TCP port specified was not a valid port number.

**Action:** Specify an another port. Usually TCP ports need to be between 1001 and 65,535.

**CLST-02105: missing required parameter -l with language ID information**

**Cause:** The -l parameter was required for the requested operation.

**Action:** Supply the -l parameter with the proper language ID.

**CLST-02106: missing required parameter -o with path to ORA\_CRS\_HOME**

**Cause:** The -o parameter was required for the requested operation.

**Action:** Supply the -o parameter with the proper path.

**CLST-02107: failure configuring component *string***

**Cause:** The Oracle Cluster Repository configuration for the specified component was unsuccessful.

**Action:** Look for other error information and contact Oracle support.

**CLST-02108: missing required parameter -q with path to the voting device**

**Cause:** The -q parameter was required for the requested operation.

**Action:** Supply the -q parameter with a valid path for the voting device.

**CLST-02109: missing required parameter -c with a cluster name**

**Cause:** The -c parameter was required for the requested operation.

**Action:** Supply the -c parameter with a name for the cluster.

**CLST-02110: missing required parameter -nn with the list of nodenames**

**Cause:** The -nn parameter was required for the requested operation.

**Action:** Supply a list of node names with the format:  
nodenameA,nodenumA,nodenameB,nodenumB,...

**CLST-02201: node *string* already exists in the configuration with node number *string***

**Cause:** A node name specified for the add node operation conflicted with the existing configuration.

**Action:** Choose an alternate node to add to the cluster, or give the new node a unique name, or delete the previous node, then retry.

**CLST-02202: private interconnect name *string* is already assigned to node number *string***

---

**Cause:** The private interconnect name specified for the add node operation conflicted with the existing configuration.

**Action:** Choose an alternate node to add to the cluster, or give the new node a unique name, or delete the previous node, then retry.

**CLST-02203: Host name *string* is already assigned to node number *string*.**

**Cause:** The host name specified for the add node operation conflicted with the existing configuration.

**Action:** Choose an alternate node to add to the cluster, or give the new node a unique name, or delete the previous node, then retry.

**CLST-02204: Node number *string* is already assigned to node *string*.**

**Cause:** The node number specified for the add node operation conflicted with the existing configuration.

**Action:** Chose an alternate node to add to the cluster, or give the new node a unique node number, or delete the previous node, then retry.

**CLST-02301: failure *string* validating configuration of node *string***

**Cause:** clscfg was unable to validate existing configuration of the specified node.

**Action:** Validate the integrity of the Cluster Ready Services install on the local node, or choose another node to delete.

**CLST-02302: failure *string* validating configuration of private interconnect name *string***

**Cause:** clscfg was unable to validate existing configuration of the specified node.

**Action:** Validate the integrity of the Cluster Ready Services install on the local node, or choose another node to delete.

**CLST-02303: failure *string* validating configuration of node with host name *string***

**Cause:** clscfg was unable to validate existing configuration of the specified node.

**Action:** Validate the integrity of the Cluster Ready Services install on the local node, or choose another node to delete.

**CLST-02304: node name *string* for node *string* does not match existing node name *string***

**Cause:** The node name specified in a delete operation did not match the existing configuration.

**Action:** Specify the correct information describing the node you intend to delete, then retry.

**CLST-02305: node number *string* for node *string* does not match existing node number *string***

**Cause:** The node number specified in a delete operation did not match the existing configuration.

**Action:** Specify the correct information describing the node you intend to delete, then retry.

**CLST-02306: private interconnect name *string* for node *string* does not match *string***

**Cause:** The private interconnect name specified in a delete operation did not match the existing configuration.

**Action:** Specify the correct information describing the node you intend to delete, then retry.

---

**CLST-02307: host name *string* for node *string* does not match existing host name *string***

**Cause:** The host name specified in a delete operation did not match the existing configuration.

**Action:** Specify the correct information describing the node you intend to delete, then retry.

**CLST-02308: concurrent node deletion suspected when deleting key *string***

**Cause:** A key being deleted by the current operation was deleted by another process during the small amount of time between opening it for deletion and actually deleting it. An attempt to execute multiple separate delete operations may have occurred, and may have corrupted the configuration.

**Action:** Verify the integrity of the Oracle Cluster Repository, and restore from backup if necessary. If only one clscfg process was active on the cluster this may be ignored.

**CLST-02309: failure updating the configuration in node deletion**

**Cause:** clscfg was unable to modify the existing configuration for node deletion. The existing configuration was probably not harmed.

**Action:** Verify the integrity of the Cluster Ready Services install on the local node, and retry.

**CLST-02310: CSS daemon refused node deletion, status *string*. attempting rollback**

**Cause:** Cluster Synchronization Services daemon refused the node deletion.

**Action:** One or more of the designated nodes may still be active. clscfg will now attempt to roll back the deletion process. The Cluster Ready Services daemons must be shut down on a node before any attempt to remove them from the configuration. More information on why the attempt was refused may be available in the Cluster Synchronization Service logfile.

**CLST-02311: failure rolling back node deletion. configuration irrecoverable**

**Cause:** clscfg attempted to roll back the deletion process after a failure and was unable to do so. Configuration was partially deleted and left in an inconsistent state.

**Action:** Shut down the cluster and restore the Oracle Cluster Repository from backup.

**CLST-02312: failed to completely delete node configuration**

**Cause:** The node deletion was mostly successful, and should be functional in this state. Some portions of the configuration were not successfully deleted.

**Action:** This can be ignored. The safer choice is to restore the Oracle Cluster Repository from backup, and attempt the delete again. Adding any of the deleted nodes back to the configuration in the future may fail if this is ignored.

**CLST-02401: failure *string* querying maximum configurable node number**

**Cause:** clscfg was unable to determine the legitimate range of node numbers.

**Action:** Verify the integrity of the Cluster Ready Services install on the local node.

**CLST-02402: failure *string* querying existing configured node list**

**Cause:** clscfg was unable to retrieve the list of currently configured nodes.

**Action:** Verify the integrity of the Cluster Ready Services install on the local node.

**CLST-02403: failure *string* querying the maximum node name size**

---

**Cause:** clscfg was unable to determine the size of the largest node name.

**Action:** Verify the integrity of the Cluster Ready Services install on the local node.

**CLST-02404: failure *string* querying the cluster name**

**Cause:** clscfg was unable to determine the existing cluster name.

**Action:** Verify the integrity of the Cluster Ready Services install on the local node.

**CLST-02405: failure formatting voting device (*string*) at [*string*] [*string*] [*string*]**

**Cause:** clscfg failed to format the voting device.

**Action:** Verify the path and permissions set on the voting device.

**CLST-02501: failure *string* opening configuration for write operation**

**Cause:** clscfg was attempting to open the current configuration for write access.

**Action:** Verify the integrity of the Oracle Cluster Repository. Shut down the cluster and restore OCR from backup if necessary.

**CLST-02502: failure *string* writing new configuration**

**Cause:** clscfg was attempting to write new configuration data.

**Action:** Verify the integrity of the Oracle Cluster Repository. Shut down the cluster and restore OCR from backup if necessary.

**CLST-02503: failure *string* opening configuration for delete operation**

**Cause:** clscfg received an error while attempting to delete part of the existing configuration.

**Action:** Verify the integrity of the Oracle Cluster Repository. Shut down the cluster and restore OCR from backup if necessary.

**CLST-02504: failure *string* writing configuration to disk**

**Cause:** clscfg received a failure writing information to the Oracle Cluster Repository.

**Action:** Verify the settings for the Oracle Cluster Repository and retry.

**CLST-02901: The number of Oracle Cluster Repository keys exceeds limit of *string*.**

**Cause:** clscfg ran out of internal space for keys during install.

**Action:** Re-run the install and specify a smaller list of nodes. When that completes, use the add node option to add the remaining nodes.

**CLST-02902: The number of Oracle Cluster Repository keys exceeds limit of *string*.**

**Cause:** clscfg ran out of internal space for keys during delete node.

**Action:** Re-run the delete node operation and delete fewer nodes at once.

**CLST-02903: unable to allocate *string* bytes of memory at location: *string***

**Cause:** clscfg was unable to allocate enough memory to service the request.

**Action:** Ensure that the specified amount of memory will be available and retry the operation.

**CLST-02904: failure *string* in SCLS API at *string***

**Cause:** clscfg was unable to query for information about the system setup.

**Action:** Contact Oracle support with the additional information printed just after this message.

**CLST-02905: add, install, delete, concepts, and local are mutually exclusive**

---

**Cause:** clscfg was run with two different mode flags. All mode flags are mutually exclusive.

**Action:** Correct the command line and try again.

**CLST-02906: Clustername should be between 1 and *string* letters.**

**Cause:** cluster name supplied with -c argument was the wrong size.

**Action:** Supply an alternate cluster name of an appropriate length.

**CLST-02907: unknown parameter *string* supplied**

**Cause:** An unknown parameter was passed to clscfg.

**Action:** Use "clscfg -help" or "clscfg -concepts" for more information.

**CLST-02908: unable to determine local hostname**

**Cause:** clscfg was unable to determine the local hostname.

**Action:** Verify the operating system host name configuration.

**CLST-02909: The requested operation requires High Availability privileges.**

**Cause:** The current user did not have High Availability privileges.

**Action:** Log in as a different user and retry the operation.

**CLST-02910: Failure *string* contacting the CRS daemon.**

**Cause:** clscfg was unable to communicate with the CRS daemon.

**Action:** The requested operation must be performed from an active cluster node. Validate the pre-existing installation on the local machine, or perform the operation from another node.

**CLST-02911: failure *string* contacting the CSS daemon**

**Cause:** clscfg was unable to communicate with the CSS daemon.

**Action:** The requested operation must be performed from an active cluster node. Validate the pre-existing installation on the local machine, or perform the operation from another node.

**CLST-02999: Untranslated failure: [*string*] [*string*] [*string*] [*string*] [*string*] [*string*]**

**Cause:** A failure with no translation occurred.

**Action:** Contact Oracle Customer Support for more information.

**CLST-03100: See the documentation for usage information.**

**Cause:** Incorrect or insufficient arguments were passed to crsuser.

**Action:** Read documentation for instructions on how to use this tool.

**CLST-03101: Enter the password for user *string*.**

**Cause:** crsuser requires the password to register the user.

**Action:** Enter the requested password.

**CLST-03102: Operation successful.**

**Cause:** The operation succeeded.

**Action:** None

**CLST-03200: internal error: [*string*] [*string*] [*string*] [*string*] [*string*]**

**Cause:** A failure with no translation occurred.

**Action:** Contact Oracle Customer support for more information.

---

**CLST-03201: unexpected argument: *string***

**Cause:** crsuser failed to parse the arguments, or an unknown argument was passed.

**Action:** Supply the correct arguments and try again.

**CLST-03202: Memory allocation failure for *string* bytes.**

**Cause:** crsuser was unable to allocate memory.

**Action:** Free up some system memory and try again.

**CLST-03203: insufficient privileges for action: *string***

**Cause:** The current user did not have sufficient privileges.

**Action:** Log in as another user and try again.

---

---

## CLSD-01001 to CLSD-02009

**CLSD-01001: The OCR was formatted using version *number*.**

**Cause:** Successfully formatted the OCR location(s).

**Action:** None

**CLSD-01002: The OCR was restored from *string*.**

**Cause:** The OCR was successfully restored from a backup file as requested by the user.

**Action:** None

**CLSD-01003: The OCR format was downgraded to version *number*.**

**Cause:** The OCR was successfully downgraded to an earlier block format as requested by the user.

**Action:** None

**CLSD-01004: The OCR was imported from *string*.**

**Cause:** Successfully imported the OCR contents from a file as requested by the user.

**Action:** None

**CLSD-01005: The OCR upgrade was completed. Version has changed from *number* to *number*. Details in *string*.**

**Cause:** The OCR was successfully upgraded to a newer block format.

**Action:** None

**CLSD-01006: The OCR location *string* is inaccessible. Details in *string*.**

**Cause:** An error occurred while accessing the OCR.

**Action:** Use the ocrcheck command to validate the accessibility of the device and its block integrity. Check that the OCR location in question has the correct permissions. Determine whether this behavior is limited to one node or whether it occurs across all of the nodes in the cluster. Use the ocrconfig command with the -replace option to replace the OCR location.

**CLSD-01007: The OCR/OCR mirror location was replaced by *string*.**

**Cause:** The OCR location was successfully replaced as requested by the user.

**Action:** None

**CLSD-01008: Node *string* is not responding to OCR requests. Details in *string*.**

**Cause:** Error in communicating to the OCR server on a peer node. This OCR did not receive a notification regarding its peer's death within the specified time.

---

**Action:** Contact Oracle Customer Support.

**CLSD-01009: The OCR configuration is invalid. Details in *string*.**

**Cause:** The OCR configuration on this node does not match the OCR configuration on the other nodes in the cluster.

**Action:** Determine the OCR configuration on the other nodes in the cluster on which Oracle Clusterware is running by using the ocrcheck command. Run the ocrconfig command with the -repair option to correct the OCR configuration on this node.

**CLSD-01010: The OCR mirror location *string* was removed.**

**Cause:** The OCR location was successfully removed as requested by the user.

**Action:** None

**CLSD-01011: OCR cannot determine that the OCR content contains the latest updates. Details in *string*.**

**Cause:** The OCR could not be started. The OCR location configured on this node does not have the necessary votes and might not have the latest updates.

**Action:** Ensure that the other nodes in the cluster have the same OCR location configured. If the configuration on the other nodes in the cluster does not match, then run the ocrconfig command with the -repair option to correct the configuration on this node. If the configurations on all of the nodes match, use the ocrdump command to ensure that the existing OCR location has the latest updates. Run the ocrconfig command with the -overwrite option to correct the problem. If the se procedures do not correct the problem, then contact Oracle Customer Support.

**CLSD-01012: The OCR service started on node *string*.**

**Cause:** The OCR was successfully started.

**Action:** None

**CLSD-01013: The OCR at *string* was successfully formatted using version number. Ignore earlier CRS-1006 messages if any.**

**Cause:** Successfully formatted the OCR location(s).

**Action:** Ignore earlier CRS-1006 messages if any.

**CLSD-01201: CRSD started on node *string*.**

**Cause:** CRSD has started, possibly due to a CRS start, or a node reboot or a CRSD restart.

**Action:** None Required. You can run the command "crsctl check crsd" to validate the health of the CRSD

**CLSD-01202: CRSD aborted on node *string*. Error [*string*]. Details in *string*.**

**Cause:** Fatal Internal Error. Check the CRSD log file to determine the cause.

**Action:** Determine whether the CRSD gets auto-started.

**CLSD-01203: Failover failed for the CRS resource *string*. Details in *string*.**

**Cause:** Failover failed due to an internal error. Examine the contents of the CRSD log file to determine the cause.

**Action:** None

**CLSD-01204: Recovering CRS resources for node *string*.**

---

**Cause:** CRS resources are being recovered, possibly because the cluster node is starting up online.

**Action:** Check the status of the resources using the `crs_stat` command.

**CLSD-01205: Auto-start failed for the CRS resource *string*. Details in *string*.**

**Cause:** This message comes up when the auto-start for the resource has failed during a reboot of the cluster node.

**Action:** Start the resources using the `crs_start` command.

**CLSD-01206: Resource *string* went into an UNKNOWN state. Force stop the resource using the `crs_stop -f` command and restart *string*.**

**Cause:** Resource went into an UNKNOWN state because the check or the stop

**Action:** Force stop the resource using the `crs_stop -f` command and restart the resource

**CLSD-01207: There are no more restart attempts left for resource *string*. Restart the resource manually using the `crs_start` command.**

**Cause:** The Oracle Clusterware is no longer attempting to restart the resource because the resource has failed and the Oracle Clusterware has exhausted the maximum number of restart attempts.

**Action:** Use the `crs_start` command to restart the resource manually.

**CLSD-01401: EVMD started on node *string*.**

**Cause:** EVMD has started either because of a CRS start, a node reboot, or an EVMD restart.

**Action:** None required. You can run the "`crsctl check evmd`" command to validate the health of EVMD.

**CLSD-01402: EVMD aborted on node *string*. Error [*string*]. Details in *string*.**

**Cause:** EVMD has aborted due to an internal error. Check the EVMD log file to determine the cause.

**Action:** Determine whether the EVMD is auto-started

**CLSD-01601: CSSD Reconfiguration complete. Active nodes are *string*.**

**Cause:** A node joined or left the cluster

**Action:** None

**CLSD-01602: CSSD aborted on node *string*. Error [*string*]. Details in *string*.**

**Cause:** The CSS daemon aborted on the listed node with the listed return code

**Action:** Collect the CSS daemon logs from all nodes and any CSS daemon core files and contact Oracle Support

**CLSD-01603: CSSD on node *string* shutdown by user.**

**Cause:** The CSS daemon on the listed node was terminated by a user

**Action:** None

**CLSD-01604: CSSD voting file is offline: *string*. Details in *string*.**

**Cause:** The listed voting file became unusable on the local node

**Action:** Verify that the filesystem containing the listed voting file is available on the local node

**CLSD-01605: CSSD voting file is online: *string*. Details in *string*.**

---

**Cause:** The CSS daemon has detected a valid configured voting file

**Action:** None

**CLSD-01606: CSSD Insufficient voting files available [*string of string*]. Details in *string*.**

**Cause:** The number of voting files has decreased to a number of files that is insufficient.

**Action:** Locate previous 1604 messages and take action as indicated for message 1604

**CLSD-01607: CSSD evicting node *string*. Details in *string*.**

**Cause:** The local node is evicting the indicated node

**Action:** Collect the CSS daemon logs from all nodes and any CSS daemon core files and contact Oracle Support

**CLSD-01608: CSSD Evicted by node *string*. Details in *string*.**

**Cause:** The local node was evicted by the indicated node

**Action:** Collect the CSS daemon logs from all nodes and any CSS daemon core files and contact Oracle Support

**CLSD-01609: CSSD detected a network split. Details in *string*.**

**Cause:** Heartbeat messages between one or more nodes were not received and one or more nodes were evicted from the cluster to preserve data integrity.

**Action:** Verify all network connections between cluster nodes and repair any problematic connections. If there do not appear to be any network problems,

1. collect the CSS daemon logs, system messages and any CSS daemon core files from allnodes and

2. contact Oracle Support.

**CLSD-01610: node *string (number)* at 90% heartbeat fatal, eviction in *number.number* seconds**

**Cause:** Did not receive heartbeat messages from the node. This could be due network problems or failure of listed node.

**Action:** Check if the private interconnect network used by cluster is functioning properly, including all the cables, network cards, switches/routers etc.. between this node and listed node. Correct any problems discovered.

**CLSD-01611: node *string (number)* at 75% heartbeat fatal, eviction in *number.number* seconds**

**Cause:** Did not receive heartbeat messages from the node. This could be due to network problems or failure of the listed node.

**Action:** Check if the private interconnect network used by cluster is functioning properly, including all the cables, network cards, switches/routers etc.. between this node and listed node. Correct any problems discovered.

**CLSD-01612: node *string (number)* at 50% heartbeat fatal, eviction in *number.number* seconds**

**Cause:** Did not receive heartbeat messages from the node. This could be due to network problems or failure of listed node.

**Action:** Check if the private interconnect network used by cluster is functioning properly, including all the cables, network cards, switches/routers etc.. between this node and listed node. Correct any problems discovered.

---

**CLSD-01613: voting device hang at 90% fatal, termination in *number ms*, disk (*number/string*)**

**Cause:** Voting device I/O has not completed for a long time. This could be due some error with the device voting file is on or in some element in the path of the I/O to the device.

**Action:** Verify if the device is working properly including all the I/O paths. Voting file listed will be considered inactive in the number of secs specified. Failure of a majority of devices would result in node reboot.

**CLSD-01614: voting device hang at 75% fatal, termination in *number ms*, disk (*number/string*)**

**Cause:** Voting device I/O has not completed for a long time. This could be due some error with the device voting file is on or in some element in the path of the I/O to the device.

**Action:** Verify if the device is working properly including all the I/O paths. Voting file listed will be considered inactive in the number of secs specified. Failure of a majority of devices would result in node reboot.

**CLSD-01615: voting device hang at 50% fatal, termination in *number ms*, disk (*number/string*)**

**Cause:** Voting device I/O has not completed for a long time. This could be due some error with the device voting file is on or in some element in the path of the I/O to the device.

**Action:** Verify if the device is working properly including all the I/O paths. Voting file listed will be considered inactive in the number of secs specified. Failure of a majority of devices would result in node reboot.

**CLSD-02001: memory allocation error when initiating the connection**

**Cause:** failed to allocate memory for the connection with the target process

**Action:** None

**CLSD-02002: connection by user *string* to *string* refused**

**Cause:** User command cannot connect to the target process.

**Action:** The user may not have sufficient privilege to connect.

**CLSD-02003: error *number* encountered when connecting to *string***

**Cause:** Connection to the target process failed.

**Action:** Examine whether the connection is made properly. Retry again at a later time if necessary.

**CLSD-02004: error *number* encountered when sending messages to *string***

**Cause:** User command cannot communicate with the target process properly.

**Action:** Retry again at a later time.

**CLSD-02005: timed out when waiting for response from *number***

**Cause:** the target process does not return acknowledgement in time.

**Action:** Retry again at a later time.

**CLSD-02006: failed to get response from *number***

**Cause:** the target process failed to return acknowledgement.

**Action:** Retry again at a later time.

---

**CLSD-02007: invalid component key name <string> used**

**Cause:** the given component key name could not be recognized.

**Action:** re-run the command with a valid component key name.

**CLSD-02008: invalid message type <number> used**

**Cause:** an unrecognized message type was sent.

**Action:** Retry with a valid command again.

**CLSD-02009: unable to get authentication for user *string***

**Cause:** current user was not authenticated for connection.

**Action:** Log in as another user and try again.

---

---

## PROC-00001 to PROC-00106

**PROC-00001: Oracle Cluster Registry cannot be initialized.**

**Cause:** An invalid init level was passed to initialize Oracle Cluster Registry.

**Action:** Initialize Oracle Cluster Registry with a valid init level.

**PROC-00002: Cannot perform cluster registry operation at the current init level.**

**Cause:** Program tried a cluster registry operation which is not permitted at the init level.

**Action:** Initialize Oracle Cluster Registry with an appropriate init level.

**PROC-00003: Cannot perform cluster registry operation because context is invalid.**

**Cause:** The Oracle Cluster Registry context passed was invalid.

**Action:** Initialize Oracle Cluster Registry and retry the operation.

**PROC-00004: The cluster registry key to be operated on does not exist.**

**Cause:** Program tried a cluster registry operation on a key which does not exist.

**Action:** Check to see if the key exists and try the operation again.

**PROC-00005: User does not have permission to perform a cluster registry operation on this key.**

**Cause:** Program tried an operation on a cluster registry key for which it does not have permission.

**Action:** Check to see if program is run as the correct user.

**PROC-00006: User does not have permission to perform a cluster registry operation on this key.**

**Cause:** Program tried a cluster registry operation on a key for which it does not have permission.

**Action:** Check to see if program is run as the correct user.

**PROC-00007: Cannot perform cluster registry operation because key handle is invalid.**

**Cause:** The cluster registry key handle passed was invalid.

**Action:** Open the cluster registry key again, and retry the operation.

**PROC-00008: Cannot perform cluster registry operation because one of the parameters is invalid.**

**Cause:** Program tried a cluster registry operation using an invalid parameter.

**Action:** Check the parameters, and retry the operation.

---

**PROC-00009: Cannot perform cluster registry operation because the buffer passed is too small.**

**Cause:** The amount of memory allocated for the buffer was insufficient.

**Action:** Allocate sufficient memory, and retry the operation.

**PROC-00010: Cannot delete the cluster registry key as subkeys exist.**

**Cause:** The program tried to delete a key for which subkeys exist.

**Action:** retry the operation with the recurse flag set to TRUE.

**PROC-00011: Cannot perform cluster registry operation because key is NULL.**

**Cause:** The cluster registry key passed was NULL.

**Action:** Retry the operation with a valid keyname.

**PROC-00012: Out of heap memory.**

**Cause:** The program ran out of heap memory.

**Action:** Contact Oracle Customer Support.

**PROC-00013: Cannot perform cluster registry operation because one of the parameters is NULL.**

**Cause:** Program tried a cluster registry operation using a NULL parameter.

**Action:** Check the parameters, and retry the operation.

**PROC-00014: Unknown error occurred**

**Cause:** This is generic internal error for Oracle Cluster Registry.

**Action:** Contact Oracle Customer Support.

**PROC-00015: Failed to initialize the cluster registry successfully**

**Cause:** There are the following possible causes: The backend is not reachable. This could happen if the permissions are not set correctly for a shared device backend. CSS could not be contacted because of communication failure. This could happen if the cluster registry was never initialized at PROCRA\_INSTALL\_LEVEL and one tried to initialize it at other OCR levels.

**Action:** Make sure that cluster registry was initialized properly. Make sure that the clusterware is working.

**PROC-00016: Cannot retrieve any more subkeys for the given keyhandle**

**Cause:** The key has no more subkeys to enumerate.

**Action:** Call `procr_close_key` on the key and then `procr_open_key` again followed by `procr_enumerate_key` call.

**PROC-00017: Unimplemented feature**

**Cause:** Requested feature has not been implemented in the current release.

**Action:** Try the feature again in the upcoming Oracle release.

**PROC-00018: The value size passed is too large**

**Cause:** Cannot set a value of the given size.

**Action:** Pass a smaller value size to `procr_set_value` API.

**PROC-00019: Cannot create more subkeys for the key**

**Cause:** An attempt was made to create more subkeys under a key that is not permitted by the cluster registry.

---

**Action:** Delete some subkeys before creating new subkeys under the key.

**PROC-00020: ORACLE\_HOME environment not set**

**Cause:** ORACLE\_HOME environment not set.

**Action:** Make sure that the ORACLE\_HOME environment variable has been properly set and exported.

**PROC-00021: Maximum permitted depth of the OCR tree is reached**

**Cause:** An attempt was made to create subkeys under a key which is already at depth PROCR\_MAX\_KEY\_DEPTH

**Action:** Create the key under some other key.

**PROC-00022: The OCR backend has an invalid format**

**Cause:** An attempt was made to use OCR before initializing it.

**Action:** Use "srvconfig -init -f" to initialize OCR.

**PROC-00023: Error in cluster services layer**

**Cause:** An error occurred in the cluster services layer while performing a cluster registry operation.

**Action:** Contact Oracle Customer Support.

**PROC-00024: Error in the messaging layer**

**Cause:** An error occurred in the messaging layer while performing a cluster registry operation.

**Action:** Contact Oracle Customer Support.

**PROC-00025: Error in the NLS services**

**Cause:** An error occurred in the NLS services while performing a cluster registry operation.

**Action:** Contact Oracle Customer Support.

**PROC-00026: Error while accessing the physical storage**

**Cause:** An error occurred while accessing the physical storage of the cluster registry

**Action:** Check that the storage has the correct permissions.

**PROC-00027: Error in authentication layer**

**Cause:** An error occurred in the authentication layer while performing a cluster registry operation.

**Action:** Contact Oracle Customer Support.

**PROC-00028: Oracle Cluster Registry already in current version**

**Cause:** An attempt to upgrade the cluster registry which has already been upgraded.

**Action:** No action required.

**PROC-00029: Error in logging layer**

**Cause:** An error occurred in the logging layer while performing a cluster registry operation.

**Action:** Contact Oracle Customer Support.

**PROC-00030: Oracle Cluster Registry IDs do not match**

---

**Cause:** The cluster registry storage seen by the client was not the same as the one seen by the server. This may be caused by a misconfiguration.

**Action:** Contact Oracle Customer Support.

**PROC-00031: Storage device for the cluster registry is too small**

**Cause:** The configured storage device for cluster registry was too small.

**Action:** Please follow the documentation and configure a storage device that is large enough for use by cluster registry.

**PROC-00032: Cluster Ready Services on the local node is not running**

**Cause:** Cluster Ready Services daemon on the local node was not running

**Action:** Bring up the Cluster Ready Services on the local node.

**PROC-00033: Oracle Cluster Registry is not configured**

**Cause:** Cluster Ready Services did not exist on the node.

**Action:** Install and configure Cluster Ready Services.

**PROC-00034: Oracle Cluster Registry configurations are not compatible**

**Cause:** Cluster registry configuration on two nodes do not match

**Action:** Fix this issue using ocrconfig -repair

**PROC-00035: Cannot perform cluster registry operation due to invalid version**

**Cause:** The operation cannot be performed for this cluster active version

**Action:** Complete the upgrade before retrying the operation

**PROC-00036: No free space to perform this operation**

**Cause:** There is no free space left to perform the requested operation

**Action:** Free up space and retry the operation

**PROC-00037: Oracle Cluster Registry does not support the storage type configured**

**Cause:** The configured storage type for cluster registry is not supported

**Action:** Change the configuration of the cluster registry to a supported storage type. Refer to Oracle documentation for an exhaustive list for each platform.

**PROC-00038: Requested block number is not allocated from Oracle Cluster Registry**

**Cause:** The requested block number is not allocated from Oracle Cluster Registry

**Action:** Retry the operation with another block number

**PROC-00039: Requested block has an invalid header**

**Cause:** The requested block has an invalid header

**Action:** Retry the operation with another block number

**PROC-00101: Operating System error [*string*]**

**Cause:** An error occurred in the operating system layer while performing a cluster registry operation

**Action:** Contact Oracle customer support.

**PROC-00102: Cluster services error [*string*]**

**Cause:** An error occurred in the cluster services layer while performing a cluster registry operation.

**Action:** Contact Oracle customer support.

---

**PROC-00103: Messaging error**

**Cause:** An error occurred in the messaging layer while performing a cluster registry operation.

**Action:** Contact Oracle customer support.

**PROC-00104: Authentication error [*string*]**

**Cause:** An error occurred in the authentication layer while performing a cluster registry operation.

**Action:** Contact Oracle customer support.

**PROC-00105: Logging error**

**Cause:** An error occurred in the logging layer while while performing a cluster registry operation.

**Action:** Contact Oracle customer support.

**PROC-00106: Unidentified component error**

**Cause:** An error occurred in an unidentified layer while performing a cluster registry operation.

**Action:** Contact Oracle customer support.



---

---

## PROT-00001 to PROT-00807

**PROT-00001: Failed to initialize ocrconfig**

**Cause:** Unable to initialize and start ocrconfig

**Action:** Check log file for details about the failure

**PROT-00002: Export file already exists**

**Cause:** Requested export file exists in the given path

**Action:** Change the location for export file or remove the old export file

**PROT-00003: Failed to create export file**

**Cause:** Unable to create or open file for exporting cluster registry data

**Action:** Check access privilege or disk space of the requested path

**PROT-00004: Failed to retrieve data from the cluster registry**

**Cause:** Unable to retrieve necessary information from the cluster registry

**Action:** Check the availability of the cluster registry and the details of the failure from the log file

**PROT-00005: Clusterware is not running properly**

**Cause:** Unable to register with clusterware for access to the cluster registry

**Action:** Check the status of clusterware running on the machine

**PROT-00006: The specified import file cannot be found**

**Cause:** The import file does not exist

**Action:** Check the file and its correct path and try again

**PROT-00007: Failed to open the specified import file**

**Cause:** Unable to access the specified import file

**Action:** Check access privilege of the import file

**PROT-00008: Failed to import data from specified file to the cluster registry**

**Cause:** Unable to read data from the import file and import to the cluster registry

**Action:** Check availability of the cluster registry and the details of the failure from the log file

**PROT-00009: Failed to open the specified import file**

**Cause:** Unable to access the specified import file

**Action:** Check access privilege of the import file

**PROT-00010: Failed to open the specified source cluster registry**

---

**Cause:** Unable to access the specified source cluster registry

**Action:** Check access privilege and location of the source cluster registry, and the log file for more detail

**PROT-00011: Failed to open the specified destination cluster registry**

**Cause:** Unable to access the specified destination cluster registry

**Action:** Check access privilege and location of the destination cluster registry. Also check the log file for more details

**PROT-00012: Oracle Cluster Registry to be upgraded has an unsupported version**

**Cause:** Oracle Cluster Registry to be upgraded has an unsupported version

**Action:** Upgrade Oracle Cluster Registry to a version supported

**PROT-00013: Oracle Cluster Registry is in current version**

**Cause:** Oracle Cluster Registry is in current version

**Action:** No action required

**PROT-00014: Oracle Cluster Registry to be downgraded has an earlier version**

**Cause:** Oracle Cluster Registry to be downgraded has an earlier version

**Action:** No action required

**PROT-00015: Unimplemented feature**

**Cause:** Requested feature has not been implemented in current release

**Action:** Try the feature again in the next release.

**PROT-00016: Internal Error**

**Cause:** This is a generic internal error for ocrconfig

**Action:** Contact Oracle Customer Support

**PROT-00017: Fatal Error**

**Cause:** This is a generic fatal error for ocrconfig

**Action:** Contact Oracle Customer Support

**PROT-00018: Failed to open file**

**Cause:** File does not exist or user does not have permission to open the file

**Action:** Try with a different file name

**PROT-00019: Cannot proceed while clusterware is running. Shutdown clusterware first**

**Cause:** Clusterware is running.

**Action:** Shutdown clusterware on every node in the cluster

**PROT-00020: Insufficient permission to proceed. Require privileged user**

**Cause:** User is not a privileged user.

**Action:** Run the command again using a privileged user.

**PROT-00021: Invalid parameter**

**Cause:** Input parameter is not valid

**Action:** Check log file for more information

**PROT-00022: Storage too small**

---

**Cause:** Specified storage is too small to mirror OCR content

**Action:** Run the command again using a device with large storage capacity

**PROT-00023: Failed to backup OCR**

**Cause:** Unable to take a backup of OCR

**Action:** Check availability of the cluster registry and the available free space on the file system where the manual backup will be stored. Use ocrconfig -backuploc to specify a new backup location if necessary. Check the CRS log file for more information.

**PROT-00119: Please ensure you have file creation privileges in the above directory before running this tool.**

**Cause:** ocrconfig called with incorrect or missing options

**Action:** Use ocrconfig with correct options

**PROT-00301: Dump is not feasible when clusterware is running**

**Cause:** Unable to dump cluster registry data when clusterware is running

**Action:** Stop the clusterware before retrying ocrdump

**PROT-00302: Failed to initialize ocrdump**

**Cause:** Unable to initialize and start ocrdump

**Action:** Check log file for details about the failure

**PROT-00303: Dump file already exists [*string*]**

**Cause:** Requested dump file exists in the given path

**Action:** Change the location for the dump file or remove the old dump file

**PROT-00304: Failed to create dump file [*string*]**

**Cause:** Unable to create or open file for dumping cluster registry data

**Action:** Check access privilege or disk space of the requested path

**PROT-00305: Failed to write to dump file [*string*]**

**Cause:** Unable to write to dump file while dumping cluster registry data

**Action:** Check access privilege or disk space of the requested path

**PROT-00306: Failed to retrieve cluster registry data**

**Cause:** Unable to read cluster registry data

**Action:** Check log file for details about the failure

**PROT-00307: The specified key does not exist in cluster registry**

**Cause:** Unable to retrieve the specified key from cluster registry

**Action:** Check log file for the key name

**PROT-00415: Make sure you have file creation privileges in the above directory before running this tool.**

**Cause:** ocrdump called with incorrect or missing options

**Action:** Use ocrdump with correct options

**PROT-00601: Failed to initialize ocrcheck**

**Cause:** Unable to initialize and start ocrcheck

**Action:** Check log file for details about the failure

---

**PROT-00602: Failed to retrieve data from the cluster registry**

**Cause:** Unable to retrieve necessary information from the cluster registry

**Action:** Check the availability of the cluster registry and the details of the failure from the log file

**PROT-00715: Device/File integrity check failed**

**Cause:** ocrcheck called

**Action:** None

**PROT-00807: Please ensure you have file creation privileges in the above directory before running this tool.**

**Cause:** ocrcheck called with incorrect or missing options

**Action:** Use ocrcheck with correct options

---

## TNS-00000 to TNS-12699

**TNS-00000: Not An Error**

**Cause:** Everything is working as it should.

**Action:** Don't worry: Be happy.

**TNS-00001: INTCTL: error while getting command line from the terminal**

**Cause:** Improper standard input connection from the terminal.

**Action:** Normally not visible to the user. Start the INTCTL program again. If error persists, contact Oracle Customer Support.

**TNS-00002: INTCTL: error while starting the Interchange**

**Cause:** of the problem. Be sure to turn tracing off when the problem has been rectified.

**Action:** Check the Interchange configuration files (INTCHG.ORA, TNSNET.ORA and TNSNAV.ORA) for errors and confirm that no other programs are using the ADDRESS(es) specified. If error continues, turn on tracing in the Interchange components and examine the trace files to determine the

**TNS-00003: INTCTL: error while sending request to the Interchange**

**Cause:** Improper command sent to the Interchange or the Interchange is not responding. Not normally visible to the user.

**Action:** Verify that the command sent to the Interchange is valid. Also check that the Interchange is running by using the INTCTL STATUS command. If necessary, start the Interchange using the INTCTL START command.

**TNS-00004: INTCTL: error while starting the Navigator**

**Cause:** The Navigator could not be started.

**Action:** Check to make sure that executables for the Navigator (navgatr) are present in the ORACLE executable directory on your platform. Check the configuration files TNSNET.ORA and TNSNAV.ORA for errors. If error continues, turn on tracing in the Interchange components and examine the trace files to determine the cause of the problem. Be sure to turn tracing off when the problem has been rectified.

**TNS-00005: INTCTL: error while sending request to the Navigator**

**Cause:** The Navigator is not responding. Either the Navigator is not running or another process is responding.

**Action:** Check that the Navigator is running by using the STATUS command of the Interchange Control Utility. Verify that the correct addresses are listed in the TNSNAMES.ORA, TNSNET.ORA, and TNSNAV.ORA configuration files.

---

**TNS-00006: INTCTL: HOST variable is not defined**

**Cause:** The HOST variable was not set.

**Action:** Set the variable HOST properly and restart the INTCTL program.

**TNS-00007: INTCTL: unknown host**

**Cause:** The pointer HOST is set to an unknown hostname.

**Action:** Set the pointer HOST properly and restart INTCTL program.

**TNS-00008: INTCTL: could not contact destination Navigator**

**Cause:** Connection could not be properly established to a Navigator. This may be because the Navigator specified is not running or the Navigator addresses are incorrect.

**Action:** Check that the Navigator is running by using the STATUS command of the Interchange Control Utility; if necessary, start the Navigator using the START command of the Interchange Control Utility. If it is running and the error persists, contact Oracle Customer Support.

**TNS-00009: INTCTL: could not contact destination Connection Manager**

**Cause:** Connection could not be properly established to a Connection Manager. This may be because the Connection Manager (Interchange) specified is not running or the Connection Manager addresses are incorrect.

**Action:** Make sure the Connection Manager is running by using the STATUS command of the Interchange Control Utility; if necessary, start the Connection Manager using the START command of the Interchange Control Utility. If it is running and the error persists, contact Oracle Customer Support.

**TNS-00010: Error while flushing NS context**

**Cause:** Internal NS error; connection may be lost.

**Action:** Make sure the connection is properly established. If the error persists, then contact Oracle Customer Support.

**TNS-00011: INTCTL: error while starting the Connection Manager**

**Cause:** The Connection Manager could not be started.

**Action:** Assure that the executable can be found in the standard Oracle executable area. Check the configuration file INTCHG.ORA for errors and confirm that no other process is using the ADDRESS(es) for this Connection Manager as specified in TNSNET.ORA. Tracing can also be turned on in the Connection Manager and detailed information about the reason for the error determined. Consult the MultiProtocol Interchange Administrator's Guide and Chapter 2 of this manual for how to turn on tracing.

**TNS-00012: INTCTL: error while processing Connection Manager request**

**Cause:** An improper command was sent to the Connection Manager or it is not responding. Not normally visible to the user.

**Action:** Verify that the correct addresses are listed in the TNSNAMES.ORA, TNSNET.ORA, and TNSNAV.ORA configuration files. Also check that the Connection Manager is running by using the STATUS command of the Interchange Control Utility. If the error persists, contact Oracle Customer Support.

**TNS-00013: INTCTL: error while performing NS disconnect command**

**Cause:** Internal NS error. Error in closing down connections.

---

**Action:** Make sure the networking protocol being used is properly installed on the machine. If the error persists contact Oracle Customer Support.

**TNS-00014: INTCTL: error while opening terminal input channel**

**Cause:** Could not open standard terminal input. Internal error.

**Action:** Normally not visible to the user. Restart the INTCTL program. If error persists, contact Oracle Customer Support.

**TNS-00015: INTCTL: error while closing terminal input channel**

**Cause:** Could not close terminal input channel. Internal error.

**Action:** Normally not visible to the user. Restart the INTCTL program. If error persists, contact Oracle Customer Support.

**TNS-00016: INTCTL: error while performing NS send command**

**Cause:** Internal NS error. Connection may be lost.

**Action:** If the error persists contact Oracle Customer Support.

**TNS-00017: INTCTL: error while performing NS receive command**

**Cause:** Internal NS error. Connection may be lost.

**Action:** If the error persists contact Oracle Customer Support.

**TNS-00018: INTCTL: TNS\_ADMIN not defined**

**Cause:** The TNS\_ADMIN pointer is improperly set.

**Action:** No action necessary; TNS\_ADMIN need only be set if you want to use a different network environment.

**TNS-00019: INTCTL: error initializing the national language interface**

**Cause:** The message file could not be found.

**Action:** Make sure that the ORACLE environment is set and that the message file is in the correct place.

**TNS-00020: INTCTL: missing NAVIGATOR\_DATA in TNSNAV.ORA**

**Cause:** TNSNAV.ORA does not contain the NAVIGATOR\_DATA component.

**Action:** Define the ADDRESS(es) for the Navigator, then restart the INTCTL program.

**TNS-00021: INTCTL: missing INTERCHANGE\_DATA in INTCHG.ORA**

**Cause:** INTCHG.ORA does not contain an INTERCHANGE\_DATA component.

**Action:** Define the correct data for the Connection Manager, then restart the INTCTL program.

**TNS-00022: INTCTL: missing CMANAGER\_NAME in INTCHG.ORA**

**Cause:** INTCHG.ORA does not contain a CMANAGER\_NAME component.

**Action:** Define the correct name for the CMANAGER\_NAME, then restart the INTCTL program.

**TNS-00023: INTCTL: missing ADDRESS(es) in config files**

**Cause:** Configuration files do not contain an ADDRESS/ADDRESS\_LIST component.

**Action:** Define the Connection Manager ADDRESS(es) in the TNSNET.ORA file and check the Navigator ADDRESS(es) in the TNSNAV.ORA file, then restart the INTCTL program.

---

**TNS-00024: INTCTL: Unable to contact Navigator to obtain Connection Manager address**

**Cause:** The Navigator is not running.

**Action:** Verify that the Navigator is running by doing a status request on the Navigator (use the Interchange Control Utility command STATUS). If necessary, start the Navigator using the Interchange Control Utility. Verify that the network is properly configured; if the error persists, contact Worldwide Customer Support.

**TNS-00025: INTCTL: The ORACLE environment is not set up correctly**

**Cause:** The ORACLE environment is incorrectly set up.

**Action:** Refer to the Oracle operating system specific documentation for your platform for information on how the ORACLE environment should be set. Correct it and rerun INTCTL. Make sure the ORACLE environment includes the correct directories.

**TNS-00026: INTCTL: TNS\_ADMIN directory set, and is being used**

**Cause:** The TNS\_ADMIN environment variable is set properly. INTCTL will use the TNS\_ADMIN directory. This is only an informative message. If you do not want it to be used, and want the default directory to be used instead, then unset TNS\_ADMIN and reexecute.

**Action:** None

**TNS-00027: INTCTL: Could not resolve Navigator's name/address**

**Cause:** The Navigator's name to address definition is missing.

**Action:** Check TNSNAMES.ORA file and make sure to include a definition for the name specified.

**TNS-00028: INTCTL: Could not resolve Connection Manager's name/address**

**Cause:** The Connection Manager's name does not have a definition that the Navigator knows about, nor is the name/address available in the TNSNAMES.ORA file. The name may also be incorrect in the INTCHG.ORA file.

**Action:** Verify that the Connection Manager's name is in the TNSNET.ORA file read by the Navigator or in the TNSNAMES.ORA file. Be sure that INTCHG.ORA is correct.

**TNS-00031: INTCTL: internal NT error**

**Cause:** Problem interfacing to the protocol adapters installed.

**Action:** Normally not visible to the user. Try starting INTCTL again. If the error persists, check the product installation. If it is correct, contact Oracle Customer Support.

**TNS-00032: INTCTL: internal NS error**

**Cause:** Problem interfacing with TNS.

**Action:** Normally not visible to the user. Try starting INTCTL again. If the error persists, check the product installation. If it is correct, contact Oracle Customer Support.

**TNS-00033: INTCTL: internal NL error**

**Cause:** Problem with internal TNS module NL.

**Action:** Normally not visible to the user. Try starting INTCTL again. If the error persists, check the product installation. If it is correct, contact Oracle Customer Support.

---

**TNS-00034: INTCTL: internal NR error**

**Cause:** Problem with internal Interchange routines.

**Action:** Normally not visible to the user. Try starting INTCTL again. If the error persists, check the product installation. If it is correct, contact Oracle Customer Support.

**TNS-00035: INTCTL: error while constructing full file name**

**Cause:** Problem while constructing the full path for a file name because the path name to the file or the environment variables are incorrect. Files looked up include TNSNAMES.ORA, TNSNAV.ORA, INTCHG.ORA and the error files for the Navigator and Connection Manager.

**Action:** Check that all environment variables are defined correctly and that all configuration files exist in their correct places.

**TNS-00036: INTCTL: error reading from Navigator or Connection Manager error files**

**Cause:** Problem while reading from Navigator or Connection Manager error files generated by the Navigator or Connection Manager when they fail to start.

**Action:** Check that a standard Network Error directory exists and that all privileges on the directory are appropriate.

**TNS-00037: INTCTL: error opening Navigator or Connection Manager error files**

**Cause:** Failed to open Navigator or Connection Manager error files when they have failed to start.

**Action:** Check that a Network Error directory exists and that all privileges on the directory are appropriate.

**TNS-00038: INTCTL: Poorly formed address or command string**

**Cause:** An unacceptable string was encountered while attempting to send a message to either the Navigator or Connection Manager. The addresses provided for either the Navigator or Connection Manager may be incorrectly constructed.

**Action:** Check all address strings in configuration files (TNSNAMES.ORA, TNSNAV.ORA or TNSNET.ORA) and assure that they are properly formed. Regenerate the files, if possible. If all is correct, please contact Worldwide Customer Support.

**TNS-00039: INTCTL: error while spawning a process**

**Cause:** An error was encountered while spawning a process due to an internal operating system dependent problem. Machine resources may be limited.

**Action:** Retry command. Check permissions on Interchange executables and the current setting of the search path. If necessary, terminate other applications to free up machine resources. If the error persists, contact Oracle Customer Support.

**TNS-00040: INTCTL: failed to initialize trace context- Continuing anyway**

**Cause:** Problem while opening specified trace file because of errors in INTCHG.ORA or because the user has incorrect privileges, or the file does not exist.

**Action:** Check the privileges on the configuration files and ensure that all of them exist in their proper locations.

**TNS-00041: INTCTL: Navigator already running. Start operation cancelled**

**Cause:** There is a Navigator already running and listening on the same addresses.

---

**Action:** None; the Navigator is already running.

**TNS-00042: INTCTL: CMANAGER already running. Start operation cancelled**

**Cause:** There is a Connection Manager already running and listening on the same addresses.

**Action:** None; the Connection Manager is already running.

**TNS-00043: The CMANAGER has active connections, do you still want to stop it (y/n)?**

**Cause:** The CMANAGER that is being stopped has active connections going through. This is the confirmation message.

**Action:** Respond by pressing y or n. Answering y will cause the active database connection to be dropped; this is not generally recommended.

**TNS-00044: INTCTL: You must have an INTCHG.ORA file to contact the Connection Manager**

**Cause:** There was an attempt to contact a default Connection Manager (Interchange) where there was no INTCHG.ORA present in the correct directory.

**Action:** Create an INTCHG.ORA file. Make sure it is placed in the correct directory and includes the correct name for the Connection Manager you wish to contact.

**TNS-00045: INTCTL: Could not contact the Navigator on address**

**Cause:** There was an attempt to contact a Navigator on a specific address which is not responding.

**Action:** Check the TNSNAV.ORA file for that address. Or check that the Navigator is actually listening on that address.

**TNS-00046: INTCTL: Could not contact the CMANAGER on address**

**Cause:** There was an attempt to contact a CMANAGER on a specific address which is not responding.

**Action:** Verify that the TNSNET.ORA file contains that address. Also check that the CMANAGER is actually listening on that address by using the INTCTL STATUS command. If necessary, start the Connection Manager using the INTCTL START command.

**TNS-00060: INTCTL: Bad command: only the STATUS command can be used on remote Interchanges**

**Cause:** The user entered a command that does not exist, or the user tried to make a request other than STATUS to a remote Interchange.

**Action:** Check the MultiProtocol Interchange Administrator's Guide for a list of INTCTL commands or type HELP for a list of valid commands.

**TNS-00061: INTCTL: Bad command or syntax error: You must specify a trace level**

**Cause:** The user did not specify a trace level.

**Action:** Specify a trace level and retry command.

**TNS-00062: INTCTL: Bad command or syntax error: For help type help/h/?**

**Cause:** The user entered an invalid command.

**Action:** Check the MultiProtocol Interchange Administrator's Guide or type HELP for a list of valid commands.

**TNS-00063: INTCTL: Failed to allocate memory for buffers**

---

**Cause:** INTCTL was unable to allocate memory for internal buffers.

**Action:** Check the amount of available memory on your machine to ensure that there is enough memory to run this executable. If necessary, free up memory by running fewer programs, then try again.

**TNS-00064: INTCTL: Failed to find CMANAGER\_NAME in INTCHG.ORA**

**Cause:** INTCTL was unable to find the CMANAGER\_NAME parameter in INTCHG.ORA.

**Action:** Check that the INTCHG.ORA file is properly constructed.

**TNS-00065: INTCTL: Command cannot be executed remotely**

**Cause:** A command other than status and version has been attempted remotely.

**Action:** If you desire execute any command other than status and version, you must run intctl on the interchange machine.

**TNS-00070: INTCTL usage: [intctl] <command> <process\_name> [argument]**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00071: where <command> is one of following:**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00072: \* start - start up process\_name**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00073: \* stop/abort - stop the process\_name**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00074: \* status - get statistics from the process\_name**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00075: NOTE: the user may get the status info of a remote**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00076: component by specifying the component name in**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00077: the argument field**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00078: \* log\_on - ask process\_name to turn logging on**

**Cause:** Help message displayed by INTCTL.

**Action:** None

- 
- TNS-00079: \* log\_off - ask process\_name to turn logging off**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00080: \* force\_log - ask process\_name to dump its state**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00081: \* trace\_on - ask process name to turn tracing on**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00082: NOTE: the user MUST specify a trace level**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00083: (USER or ADMIN) in the argument field**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00084: \* trace\_off - ask process name to turn tracing off**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00085: \* reread - ask the process name to reread parameter files**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00086: \* reload - ask the Navigator to reload TNSNET.ORA**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00087: \* version - ask the process name to display its version number**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00088: \* exit - quit the Interchange controller**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00089: process\_name is one of Interchange, CMANAGER, or Navigator**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00090: \* Interchange - will ask the Interchange**  
Cause: Help message displayed by INTCTL.  
Action: None
- TNS-00091: \* Navigator (or navgatr) - will ask the Navigator only**  
Cause: Help message displayed by INTCTL.  
Action: None

---

**TNS-00092: \* CMANAGER (or intlsnr) - will ask the Cmanager only**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00093: argument is only supplied to either status or trace\_on**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00094: \* to status - argument is considered the remote process\_name**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00095: \* to trace\_on - argument is considered the trace level**

**Cause:** Help message displayed by INTCTL.

**Action:** None

**TNS-00100: Unable to allocate memory**

**Cause:** Out of memory on the machine.

**Action:** Add more memory or run fewer processes.

**TNS-00101: File operation error**

**Cause:** Error in accessing reading or writing a particular file.

**Action:** Check existence of or operating system access to the log and trace file locations.

**TNS-00102: Keyword-Value binding operation error**

**Cause:** Not normally visible to the user. May indicate a shortage of memory.

**Action:** If error persists contact Oracle Customer Support.

**TNS-00103: Parameter file load error**

**Cause:** Parameter file process failed.

**Action:** Check to make sure that all parameter files necessary for the Interchange are present (TNSNAV.ORA, TNSNET.ORA and INTCHG.ORA). If these files are present and properly configured, turn on tracing and repeat the operation. Turn off tracing when the trace is complete. Look in the trace file for errors in the parameter loading process. If error persists contact Oracle Customer Support.

**TNS-00104: Data stream open/access error**

**Cause:** Unable to open or access data stream for either log or trace files for the Interchange.

**Action:** Check read/write permissions on Oracle files and directories.

**TNS-00105: Could not initialize tracing**

**Cause:** The INTCHG.ORA file is improperly configured. Verify the trace parameters specified.

**Action:** If error persists contact Oracle Customer Support.

**TNS-00106: Failed to open log file**

**Cause:** Unable to access or obtain write permission to create log file.

**Action:** Check existence of or access to log file directory.

**TNS-00107: Unable to initialize TNS global data**

---

**Cause:** Not normally visible to the user.

**Action:** If error persists contact Oracle Customer Support.

**TNS-00108: TNS\_ADMIN not defined**

**Cause:** TNS\_ADMIN pointer is not set.

**Action:** Set the TNS\_ADMIN pointer before running application

**TNS-00109: Message could not be printed; not enough memory**

**Cause:** Printing of message failed due to lack of memory. Not normally visible to user.

**Action:** Increase the resources on your machine. If error persists contact Oracle Customer Support.

**TNS-00110: Could not initialize network from file TNSNET.ORA**

**Cause:** Poorly formed network information in network file.

**Action:** Fix network configuration data to assure that at least one Interchange is defined in TNSNET.ORA.

**TNS-00111: Failed to get configuration data from file**

**Cause:** Poorly formed configuration information in network files TNSNET.ORA or TNSNAV.ORA.

**Action:** Check TNSNET.ORA and TNSNAV.ORA and confirm that they are correct.

**TNS-00112: Failed to find configuration file name**

**Cause:** Name specified for configuration file was incorrect.

**Action:** Check for presence of the configuration file.

**TNS-00113: Failed to open error log file**

**Cause:** Could not open log file during startup of Navigator or Connection Manager due to read or write permission problems or non-existent error directory.

**Action:** Create the standard error directory or assure that if one is present the Interchange executables can write to it.

**TNS-00114: Internal error- Allocation of addresses not performed**

**Cause:** Internal error. Should not normally occur.

**Action:** Contact Oracle Customer Support.

**TNS-00115: Could not allocate pump global buffers**

**Cause:** Not enough memory to allocate pump buffers.

**Action:** Decrease the number of PUMP\_BUFFERS in INTCHG.ORA.

**TNS-00116: Pump failed during initial bequeath**

**Cause:** d by insufficient machine resources.

**Action:** Attempt the connection again. The pump should recover from such a failure. If machine resources appear to be the problem, add more resources // or shut down some active applications. If problem persists, contact Oracle Customer Support.

**TNS-00117: Internal error- No data passed through pump**

**Cause:** Internal error. Data expected has not arrived yet.

**Action:** If error persists, contact Oracle Customer Support.

---

**TNS-00119: Missing PUMP\_CONNECTIONS in INTCHG.ORA**

**Cause:** No PUMP\_CONNECTIONS parameter specified in INTCHG.ORA.

**Action:** Add PUMP\_CONNECTIONS parameter to INTCHG.ORA.

**TNS-00120: Missing PUMPS in INTCHG.ORA**

**Cause:** No PUMPS parameter specified.

**Action:** Add an appropriate number of PUMPS to INTCHG.ORA.

**TNS-00121: Missing CMANAGER\_NAME in INTCHG.ORA**

**Cause:** No CMANAGER\_NAME parameter specified.

**Action:** Define the CMANAGER\_NAME parameter in INTCHG.ORA; it must match the CMANAGER\_NAME parameter used in TNSNET.ORA for that Interchange.

**TNS-00122: Missing ADDRESS(es) in TNSNET.ORA file**

**Cause:** No ADDRESS or ADDRESS\_LIST parameter specified in TNSNET.ORA.

**Action:** Define a valid set of ADDRESSes for the Connection Manager in the TNSNET.ORA file.

**TNS-00123: Unable to perform a listen on configured ADDRESS(es)**

**Cause:** Another process is already listening on this address or the ADDRESS is incorrectly defined.

**Action:** Check the ADDRESS(es) defined in TNSNET.ORA (for the Connection Manager) for errors. Verify that another program is not using them.

**TNS-00124: Internal error - Unable to create empty address**

**Cause:** - Internal error. Should not normally occur.

**Action:** If problem persists contact Oracle Customer Support.

**TNS-00125: Failed to get number of Interchanges in TNSNET.ORA**

**Cause:** Error in the TNSNET.ORA file.

**Action:** Check the contents of TNSNET.ORA and eliminate errors. Regenerate the configuration files.

**TNS-00126: Missing Connection Manager name and address in TNSNET.ORA**

**Cause:** The Interchange name specified in INTCHG.ORA is not defined in the TNSNET.ORA file.

**Action:** Define one Connection Manager name and set of addresses for each Interchange in the network. Regenerate the configuration files.

**TNS-00127: Missing Connection Manager name in TNSNET.ORA**

**Cause:** One or more Connection Manager names are missing.

**Action:** Ensure that each Connection Manager name is defined in TNSNET.ORA. Regenerate TNSNET.ORA.

**TNS-00128: Missing COMMUNITY in TNSNET.ORA**

**Cause:** One or more ADDRESSes does not have a COMMUNITY assigned.

**Action:** Ensure that all addresses have a COMMUNITY defined in TNSNET.ORA.

**TNS-00129: Internal error - Failed to create new community**

**Cause:** Internal Error. Should not normally occur. There may be a resource limitation problem on the machine.

---

**Action:** Stop and restart Interchange. If possible, make more memory available on the machine. If problem persists, contact Oracle Customer Support.

**TNS-00130: Failed to create Interchange's internal address**

**Cause:** There is an error in one of the addresses listed in TNSNET.ORA.

**Action:** Check the file for errors in defining Interchanges.

**TNS-00131: Missing COMMUNITY in COMMUNITY\_COST\_LIST in TNSNET.ORA**

**Cause:** A COMMUNITY keyword-value pair is missing within the COMMUNITY\_COST\_LIST in TNSNET.ORA.

**Action:** Define the communities with a COMMUNITY name and associated COST in COMMUNITY\_COST\_LIST.

**TNS-00132: COST value must be an integer greater than 0**

**Cause:** A community has been defined in TNSNET.ORA with a COST of 0.

**Action:** Assign an alternate value that is greater than 0.

**TNS-00133: Missing LOCAL\_COMMUNITIES field in TNSNAV.ORA**

**Cause:** Improperly configured TNSNAV.ORA file.

**Action:** Define the LOCAL\_COMMUNITIES fields correctly in TNSNAV.ORA.

**TNS-00134: Missing COMMUNITY component in addresses for the Navigator in TNSNAV.ORA**

**Cause:** The addresses specified for the Navigator have no COMMUNITY name.

**Action:** Ensure that all addresses in the NAVIGATOR\_ADDRESSES field have a COMMUNITY entry in the TNSNAV.ORA file.

**TNS-00135: Missing TNS error message file**

**Cause:** No error message file present.

**Action:** Ensure that the ORACLE environment is correctly set for your platform and that there is a message directory that contains the correct error message file.

**TNS-00136: Did not register product/facility for TNS error message**

**Cause:** Error message file error.

**Action:** Ensure that the ORACLE environment is correctly set for your platform and that there is a message directory that contains the correct error message file.

**TNS-00137: Failed to get TNS error message file entry**

**Cause:** No TNS error message file present.

**Action:** Ensure that the ORACLE environment is correctly set for your platform and that there is a message directory that contains the correct error message file.

**TNS-00138: Failed to find ORACLE executable directory**

**Cause:** The ORACLE environment is not correctly set.

**Action:** Ensure that the ORACLE environment is correctly set and the error messages file is in the correct place.

**TNS-00139: Internal - Data passed from the Interchange listener is poorly formed**

**Cause:** Internal error in Interchange.

---

**Action:** Check that you are using compatible components of the Interchange product, using the INTCTL VERSION command. If problem persists call Oracle Customer Support.

**TNS-00140: Interchange specified was not found in network tables**

**Cause:** Could not find the Interchange specified in a control request.

**Action:** Check that the Interchange specified is indeed in TNSNET.ORA.

**TNS-00141: Failed to get file stream information**

**Cause:** Error in the file stream package.

**Action:** None

**TNS-00142: Community mismatch in TNSNAV.ORA**

**Cause:** The communities in the LOCAL\_COMMUNITIES entry in TNSNAV.ORA do not correspond with all the communities in the NAVIGATOR\_ADDRESSES entry.

**Action:** Assure that all communities in the NAVIGATOR\_ADDRESSES correspond to those in the LOCAL\_COMMUNITIES component.

**TNS-00143: Illegal PREFERRED\_CMANGERS entry in TNSNAV.ORA**

**Cause:** PREFERRED\_CMANGERS entry in the TNSNAV.ORA used by the Connection Manager. There should only be a PREFERRED\_NAVIGATORS entry in the TNSNAV.ORA on an Interchange.

**Action:** Remove the PREFERRED\_CMANGERS entry from TNSNAV.ORA and assure that either no PREFERRED\_NAVIGATORS entry is present or that it is correct.

**TNS-00144: PUMP\_CONNECTIONS value in INTCHG.ORA is too large.**

**Cause:** The number of PUMP\_CONNECTIONS specified in INTCHG.ORA is too large to be supported on this platform.

**Action:** Consult the Oracle operating system specific manual for the maximum value for the number of PUMP\_CONNECTIONS.

**TNS-00145: PUMPS value in INTCHG.ORA is too large.**

**Cause:** The number of PUMPS specified in INTCHG.ORA is too large to be supported on this platform.

**Action:** Consult the Oracle operating system specific manual for the maximum value for the number of PUMPS.

**TNS-00146: Internal-- Retry data request withing pump.**

**Cause:** The data space provided in order to receive data from the pump is too small.

**Action:** Operation must be retried with a larger buffer.

**TNS-00147: Failed to start a pre-spawned pump.**

**Cause:** The Connection Manager was unable to start a pump during startup.

**Action:** Check all configuration parameters and assure that they are correct. Turn on tracing to determine the area that the failure occurred in.

**TNS-00200: Unable to do nsanswer on context result=*string***

**Cause:** Requester of service may have aborted or options negotiation failed.

---

**Action:** Try making the connection again. If the problem persists call Oracle Customer Support.

**TNS-00201: Unable to read answer connection data :string:**

**Cause:** Improperly formed connect data sent to the Interchange listener.

**Action:** If problem persists, check the application using the Interchange (it may be closing down or crashing). Call Oracle Customer Support if the problem cannot be located.

**TNS-00202: Failure in redirecting call : Original to string Redirect to string**

**Cause:** Internal - error could not redirect call to a pump or other Interchange listener. The cause may be insufficient network or machine resources.

**Action:** Add resources or close some running applications in order to free up resources. If error persists, call Oracle Customer Support.

**TNS-00203: Unable to start tracing in intlsnr**

**Cause:** Failure in setting up tracing for Interchange listener.

**Action:** Check file permissions in Network trace directory also check to make sure that if trace file names and directories are specified in INTCHG.ORA, they are correct.

**TNS-00204: Started tracing in intlsnr**

**Cause:** Internal message- Successfully started tracing information.

**Action:** None

**TNS-00205: Turning off tracing in intlsnr**

**Cause:** Internal message - Turned off tracing in the Interchange listener.

**Action:** None

**TNS-00206: Status Information for Interchange string:**

**Cause:** Message sent back by Interchange as header for status request.

**Action:** None

**TNS-00207: Uptime : number days number hr. number min. number sec**

**Cause:** Part of status request.

**Action:** None

**TNS-00208: Logging : string**

**Cause:** Part of status request.

**Action:** None

**TNS-00209: Tracing : string**

**Cause:** Part of status request Interchange.

**Action:** None

**TNS-00210: Total Pumps Available : number**

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00211: Total Active Pumps : number**

**Cause:** Part of status request for Connection Manager.

**Action:** None

---

**TNS-00212: Total Pumps Started : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00213: Available Connections : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00214: Total Connections in Use : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00215: Total Successful Connections : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00216: Total Failed Connections : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00217: Total Bytes of Data : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00218: Current Bytes/Sec. : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00219: Pump Strategy : *string***

**Cause:** Part of status request.

**Action:** None

**TNS-00220: Pump Breakdown -----**

**Cause:** Part of status request.

**Action:** None

**TNS-00221: Pump Connections Total Data Bytes/Second**

**Cause:** Part of status request.

**Action:** None

**TNS-00222: -----**

**Cause:** Part of status request.

**Action:** None

**TNS-00223: *numbernumbernumbernumber***

**Cause:** Part of status request.

**Action:** None

**TNS-00224: No more connections available**

**Cause:** More connections were made to the Interchange than are configured in INTCHG.ORA.

---

**Action:** Wait until the Interchange is not as busy or change the number of connections allowed in INTCHG.ORA and restart the Interchange.

**TNS-00225: Unable to bequeath connection to pump**

**Cause:** Unable to start a pump because either the executable cannot be found or too many processes are currently running on a particular machine.

**Action:** Reduce the number of processes on the machine or increase the resources on the machine.

**TNS-00226: Unable to contact pump *number* to send broadcast message *string***

**Cause:** Could not call a particular pump.

**Action:** None, but if the problem persists call Oracle Customer Support.

**TNS-00227: Unable to contact pump; Connection Manager declared pump dead**

**Cause:** A pump became an orphaned process. A protocol adapter is not working properly or machine network resources are being over used.

**Action:** This error is not immediately fatal; the orphaned pump may continue to function. Restart the Interchange when convenient. If the problem persists, call Oracle Customer Support.

**TNS-00228: Failure in finding pump data**

**Cause:** Internal problem with data passed back from pump.

**Action:** None

**TNS-00229: Error in call: unable to deliver message *:string: string string string***

**Cause:** Destination for call is unavailable.

**Action:** None

**TNS-00230: Cannot start new pump process: *string string* Protocol Adapter errors:*number***

**Cause:** Unable to create a new process; possibly there are too many processes on the machine.

**Action:** Free machine resources by exiting other applications on the Interchange machine. If the problem continues you may need more memory on the machine. If you believe there are sufficient resources on the machine but the problem persists, contact Oracle Customer Support.

**TNS-00231: Pump is alive**

**Cause:** Pump log message sent to Interchange listener.

**Action:** None

**TNS-00232: Unable to setup connection**

**Cause:** Error log message sent from pump to indicate failure in initiating connection because of errors in the call string: network problem or resource limitations.

**Action:** None

**TNS-00233: Interchange failed to make contact with destination with errors: *string string string***

**Cause:** Pump call to destination failed.

**Action:** Check destination.

---

**TNS-00234: Connect data for failed call: CALL DATA = *string* RECEIVE DATA = *string*:**

**Cause:** Connect data supplied for error 00233.

**Action:** None

**TNS-00235: Aborting connection: Protocol Apapter errors: *string;number,number string;number,number***

**Cause:** Pump aborting connection because connection has been up too long, or some other network error on the connection.

**Action:** None

**TNS-00236: Failed to initialize tracing**

**Cause:** Pump failed to initialize tracing.

**Action:** Check that INTCHG.ORA is properly configured.

**TNS-00237: Failed to refuse connection**

**Cause:** Connection may have aborted before error took place in Pump.

**Action:** None

**TNS-00238: Pump *number* @: *string*:**

**Cause:** Prepend message to all pump log messages.

**Action:** None

**TNS-00239: Connection Manager has been stopped**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

**TNS-00240: Connection Manager: Logging is now ON**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

**TNS-00241: Connection Manager: Logging is now OFF**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

**TNS-00242: Connection Manager: Tracing is now ON**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

**TNS-00243: Connection Manager: Tracing is now OFF**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

**TNS-00244: Connection Manager: Request Failed**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

**TNS-00245: Connection Manager: Failed to open log file**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

---

**TNS-00246: Connection Manager: Failed to start tracing**

**Cause:** Message sent back to control program from Interchange.

**Action:** None

**TNS-00247: Unable to allocate memory for configuration data from TNSNET.ORA file**

**Cause:** Navigator failed to allocate enough memory for TNSNET.ORA configuration file.

**Action:** Increase machine resources available for running the Interchange or remove some other running applications from the machine.

**TNS-00248: Unable to get information from file *:string*: Exiting with NR error:*number***

**Cause:** TNSNAV.ORA poorly configured or addresses provided are already being used by another application.

**Action:** Check the syntax of the TNSNAV.ORA file; if necessary, assign new addresses.

**TNS-00249: Unable to read network configuration data from file *string* with error: *string***

**Cause:** Network configuration file TNSNET.ORA is missing or poorly configured.

**Action:** Check to make sure that TNSNET.ORA is properly configured.

**TNS-00250: Navigator has been started**

**Cause:** Message to log file on Navigator startup.

**Action:** None

**TNS-00251: Failure in nstest:**

**Cause:** NS test operation failed due to internal error.

**Action:** If the problem persists there may be a network problem or resource limitations on the machine. If these do not seem to be causing the problem, call Oracle Customer Support.

**TNS-00252: Unable to handle route request: *string***

**Cause:** Command requested did not exist.

**Action:** None

**TNS-00253: Error in reading network configuration data from file *string* with error *string***

**Cause:** TNSNET.ORA is poorly configured or nonexistent.

**Action:** Check to make sure that TNSNET.ORA is properly configured.

**TNS-00254: Navigator has been stopped**

**Cause:** Message sent to Interchange control program by Navigator confirming it has been stopped.

**Action:** None

**TNS-00255: Closing down log, stopping Navigator**

**Cause:** Log message when Navigator is stopped.

**Action:** None

**TNS-00256: Status of Navigator:**

- 
- Cause:** Navigator status message component  
**Action:** None
- TNS-00257: Number of Successful Requests : *number***  
**Cause:** Navigator status message component  
**Action:** None
- TNS-00258: Number of Failed Requests : *number***  
**Cause:** Navigator status message component  
**Action:** None
- TNS-00259: Disabled Interchange list:**  
**Cause:** Navigator status message component  
**Action:** None
- TNS-00260: -----**  
**Cause:** Navigator status message component  
**Action:** None
- TNS-00261: Interchange Name Community Link Down Time Remaining (secs)**  
**Cause:** Navigator status message component  
**Action:** None
- TNS-00262: *stringstringnumber***  
**Cause:** Navigator status message component  
**Action:** None
- TNS-00263: Navigator: Request Failed**  
**Cause:** Response from Navigator when a particular request failed.  
**Action:** None
- TNS-00264: Navigator: Failed to reload configuration data**  
**Cause:** Message sent to the Interchange control program when reload of network configuration failed. TNSNET.ORA Poorly configured or missing.  
**Action:** None
- TNS-00265: Navigator: Reloaded network configuration data**  
**Cause:** Message sent to Interchange control program when reload of network is successful.  
**Action:** None
- TNS-00266: Navigator: Unknown Request**  
**Cause:** Request was made to Navigator that it knows nothing about.  
**Action:** None
- TNS-00267: Navigator: Internal Error**  
**Cause:** Generated when a request was made to the Navigator it knows nothing about.  
**Action:** None
- TNS-00268: ON**

---

**Cause:** On component of message.

**Action:** None

**TNS-00269: OFF**

**Cause:** Off component of message.

**Action:** None

**TNS-00270: *string*: Terminal Error *string***

**Cause:** Message put out in error file of executable when it fails to start.

**Action:** None

**TNS-00271: Connection Manager**

**Cause:** Name of the Connection Manager.

**Action:** None

**TNS-00272: Navigator**

**Cause:** Name for the Navigator.

**Action:** None

**TNS-00273: Navigator: Logging is now ON**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00274: Navigator: Logging is now OFF**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00275: Navigator: Tracing is now ON**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00276: Navigator: Tracing is now OFF**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00277: Navigator: Request Failed**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00278: Navigator: Failed to Open Log file**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00279: Navigator: Failed to Start Tracing**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00280: Max Avg Bytes/Sec : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

---

**TNS-00281: Connection Manager: Forced Log output**

**Cause:** Message sent back to control program from Connection Manager.

**Action:** None

**TNS-00282: Connection Manager: Failed to force log, logging is off**

**Cause:** Message sent back to control program from Connection Manager.

**Action:** None

**TNS-00283: Listening on the following TNS addresses:**

**Cause:** Message sent back to control program from Connection Manager.

**Action:** None

**TNS-00284: Imm Max Avg Bytes/Sec : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00285: Avg Connect Time (secs) : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00286: Max Connect Time (secs) : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00287: Min Connect Time (secs) : *number***

**Cause:** Part of status request for Connection Manager.

**Action:** None

**TNS-00288: Navigator: Failed to Disable Interchange**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00289: Navigator: Disabled Interchange**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00290: Navigator: Failed to Enable Interchange**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00291: Navigator: Enabled Interchange**

**Cause:** Message sent back to control program from Navigator.

**Action:** None

**TNS-00292: Log File Name : *string***

**Cause:** Message sent back to control program showing log file name

**Action:** None

**TNS-00293: Trace File Name : *string***

**Cause:** Message sent back to control program showing trace file name

**Action:** None

- 
- TNS-00294: Connection Manager: Security is enabled, you cannot STOP the Interchange**  
**Cause:** Message sent back to control program indicating that the connection manager is secure.  
**Action:** None
- TNS-00295: Navigator: Security is enabled, you cannot STOP the Navigator**  
**Cause:** Message sent back to control program indicating that the Navigator is secure.  
**Action:** None
- TNS-00296: Stoppable : *string***  
**Cause:** Message sent back to control program indicating whether program can be stopped.  
**Action:** None
- TNS-00297: Logging Level : *string***  
**Cause:** Message sent back to control program indicating whether program can be stopped.  
**Action:** None
- TNS-00298: Request to Navigator: *string***  
**Cause:** Log entry for request to Navigator.  
**Action:** None
- TNS-00299: Response from Navigator: *string***  
**Cause:** Log entry for request to Navigator.  
**Action:** None
- TNS-00300: \*\*\*Disabling Interchange : *string***  
**Cause:** Log entry for disabling a particular Interchange.  
**Action:** None
- TNS-00301: \*\*\*Enabling Interchange : *string***  
**Cause:** Log entry for disabling a particular Interchange.  
**Action:** None
- TNS-00302: Connection Manager: Unknown Request**  
**Cause:** Request sent by Interchange control program is unknown.  
**Action:** None
- TNS-00303: Connection Manager: Reread parameter data**  
**Cause:** Request sent by control manager to control programming indicating that parameter data was read.  
**Action:** None
- TNS-00304: Status Information for Connection Manager:**  
**Cause:** Message sent back by Interchange as header for status request.  
**Action:** None
- TNS-00305: The Navigator encountered an invalid/unknown trace level**

- 
- Cause:** Message sent back by the Navigator indicating an invalid trace level.  
**Action:** Reattempt the request with a correct trace level.
- TNS-00306: Connection Manager encountered an invalid/unknown trace level**  
**Cause:** Message sent back by the Connection Manager indicating an invalid trace level.  
**Action:** Reattempt the request with a correct trace level.
- TNS-00307: Navigator: Reread parameter data**  
**Cause:** Request sent by the Navigator to control program indicating that parameter data was read.  
**Action:** None
- TNS-00308: Navigator: Failed to open log while rereading parameter data**  
**Cause:** Request sent by the Navigator to control program indicating that it could not reopen log file after rereading parameter data.  
**Action:** None
- TNS-00309: Connection Manager: Failed to open log while re-reading parameter data**  
**Cause:** Request sent by the Connection Manager to control program indicating that it could not reopen log file after rereading parameter data.  
**Action:** None
- TNS-00310: Navigator: Failed to start tracing after rereading parameter data**  
**Cause:** Message sent back to control program from Navigator.  
**Action:** None
- TNS-00311: Connection Manager: Failed to start tracing after rereading parameter data**  
**Cause:** Message sent back to control program from Connection Manager.  
**Action:** None
- TNS-00312: Connection Manager: Failed to get version information**  
**Cause:** Message sent back to control program from Connection Manager.  
**Action:** None
- TNS-00313: Navigator: Failed to get version information**  
**Cause:** Message sent back to control program from Connection Manager.  
**Action:** None
- TNS-00314: Protocol Adapter Errors: *number,number***  
**Cause:** Protocol Adapter errors which go with message 233  
**Action:** None
- TNS-00315: Failed to allocate larger connect data area for getting pump data: *number***  
**Cause:** Could not allocate a large enough area to get pump statistics; continue without them.  
**Action:** None
- TNS-00316: Ran out of data buffers in the pump**

---

**Cause:** The Interchange is resource limited by having too few data buffers in the pump.

**Action:** If the problem persists (that is, there are a lot of log messages), increase the number of pump buffers by increasing the value of the parameter PUMP\_BUFFERS in INTCHG.ORA. Then shutdown and restart the Interchange to make the changes take effect.

**TNS-00317: Failed to contact Connection Manager**

**Cause:** Connection Manager is not running.

**Action:** Start the Connection Manager and retry

**TNS-00501: Cannot allocate memory**

**Cause:** Sufficient memory could not be allocated to perform the desired activity.

**Action:** Either free some resource for TNS or add more memory to the machine. For further details, turn on tracing and reexecute the operation.

**TNS-00502: Invalid argument**

**Cause:** An internal function received an invalid parameter.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00503: Illegal ADDRESS parameters**

**Cause:** An illegal set of protocol adapter parameters was specified.

**Action:** Check the parameters within the ADDRESS section of the TNSNAMES.ORA file. It may be helpful to turn on tracing and look at the addresses specified in the trace file, checking for spelling or other errors. Be sure to turn tracing off when the trace is complete.

**TNS-00504: Operation not supported**

**Cause:** An internal function received a request to perform an operation that is not supported (on this machine).

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00505: Operation timed out**

**Cause:** The requested operation could not be completed within the timeout period.

**Action:** For further details, turn on tracing and reexecute the operation.

**TNS-00506: Operation would block**

**Cause:** An internal operation did not commence because to do so would block the current process and the user has requested that operations be non-blocking.

**Action:** None needed; this is an information message.

**TNS-00507: Connection closed**

**Cause:** Normal "end of file" condition has been reached; partner has disconnected.

**Action:** None needed; this is an information message.

**TNS-00508: No such protocol adapter**

**Cause:** The protocol adapter requested for this connection does not exist.

**Action:** Install the protocol adapter or use one that is available. Be sure that the correct protocols are listed in the configuration files.

---

**TNS-00509: Buffer overflow**

**Cause:** Too much data for buffer.

**Action:** Reexecute with larger receive buffer or smaller send buffer.

**TNS-00510: Internal limit restriction exceeded**

**Cause:** Too many files or sockets open simultaneously (or some other resource has been depleted).

**Action:** For further details, trace the operation for protocol details.

**TNS-00511: No listener**

**Cause:** The connect request could not be completed because no application is listening on the address specified, or the application is unable to service the connect request in a sufficiently timely manner.

**Action:** Ensure that the supplied destination address matches one of the addresses used by the listener - compare the TNSNAMES.ORA entry with appropriate LISTENER.ORA file (or TNSNAV.ORA if the connection is to go by way of an Interchange. Start the listener on the remote machine.

**TNS-00512: Address already in use**

**Cause:** Specified listener address is already being used.

**Action:** Start your listener with an unused address.

**TNS-00513: Destination host unreachable**

**Cause:** Contact cannot be made with remote party.

**Action:** Make sure the network driver is functioning and the network is up.

**TNS-00514: Contexts have different wait/test functions**

**Cause:** Two protocol adapters have conflicting wait/test functions.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00515: Connect failed because target host or object does not exist**

**Cause:** The address specified is not valid, or the program being connected to does not exist.

**Action:** Ensure the ADDRESS parameters have been entered correctly; the most likely incorrect parameter is the node name. Ensure that the executable for the server exists (perhaps "oracle" is missing.)

**TNS-00516: Permission denied**

**Cause:** User has insufficient privileges to perform the requested operation.

**Action:** Acquire necessary privileges and try again.

**TNS-00517: Lost contact**

**Cause:** Partner has unexpectedly gone away.

**Action:** Investigate partner application for abnormal termination.

**TNS-00518: Incomplete read or write**

**Cause:** A data send or receive failed.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00519: Operating system resource quota exceeded**

---

**Cause:** The current user has exceeded the allotted resource assigned in the operating system.

**Action:** Acquire more operating system resource, or perform a different function.

**TNS-00520: Syntax error**

**Cause:** The supplied connect descriptor contains illegal syntax.

**Action:** Check the syntax of the connect descriptor for correct syntax.

**TNS-00521: Missing keyword**

**Cause:** The supplied connect descriptor is missing one or more TNS keywords.

**Action:** Check the syntax, and ensure all required keywords are present.

**TNS-00522: Operation was interrupted**

**Cause:** An internal operation was interrupted and could not complete.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00523: Previous operation was busy**

**Cause:** Operation tried could not be successfully completed because the requested resource was busy.

**Action:** Attempt the operation again. If error persists, contact Oracle Customer Support.

**TNS-00524: Current operation is still in progress**

**Cause:** Internal operation is still in progress but will complete.

**Action:** None; wait for operation to complete.

**TNS-00525: Insufficient privilege for operation**

**Cause:** Operating system failed to complete operation because user lacked sufficient privileges.

**Action:** Check your platform-specific privileges.

**TNS-00526: No caller (false async event)**

**Cause:** Internal error.

**Action:** For further details, turn on tracing and reexecute the operation.

**TNS-00527: Protocol Adapter not loadable**

**Cause:** On some platforms (for example OS/2) protocol adapters are loaded at run-time. If the shared library (or DLL) for the protocol adapter is missing or one of its supporting libraries is missing, then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will have the name of the shared library (or DLL) that could not be loaded.

**TNS-00528: Protocol Adapter not loaded**

**Cause:** On some platforms (for example OS/2) protocol adapters are loaded at run-time. If the shared library (or DLL) for the protocol adapter has not been loaded, then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will have the name of the shared library (or DLL) that has not been loaded.

**TNS-00530: Protocol adapter error**

**Cause:** A generic protocol adapter error occurred.

---

**Action:** For further details, turn on tracing and reexecute the operation.

**TNS-00532: No previous async operation to wait on**

**Cause:** Internal protocol adapter error.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00533: Connection dissolved or not yet made**

**Cause:** Internal protocol adapter error.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00534: Failed to grant connection ownership to child**

**Cause:** Internal protocol adapter error.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00535: Failed to send or receive disconnect message**

**Cause:** Internal protocol adapter error.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00536: Connection entered inappropriate state**

**Cause:** Internal protocol adapter error.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00537: Index into protocol adapter table is out of legal range**

**Cause:** Internal protocol adapter error.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-00539: Network or Protocol services are down**

**Cause:** The Network services on or from your node are not running or have stopped running.

**Action:** Restart your network or protocol services on this platform. If error persists, contact Oracle Customer Support.

**TNS-00540: SSL protocol adapter failure**

**Cause:** The SSL protocol adapter encountered an error.

**Action:** In most cases, this error should only be pair with a more meaningful ORA- error.

**TNS-00541: underlying transport does not exist.**

**Cause:** The SSL protocol adapter was unable to locate an adapter for the protocol that it is going to use as the data transport.

**Action:** In most cases, the underlying transport is TCP. Make sure that the Oracle Net TCP/IP adapter was installed.

**TNS-00542: SSL Handshake failed**

**Cause:** The SSL protocol adapter was unable to connect to another process.

---

**Action:** This error can be caused by a variety of problems including the termination of the peer process. Enable Oracle Net tracing and attempt the connection again. The trace file should give some clues as to what the exact problem is.

**TNS-00543: internal error**

**Cause:** The SSL protocol adapter encountered an unexpected error.

**Action:** This error is not normally visible to users. Enable Oracle Net tracing and attempt to reproduce the error. If it occurs, contact Oracle customer support.

**TNS-00544: unsupported operation**

**Cause:** The SSL adapter could not perform a given command.

**Action:** This error is not normally visible to users. Enable Oracle Net tracing and attempt to reproduce the error. If it occurs, contact Oracle customer support.

**TNS-00545: parameter retrieval failure**

**Cause:** The SSL protocol adapter was not able to retrieve a configuration parameter for some reason.

**Action:** This error is not normally visible to users. Enable Oracle Net tracing and attempt to reproduce the error. If it occurs, contact Oracle customer support.

**TNS-00546: control failure**

**Cause:** The SSL protocol adapter was unable to perform a command.

**Action:** This error is not normally visible to users. Enable Oracle Net tracing and attempt to reproduce the error. If it occurs, contact Oracle customer support.

**TNS-00547: user information retrieval failed**

**Cause:** The SSL protocol adapter was unable to retrieve information about the remote user.

**Action:** Examine the first error in the error stack. It should describe the error in more detail.

**TNS-00548: value specified for client authentication parameter is not boolean**

**Cause:** The value specified for the parameter that specifies that SSL client authentication is to be used was not boolean.

**Action:** Specify a correct value for the parameter.

**TNS-00549: value specified for the SSL version is not valid**

**Cause:** The value specified for the SSL version is not valid.

**Action:** Specify a valid value for the SSL version.

**TNS-00550: disconnection error**

**Cause:** The SSL protocol adapter encountered an error when the underlying transport disconnected.

**Action:** This error is not normally visible to users. Enable Oracle Net tracing and attempt to reproduce the error. If it occurs, contact Oracle customer support.

**TNS-00551: underlying transport connection failed**

**Cause:** The underlying transport adapter used by the SSL adapter failed to connect.

**Action:** Enable Oracle Net tracing and try the connection again. If the connection fails, examine the trace file to determine the cause.

---

**TNS-00552: no valid cipher suites were specified**

**Cause:** SSL cipher specs were specified, but none were valid.

**Action:** Specify correct cipher suites.

**TNS-00553: read failed**

**Cause:** The SSL adapter failed to read data from its connection.

**Action:** Examine the contents of sqlnet.log for more information. Enable Oracle Net tracing and try the connection again. If the connection fails, examine the trace file to determine the cause.

**TNS-00554: write failed**

**Cause:** The SSL adapter failed to send data over its connection.

**Action:** Examine the contents of sqlnet.log for more information. Enable Oracle Net tracing and try the connection again. If the connection fails, examine the trace file to determine the cause.

**TNS-00555: no directory specified for wallet resource locator**

**Cause:** It was specified that a file was to be used from which to retrieve a wallet, but no directory was specified for the wallet.

**Action:** Specify the directory where the wallet is located.

**TNS-00556: no method specified for wallet retrieval**

**Cause:** A wallet resource locator was specified, but no method was given for the retrieval of the wallet.

**Action:** Specify the method by which the method is to be retrieved.

**TNS-00557: unsupported wallet retrieval method**

**Cause:** The method specified for wallet retrieval is not supported. Currently, only files are supported for wallet retrieval.

**Action:** Specify "FILE" as the wallet retrieval method.

**TNS-00558: Entrust login failed**

**Cause:** Entrust failed to authenticate the username, password, and/or profile name that was presented.

**Action:** Specify correct values for the username, password or profile name. If no data was prompted for, contact Oracle support.

**TNS-00559: load of Entrust certificate failed**

**Cause:** An error occurred while attempting to validate the provided Entrust certificate.

**Action:** This error is not normally visible to users. Enable Oracle Net tracing and attempt to reproduce the error. If it occurs, contact Oracle customer support.

**TNS-00560: extraction of name from Entrust certificate failed**

**Cause:** An error occurred while attempting to extract a name from an Entrust certificate.

**Action:** This error is not normally visible to users. Enable Oracle Net tracing and attempt to reproduce the error. If it occurs, contact Oracle customer support.

**TNS-00580: Read failed due to closed or invalid transport connection**

**Cause:** Read attempt was made on a transport connection which was previously terminated or is somehow deemed to be invalid.

---

**Action:** Indicates a substantial transport level failure. Check the O/S configuration for the particular transport or contact the transport provider. For further details, turn on tracing and reexecute the operation.

**TNS-00581: Send failed due to timeout**

**Cause:** The send operation did not complete within the allowed time interval.

**Action:** Error is informational. Note, repeated receipt of this error could indicate an attempted Denial-Of-Service attack. Also, if the receipt of this error interferes w/ a customer's normal operations, the customer may wish to lengthen the timeout.

**TNS-00582: Receive failed due to timeout**

**Cause:** The receive operation did not complete within the allowed time interval.

**Action:** Error is informational. Note, repeated receipt of this error could indicate an attempted Denial-Of-Service attack. Also, if the receipt of this error interferes w/ a customer's normal operations, the customer may wish to lengthen the timeout.

**TNS-00583: Valid node checking: unable to parse configuration parameters**

**Cause:** Valid node checking was unable to parse the configuration due to syntactical errors.

**Action:** Ensure that the configuration syntax matches the Oracle reference manual documented syntax. For further details, turn on tracing and reexecute the operation.

**TNS-00584: Valid node checking configuration error**

**Cause:** Valid node checking specific Oracle Net configuration is invalid.

**Action:** Ensure the hosts specified in the "invited\_nodes" and "excluded\_nodes" are valid. For further details, turn on tracing and reexecute the operation.

**TNS-01000: spawn [<listener\_name>] <spawn\_alias> [<(ARGUMENTS="arg0, arg1,...")>]**

**Cause:** Control program usage message.

**Action:** None

**TNS-01001: start [<listener\_name>] : start listener**

**Cause:** Control program usage message.

**Action:** None

**TNS-01002: stop [<listener\_name>] : stop listener**

**Cause:** Control program usage message.

**Action:** None

**TNS-01003: status [<listener\_name>] : get the status of listener**

**Cause:** Control program usage message.

**Action:** None

**TNS-01004: reload [<listener\_name>] : reload the parameter files and SIDs**

**Cause:** Control program usage message.

**Action:** None

- 
- TNS-01005: trace OFF | USER | ADMIN | SUPPORT [<listener\_name>] : set tracing to the specified level**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01006: set password : set the password for subsequent calls**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01007: quit | exit : exit LSNRCTL**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01008: version [<listener\_name>] : get the version information of the listener**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01009: service [<listener\_name>] : get the service information of the listener**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01013: set | show trc\_{ } [<value>]: set | show trace parameters of current listener**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01014: set | show log\_{ } [<value>]: set | show log parameters of current listener**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01015: set | show parm\_name [<value>]: sets | shows current listener parm values**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01016: change\_password [<listener\_name>]: changes the password of the listener**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01017: set | show current\_listener [<listener\_name>]: sets | shows current listener**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01018: save\_config [<listener\_name>]: saves configuration changes to parameter file**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-01019: set rawmode ON | OFF: set output mode for services and status commands**

---

**Cause:** Control program usage message.

**Action:** None

**TNS-01020: STATUS of the LISTENER**

**Cause:** Control program status message.

**Action:** None

**TNS-01021: -----**

**Cause:** Control program status message.

**Action:** None

**TNS-01022: Alias *string***

**Cause:** Control program status message.

**Action:** None

**TNS-01023: Version *string***

**Cause:** Control program status message.

**Action:** None

**TNS-01024: Trace Level *string***

**Cause:** Control program status message.

**Action:** None

**TNS-01025: Security *string***

**Cause:** Control program status message.

**Action:** None

**TNS-01026: Start Date *string***

**Cause:** Control program status message.

**Action:** None

**TNS-01027: Listener Trace File *string***

**Cause:** Control program status message.

**Action:** None

**TNS-01028: Listener Log File *string***

**Cause:** Control program status message.

**Action:** None

**TNS-01029: Services Summary...**

**Cause:** Control program status message.

**Action:** None

**TNS-01030: The listener supports no services**

**Cause:** Control program status message.

**Action:** None

**TNS-01033: Listener Parameter File *string***

**Cause:** Control program status message.

**Action:** None

- 
- TNS-01034: Uptime** *number days number hr. number min. number sec*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01036:** *string established:string refused:string*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01037: "string" established:string refused:string**  
**Cause:** Control program status message.  
**Action:** None
- TNS-01038:** *string established:string refused:string current:string max:string state:string*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01039:** *string has string service handler(s)*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01040:** *SNMP string*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01041:** *string parameter "string" set to string*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01042:** *Current Listener is string*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01043:** *Password changed for string*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01044:** *string(Registered) has string service handler(s)*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01045:** *string(Not Registered) has string service handler(s)*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01046:** *Saved string configuration parameters.*  
**Cause:** Control program status message.  
**Action:** None
- TNS-01047:** *Old Parameter File string*  
**Cause:** Control program status message.

---

**Action:** None

**TNS-01048: No changes to save for *string*.**

**Cause:** Control program status message.

**Action:** None

**TNS-01049: *string* (*string*) has *string* service handler(s)**

**Cause:** Control program status message.

**Action:** None

**TNS-01050: *string***

**Cause:** Control program general message.

**Action:** None

**TNS-01052: The command completed successfully**

**Cause:** Control program general message.

**Action:** None

**TNS-01053: Connecting to *string***

**Cause:** Control program general message.

**Action:** None

**TNS-01054: Contacted the listener successfully**

**Cause:** Control program general message.

**Action:** None

**TNS-01055: Successfully stopped the listener**

**Cause:** Control program general message.

**Action:** None

**TNS-01057: Program name: *string***

**Cause:** Control program general message.

**Action:** None

**TNS-01058: Arguments : *string***

**Cause:** Control program general message.

**Action:** None

**TNS-01059: Environment : *string***

**Cause:** Control program general message.

**Action:** None

**TNS-01060: The password has has been set to: *string***

**Cause:** Control program general message.

**Action:** None

**TNS-01061: The password has not been set**

**Cause:** Control program general message.

**Action:** None

**TNS-01062: The db subagent is already running.**

- 
- Cause:** Control program general message.  
**Action:** None
- TNS-01063: The db subagent is not started.**  
**Cause:** Control program general message.  
**Action:** None
- TNS-01064: Listener configuration changes will not be persistent**  
**Cause:** Configuration changes to the listener will not be visible when the listener starts up again as the check-pointing has been turned off in listener.ora  
**Action:** Edit LISTENER.ORA setting USE\_CKPFIL<sub>E</sub>\_LISTENER=true
- TNS-01065: Raw mode is *string***  
**Cause:** Control program general message.  
**Action:** None
- TNS-01066: Presentation: *string***  
**Cause:** Listener starting message.  
**Action:** None
- TNS-01067: Service display mode is *string***  
**Cause:** Control program general message.  
**Action:** None
- TNS-01070: Starting *string*: please wait...**  
**Cause:** Listener starting message.  
**Action:** None
- TNS-01071: *string* is set to *string***  
**Cause:** Listener starting message.  
**Action:** None
- TNS-01072: Started at *string***  
**Cause:** Listener starting message.  
**Action:** None
- TNS-01073: Listening on: *string***  
**Cause:** Listener starting message.  
**Action:** None
- TNS-01074: Error listening on: *string***  
**Cause:** Listener starting message.  
**Action:** None
- TNS-01075: Opened log file: *string***  
**Cause:** Listener starting message.  
**Action:** None
- TNS-01076: Opened trace file: *string***  
**Cause:** Listener starting message.  
**Action:** None

---

**TNS-01077: Opened parameter file:** *string*  
Cause: Listener starting message.  
Action: None

**TNS-01078: Opened name lookup file:** *string*  
Cause: Listener starting message.  
Action: None

**TNS-01079: Attempted to bequeath:** *string*  
Cause: Listener starting message.  
Action: None

**TNS-01080: Listener failed to start. See the error message(s) above...**  
Cause: Listener starting message.  
Action: None

**TNS-01081: Started with pid=***string*  
Cause: Listener starting message.  
Action: None

**TNS-01082: Running in PROXY mode**  
Cause: Listener starting message.  
Action: None

**TNS-01090: No longer listening on:** *string*  
Cause: Listener logging message.  
Action: None

**TNS-01093:** *string \* string \* number*  
Cause: Listener logging message.  
Action: None

**TNS-01094:** *string \* number*  
Cause: Listener logging message.  
Action: None

**TNS-01095:** *string \* string \* string \* number*  
Cause: Listener logging message.  
Action: None

**TNS-01096:** *string \* string \* string \* string \* string \* number*  
Cause: Listener logging message.  
Action: None

**TNS-01097: TIMESTAMP \* CONNECT DATA [\* PROTOCOL INFO] \* EVENT [\* SID] \* RETURN CODE**  
Cause: Listener logging message.  
Action: None

**TNS-01098: TIMESTAMP \* CONNECT DATA \* ADDRESS \* [PRESENTATION \*] COMMAND \* ERROR TIMESTAMP \* [INSTANCE NAME \*] [ADDRESS \*]**

---

[PRESENTATION \*] COMMAND \* ERROR

-----

**Cause:** Listener logging message.

**Action:** None

**TNS-01099:** *string \* string \* string \* string \* number*

**Cause:** Listener logging message.

**Action:** None

**TNS-01100: TNS returned error *number* when attempting to start the listener**

**Cause:** Caused by the fact that the TNSLSNR executable cannot be found in the place expected in your platform's ORACLE environment. Verify that the full pathname of the TNSLSNR executable as displayed by LSNRCTL is correct.

**Action:** If NS error code 12538 is also returned then the BEQ driver is not installed; call Oracle Worldwide Support as the BEQ driver should always be installed. If this is not the problem then the error is probably

**TNS-01101: Could not find service name *string***

**Cause:** The service name could not be resolved by name-lookup.

**Action:** Verify that the listener name or service name specified to LSNRCTL has the correct name and address defined in LISTENER.ORA or in TNSNAMES.ORA.

**TNS-01102: TNS application contacted was not the listener**

**Cause:** Another TNS application such as the Interchange was listening at the address contacted. There may be another TNS application listening at the address contacted and the data returned is not in the appropriate format.

**Action:** Verify that the listener name or service name specified to LSNRCTL has the correct name and address defined in LISTENER.ORA or in TNSNAMES.ORA.

**TNS-01103: Protocol specific component of the address is incorrectly specified**

**Cause:** The ADDRESS used to contact the listener is not correctly specified. This error occurs because the address fails to specify the destination of the listener. The address is well formed (for example, there are no missing parentheses) but it is missing a protocol specific component. For example, this is the error returned when the HOST component is missing from a TCP/IP address string.

**Action:** Edit the ADDRESS in LISTENER.ORA to include the required protocol-specific keywords. For more information about the keywords required by different protocol adapters, see the Oracle operating system specific documentation for your platform.

**TNS-01106: Listener using listener name *string* has already been started**

**Cause:** Another listener is already listening on one of the ADDRESSES specified.

**Action:** Shutdown the previous listener specified by the listener name before starting this one.

**TNS-01107: A valid trace level was not specified**

**Cause:** Failed to specify a valid trace level for the LSNRCTL trace command.

**Action:** Specify one of OFF, USER, ADMIN, or SUPPORT. Type "LSNRCTL help trace" for more information or consult Chapter 2 of this manual for an introduction to the concepts of tracing.

**TNS-01108: Listener password prompt failed**

---

**Cause:** Password not entered via tty  
**Action:** Enter the listener password on a tty device

**TNS-01109: Listener password encryption failed**

**Cause:** Possibly garbled password entered  
**Action:** Re-enter the listener password, using valid ASCII characters. If problem persists, contact Oracle Customer Support.

**TNS-01110: Mismatch - password unchanged**

**Cause:** New password and reentered new password are different"  
**Action:** Re-enter the listener password, make sure that New password and reentered new password are the same

**TNS-01111: Log status can either be ON or OFF**

**Cause:** Failed to specify a log status value for the LSNRCTL log\_status command.  
**Action:** Specify one of ON or OFF. Type "LSNRCTL help set log\_status" for more information or consult Chapter 2 of this manual for an introduction to the concepts of logging.

**TNS-01112: Plug and play can either be ON or OFF**

**Cause:** Failed to specify a valid value for the LSNRCTL use\_plugandplay command.  
**Action:** Specify one of ON or OFF. Type "LSNRCTL help set use\_plugandplay" for more information.

**TNS-01113: save\_config\_on\_stop can either be ON or OFF**

**Cause:** Failed to specify a valid value for the LSNRCTL save\_config\_on\_stop command.  
**Action:** Specify one of ON or OFF. Type "LSNRCTL help set save\_config\_on\_stop" for more information.

**TNS-01114: LSNRCTL could not perform local OS authentication with the listener**

**Cause:** LSNRCTL failed to obtain system resources (heap memory, or shared memory) needed to perform local OS authentication with the listener.  
**Action:** Make sure that system resources like shared memory and heap memory are available for LSNRCTL tool to execute properly.

**TNS-01115: OS error *string* creating shared memory segment of *string* bytes with key *string***

**Cause:** The shared memory segment could not be created as requested. For example, a segment with the provided key may already exist, or the size may be outside of system allowed range.  
**Action:** Use the error code to determine the exact cause of the problem. In certain cases the problem may be resolved by adjusting the system-imposed limits such as the maximum number of allowed shared memory segments, or their maximum and minimum sizes. In other cases, resources need to be freed up first for the operation to succeed.

**TNS-01116: Listener alias name given as connect identifier is too long**

**Cause:** The listener alias name you were attempting to resolve was too long.  
**Action:** The maximum length of a listener alias name is 255 bytes; this limit has been exceeded. Use a smaller listener alias name.

---

**TNS-01150: The address of the specified listener name is incorrect**

**Cause:** The address on which the listener attempted to listen contains a syntax error.

**Action:** For the listener name or service name specified to LSNRCTL, check that the address or connect descriptor is well-formed. You can find the listener name in LISTENER.ORA, or you can access the listener through the service name is TNSNAMES.ORA.

**TNS-01151: Missing listener name, *string*, in LISTENER.ORA**

**Cause:** The listener could not find the listener name specified.

**Action:** Make sure valid addresses on which to listen are specified for the listener name in LISTENER.ORA.

**TNS-01152: All addresses specified for the listener name, *string*, failed**

**Cause:** The listener failed to listen on any of the specified addresses.

**Action:** Make sure that another application is not listening on the addresses specified or check that the appropriate protocol adapters are installed. Turn on tracing and execute again for more information.

**TNS-01153: Failed to process string: *string***

**Cause:** The string specified is not well-formed.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-01154: SID detected in old format that is no longer supported**

**Cause:** One of the SIDs was specified in an obsolete format.

**Action:** Check LISTENER.ORA for a line of the form: <sid> = (SID=(ORACLE\_HOME=<oracle\_home>)) OR <sid> = (SID\_DESC=(ORACLE\_HOME=<oracle\_home>)) The above format is no longer supported and SID\_LIST\_<listener\_name> format described in the Oracle9i Net Services Reference Guide should be used. For example, SID\_LIST\_LISTENER = (SID\_LIST=(SID\_DESC=(SID\_NAME=<sid>)(ORACLE\_HOME=<oracle\_home>)))

**TNS-01155: Incorrectly specified SID\_LIST\_<string> parameter in LISTENER.ORA**

**Cause:** SID\_LIST\_<listener\_name> in LISTENER.ORA has an error in it.

**Action:** Be sure this parameter is specified as described in the Oracle9i Net Services Reference Guide. For example, SID\_LIST\_LISTENER = (SID\_LIST=(SID\_DESC=(SID\_NAME=<sid>)(ORACLE\_HOME=<oracle\_home>)))

**TNS-01156: Missing or inappropriate PROTOCOL, TIMEOUT or POOL\_SIZE parameter from PRESPAWN\_DESC**

**Cause:** PRESPAWN\_DESC in each SID\_DESC does not have required fields.

**Action:** Be sure the parameters required for PRESPAWN\_DESC are specified in each SID\_DESC. For example, SID\_LIST\_LISTENER = (SID\_LIST=(SID\_DESC=(SID\_NAME=<sid>)(PRESPAWN\_MAX=5)(ORACLE\_HOME=<oracle\_home>)(PRESPAWN\_DESC=(PROTOCOL=tcp)(POOL\_SIZE=10)(TIMEOUT=30)))) Add or correct these parameters in the LISTENER.ORA file

**TNS-01157: Can only listen on *number* addresses - ignoring *string***

**Cause:** Too many addresses were given to listen on.

---

**Action:** Reduce the number of addresses to listen on and use another listener to listen on the remaining addresses.

**TNS-01158: Internal connection limit reached, preventing dispatcher from connecting**

**Cause:** The internal Oracle Net connection list is full. Too many dispatchers are connected to the listener; therefore, no more dispatchers are allowed to connect.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-01159: Internal connection limit has been reached; listener has shut down**

**Cause:** The internal Oracle Net connection list is full. The listener is configured to use too many Oracle Net connections.

**Action:** Reduce the number of listen addresses or services connected to the listener. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-01160: Trace level was not specified**

**Cause:** Failed to specify a trace level for the trace command.

**Action:** Specify one of OFF, USER, ADMIN, or SUPPORT. Users should not see this error if LSNRCTL is being used.

**TNS-01161: Spawn alias *string* was not found. Check listener parameter file**

**Cause:** The alias specified to spawn a program was not found in LISTENER.ORA.

**Action:** This is not seen in normal use of Oracle Net.

**TNS-01162: Syntax error in the address resolved from the spawn alias: *string***

**Cause:** The alias specified to spawn a program was not a valid NVstring.

**Action:** This is not seen in normal use of Oracle Net.

**TNS-01163: Failed to spawn process: *string***

**Cause:** The process failed to start correctly.

**Action:** This is not seen in normal use of Oracle Net.

**TNS-01164: No spawn alias sent to listener**

**Cause:** The spawn command was issued without an alias.

**Action:** This is not seen in normal use of Oracle Net.

**TNS-01165: Spawn alias has no program name set in it**

**Cause:** The spawn alias in LISTENER.ORA is incorrectly specified.

**Action:** This is not seen in normal use of Oracle Net.

**TNS-01167: The command *string* is not supported by the listener contacted**

**Cause:** The listener does not recognize the command.

**Action:** This is caused when a newer version of LSNRCTL contacts an old listener. Upgrade listener if executing this command is important.

**TNS-01168: Cannot allocate memory**

**Cause:** Sufficient memory could not be allocated to perform the desired activity.

**Action:** Either free some resource for TNS, or add more memory to the machine. For further details, turn on tracing and reexecute the operation.

---

**TNS-01169: The listener has not recognized the password**

**Cause:** The listener has the password security mechanism enabled and requires the correct password to execute any command other than VERSION. The user attempted to issue one of the privileged administrative commands, but could not be successfully authenticated with the password provided.

**Action:** If an authorized user is attempting the command, then use the SET PASSWORD command at the LSNRCTL prompt with the listener password. If you do not know the password, then you are trying to execute an inappropriate command.

**TNS-01170: Event detection broke for address: *string***

**Cause:** The event detection mechanism for the address specified returned an error.

**Action:** Future attempts to detect events on this address will fail. The listener will deallocate the listen address and connections will no long be accepted for this address. This error is not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-01171: Event detection broke for dispatcher: *string***

**Cause:** The event detection mechanism for the dispatcher specified returned an error.

**Action:** Future attempts to detect events on this dispatcher will fail. The listener will deallocate the dispatcher and connections will no long be redirected to this dispatcher. This error is not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-01172: Listener has shut down since all listen addresses have been deallocated**

**Cause:** The event detection mechanism broke and caused all listen addresses to be removed.

**Action:** Error 1170 has occurred and caused all the listen addresses to be deallocated. Since all the listen addresses have been removed, no more connections can be established to this listener so it shuts itself down. This error is not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-01173: Missing or inappropriate PRESPAWN\_MAX parameter from SID\_DESC**

**Cause:** PRESPAWN\_MAX in each SID\_DESC does not have required fields.

**Action:** Be sure the parameters required for PRESPAWN\_DESC are specified in each SID\_DESC. For example, SID\_LIST\_LISTENER = (SID\_LIST=(SID\_DESC=(SID\_NAME=<sid>)(PRESPAWN\_MAX=15)(ORACLE\_HOME=<oracle\_home>)(PRESPAWN\_DESC=(PROTOCOL=tcp)(POOL\_SIZE=10)(TIMEOUT=30)))) Add or correct these parameters in the LISTENER.ORA file

**TNS-01174: The sum of the POOL\_SIZEs from each PRESPAWN\_DESC is greater than the PRESPAWN\_MAX**

**Cause:** The minimum value for PRESPAWN\_MAX should be the sum of the POOL\_SIZEs.

**Action:** Be sure the parameters required for PRESPAWN\_DESC are specified in each SID\_DESC. For example, SID\_LIST\_LISTENER = (SID\_LIST=(SID\_DESC=(SID\_NAME=<sid>)(PRESPAWN\_MAX=15)(ORACLE\_HOME=<oracle\_home>)(PRESPAWN\_DESC=(PROTOCOL=tcp)(POOL\_

---

SIZE=10)(TIMEOUT=30))(PRESPAWN\_DESC=(PROTOCOL=ipc)(POOL\_SIZE=5)(TIMEOUT=15)))) Add or correct these parameters in the LISTENER.ORA file

**TNS-01175: Password unchanged**

**Cause:** Unable to set the new password

**Action:** Be sure to see that the new password has legal ASCII characters. Try to set the password again.

**TNS-01176: Error in loading the new parameter value**

**Cause:** Illegal values given for the parameters

**Action:** Make sure that the parameter values are valid refer to the manual for the legal values for paramters

**TNS-01177: Log Status is OFF. Log file/directory unchanged**

**Cause:** Log status needs to be set ON for changing the log file

**Action:** use command set log\_status ON to set the log status of the listener ON.

**TNS-01178: Trace Level is 0. Trace file/directory unchanged**

**Cause:** Trace Level needs to be set for changing the trace file/directory

**Action:** use command set trc\_level ON to set the trace level

**TNS-01179: Listener cannot load instance class "*string*"**

**Cause:** Instance tried to register as a class unknown to listener.

**Action:** check LISTENER.ORA and/or instance configuration, and reference platform documentation to find the instance classes available for the listener on this platform.

**TNS-01180: Missing listener object *string* in Directory Server**

**Cause:** The listener could not find the listener object specified.

**Action:** Make sure the listener object is present in the Directory Server.

**TNS-01181: Internal registration connection limit reached**

**Cause:** The number of registration connections has reached the maximum. No more registrations are allowed until some of the existing registration connections are completed.

**Action:** Disconnect existing registration connections if they are no longer needed.

**TNS-01182: Listener rejected registration of service "*string*"**

**Cause:** Received registration information could not be processed because it was invalid, or an internal error occurred.

**Action:** Not normally visible to the user. For further details, turn on tracing and restart the instance. If error persists, contact Oracle Customer Support.

**TNS-01183: Listener rejected registration or update of instance "*string*"**

**Cause:** Received registration or update information could not be processed because it was invalid, or an internal error occurred.

**Action:** Not normally visible to the user. For further details, turn on tracing and restart the instance. If error persists, contact Oracle Customer Support.

**TNS-01184: Listener rejected registration or update of service handler "*string*"**

---

**Cause:** Received registration or update information could not be processed because it was invalid, or an internal error occurred.

**Action:** Not normally visible to the user. For further details, turn on tracing and restart the instance. If error persists, contact Oracle Customer Support.

**TNS-01185: Registration attempted from a remote node**

**Cause:** It was determined that the registering instance is not located on the same node as the listener. It is required that the instance be colocated with the listener for this type of service registration.

**Action:** Check the configuration of the registering instance. Ensure that local\_listener parameter specifies only local listeners. Use remote\_listener parameter to specify remote listeners.

**TNS-01186: Client connection was dropped based on a filtering rule**

**Cause:** Listener was configured with a filtering rule which explicitly specified that the client connection should be terminated without returning an error to the client.

**Action:** Modify the filtering rules if the client should be allowed access to the requested service.

**TNS-01187: No proxy service handler available**

**Cause:** One of the following conditions has occurred:

- the proxy service was not registered
- the proxy service was registered, but was blocking new connections
- all of the registered proxy service handlers were blocking new connections

**Action:** If the proxy service is not registered it may need to be restarted. If the proxy service handlers are busy and not accepting new connections more of them may need to be started to handle the load.

**TNS-01188: Listener cannot operate with incompatible transport protocols**

**Cause:** Listener was configured with multiple listening addresses with different and incompatible transport protocols. Listener cannot operate efficiently in such configuration.

**Action:** Modify the existing listener configuration by removing the listening address that caused the error. Configure a separate listener to listen on this address.

**TNS-01189: The listener could not authenticate the user**

**Cause:** The user attempted to issue a privileged administrative command, but could not be successfully authenticated by the listener using the local OS authentication mechanism. This may occur due to one of the following reasons:

1. The user is running a version of LSNRCTL that is lower than the version of the listener.
2. The user is attempting to administer the listener from a remote node.
3. The listener could not obtain the system resources needed to perform the authentication.
4. The local network connection between the listener and LSNRCTL was terminated unexpectedly during authentication message exchange, such as if LSNRCTL program was suddenly aborted.
5. The communication between the listener and LSNRCTL is being intercepted by a malicious user.

---

6. The software that the user is running is not following the authentication protocol, indicating a malicious user.

**Action:** Make sure that administrative commands are issued using the LSNRCTL tool that is of a version equal or greater than the version of the listener, and that the tool and the listener are running on the same node. You can issue the VERSION command to find out the version of the listener. If a malicious user is suspected, use the information provided in the listener log file to determine the source and nature of the requests. Enable listener tracing for more information. If the error persists, contact Oracle Support Services.

**TNS-01190: The user is not authorized to execute the requested listener command**

**Cause:** Most of the listener administrative commands are only intended to be issued by privileged users, for example DBAs or system administrators. If the listener password is not set, then the listener only accepts administrative requests from LSNRCTL running with the same OS credentials, or running as a local administrator (also referred to as super user).

**Action:** If an authorized user is attempting the command, then make sure that LSNRCTL is executed with the same OS user credentials as the running listener, or as a local administrator.

**TNS-01191: Failed to initialize the local OS authentication subsystem**

**Cause:** Initialization of the security subsystem failed during listener startup or reload. The listener could not obtain system resources (memory, or file descriptors) needed for local OS authentication security mechanism.

**Action:** Make sure that system resources like shared memory and heap memory are available for listener to execute properly. For further details, turn on tracing and execute the operation again. If the error persists, contact Oracle Support Services.

**TNS-01192: Missing SID\_LIST\_ value left of equation for SID description in LISTENER.ORA**

**Cause:** SID description in LISTENER.ORA had an error in it.

**Action:** Make sure the lines of code in LISTENER.ORA containing SID\_DESC or SID begin with SID\_LIST\_ <listener\_name> on the left side of the equation. For example, SID\_LIST\_LISTENER=(SID\_LIST=(SID\_DESC=(SID\_NAME=<sid>)(ORACLE\_HOME=<oracle\_home>)))

**TNS-01193: Listener cannot operate with specified secure transport**

**Cause:** Listener was configured with transport protocols which are either invalid or none of the secure transport protocols are present in listening addresses.

**Action:** Modify the existing listener configuration by specifying a valid transport protocol in secure transport list.

**TNS-01194: The listener command did not arrive in a secure transport**

**Cause:** Most of the listener administrative commands are only intended to be issued in a secure transport, which are configured in secure\_control\_ parameter. If the parameter is set, then the listener accepts administrative requests only on those secure transports.

**Action:** Make sure the command is issued using a transport specified in secure transport list.

**TNS-01200: The listener must be suid root**

**Cause:** The ownership privileges of the TNSLSNR executable are incorrect.

---

**Action:** Contact your DBA or system administrator to change the ownership of the file to be suid root and restart the listener. This action is necessary because the user that started the process should claim ownership.

**TNS-01201: Listener cannot find executable *string* for SID *string***

**Cause:** The executable for the Oracle dedicated server process cannot be found.

**Action:** Check the appropriate SID\_DESC in LISTENER.ORA to make sure that the ORACLE\_HOME component is pointing to a valid location. If this component is not set, then check the value of the ORACLE\_HOME environment variable.

**TNS-01202: Missing the dba group (*string*) specified by DBA\_GROUP in SID\_DESC**

**Cause:** The dba group specified is missing from /ETC/GROUP.

**Action:** Check the DBA\_GROUP parameter in the SID\_DESC in LISTENER.ORA and verify it has a valid entry in /ETC/GROUP.

**TNS-01203: Missing the account (*string*) specified by DEFAULT\_USER\_ACCOUNT in SID\_DESC**

**Cause:** The unprivileged OS account is missing from /etc/passwd.

**Action:** Check the DEFAULT\_USER\_ACCOUNT parameter in the SID\_DESC in LISTENER.ORA and verify it has a valid entry in /etc/passwd. This is the account that the Oracle shadow process will be started with if the the connecting client has database privileges or does not exist on this machine.

**TNS-01204: Unprivileged account (*string*) is in dba group (*string*)**

**Cause:** The unprivileged account has DBA privileges. The unprivileged account specified by DEFAULT\_USER\_ACCOUNT in the SID\_DESC in LISTENER.ORA is a member of the dba group specified by DBA\_GROUP in SID\_DESC. The unprivileged account cannot belong to the dba group because this would be a security violation with OPS\$ logins.

**Action:** Remove the unprivileged account from the dba group.

**TNS-01250: Failed to get ADR Path for trace/alert directory**

**Cause:** The diagnosability API to get the service path returned an error

**Action:** None

**TNS-01251: Cannot set trace/log directory under ADR**

**Cause:** ADR trace and log directories cannot be set by the user.

**Action:** None

**TNS-01300: ERROR at *string***

**Cause:** Listener logging message.

**Action:** None

**TNS-01301: TNS error structure:**

**Cause:** Listener logging message.

**Action:** None

**TNS-01302: nr err code: *number***

**Cause:** Listener logging message.

**Action:** None

- 
- TNS-01303: ns main err code: *number***  
**Cause:** Listener logging message.  
**Action:** None
- TNS-01304: ns secondary err code: *number***  
**Cause:** Listener logging message.  
**Action:** None
- TNS-01305: nt main err code: *number***  
**Cause:** Listener logging message.  
**Action:** None
- TNS-01306: nt secondary err code: *number***  
**Cause:** Listener logging message.  
**Action:** None
- TNS-01307: nt OS err code: *number***  
**Cause:** Listener logging message.  
**Action:** None
- TNS-01400: Instance "*string*" has *number* handlers.**  
**Cause:** Control program status message.  
**Action:** None
- TNS-01401: Class: *string***  
**Cause:** Control program status message.  
**Action:** None
- TNS-01402: TYPE: *string***  
**Cause:** Control program status message.  
**Action:** None
- TNS-01403: Load: *string***  
**Cause:** Control program status message.  
**Action:** None
- TNS-01404: Max Load: *string***  
**Cause:** Control program status message.  
**Action:** None
- TNS-01405: Host: *string***  
**Cause:** Control program status message.  
**Action:** None
- TNS-01406: ID: *string***  
**Cause:** Control program status message.  
**Action:** None
- TNS-01407: Status: *string* Total handlers: *string* Relevant handlers: *string***  
**Cause:** Control program status message.  
**Action:** None

---

**TNS-01408: Instance "*string*", status *string*, has *string* handler(s) for this service...**  
**Cause:** Control program status message.  
**Action:** None

**TNS-01409: Instance "*string*"**  
**Cause:** Control program status message.  
**Action:** None

**TNS-01410: Service "*string*" has *number* instances.**  
**Cause:** Control program status message.  
**Action:** None

**TNS-01411: Service "*string*" has *number* instance(s).**  
**Cause:** Control program status message.  
**Action:** None

**TNS-01412: Handler(s):**  
**Cause:** Control program status message.  
**Action:** None

**TNS-01413: "*string*" established:*string* refused:*string* current:*string* max:*string* state:*string***  
**Cause:** Control program status message.  
**Action:** None

**TNS-01414: "*string*", state *string*, established *string*, refused *string*, current *string*, max *string***  
**Cause:** Control program status message.  
**Action:** None

**TNS-01415: Listening Endpoints Summary...**  
**Cause:** Control program status message.  
**Action:** None

**TNS-01416: Process ID *string***  
**Cause:** Control program status message.  
**Action:** None

**TNS-01417: "*string*" established:*string* refused:*string* state:*string***  
**Cause:** Control program status message.  
**Action:** None

**TNS-01418: Proxy service "*string*" has *number* instance(s).**  
**Cause:** Control program status message.  
**Action:** None

**TNS-01420: Presentation: *string***  
**Cause:** Control program status message.  
**Action:** None

**TNS-01421: Session: *string***

- 
- Cause:** Control program status message.  
**Action:** None
- TNS-01422: Default Service *string***  
**Cause:** Control program status message.  
**Action:** None
- TNS-01441: Number of filtering rules currently in effect: *number***  
**Cause:** Control program status message  
**Action:** None
- TNS-01442: No filtering rules currently in effect.**  
**Cause:** Control program status message  
**Action:** None
- TNS-02020: set displaymode RAW | COMPAT | NORMAL | VERBOSE: output mode for lsnrctl display**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-02021: DIRECT\_HANDOFF can be either ON or OFF.**  
**Cause:** Invalid value for the LSNRCTL direct\_handoff parameter.  
**Action:** Specify one of ON or OFF.
- TNS-02022: show rules: Show rules that are currently in effect**  
**Cause:** Control program usage message.  
**Action:** None
- TNS-02401: gdbname *string* too long, allowed *number* characters**  
**Cause:** gdbname or domain name too long.  
**Action:** Check the gdbname parameter in listener.ora, shorten it.
- TNS-02402: Bad CLBGNAMEs parameter in tnsnames.ora**  
**Cause:** CLBGNAMEs parameter in tnsnames.ora is bad.  
**Action:** Check the CLBGNAMEs parameter format and correct it. Make sure that the tnsnames.ora file is there.
- TNS-02403: Bad alias *string* or alias not present in tnsnames.ora**  
**Cause:** An alias was expected in tnsnames.ora but was not found or was not correctly formed.  
**Action:** Check the tnsnames.ora for the alias and make sure it is correctly formed.
- TNS-02404: Service *string* contains no local handlers**  
**Cause:** The listener found no suitable handler to redirect to.  
**Action:** Make sure that there is at least one handler for this node.
- TNS-02405: GMS call failed, check GMS logs.**  
**Cause:** A GMS call made by the listener failed.  
**Action:** Check if the GMS is up and running. See GMS-client trace files for more information.

---

**TNS-02501: Authentication: no more roles**

**Cause:** When a process attempted to retrieve a role from the authentication service, no more were available.

**Action:** None. This error is used internally and occurs in the normal course of events.

**TNS-02502: Authentication: unable to find initialization function**

**Cause:** The native authentication service was unable to call the initialization function for the specified service because it does not exist.

**Action:** If this service adaptor came directly from Oracle, contact Oracle Customer Support, as this error should never happen. Otherwise, add an initialization function for the service being used.

**TNS-02503: Parameter retrieval failed**

**Cause:** The native service layer was unable to retrieve a parameter from a configuration file.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02504: Parameter count retrieval failed**

**Cause:** The native service layer was unable to determine the number of arguments given for a configuration parameter.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02505: Authentication: null context pointer provided**

**Cause:** The function `nau_ini()` was passed a null pointer as the pointer to the context that it is supposed to use.

**Action:** Call `nau_ini()` with a pointer to a context structure.

**TNS-02506: Authentication: no type string**

**Cause:** An authentication context structure does not contain a string that describes the authentication service being used.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02507: Encryption: algorithm not installed**

**Cause:** After picking an algorithm, the server was unable to find an index for it in its table of algorithms. This should be impossible because the algorithm was chosen (indirectly) from that list.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-02508: Encryption: server negotiation response in error**

**Cause:** The server's response in negotiation was in error.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-02509: Authentication: invalid process state**

**Cause:** The state in which a process is running does not correspond to any of the values which are valid.

---

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02510: Invalid numeric data type**

**Cause:** The type of a piece of numeric data that was received does not correspond to one of the valid values.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02511: Invalid data type**

**Cause:** The type of a piece of data that was received or to be transmitted did not correspond to any of the correct values.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02512: Invalid status received**

**Cause:** A process received a value as a status flag which was unknown.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02513: Requested data type does not match retrieved type**

**Cause:** A service requested data whose type does not match that of the segment which was sent from the other process.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02514: Invalid packet received**

**Cause:** A process received a data packet which was not meant for the native services layer.

**Action:** If it is possible, enable tracing and attempt to reproduce the problem. In any event, contact Oracle Customer Support.

**TNS-02515: Encryption/crypto-checksumming: unknown control type**

**Cause:** An encryption or crypto-checksumming algorithm "control" function was called, but did not recognize the "type" argument it was given.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-02516: No data available**

**Cause:** A native service attempted to retrieve data but no data was available to be received.

**Action:** The error is not normally visible as it usually is only used to signal the end of a data stream. If the error becomes visible, enable tracing to reproduce the problem and contact Oracle Customer Support.

**TNS-02517: key smaller than requested size**

**Cause:** The key returned by negotiation was smaller than the size requested by some service (either encryption or crypto-checksumming).

**Action:** The error is not normally visible. If the error persists, enable tracing to reproduce the problem and contact Oracle Customer Support.

**TNS-02518: key negotiation error**

---

**Cause:** An error occurred while the two sides of the connection were negotiating an encryption or crypto-checksumming key.

**Action:** The error is not normally visible. If the error persists, enable tracing to reproduce the problem and contact Oracle Customer Support.

**TNS-02519: no appropriate key-negotiation parameters**

**Cause:** No appropriate key-negotiation parameters are available for the key size requested either by encryption or by crypto-checksumming.

**Action:** The error is not normally visible. Enable tracing to reproduce the problem and contact Oracle Customer Support.

**TNS-02520: encryption/crypto-checksumming: no Diffie-Hellman seed**

**Cause:** The "sqlnet.crypto\_seed" parameter is missing from the SQLNET.ORA parameters file for Oracle Advanced Security.

**Action:** Add this line to SQLNET.ORA: sqlnet.crypto\_seed = "randomly-chosen text"

**TNS-02521: encryption/crypto-checksumming: Diffie-Hellman seed too small**

**Cause:** The "sqlnet.crypto\_seed" parameter in the SQLNET.ORA parameter file for Oracle Net is too small.

**Action:** Add more randomly-chosen text to it.

**TNS-02524: Authentication: privilege check failed**

**Cause:** An error occurred when the Oracle Advanced Security authentication service attempted to verify that a user had a specific database privilege.

**Action:** This error should not happen normally. Enable tracing and attempt to repeat the error. Contact Customer Support.

**TNS-02525: encryption/crypto-checksumming: self test failed**

**Cause:** The Oracle Advanced Security encryption/crypto-checksumming service detected an error while running tests on the active encryption or checksumming algorithm.

**Action:** Contact Customer Support.

**TNS-02526: server proxy type does not match client type**

**Cause:** The authentication type selected by the server does not match that picked by the client.

**Action:** Contact Oracle Customer Support

**TNS-03501: OK**

**Cause:** The operation succeeded.

**Action:** No action necessary.

**TNS-03502: Insufficient arguments. Usage: tnsping <address> [<count>]**

**Cause:** Some required command-line arguments are missing.

**Action:** Re-enter the command using the correct arguments.

**TNS-03503: Could not initialize NL**

**Cause:** The network library could not be initialized.

**Action:** This is an internal error which should not normally be visible. Ensure that memory is available to run the application and that there are no other operating system problems, and then attempt the command again.

---

**TNS-03504: Service name too long**

**Cause:** The service name you are attempting to ping is too long.

**Action:** Re-enter the command using the correct service name.

**TNS-03505: Failed to resolve name**

**Cause:** The service name you provided could not be found in TNSNAMES.ORA, an Oracle Names server, or a native naming service.

**Action:** Verify that you entered the service name correctly. You may need to ensure that the name was entered correctly into the network configuration.

**TNS-03506: Failed to create address binding**

**Cause:** The TNSPING utility found the requested address or service name, but received an internal error when trying to use it.

**Action:** This is an internal error which should not normally be visible. Ensure that memory is available to run the application and that there are no other operating system problems, and then attempt the command again.

**TNS-03507: Failure looking for ADDRESS keyword**

**Cause:** The TNS address did not contain an ADDRESS keyword.

**Action:** If you entered the TNS address on the command line, be sure that the syntax is correct. If you entered a service name on the command line, the address contains the wrong information. You should verify that the information was entered correctly.

**TNS-03508: Failed to create address string**

**Cause:** The TNSPING utility received an internal error when generating an address.

**Action:** This is an internal error which should not normally be visible. Ensure that memory is available to run the application and that there are no other operating system problems, and then attempt the command again.

**TNS-03509: OK (*number msec*)**

**Cause:** The operation succeeded, in this amount of time.

**Action:** No action necessary.

**TNS-03510: Failed due to I/O error**

**Cause:** An I/O operation failed, perhaps due to a resource failure or premature window termination.

**Action:** This is an internal error which should not normally be visible. Do not close the TNSPING window before all I/O operations have completed.

**TNS-03511: Used parameter files: *string***

**Cause:** Prints out the path of the parameter files(sqlnet.ora,tnsnames.ora) used in the process of resolving the NAME.

**Action:** None

**TNS-03512: Used *string* adapter to resolve the alias**

**Cause:** Prints out the name of the adapter which resolved the TNS alias.

**Action:** None

**TNS-03601: Failed in route information collection**

---

**Cause:** The route could either not connect, or encountered an unsupported version of Oracle Net.

**Action:** Check if Oracle Net along all nodes is version 2.3 or greater.

**TNS-03602: Insufficient arguments. Usage: `trcroute <address>`**

**Cause:** Some required command-line arguments are missing.

**Action:** Re-enter the command using the correct arguments.

**TNS-03603: Encountered a node with a version earlier than SQL\*Net 2.3**

**Cause:** Versions of SQL\*Net before 2.3 do not support `trcroute`.

**Action:** Find the node that isn't responding to `trcroute`.

**TNS-04001: *string***

**Cause:** CMCTL general message.

**Action:** None

**TNS-04002: The command completed successfully.**

**Cause:** Not applicable.

**Action:** None

**TNS-04003: Syntax Error.**

**Cause:** The command issued has a wrong syntax.

**Action:** Check for the command issue syntax, and correct the problem.

**TNS-04004: Unable to encrypt the supplied password.**

**Cause:** The password that was supplied to the `ADMINISTER` command could not be encrypted.

**Action:** Change the password to something acceptable. See Oracle Net Services documentation for valid password values.

**TNS-04005: Unable to resolve address for *string*.**

**Cause:** The alias name supplied with the `ADMINISTER` command could not be resolved to an Oracle Connection Manager address.

**Action:** Check if your an entry for the alias is present in either `CMAN.ORA` file or in `TNSNAMES.ORA` file.

**TNS-04006: Invalid password**

**Cause:** The password given with the `ADMINISTER` command could not be verified by the Oracle Connection Manager instance.

**Action:** Retry with the correct password.

**TNS-04007: Internal error *number*.**

**Cause:** Not normally visible to the user.

**Action:** If error persists, contact Oracle Support Services.

**TNS-04008: *string* | *string***

**Cause:** String parameter value.

**Action:** None

**TNS-04009: *string* | *number***

**Cause:** Integer parameter value.

---

**Action:** None

**TNS-04010: Command cannot be issued before the ADMINISTER command.**

**Cause:** A command was issued before administering the Oracle Connection Manager instance.

**Action:** Enter the ADMINISTER command before retrying this command.

**TNS-04011: Oracle Connection Manager instance not yet started.**

**Cause:** A command was issued when Oracle Connection Manager was not yet started or already shutdown.

**Action:** Start Oracle Connection Manager.

**TNS-04012: Unable to start Oracle Connection Manager instance.**

**Cause:** CMCTL was unable to start the Oracle Connection Manager instance. Some of the possible reasons include: cmadmin not present in ORACLE\_HOME/bin, Invalid parameter in configuration repository, wrong parameter values, or log directory not present.

**Action:** 1. Check whether log directory is present, and is writable. Log directory can be found at ORACLE\_HOME/network/log, or as specified by the LOG\_DIRECTORY parameter in CMAN.ORA.

2. Turn on logging or tracing to get more information about this error.

3. Correct any parameter errors (or mismatched paranthesis), and retry starting Oracle Connection Manager.

4. If the problem persists, contact Oracle Support Services.

**TNS-04013: CMCTL timed out waiting for Oracle Connection Manager to start**

**Cause:** Oracle Connection Manager internal registrations have not been completed.

**Action:** Turn on logging or tracing to get more information about this error. If the problem persists, contact Oracle Support Services.

**TNS-04014: Current instance *string* is already started**

**Cause:** An ADMINISTER command was issued to administer an Oracle Connection Manager instance that is already started.

**Action:** None

**TNS-04015: Current instance *string* is not yet started**

**Cause:** An ADMINISTER command was issued to an instance that has not yet been started.

**Action:** None

**TNS-04016: Connecting to *string***

**Cause:** CMCTL is connecting to the the specified Oracle Connection Manager address.

**Action:** None

**TNS-04017: Please wait. Shutdown in progress.**

**Cause:** A command which cannot be used while Oracle Connection Manager is shutting down was issued.

**Action:** Wait for some time before retrying the command.

---

**TNS-04018: Instance already started**

**Cause:** The STARTUP command was issued to an instance which was already started.

**Action:** None

**TNS-04019: Starting Oracle Connection Manager instance *string*. Please wait...**

**Cause:** The STARTUP command was issued for an Oracle Connection Manager instance. CMCTL is waiting for the instance to start.

**Action:** None

**TNS-04021: The SET command is unsuccessful for parameter *string*.**

**Cause:** The value set for the parameter was out of range.

**Action:** See Oracle Net Services documentation for value ranges for the parameters.

**TNS-04022: *string* parameter *string* set to *string*.**

**Cause:** Parameter value was successfully set.

**Action:** None

**TNS-04023: Command failed.**

**Cause:** The command issued failed to complete successfully.

**Action:** Retry command. If problem persists, contact Oracle Support Services.

**TNS-04037: Connections refer to *string*.**

**Cause:** The ADMINISTER command resolved to the address in the specified message string.

**Action:** None

**TNS-04044: Specified gateways do not exist.**

**Cause:** One or more specified gateway IDs do not exist.

**Action:** Specify correct gateway IDs.

**TNS-04045: Invalid specification of time**

**Cause:** The time specified with the GT (greater than) option was invalid.

**Action:** Check Oracle Net Services documentation for valid time specification.

**TNS-04046: Invalid specification for source**

**Cause:** The source specified with the FROM option was invalid.

**Action:** Check Oracle Net Services documentation for valid source specification.

**TNS-04047: Invalid specification for destination**

**Cause:** The destination specified with the TO option was invalid.

**Action:** Check Oracle Net Services documentation for valid destination specification.

**TNS-04048: Specified service does not exist.**

**Cause:** The service specified with the FOR option did not exist.

**Action:** None

**TNS-04049: Specified connections do not exist**

**Cause:** One or more connection IDs do not exist.

---

**Action:** None

**TNS-04050: Invalid specification for gateway ID.**

**Cause:** The gateway ID specified is invalid.

**Action:** Check Oracle Net Services documentation for a valid gateway ID specification.

**TNS-04063: Remote administration disabled in the Oracle Connection Manager instance.**

**Cause:** CMCTL attempted to connect to a remote Oracle Connection Manager instance in which remote administration was disabled.

**Action:** Set parameter `remote_admin=on` in the remote instance before starting it.

**TNS-04064: The number of CMCTL sessions exceeds MAX\_CMCTL\_SESSIONS.**

**Cause:** The Oracle Connection Manager instance already has MAX\_CMCTL\_SESSIONS number of CMCTLs connected to it.

**Action:** Use an already connected CMCTL, or, use a higher value for the parameter MAX\_CMCTL\_SESSIONS in the CMAN.ORA file.

**TNS-04065: The number of remote CMCTL sessions exceeds (MAX\_CMCTL\_SESSIONS-1)**

**Cause:** The Oracle Connection Manager instance already has (MAX\_CMCTL\_SESSIONS-1) number of remote CMCTL sessions connected to it.

**Action:** Use an already connected CMCTL, or, use a higher value for the parameter MAX\_CMCTL\_SESSIONS in the CMAN.ORA file.

**TNS-04067: Number of connections: *number*.**

**Cause:** Either no information qualifier (COUNT/DETAIL) was present in SHOW CONNECTIONS command, or, COUNT was used as the information qualifier.

**Action:** None

**TNS-04068: Cannot start an Oracle Connection Manager instance remotely.**

**Cause:** CMCTL was used to start Oracle Connection Manager instance in a remote host.

**Action:** Use a local CMCTL to start the Oracle Connection Manager.

**TNS-04069: Sleeping for *number* seconds...**

**Cause:** CMCTL is idle for specified seconds. This feature is only provided for testing purposes.

**Action:** None

**TNS-04070: Cannot administer a remote Oracle Connection Manager instance which is not yet started.**

**Cause:** An attempt was made to administer a remote Oracle Connection Manager instance which is not yet started.

**Action:** Use a local CMCTL session to start the Oracle Connection Manager instance before trying to administer it remotely.

**TNS-04071: Connections closed successfully. Number closed: *number*.**

**Cause:** The specified connections were closed successfully.

**Action:** None

---

**TNS-04072: Unable to suspend atleast one of the gateways.**

**Cause:** CMCTL was unable to suspend one or more gateways. Possible reason could be suspending a gateway that was already suspended or suspending a gateway that was not present.

**Action:** Turn on tracing and logging, retry operation. Information in the log files would help.

**TNS-04073: Passwords do not match.**

**Cause:** The new password and its confirmation do not match

**Action:** Use SET PASSWORD again.

**TNS-04074: Invalid value for the parameter *string*.**

**Cause:** The parameter value set using the SET command is invalid.

**Action:** See Oracle Net Services documentation for the valid values of the parameter.

**TNS-04075: Cannot use ADMINISTER directly from the command line.**

**Cause:** ADMINISTER can only be issued from the CMCTL> prompt.

**Action:** Use the -c option with any command instead of ADMINISTER.

**TNS-04076: Invalid specification for state.**

**Cause:** The state specified with "in" option is invalid.

**Action:** Check Oracle Net Services documentation for valid state specification.

**TNS-04077: WARNING: No password set for the Oracle Connection Manager instance.**

**Cause:** A connection to the Oracle Connection Manager instance was made with no password from the user.

**Action:** Ignore the warning if the Oracle Connection Manager is secure enough. Otherwise, use SET PASSWORD command to set a new password for the instance.

**TNS-04078: Unable to resume atleast one of the gateways.**

**Cause:** CMCTL was unable to resume one or more gateways. Possible reason could be resuming a gateway that was ready for connections, or resuming a gateway that was not present.

**Action:** Turn on tracing and logging, retry operation. Information in the log files would help.

**TNS-04079: Cannot administer Oracle Connection Manager with no CMAN.ORA, and port = *number*.**

**Cause:** CMAN.ORA is not present or address not configured in CMAN.ORA, and the net service name in the TNSNAMES.ORA contains a nondefault Oracle Connection Manager port.

**Action:** Either change the TNSNAMES.ORA entry to use the default port, or configure the CMAN.ORA file with the Oracle Connection Manager's address.

**TNS-04080: Failed to reload**

**Cause:** Oracle Connection Manager failed to reload the new configuration due to errors in the configuration file.

**Action:** Set log\_level to support and retry operation. Error encountered will be logged in the log file of CMADMIN.

---

**TNS-04082: *string event string* set to *string*.**

**Cause:** Event value was successfully set.

**Action:** None

**TNS-04083: Failed to save password**

**Cause:** Oracle Connection Manager failed to save the password in the configuration file.

**Action:** Check for the permissions on the configuration file. The file should have WRITE permissions.

**TNS-04084: WARNING: Non-reloadable parameters have retained their values.**

**Cause:** Values of non-reloadable parameters were changed, or, one or more non-reloadable parameters having non-default values were added to the parameter file.

**Action:** See Oracle Net Services documentation for a list of non-reloadable parameters.

**TNS-04085: Password not changed since last save.**

**Cause:** Password has not been changed since it was last saved.

**Action:** None

**TNS-04086: Invalid value for the event *string*.**

**Cause:** The event value set using the SET EVENT command is invalid.

**Action:** See Oracle Net Services documentation for the valid values of the event.

**TNS-04087: Unable to shutdown atleast one of the gateways.**

**Cause:** CMCTL was unable to shutdown one or more gateways. Possible reason could be shutting down a gateway that was not present.

**Action:** Turn on tracing and logging, retry operation. Information in the log files would help.

**TNS-04088: Unable to close atleast one of the connections.**

**Cause:** CMCTL was unable to close one or more connections. Possible reason could be closing a connection that was not present.

**Action:** Turn on tracing and logging, retry operation. Information in the log files would help.

**TNS-04089: Alias name too long.**

**Cause:** User entered an alias name that exceeded 64 characters.

**Action:** Retry with a shorter alias name. Alias names have to be less than 65 characters.

**TNS-04140: Migration completed successfully.**

**Cause:** CMMIGR has successfully completed the migration of the old CMAN.ORA file to the new format.

**Action:** None

**TNS-04141: Unable to find CMAN.ORA file.**

**Cause:** CMMIGR was not able to find CMAN.ORA file.

**Action:** Check whether CMAN.ORA file is present in \$TNS\_NAME/admin, or in \$ORACLE\_HOME/network/admin, or in the path specified in the command line.

---

**TNS-04142: CMAN.ORA file has an invalid format.**

**Cause:** CMMIGR was unable to recognize the format of CMAN.ORA file.

**Action:** Check for the syntax errors in CMAN.ORA file, and correct them.

**TNS-04143: Unable to write the new CMAN.ORA file.**

**Cause:** CMMIGR was unable to create the new CMAN.ORA file due to insufficient permissions.

**Action:** Set WRITE permissions to the directory in which CMAN.ORA file is to be written.

**TNS-04144: Nothing to migrate**

**Cause:** CMMIGR did not find anything in the old CMAN.ORA file that has an equivalent in the new format.

**Action:** None

**TNS-04201: Trace Assistant Usage ERROR: Missing File name**

**Cause:** Trace file name argument is missing

**Action:** Put the trace file name as the last command line argument for for this tool.

**TNS-04202: Trace Assistant Usage ERROR: Not enough arguments**

**Cause:** The <file name> and/or the <options> arguments are missing

**Action:** Put the right number of command line arguments.

**TNS-04203: Trace Assistant Usage ERROR: Invalid options**

**Cause:** The options provided are not valid

**Action:** Check the valid options for this tool.

**TNS-04204: Trace Assistant Internal ERROR: Couldn't Open trace file**

**Cause:** The trace file name given doesn't exist or it is not accessible for this user.

**Action:** Check the spelling, and permissions of the trace file.

**TNS-04205: Trace Assistant Internal ERROR: Memory**

**Cause:** Possible memory problem

**Action:** Verify the amount of available memory on the system.

**TNS-04206: Trace Assistant Internal ERROR: Packet Type**

**Cause:** The packet type read by trcAsst is not valid.

**Action:** Verify that your trace file is not corrupted. If trace file looks OK, with not strange characters in it, contact World Wide Support and provide trace file to them.

**TNS-04207: Trace Assistant Internal ERROR: Packet Length**

**Cause:** The packet being decode is corrupted.

**Action:** Verify that your trace file is not corrupted. If trace file looks OK, with not strange characters in it, contact World Wide Support and provide trace file to them.

**TNS-04208: Trace Assistant Internal ERROR: Fatal**

**Cause:** Fatal internal error

**Action:** Contact World Wide Support.

**TNS-04209: Trace Assistant Internal ERROR: Type Error**

---

**Cause:** Internal type error,  
**Action:** Contact World Wide Support.

**TNS-04210: Trace Assistant Internal ERROR: End of File**

**Cause:** Reaching End of File to soon. Not able to decode trace file. Your trace file appears to be truncated.  
**Action:** Generate another trace file. This trace file can not be decoded.

**TNS-04211: Trace Assistant Internal ERROR: CORE**

**Cause:** Internal System Error  
**Action:** Contact World Wide Support.

**TNS-04212: Trace Assistant Internal ERROR: NACOM Type Error**

**Cause:** Not able to decode Network Authentication information  
**Action:** Contact World Wide Support.

**TNS-04231: Trace Assistant WARNING: Assuming Oracle trace format**

**Cause:** This trace file may not be a Network trace file. The default format (Oracle Trace) will be assumed.  
**Action:** None

**TNS-04232: Trace Assistant WARNING: Not retrieving all rows**

**Cause:** Trace Assistant won't retrieve all the rows data.  
**Action:** None

**TNS-04233: Trace Assistant WARNING: Going beyond Packet length**

**Cause:** Trying to read beyond packet length. The trace file may be corrupted  
**Action:** None

**TNS-04234: Trace Assistant WARNING: won't decode TTC**

**Cause:** Trace assistant does not have enough information to decode TTC data. This maybe an old trace file or from a platform that trace assistant does not understand.  
**Action:** None

**TNS-04235: Trace Assistant WARNING: Unknown TTC protocol**

**Cause:** Trace Assistant has reached a point in which the TTC protocol can not be understood.  
**Action:** None

**TNS-12150: TNS:unable to send data**

**Cause:** Unable to send data. Connection probably disconnected.  
**Action:** Reestablish connection. If the error is persistent, turn on tracing and reexecute the operation.

**TNS-12151: TNS:received bad packet type from network layer**

**Cause:** Internal error.  
**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**TNS-12152: TNS:unable to send break message**

**Cause:** Unable to send break message. Connection probably disconnected.

---

**Action:** Reestablish connection. If the error is persistent, turn on tracing and reexecute the operation.

**TNS-12153: TNS:not connected**

**Cause:** Not currently connected to a remote host.

**Action:** Reestablish connection.

**TNS-12154: TNS:could not resolve the connect identifier specified**

**Cause:** A connection to a database or other service was requested using a connect identifier, and the connect identifier specified could not be resolved into a connect descriptor using one of the naming methods configured. For example, if the type of connect identifier used was a net service name then the net service name could not be found in a naming method repository, or the repository could not be located or reached.

**Action:**

- If you are using local naming (TNSNAMES.ORA file):
  - Make sure that "TNSNAMES" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA)
  - Verify that a TNSNAMES.ORA file exists and is in the proper directory and is accessible.
  - Check that the net service name used as the connect identifier exists in the TNSNAMES.ORA file.
  - Make sure there are no syntax errors anywhere in the TNSNAMES.ORA file. Look for unmatched parentheses or stray characters. Errors in a TNSNAMES.ORA file may make it unusable.
- If you are using directory naming:
  - Verify that "LDAP" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
  - Verify that the LDAP directory server is up and that it is accessible.
  - Verify that the net service name or database name used as the connect identifier is configured in the directory.
  - Verify that the default context being used is correct by specifying a fully qualified net service name or a full LDAP DN as the connect identifier
- If you are using easy connect naming:
  - Verify that "EZCONNECT" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
  - Make sure the host, port and service name specified are correct.
  - Try enclosing the connect identifier in quote marks. See the Oracle Net Services Administrators Guide or the Oracle operating system specific guide for more information on naming.

**TNS-12155: TNS:received bad datatype in NSWMARKER packet**

**Cause:** Internal error during break handling.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**TNS-12156: TNS:tried to reset line from incorrect state**

---

**Cause:** Internal error during break handling.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**TNS-12157: TNS:internal network communication error**

**Cause:** Internal error during network communication.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**TNS-12158: TNS:could not initialize parameter subsystem**

**Cause:** Unable to locate parameter file.

**Action:** Verify that a valid parameter file exists, and is readable.

**TNS-12159: TNS:trace file not writeable**

**Cause:** The trace file to be generated is not writeable by this user.

**Action:** If the user does not have write permissions in the directory to which the trace file will be written, contact an administrator to get the proper permissions or set the TRACE\_DIRECTORY\_CLIENT parameter in the net profile (SQLNET.ORA file) to a directory the user can write to.

**TNS-12160: TNS:internal error: Bad error number**

**Cause:** Corrupt error reporting subsystem.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**TNS-12161: TNS:internal error: partial data received**

**Cause:** The connection may be terminated.

**Action:** Reconnect and try again. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**TNS-12162: TNS:net service name is incorrectly specified**

**Cause:** The connect descriptor corresponding to the net service name in TNSNAMES.ORA or in the directory server (Oracle Internet Directory) is incorrectly specified.

**Action:** If using local naming make sure there are no syntax errors in the corresponding connect descriptor in the TNSNAMES.ORA file. If using directory naming check the information provided through the administration used for directory naming.

**TNS-12163: TNS:connect descriptor is too long**

**Cause:** The connect descriptor corresponding to the net service name specified as the connect identifier is too long. The maximum length for a connect descriptor is 512 bytes and this limit has been exceeded.

**Action:** Check the net service name's connect descriptor in the local naming file (TNSNAMES.ORA) or in the directory server (Oracle Internet Directory). Use a smaller connect descriptor. If this is not possible, contact Worldwide Customer Support.

**TNS-12164: TNS:Sqlnet.fdf file not present**

**Cause:** The sqlnet.fdf file doesn't exist in \$ORACLE\_HOME/network/admin.

---

**Action:** The sqlnet.fdf file is required for Oracle Tracing to occur. Either install the sqlnet.fdf file in \$ORACLE\_HOME/network/admin or turn off tracing in your ORA file.

**TNS-12165: TNS:Trying to write trace file into swap space.**

**Cause:** Oracle Trace doesn't allow writing trace information into your swap space.

**Action:** Oracle Trace cannot write trace information into swap space so either disable tracing or redirect trace files to be written to another area of your disk.

**TNS-12166: TNS:Client can not connect to HO agent.**

**Cause:** NVstring contained DESCRIPTION/HO.

**Action:** Call HO agent from integrating server.

**TNS-12168: TNS:Unable to contact LDAP Directory Server**

**Cause:** Cannot contact LDAP directory server to get Oracle Net configuration.

**Action:** Verify that the directory server is up and accessible from the network. Verify that directory access configuration is correct. For more information see the Oracle Internet Directory Administrators Guide or the Oracle Net Administrators Guide.

**TNS-12169: TNS:Net service name given as connect identifier is too long**

**Cause:** The net service name you are attempting to resolve is too long.

**Action:** The maximum length of a net service name is 255 bytes; this limit has been exceeded. Use a smaller net service name. If this is not possible, contact Worldwide Customer Support.

**TNS-12170: TNS:Connect timeout occurred**

**Cause:** The server shut down because connection establishment or communication with a client failed to complete within the allotted time interval. This may be a result of network or system delays; or this may indicate that a malicious client is trying to cause a Denial of Service attack on the server.

**Action:** If the error occurred because of a slow network or system, reconfigure one or all of the parameters SQLNET.INBOUND\_CONNECT\_TIMEOUT, SQLNET.SEND\_TIMEOUT, SQLNET.RECV\_TIMEOUT in sqlnet.ora to larger values. If a malicious client is suspected, use the address in sqlnet.log to identify the source and restrict access. Note that logged addresses may not be reliable as they can be forged (e.g. in TCP/IP).

**TNS-12171: TNS:could not resolve connect identifier: *string***

**Cause:** A connection to a database or other service was requested using a connect identifier, and the connect identifier specified could not be resolved into a connect descriptor using one of the naming methods configured. For example, if the type of connect identifier used was a net service name then the net service name could not be found in a naming method repository, or the repository could not be located or reached.

**Action:**

- If you are using local naming (TNSNAMES.ORA file):

- Make sure that "TNSNAMES" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA)

- 
- Verify that a TNSNAMES.ORA file exists and is in the proper directory and is accessible.
  - Check that the net service name used as the connect identifier exists in the TNSNAMES.ORA file.
  - Make sure there are no syntax errors anywhere in the TNSNAMES.ORA file. Look for unmatched parentheses or stray characters. Errors in a TNSNAMES.ORA file may make it unusable.
  - If you are using directory naming:
    - Verify that "LDAP" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
    - Verify that the LDAP directory server is up and that it is accessible.
    - Verify that the net service name or database name used as the connect identifier is configured in the directory.
    - Verify that the default context being used is correct by specifying a fully qualified net service name or a full LDAP DN as the connect identifier
  - If you are using easy connect naming:
    - Verify that "EZCONNECT" is listed as one of the values of the NAMES.DIRECTORY\_PATH parameter in the Oracle Net profile (SQLNET.ORA).
    - Make sure the host, port and service name specified are correct.
    - Try enclosing the connect identifier in quote marks. See the Oracle Net Services Administrators Guide or the Oracle operating system specific guide for more information on naming.

**TNS-12196: TNS:received an error from TNS**

**Cause:** The navigation layer received an error from TNS.

**Action:** See the error log file for the specific TNS error.

**TNS-12197: TNS:keyword-value resolution error**

**Cause:** The navigation layer received an error while trying to look up a value for a keyword.

**Action:** Check the syntax of the connect descriptor.

**TNS-12198: TNS:could not find path to destination**

**Cause:** Could not navigate a path through Interchanges to the destination. This error occurs if an invalid community is in the address string, or the address includes a protocol that is not available or the TNSNAV.ORA file does not have a correct CMANAGER address specified or the Interchange is down.

**Action:** Assure that Interchanges necessary to get to the desired destination are up and have available capacity for an additional connection. Also check that the correct community and protocol have been specified in the CMANAGER address used.

**TNS-12200: TNS:could not allocate memory**

**Cause:** Out of memory on machine.

**Action:** Reconfigure machine to have more storage or run fewer applications while the Interchange is running.

**TNS-12201: TNS:encountered too small a connection buffer**

---

**Cause:** TNS connection buffer supplied by the application was too small to retrieve the data sent back.

**Action:** Supply a larger connection buffer. If problem persists, call Worldwide Customer Support.

**TNS-12202: TNS:internal navigation error**

**Cause:** Internal navigation error.

**Action:** Not normally visible to the user. For further details contact Worldwide Customer Support.

**TNS-12203: TNS:unable to connect to destination**

**Cause:** Invalid address specified or destination is not listening. This error can also occur because of underlying network or network transport problems.

**Action:** Verify that the net service name you entered was correct. Verify that the ADDRESS portion of the connect descriptor which corresponds to the net service name is correct. Ensure that the destination process (for example the listener) is running at the remote node.

**TNS-12204: TNS:received data refused from an application**

**Cause:** The application using Connection Manager refused the connection at the listener.

**Action:** Make sure that the application listener at the destination is functioning correctly. If it is and the problem persists, contact Worldwide Customer Support.

**TNS-12205: TNS:could not get failed addresses**

**Cause:** Internal navigation error.

**Action:** Not normally visible to the user. For further details contact Worldwide Customer Support.

**TNS-12206: TNS:received a TNS error during navigation**

**Cause:** Internal navigation error because of an unexpected TNS error.

**Action:** Look at the log file to find the TNS error. If necessary, turn on tracing and repeat the operation.

**TNS-12207: TNS:unable to perform navigation**

**Cause:** Improperly configured navigation file TNSNAV.ORA.

**Action:** Check the syntax of the TNSNAV.ORA file on the application's machine, and verify that it lists the correct communities.

**TNS-12208: TNS:could not find the TNSNAV.ORA file**

**Cause:** Either the ORACLE environment is not set up correctly, or the TNSNAV.ORA file is not present.

**Action:** Ensure that the ORACLE environment is set up appropriately on your platform and that a TNSNAV.ORA file is present.

**TNS-12209: TNS:encountered uninitialized global**

**Cause:** Application calling navigation routine has not properly configured the global variables. There are no TNSNAV.ORA files available, or they are defective.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Worldwide Customer Support.

**TNS-12210: TNS:error in finding Navigator data**

---

**Cause:** Application calling navigation routine has not properly configured the TNSNAV.ORA file.

**Action:** Check the syntax of the TNSNAV.ORA file.

**TNS-12211: TNS:needs PREFERRED\_CMANGERS entry in TNSNAV.ORA**

**Cause:** TNSNAV.ORA does not have a PREFERRED\_CMANGERS defined.

**Action:** Add a PREFERRED\_CMANGERS entry to the TNSNAV.ORA file.

**TNS-12212: TNS:incomplete PREFERRED\_CMANGERS binding in TNSNAV.ORA**

**Cause:** The PREFERRED\_CMANGERS binding in the client's TNSNAV.ORA file does not have a CMANGER\_NAME specified.

**Action:** Define the CMANGER\_NAME as part of the PREFERRED\_CMANGERS binding. Use of the Oracle Network Manager should eliminate this error.

**TNS-12213: TNS:incomplete PREFERRED\_CMANGERS binding in TNSNAV.ORA**

**Cause:** The PREFERRED\_CMANGERS binding in the client's TNSNAV.ORA file does not have an ADDRESS specified.

**Action:** Define the ADDRESS as part of the PREFERRED\_CMANGERS binding.

**TNS-12214: TNS:missing local communities entry in TNSNAV.ORA**

**Cause:** There is no LOCAL\_COMMUNITIES entry in TNSNAV.ORA.

**Action:** Define the LOCAL\_COMMUNITIES for this node in the TNSNAV.ORA file.

**TNS-12215: TNS:poorly formed PREFERRED\_NAVIGATORS Addresses in TNSNAV.ORA**

**Cause:** Address binding for PREFERRED\_NAVIGATORS entry is improperly entered. entry.

**Action:** Check your PREFERRED\_NAVIGATORS entry and fix it in TNSNAV.ORA

**TNS-12216: TNS:poorly formed PREFERRED\_CMANGERS addresses in TNSNAV.ORA**

**Cause:** Address binding for the PREFERRED\_CMANGERS entry in the client's TNSNAV.ORA file is improperly entered.

**Action:** Define the ADDRESS as part of the PREFERRED\_CMANGERS binding.

**TNS-12217: TNS:could not contact PREFERRED\_CMANGERS in TNSNAV.ORA**

**Cause:** There is a syntax error in the PREFERRED\_CMANGERS entry, or addresses specified are wrong, or the intended Connection Managers are unavailable.

**Action:** Check the PREFERRED\_CMANGERS entries in the client's TNSNAV.ORA file and correct them or talk with your network administrator to determine if the specified Connection Managers are available. Verify that the Interchanges are active by using the INTCTL STATUS command.

**TNS-12218: TNS:unacceptable network configuration data**

**Cause:** Poorly formed network configuration data. For example, a PREFERRED\_CMANGERS entry may have an incorrect CMANGER\_NAME in the client's

---

TNSNAV.ORA file. Or an Interchange downtime parameter (TIMEOUT\_INTERVAL) on the Navigator may be set to zero in INTCHG.ORA.

**Action:** Check the entries in TNSNAV.ORA and the Interchange configuration files and correct them. If necessary, talk with your network administrator to determine if the specified Interchanges (Connection Managers) are available and properly configured. Use the Oracle Network Manager to generate the configuration files if necessary.

**TNS-12219: TNS:missing community name from address in ADDRESS\_LIST**

**Cause:** This error occurs when an ADDRESS\_LIST has some ADDRESSes in it that have no COMMUNITY component and others that do have a COMMUNITY component.

**Action:** Check that in the connect descriptors you are using either all the ADDRESSes have a COMMUNITY component or all do not.

**TNS-12221: TNS:illegal ADDRESS parameters**

**Cause:** An illegal set of protocol adapter parameters was specified. In some cases, this error is returned when a connection cannot be made to the protocol transport.

**Action:** Verify that the destination can be reached using the specified protocol. Check the parameters within the ADDRESS section of TNSNAMES.ORA or in the directory. Legal ADDRESS parameter formats may be found in the Oracle operating system specific documentation or the Oracle Net Administrator's Guide. Protocols that resolve names at the transport layer are vulnerable to this error if not properly configured or names are misspelled.

**TNS-12222: TNS:no support is available for the protocol indicated**

**Cause:** The protocol requested in the ADDRESS portion of the connect descriptor identified through the net service name is not available. If the supplied ADDRESS is typographically correct then support for that protocol is not installed.

**Action:** Install support for the protocol or correct typographical error, as appropriate. Note: if the supplied address was derived from resolving the net service name, check the address in the appropriate file (TNSNAMES.ORA, LISTENER.ORA) or in the directory server.

**TNS-12223: TNS:internal limit restriction exceeded**

**Cause:** Too many TNS connections open simultaneously.

**Action:** Wait for connections to close and re-try.

**TNS-12224: TNS:no listener**

**Cause:** The connection request could not be completed because the listener is not running.

**Action:** Ensure that the supplied destination address matches one of the addresses used by the listener - compare the TNSNAMES.ORA entry with the appropriate LISTENER.ORA file (or TNSNAV.ORA if the connection is to go by way of an Interchange). Start the listener on the remote machine.

**TNS-12225: TNS:destination host unreachable**

**Cause:** Contact can not be made with remote party.

**Action:** Make sure the network driver is functioning and the network is up.

**TNS-12226: TNS:operating system resource quota exceeded**

**Cause:** The current user has exceeded the allotted resource assigned in the operating system.

---

**Action:** Acquire more operating system resource, or perform a different function.

**TNS-12227: TNS:syntax error**

**Cause:** The supplied connect descriptor contains illegal syntax.

**Action:** Check the syntax of the connect descriptor in TNSNAMES.ORA.

**TNS-12228: TNS:protocol adapter not loadable**

**Cause:** On some platforms (such as Windows) protocol support is loaded at run-time. If the shared library (or DLL) for the protocol adapter is missing or one of its supporting libraries is missing then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will include the name of the shared library (or DLL) that could not be loaded.

**TNS-12229: TNS:Interchange has no more free connections**

**Cause:** One or more Interchanges along the path to the destination desired has no more free connections available to be used for this call.

**Action:** Try again later when the Interchanges are less busy, or contact your network administrator to have him determine which interchange it is, and increase the number of connections available on that interchange.

**TNS-12230: TNS:Severe Network error occurred in making this connection**

**Cause:** This error is reported by an interchange which fails to make contact with the destination due to a physical network error while calling a destination.

**Action:** Try again later when the network service may have been fixed or report the problem to your Network Administrator so that he may fix the problem.

**TNS-12231: TNS:No connection possible to destination**

**Cause:** This error is reported by an interchange which fails to find a possible connection along the path to the destination.

**Action:** Report the problem to your Network Administrator so that he may fix the problem.

**TNS-12232: TNS:No path available to destination**

**Cause:** This error is reported by an interchange which fails to find a possible path to the destination.

**Action:** Report the problem to your Network Administrator so that he may fix the problem.

**TNS-12233: TNS:Failure to accept a connection**

**Cause:** This error is reported by an interchange which fails to accept a connection due to a redirect failure.

**Action:** Report the problem to your Network Administrator so that he may isolate the interchange problem.

**TNS-12234: TNS:Redirect to destination**

**Cause:** This error is reported by an interchange which determines that this interchange is not the right gateway and needs to redirect the connection to another gateway along the path to the destination.

**Action:** None

**TNS-12235: TNS:Failure to redirect to destination**

**Cause:** This error is reported by an interchange which fails to redirect a connection to another interchange along the path to the destination.

---

**Action:** Report the problem to your Network Administrator so that he may fix the problem.

**TNS-12236: TNS:protocol support not loaded**

**Cause:** On some platforms (such as Windows) protocol support is loaded at run-time. If the shared library (or DLL) for the protocol adapter has not been loaded, then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will have the name of the shared library (or DLL) that has not been loaded.

**TNS-12500: TNS:listener failed to start a dedicated server process**

**Cause:** The process of starting up a dedicated server process failed. The executable could not be found or the environment may be set up incorrectly.

**Action:** Turn on tracing at the ADMIN level and reexecute the operation. Verify that the ORACLE Server executable is present and has execute permissions enabled. Ensure that the ORACLE environment is specified correctly in LISTENER.ORA. The Oracle Protocol Adapter that is being called may not be installed on the local hard drive. Please check that the correct Protocol Adapter are successfully linked. If error persists, contact Oracle Customer Support.

**TNS-12502: TNS:listener received no CONNECT\_DATA from client**

**Cause:** No CONNECT\_DATA was passed to the listener.

**Action:** Check that the service name resolved from TNSNAMES.ORA has the CONNECT\_DATA component of the connect descriptor.

**TNS-12504: TNS:listener was not given the SERVICE\_NAME in CONNECT\_DATA**

**Cause:** The listener was not configured with a default service and SERVICE\_NAME was missing from the CONNECT\_DATA received by the listener.

**Action:** Possible solutions are:

- Configure DEFAULT\_SERVICE parameter in LISTENER.ORA with a valid service name. Reload the listener parameter file using reload [<listener\_name>]. This should be done by the LISTENER administrator.

- If using a service name, Check that the connect descriptor corresponding to the service name in TNSNAMES.ORA has a SERVICE\_NAME or SID component in the CONNECT\_DATA.

**TNS-12505: TNS:listener does not currently know of SID given in connect descriptor**

**Cause:** The listener received a request to establish a connection to a database or other service. The connect descriptor received by the listener specified a SID for an instance (usually a database instance) that either has not yet dynamically registered with the listener or has not been statically configured for the listener. This may be a temporary condition such as after the listener has started, but before the database instance has registered with the listener.

**Action:**

- Wait a moment and try to connect a second time.

- Check which instances are currently known by the listener by executing: lsnrctl services <listener name>

- Check that the SID parameter in the connect descriptor specifies an instance known by the listener.

---

- Check for an event in the listener.log file.

**TNS-12508: TNS:listener could not resolve the COMMAND given**

**Cause:** d by incompatible Oracle Net or Net8 versions. Do not include in error manual.

**Action:** This is not seen in normal use of Oracle Net.

**TNS-12509: TNS:listener failed to redirect client to service handler**

**Cause:** The dispatcher terminated unexpectedly

**Action:** Attempt to connect again and if the same error occurs, contact the DBA to check the state of the dispatchers for this SID. If the problem persists, turn on tracing in the listener to determine the TNS error caused by the redirect.

**TNS-12510: TNS:database temporarily lacks resources to handle the request**

**Cause:** The dispatchers appear to be busy handling other requests.

**Action:** Attempt the connection again. If error persists, ask the DBA to increase the number of dispatchers and/or dispatchers" limit on number of connections/sessions that they can accept.

**TNS-12511: TNS:service handler found but it is not accepting connections**

**Cause:** The dispatchers notified the listener that they temporarily do not accept new connections.

**Action:** Attempt the connection again. If error persists, contact the DBA to check the state of the dispatchers and/or ask him to increase the number of dispatchers.

**TNS-12513: TNS:service handler found but it has registered for a different protocol**

**Cause:** The dispatchers registered for this service are connected to the listener by way of a different network protocol than that of the client.

**Action:** Contact the DBA to register a dispatcher on your protocol.

**TNS-12514: TNS:listener does not currently know of service requested in connect descriptor**

**Cause:** The listener received a request to establish a connection to a database or other service. The connect descriptor received by the listener specified a service name for a service (usually a database service) that either has not yet dynamically registered with the listener or has not been statically configured for the listener. This may be a temporary condition such as after the listener has started, but before the database instance has registered with the listener.

**Action:**

- Wait a moment and try to connect a second time.

- Check which services are currently known by the listener by executing: lsnrctl services <listener name>

- Check that the SERVICE\_NAME parameter in the connect descriptor of the net service name used specifies a service known by the listener.

- If an easy connect naming connect identifier was used, check that the service name specified is a service known by the listener.

- Check for an event in the listener.log file.

**TNS-12515: TNS:listener could not find a handler for this presentation**

**Cause:** None of the listener"s known service handlers are registered as supporting the presentation protocol required by the connecting client.

---

**Action:** Check that the destination service is configured to accept the presentation protocol.

**TNS-12516: TNS:listener could not find available handler with matching protocol stack**

**Cause:** None of the known and available service handlers for the given SERVICE\_NAME support the client's protocol stack: transport, session, and presentation protocols.

**Action:** Check to make sure that the service handlers (e.g. dispatchers) for the given SERVICE\_NAME are registered with the listener, are accepting connections, and that they are properly configured to support the desired protocols.

**TNS-12518: TNS:listener could not hand off client connection**

**Cause:** The process of handing off a client connection to another process failed.

**Action:** Turn on listener tracing and re-execute the operation. Verify that the listener and database instance are properly configured for direct handoff. If problem persists, call Oracle Support.

**TNS-12519: TNS:no appropriate service handler found**

**Cause:** The listener could not find any available service handlers that are appropriate for the client connection.

**Action:** Run "lsnrctl services" to ensure that the instance(s) have registered with the listener, and are accepting connections.

**TNS-12520: TNS:listener could not find available handler for requested type of server**

**Cause:** None of the known and available service handlers for requested type of server (dedicated or shared) are appropriate for the client connection.

**Action:** Run "lsnrctl services" to ensure that the instance(s) have registered with the listener and that the appropriate handlers are accepting connections.

**TNS-12521: TNS:listener does not currently know of instance requested in connect descriptor**

**Cause:** The listener received a request to establish a connection to a database or other service. The connect descriptor received by the listener specified in addition to the service name an instance name for an instance (usually a database instance) that either has not yet dynamically registered with the listener or has not been statically configured for the listener. This may be a temporary condition such as after the listener has started, but before the database instance has registered with the listener.

**Action:**

- Wait a moment and try to connect a second time.

- Check which instances are currently known by the listener by executing: lsnrctl services <listener name>

- Check that the INSTANCE\_NAME parameter in the connect descriptor specifies an instance name known by the listener.

- Check for an event in the listener.log file.

**TNS-12522: TNS:listener could not find available instance with given INSTANCE\_ROLE**

**Cause:** There are not any available and appropriate database instances registered with the listener, that are part of the service identified by SERVICE\_NAME given

---

in the connect descriptor and that have the specified INSTANCE\_ROLE (and INSTANCE\_NAME, if specified).

**Action:** Check to make sure that the INSTANCE\_ROLE specified is correct. Run "lsnrctl services" to ensure that the instance(s) have registered with the listener and that they are ready to accept connections.

**TNS-12523: TNS:listener could not find instance appropriate for the client connection**

**Cause:** The listener could not find any available (database) instances, that are appropriate for the client connection.

**Action:** Run "lsnrctl services" to ensure that the instance(s) are registered with the listener, and have status READY.

**TNS-12524: TNS:listener could not resolve HANDLER\_NAME given in connect descriptor**

**Cause:** The HANDLER\_NAME in the CONNECT\_DATA was not found in the listener's tables for the specified SERVICE\_NAME and INSTANCE\_NAME.

**Action:** Check to make sure that the HANDLER\_NAME specified is correct.

**TNS-12525: TNS:listener has not received client's request in time allowed**

**Cause:** The listener disconnected the client because the client failed to provide the necessary connect information within the allowed time interval. This may be a result of network or system delays; or this may indicate that a malicious client is trying to cause a Denial of Service attack on the listener.

**Action:** If the error occurred because of a slow network or system, reconfigure INBOUND\_CONNECT\_TIMEOUT to a larger value. If a malicious client is suspected, use the address in listener.log to identify the source and restrict access. Turn on tracing for more information.

**TNS-12526: TNS:listener: all appropriate instances are in restricted mode**

**Cause:** Database instances supporting the service requested by the client were in restricted mode. The Listener does not allow connections to instances in restricted mode. This condition may be temporary, such as during periods when database administration is performed.

**Action:** Attempt the connection again. If error persists, then contact the database administrator to change the mode of the instance, if appropriate.

**TNS-12527: TNS:listener: all instances are in restricted mode or blocking new connections**

**Cause:** All appropriate database instances supporting the service requested by the client reported that they either were in restricted mode or were blocking the new connections. The Listener does not allow connections to such instances. This condition may be temporary, such as at instance startup.

**Action:** Attempt the connection again. If error persists, then contact the database administrator to check the status of the instances.

**TNS-12528: TNS:listener: all appropriate instances are blocking new connections**

**Cause:** All instances supporting the service requested by the client reported that they were blocking the new connections. This condition may be temporary, such as at instance startup.

**Action:** Attempt the connection again. If error persists, then contact the administrator to check the status of the instances.

---

**TNS-12529: TNS:connect request rejected based on current filtering rules**

**Cause:** Connection Manager and its listener were configured with filtering rules specifying that the connect request be rejected.

**Action:** If this connect request should be allowed, then contact the administrator to modify the filtering rules.

**TNS-12531: TNS:cannot allocate memory**

**Cause:** Sufficient memory could not be allocated to perform the desired activity.

**Action:** Either free some resource for TNS, or add more memory to the machine. For further details, turn on tracing and reexecute the operation.

**TNS-12532: TNS:invalid argument**

**Cause:** An internal function received an invalid parameter.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12533: TNS:illegal ADDRESS parameters**

**Cause:** An illegal set of protocol adapter parameters was specified. In some cases, this error is returned when a connection cannot be made to the protocol transport.

**Action:** Verify that the destination can be reached using the specified protocol. Check the parameters within the ADDRESS section of TNSNAMES.ORA. Legal ADDRESS parameter formats may be found in the Oracle operating system specific documentation for your platform. Protocols that resolve names at the transport layer (such as DECnet object names) are vulnerable to this error if not properly configured or names are misspelled.

**TNS-12534: TNS:operation not supported**

**Cause:** An internal function received a request to perform an operation that is not supported (on this machine).

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12535: TNS:operation timed out**

**Cause:** The requested operation could not be completed within the time out period.

**Action:** Look at the documentation on the secondary errors for possible remedy. See SQLNET.LOG to find secondary error if not provided explicitly. Turn on tracing to gather more information.

**TNS-12536: TNS:operation would block**

**Cause:** An internal operation did not commence because to do so would block the current process and the user has requested that operations be non-blocking.

**Action:** None needed; this is an information message.

**TNS-12537: TNS:connection closed**

**Cause:** "End of file" condition has been reached; partner has disconnected.

**Action:** None needed; this is an information message.

**TNS-12538: TNS:no such protocol adapter**

**Cause:** The protocol adapter requested (by way of the "(PROTOCOL=..)" keyword-value pair in a TNS address) is unknown. If the supplied address is typographically correct then the protocol adapter is not installed.

---

**Action:** Install the protocol adapter or correct typographically error, as appropriate. Note: if the supplied address was derived from resolving the service name, check the address in the appropriate file (TNSNAMES.ORA, LISTENER.ORA or SQLNET.ORA).

**TNS-12539: TNS:buffer over- or under-flow**

**Cause:** Buffer too small for incoming data or too large for outgoing data.

**Action:** This restriction (which is associated with CONNECT DATA) is not normally visible to the user. For further details, turn on tracing and reexecute the operation; contact Oracle Customer Support.

**TNS-12540: TNS:internal limit restriction exceeded**

**Cause:** Too many TNS connections open simultaneously.

**Action:** Wait for connections to close and re-try.

**TNS-12541: TNS:no listener**

**Cause:** The connection request could not be completed because the listener is not running.

**Action:** Ensure that the supplied destination address matches one of the addresses used by the listener - compare the TNSNAMES.ORA entry with the appropriate LISTENER.ORA file (or TNSNAV.ORA if the connection is to go by way of an Interchange). Start the listener on the remote machine.

**TNS-12542: TNS:address already in use**

**Cause:** Specified listener address is already being used.

**Action:** Start your listener with a unique address.

**TNS-12543: TNS:destination host unreachable**

**Cause:** Contact can not be made with remote party.

**Action:** Make sure the network driver is functioning and the network is up.

**TNS-12544: TNS:contexts have different wait/test functions**

**Cause:** Two protocol adapters have conflicting wait/test functions.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12545: Connect failed because target host or object does not exist**

**Cause:** The address specified is not valid, or the program being connected to does not exist.

**Action:** Ensure the ADDRESS parameters have been entered correctly; the most likely incorrect parameter is the node name. Ensure that the executable for the server exists (perhaps "oracle" is missing.) If the protocol is TCP/IP, edit the TNSNAMES.ORA file to change the host name to a numeric IP address and try again.

**TNS-12546: TNS:permission denied**

**Cause:** User has insufficient privileges to perform the requested operation.

**Action:** Acquire necessary privileges and try again.

**TNS-12547: TNS:lost contact**

**Cause:** Partner has unexpectedly gone away, usually during process startup.

---

**Action:** Investigate partner application for abnormal termination. On an Interchange, this can happen if the machine is overloaded.

**TNS-12548: TNS:incomplete read or write**

**Cause:** A data send or receive failed.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12549: TNS:operating system resource quota exceeded**

**Cause:** The current user has exceeded the allotted resource assigned in the operating system.

**Action:** Acquire more operating system resource, or perform a different function.

**TNS-12550: TNS:syntax error**

**Cause:** The supplied connect descriptor contains illegal syntax.

**Action:** Check the syntax of the connect descriptor in TNSNAMES.ORA.

**TNS-12551: TNS:missing keyword**

**Cause:** The supplied connect descriptor is missing one or more TNS keywords.

**Action:** Check the syntax, and ensure all required keywords are present.

**TNS-12552: TNS:operation was interrupted**

**Cause:** An internal operation was interrupted and could not complete.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12554: TNS:current operation is still in progress**

**Cause:** An internal operation is still in progress.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12555: TNS:permission denied**

**Cause:** User has insufficient privileges to perform the requested operation.

**Action:** Acquire necessary privileges and try again.

**TNS-12556: TNS:no caller**

**Cause:** TNS detected an incoming connect request but there was no caller.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12557: TNS:protocol adapter not loadable**

**Cause:** On some platforms (such as OS/2) protocol adapters are loaded at run-time. If the shared library (or DLL) for the protocol adapter is missing or one of its supporting libraries is missing then this error is returned.

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will include the name of the shared library (or DLL) that could not be loaded.

**TNS-12558: TNS:protocol adapter not loaded**

**Cause:** On some platforms (such as OS/2) protocol adapters are loaded at run-time. If the shared library (or DLL) for the protocol adapter has not been loaded, then this error is returned.

---

**Action:** For further details, turn on tracing and reexecute the operation. The trace file will have the name of the shared library (or DLL) that has not been loaded.

**TNS-12560: TNS:protocol adapter error**

**Cause:** A generic protocol adapter error occurred.

**Action:** Check addresses used for proper protocol specification. Before reporting this error, look at the error stack and check for lower level transport errors. For further details, turn on tracing and reexecute the operation. Turn off tracing when the operation is complete.

**TNS-12561: TNS:unknown error**

**Cause:** A generic protocol error occurred.

**Action:** For further details, turn on tracing and reexecute the operation.

**TNS-12562: TNS:bad global handle**

**Cause:** Internal error - bad "gbh" argument passed to TNS from caller. System may have been linked with old libraries.

**Action:** Not normally visible to the user, contact Oracle Customer Support.

**TNS-12564: TNS:connection refused**

**Cause:** The connect request was denied by the remote user (or TNS software).

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation.

**TNS-12566: TNS:protocol error**

**Cause:** An unexpected TNS protocol error has occurred.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12569: TNS:packet checksum failure**

**Cause:** The data received is not the same as the data sent.

**Action:** Attempt the transaction again. If the error is persistent, turn on tracing and reexecute the operation.

**TNS-12570: TNS:packet reader failure**

**Cause:** An error occurred during a data receive.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12571: TNS:packet writer failure**

**Cause:** An error occurred during a data send.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12574: TNS:redirection denied**

**Cause:** The connect request failed because it would have required redirection and the caller has requested no redirections.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12575: TNS:dhctx busy**

---

**Cause:** The handoff over a dhctx failed as dhctx was already busy with an ongoing handoff.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12576: TNS:handoff not supported for this session**

**Cause:** Handoff of a established session was attempted which either had tcps as its transport or NA options were enabled for this session.

**Action:** Check the transport setting as well as NA options. If error persists, contact Oracle Customer Support.

**TNS-12582: TNS:invalid operation**

**Cause:** An internal function received an invalid request.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12583: TNS:no reader**

**Cause:** A send operation has been requested but partner has already disconnected.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12585: TNS:data truncation**

**Cause:** A receive operation has completed with insufficient data to satisfy the user's request.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12589: TNS:connection not bequeathable**

**Cause:** An attempt to hand-off a connection from one process to another has failed because the protocol provider does not support it.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12590: TNS:no I/O buffer**

**Cause:** An attempt to perform an I/O operation failed because no buffer was available.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12591: TNS:event signal failure**

**Cause:** The TNS software is unable to signal an event occurrence.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12592: TNS:bad packet**

**Cause:** An ill-formed packet has been detected by the TNS software.

**Action:** For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12593: TNS:no registered connection**

---

**Cause:** An attempt to solicit network event activity has failed because no connections are registered for event notification.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12595: TNS:no confirmation**

**Cause:** TNS is unable to get requested confirmation acknowledgment from remote partner.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12596: TNS:internal inconsistency**

**Cause:** TNS has detected an internal inconsistency.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**TNS-12597: TNS:connect descriptor already in use**

**Cause:** Internal error - illegal use of connect descriptor.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12598: TNS:banner registration failed**

**Cause:** The registration of a product banner with the Oracle server failed.

**Action:** This is an error which is not normally visible externally. Enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**TNS-12599: TNS:cryptographic checksum mismatch**

**Cause:** The data received is not the same as the data sent.

**Action:** Attempt the transaction again. If error persists, check (and correct) the integrity of your physical connection.

**TNS-12600: TNS: string open failed**

**Cause:** The creation of a string in ORACLE NLS format failed.

**Action:** This is an internal error, enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**TNS-12601: TNS:information flags check failed**

**Cause:** The TNS information flags set by the process prior to connection negotiation were not present after the negotiation was finished.

**Action:** This is an internal error. Enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**TNS-12602: TNS: Connection Pooling limit reached**

**Cause:** The operation failed because maximum active current connections has been reached. It may not be a real error when the Connection Pooling feature is enabled. It is possible that the application later reissues the operation and successfully grabs the connection pool slot and proceeds.

**Action:** This is an internal error. Enable tracing and attempt to repeat the error. If it occurs again, contact Oracle Customer Support.

**TNS-12606: TNS: Application timeout occurred**

---

**Cause:** A network session did not reach an application-defined stage within the allowed time interval.

**Action:** This is an error which does not normally appear at the high level. The action to take is application specific, and is detailed in the higher level error description.

**TNS-12607: TNS: Connect timeout occurred**

**Cause:** A network session did not reach a predefined connect stage within the allowed time interval.

**Action:** This is an error which does not normally appear at the high level. The action to take is application specific, and is detailed in the higher level error description.

**TNS-12608: TNS: Send timeout occurred**

**Cause:** The send or write operation did not complete within the allowed time interval.

**Action:** Check if the peer host is available. Increase the send timeout value if necessary.

**TNS-12609: TNS: Receive timeout occurred**

**Cause:** The receive or read operation did not complete within the allowed time interval.

**Action:** Check if the peer host is available. Increase the receive timeout value if necessary.

**TNS-12611: TNS:operation is not portable**

**Cause:** Attempted operation is not portable.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12612: TNS:connection is busy**

**Cause:** Attempted operation failed because it conflicts with an ongoing

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12615: TNS:preempt error**

**Cause:** A request to service an event failed because no event notification has yet been posted.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12616: TNS:no event signals**

**Cause:** The operation failed because the type of data specified is unknown.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12618: TNS:versions are incompatible**

**Cause:** The two machines are running incompatible versions of TNS.

**Action:** Check the version numbers, and upgrade the machine with the smaller one.

**TNS-12619: TNS:unable to grant requested service**

---

**Cause:** The connect request failed because requested service could not be provided by the local TNS software.

**Action:** If appropriate, reexecute with reduced service requirements.

**TNS-12620: TNS:requested characteristic not available**

**Cause:** The connect request failed because a requested transport characteristic could not be supported by the remote TNS software.

**Action:** If appropriate, reexecute with reduced requirements.

**TNS-12622: TNS:event notifications are not homogeneous**

**Cause:** An attempt to register a connection for event notification failed because the event notification type conflicts with existing registrations.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**TNS-12623: TNS:operation is illegal in this state**

**Cause:** Connection is half-duplex and a full-duplex operation was attempted.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation. If error persists, contact Oracle Customer Support.

**TNS-12624: TNS:connection is already registered**

**Cause:** An attempt to register a connection for event notification failed because the connection is already registered.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**TNS-12625: TNS:missing argument**

**Cause:** An operation failed because an argument was missing"

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**TNS-12626: TNS:bad event type**

**Cause:** An attempt to register a connection for event notification failed because the event type is unknown.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**TNS-12628: TNS:no event callbacks**

**Cause:** An attempt to register a connection for event notification failed because asynchronous callbacks are not available.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**TNS-12629: TNS:no event test**

**Cause:** An attempt to register a connection for event notification failed because the ability to test for events is not available.

**Action:** Not normally visible to the user. For further details, turn on tracing and reexecute the operation and contact Oracle Customer Support.

**TNS-12630: Native service operation not supported**

**Cause:** An operation requested by a user is not supported by the native services component.

---

**Action:** This may be an internal error if the operation should have been supported.

**TNS-12631: Username retrieval failed**

**Cause:** The authentication service failed to retrieve the name of a user.

**Action:** Enable tracing to determine which routine is failing.

**TNS-12632: Role fetch failed**

**Cause:** The authentication service failed to retrieve one of the user's roles.

**Action:** Enable tracing to determine which routine is failing.

**TNS-12633: No shared authentication services**

**Cause:** The list of authentication services specified by the user does not match those supported by the process.

**Action:** Either specify another list or relink the executable with the desired services.

**TNS-12634: Memory allocation failed**

**Cause:** Process was unable to allocate memory.

**Action:** Terminate other processes in order to reclaim needed memory.

**TNS-12635: No authentication adapters available**

**Cause:** The executable was not linked with any authentication service adapters but the sqlnet.ora parameter that determines whether or not authentication is required was set to true.

**Action:** Either disable the parameter or relink the executable with service adapters.

**TNS-12636: Packet send failed**

**Cause:** A process was unable to send a packet to another process. Possible causes are:

1. The other process was terminated.
2. The machine on which the other process is running went down.
3. Some other communications error occurred.

**Action:** If the cause is not obvious, contact Oracle Customer Support.

**TNS-12637: Packet receive failed**

**Cause:** A process was unable to receive a packet from another process. Possible causes are:

1. The other process was terminated.
2. The machine on which the other process is running went down.
3. Some other communications error occurred.

**Action:** If the cause is not obvious, contact Oracle Customer Support.

**TNS-12638: Credential retrieval failed**

**Cause:** The authentication service failed to retrieve the credentials of a user.

**Action:** Enable tracing to determine the exact error.

**TNS-12639: Authentication service negotiation failed**

---

**Cause:** No match was found between the types of authentication services that the client supports and those that the server is using.

**Action:** Possible solutions:

1. Change the entry in sqlnet.ora that determines which services are to be used.
2. Relink the client with at least one of the authentication service adapters that the server supports.
3. Relink the server with at least one of the authentication service adapters that the client supports.
4. Disable authentication on both the client and server.

**TNS-12640: Authentication adapter initialization failed**

**Cause:** The function specified in the authentication table entry for the service failed.

**Action:** Enable tracing to determine the exact error.

**TNS-12641: Authentication service failed to initialize**

**Cause:** The authentication service failed during initialization.

**Action:** Enable tracing to determine the exact error.

**TNS-12642: No session key**

**Cause:** A process has no session key associated with it because the authentication service being used does not use one.

**Action:** If a session key is required, use another authentication service.

**TNS-12643: Client received internal error from server**

**Cause:** The client process received an error from the server that indicated that an internal Oracle Net native services error had occurred.

**Action:** Enable tracing on both processes and attempt to recreate the problem. If successful in recreating the problem, contact Oracle Customer Support.

**TNS-12645: Parameter does not exist.**

**Cause:** A sqlnet.ora parameter from which a value was needed does not exist.

**Action:** Set the parameter in the parameter file.

**TNS-12646: Invalid value specified for boolean parameter**

**Cause:** The value specified for a parameter was set to a value other than true/false or on/off.

**Action:** Correct the value of the parameter.

**TNS-12647: Authentication required**

**Cause:** The parameter that controls whether authentication is required was set to true, but the executable does not have an authentication service linked in.

**Action:** Either re-link the executable with an authentication service adapter or disable the parameter.

**TNS-12648: Encryption or data integrity algorithm list empty**

**Cause:** An Oracle Advanced Security list-of-algorithms parameter was empty, e.g. "()".

**Action:** Change the list to contain the name of at least one installed algorithm, or remove the list entirely if every installed algorithm is acceptable.

---

**TNS-12649: Unknown encryption or data integrity algorithm**

**Cause:** An Oracle Advanced Security list-of-algorithms parameter included an algorithm name that was not recognized.

**Action:** Either remove that algorithm name, correct it if it was misspelled, or install the driver for the missing algorithm.

**TNS-12650: No common encryption or data integrity algorithm**

**Cause:** The client and server have no algorithm in common for either encryption or data integrity or both.

**Action:** Choose sets of algorithms that overlap. In other words, add one of the client's algorithm choices to the server's list or vice versa.

**TNS-12651: Encryption or data integrity algorithm unacceptable**

**Cause:** The algorithm the server chose to use for encryption or data integrity was not one of the choices acceptable to the client. This is either the result of an internal error, of a network data transmission error, or of deliberate tampering with the transmitted data.

**Action:** For further details, turn on tracing, re-execute the operation, and contact Oracle Customer Support.

**TNS-12652: String truncated**

**Cause:** Not enough memory was allocated for a string so it had to be truncated

**Action:** If it is OK that the string is truncated, then it is not an error. Otherwise, call the routine that reported the error again with a larger string buffer.

**TNS-12653: Authentication control function failed**

**Cause:** The control function utilized by the authentication service driver failed.

**Action:** Enable tracing to determine the exact error.

**TNS-12654: Authentication conversion failed**

**Cause:** The authentication service was unable to convert the credentials of a user from the format specific to the format into the ORACLE format.

**Action:** Enable tracing to determine the exact error.

**TNS-12655: Password check failed**

**Cause:** The authentication service being used was unable to verify the provided password.

**Action:** Enable tracing to determine the exact error.

**TNS-12656: Cryptographic checksum mismatch**

**Cause:** The cryptographic checksum received with a packet of incoming data didn't match the checksum computed by the receiving end. This indicates that the packet was tampered with or otherwise corrupted in transit.

**Action:** Look for sources of data corruption, perhaps including deliberate tampering.

**TNS-12657: No algorithms installed**

**Cause:** The near side of the connection required the use of a service (either encryption or checksumming) when no algorithms for that service were installed.

**Action:** Remove the "ON" requirement for that service.

**TNS-12658: ANO service required but TNS version is incompatible**

---

**Cause:** A client process that is running an earlier version of TNS attempted to connect but the connection failed because the server process required that an ANO service (authentication, encryption, etc.) be used.

**Action:** Relink the calling executable and retry the connection or eliminate the requirement that the service be used on the server side.

**TNS-12659: Error received from other process**

**Cause:** An error was received by one or more services from the process on the other side of the connection.

**Action:** Enable tracing to determine the exact error(s). The error(s) is (are) not returned directly because an error generated by a server may not make sense on the client side and vice-versa.

**TNS-12660: Encryption or crypto-checksumming parameters incompatible**

**Cause:** One side of the connection specified "REQUIRED" for encryption or crypto-checksumming, while the other side specified "REJECTED".

**Action:** Change the "REQUIRED" side to "REQUESTED" if you want encryption or crypto-checksumming to be optional, or change the "REJECTED" side to "ACCEPTED" if you do not want the service to be optional.

**TNS-12661: Protocol authentication to be used**

**Cause:** The Oracle Advanced Security authentication service has determined that the Oracle Net transport protocol in use is to be utilized to authenticate a user's identity.

**Action:** This error is used solely to communicate information between the authentication service and the Oracle Net session layer and should not normally be visible. If the error is seen, contact Oracle Worldwide Support.

**TNS-12662: proxy ticket retrieval failed**

**Cause:** The authentication adapter used by Oracle Net failed to retrieve the credentials needed to authenticate a database link.

**Action:** Enable tracing to determine the exact error.

**TNS-12663: Services required by client not available on the server**

**Cause:** Service(s) that was (were) required by the client process were not available on the server process.

**Action:** Configure the server with the services required by the client (best solution) or delete the requirement from the configuration file of the client (least secure).

**TNS-12664: Services required by server not available on the client**

**Cause:** Service(s) that was (were) required by the server process were not available on the client process.

**Action:** Configure the client with the services required by the server (best solution) or delete the requirement from the configuration file of the server (least secure).

**TNS-12665: NLS string open failed**

**Cause:** A native service was unable to make a string available for use by the National Language Support component.

**Action:** Make sure the National Language Support component has been properly. If it has, enable tracing and report the problem to Customer Support.

---

**TNS-12666: Dedicated server: outbound transport protocol different from inbound**

**Cause:** The protocol specified for an externally-identified outbound connection from a dedicated server (database link) was not the same as that used for the inbound connection. It is not possible for Oracle Net to authenticate a proxy connection that uses a protocol that is different from that which was used for the connection to the dedicated server.

**Action:** Specify the same protocol in the Oracle Net connect descriptor for the outbound connection as that used for the inbound connection.

**TNS-12667: Shared server: outbound transport protocol different from inbound**

**Cause:** The protocol specified for an externally-identified outbound connection from a shared server (database link) was not the same as that used for the inbound connection. It is not possible for Oracle Net to authenticate a proxy connection that uses a protocol that is different from that which was used for the connection to the shared server.

**Action:** Specify the same protocol in the Oracle Net connect descriptor for the outbound connection as that used for the inbound connection.

**TNS-12668: Dedicated server: outbound protocol does not support proxies**

**Cause:** The protocol specified to perform an externally-identified proxy connection (database link) from a dedicated server does not support proxy connections.

**Action:** Specify a protocol in the Oracle Net connect descriptor used for the connection that does support externally-authenticated proxy connections. **NOTE:** Because of a limitation in Oracle Net, the protocol used for the proxy connection must be the same as that used for the connection from the client to the server.

**TNS-12669: Shared server: outbound protocol does not support proxies**

**Cause:** The protocol specified to perform an externally-identified proxy connection (database link) from a shared server does not support proxy connections.

**Action:** Specify a protocol in the Oracle Net connect descriptor used for the connection that does support externally-authenticated proxy connections. **NOTE:** Because of a limitation in Oracle Net, the protocol used for the proxy connection must be the same as that used for the connection from the client to the server.

**TNS-12670: Incorrect role password**

**Cause:** A password supplied for a role could not be validated by the authentication service.

**Action:** Supply the correct password.

**TNS-12671: Shared server: adapter failed to save context**

**Cause:** The adapter for the authentication service failed when it tried to save the data needed for proxy connections (database links) through the shared server.

**Action:** Enable tracing to determine the exact error. Contact Oracle Customer Support if the reason is not obvious.

**TNS-12672: Database logon failure**

**Cause:** The authentication service adapter in use encountered an error it attempted to validate the logon attempt of a user.

**Action:** Enable tracing to determine the exact error encountered by the adapter.

**TNS-12673: Dedicated server: context not saved**

---

**Cause:** A connection was marked as being a proxy connection (database link) from a dedicated server but no inbound context was present.

**Action:** This error should not normally be visible to the user. Contact Oracle Customer Support.

**TNS-12674: Shared server: proxy context not saved**

**Cause:** A connection was marked as being a proxy connection (database link) from a shared server but no inbound context was present.

**Action:** This error should not normally be visible to the user. Contact Oracle Customer Support.

**TNS-12675: External user name not available yet**

**Cause:** The authentication service in use was not able to return the external name of a user of the ORACLE server because it is not available to the service yet.

**Action:** This is just an informational message and should not normally be visible to the user. If the error does appear, contact Oracle Customer Support.

**TNS-12676: Server received internal error from client**

**Cause:** The server process received an error from the client which indicated that an internal Oracle Net native services error had occurred.

**Action:** Enable tracing on both processes and attempt to recreate the problem. If the problem recurs, contact Oracle Customer Support.

**TNS-12677: Authentication service not supported by database link**

**Cause:** The authentication service used by the proxy process (database link) was unable to find the adapter being used by the client in its list of authentication mechanisms.

**Action:** Specify an authentication adapter that is shared by the client and the server being used for the database link.

**TNS-12678: Authentication disabled but required**

**Cause:** The configuration parameters that control whether Oracle Advanced Security authentication is disabled or required were both set to TRUE.

**Action:** Set one or both of the parameters to FALSE.

**TNS-12679: Native services disabled by other process but required**

**Cause:** The remote process has disabled native services but the local process requires them.

**Action:** Enable native services on the remote process or disable them locally.

**TNS-12680: Native services disabled but required**

**Cause:** The process has disabled native services but at least one service is required.

**Action:** Enable native services or change the configuration file so that none of the available services are required.

**TNS-12681: Login failed: the SecurID card does not have a pincode yet**

**Cause:** The SecurID card that is used to logon to Oracle, does not have a pincode assigned to it.

**Action:** Use one of the programs supplied by Security Dynamics to assign a pincode to the card.

---

**TNS-12682: Login failed: the SecurID card is in next PRN mode**

**Cause:** The SecurID card and the SecurID server are out of sync and the server requires the next cardcode to resynchronize the card.

**Action:** Use one of the programs supplied by Security Dynamics to resynchronize the SecurID card.

**TNS-12683: encryption/crypto-checksumming: no Diffie-Hellman seed**

**Cause:** The "sqlnet.crypto\_seed" parameter is missing from the SQLNET.ORA parameters file for Oracle Advanced Security.

**Action:** Add this line to SQLNET.ORA: sqlnet.crypto\_seed = "randomly-chosen text"

**TNS-12684: encryption/crypto-checksumming: Diffie-Hellman seed too small**

**Cause:** The "sqlnet.crypto\_seed" parameter in the SQLNET.ORA parameter file for Oracle Advanced Security is too small.

**Action:** Add more randomly-chosen text to it, perhaps using Network Manager.

**TNS-12685: Native service required remotely but disabled locally**

**Cause:** A native service is required by the remote process but native services have been disabled locally.

**Action:** Enable native services locally or change the configuration parameters on the remote host so that no native services are required.

**TNS-12686: Invalid command specified for a service**

**Cause:** An operation which does not exist was specified for a native service.

**Action:** This is a programming error and should not normally be visible to the user. If the error does appear, contact Oracle Customer Support.

**TNS-12687: Credentials expired.**

**Cause:** The credentials that are used to authenticate the user for the requested connection have expired.

**Action:** Renew your credentials. Refer to the documentation specific for your Network Authentication Adapter on how to do this.

**TNS-12688: Login failed: the SecurID server rejected the new pincode**

**Cause:** There are a number of reasons why the SecurID server would refuse a pincode:

- The user might not have permission to make up his own pincode.
- The pincode was either too short or too long. Valid pincodes consist of minimal four, but no more than eight characters.
- The pincode contains any non alphanumeric characters.

**Action:** Reexecute the operation and make sure to use a pincode that satisfies the above requirements. If the problem persists, turn on tracing at the Oracle Server side of the connection and examine the trace file for the exact error.

**TNS-12689: Server Authentication required, but not supported**

**Cause:** Server Authentication is required for this connection, but not supported by both sides of the connection.

**Action:** Make sure both sides of the connection have the correct version of Advanced Networking Option, and that the Authentication Adapter supports Server Authentication.

---

**TNS-12690: Server Authentication failed, login cancelled**

**Cause:** Server Authentication is required, but the server's credentials were found invalid by the client.

**Action:** Make sure that the server has a valid set of credentials. Refer to your authentication adapter specific documentation on how to do this.

**TNS-12696: Double Encryption Turned On, login disallowed**

**Cause:** The user is using a Secure Protocol Adapter that has Encryption turned ON as well as ANO Encryption.

**Action:** Turn OFF either ANO Encryption or the Protocol Adapter Encryption if possible. Refer to Oracle Advanced Security Administrator's Guide on how to do this.

**TNS-12699: Native service internal error**

**Cause:** An internal error occurred in the native services component.

**Action:** Enable tracing to determine the exact error. Contact Oracle Customer Support.

---

## NNC-00001 to NNC-00501

**NNC-00001: maximum number of connections already open**

**Cause:** All available name service connections are handling requests.

**Action:** If the problem occurs when running a name server, increase the values of `names.max_open_connections`. If the problem occurs in a client program, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00002: error listening on stream *string***

**Cause:** The name server was asked to listen on the specified address, and failed, probably because the address is malformed, or because it uses a SQL\*Net protocol adaptor which has not been installed.

**Action:** Make sure the address is properly formed, and that it uses a protocol adaptor which has been installed on your system.

**NNC-00003: error opening stream *string***

**Cause:** A name server or client program attempted to open a connection to another server and failed, either because the server is down, or because the network path to that server is not working. This error is usually displayed underneath an error which describes the problem in more detail.

**Action:** Make sure that the server being connected to is listening on the address used, and that there is network connectivity between the two end-points.

**NNC-00004: connection is broken**

**Cause:** The connection from a name server or client program to another server has been broken, either because that server has shut down, or because the network path to the server has stopped working. This error is usually displayed underneath an error which describes the problem in more detail.

**Action:** Make sure that the server being connected to is running and listening on the address used, and that there is network connectivity between the two end-points.

**NNC-00005: cannot initialization stream subsystem**

**Cause:** The name service stream subsystem could not be started, probably because of a missing TNS error message file.

**Action:** Check that SQL\*Net has been installed properly and that all message files are in their proper locations.

**NNC-00050: message format error**

**Cause:** A corrupted name server message was received by a name server or the name server program interface.

---

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00051: message content error**

**Cause:** A corrupted name server message was received by a name server or the name server program interface.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00052: client and server protocol versions are incompatible**

**Cause:** A name server message with an incompatible protocol version was received by a name server or the name server program interface. This problem will occur when there are clients and servers with widely varying protocol versions that are trying to communicate.

**Action:** upgrade older client and server software so it is compatible with newer software.

**NNC-00053: ASN.1 error encountered while sending or receiving message**

**Cause:** The name server or the name server program interface attempted to send or receive a message and failed because of an ASN.1 error.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00400: memory exhausted**

**Cause:** The program interface has run out of memory.

**Action:** Add more memory or run fewer processes.

**NNC-00401: program interface initialization failed**

**Cause:** The name server program interface could not be initialised, probably because of a missing TNS or name server error message file.

**Action:** Check that SQL\*Net has been installed properly and that all message files are in their proper locations.

**NNC-00402: program interface de-initialization failed**

**Cause:** An internal error occurred while the name server program interface was being de-initialised by an internal function.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00403: program interface has not been initialised**

**Cause:** An internal function has attempted to de-initialise the name service program interface when it has not yet been initialised.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00404: supplied buffer of size *string* is smaller than minimum size *string***

---

**Cause:** A caller supplied the name server program interface with a memory buffer too small for the interface's requirements. This error is usually displayed underneath an error which describes the problem in more detail.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00405: network failure**

**Cause:** The network connection between the client program and the name server has failed, either because the server has shut down, or because the network path to the server has stopped working. This error is usually displayed underneath an error which describes the problem in more detail.

**Action:** Contact your name server administrator to make sure that the server being connected to is running and listening on the address used, and that there is network connectivity between the two end-points.

**NNC-00406: name "*string*" does not exist**

**Cause:** The user asked for information associated with a global name that does not exist.

**Action:** Re-try the failing operation with a global name that exists.

**NNC-00407: alias loop in name request**

**Cause:** The name service detected an "alias loop" when trying to retrieve information associated with a global name. An alias loop occurs when an alias name X points to another alias name Y, which in turn points back to X, rather than eventually to a global name which contains data.

**Action:** Contact your name server administrator to have the alias loop investigated and fixed.

**NNC-00408: name "*string*" exists but desired data does not**

**Cause:** The user asked for information associated with a global name. The name in question exists, but does not contain the desired type of information.

**Action:** Re-try the failing operation with a type which the desired name does contain.

**NNC-00409: temporary name service failure**

**Cause:** There are no name servers available to handle a client request, or a name server was temporarily unable to handle a client request. This situation is almost always temporary, and occurs when the program interface has issued a name server request and not received a timely response from any of its preferred servers. Such delays can occur due to transient network or name server outages or heavy load.

**Action:** Re-try the failing operation. If the error persists, make sure there is network connectivity between the client and its preferred name servers, and contact your name server administrator to make sure that those name servers are running.

**NNC-00410: invalid preferred server address list**

**Cause:** The names.preferred\_servers parameter in sqlnet.ora is malformed.

**Action:** Make sure the address list is properly formatted.

**NNC-00411: invalid default domain name "*string*"**

**Cause:** The names.default\_domain parameter in sqlnet.ora is invalid.

---

**Action:** Make sure the parameter value is a valid global name. See your documentation for the characters which may be used in a global name.

**NNC-00412: invalid name "string"**

**Cause:** The name server program interface was given an invalid global name to process.

**Action:** Supply a valid domain name. If the error is caused by an internal function, contact Worldwide Customer Support.

**NNC-00413: general failure**

**Cause:** A name server program interface error occurred which did not fall under the heading of any other more specific error condition. The error will usually be followed by more specific lower-level information.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00414: invalid name-value binding string "string"**

**Cause:** A caller provided the name server program interface with an invalid name-value binding string value.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a valid name-value binding string argument. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00415: section identifier *string* is invalid, must be between *string* and *string***

**Cause:** An internal function has called the name server program interface with illegal arguments.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00416: user callback function returned error number *string***

**Cause:** An internal function has called the name server program interface with illegal arguments.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00417: name "string" already exists**

**Cause:** A caller has attempted to create a new global name, and that name already exists.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a name that does not already exist. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00418: name "string" cannot be modified because it has children**

**Cause:** A caller has attempted to delete or rename a global name, and that name cannot be modified because it has child names underneath it in the name space.

---

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a name that is a leaf node. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00419: authoritative server is unreachable**

**Cause:** A name server request cannot be processed because the server which received the operation does not own the name specified in the request and cannot locate the server which does own the name. The error is almost always transient, and occurs either because the path between the server receiving the request and the request's final destination has been interrupted, or because the final destination is down.

**Action:** Not normally visible to the user, except when using the name server control program. Because the error is typically a transient one, retrying the failing operation will usually work. If the failure persists, the name server which is allowed to process the failing operation is probably shut down or unreachable. Contact your name server administrator to make sure that your site's name servers are running, and are properly configured.

**NNC-00420: operation not allowed**

**Cause:** A name server request cannot be processed because the server which received the operation is not allowed to process it. The problem typically occurs when an administrator has disabled request processing at a particular server for some reason.

**Action:** Contact your name server administrator to determine why server request processing has been disabled.

**NNC-00421: invalid modification directive *string*, must be between *string* and *string***

**Cause:** An internal function has called the name server program interface with illegal arguments.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00422: invalid data type name "*string*"**

**Cause:** A caller has provided an invalid data type name to the name server program interface.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a valid type name. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00423: invalid data item syntax code *string***

**Cause:** A caller has provided an invalid data type code to the name server program interface.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a valid type name. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00424: invalid address "*string*"**

---

**Cause:** A caller provided the name server program interface with an invalid address value.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a valid address argument. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00425: meta-data violation**

**Cause:** A caller issued a name server modification request and that request cannot be processed because it would violate data type meta-data constraints.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, examine the meta-data constraints for the data type being operated upon and don't violate them. Examples of typical constraint violations are attempts to add a new data item to a name which already contains alias information, or attempts to add alias information to a name which already contains other data, or attempts to replace a data item with another item that has the wrong syntax. If the error occurs outside the control program, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00426: no such data type**

**Cause:** A caller attempted to create a data item, and could not because the data item's type does not exist.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the operation with an existent data type. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00427: server does not support this version of the protocol**

**Cause:** A name server message with an incompatible protocol version was received by a name server or the name server program interface. This problem will occur when there are clients and servers with widely varying protocol versions that are trying to communicate.

**Action:** upgrade older client and server software so it is compatible with newer software.

**NNC-00428: invalid meta-data data item**

**Cause:** A caller provided the name server program interface with an invalid meta-data data item.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a valid meta-data argument. Otherwise, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00429: invalid octet string literal "string"**

**Cause:** A caller provided the name server program interface with an invalid octet string value.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, retry the failing operation with a valid octet string argument. Otherwise, turn on tracing

---

and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNC-00430: Database not accessible**

**Cause:** When a database is used for consistency between different nameservers, any modify operation should not only modify the cache but also the database. And if the database is not accessible, this error occurs.

**Action:** Not normally visible to the user, except when using the name server control program. If the error occurs when using the control program, make sure database is available and then re-execute the operation. If error persists, contact Worldwide Customer Support.

**NNC-00431: NS address does not match any of the current addresses**

**Cause:** When delegating a domain, the address of the Nameserver is provided by the client. If the nameserver already exists, then it already has address(es) associated with it. So, the address supplied by the client must match one of them. Otherwise, this error occurs.

**Action:** Not normally visible to the user, except when using name server control program. If the error occurs when using the control program, either provide an one of the existing addresses of the name server or delegate the domain to a new nameserver.

**NNC-00500: warning: "string" parameter value is illegal, setting to *string***

**Cause:** The named parameter value is invalid.

**Action:** Make sure the parameter value is formatted correctly. Valid choices for boolean parameter values are TRUE, FALSE, YES, NO, ON, and OFF.

**NNC-00501: warning: "string" parameter value must be between *number* and *number*, setting to *number***

**Cause:** The named parameter value is invalid or outside legal boundary values.

**Action:** Make sure the parameter value is a number, and falls between valid minimum and maximum values, as specified in the error text.



---

---

## NNO-00050 to NNO-00854

### NNO-00050: serious errors in configuration data, server cannot run

**Cause:** The server's configuration data has a problem of some sort which prevents the server from starting.

**Action:** Previous error messages in the log file will specify the exact problems leading to the shutdown. The problem most frequently occurs when the network is broken up into multiple administrative regions and the delegation points are incorrect. Read the Oracle Names documentation sections on region delegation and ensure that their directions are being followed correctly.

### NNO-00051: domain count *number* exceeds maximum of *number*, first *number* will be loaded

**Cause:** The server's configuration contains more domains than the server can support.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

### NNO-00052: invalid domain description list

**Cause:** The server's configuration contains an invalid domain description list.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

### NNO-00053: duplicate domain description for domain "*string*"

**Cause:** The server's configuration contains duplicate domain descriptions in the domain description list.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

### NNO-00054: invalid domain name "*string*"

**Cause:** The server's configuration contains a domain description with an invalid name.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

### NNO-00055: invalid domain minimum TTL "*string*"

**Cause:** The server's configuration contains a domain description with an invalid minimum TTL.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

---

**NNO-00056: warning: domain minimum TTL must be between *number* and *number*, set to *number* seconds**

**Cause:** The server's configuration contains a domain description with an invalid minimum TTL. This error is not fatal; the server will automatically set the TTL to a default value which is suitable for most uses.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00057: loading and verifying topology data**

**Cause:** An informational message written to the log file during normal server startup.

**Action:** None

**NNO-00058: cannot load topology data from configuration database**

**Cause:** An error was encountered while trying to load the server's topology data from the configuration database. If more information is available, it will appear under this error. This error will cause the server to shut down.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. To force the server to start up anyway, using its checkpoint data, start the server with the names.no\_region\_database parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00059: cannot construct topology checkpoint file name**

**Cause:** the server could not construct a system-dependent file name.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00060: loading server topology from checkpoint file "*string*"**

**Cause:** An informational message written to the log file when the server has been forced to load from its most recent topology checkpoint file, by setting the names.no\_region\_database parameter to TRUE.

**Action:** None

**NNO-00061: loading data for domain "*string*"**

**Cause:** An informational message written to the log file during normal server startup.

**Action:** None

**NNO-00062: cannot load domain data from configuration database**

**Cause:** An error was encountered while trying to load the server's domain data from the configuration database. If more information is available, it will appear under this error. This error will cause the server to shut down.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. To force the server to start up anyway, using its checkpoint data, start the server with the names.no\_region\_database parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00063: cannot construct domain checkpoint file name**

---

**Cause:** the server could not construct a system-dependent file name.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00064: loading domain data from checkpoint file "*string*"**

**Cause:** An informational message written to the log file when the server has been forced to load from its most recent domain checkpoint file, by setting the `names.no_region_database` parameter to TRUE.

**Action:** None

**NNO-00065: loading cached data from checkpoint file "*string*"**

**Cause:** An informational message written to the log file during normal server startup.

**Action:** None

**NNO-00066: server will perform reload check of administrative region in *number* seconds**

**Cause:** An informational message written to the log file whenever the Oracle Network Manager or the Oracle Names control program send a reload request to the server.

**Action:** None

**NNO-00067: server reload check countdown aborted**

**Cause:** An informational message written to the log file whenever the Oracle Names control program halts a reload request previously sent to the server

**Action:** None

**NNO-00068: warning: administrative region check failed, next check in *number* seconds**

**Cause:** this warning is issued whenever the server fails to connect to the configuration database to see if any configuration data has changed. The server will automatically begin reissuing reload checks more frequently, and will eventually give up if connections fail continuously for three days.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database.

**NNO-00069: warning: too many administrative region check failures, checking disabled**

**Cause:** a warning issued whenever the server has continuously failed for three days in its attempts to connect to the configuration database. The server disables reload checking. Reload checking can later be re-enabled from the Oracle Network Manager or the Oracle Names control program.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. To force the server to start up anyway, using its checkpoint data, start the server with the `names.no_region_database` parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00070: administrative region has changed, reloading domain data**

---

**Cause:** An informational message written to the log file whenever the server's configuration has changed, and the server is reloading the new configuration from the configuration database.

**Action:** None

**NNO-00071: cannot construct cache checkpoint file name**

**Cause:** the server could not construct a system-dependent file name.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00072: loading from region database**

**Cause:** normal

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00073: loading server config from region database**

**Cause:** An informational message written to the log file during normal server startup.

**Action:** None

**NNO-00074: downloading region from server *string***

**Cause:** An informational message written to the log file during normal server startup.

**Action:** None

**NNO-00080: domain "*string*" cannot be delegated because its parent is already delegated**

**Cause:** an internal delegation error has occurred. Delegation is controlled by the Oracle Network Manager, which enforces correct delegation rules.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00081: domain "*string*" has no name servers**

**Cause:** an internal configuration error has occurred. The Oracle Network Manager is responsible for configuring Oracle Names servers correctly.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00082: domain "*string*" is missing my name "*string*" as a name server**

**Cause:** an internal configuration error has occurred. The Oracle Network Manager is responsible for configuring Oracle Names servers correctly.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00083: domain "*string*" server "*string*" has no addresses**

**Cause:** an internal configuration error has occurred. The Oracle Network Manager is responsible for configuring Oracle Names servers correctly.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

---

**NNO-00084: domain "*string*" is not in the authoritative domain list**

**Cause:** an internal configuration error has occurred. The Oracle Network Manager is responsible for configuring Oracle Names servers correctly.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00104: line *string*: syntax error, data ignored**

**Cause:** the server found a syntax error its domain data. This message will also appear if the server's internal checkpoint files become corrupted. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00105: line *string*: invalid name "*string*", data ignored**

**Cause:** the server found an invalid global name in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00106: line *string*: invalid TTL "*string*", data ignored**

**Cause:** the server found an invalid TTL in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00107: line *string*: ignoring stale checkpoint data**

**Cause:** an informational message which appears during server startup when the server detects out-of-date cached data in its cache checkpoint file. The message is part of normal server startup.

**Action:** None

**NNO-00108: line *number*: TTL of *number* seconds below domain minimum *number*, using minimum**

**Cause:** the server found an invalid TTL value in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00109: line *string*: invalid data type name "*string*", data ignored**

**Cause:** the server found an invalid data type name in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00110: line *string*: unknown data type "*string*", data ignored**

**Cause:** the server found an unknown data type in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00111: line *string*: data type "*string*" has syntax "*string*", should be "*string*", data ignored**

---

**Cause:** the server found an invalid data type syntax in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00112: line *string*: ignored duplicate data of type "*string*"**

**Cause:** the server found a duplicate record in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00113: line *string*: alias data already exists, all other data ignored**

**Cause:** the server found a alias and non-alias data with the same global name in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00114: line *string*: other data exists, alias data ignored**

**Cause:** the server found a alias and non-alias data with the same global name in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00115: line *string*: single-value data type "*string*", other instances ignored**

**Cause:** the server found more than one record with the same name and type, when the type allows only a single record with a particular name. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00116: warning: data type "*string*" in *string* load**

**Cause:** the server found a record with an invalid data type in its domain data.

**Action:** No action required; adjustments to data will eliminate warning.

**NNO-00117: line *string*: missing data type, data ignored**

**Cause:** the server found a record with a missing data type in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00118: line *string*: data length *string* exceeds maximum of *string*, data ignored**

**Cause:** the server found a record whose length exceeds an internal limit. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00119: line *string*: server not authoritative for name "*string*", data ignored**

**Cause:** the server found a global name in its domain data for which it is not authoritative. The record in question is not loaded, but the server continues to load data.

---

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00120: line *string*: topology name "*string*" not allowed here**

**Cause:** the server found an invalid record in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00121: LDIF file *string* open failed: error = *number***

**Cause:** the server found an invalid record in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00122: invalid name, data ignored: entry: *string***

**Cause:** the server found an invalid global name in its domain data. The record in question is not loaded, but the server continues to load data.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00123: node "*string*" has no authoritative parent, data ignored**

**Cause:** an object in the domain data is apparently not in the domain(s) which the server is authoritative for. The record in question is not loaded, but the server continues to load data.

**Action:** Check for inconsistencies in the data and correct any errors in topology definition or domain data outside of authoritative domains.

**NNO-00150: warning: invalid hint list, no hints loaded**

**Cause:** The server's configuration contains an invalid hint description list. The server will continue to run, but will not load any hints.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00151: warning: ignoring hint for domain "*string*", server is authoritative**

**Cause:** the server's configuration contained a hint for a domain in the server's administrative region. The hint is ignored and the server continues to run.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00152: warning: hint count *number* exceeds maximum of *number*, first *number* will be loaded**

**Cause:** There are too many hints in the server's hint list. The server will load a specified maximum number of hints, ignore the rest, and continue running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00153: warning: hint domain *number* has invalid name "*string*", hint domain ignored**

**Cause:** The server's configuration contains a hint domain with an invalid name. The domain is ignored and the server continues to run.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

---

**NNO-00154: warning: hint *number* has invalid server name "*string*", hint ignored**

**Cause:** The server's configuration contains a hint with an invalid server name. The hint is ignored and the server continues to run.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00155: warning: hint *number* has missing address, hint ignored**

**Cause:** The server's configuration contains a hint with no server address. The hint is ignored and the server continues to run.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00156: warning: hint *number* address length *number* exceeds maximum of *number*, hint ignored**

**Cause:** The server's configuration contains a hint whose address length exceeds an internal limit. The hint is ignored and the server continues to run.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00157: warning: hint *number* has invalid address, hint ignored**

**Cause:** The server's configuration contains a hint with an invalid address. The hint is ignored and the server continues to run.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00158: warning: hint domain count *number* exceeds maximum of *number*, first *number* will be loaded**

**Cause:** The server's hint domain list is too long. The server will load a specified maximum number of hint domains, ignore the rest, and continue running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00159: warning: ignoring duplicate hint domain *number* name "*string*"**

**Cause:** The server's hint domain list contains a duplicate domain. The duplicate is ignored and the server continues running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00160: warning: ignoring duplicate hint server "*string*"**

**Cause:** The server's hint server list contains a duplicate server. The duplicate is ignored and the server continues running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00250: invalid administrative region description**

**Cause:** The server encountered an invalid administrative region description during startup. This error will prevent the server from starting. The administrative region description is stored in the server's names.ora configuration file.

**Action:** Make sure that the names.admin\_region parameter in names.ora is correct. The names.ora file is automatically generated by the Oracle Network Manager, but administrators can edit the file at any time, introducing errors. If the file was never changed, contact Worldwide Customer Support.

---

**NNO-00251: missing administrative region parameter *string***

**Cause:** The server's administrative region description is missing a required parameter. This error will prevent the server from starting. The administrative region description is stored in the server's names.ora configuration file.

**Action:** Make sure that the names.admin\_region parameter in names.ora is correct. The names.ora file is automatically generated by the Oracle Network Manager, but administrators can edit the file at any time, introducing errors. If the file was never changed, contact Worldwide Customer Support.

**NNO-00252: invalid administrative region parameter *string* value "*string*"**

**Cause:** The server encountered an invalid administrative region parameter. This error will prevent the server from starting. The administrative region description is stored in the server's names.ora configuration file.

**Action:** Make sure that the names.admin\_region parameter in names.ora is correct. The names.ora file is automatically generated by the Oracle Network Manager, but administrators can edit the file at any time, introducing errors. If the file was never changed, contact Worldwide Customer Support.

**NNO-00253: administrative region parameter *string* length *string* exceeds maximum of *string***

**Cause:** The server encountered an administrative region parameter whose length exceeds an internal limit. This error will prevent the server from starting. The administrative region description is stored in the server's names.ora configuration file.

**Action:** Make sure that the names.admin\_region parameter in names.ora is correct. The names.ora file is automatically generated by the Oracle Network Manager, but administrators can edit the file at any time, introducing errors. If the file was never changed, contact Worldwide Customer Support.

**NNO-00254: warning: parameter *string* value must be between *number* and *number*, set to *number* seconds**

**Cause:** The server encountered an administrative region parameter with an invalid value. The value is set to a default suitable for most applications, and the server continues running. The administrative region description is stored in the server's names.ora configuration file.

**Action:** Make sure that the names.admin\_region parameter in names.ora is correct. The names.ora file is automatically generated by the Oracle Network Manager, but administrators can edit the file at any time, introducing errors. If the file was never changed, contact Worldwide Customer Support.

**NNO-00255: cannot initialize ROS**

**Cause:** The server was unable to initialize ROS during startup. The error prevents the server from running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00256: using administrative region "*string*"**

**Cause:** an informational message which appears during server startup, and notes the name of the administrative region for future diagnostic use by administrators. The message is part of normal server startup.

**Action:** None

**NNO-00257: warning: cannot get serial number from region store**

---

**Cause:** The server encountered an error while trying to get the configuration database's serial number. The error occurs almost always because time the server is unable to access the configuration database. If the error occurs during server startup, the server will shut down. If the error occurs during server operation (the server checks the serial number periodically to see if it should reload itself), then the server assumes a transient failure has occurred and repeats the operation a short while later. If the repetitions continue to fail for three days, the server will log another error and stop issuing the serial number load operation.

**Action:** First make sure that the Netadmin program has exported a server configuration for this name server. Next, make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. If the error occurs during server startup, you can force startup anyway, with checkpoint data, by starting the server with the names.no\_region\_database parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00258: cannot load configuration from configuration database**

**Cause:** An error was encountered while trying to load the server's configuration from the configuration database. If more information is available, it will appear under this error. This error will cause the server to shut down.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. To force the server to start up anyway, using its checkpoint data, start the server with the names.no\_region\_database parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00259: configuration tables have not been installed or are inaccessible**

**Cause:** The configuration database has not been properly installed.

**Action:** Make sure the Oracle Network Manager and its database have been properly installed

**NNO-00260: loading configuration data from checkpoint file "string"**

**Cause:** An informational message written to the log file when the server has been forced to load from its most recent configuration checkpoint file, by setting the names.no\_region\_database parameter to TRUE.

**Action:** None

**NNO-00261: cannot construct configuration checkpoint file name**

**Cause:** the server could not construct a system-dependent file name.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00262: warning: cannot write checkpoint file "string"**

**Cause:** the server was unable to write the named checkpoint file. This problem is typically due to the file system's protection settings. The error is not fatal; it simply means the server will not create any checkpoint data. Note, however, that if the configuration database is ever unavailable during a future server startup, the lack of checkpoint data means you will be unable to force a startup from checkpoint data with the names.no\_region\_database parameter.

---

**Action:** Check to see that the server has permission to write the file named in the error message.

**NNO-00263: error from configuration database**

**Cause:** the server encountered an error while accessing the configuration database. The error can occur when the database is unavailable, or SQL\*Net connectivity to the database is interrupted.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. To force the server to start up anyway, using its checkpoint data, start the server with the names.no\_region\_database parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00264: configuration database query returned no data**

**Cause:** the server attempted to fetch data from the configuration database and no data was found.

**Action:** The error generally appears underneath a more specific error which will tell you the exact nature of the problem.

**NNO-00265: warning: cannot load data from checkpoint file**

**Cause:** the server was started using checkpoint data, and was unable to read that data. The remaining errors below this one on the error stack provide more specific information about the problem.

**Action:** Check to see that the named file exists and that the server has permission to read it.

**NNO-00266: cannot find document "string" in configuration database**

**Cause:** The server encountered an error while trying to get its configuration ID from the configuration database. The error can occur any time the server is unable to access the configuration database. This error will cause the server to shut down.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. To force the server to start up anyway, using its checkpoint data, start the server with the names.no\_region\_database parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00267: warning: configuration database contains no data for server "string"**

**Cause:** the server successfully contacted the configuration database, but was unable to find any configuration information associated with the server's name. The name is specified in the server's names.ora configuration file. The error occurs almost always because the server configuration has not been exported from the Netadmin program.

**Action:** Make sure that the Netadmin program has exported a server configuration for this name server.

**NNO-00268: warning: configuration database is not used, using checkpoint data instead**

**Cause:** An informational message indicating that the server has been started with the names.no\_region\_database parameter set to TRUE, and that it will use checkpoint data rather than attempting to contact the configuration database.

**Action:** None

---

**NNO-00269: configuration database is version *string*, server requires at least version *string***

**Cause:** The server cannot use the specified configuration database because it is of an incorrect version.

**Action:** Run the document conversion utility supplied with the Network Manager and re-export your network. The conversion utility will upgrade old documents to a version which can be understood by the name server.

**NNO-00270: ORACLE error *string***

**Cause:** An ORACLE error was encountered while accessing the configuration database. The error can occur when the database is unavailable, or SQL\*Net connectivity to the database is interrupted.

**Action:** Make sure that the database is running, that its name and password as specified in the Oracle Network Manager are accurate, and that there is SQL\*Net connectivity between the Oracle Names server and the database. To force the server to start up anyway, using its checkpoint data, start the server with the names.no\_region\_database parameter set to TRUE. If no checkpoint data is available, the server will shut down.

**NNO-00271: warning: names.ora region is version *string*, network definition is version *string***

**Cause:** The region description in names.ora is out of synch with the network definition.

**Action:** No action is required unless the name server cannot run with the network definition. To be safe names.ora should be updated with one which is consistent with the network definition.

**NNO-00272: line *string*; invalid DIT/DN**

**Cause:** There is a syntax error in the DIT/DN provided in the region description.

**Action:** Correct the error and restart the server.

**NNO-00300: no listen addresses specified, at least one is required**

**Cause:** the server's configuration is missing addresses on which to listen.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00301: server will shut down in *number seconds***

**Cause:** An informational message written to the log file when the server receives a shutdown request from the Oracle Names control program.

**Action:** None

**NNO-00302: server stopped**

**Cause:** An informational message written to the log file when the server shuts down.

**Action:** None

**NNO-00303: server "*string*" started with process ID *number***

**Cause:** An informational message written to the log file when the server successfully starts up.

**Action:** None

**NNO-00304: listen address *string* length *string* exceeds maximum of *string***

---

**Cause:** the length of one of the server's listen addresses exceeds an internal limit.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00305: trace level changed from *number* to *number***

**Cause:** An informational message written to the log file when the server changes its trace level in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00306: server shutdown countdown aborted**

**Cause:** An informational message written to the log file whenever the Oracle Names control program halts a shutdown request previously sent to the server

**Action:** None

**NNO-00307: invalid server name "*string*"**

**Cause:** the server's name is invalid. The name is specified in the server's names.ora configuration file.

**Action:** Make sure that the names.server\_name parameter in names.ora is correct. The names.ora file is automatically generated by the Oracle Network Manager, but administrators can edit the file at any time, introducing errors. If the file was never changed, contact Worldwide Customer Support.

**NNO-00308: server will restart in *number* seconds**

**Cause:** An informational message written to the log file when the server receives a restart request from the Oracle Names control program.

**Action:** None

**NNO-00309: server restarting**

**Cause:** An informational message written to the log file when the server restarts.

**Action:** None

**NNO-00310: server restart countdown aborted**

**Cause:** An informational message written to the log file whenever the Oracle Names control program halts a restart request previously sent to the server

**Action:** None

**NNO-00311: invalid listen address list**

**Cause:** the server's configuration contains an invalid listen address list.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00312: listen address *string* is invalid**

**Cause:** the server's configuration contains an invalid listen address.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00313: server password length *string* exceeds maximum of *string***

**Cause:** the server's password length exceeds an internal limit.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00314: error changing trace level from *number* to *number*, level change ignored**

---

**Cause:** the server encountered an error while changing its trace level in response to a request from the Oracle Names control program.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00315: server is listening on address *string***

**Cause:** An informational message written to the log file during server startup.

**Action:** None

**NNO-00316: statistic counter reset disabled**

**Cause:** An informational message written to the log file when the server disables statistic counter resetting in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00317: statistic counter reset interval changed to *number* seconds**

**Cause:** An informational message written to the log file when the server changes its statistic counter reset interval in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00318: overriding next statistic counter reset, resetting in *number* seconds**

**Cause:** An informational message written to the log file when the server resets its statistic counters in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00320: missing server name parameter**

**Cause:** the server could not find a names.server\_name parameter. The name is specified in the server's names.ora configuration file.

**Action:** Make sure that the names.server\_name parameter in names.ora is correct. The names.ora file is automatically generated by the Oracle Network Manager, but administrators can edit the file at any time, introducing errors. If the file was never changed, contact Worldwide Customer Support.

**NNO-00321: statistic counter dump disabled**

**Cause:** An informational message written to the log file when the server disables statistics dumping in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00322: statistic counter dump interval changed to *number* seconds**

**Cause:** An informational message written to the log file when the server changes its statistic dump interval in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00323: overriding next statistic counter dump, dumping in *number* seconds**

**Cause:** An informational message written to the log file when the server dumps its statistic counters in response to a request from the Oracle Names control program.

**Action:** None

---

**NNO-00326: server statistic counter dump follows**

**Cause:** An informational message written to the log file at the beginning of a statistic dump. The message is followed by a set of server statistics, and ends with another informational message indicating the dump has finished.

**Action:** None

**NNO-00327: server statistic counter dump ends**

**Cause:** An informational message written to the log file at the end of a statistic dump. The message is preceded by a set of server statistics.

**Action:** None

**NNO-00328: server has reset statistic counters to zero**

**Cause:** An informational message written to the log file when the server resets its statistic counters to zero in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00329: server will save the config file in *number* seconds**

**Cause:** An informational message written to the log file when the server saves the config to config file in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00330: server saved the config file "*string*".**

**Cause:** An informational message written to the log file when the server saves the config to config file in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00331: error saving new value *string* of *string* to the save config table.**

**Cause:** An informational message written to the log file when the a set operation is performed and the change cannot be saved in the save config ptable, but should be.

**Action:** None

**NNO-00332: warning: region store serial number reduced from *number* to *number***

**Cause:** An informational message written to the log file when the server finds the region database has its serial number set lower than it was when the server previously loaded the region data. This is an unnatural condition- every update to the region should increment the serial number so a reduction of the serial number might reflect tampering or accidental manual alteration this and possibly other region tables.

**Action:** Administrators should find out how/why the serial number decreased.

**NNO-00333: warning: ROS admin\_region types obsolete; using SQL**

**Cause:** the value set in names.admin\_region is an obsolete ROS type

**Action:** No action is necessary; administrators should set the value to the correct type- probably SQL, possibly LDAP or LDIF

**NNO-00334: region load failure: ROS admin\_region type *number* unsupported**

**Cause:** the value set in names.admin\_region is an obsolete ROS type

---

**Action:** No action is necessary; administrators should set the value to the correct type- probably SQL, possibly LDAP or LDIF

**NNO-00600: warning: forwarder count *number* exceeds maximum of *number*, first *number* will be loaded**

**Cause:** the server's configuration contains too many default forwarders. The server loads a specified maximum number of forwarders, ignores the rest, and continues running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00601: warning: no forwarders, DEFAULT-FORWARDERS-ONLY mode ignored**

**Cause:** the server's configuration enables DEFAULT-FORWARDERS-ONLY mode but the configuration contains no default forwarders. The server ignores the request and continues running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00602: warning: forwarder *number* has invalid address, forwarder ignored**

**Cause:** One of the forwarders in the default forwarder list has an invalid address. The forwarder definition is ignored and the server continues running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00603: enabling all request processing**

**Cause:** An informational message written to the log file when the server enables request processing in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00604: disabling all request processing**

**Cause:** An informational message written to the log file when the server disables request processing in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00605: enabling modification requests**

**Cause:** An informational message written to the log file when the server enables modification-request processing in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00606: disabling modification requests**

**Cause:** An informational message written to the log file when the server disables modification-request processing in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00607: server will forward to default forwarders only**

**Cause:** An informational message written to the log file when the server's configuration enables DEFAULT-FORWARDERS-ONLY mode.

**Action:** None

---

**NNO-00608: received corrupted message**

**Cause:** The server received a corrupted request. The request is ignored.

**Action:** corrupted requests are usually caused by transient network problems. If many corrupted messages are received, turn on tracing for further information. If the errors persist, contact Worldwide Customer Support.

**NNO-00609: warning: forwarder *number* address length *number* exceeds maximum of *number*, ignored**

**Cause:** the server's configuration contains a forwarder address whose length exceeds an internal limit.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00610: detected possible alias loop involving name "*string*"**

**Cause:** the server detected an alias loop involving the specified name. An alias loop occurs when an alias "X" points to another alias "Y", which points back to "X" rather than to an address or other name server data. The loop can contain more hops but the basic idea remains the same. Loops occur when administrators mis-enter network data, particularly when an alias in one administrative region points to data in another administrative region.

**Action:** Use the Oracle Names control program to query for the specified name. The control program will describe the alias path, and you can use that information to find which names are incorrect and what administrative regions the incorrect data belongs to.

**NNO-00611: disabling request forwarding**

**Cause:** An informational message written to the log file when the server disables request forwarding in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00612: enabling request forwarding**

**Cause:** An informational message written to the log file when the server enables request forwarding in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00613: disabling FORWARDING-DESIRED on system queries**

**Cause:** An informational message written to the log file when the server disables the FORWARDING-DESIRED attribute on queries that it generates. The message comes in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00614: enabling FORWARDING-DESIRED on system queries**

**Cause:** An informational message written to the log file when the server enables the FORWARDING-DESIRED attribute on queries that it generates. The message comes in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00615: disabling DEFAULT-FORWARDERS-ONLY mode**

**Cause:** An informational message written to the log file when the server disables DEFAULT-FORWARDERS-ONLY mode in response to a request from the Oracle Names control program.

---

**Action:** None

**NNO-00616: enabling DEFAULT-FORWARDERS-ONLY mode**

**Cause:** An informational message written to the log file when the server enables DEFAULT-FORWARDERS-ONLY mode in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00617: enabling AUTHORITY-REQUIRED on system queries**

**Cause:** An informational message written to the log file when the server enables the AUTHORITY-REQUIRED attribute on queries that it generates. The message comes in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00618: disabling AUTHORITY-REQUIRED on system queries**

**Cause:** An informational message written to the log file when the server disables the AUTHORITY-REQUIRED attribute on queries that it generates. The message comes in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00622: warning: too many auto-refresh failures for name "*string*", query expired**

**Cause:** If an auto-refresh query is issued and continuously returns an error for three days, the query is removed from the auto-refresh queue and a warning logged. The query can be restarted from the Oracle Names control program.

**Action:** this message will be preceded by numerous warnings that the query in question is failing. Use the Oracle Names control program to describe the failing query. Make sure the server being queried is running and that there is network connectivity between the querying server and the server being queried.

**NNO-00623: setting auto-refresh retry interval to *number* seconds**

**Cause:** An informational message written to the log file when the server changes its auto-refresh retry interval in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00624: setting auto-refresh expiration period to *number* seconds**

**Cause:** An informational message written to the log file when the server changes its auto-refresh expiration period in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00625: overriding auto-refresh of name "*string*", type "*string*", refresh in *number* seconds**

**Cause:** An informational message written to the log file when the server changes the time when an auto-refresh query is next issued. The message comes in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00626: cannot enable DEFAULT-FORWARDERS-ONLY mode, no default forwarders exist**

---

**Cause:** the Oracle Names control program issued a request to enable DEFAULT-FORWARDERS-ONLY mode, and the request was ignored because the server has no default forwarders.

**Action:** None

**NNO-00627: cancelling auto-refresh of name "*string*", type "*string*"**

**Cause:** An informational message written to the log file when the server removes a query from the auto-refresh queue in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00628: setting maximum reforward per query to *number***

**Cause:** An informational message written to the log file when the server changes its maximum-reforward count in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00629: warning: invalid forwarder list, no default forwarders loaded**

**Cause:** The server's configuration contains an invalid forwarder description list.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00630: setting request-processing delay to *number* seconds**

**Cause:** An informational message written to the log file when the server sets an artificial request-processing delay in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00631: warning: forwarder *number* has invalid name "*string*", forwarder ignored**

**Cause:** The server's configuration contains a forwarder description with an invalid server name.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00632: warning: forwarder *number* has missing address, forwarder ignored**

**Cause:** The server's configuration contains a forwarder description with a missing address.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00633: detected fatal delegation loop involving server "*string*"**

**Cause:** the server detected a fatal delegation loop while forwarding a request. A loop occurs when the server's topology data indicates that it should forward a request to itself. The server immediately shuts down in response to this error.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00634: received authoritative name "*string*" when we are its authority**

**Cause:** a server "X" received authoritative data from another server "Y" when server "X" is also authoritative for the data. Such situations should never arise

---

because if server "X" is authoritative for the requested data, it should never forward the request to another server.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00635: warning: ignoring duplicate forwarder "*string*"**

**Cause:** The server's default forwarder list contains a duplicate server. The duplicate is ignored and the server continues running.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00700: warning: cannot checkpoint the cache, trying again in *number* seconds**

**Cause:** The server was unable to perform its normal periodic cache checkpointing, typically because the cache checkpoint file could not be written. The cache checkpoint file name appears as an informational message during server startup.

**Action:** Check to see that the server has permission to write the cache checkpoint file, and that there is sufficient disk space for the file to be written.

**NNO-00701: warning: cannot construct checkpoint file name, checkpointing disabled**

**Cause:** the server could not construct a system-dependent file name.

**Action:** An internal error not normally visible to the user. For further details, turn on tracing and restart the server. If the error persists, contact Worldwide Customer Support.

**NNO-00702: cache checkpointing disabled**

**Cause:** An informational message written to the log file when the server disables cache checkpointing in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00703: checkpoint interval changed to *number* seconds**

**Cause:** An informational message written to the log file when the server changes its cache checkpoint interval in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00705: warning: cannot open checkpoint file "*string*", checkpointing disabled**

**Cause:** the server was unable to open the named checkpoint file for writing. This problem is typically due to the file system's protection settings. The error is not fatal; it simply means the server will not checkpoint its cache.

**Action:** Check to see that the server has permission to write the file named in the error message.

**NNO-00706: overriding next cache checkpoint, checking in *number* seconds**

**Cause:** An informational message written to the log file when the server checkpoints its cache in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00707: server's cache will be flushed in *number* seconds**

---

**Cause:** An informational message written to the log file when the server flushes its cache in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00708: cache flush countdown aborted**

**Cause:** An informational message written to the log file whenever the Oracle Names control program halts a cache flush request previously sent to the server

**Action:** None

**NNO-00709: failed delete of cache checkpoint file "*string*", cache flush may not work**

**Cause:** the server attempted to flush its cache, which also deletes the cache checkpoint file. The file deletion failed, although the rest of the cache flush succeeded. Succeeding errors describe the reason for the deletion failure.

**Action:** This error typically occurs when two cache-flush operations are issued in succession without an intervening cache checkpoint operation (which would recreate the file). The first deletes the cache file, the second attempts to do so, but fails since the file has already been deleted. In such cases, the message is harmless and can be ignored. If, however, the error occurs because the server lacks permission to delete the file, then you must change the file system permissions so the server is allowed to delete the file.

**NNO-00710: server's cache will be dumped to the trace file in *number* seconds**

**Cause:** An informational message written to the log file when the server dumps its cache to the trace file in response to a request from the Oracle Names control program.

**Action:** None

**NNO-00711: cache dump countdown aborted**

**Cause:** An informational message written to the log file whenever the Oracle Names control program halts a cache dump request previously sent to the server

**Action:** None

**NNO-00712: warning: group *string* cache checkpoint failed**

**Cause:** The server was unable to perform its normal periodic cache checkpointing, typically because the cache checkpoint file could not be written. The cache checkpoint file name appears as an informational message during server startup.

**Action:** Check to see that the server has permission to write the cache checkpoint file, and that there is sufficient disk space for the file to be written.

**NNO-00800: Error: cannot read version from config database**

**Cause:** The query for the region database version failed. The database may be shut down, or the tables may not exist in the schema specified in names.ora.

**Action:** Correct any access problems accordingly.

**NNO-00801: Error: OCI\_SUCCESS\_WITH\_INFO: *string***

**Cause:** Diagnostic information was returned from OCI during region database access.

**Action:** None

**NNO-00802: Error: OCI\_NEED\_DATA**

**Cause:** The server did not provide sufficient data to the OCI interface while accessing the region database.

---

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00803: Error: OCI\_INVALID\_HANDLE**

**Cause:** The server called OCI with an invalid handle while accessing the region database.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNO-00804: Error: OCI\_STILL\_EXECUTE**

**Cause:** An OCI operation between the server and the database is still in progress.

**Action:** None

**NNO-00805: Error: OCI\_CONTINUE**

**Cause:** Not possible.

**Action:** None

**NNO-00806: Error: OCI\_ERROR: *string***

**Cause:** An OCI occurred accessing the region database. More specific details will be written to the log file.

**Action:** Find the appropriate entry in the log file and correct the cause of the failure if possible. Otherwise contact Worldwide Customer Support.

**NNO-00807: End of Fetch: OCI\_NO\_DATA**

**Cause:** All rows have been returned from the region table.

**Action:** None

**NNO-00808: Error connecting to region database**

**Cause:** Not possible.

**Action:** None

**NNO-00809: Unknown OCI error: *number***

**Cause:** Not possible.

**Action:** None

**NNO-00850: Error: LDAP query returns *string***

**Cause:** The LDAP API returned an error. More specific details will be written to the log file.

**Action:** Find the appropriate entry in the log file and correct the cause of the failure if possible. Otherwise contact Worldwide Customer Support.

**NNO-00851: LDAP open/bind failed: error = *number***

**Cause:** the server failed to connect to the LDAP directory.

**Action:** Find the cause of the error and correct it and restart the server.

**NNO-00852: failed to get LDAP entry: error = *number***

**Cause:** the server could not retrieve query entries from the LDAP API.

**Action:** Find the cause of the error and correct it and restart the server.

**NNO-00853: failed to get LDAP attribute/value: error = *number***

**Cause:** the server failed to connect to the LDAP directory.

**Action:** Find the cause of the error and correct it and restart the server.

---

**NNO-00854: error unbinding LDAP: error = *number***

**Cause:** the server failed to connect to the LDAP directory.

**Action:** Find the cause of the error and correct it and restart the server.



---

---

## NNL-00001 to NNL-01078

**NNL-00001: request argument "*string*" is invalid**

**Cause:** The user entered an invalid request command argument.

**Action:** Supply a valid argument.

**NNL-00002: request argument "*string*" is not allowed with this operation**

**Cause:** The user entered a request command argument which is not valid with the particular request command.

**Action:** Supply a valid argument.

**NNL-00003: memory exhausted**

**Cause:** The program has run out of memory

**Action:** Check the amount of available memory on your machine to ensure that there is enough memory to run this executable. If necessary, free up memory by running fewer programs, then try again.

**NNL-00004: invalid command argument "*string*"**

**Cause:** The user entered an invalid command argument.

**Action:** Supply a valid argument.

**NNL-00005: no server has been set. Use the "SET SERVER" command first**

**Cause:** The user attempted to issue a command which requires that a default managed Oracle Names server be set first.

**Action:** Use the SET SERVER command to set your default server, then reissue the command. Alternatively, if the command allows, re-issue it with a specific server name so the control program does not need to use the default.

**NNL-00006: timeout, server is not responding**

**Cause:** The control program issued a request to an Oracle Names server and no response arrived in a timely fashion. The network connection between the control program and the server may be faulty, the server may be very heavily loaded, or there may be substantial network delays between the control program and the server. The latter is especially true for WAN links.

**Action:** Reissue the command; if it continues to fail, check to see that the server being managed is running correctly and that the network connection between the server and the control program is working correctly.

**NNL-00007: server responded with an error**

**Cause:** The control program issued a request to an Oracle Names server and the server responded with an error.

---

**Action:** For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNL-00008: request not understood by server**

**Cause:** The control program issued a request to an Oracle Names server and the server did not understand the request.

**Action:** If the server and the control program have different versions, they may be unable to communicate. Check your documentation for version compatibility constraints. If the server and control program are compatible, turn on tracing for further details, and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNL-00009: encryption of server password failed**

**Cause:** The control program attempted and failed to encrypt a server password, supplied either through the SET PASSWORD command or the namesctl.server\_password configuration parameter.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNL-00010: error getting address for server "*string*"**

**Cause:** s for the failure. The control program's SQLNET.ORA file must exist in the correct system-specific location, and must be readable by the control program. The file must contain a names.preferred\_servers entry with valid name server addresses. If the user has changed managed servers with the SET SERVER command, the new server must be running, and must be able to resolve the address or forward the request to another server which can resolve the address. Alternatively, a TNSNAMES.ORA file with valid name server names and addresses must exist in the correct system-specific location.

**Action:** For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNL-00011: no server with name "*string*" exists**

**Cause:** The user issued a SET SERVER request and the current managed Oracle Names server was unable to translate that name into an address. Alternatively, the user issued a control program request to a specific server, and that server's name could not be translated into an address. Both problems are almost always caused by mis-typing the server name.

**Action:** Re-issue the request with a valid server name.

**NNL-00012: invalid "*string*" value "*string*"**

**Cause:** The first argument is a data type, the second is a value. The user supplied an invalid data value of the specified type.

**Action:** Re-issue the failing operation with correct data.

**NNL-00013: not performed, permission denied for supplied password**

**Cause:** The user issued a request to an Oracle Names server, and the password supplied with the request was incorrect.

**Action:** Check to see that the password sent by the control program to the server is correct for that server. You can set a new password with the SET PASSWORD control program command.

**NNL-00014: unknown data type "*string*"**

---

**Cause:** The user issued a name server request which contained an unknown data type.

**Action:** It is possible that the server had no information on the type, but automatically fetched it in response to the failing request. Re-issue the failing request; if the server has in the meantime fetched the appropriate data type information, the error will go away. If the error persists, the data type is probably invalid.

**NNL-00015: type "string" has "string" syntax, which has no textual representation**

**Cause:** Not all data type syntaxes can be represented as text. This message indicates that the user issued a name server request for a type with a non-textual representation.

**Action:** Re-issue the operation with a data type that has a syntax with a textual representation.

**NNL-00016: cannot start server, error getting program directory's name**

**Cause:** The user issued a STARTUP request, but the control program was unable to start the server because it was unable to find the name of the directory where the server executable resides.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNL-00017: cannot start server, program "string" does not exist**

**Cause:** The user issued a STARTUP request, but the control program was unable to start the server because it was unable to find the server executable.

**Action:** Make sure that a copy of the server executable exists in your system's oracle executable directory.

**NNL-00018: warning: could not contact default name server**

**Cause:** The control program was unable to contact its default name server during startup. There are a number of possible causes for this error. The control program's SQLNET.ORA file must exist in the correct system-specific location, and must be readable by the control program. The file must contain a names.preferred\_servers entry with valid name server addresses. The first server in the preferred-server list must be running, and there must be network connectivity between the control program and that server.

**Action:** Check to see that all of the above are true. If the control program is still unable to contact its default server, turn on tracing and restart the control program. If the error persists, contact Worldwide Customer Support.

**NNL-00019: warning: server either changed or ignored your request**

**Cause:** The user issued a request to an Oracle Names server and that request was altered in some way. Typically the user specified an invalid argument of some sort, and the server either ignored the request, or replaced the invalid argument with a reasonable default.

**Action:** Use the control program to check the current state of the value that you attempted to change. The server's log file may also contain information about the exact cause of the problem. Re-issue the operation with correct arguments.

**NNL-00020: warning: no TNSNAMES.ORA file and no preferred name servers in SQLNET.ORA**

**Cause:** The control program was unable to find a TNSNAMES.ORA file and was unable to find a default name server in SQLNET.ORA. The control program will

---

operate in this state, but will be unable to resolve any names until a default server has been set, and that server must be set using its raw TNS address.

**Action:** The control program's SQLNET.ORA file must exist in the correct system-specific location, and must be readable by the control program. The file must contain a names.preferred\_servers entry with valid name server addresses. The first server in the preferred-server list must be running, and there must be network connectivity between the control program and that server. Alternatively, a TNSNAMES.ORA file with valid name server information must exist in the correct system-specific location.

**NNL-00022: error changing trace level from *string* to *string*, level change ignored**

**Cause:** The user attempted to change the control program's local trace level, and the program encountered an error while changing the level. Usually the problem is that tracing was enabled for the first time (by changing the trace level from OFF to something else) and the trace file is not writeable by the control program.

**Action:** Check to see that the trace file is writeable. Your documentation will tell you the name of the trace file.

**NNL-00023: SET command is missing an argument**

**Cause:** The user attempted to issue a SET command with no argument.

**Action:** Supply a valid argument to the SET command.

**NNL-00024: warning: no preferred name servers in SQLNET.ORA**

**Cause:** The control program was unable to find any preferred name servers in SQLNET.ORA, and will therefore not connect to a default server.

**Action:** Make sure that the SQLNET.ORA file contains a valid names.preferred\_servers entry.

**NNL-00035: File *string* or nested IFILEs not found.**

**Cause:** Error in loading from the tnsfile.

**Action:** None

**NNL-00036: No records loaded**

**Cause:** No loadable data.

**Action:** None

**NNL-00037: Error *number* while sequencing through parameter table.**

**Cause:** The NL Parameter system reported an error while retrieving the next name from the table.

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNL-00038: Distinguished Name syntax error**

**Cause:** Distinguished Name incorrectly specified.

**Action:** Supply a valid DN.

**NNL-00039: no RRs**

**Cause:** Object has no relevant RRs to be mapped to LDAP objects.

**Action:** None

**NNL-00040: Distinguished Name exceeds buffer length: *string***

**Cause:** Distinguished Name derived from Domain Name is too long.

---

**Action:** Either move the object to a domain whose name is shorter or manually update the LDAP object.

**NNL-00041: Object *string* not in domain *string***

**Cause:** Object has no relevant RRs to be mapped to LDAP objects.

**Action:** None

**NNL-00042: LDAP bind failure: *number*, *string***

**Cause:** Call to ldap\_bind failed with return set to given number.

**Action:** Correct user/pwd parameters or definitions.

**NNL-00043: LDAP open failure**

**Cause:** LDAP server could not be contacted.

**Action:** Correct connect info or server unavailability.

**NNL-00044: Unsupported data type *string* not mapped**

**Cause:** ONames data type could not be mapped to LDAP attributes

**Action:** An internal error not normally visible to the user. Contact Worldwide Customer Support.

**NNL-00045: No host given for LDAP server**

**Cause:** LDAP open will dump core without a host.

**Action:** Provide appropriate host with "-h" option.

**NNL-00046: Name *string* exceeds DN template depth**

**Cause:** There are more domains in the name than are specified in the DN template.

**Action:** Add fields to the template or migrate subdomains with separate dump operations.

**NNL-00047: LDAP modify returned error: 0x*number*, *string***

**Cause:** LDAP failed with the return code shown.

**Action:** Refer to LDAP documentation for the meaning of the error.

**NNL-00048: Error opening file: *string***

**Cause:** Named file cannot be opened.

**Action:** Provide for access to file.

**NNL-00049: Output in *string* cannot be renamed to *string***

**Cause:** The given file cannot be created.

**Action:** Insure that the file specified can be created before running the command. Or use the temporary file itself.

**NNL-00201: Shutdown occurs in *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00202: No shutdown currently scheduled**

**Cause:** Control program general message.

**Action:** None

**NNL-00203: Scheduled shutdown to occur in *string***

- 
- Cause:** Control program general message.  
**Action:** None
- NNL-00204: Cancelled shutdown**  
**Cause:** Control program general message.  
**Action:** None
- NNL-00205: Reload check occurs in *string***  
**Cause:** Control program general message.  
**Action:** None
- NNL-00206: No reload check currently scheduled**  
**Cause:** Control program general message.  
**Action:** None
- NNL-00207: Scheduled reload check to occur in *string***  
**Cause:** Control program general message.  
**Action:** None
- NNL-00208: Cancelled reload check**  
**Cause:** Control program general message.  
**Action:** None
- NNL-00209: Cache checkpoint interval is currently *string***  
**Cause:** Control program general message.  
**Action:** None
- NNL-00210: Cache checkpointing is currently disabled**  
**Cause:** Control program general message.  
**Action:** None
- NNL-00211: Cache checkpoint interval is now *string***  
**Cause:** Control program general message.  
**Action:** None
- NNL-00212: Cache checkpointing is now disabled**  
**Cause:** Control program general message.  
**Action:** None
- NNL-00213: No entry with specified index number, try "SHOW SYSTEM\_ QUERIES"**  
**Cause:** Control program general message.  
**Action:** None
- NNL-00214: Next auto-refresh for specified index number occurs in *string***  
**Cause:** Control program general message.  
**Action:** None
- NNL-00215: Scheduled specified index number's next auto-refresh to occur in *string***  
**Cause:** Control program general message.  
**Action:** None

---

**NNL-00216: Disabled auto-refresh for specified index number**

**Cause:** Control program general message.

**Action:** None

**NNL-00217: Controller is sleeping for *number* seconds**

**Cause:** Control program general message.

**Action:** None

**NNL-00218: Ignoring spurious trailing text "*string*"**

**Cause:** Control program general message.

**Action:** None

**NNL-00219: Statistic counter logging interval is currently *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00220: Statistic counter logging is currently disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00221: Statistic counter logging interval is now *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00222: Statistic counter logging is now disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00223: Statistic counters are next logged in *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00224: Scheduled statistic counters to be logged in *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00225: Currently managing name server "*string*"**

**Cause:** Control program general message.

**Action:** None

**NNL-00226: Current request-processing delay is *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00227: Request-processing delay is currently disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00228: Request-processing delay is now *string***

**Cause:** Control program general message.

**Action:** None

---

**NNL-00229: Request-processing delay is now disabled**  
Cause: Control program general message.  
Action: None

**NNL-00230: Controller NOCONFIRM mode is currently *string***  
Cause: Control program general message.  
Action: None

**NNL-00231: Controller NOCONFIRM mode is now *string***  
Cause: Control program general message.  
Action: None

**NNL-00232: Auto-refresh failure-retry interval is currently *string***  
Cause: Control program general message.  
Action: None

**NNL-00233: Auto-refresh failure-retry interval is now *string***  
Cause: Control program general message.  
Action: None

**NNL-00234: Auto-refresh failure-retry expiration period is currently *string***  
Cause: Control program general message.  
Action: None

**NNL-00235: Auto-refresh failure-retry expiration period is now *string***  
Cause: Control program general message.  
Action: None

**NNL-00236: Statistic counter reset interval is currently *string***  
Cause: Control program general message.  
Action: None

**NNL-00237: Resetting of statistic counters is currently disabled**  
Cause: Control program general message.  
Action: None

**NNL-00238: Statistic counter reset interval is now *string***  
Cause: Control program general message.  
Action: None

**NNL-00239: Resetting of statistic counters is now disabled**  
Cause: Control program general message.  
Action: None

**NNL-00240: Starting "*string*"...**  
Cause: Control program general message.  
Action: None

**NNL-00241: Processing of modification requests is currently enabled**  
Cause: Control program general message.  
Action: None

---

**NNL-00242: Processing of modification requests is currently disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00243: Processing of modification requests is now enabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00244: Processing of modification requests is now disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00245: General request processing is currently enabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00246: General request processing is currently disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00247: General request processing is now enabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00248: General request processing is now disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00249: DEFAULT-FORWARDERS-ONLY mode is currently enabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00250: DEFAULT-FORWARDERS-ONLY mode is currently disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00251: DEFAULT-FORWARDER-ONLY mode is now enabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00252: DEFAULT-FORWARDER-ONLY mode is now disabled**

**Cause:** Control program general message.

**Action:** None

**NNL-00253: Server-generated requests currently request forwarding**

**Cause:** Control program general message.

**Action:** None

**NNL-00254: Server-generated requests currently do not request forwarding**

**Cause:** Control program general message.

**Action:** None

---

**NNL-00255: Server-generated requests now request forwarding**  
Cause: Control program general message.  
Action: None

**NNL-00256: Server-generated requests now do not request forwarding**  
Cause: Control program general message.  
Action: None

**NNL-00257: Server-generated requests currently require authoritative answers**  
Cause: Control program general message.  
Action: None

**NNL-00258: Server-generated requests currently do not require authoritative answers**  
Cause: Control program general message.  
Action: None

**NNL-00259: Server-generated requests now require authoritative answers**  
Cause: Control program general message.  
Action: None

**NNL-00260: Server-generated requests now do not require authoritative answers**  
Cause: Control program general message.  
Action: None

**NNL-00261: Request forwarding is currently enabled**  
Cause: Control program general message.  
Action: None

**NNL-00262: Request forwarding is currently disabled**  
Cause: Control program general message.  
Action: None

**NNL-00263: Request forwarding is now enabled**  
Cause: Control program general message.  
Action: None

**NNL-00264: Request forwarding is now disabled**  
Cause: Control program general message.  
Action: None

**NNL-00266: Round trip time is *string***  
Cause: Control program general message.  
Action: None

**NNL-00267: Address is *string***  
Cause: Control program general message.  
Action: None

**NNL-00268: Enter name server password:**  
Cause: Prompt for password after user has issued "set password"

---

**Action:** Type password, invisibly.

**NNL-00270: Current default domain is "*string*"**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00271: Default domain is now "*string*"**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00272: Removed name "*string*" from caches along the following path:**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00273: server successfully started**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00274: server not started, errors follow**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00275: Trace level is currently *number***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00276: Trace level is now *number***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00277: Maximum number of times a request can be reforwarded is currently *number***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00278: Maximum number of times a request can be reforwarded is now *number***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00279: Restart occurs in *string***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00280: No restart currently scheduled**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00281: Scheduled restart to occur in *string***  
**Cause:** Control program general message.  
**Action:** None

---

**NNL-00282: Cancelled restart**  
Cause: Control program general message.  
Action: None

**NNL-00283: Next cache checkpoint occurs in *string***  
Cause: Control program general message.  
Action: None

**NNL-00284: Scheduled cache checkpoint to occur in *string***  
Cause: Control program general message.  
Action: None

**NNL-00285: Server has no queued system queries**  
Cause: Control program general message.  
Action: None

**NNL-00286: Server does not own any domains**  
Cause: Control program general message.  
Action: None

**NNL-00287: Cache flush occurs in *string***  
Cause: Control program general message.  
Action: None

**NNL-00288: No cache flush currently scheduled**  
Cause: Control program general message.  
Action: None

**NNL-00289: Scheduled cache flush to occur in *string***  
Cause: Control program general message.  
Action: None

**NNL-00290: Cancelled cache flush**  
Cause: Control program general message.  
Action: None

**NNL-00291: Statistic counters are next reset in *string***  
Cause: Control program general message.  
Action: None

**NNL-00292: Scheduled statistic counters to be reset in *string***  
Cause: Control program general message.  
Action: None

**NNL-00293: Controller's trace level remains unchanged**  
Cause: Control program general message.  
Action: None

**NNL-00294: No entries found**  
Cause: Control program general message.  
Action: None

---

**NNL-00295: Controller's local trace level is currently *number***

**Cause:** Control program general message.

**Action:** None

**NNL-00296: Controller's local trace level changed from *number* to *number***

**Cause:** Control program general message.

**Action:** None

**NNL-00297: Cache will be dumped to trace file in *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00298: No cache dump currently scheduled**

**Cause:** Control program general message.

**Action:** None

**NNL-00299: Scheduled server cache dump to occur in *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00300: Cancelled server cache dump**

**Cause:** Control program general message.

**Action:** None

**NNL-00301: Server shutting down**

**Cause:** Control program general message.

**Action:** None

**NNL-00302: Server restarting**

**Cause:** Control program general message.

**Action:** None

**NNL-00303: Server checking for reload**

**Cause:** Control program general message.

**Action:** None

**NNL-00304: Server flushing its cache**

**Cause:** Control program general message.

**Action:** None

**NNL-00305: Server dumping statistics to the log file**

**Cause:** Control program general message.

**Action:** None

**NNL-00306: Server setting all statistic counters to zero**

**Cause:** Control program general message.

**Action:** None

**NNL-00307: Server checkpointing its cache**

**Cause:** Control program general message.

**Action:** None

---

**NNL-00308: Server dumping its cache to the trace file**

**Cause:** Control program general message.

**Action:** None

**NNL-00340: Trace file name is currently *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00341: Trace file name is now *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00342: Log file name is currently *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00343: Log file name is now *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00344: `Save_config_on_stop` is currently ON**

**Cause:** Control program general message.

**Action:** None

**NNL-00345: `Save_config_on_stop` is currently OFF**

**Cause:** Control program general message.

**Action:** None

**NNL-00346: `Save_config_on_stop` is now ON**

**Cause:** Control program general message.

**Action:** None

**NNL-00347: `Save_config_on_stop` is now OFF**

**Cause:** Control program general message.

**Action:** None

**NNL-00348: Server saving the config file now**

**Cause:** Control program general message.

**Action:** None

**NNL-00349: Configuration will be saved in *string***

**Cause:** Control program general message.

**Action:** None

**NNL-00350: No save config currently scheduled**

**Cause:** Control program general message.

**Action:** None

**NNL-00351: Scheduled configuration save to occur in *string***

**Cause:** Control program general message.

**Action:** None

---

**NNL-00352: Cancelled save config**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00353: Not allowed**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00400: Response status:**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00401: Authoritative answer: *string***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00402: Authoritative server: *string***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00403: Number of answers: *number***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00404: TTL: *string***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00405: Forwarding information:**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00406: Canonical name: *string***  
**Cause:** Control program general message.  
**Action:** None

**NNL-00407: Alias translations:**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00408: Answers:**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00409: data type is "*string*"**  
**Cause:** Control program general message.  
**Action:** None

**NNL-00410: Average response time: *string***  
**Cause:** Control program general message.  
**Action:** None

- 
- NNL-00411: Minimum response time:** *string*  
Cause: Control program general message.  
Action: None
- NNL-00412: Number of requests:** *number*  
Cause: Control program general message.  
Action: None
- NNL-00413: Total response time:** *string*  
Cause: Control program general message.  
Action: None
- NNL-00414: Maximum response time:** *string*  
Cause: Control program general message.  
Action: None
- NNL-00415: Name:** *string*  
Cause: Control program general message.  
Action: None
- NNL-00416: Last timestamp:** *number*  
Cause: Control program general message.  
Action: None
- NNL-00417: Distinguished Name:** *string*  
Cause: Control program general message.  
Action: None
- NNL-00418: Attributes Mapped:** *number*  
Cause: Control program general message.  
Action: None
- NNL-00500: Shows information on domains served by this server**  
Cause: Control program help text.  
Action: None
- NNL-00501: set | show log\_stats\_interval [<seconds>] [<server\_list>]: set | show the server's statistic counter logging interval**  
Cause: Control program help text.  
Action: None
- NNL-00502: Shows, sets, or cancels when the server next dumps its statistic counters**  
Cause: Control program help text.  
Action: None
- NNL-00503: repeat <number> <command> [<args>]: repeat a command <number> times**  
Cause: Control program help text.  
Action: None
- NNL-00505: log\_stats [<server\_list>]: write Names server statistics to the log file**

- 
- Cause:** Control program help text.  
**Action:** None
- NNL-00506: reset\_stats [<server\_list>] : reset Names server statistics**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00507: Shows, sets, or cancels the time when an auto-refresh query is next issued**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00508: show system\_queries [<server\_list>] : show system query information**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00509: set | show cache\_checkpoint\_interval [<seconds>] [<server\_list>] : set | show the server's cache checkpoint interval**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00510: Adds a data record to an existing name**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00511: Shows or sets the server's system query authority requirements**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00512: Shows or sets the server's auto-refresh expiration period**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00513: Shows or sets the server's auto-refresh failure retry interval**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00514: Creates a new name with a default TTL**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00515: Deletes a name and its data**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00516: Displays complete server status**  
**Cause:** Control program help text.  
**Action:** None
- NNL-00517: Insert-replaces a data item under an existing name**  
**Cause:** Control program help text.

---

**Action:** None

**NNL-00518: Shows or sets the maximum number of times a server can reforward a request**

**Cause:** Control program help text.

**Action:** None

**NNL-00519: Shows, enables, or disables modification request processing**

**Cause:** Control program help text.

**Action:** None

**NNL-00520: Changes an existing name's TTL**

**Cause:** Control program help text.

**Action:** None

**NNL-00521: Shows or sets the server's system query forwarding requirements**

**Cause:** Control program help text.

**Action:** None

**NNL-00522: Removes a data item from a name by value or by type**

**Cause:** Control program help text.

**Action:** None

**NNL-00523: Renames an existing name**

**Cause:** Control program help text.

**Action:** None

**NNL-00524: Replaces a data item with another data item**

**Cause:** Control program help text.

**Action:** None

**NNL-00525: Shows or sets the server's default-forwarding status**

**Cause:** Control program help text.

**Action:** None

**NNL-00526: Starts a server using a non-standard executable and optional arguments**

**Cause:** Control program help text.

**Action:** None

**NNL-00527: Shows, sets, or cancels the time when the server next checkpoints its cache**

**Cause:** Control program help text.

**Action:** None

**NNL-00528: [set] password <password> : set the password for subsequent calls**

**Cause:** Control program help text.

**Action:** None

**NNL-00529: set | show default\_domain [<domain\_name>] : set | show the current default domain**

**Cause:** Control program help text.

---

**Action:** None

**NNL-00530: quit | exit : exit the names control program**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00531: flush\_name <name> : removes a name from caches along a route to an authoritative server**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00532: set | show forwarding\_available [<on | off>] [<server\_list>] : enable, disable or show server request forwarding**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00533: ping [<server\_list>] : ping one or more Names servers**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00534: query <name> [<type>] : query for a desired name and RR type**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00535: reload [<server\_list>] : reload server cache data if there are changes**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00536: set | show requests\_enabled [<on | off>] [<server\_list>] : enable, disable or show server request processing**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00537: set | show server [<server\_name>] : set | show the currently managed server**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00538: stop | shutdown [<server\_list>] : stop one or more Names servers**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00539: start | startup [<args>] : start the Names server with optional arguments**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00540: [show] status [<server\_list>] : display server status summary**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00541: set | show trace\_level [<level>] [<server\_list>] : set | show the server's tracing level**

---

**Cause:** Control program help text.

**Action:** None

**NNL-00542: restart [<server\_list>] : restart one or more Names servers**

**Cause:** Control program help text.

**Action:** None

**NNL-00543: [show] version [<server\_list>] : show the name and version of one or more Names servers**

**Cause:** Control program help text.

**Action:** None

**NNL-00544: Displays operations statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00545: Displays query request statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00546: Displays delete request statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00547: Displays rename request statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00548: Displays update request statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00549: Displays stream usage statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00550: flush [<server\_list>] : flush one or more servers' cache(s)**

**Cause:** Control program help text.

**Action:** None

**NNL-00551: Displays cache statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00553: Displays forwarding statistics**

**Cause:** Control program help text.

**Action:** None

**NNL-00555: Displays meta data statistics**

**Cause:** Control program help text.

**Action:** None

---

**NNL-00556: set | show reset\_stats\_interval [<seconds>] [<server\_list>] : set | show server statistic counter reset interval**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00557: Causes the controller to sleep for N seconds**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00558: set | show namesctl\_trace\_level : set | show the controller's tracing level**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00559: Shows, sets, or cancels the time for the next cache dump to the trace file**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00560: Shows or sets the server's request-processing delay**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00561: register <name> [-t<type>] [-d<address>] [-h<hostname>] [-l<listener\_name>] : register an object with Oracle Names**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00562: unregister <name> [-d<address>] [-l<listener\_name>] : unregister an object with Oracle Names**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00563: timed\_query [<timestamp>] : query all objects in the Names server's cache**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00565: set trace\_file\_name [<filename>] [<server\_list>] : set | show the server's trace file name**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00566: set | show log\_file\_name [<filename>] [<server\_list>] : set | show the log file name on one or more servers**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00567: reorder\_ns [<server\_address>] : Generate the enhanced discovery file**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00568: delegate\_domain <domain\_name> <NS\_name> <NS\_Addr> : Delegate the given domain to the given nameserver**

---

**Cause:** Control program help text.  
**Action:** None

**NNL-00569: domain\_hint <domain\_name> <NS\_name> <NS\_Addr> : Provide hint of a nameserver for a given domain**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00570: save\_config [<server\_list>] : saves server configuration to parameter file**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00571: set | show save\_config\_on\_stop [<on | off>]**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00572: set | show save\_config\_interval [<seconds>] [<server\_list>] : set time of next config save**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00573: load\_tnsnames [<file>, ... ] : load tnsnames into ONames**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00574: dump\_tnsnames [<file>] : dump ONames addresses into tnsnames file**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00575: list\_objects: list all objects in a domain or subtree**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00576: list\_delegated: list all delegated domains in the region or subtree**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00577: list\_domains: list authoritative domains in the region or subtree**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00578: dump\_ldap: dump addresses in the domain or region to LDAP**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00579: \_scan: find objects/records matching the given types**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00580: register\_ns: <name server> <address> <domain>**  
**Cause:** Control program help text.

---

**Action:** None

**NNL-00581: unregister\_ns: <name server> <domain>**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00582: dump\_alias: dump aliases in the domain or region to LDAP**  
**Cause:** Control program help text.  
**Action:** None

**NNL-00800: Query requests received: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00801: Queries received, type ANY: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00802: Queries received, type ADDRESS: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00803: Queries received, type ALIAS: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00804: Queries received, type META-DATA: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00805: Queries received, type NAME-SERVER: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00806: Queries received, type RELATED-INFO: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00807: Queries received, type SOA: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00808: Queries received, all user-defined types: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00809: Queries received, multiple types: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00810: Queries received with no type: *number***

---

**Cause:** Control program statistic description  
**Action:** None

**NNL-00811: Fastest query processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00812: Slowest query processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00813: Average query processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00814: Total query processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00830: Delete requests received: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00831: Deletes refused, name is not a leaf name: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00832: Deletes refused, name is a topology name: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00833: Fastest delete processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00834: Slowest delete processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00835: Average delete processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00836: Total delete processing time: *string***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00850: Rename requests received: *number***  
**Cause:** Control program statistic description  
**Action:** None

---

**NNL-00851: Renames refused, name is not a leaf name: *number***

**Cause:** Control program statistic description

**Action:** None

**NNL-00852: Renames refused, name is a topology name: *number***

**Cause:** Control program statistic description

**Action:** None

**NNL-00853: Renames refused, new name already exists: *number***

**Cause:** Control program statistic description

**Action:** None

**NNL-00854: Fastest rename processing time: *string***

**Cause:** Control program statistic description

**Action:** None

**NNL-00855: Slowest rename processing time: *string***

**Cause:** Control program statistic description

**Action:** None

**NNL-00856: Average rename processing time: *string***

**Cause:** Control program statistic description

**Action:** None

**NNL-00857: Total rename processing time: *string***

**Cause:** Control program statistic description

**Action:** None

**NNL-00870: Update requests received: *number***

**Cause:** Control program statistic description

**Action:** None

**NNL-00871: Updates refused, name is a topology name: *number***

**Cause:** Control program statistic description

**Action:** None

**NNL-00872: Updates refused, data is topology data: *number***

**Cause:** Control program statistic description

**Action:** None

**NNL-00873: Fastest update processing time: *string***

**Cause:** Control program statistic description

**Action:** None

**NNL-00874: Slowest update processing time: *string***

**Cause:** Control program statistic description

**Action:** None

**NNL-00875: Average update processing time: *string***

**Cause:** Control program statistic description

**Action:** None

---

**NNL-00876: Total update processing time:** *string*  
Cause: Control program statistic description  
Action: None

**NNL-00890: Messages received:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00891: Corrupted messages received:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00892: Duplicate requests received:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00893: Similar requests received:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00894: Requests refused, permission denied:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00895: Requests refused, processing disabled:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00896: Requests refused, modifications disabled:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00897: Messages sent:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00898: Responses sent:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00899: OK responses sent:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00900: NO SUCH NAME responses sent:** *number*  
Cause: Control program statistic description  
Action: None

**NNL-00901: CONTENT ERROR responses sent:** *number*  
Cause: Control program statistic description  
Action: None

---

**NNL-00902: ALIAS LOOP responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00903: SERVER FAILURE responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00904: NAME EXISTS responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00905: NOT AUTHORITY responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00906: NOT A LEAF NAME responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00907: NOT ALLOWED responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00908: UNKNOWN TYPE responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00909: META VIOLATION responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00910: VERSION SKEW responses sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00911: Responses sent with invalid error code: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00912: Alias loops detected: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00913: Server-generated requests sent: *number***  
**Cause:** Control program statistic description  
**Action:** None

**NNL-00914: Forwarding desired on server queries: *string***  
**Cause:** Control program statistic description  
**Action:** None

---

**NNL-00915: Authority required on server queries: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00916: Modification requests enabled: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00917: Artificial request processing delay: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00918: Time until server restart: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00919: Time until server shutdown: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00920: Time until next config save: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00930: Requests refused, unknown data type: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00931: Requests refused, no cached meta-data: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00932: Requests refused, type syntax mismatch: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00933: Requests refused, OTHER-DATA violation: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00934: Requests refused, ALIAS-EXISTS violation: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00935: Requests refused, SINGLE-VALUE violation: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00936: Requests refused, DATA-EXISTS violation: *number***  
Cause: Control program statistic description  
Action: None

---

**NNL-00950: Cache lookup requests: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00951: Names created on lookup: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00952: Cache lookup failures: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00953: Cache lookup exact matches: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00954: Hash tables created: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00955: Hash tables enlarged: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00956: Hash tables freed: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00957: Name nodes created: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00958: Name nodes freed: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00959: Time until cache dump to trace file: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00960: Time until cache flush: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00961: Cache checkpoints: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00962: Cache checkpoint failures: *number***  
Cause: Control program statistic description  
Action: None

---

**NNL-00963: Timeouts, name TTL expired: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00970: System query index number: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00971: Query ID: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00972: Query next issued in: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00973: Query state: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00974: Name: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00975: Desired data type: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00980: Forwarding failures: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00981: Timeouts, server not responding: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00982: Not forwarded, no servers found: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00983: Name-to-hint translations: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00984: Name-to-hint translations failed: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00985: Requests reforwarded using referrals: *number***  
Cause: Control program statistic description  
Action: None

---

**NNL-00986: Reforwarded requests expired: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00987: Authoritative answers when authority: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00988: Non-authoritative NACKs received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00989: Objects received with no TTL: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00990: DEFAULT-FORWARDERS-ONLY mode: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00991: Maximum number of reforwards per request: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00992: Auto-refresh failure retry interval: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00993: Auto-refresh failure retry expiration: *string***  
Cause: Control program statistic description  
Action: None

**NNL-00994: Responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00995: Unmatched responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00996: OK responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00997: NO SUCH NAME responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-00998: CONTENT ERROR responses received: *number***  
Cause: Control program statistic description  
Action: None

---

**NNL-00999: ALIAS LOOP responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01000: SERVER FAILURE responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01001: NAME EXISTS responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01002: NOT AUTHORITY responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01003: NON LEAF responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01004: NOT ALLOWED responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01005: UNKNOWN TYPE responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01006: META VIOLATION responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01007: VERSION SKEW responses received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01008: Outbound message contexts allocated: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01009: Outbound message contexts freed: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01010: Forwarding contexts allocated: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01011: Forwarding contexts freed: *number***  
Cause: Control program statistic description  
Action: None

---

**NNL-01030: Domain index number: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01031: Name: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01032: Minimum TTL: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01040: Data streams opened by server: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01041: Data stream open failures: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01042: Data streams answered by server: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01043: Data stream answer failures: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01044: Errors reading data stream: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01045: Errors writing data stream: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01050: Version banner is "*string*"**  
Cause: Control program statistic description  
Action: None

**NNL-01051: Server name: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01052: Server has been running for: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01053: Request processing enabled: *string***  
Cause: Control program statistic description  
Action: None

---

**NNL-01054: Request forwarding enabled: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01055: Requests received: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01056: Requests forwarded: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01057: Foreign data items cached: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01058: Region data next checked for reload in: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01059: Region data reload check failures: *number***  
Cause: Control program statistic description  
Action: None

**NNL-01060: Cache next checkpointed in: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01061: Cache checkpoint interval: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01062: Cache checkpoint file name: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01063: Statistic counters next reset in: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01064: Statistic counter reset interval: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01065: Statistic counters next logged in: *string***  
Cause: Control program statistic description  
Action: None

**NNL-01066: Statistic counter logging interval: *string***  
Cause: Control program statistic description  
Action: None

---

**NNL-01067: Trace level:** *number*

**Cause:** Control program statistic description

**Action:** None

**NNL-01068: Trace file name:** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01069: Log file name:** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01070: System parameter file name:** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01071: Command-line parameter file name:** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01072: Administrative region name:** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01073: Administrative region description:** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01074: ApplTable Index:** *number*

**Cause:** Control program statistic description

**Action:** None

**NNL-01075: Contact** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01076: Operational Status** *number*

**Cause:** Control program statistic description

**Action:** None

**NNL-01077: Save Config on Stop** *string*

**Cause:** Control program statistic description

**Action:** None

**NNL-01078: Access/Create File Error :** *string*

**Cause:** Failed to access/create named file or its backup File due to incorrect permissions

**Action:** Provide correct access to file.



---

## NPL-00100 to NPL-00420

**NPL-00100: cannot initialize ASN.1 context**

**Cause:** The ASN.1 program interface could not be initialized, probably because its error message file could not be found.

**Action:** Check that SQL\*Net has been installed properly and that all message files are in their proper locations.

**NPL-00101: uninitialized ASN.1 context**

**Cause:** The ASN.1 program interface received an uninitialized ASN.1 handle.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00102: missing stream functions in ASN.1 context initialization**

**Cause:** An internal function improperly attempted to initialize an ASN.1 handle.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00103: unusable ASN.1 context**

**Cause:** The ASN.1 program interface received an unusable ASN.1 handle.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00300: maximum ASN.1 element nesting depth *string* exceeded on read**

**Cause:** An ASN.1 construct is too complex for the program interface to read.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00301: maximum ASN.1 element nesting depth *string* exceeded on write**

**Cause:** An ASN.1 construct is too complex for the program interface to write.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00302: ASN.1 type tag is greater than maximum of 16383**

**Cause:** An internal function attempted to create an illegal ASN.1 construct

---

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00303: uninitialized ASN.1 class attribute**

**Cause:** An internal function attempted to create an illegal ASN.1 construct

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00304: uninitialized ASN.1 tag attribute**

**Cause:** An internal function attempted to create an illegal ASN.1 construct

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00305: unsupported ASN.1 "UNIV" type string**

**Cause:** An internal function attempted to create an illegal ASN.1 construct

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00307: ASN.1 sequence has already been ended on write**

**Cause:** An internal function attempted to end an ASN.1 construct prematurely.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00308: requested ASN.1 class string does not match received class string**

**Cause:** An internal function requested an ASN.1 construct different from that received by the ASN.1 protocol engine.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00309: requested ASN.1 type tag string does not match received type tag string**

**Cause:** An internal function requested an ASN.1 construct different from that received by the ASN.1 protocol engine.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00310: ASN.1 sequence has already been ended on read**

**Cause:** An internal function attempted to finish reading an ASN.1 construct which has already been completely read.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00311: cannot end constructed ASN.1 encoding, string encoding octets unread**

**Cause:** An internal function attempted to finish reading an ASN.1 construct prematurely.

---

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00312: attempt to put ASN.1 "UNIV" type with illegal tag *string***

**Cause:** An internal function attempted to create an illegal ASN.1 construct.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00313: requested form *string* does not match actual form *string***

**Cause:** An internal function received an ASN.1 construct different from that expected.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00410: incoming ASN.1 value too large (*string* octets) to store locally**

**Cause:** The ASN.1 protocol engine was unable to translate an ASN.1 construct to its host representation because the construct was too big.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00411: incoming ASN.1 NULL encoding has nonzero length of *string***

**Cause:** The ASN.1 protocol engine received a corrupted ASN.1 construct.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00412: incoming ASN.1 BOOLEAN encoding has incorrect length of *string***

**Cause:** The ASN.1 protocol engine received a corrupted ASN.1 construct.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00413: incoming ASN.1 encoding has length *string*, maximum allowed is *string***

**Cause:** The ASN.1 protocol engine received an ASN.1 construct too large for it to process.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00414: incoming ASN.1 type tag is greater than maximum of 16383**

**Cause:** The ASN.1 protocol engine received an illegal ASN.1 construct.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00415: received unsupported ASN.1 INDEFINITE-LENGTH encoding**

**Cause:** The ASN.1 protocol engine received an ASN.1 encoding which it could not process because its implementation does not support it.

---

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00416: received illegal ASN.1 encoding length of *string***

**Cause:** The ASN.1 protocol engine received a corrupted ASN.1 construct.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00417: received ASN.1 length octet count greater than maximum of *string***

**Cause:** The ASN.1 protocol engine received an ASN.1 encoding which it could not process because its implementation does not support it..

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00418: received malformed ASN.1 object identifier**

**Cause:** The ASN.1 protocol engine received a corrupted ASN.1 construct.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00419: received ASN.1 object identifier with sub-identifier that is too large**

**Cause:** The ASN.1 protocol engine received an ASN.1 encoding which it could not process because its implementation does not support it.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NPL-00420: received ASN.1 object identifier with more than 256 sub-identifiers**

**Cause:** The ASN.1 protocol engine received an ASN.1 encoding which it could not process because its implementation does not support it.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

---

## NNF-00001 to NNF-04009

### NNF-00001: Not a TNS address

**Cause:** While asking to read an address the name service returned a record which was not an address.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

### NNF-00002: Invalid value passed to function call

**Cause:** An invalid value was passed to an interface function.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

### NNF-00003: Naming adapter *string* does not exist

**Cause:** The requested name service adapter was not found in the current adapter table.

**Action:** Check the spelling of the adapter requested. Verify that the adapter runs on this platform, and the adapter is compiled into the adapter table linked into the executable.

### NNF-00004: Operation not supported in *string*

**Cause:** The operation requested is not supported under this adapter.

**Action:** Verify that the operation being performed is not under restriction, such as writing to read-only name service. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

### NNF-00005: Functionality not implemented

**Cause:** The operation requested is not supported in this implementation.

**Action:** If this is retrieved from a production release, contact Worldwide Customer Support. Otherwise, check the release notes as to the restrictions in this release.

### NNF-00110: no values exist

**Cause:** Test program help text.

**Action:** None

### NNF-00540: Failed to insert name: *string*

**Cause:** Failed to insert name into the native service.

---

**Action:** Verify that the name is not already in the native namespace and the appropriate access permissions are set for the namespace.

**NNF-01001: ds\_initialize: workspace initialization failed**

**Cause:** The DCE workspace as setup by ds\_initialize() failed to initialize.

**Action:** Verify that conditions necessary for a successful ds\_initialize() call are present on this platform (e.g. is there enough memory?). Check that there is not another workspace user in this program. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNF-01002: DCE could not open configuration file**

**Cause:** A DCE call returned an error that it could not access its configuration file.

**Action:** Check that the DCE configuration file for this platform is present, and accessible. On Unix this file is dce\_cf.db. Check if a simple call to dce\_cf\_get\_cell\_name() succeeds.

**NNF-01003: DCE could not find cell name**

**Cause:** A DCE call returned an error that it could not find the cell name in its configuration file.

**Action:** Check that this machine has been configured for a DCE cell. Check that the DCE configuration file is not corrupted. On Unix, this file is dce\_cf.db. Check if a simple call to dce\_cf\_get\_cell\_name() succeeds.

**NNF-01004: DCE returned unspecified error string**

**Cause:** A DCE call returned a status that was not in this implementation's list of possible status values for this DCE call.

**Action:** Verify that this platform's DCE release is not beyond those supported by this Oracle application. If the error persists, contact Worldwide Customer Support.

**NNF-01005: Internal XOM class violation**

**Cause:** A DCE XOM call returned statuses inconsistent with the class definitions in the DCE documentation.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNF-01006: Attribute string not available**

**Cause:** An insertion call attempted to use an attribute which did not have a translation to a DCE attribute.

**Action:** Use another attribute, or insert the translation into DCE.

**NNF-01007: DCE long strings are not supported**

**Cause:** A query returned an object which has a XOM OM\_S\_LONG\_STRING. The current implementation does not support such objects.

**Action:** For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NNF-01008: XDS attribute syntax string incorrect for Oracle Names syntax string**

**Cause:** The syntax as specified in the XDS object is different than that which is expected for the given Oracle names syntax.

**Action:** For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

---

**NNF-02001: NIS client error string: *string***

**Cause:** A call to an NIS (YP) function failed. This message contains the text of the NIS error code returned.

**Action:** Should only be visible when returned as part of another error. If the error persists, contact Worldwide Customer Support.

**NNF-02002: NIS value does not conform to adapter schema: *string***

**Cause:** The values in the maps used by the NIS adapter must conform to a specific set of internal formatting rules. This value returned did not conform to those rules.

**Action:** Should not be visible, unless you are attempting to create your own maps. If the error persists, contact Worldwide Customer Support.

**NNF-02003: Unknown NIS error code: *string***

**Cause:** An error code returned by a NIS (YP) function was not in the list expected by this program.

**Action:** Verify that the error is generated by the YP functions on this platform. Notify Worldwide Customer Support of the error.

**NNF-02004: NIS map *string* does not exist**

**Cause:** The requested attribute does not exist.

**Action:** For an unused attribute, no action is required, as this is the expected error. Otherwise, add the attribute and reload the NIS (YP) maps.

**NNF-02005: NIS key *string* does not exist in map *string***

**Cause:** The requested name was not found.

**Action:** For an unused name, no action is required, as this is the expected error. Otherwise, add the name to the map and reload the NIS (YP) maps.

**NNF-03002: Unknown BIND error code: *string***

**Cause:** The return code in the BIND (DNS) query response did not conform to those values listed in RFC 1035.

**Action:** Verify that the error is generated by the BIND functions on this platform. Notify Worldwide Customer Support of the error.

**NNF-03003: Format error parsing server response**

**Cause:** The query response packet returned from the BIND (DNS) API did not conform to the format listed in RFC 1035.

**Action:** Verify that the error is generated by the BIND functions on this platform. Notify Worldwide Customer Support of the error.

**NNF-03004: DNS Class mismatch (*string*)**

**Cause:** The query response packet returned a class different from the ones expected by the interface.

**Action:** Verify that the error is generated by the BIND functions on this platform. Notify Worldwide Customer Support of the error.

**NNF-04000: File successfully converted**

**Cause:** The requested conversion is performed.

**Action:** Normal condition, no action necessary.

**NNF-04001: Error converting input file**

---

**Cause:** The input file contains lines that cannot be converted by the conversion program.

**Action:** Check that the syntax of the input file is correct.

**NNF-04002: Outputfile already exists**

**Cause:** An old output file already exists in the current directory

**Action:** Remove the existing file, and restart the conversion tool

**NNF-04003: Entry in inputfile is too long**

**Cause:** The makedbm program, limits entries in mapfiles to 1017 characters. Therefore, the conversion tool will not process TNS addresses which are longer than 1017 characters.

**Action:** Shorten the offending entry.

**NNF-04004: Invalid string in inputfile**

**Cause:** the input file contains invalid lines.

**Action:** Check that the syntax of the input file is correct.

**NNF-04005: Cannot open inputfile**

**Cause:** The specified input file could not be found.

**Action:** restart the conversion tool with the correct input file.

**NNF-04006: Could not create outputfile**

**Cause:** An output file could not be created in the current working directory

**Action:** Change the permissions of the current directory and restart the conversion tool.

**NNF-04007: Error reading input file**

**Cause:** A problem while reading the input file. This could be caused by an unexpected end of file in the input file.

**Action:** Check that the file is intact and that the syntax of the input file is correct.

**NNF-04008: Error writing outputfile**

**Cause:** An error occurred while writing to the output file.

**Action:** Check available disk space. If the error persists, contact Worldwide Customer Support.

**NNF-04009: Usage: tns2nis <filename>**

**Cause:** The conversion tool was not invoked properly. The filename should either be tnsnames.ora or native.ora

**Action:** Restart the conversion tool with the proper parameter.

---

## NMP-00001 to NMP-00011

### **NMP-00001: value too big**

**Cause:** The SNMP program interface received a value too large for it to process. This error is usually displayed underneath an error which describes in more detail the value which caused the problem.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

### **NMP-00002: no such SNMP variable name**

**Cause:** An SNMP request was not processed because the one or more of the variable names in the request does not exist. This error is not normally visible to the user except in a trace file, where it is usually part of a "soft" error condition which is normal.

**Action:** The error may indicate that a managed server does not support an operation requested by its control program, perhaps because of version incompatibility. For further details, turn on tracing and re-execute the failing operation. If the error persists, and does not occur as part of a "soft" error condition as noted in the trace file, contact Worldwide Customer Support.

### **NMP-00003: bad SNMP variable value**

**Cause:** The SNMP program interface received a variable value which has an unsupported data type. This error may occur if a standard SNMP network monitor is sending requests to an Oracle service through an SNMP-to-TNS gateway, and that service cannot understand the requests.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, and occurs when an Oracle control program sends requests to an Oracle service, contact Worldwide Customer Support.

### **NMP-00004: SNMP variable is read only**

**Cause:** The user attempted to change a variable value at a remote server, and that variable is read-only. This error is usually displayed underneath an error which describes the problem in more detail.

**Action:** Read-only variables may never be modified.

### **NMP-00005: general SNMP error**

**Cause:** an SNMP error occurred which did not fall under the heading of any other more specific error condition. This error may occur if a standard SNMP network monitor is sending requests to an Oracle service through an SNMP-to-TNS gateway, and that service cannot understand the requests.

---

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, and occurs when an Oracle control program sends requests to an Oracle service, contact Worldwide Customer Support.

**NMP-00006: uninitialized SNMP context**

**Cause:** An internal function attempted to use an uninitialized SNMP handle.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

**NMP-00007: I/O failure**

**Cause:** The SNMP program interface attempted to send or receive an SNMP request and was unable to do so because of a network failure of some sort. This error is usually displayed underneath an error which describes the problem in more detail. The problem typically occurs when a control program is attempting to communicate with a service and either that service has unexpectedly terminated or the network path between the control program and the service has been interrupted.

**Action:** None

**NMP-00008: SNMP message has incorrect version, version 0 is required**

**Cause:** The SNMP program interface received a protocol request with an illegal version number. This error may occur if a standard SNMP network monitor is sending malformed requests to an Oracle service through an SNMP-to-TNS gateway.

**Action:** Ensure that the management platform in question is sending SNMP requests with the correct version number. If the error persists, and occurs when an Oracle control program sends requests to an Oracle service, contact Worldwide Customer Support.

**NMP-00009: SNMP initialization failure**

**Cause:** The SNMP program interface could not be initialized, either because its error message file could not be found, or because there is a malformed snmp.communities parameter value in the parameter table.

**Action:** Check that SQL\*Net has been installed properly and that all message files are in their proper locations. Turn on tracing and look for parameter table load errors.

**NMP-00010: memory exhausted**

**Cause:** The program interface has run out of memory.

**Action:** Add more memory or run fewer processes.

**NMP-00011: internal SNMP program interface error**

**Cause:** An internal error occurred inside the SNMP program interface. This error is usually displayed underneath an error which describes the problem in more detail.

**Action:** Not normally visible to the user. For further details, turn on tracing and re-execute the failing operation. If the error persists, contact Worldwide Customer Support.

---

## NCR-00001 to NCR-04028

**NCR-00001: NCR: Could not allocate memory**

**Cause:** Insufficient swap space or system memory.

**Action:** Increase swap space or system memory.

**NCR-00002: NCR: Invalid usage**

**Cause:** Bad function parameter.

**Action:** Check function call.

**NCR-00003: NCR: Initialization failure**

**Cause:** Usually insufficient swap space or system memory.

**Action:** Increase swap space or system memory.

**NCR-01003: NCRS: Read error.**

**Cause:** Failed to read data from an input device.

**Action:** Check the input device driver return code for further information.

**NCR-01004: NCRS: Write error.**

**Cause:** Failed to write data to an output device.

**Action:** Check the output device driver return code for further information.

**NCR-01005: NCRS: Failed to flush the output buffer.**

**Cause:** Failed to write data in the output buffer to an output device.

**Action:** Check the output device driver return code for further information.

**NCR-01006: NCRS: Data buffer overflow.**

**Cause:** An attempt to read or write data outside of a given data buffer.

**Action:** Check data buffer size.

**NCR-01007: NCRS: Operation is not supported in a given mode.**

**Cause:** Attempt to perform an operation which is not supported for the current mode.

**Action:** See documentation for a list of work modes and supported operations.

**NCR-01008: NCRS: Failed to obtain transport parameters.**

**Cause:** Could not identify transport layer parameters.

**Action:** Check the transport layer return code for further information.

**NCR-01009: NCRS: Record handling error.**

---

**Cause:** Encountered an invalid record or an attempt to read beyond last record.

**Action:** See documentation for description of record handling methods.

**NCR-01010: NCRS: Invalid network address length.**

**Cause:** Network address size is set to 0.

**Action:** See documentation for valid network address sizes.

**NCR-01011: NCRS: Send message failure.**

**Cause:** Failed to send a message over network.

**Action:** Check the network interface return code for further information.

**NCR-01012: NCRS: Receive message failure.**

**Cause:** Failed to receive a network message.

**Action:** Check the network interface return code for further information.

**NCR-01013: NCRS: Unvalid connection type.**

**Cause:** Connection type is other than stream or message.

**Action:** See documentation for description of connection types.

**NCR-01018: NCRS: Encryption failure.**

**Cause:** Can not do the encryption for the data.

**Action:** See the SNS documentation for more information.

**NCR-01019: NCRS: Checksumming failure.**

**Cause:** Can not add the checksumming for the data.

**Action:** See the SNS documentation for more information.

**NCR-01020: NCRS: Operation would block.**

**Cause:** An I/O operation returned with no data read/written because the transport connection is "non-blocking" and, to succeed, the operation would have needed to block.

**Action:** This is a soft error; retry the operation.

**NCR-02003: NCRF: Invalid type passed to format interpreter.**

**Cause:** The format interpreter was given a data type it did not recognize.

**Action:** Check the types returned to the interpreter from either the type callback routine or from the type context structure.

**NCR-02004: NCRF: Invalid format interpreter type context**

**Cause:** The format interpreter was given an invalid type context.

**Action:** This error usually happens due to an improperly described aggregate. For example, declaring `NCRF_END_STRUCT_DATA_TYPE` within a context, without a complementary `NCRF_STRUCT_DATA_TYPE`, is invalid.

**NCR-02005: NCRF: Invalid session mode**

**Cause:** The data format layer received a session mode other than GET,PUT or FREE.

**Action:** None

**NCR-02006: NCRF: Invalid floating point representation received**

**Cause:** The data format layer received a floating point representation it did not recognize.

---

**Action:** Check incoming format descriptor for errors.

**NCR-02007: NCRF: Invalid format descriptor received**

**Cause:** The data format layer received an improperly formed format descriptor. Subsequent data could not be formatted.

**Action:** Check for data integrity on receipt from remote host.

**NCR-02008: NCRF: Error within stream processing in format interpreter**

**Cause:** An error occurred while the interpreter was processing an NCRF\_STREAM\_DATA\_TYPE.

**Action:** Check for data integrity, or for stream existence.

**NCR-02009: NCRF: Unable to open trace file**

**Cause:** Failure to open tracing file.

**Action:** Make sure that this is a legal file name and that the user has write access.

**NCR-02010: NCRF: Call context is not available**

**Cause:** Call context not passed to format context.

**Action:** Make sure that create call context has been called.

**NCR-02011: NCRF: Exceeded maximum number of rfids.**

**Cause:** Exceeded maximum number of rfids.

**Action:** Call Oracle Support.

**NCR-03002: NCRO: Maximum number of contexts has been reached**

**Cause:** An attempt to create either a call context or a service context has failed because all context slots are in use.

**Action:** Free-up context slots by destroying those contexts no longer required, or, reconfigure NCRO with more context slots.

**NCR-03003: NCRO: Unexpected message**

**Cause:** Message read from service connection is not of the expected type.

**Action:** Application error - debug and fix.

**NCR-03004: NCRO: Unknown message**

**Cause:** Message read from service connection is of unknown type.

**Action:** Internal error - contact customer support.

**NCR-03005: NCRO: Orphan message**

**Cause:** Message read from service connection is for a call context that no longer exists.

**Action:** Application error - debug and fix.

**NCR-03006: NCRO: Invalid operation**

**Cause:** Attempted operation over call context is invalid. For example, attempting to send IN args for a procedure which is defined to have none.

**Action:** Application error - debug and fix.

**NCR-03007: NCRO: Context is busy**

**Cause:** Attempted operation failed because service/call context is busy performing a previous operation.

**Action:** Application error - debug and fix.

---

**NCR-03008: NCRO: Call rejected**

**Cause:** An attempt to execute a remote procedure has failed because the server has rejected the procedure id.

**Action:** If wrong procedure id, send the correct one. If wrong server was contacted, then contact the right one.

**NCR-03009: NCRO: Protocol version mismatch**

**Cause:** Client and server NCRO layers are at incompatible versions levels.

**Action:** Upgrade to latest NCRO version.

**NCR-03010: NCRO: Transfer callback error**

**Cause:** Application transfer callback function has returned a "FAILED" status.

**Action:** Debug the transfer callback function.

**NCR-03012: NCRO: Invalid session mode**

**Cause:** Attempted operation has failed because the session context is in an invalid state.

**Action:** Internal error - contact customer support.

**NCR-03013: NCRO: Operation not supported**

**Cause:** Attempted operation is not supported on this service connection because it is incompatible with the NCRO version level of the remote application.

**Action:** Link remote application with latest NCR library.

**NCR-03014: NCRO: Bad transport address**

**Cause:** A service context cannot be created because the transport address descriptor (contained in the binding context) is invalid.

**Action:** Application error - initialize the transport address descriptor correctly.

**NCR-03015: NCRO: No transport address**

**Cause:** A service context cannot be created because no transport address was provided (in the binding context) and the transport protocol uses datagrams.

**Action:** Application error - provide a transport address.

**NCR-03016: NCRO: Message has bad address**

**Cause:** Message read from service connection has bad address information.

**Action:** Internal error - contact customer support.

**NCR-03017: NCRO: Transport type RSLV not supported**

**Cause:** Support for transport type RSLV has not been built.

**Action:** Re-compile NCR library with NCR\_USE\_RSLV defined.

**NCR-03018: NCRO: Failed to make RSLV connection**

**Cause:** Failure to make RSLV connection usually means that the name resolution failed or the resolved TNS address is bad.

**Action:** Make sure that the name is in TNSNAMES.ORA and that it is set to the correct TNS address.

**NCR-03019: NCRO: Unable to initialize thread support**

**Cause:** Attempt to initialize the Core thread package has failed.

**Action:** Internal error - contact customer support.

---

**NCR-03020: NCRO: Invalid call context**

**Cause:** The call context is not an valid call context.

**Action:** Call context was destroyed, probably because the Break was received

**NCR-03021: NCRO: Reset the in-band line**

**Cause:** Our parnter is asking to reset the in-band line, after receiving a break

**Action:** The in-band line is required to be reset

**NCR-03022: NCRO: Cannot send the break**

**Cause:** There is an error occur when sending the break using the side-band channel

**Action:** Read the documentation regarding to side-band break support issues

**NCR-03023: NCRO: Cannot receive the break**

**Cause:** There is an error occur when receiving the break using the side-band channel

**Action:** Read the documentation regarding to side-band break support issues

**NCR-03024: NCRO: Transport type LIST not supported**

**Cause:** Support for transport type LIST has not been built.

**Action:** Re-compile NCR library with NCR\_USE\_LIST defined.

**NCR-03025: NCRO: Failed to make LIST connection(s)**

**Cause:** Failure to make LIST connection(s) usually means one of two things: (1) Address list syntax error, (2) Could not connect with supplied addresses

**Action:** Check address list syntax and make sure that there is a "listener" process for each (or some) of the supplied addresses.

**NCR-03026: NCRO: The result buffer has overflowed**

**Cause:** The result buffer for holding the pickling result is too small.

**Action:** Please enlarge the result buffer and try again.

**NCR-03027: NCRO: No remote service session set up yet.**

**Cause:** Sender-makes-right needs the remote FID.

**Action:** Please set up the remote session before using the Send Make's Right option.

**NCR-03028: NCRO: Partner refused request for sender-makes-right.**

**Cause:** Sender-makes-right was requested by the current side, yet refused by the server.

**Action:** Check the server side to see why it refused SMR.

**NCR-04002: NCRR: Invalid interface descriptor**

**Cause:** An attempt to register an interface has failed because of an invalid interface descriptor.

**Action:** Check interface descriptor passed into the ncrri\_register\_interface call.

**NCR-04003: NCRR: Interface exists**

**Cause:** An attempt to register an interface has failed because an interface already exists.

---

**Action:** Application error - register a new interface, destroy the old one, or indicate that the old one must be replaced.

**NCR-04004: NCRR: Invalid interface instance handle**

**Cause:** A service registration API call has failed because of an invalid instance handle.

**Action:** Application error - debug and fix.

**NCR-04005: NCRR: Invalid procedure handle**

**Cause:** A procedure/object registration has failed because of an invalid procedural handle.

**Action:** Application error - debug and fix.

**NCR-04006: NCRR: Invalid argument descriptor**

**Cause:** A procedure registration has failed because of an invalid argument descriptor.

**Action:** Application error - debug and fix.

**NCR-04007: NCRR: Invalid object handle**

**Cause:** A service registration API call failed because of an invalid object handle, for example, one that does not exist.

**Action:** Application error - debug and fix.

**NCR-04008: NCRR: Procedure exists**

**Cause:** An attempt to register a remote procedure has failed because the procedure already exists in this interface.

**Action:** Application error - register a new procedure, destroy the old one, or indicate that the old one must be replaced.

**NCR-04009: NCRR: Object exists**

**Cause:** An attempt to register an object has failed because the object already exists in this interface.

**Action:** Application error - register a new object, destroy the old one, or indicate that the old one must be replaced.

**NCR-04010: NCRR: Unable to contact Oracle Internet Directory Server**

**Cause:** Service export or import failed to contact Oracle Internet Directory Server.

**Action:** Ensure Oracle Internet Directory configuration is correct. Otherwise, turn on tracing and/or contact customer support.

**NCR-04011: NCRR: Oracle Internet Directory error**

**Cause:** Service export or import failed during interaction with Oracle Internet Directory Server.

**Action:** Either wrong parameters with respect to the Remote Operations Service Registration Schema were passed in and/or the Oracle Internet Directory server refused to perform the requested operation. Refer the Remote Operations Service Registration Schema and/or turn on Oracle Internet Directory tracing and/or contact customer support.

**NCR-04012: NCRR: Invalid address descriptor**

**Cause:** An `ncrci_export_interface` call failed because of an invalid address descriptor.

---

**Action:** Application error - debug and fix.

**NCR-04013: NCRR: Insufficient authorization**

**Cause:** Attempted Oracle Internet Directory Server operation has failed because of insufficient authorization.

**Action:** Contact customer support.

**NCR-04014: NCRR: Invalid instance name**

**Cause:** Service export or import failed because of an invalid instance name

**Action:** Application error - debug and fix.

**NCR-04015: NCRR: Invalid interface name**

**Cause:** Service export or import failed because of an invalid interface name

**Action:** Application error - debug and fix.

**NCR-04016: NCRR: Last interface instance handle**

**Cause:** The instance handle passed in is the last instance handle in the list.

**Action:** Not an error - means reaching the end of the list.

**NCR-04017: NCRR: Unable to find the interface instance handle**

**Cause:** The instance handle corresponding to the instance name was not found.

**Action:** Application error - debug and fix.

**NCR-04018: NCRR: Unable to create the TNS address list**

**Cause:** Unable to create the TNS address list from the interface instance list.

**Action:** Application error - debug and fix.

**NCR-04019: NCRR: Interface or instance name already exists**

**Cause:** Service export failed because the name already exists with the Oracle Internet Directory server

**Action:** Application error - debug and fix.

**NCR-04020: NCRR: Interface or instance name does not exist**

**Cause:** Service expunge/query failed because the name does not exist with the Oracle Internet Directory server

**Action:** Use Oracle Internet Directory tools on the relevant Oracle Internet Directory instance to verify the same. Otherwise turn on tracing and/or contact customer support

**NCR-04021: NCRR: Pickler errors**

**Cause:** Service export/query failed because of pickler errors

**Action:** Contact customer support

**NCR-04022: NCRR: Invalid procedure descriptor**

**Cause:** A procedure registration has failed because of an invalid procedural descriptor.

**Action:** Application error - debug and fix.

**NCR-04023: NCRR: Invalid object descriptor**

**Cause:** An object registration has failed because of an invalid object descriptor.

**Action:** Application error - debug and fix.

---

**NCR-04024: NCRR: Maximum number of procedures reached**

**Cause:** A procedure registration has failed because the procedures array is filled up.

**Action:** Re-register the interface increasing the maximum # of procedures.

**NCR-04025: NCRR: Operation timed out**

**Cause:** An operation for the Oracle Internet Directory server failed because it exceeded the timeout period.

**Action:** Retry the operation and/or turn on Oracle Internet Directory tracing.

**NCR-04026: NCRR: Operation not supported**

**Cause:** An operation for the Oracle Internet Directory server failed because it met with a server referral to another instance.

**Action:** Unify the Remote Ops registration entries into the Oracle Internet Directory instance and/or turn on Oracle Internet Directory tracing.

**NCR-04027: NCRR: Operation failed**

**Cause:** An operation for the Oracle Internet Directory server failed because the Service Registration interfaces met with invalid parameters.

**Action:** Contact customer support.

**NCR-04028: NCRR: Operation failed**

**Cause:** An operation for the Oracle Internet Directory server failed because the data involved exceeds the maximum allowed size.

**Action:** Check the entries in the Oracle Internet Directory instance with tools available from Oracle Internet Directory and/or turn on Oracle Internet Directory tracing.

---

## O2F-00301 to O2F-00341

**O2F-00301: Error attempting to read from the INTYPE file**

**Cause:** An operating system error occurred while attempting to read from the INTYPE file.

**Action:** Try opening the INTYPE file with an editor to make sure you are able to access the file.

**O2F-00302: Unable to allocate memory**

**Cause:** OTT was unable to allocate memory.

**Action:** Contact ORACLE customer support.

**O2F-00303: No INTYPE file was specified**

**Cause:** The required option INTYPE was not specified.

**Action:** Set the INTYPE option to the name of the file containing names of types for OTT to translate. The INTYPE option may be specified on the command line or in a CONFIG file.

**O2F-00304: Invalid filename for the INTYPE file**

**Cause:** The filename specified for the INTYPE file is not syntactically correct.

**Action:** Make sure you spelled the filename of the INTYPE file correctly.

**O2F-00305: Error opening the INTYPE file for reading**

**Cause:** An operating system error occurred while attempting to open the INTYPE file.

**Action:** Make sure you spelled the filename of the INTYPE file correctly. Try opening the INTYPE file with an editor to make sure you have access to the file.

**O2F-00306: Unable to close the INTYPE file**

**Cause:** An operating system error occurred while attempting to close the INTYPE file.

**Action:** Try opening the INTYPE file with an editor to make sure you are able to access the file.

**O2F-00307: Unable to read the INTYPE file**

**Cause:** The first token of the INTYPE file was not read. Either an operating system error occurred while attempting to read from the INTYPE file, or all lines of the INTYPE file are blank lines or comment lines.

**Action:** Try opening the INTYPE file with an editor to make sure you are able to access the file. Make sure the INTYPE file contains one or more type specifications.

---

**O2F-00308: No type specifications were seen in the INTYPE file**

**Cause:** Either there are no type specifications in the INTYPE file, or the first type specification could not be read due to a previously reported error.

**Action:** Fix any previously reported errors. Make sure there are one or more type specifications in the INTYPE file.

**O2F-00309: Name of user-defined type is illegal or missing**

**Cause:** The name of a user-defined type is expected following the keyword TYPE at the beginning of a type specification. No legal type name was seen.

**Action:** Make sure that the type specification is syntactically correct, and that the type name is spelled correctly.

**O2F-00310: Illegal or missing identifier name**

**Cause:** A legal C or C++ identifier was expected following AS, but was not seen.

**Action:** Use a legal C or C++ identifier, consisting of letters, digits, and underscores not beginning with a digit.

**O2F-00311: Illegal or missing file name**

**Cause:** A legal file name was expected, but was not seen.

**Action:** Make sure your TYPE file syntax is correct. Use a correct file name.

**O2F-00312: Illegal or missing type version string**

**Cause:** A type version name was expected, but was not seen.

**Action:** Make sure your TYPE file syntax is correct. Use a correct version name.

**O2F-00313: Illegal or missing attribute name**

**Cause:** An attribute name was expected in the INTYPE file, but was not seen.

**Action:** Make sure your TYPE file syntax is correct. Use a correct attribute name.

**O2F-00314: AS expected but not seen in the INTYPE file**

**Cause:** Incorrect syntax in the INTYPE file.

**Action:** Make sure your TYPE file syntax is correct.

**O2F-00315: An attribute of a type is listed twice in a type specification**

**Cause:** An attribute of a user-defined type is listed twice in a type specification in the INTYPE file. The second occurrence is ignored.

**Action:** Remove one of the two occurrences of the attribute.

**O2F-00316: An unexpected token was seen at the end of a type specification**

**Cause:** There is a syntax error in the INTYPE file.

**Action:** Check your documentation to make sure the type specifications

**O2F-00317: Error opening the ERRTYPE file for writing**

**Cause:** An operating system error occurred while attempting to open the ERRTYPE file for writing.

**Action:** Make sure you spelled the ERRTYPE filename correctly. Try creating or modifying the ERRTYPE file to make sure you have write access to the file.

**O2F-00318: Error writing to the OUTTYPE file**

**Cause:** An operating system error occurred when attempting to write to the OUTTYPE file.

---

**Action:** Make sure you have operating system permission to write to the file. Also, make sure disk space is available.

**O2F-00319: No OUTTYPE file specified**

**Cause:** The required option OUTTYPE was not specified.

**Action:** Set the OUTTYPE option to the name of the file to which the TYPE file produced by OTT should be written. The OUTTYPE option may be specified on the command line or in a CONFIG file.

**O2F-00320: Invalid filename for the OUTTYPE file**

**Cause:** The filename specified for the OUTTYPE file is not syntactically correct.

**Action:** Make sure you spelled the filename of the OUTTYPE file correctly.

**O2F-00321: Error opening the OUTTYPE file for writing**

**Cause:** An operating system error occurred while attempting to open the OUTTYPE file.

**Action:** Make sure you spelled the filename of the OUTTYPE file correctly. Make sure you have operating system permission to open the the file.

**O2F-00322: Unable to close the OUTTYPE file**

**Cause:** An operating system error occurred while attempting to close the OUTTYPE file.

**Action:** Try opening the OUTTYPE file with an editor to make sure you are able to access the file.

**O2F-00323: Internal error in OTT facility O2F**

**Cause:** An internal OTT error occurred in the O2F component of OTT.

**Action:** Contact ORACLE customer support.

**O2F-00324: Unable to convert from the database character set to the compiler character set**

**Cause:** The name of a type, attribute, or method cannot be converted from the client character set in effect when OTT was invoked to the compiler character set (typically ASCII or EBCDIC).

**Action:** A name is translated first from the database character set to the client character set, and then from the client character set to the compiler character set. The client character set is specified in a platform-dependent manner (On UNIX platforms, the client character set is specified by setting the NLS\_LANG environment variable). Use a client character set that can be translated to the compiler character set. The compiler character set itself is one such character set. Specify synonyms in the INTYPE file for any names of database objects that cannot be successfully translated to the client character set.

**O2F-00325: None of the characters in a name were legal identifier characters**

**Cause:** None of the characters in the name of a database entity could be translated to a character that may begin a C or C++ identifier, such as a letter or an underscore.

**Action:** Specify an explicit translation for the name in the INTYPE file.

**O2F-00326: Some characters in this name were not legal identifier characters**

**Cause:** One or more characters in the name of a database entity could not be translated to a character that may appear in a C or C++ identifier, such as a letter,

---

an underscore, or a digit. The characters that could not be translated were replaced with underscores.

**Action:** Make sure that the name is spelled correctly, and that it is terminated by a blank, the end of a line, or an equals sign ("="). You may use the translated name with added underscores, or you may specify an explicit translation for the name in the INTYPE file.

**O2F-00327: CASE option has an illegal value**

**Cause:** The value given for the CASE option in the INTYPE file is not legal.

**Action:** Change the value given for the CASE option to one of the following legal values: SAME, LOWER, UPPER, or OPPOSITE.

**O2F-00328: Illegal INITFUNC name**

**Cause:** The function name given for the INITFUNC option in the INTYPE file is not a legal C or C++ identifier.

**Action:** Specify the name of the INITFUNC function as a legal C or C++ identifier. This name can be given in the INTYPE file, given on the command line, or derived from the INITFILE name.

**O2F-00329: Type or option specification expected**

**Cause:** A type or option specification was expected in the INTYPE file, but was not seen.

**Action:** Check the INTYPE file for syntax errors. Supply a type or option specification. A type specification begins with the word TYPE. An option specification begins with the word CASE, INITFILE, or INITFUNC.

**O2F-00330: Name exceeds 265 bytes in length**

**Cause:** A name seen in the INTYPE file exceeds 265 bytes in length.

**Action:** Choose a shorter name.

**O2F-00331: A syntactically illegal name was seen in the INTYPE file**

**Cause:** A syntax error occurred in a name used in the INTYPE file.

**Action:** If the name is quoted, make sure that the quotes are at the beginning and at the end of the name. If a period (which separates a schema name from a type name) appears, make sure that the schema name and the type name are both present.

**O2F-00332: A database link may not appear in the name of a user-defined type**

**Cause:** A database link was seen in the name of a user-defined type. This feature is not yet supported.

**Action:** Declare the user-defined type in the database to which OTT connects.

**O2F-00333: An unexpected token appeared where a keyword was expected in the INTYPE file**

**Cause:** A keyword such as TYPE was expected in the INTYPE file, but an incorrect or misspelled keyword was seen.

**Action:** Verify that your TYPE specification obeys the syntax described in your documentation. Verify that your keyword is spelled correctly.

**O2F-00334: A user-defined type is listed more than once in the INTYPE file**

**Cause:** The same name of a user-defined type appears in more than one type specification. The duplicate specifications of the type name will be ignored.

---

**Action:** Put all of the information about the type, including all type name and attribute name translations, in a single TYPE specification, and eliminate the duplicate TYPE specifications.

**O2F-00335: Internal error in O2F component of OTT**

**Cause:** A request was made that all types in the database schema are to database.

**Action:** List the types to be processed in an INTYPE file. Contact ORACLE customer support.

**O2F-00336: Error reported by subsystem:**

**Cause:** A request was made to generate declarations for all the types in a database schema. An error occurred in a subsystem when accessing the database.

**Action:** Examine the error message reported by the subsystem to determine its cause. List the types to be processed in an INTYPE file.

**O2F-00337: Schema not found, or no types found in schema**

**Cause:** A request was made to generate declarations for all the types in a database schema. Either the schema was not found, no user-declared types were found in the schema, or unable to connect to Oracle.

**Action:** Ensure that a login/password string was specified for OTT and that the Oracle database can be accessed with it. Ensure that the USER\_TYPES table contains at least one row.

**O2F-00338: Illegal or missing package name**

**Cause:** A legal Java package name was expected following IN or PACKAGE or IN PACKAGE, but was not seen.

**Action:** Use a legal Java package name.

**O2F-00339: CODE option has an illegal value**

**Cause:** The value given for the CODE option in the INTYPE file is not legal.

**Action:** Change the value given for the CODE option to one of the following legal values: C, ANSI\_C, KR\_C, JAVA, NATIVE\_JAVA, ORACLE\_JAVA.

**O2F-00340: Name was null**

**Cause:** A name had a length of 0 characters.

**Action:** This error should never be reported to the user. Contact ORACLE customer support.

**O2F-00341: An error occurred for which no message is available**

**Cause:** The cause of this error was not reported.

**Action:** Contact ORACLE customer support.



---

## O2I-00101 to O2I-00133

**O2I-00101: Invalid value for the USERID parameter**

**Cause:** The value supplied for the USERID parameter is not a legal <username>/<password>[@<databasename>] string.

**Action:** Set the USERID option to the correct <username>/<password> or <username>/<password>@<database name> combination to use when connecting to the database. If you have an OPS\$ account, you may instead omit the USERID option, in which case OTT will attempt to connect to the database using the userid OPS\$<username>. The USERID option may be specified on the command line or in a CONFIG file.

**O2I-00102: Unable to connect to Oracle**

**Cause:** OTT could not connect to Oracle with the username, password, and, if applicable, database link that was supplied. Either the USERID option value was incorrect, or, if the USERID was not supplied, the userid OPS\$<username> was not accepted.

**Action:** Check that the username and password are current and correct. Run another program that connects to Oracle to verify that you can connect using that username and password.

**O2I-00103: Two file names refer to the same HFILE file in the INTYPE file**

**Cause:** Two different file names have been used in the INTYPE file to refer to the same HFILE file, or different file names have been used to refer to the same HFILE file on the command line and in the INTYPE file.

**Action:** Consistently refer to each HFILE file using the same file name.

**O2I-00110: Internal error in OTT component O2I**

**Cause:** An internal OTT error occurred in the O2I component of OTT.

**Action:** Contact ORACLE customer support.

**O2I-00111: Unable to allocate memory**

**Cause:** OTT was unable to allocate memory.

**Action:** Contact ORACLE customer support.

**O2I-00112: Unable to write to the HFILE file**

**Cause:** An operating system error occurred when attempting to write to the HFILE file.

**Action:** Make sure you have operating system permission to write to the file. Also, make sure disk space is available.

**O2I-00113: No HFILE specified**

---

**Cause:** The HFILE file to which C declarations generated by OTT are written was not specified.

**Action:** Specify the global HFILE option on the command line or in a CONFIG file. You may choose a different HFILE for a particular type by specifying a different HFILE in the INTYPE file entry describing the type. If every INTYPE file entry specifies an HFILE, and if none of the types in the HFILE require declarations of types not mentioned there, the global HFILE option may be omitted. An INTYPE file generated by a previous invocation of OTT satisfies these conditions.

**O2I-00114: Invalid HFILE file name**

**Cause:** An HFILE file name was specified that is not syntactically correct.

**Action:** Make sure the HFILE filename is spelled correctly.

**O2I-00115: Error opening the HFILE file**

**Cause:** An operating system error occurred while attempting to open the HFILE file for writing.

**Action:** Make sure the HFILE filename is spelled correctly. Try creating or modifying the HFILE to make sure you have write access to the file.

**O2I-00116: Unable to close the HFILE file**

**Cause:** An operating system error occurred while attempting to close the HFILE file.

**Action:** Try creating or modifying the HFILE file to make sure you are able to access the file.

**O2I-00117: Internal error: No message file for component O2U**

**Cause:** The message file for the internal OTT component O2U was not found. OTT may not be correctly installed.

**Action:** Contact ORACLE customer support.

**O2I-00118: This user-defined type was not found in the database**

**Cause:** A user-defined type specified in the INTYPE file was not found in the database.

**Action:** Make sure the name of the type is spelled correctly. Make sure the type is actually declared in the database.

**O2I-00119: Warning reported by subsystem:**

**Cause:** A subsystem invoked by OTT reported a warning. This warning immediately follows the "Warning reported by subsystem" message.

**Action:** Examine the warning reported by the subsystem to determine its cause.

**O2I-00120: Error reported by subsystem:**

**Cause:** A subsystem invoked by OTT reported an error. This error immediately follows the "Error reported by subsystem" message.

**Action:** Examine the error message reported by the subsystem to determine its cause.

**O2I-00121: No value was specified for the CODE option**

**Cause:** The required CODE option was not specified on the command line or in a configuration file.

---

**Action:** Specify the CODE option on the command line or in a configuration file. Currently, the following values of the CODE option are supported: CODE=ANSI\_C, CODE=KR\_C, CODE=C

**O2I-00122: Invalid filename for the INITFILE file**

**Cause:** The filename specified for the INITFILE file is not syntactically correct.

**Action:** Make sure the filename of the INITFILE file is spelled correctly.

**O2I-00123: Unable to close the INITFILE file**

**Cause:** An operating system error occurred while attempting to close the INITFILE file.

**Action:** Try opening the INITFILE file with an editor to make sure the file can be accessed.

**O2I-00124: Error opening the INITFILE file for writing**

**Cause:** An operating system error occurred while attempting to open the INITFILE file for writing.

**Action:** Make sure the INITFILE filename is spelled correctly. Try creating or modifying the INITFILE file to make sure you have write access to the file.

**O2I-00125: Error writing to the INITFILE file**

**Cause:** An operating system error occurred when attempting to write to the INITFILE file.

**Action:** Make sure you have operating system permission to write to the file. Also, make sure disk space is available.

**O2I-00126: You must specify an INTYPE file with SCHEMA\_NAMES=FROM\_INTYPE**

**Cause:** The option SCHEMA\_NAMES=FROM\_INTYPE requests that schema names be written to the OUTTYPE file as given in the INTYPE file. However, an INTYPE file was not specified.

**Action:** Either supply the name of an INTYPE file, or specify the SCHEMA\_NAMES option ALWAYS or IF\_NEEDED.

**O2I-00127: Illegal INITFUNC name**

**Cause:** The name of the INITFUNC function is not a legal C or C++ identifier.

**Action:** Specify the name of the INITFUNC function as a legal C or C++ identifier. This name may be given in the INTYPE file, given on the command line, or derived from the INITFILE name.

**O2I-00128: Unable to write to the Java file**

**Cause:** An operating system error occurred when attempting to write to a Java source file.

**Action:** Make sure you have operating system permission to write to the file. Also, make sure disk space is available.

**O2I-00129: No Java file specified**

**Cause:** The file to which Java declarations generated by OTT are written was not specified.

**Action:** This message should never be seen, because Java files are named after the classes declared within them. Contact ORACLE customer support.

**O2I-00130: Invalid Java file name**

---

**Cause:** A Java file name was specified that is not syntactically correct.

**Action:** Make sure the Java filename is spelled correctly.

**O2I-00131: Error opening a Java file**

**Cause:** An operating system error occurred while attempting to open a Java file for writing.

**Action:** Make sure the filename is spelled correctly. Try creating or modifying the file to make sure you have write access to the file.

**O2I-00132: Unable to close a Java file**

**Cause:** An operating system error occurred while attempting to close a Java file.

**Action:** Try creating or modifying the Java file to make sure you are able to access the file.

**O2I-00133: An error occurred for which no message is available**

**Cause:** The cause of this error was not reported.

**Action:** Contact ORACLE customer support.

---

## O2U-00200 to O2U-00212

**O2U-00200: Internal error in OTT facility O2U**

**Cause:** An internal OTT error occurred in the O2U facility of OTT.

**Action:** Contact ORACLE customer support.

**O2U-00201: Illegal arguments to function o2upt()**

**Cause:** Illegal arguments were passed to the function o2upt(). This is an internal error that should not be encountered by an end user.

**Action:** Contact ORACLE customer support.

**O2U-00202: Invalid data passed to function**

**Cause:** Arguments with incorrect values were passed to the function o2upt(). This is an internal error that should not be encountered by the end user.

**Action:** Contact ORACLE customer support.

**O2U-00203: Type to be declared must be an object type or a named collection type**

**Cause:** You have asked OTT to generate code for a type it does not support. When generating Java code, OTT will only generate code for object types. When generating C declarations, OTT will only generate declarations for object types and named collection types.

**Action:** You are probably asking OTT to declare a built-in type, or, if you are generating Java code, a named collection type. Do not ask OTT to generate a declaration for this type.

**O2U-00204: Unable to convert from the database character set to the compiler character set**

**Cause:** The name of a type, attribute, or method cannot be converted from the client character set in effect when OTT was invoked to the compiler character set (typically ASCII or EBCDIC).

**Action:** A name is translated first from the database character set to the client character set, and then from the client character set to the compiler character set. The client character set is specified in a platform-dependent manner (On UNIX platforms, the client character set is specified by setting the NLS\_LANG environment variable.) Use a client character set that includes the character set of the INTYPE file and can be translated to the compiler character set. The database character set is one such character set. Specify synonyms in the INTYPE file for any names of database objects that cannot be successfully translated to the client character set.

**O2U-00205: None of the characters in a type name were legal identifier characters**

---

**Cause:** None of the characters in the name of a user-defined type could be translated to a character that can begin a C or C++ identifier, such as a letter or an underscore.

**Action:** Specify an explicit translation for the type name in the INTYPE file.

**O2U-00206: Some characters in a type name were not legal identifier characters**

**Cause:** One or more characters in the name of a user-define type could not be translated to a character that can appear in a C or C++ identifier, such as a letter, an underscore, or a digit. The characters that could not be translated were replaced with underscores.

**Action:** Specify an explicit translation for the type name in the INTYPE file, or just use the translated type name with added underscores.

**O2U-00207: None of the characters in an attribute name were legal identifier characters**

**Cause:** None of the characters in the name of an attribute of a type could be translated to a character that can begin a C or C++ identifier, such as a letter or an underscore. To find the affected attribute, look in the declaration generated for this type for data member names that are obviously incorrect.

**Action:** Specify an explicit translation for the attribute name in the INTYPE file.

**O2U-00208: One or more characters in an attribute name were not legal identifier characters**

**Cause:** If an attribute name contains one or more characters that can not be translated to a legal C or C++ identifier character, the characters that can not be translated are replaced with underscores. To find the affected attribute or attributes, look in the declaration generated for this type for data member names that have extra underscores not present in the original attribute names.

**Action:** Specify explicit translations for the affected attribute names in the INTYPE file, or just use the translated attribute names with added underscores.

**O2U-00209: Attribute or function name to be translated was not found**

**Cause:** This name, for which a translation was requested, is not the name of an attribute or a function of the current type.

**Action:** Make sure that the name is spelled correctly, and is the name of an attribute or function defined in the current type.

**O2U-00210: Unable to allocate memory**

**Cause:** OTT was unable to allocate memory.

**Action:** Contact ORACLE customer support.

**O2U-00211: A type without attributes was translated**

**Cause:** OTT translated a type without attributes. The corresponding C-type will be a struct without any components, which is not legal C. The empty type in the database may be the result of an error during type creation. Additionally, incomplete types may be used temporarily in the creation of types that reference one another.

**Action:** Re-create a full version of the type in the database and then re-run OTT.

**O2U-00212: An error occurred for which no message is available**

**Cause:** The cause of this error was not reported.

**Action:** Contact ORACLE customer support.

---

---

## PCB-00001 to PCB-00903

**PCB-00001: *string***

**Cause:** This is a generic error message from the command-line processor.

**Action:** Correct the indicated error.

**PCB-00002: Command line processor severe error**

**Cause:** The command line processor encountered a severe error.

**Action:** After making sure that all the command-line options are specified correctly, call customer support with a full account of all the options and configuration files used.

**PCB-00003: Value of DBMS option invalid with given value of MODE option**

**Cause:** When MODE={ANSI14 | ANSI13}, DBMS=V7 or V8 was specified, or when MODE=ANSI, DBMS=v6 was specified. These option settings are incompatible. Note that the DBMS option was not available before release 1.5 of the Oracle Precompilers.

**Action:** With DBMS=V7 or V8, instead of MODE={ANSI14 | ANSI13}, specify MODE={ANSI | ORACLE}. With DBMS=V6, instead of MODE=ANSI, specify MODE={ANSI14 | ANSI13 | ORACLE}, but MODE=ORACLE is recommended.

**PCB-00004: UNSAFE\_NULL=YES must be used with DBMS=V7 or V8 and MODE=ORACLE**

**Cause:** The option UNSAFE\_NULL=YES has been used with DBMS=V6 or DBMS=NATIVE (the default) or has been used with MODE=ANSI/ANSI14/ANSI13.

**Action:** Use DBMS=V7 or V8 and MODE=ORACLE (the default) when using UNSAFE\_NULL=YES or do not use UNSAFE\_NULL=YES.

**PCB-00005: Command line option MODE=ANSI required with option NLS\_LOCAL=YES**

**Cause:** The precompiler option NLS\_LOCAL=YES was used without also specifying MODE=ANSI. The precompiler option MODE=ANSI must be specified if NLS\_LOCAL=YES.

**Action:** Set the precompiler option MODE=ANSI in addition to NLS\_LOCAL=YES or do not set NLS\_LOCAL=YES.

**PCB-00006: Userid only used when SQLCHECK=FULL, userid ignored.**

**Cause:** The USERID option was specified when SQLCHECK={SYNTAX | NONE}. This is unnecessary.

**Action:** Specify the USERID option only when SQLCHECK=SEMANTICS.

---

**PCB-00007: *string***

**Cause:** This is a generic error message from the command-line processor.

**Action:** Correct the indicated error.

**PCB-00008: Must use option SQLCHECK=SEMANTICS(FULL) when there is embedded PL/SQL**

**Cause:** The precompiler tried to parse an embedded PL/SQL block when SQLCHECK={SYNTAX | NONE}. PL/SQL blocks can be parsed only when SQLCHECK=SEMANTICS is specified.

**Action:** Remove the PL/SQL block or specify SQLCHECK=SEMANTICS.

**PCB-00009: Cannot change MAXLITERAL after an EXEC SQL statement**

**Cause:** The MAXLITERAL option has been used in an inline EXEC ORACLE OPTION statement after and EXEC SQL, EXEC TOOLS, or EXEC IAF statement. This is not allowed.

**Action:** Use the MAXLITERAL option only on the command line or in an EXEC ORACLE OPTION statement placed at the beginning of the input source file.

**PCB-00010: SQLCHECK value in EXEC ORACLE statement exceeds command line value**

**Cause:** The SQLCHECK option was entered inline and specified a level of checking higher than the level specified (or accepted by default) on the command line. This is not allowed. For example, if SQLCHECK={SYNTAX | LIMITED} is specified on the command line, SQLCHECK={SEMANTICS | FULL} cannot be specified inline. This informational message is; the precompiler ignores the inline value and continues processing.

**Action:** Revise the EXEC ORACLE statement or specify a lower level of checking on the command line.

**PCB-00011: DBMS=V6 no longer supported; using DBMS=NATIVE**

**Cause:** V6 compatibility is no longer supported. The precompiler will precompile as though DBMS=NATIVE was specified.

**Action:** Revise the specified DBMS option value from v6 to another value as desired.

**PCB-00012: Command line option DYNAMIC=ANSI required with option TYPE\_CODE=ANSI**

**Cause:** The precompiler option TYPE\_CODE=ANSI was used without also specifying DYNAMIC=ANSI. The precompiler option DYNAMIC=ANSI must be specified if TYPE\_CODE=ANSI.

**Action:** Set the precompiler option DYNAMIC=ANSI in addition to TYPE\_CODE=ANSI or do not set TYPE\_CODE=ANSI.

**PCB-00013: Must use option SQLCHECK=SEMANTICS(FULL) when option OUTLINE is used**

**Cause:** The precompiler option OUTLINE was used without also specifying SQLCHECK=SEMANTICS(FULL).

**Action:** Set the precompiler option SQLCHECK=SEMANTICS(FULL).

**PCB-00014: Must use option OUTLINE when option OUTLNPREFIX is used**

**Cause:** The precompiler option OUTLNPREFIX was used without also specifying OUTLINE=YES | <category\_name>. The precompiler option OUTLINE must be specified if OUTLNPREFIX is used.

---

**Action:** Set the precompiler option OUTLINE=YES | <category\_name>

**PCB-00015: Must use option OUTLINE when option RUNOUTLINE is used**

**Cause:** The precompiler option RUNOUTLINE was used without also specifying OUTLINE=YES | <category\_name>. The precompiler option OUTLINE must be specified if RUNOUTLINE is used.

**Action:** Set the precompiler option OUTLINE=YES | <category\_name>

**PCB-00100: Unable to reopen temporary file *string***

**Cause:** The precompiler was unable to reopen a temporary file. Some possible causes follow:

- o File access privileges are insufficient.
- o Another user has locked the file.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that sufficient privileges have been granted to access the file, and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCB-00101: Could not find or open system configuration file**

**Cause:** The precompiler was unable to open the system configuration file. The system configuration file does not exist or is not in the proper directory.

**Action:** Check that the system configuration file is in the proper directory. See Oracle installation documentation for where this should be. Put a new copy of pccob.cfg with desired default options in the proper directory.

**PCB-00102: Input file name length exceeds the maximum length**

**Cause:** The file name length specified exceeded the maximum length. Some operating systems have a maximum file name length.

**Action:** Use a file name of length less than or equal to the maximum platform specific file name length.

**PCB-00103: Unable to open generated outline sql file "*string*"**

**Cause:** The precompiler was unable to open the input file specified in the INCLUDE statement. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges to access the file have been granted, and that it is not locked by another user. Also, check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCB-00104: Unable to open input file "*string*"**

---

**Cause:** The precompiler was unable to open the input file specified by the INAME precompiler option. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o Another user has locked the file.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges have been granted to access the file, and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCB-00105: Included file name "*string*" exceeds name limit of *number* characters**

**Cause:** The file name length specified exceeded the maximum length. Some operating systems have a maximum file name length.

**Action:** Use a file name of length less than or equal to the maximum platform specific file name length.

**PCB-00106: Unable to open INCLUDE file "*string*"**

**Cause:** The precompiler was unable to open the input file specified in the INCLUDE statement. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges to access the file have been granted, and that it is not locked by another user. Also, check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCB-00107: Unable to open generated outline log file "*string*"**

**Cause:** The precompiler was unable to open the input file specified in the INCLUDE statement. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o There is not enough disk space.
- o There are too many open files.

---

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges to access the file have been granted, and that it is not locked by another user. Also, check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCB-00108: Unable to open list file "*string*"**

**Cause:** The precompiler was unable to open the list file specified by the LNAME precompiler option. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o Another user has locked the file.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges have been granted to access the file, and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with the system manager). If a listing file is not needed, specify LTYPE=NONE on the command line.

**PCB-00109: Unable to open generated source file "*string*"**

**Cause:** The precompiler was unable to open the output file specified by the ONAME precompiler option. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o Another user has locked the file.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges have been granted to access the file, and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCB-00110: Unable to open temporary file "*string*"**

**Cause:** The precompiler was unable to open a file for temporary use. Some possible causes follow:

- o File access privileges are insufficient.
- o A file of the same name already exists and is locked.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that sufficient privileges have been granted to access the file, and that it is not locked. Also check that there is enough disk space

---

and that the limit for open files is set high enough (check with the system manager). "200 - 299, Host variable errors."

**PCB-00200: Cannot equivalence PIC N or PIC G variable "string"**

**Cause:** A PIC N/G variable, an implicit VARCHAR group item with a PIC N/G elementary item, or a group item with a PIC N/G elementary item was used in an EXEC SQL VAR statement. This is not allowed.

**Action:** Do not use the PIC N variable in an EXEC SQL VAR statement. If you want an equivalence to an Oracle type using an EXEC SQL VAR statement, use a PIC X variable, instead of a PIC N variable.

**PCB-00201: Indicator variable *string* not a group item**

**Cause:** The host variable is a group item containing tables. Indicator variables used with this type of host variable must be group items of tables of indicators corresponding the the tables in the group item host variable.

**Action:** Change the indicator variable to be a group item of indicator tables.

**PCB-00202: Indicator variable *string* not a group item or table**

**Cause:** The host variable is a group item. Indicator variables used with this type of host variable must be a group item or table of indicator variables.

**Action:** Use a group item or table of indicator variables.

**PCB-00203: Nested group item "string" not supported**

**Cause:** The variable used as a host variable was a group item which itself contained other group items.

**Action:** Remove any group items from the group item to be used as a host variable.

**PCB-00204: Group items cannot be used except in INTO or VALUES clause**

**Cause:** A group item host variable was used outside of an INTO or VALUES clause. A group item host variable may be used only in an INTO or VALUES clause.

**Action:** Do not use a group item outside of an INTO or VALUES clause.

**PCB-00205: Cannot use PIC N or PIC G variable in PL/SQL when NLS\_LOCAL=YES**

**Cause:** A PIC N or PIC G variable was used in an embedded PL/SQL block when the precompiler option NLS\_LOCAL=YES was used. A PIC N or PIC G variable is not supported in this situation.

**Action:** Do not use the PIC N or PIC G variable within the PL/SQL block or use precompiler option NLS\_LOCAL=NO.

**PCB-00206: Cannot use N quoted literal in PL/SQL when NLS\_LOCAL=YES**

**Cause:** A "N" literal (a literal of the form "N"...") was used within a PL/SQL block when the precompiler option NLS\_LOCAL=YES was used. N literals are not supported in this situation.

**Action:** Use an ordinary literal (one without the "N") within the PL/SQL block or use precompiler option NLS\_LOCAL=NO.

**PCB-00207: Invalid use of PIC N or PIC G table variable when NLS\_LOCAL=YES**

**Cause:** A PIC N variable was declared using an OCCURS clause. Tables of PIC N variables are not supported when NLS\_LOCAL=YES.

---

**Action:** Declare the PIC N variable without an OCCURS clause or, do not use the PIC N variable in any SQL statements.

**PCB-00208: Incorrect type for host variable "string"**

**Cause:** A variable of unsupported datatype was used in a SQL statement or embedded PL/SQL block.

**Action:** Use a host variable of a supported datatype.

**PCB-00209: Scale is not supported for host variable "string"**

**Cause:** A variable whose format does not support scaling was used in a SQL statement or embedded PL/SQL block. The following formats do not support scaling: PIC S9(n) COMP PIC S9(n) COMP-4 PIC S9(n) COMP-5 PIC S9(n) BINARY PIC 9(n) COMP

**Action:** Remove the scale or use a datatype that support scaling.

**PCB-00210: DISPLAY-1 only allowed with PIC G and PIC N variables "string"**

**Cause:** A variable declared with DISPLAY-1 in the usage clause without PIC G or PIC N in the picture clause was used in a SQL statement.

**Action:** Replace DISPLAY-1 with DISPLAY or change the picture clause to use PIC N or PIC G.

**PCB-00211: VARYING not supported with PIC N or PIC G variable "string"**

**Cause:** The keyword VARYING was used in a PIC N variable declaration.

**Action:** Remove the keyword VARYING from the variable declaration. If you want to declare a PIC N VARCHAR variable, specify the precompiler option VARCHAR=YES and declare the variable as an implicit VARCHAR group item as illustrated by the following example: EXEC SQL BEGIN DECLARE SECTION END-EXEC. ... 01 ENAME. 05 ENAME-LEN PIC S9(4) COMP. 05 ENAME-ARR PIC N(20). ... EXEC SQL END DECLARE SECTION END-EXEC.

**PCB-00212: PICTURE clause not allowed for host variable "string"**

**Cause:** A variable declared with a PIC clause and COMP-1 or COMP-2 was used in a SQL statement or embedded PL/SQL block.

**Action:** Remove the PIC clause or use a datatype other than COMP-1 or COMP-2 in the declaration of the variable.

**PCB-00214: JUSTIFIED clause not allowed for host variable "string"**

**Cause:** A variable declared with a JUSTIFIED clause was used in a SQL statement or embedded PL/SQL block.

**Action:** Remove the JUSTIFIED clause from the variable declaration.

**PCB-00215: OCCURS TO TIMES clause not allowed for host variable "string"**

**Cause:** A variable declared with an OCCURS clause with the TO TIMES subclause was used in a SQL statement or embedded PL/SQL block.

**Action:** Remove the TO TIMES subclause from the variable declaration.

**PCB-00216: OCCURS ASCENDING/DESCENDING clause not allowed for "string"**

**Cause:** A variable declared with an OCCURS clause with the ASCENDING or DESCENDING KEY IS subclause was used in a SQL statement or embedded PL/SQL block.

**Action:** Remove the ASCENDING or DESCENDING KEY IS subclause from the variable declaration.

- 
- PCB-00217: OCCURS INDEXED clause not allowed for host variable "string"**  
**Cause:** A variable declared with an OCCURS INDEXED clause was used in a SQL statement or embedded PL/SQL block.  
**Action:** Remove the OCCURS INDEXED clause from the variable declaration.
- PCB-00218: RENAMES clause not allowed for host variable "string"**  
**Cause:** A variable declared with a RENAMES clause was used in a SQL statement or embedded PL/SQL block.  
**Action:** Remove the RENAMES clause from the declaration.
- PCB-00219: Invalid size specified in EXEC SQL VAR statement**  
**Cause:** A size which is specified which is not valid for the specified data type.  
**Action:** Specify a size which is valid for the specified type.
- PCB-00220: Invalid scale specified in EXEC SQL VAR statement**  
**Cause:** A scale which is specified which is not valid for the specified data type.  
**Action:** Specify a scale which is valid for the specified type.
- PCB-00221: OCCURS DEPENDING ON clause not allowed for host variable "string"**  
**Cause:** A variable declared with an OCCURS clause with the DEPENDING ON subclause was used in a SQL statement or embedded PL/SQL block.  
**Action:** Remove the DEPENDING ON subclause from the variable declaration.
- PCB-00222: Size for host variable *string* exceeds maximum size**  
**Cause:** A variable declared with PIC S9(n), with n greater than what is allowed on the given platform, was used in an embedded sql statement. On 32 bit machines n must not exceed 9, and on 64 bit machines, n must not exceed 18.  
**Action:** Use a smaller number in the picture clause that does not exceed the maximum allowed size on your platform or use COMP-3.
- PCB-00223: Undeclared variable "string"**  
**Cause:** A variable used in a SQL statement was not declared or its name is misspelled or if option DECLARE\_SECTION=YES the declaration was not in a DECLARE SECTION.  
**Action:** Add or correct the variable declaration.
- PCB-00224: Ambiguously referenced variable "string"**  
**Cause:** There is more than one variable of the same name and the qualification given was insufficient to determine which variable the reference was to.  
**Action:** Use more complete qualification in the variable reference.
- PCB-00225: Undeclared SQL identifier "string"**  
**Cause:** The name of a descriptor, statement, or cursor was not declared or is misspelled, or was declared as a different kind of SQL identifier.  
**Action:** Add or correct the descriptor, statement, or cursor declaration.
- PCB-00226: SQL identifier "string" already defined**  
**Cause:** The SQL identifier (cursor name, statement name, etc.) has already been defined in another way.  
**Action:** Use a different name for this use of the name.

---

**PCB-00227: Undeclared indicator variable "string"**

**Cause:** An indicator variable used in a SQL statement was not declared in the Declare Section or its name is misspelled.

**Action:** Add or correct the indicator variable declaration.

**PCB-00228: Invalid group item variable "string"**

**Cause:** An unacceptable group item variable was used in a SQL statement. or its name is misspelled.

**Action:** Correct the group item variable declaration or its use in the SQL statement.

**PCB-00229: Indicator variable "string" has wrong type or length**

**Cause:** An indicator variable was not declared in the Declare Section as a 2-byte integer. Indicator variables must be defined as 2-byte integers.

**Action:** Redefine the indicator variable as a 2-byte integer.

**PCB-00230: Indicator table size must not be less than its host variable**

**Cause:** An host variable table was used with an indicator table declared with a smaller dimension. For example: EXEC SQL BEGIN DECLARE SECTION  
END-EXEC. 01 EMP-NUM OCCURS 4 TIMES PIC S9(4) COMP. 01  
EMP-NUM-IND OCCURS 2 TIMES PIC S9(4) COMP. EXEC SQL END DECLARE  
SECTION END-EXEC. ... SELECT ... INTO EMP-NUM:EMP-NUM-IND ...

**Action:** Increase the size of the indicator table.

**PCB-00231: Host and indicator variables may not have the same name.**

**Cause:** In an EXEC SQL statement, an indicator variable had the same name as a host variable. The names of a host variable and its associated indicator variable must be different. Also, an indicator variable cannot be used as a host variable.

**Action:** Rename the host or indicator variable.

**PCB-00232: Tables not allowed as input bind variables in SELECT statement**

**Cause:** A host table was used in the WHERE clause of a SELECT-INTO statement or in the SELECT list of a SELECT-INTO statement.

**Action:** Rewrite the SELECT statement without using tables or use a cursor.

**PCB-00233: Table size mismatch in INTO/USING. Minimum is: *number***

**Cause:** The size of a table variable in an INTO/USING clause is too small for the number of rows processed.

**Action:** Declare all table variables in the INTO/USING clause to have at least the minimum dimension given.

**PCB-00234: FOR variable "string" is invalid type**

**Cause:** The count variable in a FOR clause has the wrong datatype. The datatype must be NUMBER or LONG (or be compatible with NUMBER or LONG).

**Action:** Check the declaration and check that the count variable has a datatype of NUMBER or LONG (or a compatible Oracle or host-language datatype).

**PCB-00235: Table size mismatch in INTO/USING. Minimum is: *number***

**Cause:** The size of a table variable in an INTO/USING clause of a dynamic EXECUTE statement has been ARRAYLEN...EXECUTE" while the other host variable has not and is not a table of dimension 1 or a plain non-table host variable. Example: 01 X PIC X(10) OCCURS 10. 01 Y PIC S9(4) COMP OCCURS 10.

---

01 Z PIC S9(4) COMP. ... EXEC SQL ARRAYLEN X (DIM) EXECUTE END-EXEC.  
... EXEC SQL EXECUTE S1 USING :X, :Y END-EXEC. <-- error EXEC SQL  
EXECUTE S1 USING :X, :Z END-EXEC. <-- ok Please note that this error differs  
from 233 in that it is an ERROR not a WARNING.

**Action:** ARRAYLEN...EXECUTE all of the table variables in the INTO/USING clause or those host variables not ARRAYLEN...EXECUTEd need to be of dimension 1.

**PCB-00236: Cannot use PIC N/G variable. NLS\_NCHAR not set or set incorrectly.**

**Cause:** To use PIC N or PIC G variables as host variables, both of the environment variables NLS\_LANG and NLS\_NCHAR must be set with correct values. One of the following problems has occurred which prevents Pro\*COBOL from accepting PIC N and PIC G variables as host variables: 1) One or both of NLS\_LANG and NLS\_NCHAR are not set at all. 2) NLS\_LANG is not set with a valid language, territory, or character set. 3) NLS\_NCHAR is not set to a valid NCHAR character set. 4) The character set specified by NLS\_NCHAR is not a fixed width character set. Pro\*COBOL can only use fixed width character sets for PIC N or PIC G host variables.

**Action:** Set the NLS\_NCHAR environment variable to a valid fixed width character set name. Set NLS\_LANG with a valid language, territory, and character set.

**PCB-00237: Declaration of "string" cannot have a level number greater than 48**

**Cause:** A VARYING or SQL-CURSOR declaration has been encountered which has the level number greater than 48.

**Action:** Change the level to 48 or less.

**PCB-00238: Element of this table group item host variable cannot be a table**

**Cause:** A group item that is a table and having an element that is a table was used in a SQL statement.

**Action:** Remove the OCCURS clause from the element of the group item.

**PCB-00239: Element of a table group item indicator cannot be table or group item**

**Cause:** A group item that is a table and used as an indicator has an element that is a table or group item.

**Action:** Change the nested table or group item in the indicator so that it is an elementary item.

**PCB-00240: Group item containing this host variable cannot be table**

**Cause:** An elementary item belonging to a group item with an OCCURS clause has been referenced. This is not allowed.

**Action:** Change the elementary item used to an item that is not an element of a table of group items.

**PCB-00241: A host variable is required here**

**Cause:** The COUNT item in the dynamic SQL statement must be a host variable but is not.

**Action:** Use a host variable in the COUNT item of the dynamic SQL statement.

**PCB-00242: A host variable or exact numeric constant is required here**

**Cause:** The particular item in the dynamic SQL statement is required to be a host variable or exact numeric (integer) constant, but is not.

---

**Action:** Change the item in the dynamic SQL statement to use a host variable or exact numeric constant. "300 - 399: FIPS flagging error messages."

**PCB-00300: Datatype for host variable not supported by ANSI "string"**

**Cause:** An Oracle extension to the ANSI/ISO standard was used. Specifically, a pointer or nonconforming datatype such as VARCHAR was used. For example, the offending code might look like: EXEC SQL BEGIN DECLARE SECTION END-EXEC. 01 USERNAME PIC X(10) VARYING. EXEC SQL END DECLARE SECTION END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** None

**PCB-00301: Use of non-ANSI function is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a non-ANSI function was used. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use this function.

**PCB-00302: This statement is not supported by ANSI**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a nonconforming SQL statement such as PREPARE was used. For example, the offending code might look like: EXEC SQL PREPARE SQL-STM FROM :HV END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the nonconforming statement.

**PCB-00303: Dynamic SQL and PL/SQL are Oracle extensions to ANSI SQL**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, dynamic SQL or embedded PL/SQL was used. For example, the offending code might look like: EXEC SQL EXECUTE BEGIN SELECT ... END; END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use dynamic SQL or embedded PL/SQL.

**PCB-00304: Oracle extension to the WHENEVER statement**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a nonconforming keyword such as NOTFOUND, STOP, RAISE, or DO was used in the WHENEVER statement. (Note that NOT FOUND is ANSI-compliant.) For example, the offending code might look like: EXEC SQL WHENEVER SQLERROR STOP END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the nonconforming keyword.

**PCB-00305: Oracle extension to the COMMIT and ROLLBACK statements**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the parameter RELEASE, COMMENT, or FORCE were used in a COMMIT or ROLLBACK statement. For example, the offending code might look like: EXEC SQL ROLLBACK RELEASE END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

---

**Action:** No action required. However, for ANSI/ISO compliance, do not use the nonconforming parameter.

**PCB-00306: CREATE FUNCTION/PROCEDURE/PACKAGE/TRIGGER are Oracle extensions**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, one of the following statements was used:

- o CREATE FUNCTION
- o CREATE PROCEDURE
- o CREATE PACKAGE
- o CREATE TRIGGER This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use any of these statements.

**PCB-00307: DROP TABLE statement is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the DROP TABLE statement was used. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use the DROP statement.

**PCB-00308: FOR clause is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the FOR clause was used in an table-processing SQL statement. For example, the offending code might look like: EXEC SQL FOR :LIMIT INSERT INTO EMP (EMPNO, JOB, DEPTNO) VALUES (:EMPNUM, :JOB, :DEPTNO) END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the FOR clause.

**PCB-00309: The CONNECT statement is Oracle implementation dependent**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the CONNECT statement was used to log on to ORACLE. For example, the offending code might look like: EXEC SQL CONNECT :USERNAME IDENTIFIED BY :PASSWORD END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, specify the AUTO\_CONNECT command-line option instead of using a CONNECT statement.

**PCB-00310: AT clause is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the AT <db\_name> clause was used in a SQL statement. For example, the offending code might look like: EXEC SQL AT oracle3 COMMIT RELEASE END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the AT <db\_name> clause.

**PCB-00311: Datatype equivalencing is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the EXEC SQL VAR statement was used.

---

**Action:** No action required. However, for ANSI/ISO compliance, do not use the EXEC SQL VAR statement.

**PCB-00312: Keyword WORK required here by ANSI**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the keyword WORK was used in a COMMIT or ROLLBACK statement. For example, the offending code might look like: EXEC SQL COMMIT WORK RELEASE END-EXEC. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the keyword WORK.

**PCB-00313: TO SAVEPOINT clause is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the TO SAVEPOINT <save\_id> clause was used in a ROLLBACK statement.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the TO SAVEPOINT clause.

**PCB-00314: DECLARE DATABASE is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the DECLARE DATABASE statement was used.

**Action:** No action required. However, for ANSI/ISO compliance, do not use this statement.

**PCB-00315: DECLARE TABLE is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the DECLARE TABLE statement was used.

**Action:** No action required. However, for ANSI/ISO compliance, do not use this statement.

**PCB-00316: SQL FORMS statements are Oracle extensions**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the one of the following statements was used:

- o EXEC IAF GET

- o EXEC IAF PUT

- o EXEC TOOLS GET

- o EXEC TOOLS SET This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use any of these statements.

**PCB-00317: Group item host variables are Oracle extensions**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a group item variable was used as a host variable. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use group items as host variables.

**PCB-00318: ARRAYLEN is an Oracle extension**

---

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the ARRAYLEN statement was used. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use this statement.

**PCB-00319: EXEC ORACLE statements are an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, an EXEC ORACLE statement was used. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use this statement.

**PCB-00320: VARYING host variable "string" is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a variable declared of VARYING type was used in a SQL statement. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use this statement.

**PCB-00321: Implicit varchar host variables are an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, an implicit varchar variable was used in a SQL statement. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use this statement.

**PCB-00322: EXEC SQL LOB statements an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, an EXEC SQL LOB statement was used. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use this statement. "400 - 499, Tokenizer or parsing errors."

**PCB-00400: *string***

**Cause:** A syntax error was found.

**Action:** Do the appropriate action to fix the indicated error.

**PCB-00401: Character string not properly terminated**

**Cause:** The character string was not terminated with a quote or apostrophe as appropriate or line continuation was not correct.

**Action:** Check that the character string is terminated properly and that line continuation syntax is correct.

**PCB-00402: Pseudo-text not properly terminated**

**Cause:** A block of pseudo-text has not been properly terminated with "==".

**Action:** Terminate the pseudo-text at the appropriate place with "==". "500 - 649, Other semantic errors grouped by these features: threads, result set cursors, miscellaneous, pl/sql (includes arraylen), exec tools and lobs."

**PCB-00403: EXEC statement cannot begin in Area A**

**Cause:** An EXEC statement began in Area A (before column 12).

---

**Action:** Shift the EXEC statement to the right to start it in Area B (in or after column 12).

**PCB-00404: *string***

**Cause:** A syntax error was found.

**Action:** Do the appropriate action to fix the indicated error. "500 - 524, Threads"

**PCB-00500: No EXEC SQL CONTEXT USE statement encountered**

**Cause:** No EXEC SQL CONTEXT USE statement was encountered and the option threads=yes was requested.

**Action:** Ensure that the necessary context variable (of type sql-context) has been declared, ALLOCATED, and USED prior to any executable SQL statements.

**PCB-00501: Runtime context variable "*string*" not of correct type**

**Cause:** The runtime context variable referenced in an EXEC SQL CONTEXT USE statement is not of type sql\_context.

**Action:** Declare your runtime context variable of type sql\_context.

**PCB-00502: This statement can only be used with THREADS=YES**

**Cause:** EXEC SQL ENABLE THREADS has been used, even though option THREADS is set to NO.

**Action:** Specify option THREADS=YES or remove the EXEC ENABLE THREADS statement from the source code. "525 - 549, Result Set Cursors"

**PCB-00525: Use of the AT clause is not permitted here**

**Cause:** An explicit AT clause was used with an ALLOCATE statement or a FETCH/CLOSE statement also using a sql-cursor declaration.

**Action:** Remove the AT clause. "550 - 574, Miscellaneous"

**PCB-00550: Unable to log on to ORACLE with "*string*". ORACLE error number: *number***

**Cause:** The precompiler was unable to log on to ORACLE with the specified username and password. An ORACLE error with given number occurred when the logon was attempted.

**Action:** .

**PCB-00551: The SQLCA has already been included**

**Cause:** The precompiler has encountered an include SQLCA statement after SQLCA has already been included. The SQLCA can only be included once.

**Action:** Remove the duplicate include SQLCA statement.

**PCB-00552: The SQLCA and a SQLCODE variable cannot both be used**

**Cause:** The SQLCA has been included and a SQLCODE variable has been declared. This is not allowed as references to the SQLCODE variable are ambiguous and will result in COBOL compiler errors.

**Action:** Use either the SQLCA or the SQLCODE variable. Remove either the include of the SQLCA or the SQLCODE variable declaration.

**PCB-00553: FOR clause not allowed on this statement**

**Cause:** A FOR clause was used with a SELECT, LOB, or DEALLOCATE DESCRIPTOR statement. A FOR clause cannot be used with these statements. In the case of a SELECT statement, data returned from the last loop in the execution of the SELECT would overwrite data returned in a previous loop.

---

**Action:** Remove the FOR clause from the statement. Use a host language construct to iteratively execute the statement.

**PCB-00554: Must include SQLCA when mode=ANSI and WHENEVER SQLWARNING used**

**Cause:** When MODE={ANSI | ANSI14}, an attempt was made to use the WHENEVER SQLWARNING statement without declaring the SQLCA. When MODE={ANSI | ANSI14}, declaring the SQLCA is optional, but to use the WHENEVER SQLWARNING statement, the SQLCA must be declared.

**Action:** Remove all WHENEVER SQLWARNING statements from the program or declare the SQLCA by hardcoding it or copying it into the program with the INCLUDE statement.

**PCB-00555: Using WHERE CURRENT OF on cursor defined without FOR UPDATE clause**

**Cause:** if mode=ORACLE, then a cursor defined with a WHERE CURRENT OF clause must also have a FOR UPDATE clause.

**Action:** Rewrite the cursor definition.

**PCB-00556: Unrecoverable error. Fix previous errors and re-compile**

**Cause:** A fatal parsing error or token stack overflow error has been encountered.

**Action:** Fix the syntax error that is causing the parsing error.

**PCB-00557: USING clause can only be used on a PREPARED dynamic statement**

**Cause:** A severe semantics error occurred because the USING clause was used with the OPEN cursor statement and the cursor declaration is not for a PREPARED statement. The correct sequence of statements should be like: EXEC SQL prepare sv from :sel\_stmt END-EXEC. EXEC SQL declare csv cursor for sv END-EXEC. EXEC SQL open csv USING :hv1, :hv2 END-EXEC.

**Action:** Use the prepare statement for the sql statement and use that in the declare cursor statement.

**PCB-00558: Invalid external datatype specified in EXEC SQL VAR statement**

**Cause:** An invalid external datatype was specified in the EXEC SQL VAR statement.

**Action:** Specify a valid external datatype. "575 - 599, PL/SQL (including ARRAYLEN)"

**PCB-00559: Cursor was not declared in scrollable mode**

**Cause:** A cursor which was not DECLARED in SCROLL mode was used in scrollable mode in the FETCH statement.

**Action:** Declare the cursor in scroll mode using the SCROLL keyword.

**PCB-00560: Value of offset cannot be negative in ABSOLUTE orientation mode**

**Cause:** The offset for the FETCH ABSOLUTE statement is negative.

**Action:** Value of offset should be positive.

**PCB-00575: PLS-number: string**

**Cause:** Refer to the indicated PL/SQL error message for the indicated condition.

**Action:** Refer to the indicated PL/SQL error message to correct the SQL statement or embedded PL/SQL block.

**PCB-00576: PLS-number: string**

---

**Cause:** The precompiler found an error in an embedded SQL statement or PL/SQL block.

**Action:** Refer to the indicated PL/SQL error message to correct the SQL statement or embedded PL/SQL block.

**PCB-00577: Use of ARRAYLEN with host tables in SQL statements is ignored**

**Cause:** ARRAYLEN is only valid with PL/SQL.

**Action:** Use an appropriate table type.

**PCB-00578: Variable "string" must be a table**

**Cause:** In an ARRAYLEN statement, the name of a previously declared host table was not specified. The first host variable in an ARRAYLEN statement must be a table. The second host variable, which specifies an array dimension, must be a 4-byte integer. The correct syntax follows: EXEC SQL ARRAYLEN HTABLE (DIM) END-EXEC. The ARRAYLEN statement must appear along with, but somewhere after, the declarations of host\_table and dimension.

**Action:** Check the spelling of both identifiers in the ARRAYLEN statement. If necessary, supply the missing host table name.

**PCB-00579: Invalid ARRAYLEN length variable type for "string"**

**Cause:** A valid table dimension was not specified in an ARRAYLEN statement. The table dimension must be specified using a previously declared 4-byte integer host variable, not a literal or expression. For example, the offending code might look like: EXEC SQL ARRAYLEN ETABLE (25) END-EXEC. -- illegal dimension

**Action:** Supply a valid table dimension. If necessary, declare a 4-byte integer host variable for use in the ARRAYLEN statement.

**PCB-00580: Previous use of host variable "string" uses different indicator**

**Cause:** Within a PL/SQL statement, a host variable was used with two different indicator variables or was used with an indicator variable in one instance and without an indicator in another instance.

**Action:** Change all references to the host variable so that they all use the same indicator variable or all use no indicator variable.

**PCB-00581: "string" used as both host variable and indicator**

**Cause:** Within a PL/SQL statement, the variable was used as both a host variable and an indicator variable.

**Action:** Use different variables for host variables and indicator variables. "600 - 624, EXEC TOOLS"

**PCB-00600: indicators are not allowed in EXEC IAF statements**

**Cause:** Indicator variables associated with host variables cannot be used in EXEC IAF statements such as GET and PUT in a user exit.

**Action:** Eliminate the indicator variables. If feasible (for example with Forms V4), use EXEC TOOLS statements, which do allow indicator variables. See the Programmer's Guide to the Oracle Precompilers for more information of EXEC IAF and EXEC TOOLS statements.

**PCB-00603: An EXEC TOOLS MESSAGE host variable is not a character type**

**Cause:** If a host variable is used to specify the message in an EXEC TOOLS MESSAGE statement, that host variable must be of a character type.

**Action:** Declare the message to a host variable of a char type. "625 - 649, EXEC SQL LOB statements"

---

**PCB-00625: An indicator variable is not required with this attribute**

**Cause:** In a LOB DESCRIBE, an indicator variable was used with a host variable when retrieving a LOB attribute that does not require one.

**Action:** Remove the indicator variable.

**PCB-00626: Incompatible LOB types**

**Cause:** A LOB operation was attempted between LOBs whose types were not compatible. For example, When ASSIGNing one LOB to another, both LOBs must be of the same type. If they are not, this error results.

**Action:** Correct the LOB operation by having it function between LOBs of the same type. This may require a redeclaration of one of the LOBs used in the LOB statement performing the specified operation.

**PCB-00627: Host variable is not of character type**

**Cause:** The given host variable was not declared to be of the required character type. In this case, one of several possible character types would have been accepted. However, the host variable type did not match any of them.

**Action:** Redeclare the problematic host variable, using one of the permitted character types.

**PCB-00628: Buffer type is incompatible with LOB type**

**Cause:** This error can occur in either of the following situations

1. An attempt to READ from a LOB into a buffer whose type was not compatible with the LOB type.
2. An attempt to WRITE a buffer into a LOB whose type was not compatible with the buffer type.

**Action:** Either the LOB type or the buffer type needs to be changed so that the LOB and buffer types become compatible for the specified operation.

**PCB-00629: Host variable is not of Internal LOB type**

**Cause:** The given host variable was not declared to be an internal LOB. BLOB, CLOB or NCLOB are internal lob types.

**Action:** Redeclare the host variable using one of the internal LOB types.

**PCB-00630: Host variable is not of LOB type**

**Cause:** The given host variable was not declared to be any type of LOB, Internal or External. BLOB, CLOB or NCLOB are internal lob types. BFILE is an external type.

**Action:** Redeclare the host variable using any of the LOB types, Internal or External.

**PCB-00631: Host variable is not an External LOB**

**Cause:** The given host variable was not declared to be an External LOB. BFILE is an external type.

**Action:** Redeclare the host variable using an External LOB type (BFILE).

**PCB-00632: Cannot open an External LOB in READ WRITE mode**

**Cause:** An attempt was made to OPEN a BFILE in READ WRITE mode. Writable BFILES are currently not supported so this operation is considered erroneous.

**Action:** Do not open BFILES using READ WRITE mode. BFILES can only be OPENed in READ ONLY mode.

---

**PCB-00633: Invalid host variable and attribute pairing**

**Cause:** The host variable and attribute pairing in a LOB DESCRIBE was invalid. Most likely, this was due to some problem with the host variable. For example, this error could occur if the host variable was not declared.

**Action:** Usually, other, more specific, errors will accompany this one. Correcting some or all of those problems should resolve this error.

**PCB-00635: This attribute is only valid for Internal LOB types**

**Cause:** A request for a LOB attribute was made in a LOB DESCRIBE statement in which the given LOB was not of some Internal LOB type.

**Action:** Replace the LOB host variable in the LOB DESCRIBE with one that was declared to be an Internal LOB.

**PCB-00636: This attribute is only valid for External LOB types**

**Cause:** A request for a LOB attribute was made in a LOB DESCRIBE statement in which the given LOB was not an External LOB type (BFILE).

**Action:** Use an External LOB (BFILE) host variable in the LOB DESCRIBE statement.

**PCB-00637: Host variable is not an exact binary integer**

**Cause:** A host variable was given that was not declared to be of some acceptable exact binary integer type. Generally, when this error occurs, a signed or unsigned integer type was expected. Floating point or otherwise imprecise numeric types are considered erroneous.

**Action:** Replace the problematic host variable with one that was declared using a proper binary integer type.

**PCB-00638: This attribute is only valid for internal or external LOB types**

**Cause:** A request for a LOB attribute was made in a LOB DESCRIBE statement in which the given source was not an internal or external LOB type.

**Action:** Use a LOB host variable in the LOB DESCRIBE statement.

**PCB-00639: Cannot specify destination offset in a LOB WRITE APPEND**

**Cause:** A destination offset was specified in a LOB WRITE APPEND statement. The destination offset is assumed to be the end of the LOB so specifying an explicit destination offset is erroneous.

**Action:** Remove the destination offset from the LOB WRITE APPEND statement. "700 - 725, Dynamic SQL error conditions"

**PCB-00700: This statement can only be used with DYNAMIC=ANSI**

**Cause:** One of the following statements was used without specifying DYNAMIC=ANSI:

- o EXEC SQL ALLOCATE/DEALLOCATE/GET/SET DESCRIPTOR
- o EXEC SQL DESCRIBE OUTPUT/INPUT ... USING ... <descriptor name>
- o EXEC SQL EXECUTE ... INTO ...
- o EXEC SQL EXECUTE ... USING... <descriptor name>
- o EXEC SQL OPEN ... INTO ...
- o EXEC SQL OPEN ... USING... <descriptor name>
- o SCROLL in DECLARE CURSOR

---

o EXEC SQL FETCH <orientation> ... where <orientation> is NEXT, PRIOR, FIRST, LAST, ABSOLUTE, or RELATIVE

**Action:** Specify DYNAMIC=ANSI or remove statement(s) like those above.

**PCB-00701: MAX OCCURRANCES must be between 1 and 65535**

**Cause:** The value specified in the WITH MAX clause of an EXEC SQL ALLOCATE DESCRIPTOR statement was less than 1 or greater than 65535

**Action:** Specify a value between 1 and 65535 inclusive

**PCB-00702: Out-of-range item number**

**Cause:** The value specified in the VALUES clause of an EXEC SQL GET/SET DESCRIPTOR statement was less than one or greater than 65535.

**Action:** Specify a value between 1 and 65535.

**PCB-00725: Outline name length exceeds the allowed limit of *number* characters**

**Cause:** Outline name <category\_name>\_<filename>\_<filetype>\_<seqno> has exceeded the allowed limit.

**Action:** Use OUTLNPREFIX option to specify the outline name which will be well in the permitted limit.

**PCB-00726: Number of outlines has exceeded the limit**

**Cause:** Number of outlines that can be created has exceeded the file limit. Allowed outlines per file is 10000.

**Action:** Split the file so that each file can have not more than 10000 outlines.

**PCB-00727: Outline cannot be created on statement at line *number*, column *number***

**Cause:** Outline cannot be created as there is a syntax error or outlines are not supported on that statement.

**Action:** Correct the syntax error in the actual SQL used in the file or refer to "Performance Tuning Guide" for the list of supported statements.

**PCB-00901: Pro\*COBOL internal error condition detected (Code = *number*)**

**Cause:** Pro\*COBOL had detected an abnormal condition in its internal data structures. This error message should not normally ever be produced. Customer service should be contacted to report the error.

**Action:** Correct any other errors which have been reported. If the internal error still exist, examine the source code where the condition was detected and try modifying in some way. Possibly this will alleviate the internal error condition.

**PCB-00902: Unable to read message file, facility PCB**

**Cause:** Pro\*COBOL was unable to access the message file containing message text. The file is possibly corrupt.

**Action:** Contact customer support for information on reinstalling the Pro\*COBOL message files.

**PCB-00903: Pro\*COBOL is unable to initialize its parser function**

**Cause:** Pro\*COBOL was unable to access the message file containing message text. The file is possibly corrupt.

**Action:** Contact customer support for information on reinstalling the Pro\*COBOL message files.

---

## PCC-00001 to PCC-01515

**PCC-00001: Unable to open file *string***

**Cause:** The precompiler was unable to open a temporary file for internal use. There might be insufficient disk space, too many open files, or read-only protection on the output directory.

**Action:** Check that there is enough disk space, that the limit for open files is set high enough (check with the system manager) and that protection on the directory allows opening a file for writing.

**PCC-00002: Invalid syntax at column *number* in line *number* of file *string***

**Cause:** There is a syntax error in an EXEC statement or the statement is not properly terminated.

**Action:** Correct the syntax of the EXEC statement. If the error occurred at the end of the input file, check that the last EXEC statement is properly terminated.

**PCC-00003: Invalid SQL Identifier at column *number* in line *number* of file *string***

**Cause:** The symbol in a conditional precompilation statement (such as EXEC ORACLE IFDEF) is invalid, or the name of a SQL descriptor, statement, or cursor is invalid or was not properly declared.

**Action:** Check the statement syntax and spelling of the identifier and check that a reserved word was not accidentally used. If necessary, define the identifier in a variable declaration or DECLARE statement ahead of the line in error.

**PCC-00004: Mismatched IF/ELSE/ENDIF block at line *number* in file *string***

**Cause:** There is an EXEC ORACLE ELSE or EXEC ORACLE ENDIF statement without a matching EXEC ORACLE IFDEF statement.

**Action:** Add the missing EXEC ORACLE IFDEF statement or delete or move the EXEC ORACLE ELSE or EXEC ORACLE ENDIF statement.

**PCC-00005: Unsupported datatype in line *number* of file *string***

**Cause:** A host variable defined in the Declare Section has an unsupported datatype or has a scale or precision outside the supported range.

**Action:** Redefine the host variable using a supported datatype. Check that the scale and precision of a numeric variable are in the accepted range.

**PCC-00007: Invalid WHENEVER condition at column *number* in line *number* of file *string***

**Cause:** A condition other than SQLERROR, SQLWARNING, or NOT FOUND was specified in an EXEC SQL WHENEVER statement, or one of these was used, but spelled incorrectly.

---

**Action:** Correct the spelling of the WHENEVER condition or use a host- language IF statement to test the special condition.

**PCC-00008: Invalid WHENEVER action at column *number* in line *number* of file *string***

**Cause:** At least one of the following:

- o An action other than CONTINUE, DO, GOTO, or STOP was specified in an EXEC SQL WHENEVER statement.
- o One of the specified actions was spelled incorrectly.
- o The host language does not allow the action (STOP is illegal in Pro\*Pascal programs).
- o A GOTO label is invalid.

**Action:** Check that the host language allows the specified WHENEVER action. If necessary, correct the spelling of the WHENEVER action or correct the GOTO label.

**PCC-00009: Invalid host variable at column *number* in line *number* of file *string***

**Cause:** A host variable used in an EXEC SQL statement was not declared in the Declare Section or has an unsupported datatype.

**Action:** Declare the host variable in the Declare Section, making sure it has one of the supported datatypes.

**PCC-00010: Statement out of place at line *number* in file *string***

**Cause:** An EXEC statement was not placed properly in the host program. For example, there might be a data manipulation statement in the Declare Section. In a Pro\*COBOL program, the Declare Section might be outside the WORKING-STORAGE or LINKAGE SECTION.

**Action:** Remove or relocate the statement.

**PCC-00011: Already in a declare section at line *number* in file *string***

**Cause:** A BEGIN DECLARE SECTION statement was found inside a Declare Section.

**Action:** Remove the extra BEGIN DECLARE SECTION statement.

**PCC-00012: Not in a declare section at line *number* in file *string***

**Cause:** An END DECLARE SECTION statement without a matching BEGIN DECLARE SECTION statement was found. Either the BEGIN DECLARE SECTION statement is missing or misspelled or the END DECLARE SECTION statement is an extra.

**Action:** Add or correct the BEGIN DECLARE SECTION statement or remove the extra END DECLARE SECTION statement.

**PCC-00013: Unable to open include file "*string*" at line *number* in file *string***

**Cause:** The precompiler was unable to open the input file specified in the INCLUDE statement. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.

- 
- o There is not enough disk space.
  - o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges to access the file have been granted, and that it is not locked by another user. Also, check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCC-00014: Undeclared SQL Identifier "*string*" at line *number* in file *string***

**Cause:** The name of a descriptor, statement, or cursor was not declared or is misspelled.

**Action:** Add or correct the descriptor, statement, or cursor declaration.

**PCC-00015: Unrecognized Host Language syntax ignored at line *number* in file *string***

**Cause:** The host language syntax used to define a host variable in the Declare Section is incorrect.

**Action:** Check the syntax and the spelling, then correct the declaration.

**PCC-00016: Unable to open a cursor at line *number* in file *string***

**Cause:** The syntax in a SQL statement is faulty. The precompiler was expecting a host variable, but found something else.

**Action:** Check the syntax and the spelling, then correct the SQL statement.

**PCC-00017: Unable to parse statement at line *number* in file *string***

**Cause:** There is a syntax error in an array declaration. The precompiler was expecting a right bracket (]) but found something else.

**Action:** Check the syntax, then correct the array declaration.

**PCC-00018: Expected "*string*", but found "*string*" at line *number* in file *string***

**Cause:** The syntax in a SQL statement is faulty. The precompiler found an unexpected or illegal token.

**Action:** Check the syntax and the spelling, then correct the SQL statement.

**PCC-00019: Unable to obtain bind variables at line *number* in file *string***

**Cause:** The precompiler was unable to find information about an input host variable (bind variable) used in a SQL statement.

**Action:** Check that the input host variable is declared in the Declare Section and used properly in the SQL statement.

**PCC-00020: Unable to obtain define variables at line *number* in file *string***

**Cause:** The precompiler was unable to find information about an output host variable (define variable) used in a SQL statement.

**Action:** Check that the output host variable is declared in the Declare Section and used properly in the SQL statement.

**PCC-00021: Oracle Error: *string***

**Cause:** An Oracle error occurred.

**Action:** Refer to the indicated message in the ORA message chapters of this manual.

**PCC-00022: Out of space - unable to allocate *number* bytes**

**Cause:** The precompiler process ran out of memory.

---

**Action:** Allocate more memory to the process, then retry.

**PCC-00023: Unable to log off from ORACLE**

**Cause:** An Oracle connection error occurred while the precompiler was trying to log off, probably because ORACLE has been shut down.

**Action:** Check that ORACLE is available, then retry.

**PCC-00024: Indicator variable "string" has wrong type or length at line *number* in file *string***

**Cause:** An indicator variable was not declared in the Declare Section as a 2-byte integer. Indicator variables must be defined as 2-byte integers.

**Action:** Redefine the indicator variable as a 2-byte integer.

**PCC-00025: Undeclared indicator variable "string" at line *number* in file *string***

**Cause:** An indicator variable used in a SQL statement was not declared in the Declare Section or its name is misspelled.

**Action:** Add or correct the indicator variable declaration.

**PCC-00026: Invalid host variable "string" at line *number* in file *string***

**Cause:** A host variable used in a SQL statement was not declared properly. Some possible causes follow:

o It was not declared in the Declare Section.

o Its datatype is not supported.

o Its name is misspelled.

o It is a COBOL group item; in Pro\*COBOL, only elementary items are allowed in a SQL statement.

**Action:** Add or correct the host variable declaration.

**PCC-00027: Redeclared SQL Identifier "string" at line *number* in file *string***

**Cause:** The name of a SQL descriptor, statement, or cursor was re-declared (that is, declared twice)

**Action:** Check the spelling of the identifier, then, if necessary, remove the extra declaration.

**PCC-00028: Option "string" not legal as EXEC ORACLE OPTION**

**Cause:** A precompiler option was specified inline in an EXEC ORACLE statement. Some options can be specified only on the command line. For example, INAME cannot be specified inline.

**Action:** Respecify the precompiler option on the command line, instead of in an EXEC ORACLE statement. To see an online display of the precompiler options, enter the precompiler command (with no options) at the operating-system prompt.

**PCC-00029: Ambiguous option "string"**

**Cause:** The name of a precompiler option was abbreviated ambiguously. For example, MAX= might refer to MAXLITERAL or MAXOPENCURSORS.

**Action:** Respecify the full option name or an unambiguous abbreviation. To see an online display of the precompiler options, enter the precompiler command (with no options) at the operating-system prompt.

**PCC-00031: Invalid value given for option "string"**

---

**Cause:** The value specified for a precompiler option is invalid, probably because the value is misspelled (as in LTYPE=HORT) or out of range (as in PAGELEN=-55).

**Action:** Check the value, making sure it is spelled correctly and within the legal range.

**PCC-00032: Invalid option "*string*"**

**Cause:** The precompiler found an invalid precompiler option name. Some possible causes follow:

- o The option name is misspelled.
- o The specified option does not exist.
- o The equal sign (=) between the option name and value is missing or has space around it.

**Action:** Check that the option exists and that its name is spelled correctly. To see an online display of the precompiler options, enter the precompiler command (with no options) at the operating- system prompt. Also check that there is an equal sign between the option name and value.

**PCC-00033: Missing operand for option "*string*"**

**Cause:** No value was specified for a precompiler option. Either the value is missing or there is space around the equal sign (as in LTYPE =SHORT).

**Action:** Check that a value for each option has been specified and there is no space around the equal sign.

**PCC-00036: No input file name specified**

**Cause:** The input file was not specified on the command line.

**Action:** Use the INAME command-line option to specify the input file.

**PCC-00037: Unable to log on to ORACLE with "*string*". ORACLE error number: *number***

**Cause:** The precompiler was unable to log on to ORACLE with the specified username and password. An ORACLE error with given number occurred when the logon was attempted.

**Action:** Refer to the indicated message in the ORA message chapters of this manual.

**PCC-00038: Unable to open a cursor**

**Cause:** This is an internal error message not usually issued.

**Action:** Call customer support for assistance. If the application does not require syntactic or semantic checking of SQL statements and does not use PL/SQL, specify SQLCHECK=NONE on the command line.

**PCC-00039: Unable to open input file "*string*"**

**Cause:** The precompiler was unable to open the input file specified by the INAME precompiler option. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.

- 
- o Another user has locked the file.
  - o There is not enough disk space.
  - o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges have been granted to access the file, and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCC-00040: Unable to open listing file "*string*"**

**Cause:** The precompiler was unable to open the listing file specified by the LNAME precompiler option. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o Another user has locked the file.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges have been granted to access the file, and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with the system manager). If a listing file is not needed, specify LTYPE=NONE on the command line.

**PCC-00041: Unable to open output file "*string*"**

**Cause:** The precompiler was unable to open the listing file specified by the ONAME precompiler option. Some possible causes follow:

- o The filename is misspelled.
- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o Another user has locked the file.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that the file exists, that the search path to the file is correct, that sufficient privileges have been granted to access the file, and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with the system manager).

**PCC-00042: Must EXEC SQL INCLUDE SQLCA when mode=ANSI and WHENEVER SQLWARNING used**

**Cause:** When MODE={ANSI | ANSI14}, an attempt was made to use the WHENEVER SQLWARNING statement without declaring the SQLCA. When MODE={ANSI | ANSI14}, declaring the SQLCA is optional, but to use the WHENEVER SQLWARNING statement, the SQLCA must be declared.

---

**Action:** Remove all WHENEVER SQLWARNING statements from the program or declare the SQLCA by hardcoding it or copying it into the program with the INCLUDE statement.

**PCC-00044: Array size mismatch in INTO/USING. Minimum is:**  
*string(number:number)*

**Cause:** The size of an array variable in an INTO/USING clause is too small for the number of rows processed.

**Action:** Declare all array variables in the INTO/USING clause to have at least the minimum dimension given.

**PCC-00045: *string* clause inappropriate at line *number* in file *string*. Ignored.**

**Cause:** There is a misplaced clause at the end of an EXEC SQL statement (an AT clause at the end of a SELECT statement, for example), or the

**Action:** Check the statement syntax, then relocate or correct the misplaced or invalid clause.

**PCC-00047: Unterminated comment/string constant beginning near line *number* in file *string***

**Cause:** A string constant is missing an ending quotation mark, or a comment is missing an ending delimiter.

**Action:** Check that all comments are delimited and all string constants are enclosed by quotation marks.

**PCC-00050: Unable to generate descriptor in program unit ending line *number* in file *string***

**Cause:** The precompiler was unable to generate a descriptor for the compilation unit. This can occur from either of the following:

- o A non-existent or improperly implemented Declare Section

- o Undetected syntax errors near the beginning of the source file or just before the END DECLARE SECTION statement

**Action:** Verify that the Declare Section is properly implemented. Then check for syntax errors at the beginning of the compilation unit and before any END DECLARE SECTION statement, and correct as appropriate.

**PCC-00051: Size of VARCHAR *string* is larger than 65533 in line *number* in file *string***

**Cause:** The declared size of a VARCHAR host variable exceeds the precompiler limit of 65533 bytes.

**Action:** Check the Declare Section, making sure the size of each VARCHAR variable does not exceed the limit of 65533 bytes.

**PCC-00053: FOR variable *string* is invalid type at line *number* in file *string***

**Cause:** The count variable in a FOR clause has the wrong datatype. The datatype must be NUMBER or LONG (or be compatible with NUMBER or LONG).

**Action:** Check the declaration and check that the count variable has a datatype of NUMBER or LONG (or a compatible Oracle or host-language datatype).

**PCC-00054: Expected End-of-Statement at column *number* in line *number* of file *string***

**Cause:** The precompiler expected to find a statement terminator at the end of an EXEC statement but found something else. This can happen if tabs were

---

embedded in the source code (because the precompiler has no way of knowing how many spaces a tab represents).

**Action:** If tabs are embedded in the source code, replace them with spaces. Check the statement syntax and check that each EXEC statement has a terminator. For embedded CREATE {FUNCTION | PROCEDURE | PACKAGE} statements and for embedded PL/SQL blocks, check that the statement terminator is END-EXEC.

**PCC-00055: Array "string" not allowed as bind variable at line *number* in file *string***

**Cause:** A host array was used as a bind (input) variable in the WHERE clause of a SELECT statement. This is not allowed.

**Action:** Remove the host array or replace it with a simple host variable.

**PCC-00056: FOR clause not allowed on SELECT statement at line *number* in file *string*.**

**Cause:** A FOR clause was used with a SELECT statement. This is not allowed as data returned from the last loop in the execution of the SELECT overwrites data returned in a previous loop.

**Action:** Remove the FOR clause from the SELECT statement and use a host-language construct to iteratively execute the SELECT statement.

**PCC-00060: Both CURSOR and STATEMENT have AT clauses at line *number* of file *string*.**

**Cause:** Two AT clauses, one in a DECLARE STATEMENT statement, the other in a DECLARE CURSOR statement, pertain to the same SQL statement. The AT clause may be specified with either DECLARE STATEMENT or DECLARE CURSOR, but not with both.

**Action:** Remove the AT clause from one of the statements.

**PCC-00061: Error at line *number*, column *number*. PLS-*number*: *string***

**Cause:** The precompiler found an error in an embedded SQL statement or PL/SQL block.

**Action:** Refer to the indicated PL/SQL error message to correct the SQL statement or embedded PL/SQL block.

**PCC-00062: Must use option SQLCHECK=SEMANTICS(FULL) when there is embedded PL/SQL**

**Cause:** The precompiler tried to parse an embedded PL/SQL block when SQLCHECK={SYNTAX | NONE}. PL/SQL blocks can be parsed only when SQLCHECK=SEMANTICS is specified.

**Action:** Remove the PL/SQL block or specify SQLCHECK=SEMANTICS.

**PCC-00063: Reached end of file *string* before End-of-Statement at line *number*!**

**Cause:** The precompiler encountered an end-of-file while parsing a PL/SQL block.

**Action:** Add the appropriate statement terminator (;) or end-of-block statement (END;) to the PL/SQL block.

**PCC-00064: All uses of a given host variable must use identical indicator variables.**

**Cause:** Two or more occurrences of a host variable in an EXEC SQL statement were associated with different indicator variables. This is not allowed.

**Action:** Rename the indicator variables so that each occurrence of the host variable is associated with the same indicator variable.

---

**PCC-00065: Userid required, but not specified.**

**Cause:** The SQLCHECK=SEMANTICS option was specified, but the USERID option on the command line was not specified.

**Action:** Specify USERID=username/password or enter a username and password when prompted or specify SQLCHECK={SYNTAX | NONE}.

**PCC-00066: Userid only used when SQLCHECK = FULL, userid ignored.**

**Cause:** The USERID option was specified when SQLCHECK={SYNTAX | NONE}. This is unnecessary.

**Action:** Specify the USERID option only when SQLCHECK=SEMANTICS.

**PCC-00067: Ireclen exceeded. Line *number* in file *string* truncated.**

**Cause:** While reading the input file, the precompiler found a line longer than IRECLEN.

**Action:** Either shorten the input line or specify a larger IRECLEN value on the command line.

**PCC-00068: Host and indicator variables may not have the same name.**

**Cause:** In an EXEC SQL statement, an indicator variable had the same name as a host variable. The names of a host variable and its associated indicator variable must be different. Also, an indicator variable cannot be used as a host variable.

**Action:** Rename the host or indicator variable.

**PCC-00069: Host variable "*string*" has unsupported datatype at line *number* in file *string***

**Cause:** A host variable had an unsupported datatype. For a list of supported datatypes, see the language-specific supplement to the Programmer's Guide to the Oracle Precompilers.

**Action:** Redefine the host variable in the Declare Section, giving it a supported datatype.

**PCC-00070: Illegal syntax, Exponential value in SQL statement: *string***

**Cause:** The precompiler found a syntax error while parsing a number coded in scientific notation. The precompiler expected to find a signed integer following the exponentiation indicator (E), but found something else.

**Action:** Reformat the number correctly.

**PCC-00071: Unable to open message file.**

**Cause:** The precompiler was unable to open the message file containing the messages that can be issued by the precompiler. This can happen if there are too many open files or if there were problems with installation of the precompiler.

**Action:** Check that the limit for open files is high enough (check with the system manager). Otherwise, contact customer support.

**PCC-00072: Input file name length exceeds the maximum length**

**Cause:** The file name length specified exceeded the maximum length. Some operating systems have a maximum file name length.

**Action:** Use a file name of length less than or equal to the maximum platform specific file name length.

**PCC-00073: Cursor is declared but never OPENed at line *number* in file *string*.**

---

**Cause:** A cursor was DECLARED but was not referenced in an OPEN statement. This is only an informational message.

**Action:** Remove the cursor declaration or code an OPEN statement for the cursor.

**PCC-00075: ":" expected before indicator variable**

**Cause:** An indicator variable was not prefixed with a colon, as required.

**Action:** Prefix a colon to the indicator variable in question.

**PCC-00076: DISPLAY type must be SIGN LEADING SEPARATE**

**Cause:** This message is issued only by Pro\*COBOL. DISPLAY SIGN LEADING SEPARATE is the only DISPLAY type supported by Pro\*COBOL.

**Action:** Check the spelling of the variable declaration. If necessary, remove the reference to the unsupported DISPLAY type.

**PCC-00077: Colon usage with numeric label in WHENEVER statement is not ANSI**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a numeric WHENEVER ... GOTO label was prefixed with a colon. For example the code might have looked like EXEC SQL WHENEVER SQLERROR GOTO :99; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, prefix alphanumeric (but not numeric) WHENEVER ... GOTO labels with a colon.

**PCC-00078: FIPS warning: Invalid ANSI SQL Identifier**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the name given to a host variable:

- o is longer than 18 characters,

- o does not begin with a letter, or

- o contains consecutive or trailing underscores. In the following Pro\*C example, the host variable name is 19 characters long and therefore non-compliant: EXEC SQL BEGIN DECLARE SECTION; int department\_location; -- not ANSI/ISO compliant EXEC SQL END DECLARE SECTION; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, change the host variable name so that it is <= 18 characters long, begins with a letter, and does not contain consecutive or trailing underscores.

**PCC-00079: ANSI requires colon on label in WHENEVER statement**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, an alphanumeric WHENEVER ... GOTO label was not prefixed with a colon. For example the offending code might look like: EXEC SQL WHENEVER NOT FOUND GOTO no\_more; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, prefix alphanumeric (but not numeric) WHENEVER ... GOTO labels with a colon.

**PCC-00080: TYPE identifier already TYPED**

**Cause:** The identifier being TYPED in an EXEC SQL TYPE statement appeared in a previous EXEC SQL TYPE statement. A given identifier can appear in only one EXEC SQL TYPE statement.

---

**Action:** Check the spelling of the identifiers. Use different identifiers in the EXEC SQL TYPE statements, or remove one of the EXEC SQL TYPE statements.

**PCC-00081: Scale specification not allowed for given datatype**

**Cause:** The Oracle external datatype referenced in an EXEC SQL VAR or EXEC SQL TYPE statement does not allow a scale specification.

**Action:** Check the precision specification and remove the scale specification.

**PCC-00082: Length and scale specifications must be an integer**

**Cause:** A floating point number or a non-number to specify a length or scale was used. Only integers can be used.

**Action:** Correct or remove the length and/or scale specification.

**PCC-00083: Bind and define variables not allowed in CREATE statement**

**Cause:** Host variables cannot appear in a CREATE statement. If the makeup of a CREATE statement cannot be known until run time, a dynamic SQL statement must be used to execute it. That is, the program must accept or build the CREATE statement at run time, store it in a host string, then EXECUTE it.

**Action:** Correct or remove the erroneous CREATE statement.

**PCC-00085: Error writing to file *string***

**Cause:** The precompiler was unable to write to the named output file. Some possible causes follow:

- o Sufficient file access privileges were not defined.
- o Another user has locked the file.
- o There is not enough disk space.
- o There are too many open files.

**Action:** Check that sufficient privileges exist to access the file and that it is not locked by another user. Also check that there is enough disk space and that the limit for open files is set high enough (check with system manager).

**PCC-00086: Source file *string* has zero length**

**Cause:** The source file specified on the command line contains no code. Consequently, there is nothing for the precompiler to process.

**Action:** Specify a valid source file containing embedded SQL statements.

**PCC-00087: EXEC SQL TYPE statement not allowed for this host language**

**Cause:** An EXEC SQL TYPE statement was used with a host language that does not support user-defined datatype equivalencing. This feature is available only in Pro\*C and Pro\*Pascal.

**Action:** Remove the offending EXEC SQL TYPE statement.

**PCC-00088: User defined type identifier expected**

**Cause:** The user-defined datatype name in an EXEC SQL TYPE statement is missing or misspelled, is a reserved word, is not a legal identifier in the host-language or conflicts with a base datatype in that language.

**Action:** Check the spelling of the user-defined datatype name. If necessary, declare a valid user-defined datatype. User-defined datatype equivalencing is available only in Pro\*C and Pro\*Pascal.

**PCC-00089: Invalid Oracle TYPE specification**

---

**Cause:** The Oracle external datatype name in an EXEC SQL TYPE or EXEC SQL VAR statement is missing or misspelled.

**Action:** Check the spelling of the external datatype name. If necessary, supply the missing datatype name.

**PCC-00090: Precision/scale specification must be given for DECIMAL datatype**

**Cause:** A precision and/or scale specification for the Oracle external datatype DECIMAL in an EXEC SQL TYPE or EXEC SQL VAR statement was omitted.

**Action:** Add the precision and/or scale specification to the EXEC SQL TYPE or EXEC SQL VAR statement.

**PCC-00091: TYPE statement requires format specification for this Oracle datatype**

**Cause:** A length, precision, and/or scale specification for an Oracle external datatype in an EXEC SQL TYPE or EXEC SQL VAR statement was omitted.

**Action:** Add the length, precision, and/or scale specification for the external datatype to the EXEC SQL TYPE or EXEC SQL VAR statement.

**PCC-00092: Length and/or scale incompatible with specified Oracle datatype**

**Cause:** An invalid length or scale for an Oracle external datatype in an EXEC SQL TYPE or EXEC SQL VAR statement was specified.

**Action:** Check that a length large enough to accommodate the external datatype is specified. If a scale is specified, check that it lies in the range -84..99.

**PCC-00093: Invalid or obsolete option, ignored**

**Cause:** The precompiler found an option available in a prior version or different host language but not in the current version or host language.

**Action:** Remove the option specification.

**PCC-00094: Array length for char[n] datatype must be >= 2**

**Cause:** When MODE={ANSI | ANSI14}, a length of less than 2 characters for a char[n] host variable was specified or a simple char variable was specified. When MODE={ANSI | ANSI14}, the length must be at least 2 characters. This message is issued only by the Pro\*C precompiler.

**Action:** Correct the declaration so that it specifies a length of at least 2 characters.

**PCC-00095: Missing PROGRAM, SUBROUTINE, FUNCTION, or BLOCK DATA statement**

**Cause:** FORTRAN source files are expected to have at least one PROGRAM, SUBROUTINE, FUNCTION, or BLOCK DATA statement, which the precompiler uses to detect the beginning of a routine or compilation unit.

**Action:** Add one of these statements to the source file.

**PCC-00096: Array FETCH not allowed for mode=ANSI14**

**Cause:** When MODE=ANSI14, an array SELECT or FETCH was attempted. However, array operations are not allowed with MODE=ANSI14.

**Action:** If MODE=ANSI14 must be specified, place the SELECT or FETCH statement in a host-language loop, instead of using the array interface.

**PCC-00097: Use of DECIMAL and DISPLAY types allowed only for COBOL and PL/I**

**Cause:** The DECIMAL and DISPLAY external datatype was used in an EXEC SQL VAR or EXEC SQL TYPE statement with an Oracle precompiler other than

---

Pro\*COBOL or PRO\*PL/I. These external datatypes are available only in Pro\*COBOL and PRO\*PL/I.

**Action:** Remove the reference to the DECIMAL or DISPLAY external datatype from the EXEC SQL TYPE or EXEC SQL VAR statement.

**PCC-00098: Scale specification cannot be used in this context**

**Cause:** In a Pro\*C, Pro\*FORTRAN, Pro\*Pascal program, scale in an EXEC SQL TYPE or EXEC SQL VAR statement in the current context cannot be specified.

**Action:** Remove the scale specification from the EXEC SQL TYPE or EXEC SQL VAR statement.

**PCC-00099: Length cannot be given for types ROWID, DATE, or MLSLABEL**

**Cause:** A length for the ROWID, DATE, or MLSLABEL external datatype was specified in an EXEC SQL TYPE or EXEC SQL VAR statement. This is unnecessary because those are fixed length types.

**Action:** Remove the length specification from the EXEC SQL TYPE or EXEC SQL VAR statement.

**PCC-00100: Non integer label is not ANSI**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a non-integer WHENEVER ... GOTO label was in a Pro\*Pascal program. For example, the offending code might look like: EXEC SQL WHENEVER NOT FOUND GOTO quit; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, use only integer WHENEVER... GOTO labels in a Pro\*Pascal program.

**PCC-00101: Lower case "e" in floating point number is not ANSI**

**Cause:** A Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a lowercase "e" was used in scientific notation. For example, the offending code might look like: maxnum = 10e38; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, use an uppercase "E" in scientific notation.

**PCC-00102: FOR UPDATE is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the FOR UPDATE OF clause was used in a cursor declaration. For example, the offending code might look like: EXEC SQL DECLARE emp\_cursor CURSOR FOR SELECT ENAME, SAL FROM EMP WHERE DEPTNO = :dept\_number FOR UPDATE OF SAL; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the FOR UPDATE OF clause.

**PCC-00103: AT clause is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the AT <db\_name> clause was used in a SQL statement. For example, the offending code might look like: EXEC SQL AT oracle3 COMMIT RELEASE; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the AT <db\_name> clause.

---

**PCC-00104: FOR clause is an Oracle extension**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the FOR clause was used in an array-processing SQL statement. For example, the offending code might look like: EXEC SQL FOR :limit INSERT INTO EMP (EMPNO, JOB, DEPTNO) VALUES (:emp\_number, :job\_title, :dept\_number); This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the FOR clause.

**PCC-00105: Keyword WORK required here by ANSI**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the keyword WORK was used in a COMMIT or ROLLBACK statement. For example, the offending code might look like: EXEC SQL COMMIT WORK RELEASE; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the keyword WORK.

**PCC-00106: RELEASE is an Oracle extension to the COMMIT and ROLLBACK statements**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the parameter RELEASE was used in a COMMIT or ROLLBACK statement. For example, the offending code might look like: EXEC SQL ROLLBACK RELEASE; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the parameter RELEASE;

**PCC-00107: The CONNECT statement is Oracle implementation dependent**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, the CONNECT statement was used to log on to ORACLE. For example, the offending code might look like: EXEC SQL CONNECT :username IDENTIFIED BY :password; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, specify the AUTO\_CONNECT command-line option instead of using a CONNECT statement.

**PCC-00108: This statement is not supported by ANSI**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a nonconforming SQL statement such as PREPARE was used. For example, the offending code might look like: EXEC SQL PREPARE sql\_statement FROM :sql\_string; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the nonconforming statement.

**PCC-00109: Dynamic SQL and PL/SQL are Oracle extensions to ANSI SQL**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, dynamic SQL or embedded PL/SQL was used. For example, the offending code might look like: EXEC SQL EXECUTE BEGIN SELECT ... END; END-EXEC; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use dynamic SQL or embedded PL/SQL.

**PCC-00110: Oracle extension to the WHENEVER statement**

---

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a nonconforming keyword such as NOTFOUND, STOP, RAISE, or DO was used in the WHENEVER statement. (Note that NOT FOUND is ANSI-compliant.) For example, the offending code might look like: EXEC SQL WHENEVER SQLERROR STOP; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use the nonconforming keyword.

**PCC-00111: SQLCHECK value in EXEC ORACLE statement exceeds command line value**

**Cause:** The SQLCHECK option was entered inline and specified a level of checking higher than the level specified (or accepted by default) on the command line. This is not allowed. For example, if SQLCHECK={SYNTAX | LIMITED} is specified on the command line, SQLCHECK={SEMANTICS | FULL} cannot be specified inline.

**Action:** Revise the EXEC ORACLE statement or specify a lower level of checking on the command line.

**PCC-00112: Datatype not supported by ANSI**

**Cause:** An Oracle extension to the ANSI/ISO standard was used. Specifically, a pointer or nonconforming datatype such as VARCHAR was used. For example, the offending code might look like: EXEC SQL BEGIN DECLARE SECTION VARCHAR username[20]; EXEC SQL END DECLARE SECTION This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use pointers or nonconforming datatypes.

**PCC-00113: Value of DBMS option invalid with given value of MODE option**

**Cause:** When MODE={ANSI14 | ANSI13}, DBMS=V7 was specified, or when MODE=ANSI, DBMS=v6 was specified. These option settings are incompatible. Note that the DBMS option was not available before release 1.5 of the Oracle Precompilers.

**Action:** With DBMS=V7, instead of MODE={ANSI14 | ANSI13}, specify MODE={ANSI | ORACLE}. With DBMS=V6, instead of MODE=ANSI, specify MODE={ANSI14 | ANSI13 | ORACLE}, but MODE=ORACLE is recommended.

**PCC-00114: Length spec required in EXEC SQL VAR statements for VARxxx types**

**Cause:** In an EXEC SQL VAR statement, a VARCHAR or VARRAW external datatype was specified without a length. Unlike other types, the maximum length of the data field must be specified for VARCHAR and VARRAW.

**Action:** Add a length specification to the EXEC SQL VAR statement.

**PCC-00115: Array required here**

**Cause:** In an ARRAYLEN statement, the name of a previously declared host array was not specified. The first host variable in an ARRAYLEN statement must be an array. The second host variable, which specifies an array dimension, must be a 4-byte integer. The correct syntax follows: EXEC SQL ARRAYLEN host\_array (dimension); The ARRAYLEN statement must appear in the Declare Section along with, but somewhere after, the declarations of host\_array and dimension.

**Action:** Check the spelling of both identifiers in the ARRAYLEN statement. If necessary, supply the missing host array name.

**PCC-00116: This array already given in an ARRAYLEN statement**

---

**Cause:** The same host array was specified in two different ARRAYLEN statements. A given host array cannot be specified in more than one ARRAYLEN statement.

**Action:** Check the spelling of the host array names in both ARRAYLEN statements. Change one of the names so that they refer to different host arrays or remove one of the ARRAYLEN statements.

**PCC-00117: Invalid ARRAYLEN length variable type**

**Cause:** A valid array dimension was not specified in an ARRAYLEN statement. The array dimension must be specified using a previously declared 4-byte integer host variable, not a literal or expression. For example, the offending code might look like: EXEC SQL ARRAYLEN ename\_array (25); -- illegal dimension

**Action:** Supply a valid array dimension. If necessary, declare a 4-byte integer host variable for use in the ARRAYLEN statement.

**PCC-00118: Use of host variable initialization not supported by ANSI SQL**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a host variable was initialized in its declaration, as shown in the following Pro\*C example: EXEC SQL BEGIN DECLARE SECTION; int dept\_number = 20; -- not ANSI/ISO-compliant EXEC SQL END DECLARE SECTION; This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not initialize host variables in their declarations.

**PCC-00119: Value of const variable in INTO clause will be modified**

**Cause:** A variable declared with the type specifier "const" was used in an INTO clause. Such variables should not be modified and should not be used in an INTO clause.

**Action:** Check the spelling of all identifiers in the INTO clause. If necessary, remove "const" from the host variable declaration or use a different host variable.

**PCC-00120: File I/O error during code generation**

**Cause:** d by insufficient disk space.

**Action:** Check that there is enough disk space.

**PCC-00121: Arrays of VARCHAR pointers are not supported**

**Cause:** An array of pointers was declared, which is not allowed. However, pointers to scalar types are allowed. With Pro\*C, declare pointers to char[n] and varchar[n] variables as pointers to CHAR or VARCHAR (with no length specification).

**Action:** Correct or remove the declaration.

**PCC-00122: Input file name and output file name are identical**

**Cause:** On the command line, the same pathname for INAME and ONAME was specified, which designates the precompiler input and output files, respectively.

**Action:** Change one of the path/filenames.

**PCC-00123: Entire VARCHAR declaration must be on same line**

**Cause:** In a Pro\*C program, a VARCHAR declaration spans more than one line, which is not allowed.

**Action:** Revise the declaration so that it uses only one line.

**PCC-00124: COMMON\_NAME option is specified too late**

---

**Cause:** In a FORTRAN program, subroutine, or function, the precompiler option COMMON\_NAME was mistakenly specified after the PROGRAM, SUBROUTINE, or FUNCTION statement. If COMMON\_NAME is specified inline, its EXEC ORACLE OPTION statement must precede the PROGRAM SUBROUTINE, or FUNCTION statement.

**Action:** Relocate the EXEC ORACLE OPTION statement or specify COMMON\_NAME on the command line.

**PCC-00126: Could not find or open system configuration file**

**Cause:** The precompiler was unable to find or open the system configuration file (a text file containing preset command-line options, which the precompiler uses by default). Some possible causes follow:

- o The file does not exist.
- o The search path to the file is incorrect.
- o File access privileges are insufficient.
- o There are too many open files. However, this message is just a warning. Processing continues even if the system configuration file does not exist.

**Action:** Check that the file exists, that the search path to the file is correct, and that sufficient privileges exist to access the file. Also check that the limit for open files is set high enough (check with the system manager).

**PCC-00127: *string***

**Cause:** This is a generic error message from the command-line processor.

**Action:** Correct the indicated error.

**PCC-00128: Command line processor severe error**

**Cause:** The command line processor encountered a severe error.

**Action:** After making sure that all the command-line options are specified correctly, call customer support with a full account of all the options and configuration files used.

**PCC-00129: Option "*string*" must be given**

**Cause:** A required command-line option is missing. For example, the INAME option, which specifies the name of the input file, might be missing.

**Action:** Supply the missing command-line option.

**PCC-00132: Indicator array size must not be less than its host variable**

**Cause:** An host variable array was used with an indicator array declared with a smaller dimension. For example: EXEC SQL BEGIN DECLARE SECTION; int dept\_no[20]; short dept\_no\_ind[10]; EXEC SQL END DECLARE SECTION; ... SELECT ... INTO dept\_no:dept\_no\_ind ...

**Action:** Increase the size of the indicator array.

**PCC-00133: Command line option MODE=ANSI required with option NLS\_LOCAL=YES**

**Cause:** The precompiler option NLS\_LOCAL=YES was used without also specifying MODE=ANSI. The precompiler option MODE=ANSI must be specified if NLS\_LOCAL=YES.

**Action:** Set the precompiler option MODE=ANSI in addition to NLS\_LOCAL=YES or do not set NLS\_LOCAL=YES.

---

**PCC-00135: Result Set Cursor usage is not standard SQL**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, an Oracle Result Set Cursor has been used. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action required. However, for ANSI/ISO compliance, do not use Result Set Cursors.

**PCC-00136: Invalid SQL\_CURSOR declaration**

**Cause:** An array of SQL\_CURSOR host variables was declared or, if Pro\*COBOL, a PICTURE clause was specified in the SQL-CURSOR declaration. In Pro\*FORTRAN, a length specification (i.e. "\*n") on the SQL\_CURSOR declaration could have been specified. These usages are not supported.

**Action:** Check that the SQL\_CURSOR variable is not declared as an array or, if Pro\*COBOL, that no PICTURE clause is specified for the SQL\_CURSOR. In Pro\*FORTRAN, check that there is no length specification (i.e. "\*n") for the SQL\_CURSOR.

**PCC-00137: Invalid use of SQL cursor host variable**

**Cause:** A SQL\_CURSOR variable was used in an INTO or WHERE clause. SQL\_CURSOR variables can be used only where ordinary cursor identifiers would be used or, in a PL/SQL block, where a cursor would normally be used.

**Action:** Remove the SQL cursor variable reference from the INTO clause or WHERE clause, or use a host variable of another type in the INTO or WHERE clause.

**PCC-00138: Result Set Cursors are not implemented in this precompiler**

**Cause:** There was an attempt to reference a host variable as a cursor reference. Cursor variables are not implemented in PRO\*Pascal or Pro\*PL/I.

**Action:** Rewrite your host-language code to use standard SQL cursors.

**PCC-00139: Cannot change MAXLITERAL after an EXEC SQL statement**

**Cause:** The MAXLITERAL option has been used in an inline EXEC ORACLE OPTION statement after and EXEC SQL, EXEC TOOLS, or EXEC IAF statement. This is not allowed.

**Action:** Use the MAXLITERAL option only on the command line or in an EXEC ORACLE OPTION statement placed at the beginning of the input source file.

**PCC-00140: CREATE FUNCTION/PROCEDURE/PACKAGE/TRIGGER are Oracle extensions**

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, one of the following statements was used:

o CREATE FUNCTION

o CREATE PROCEDURE

o CREATE PACKAGE

o CREATE TRIGGER These statements are Oracle extensions to the ANSI/ISO SQL standards. This informational message is issued by the FIPS Flagger when FIPS=YES.

**Action:** No action is required. However, for ANSI/ISO compliance, do not use any of these statements.

**PCC-00141: Thread Safety is not implemented in this precompiler**

---

**Cause:** There has been an attempt to use CONTEXT sql statements. The thread safety feature is not implemented in PRO\*Pascal, Pro\*PL/I, or Pro\*C 1.x.

**Action:** Rewrite your host-language code to not use contexts.

**PCC-00142: No EXEC SQL CONTEXT USE statement encountered**

**Cause:** No EXEC SQL CONTEXT USE statement was encountered and the option threads=yes was requested.

**Action:** Ensure that the necessary context variable (of type sql\_context) has been declared, ALLOCATED, and USED prior to any executable SQL statements.

**PCC-00143: Runtime context variable not of correct type**

**Cause:** The runtime context variable referenced in an EXEC SQL CONTEXT USE statement is not of type sql\_context.

**Action:** Declare your runtime context variable of type sql\_context.

**PCC-00144: UNSAFE\_NULL=YES must be used with DBMS=V7 and MODE=ORACLE**

**Cause:** The option UNSAFE\_NULL=YES has been used with DBMS=V6 or DBMS=NATIVE (the default) or has been used with MODE=ANSI/ANSI14/ANSI13.

**Action:** Either specify DBMS=V7 and MODE=ORACLE (the default) when using UNSAFE\_NULL=YES or do not use UNSAFE\_NULL=YES.

**PCC-00145: This statement can only be used with THREADS=YES**

**Cause:** EXEC SQL ENABLE THREADS or one of the EXEC SQL CONTEXT statements has been used, even though option THREADS is set to NO.

**Action:** Specify option THREADS=YES or remove the EXEC ENABLE THREADS or EXEC SQL CONTEXT statement from the source code.

**PCC-00146: Illegal value for host option, ignored**

**Cause:** An invalid host language was specified using the command-line host option. The host option valid values are pro\* language specific. For example, for profor, the only valid value is FORTRAN. For procob, the only valid values are COBOL and COB74.

**Action:** Specify a valid host language with the host option.

**PCC-00147: DBMS=V6 no longer supported; using DBMS=NATIVE**

**Cause:** V6 compatibility is no longer supported. The precompiler will precompile as though DBMS=NATIVE was specified.

**Action:** Revise the specified DBMS option value from v6 to another value as desired.

**PCC-01000: You are not authorized to run Pro\*COBOL**

**Cause:** The authorization or license to run the Pro\*COBOL Precompiler has expired.

**Action:** Call customer support for assistance.

**PCC-01001: Your Pro\*COBOL authorization is about to expire**

**Cause:** The authorization or license to run the Pro\*COBOL Precompiler is about to expire.

**Action:** Call customer support for assistance.

---

**PCC-01002: Invalid character "*character*" in indicator area at line *number* in file *string***

**Cause:** In a Pro\*COBOL Precompiler program, only a blank, hyphen (-), asterisk (\*), slash (/), or letter "D" is allowed in the indicator area, but the precompiler found another character.

**Action:** Remove or replace the invalid character. If the FORMAT=ANSI option is specified, check for an end-of-line in column 7.

**PCC-01003: Invalid continuation at line *number* in file *string***

**Cause:** In a PRO\*COBOL program, a continuation line was completely blank, except for the continuation character.

**Action:** Remove or replace the empty continuation line.

**PCC-01004: In an EXEC statement at end-of-file**

**Cause:** In a Pro\*COBOL input file, the last EXEC statement was not terminated properly.

**Action:** Terminate the last EXEC statement with an END-EXEC.

**PCC-01005: PROCEDURE DIVISION not found**

**Cause:** The precompiler could not find the PROCEDURE DIVISION header in a Pro\*COBOL program. Some possible causes follow:

- o A keyword in the header is missing or misspelled.
- o There is an apostrophe in the REMARKS section (the precompiler mistook the apostrophe for the beginning of a string literal).
- o There is an unterminated literal in the WORKING-STORAGE SECTION.
- o The wrong value for the FORMAT option was specified.

**Action:** Check that the PROCEDURE DIVISION header is in place and spelled correctly, that there is no apostrophe in the REMARKS section, that all literals in the WORKING-STORAGE SECTION are terminated, and that the right value for the FORMAT option is specified.

**PCC-01006: EXEC statement cannot begin in Area A at line *number* in file *string***

**Cause:** In a Pro\*COBOL program, EXEC statements must begin in Area B, but the precompiler found a statement beginning in Area A.

**Action:** Move the statement rightward so that it begins in Area B.

**PCC-01007: WORKING-STORAGE SECTION not found**

**Cause:** The precompiler could not find the WORKING-STORAGE SECTION header in a Pro\*COBOL program, probably because a keyword is missing or misspelled, or the wrong value for the FORMAT option might have been specified.

**Action:** Check that the WORKING-STORAGE SECTION header is in place and spelled correctly and that the right value for the FORMAT option is specified.

**PCC-01008: Multiple element records not allowed in DECLARE section**

**Cause:** A few COBOL compilers do not allow group items to be passed as parameters in a CALL statement. (Check the COBOL compiler user's guide.) If the compiler is one of these, group items within the Declare Section can contain only one elementary item.

**Action:** Assign each host variable its own group item.

**PCC-01009: For hostlan = COB74, a SQL statement must be followed by ELSE or ""**

---

**Cause:** In a Pro\*COBOL program, an EXEC SQL statement is followed by another statement in the same sentence. An EXEC SQL statement must be the last statement in a COBOL-74 sentence and so must be terminated by the keyword ELSE or a period.

**Action:** Change the program logic, making the EXEC SQL statement the last statement in the sentence.

**PCC-01010: Invalid use of NULL character in character literal**

**Cause:** A null character (binary zero) was found in a string literal. This is not allowed by Pro\*COBOL.

**Action:** Remove the null character from the string literal.

**PCC-01011: USAGE IS BINARY clause must be terminated by "." on same line**

**Cause:** The period terminating the USAGE IS BINARY clause must be on the same line as the USAGE clause. This message only occurs on systems that support the COMP5=YES command line option of Pro\*COBOL, where where COMP-5 is substituted for BINARY.

**Action:** Check that the period terminating the USAGE IS BINARY clause is on the same line as the USAGE clause.

**PCC-01012: DATA DIVISION not found**

**Cause:** The Pro\*COBOL precompiler did not find a DATA DIVISION in the input source file. Pro\*COBOL applications are required to have a DATA DIVISION.

**Action:** Add a DATA DIVISION to the input source file.

**PCC-01013: Invalid use of PIC N array variable "string" at line number in file string**

**Cause:** A PIC N variable was declared using an OCCURS clause. Tables of PIC N variables are not supported by the Pro\*COBOL precompiler.

**Action:** Declare the PIC N variable without an OCCURS clause or, if the PIC N variable is not used in any SQL statements, declare it outside the Declare Section.

**PCC-01014: "VARYING" not supported with PIC N PICTURE clause**

**Cause:** The keyword VARYING was used in a PIC N variable declaration.

**Action:** Remove the keyword VARYING from the variable declaration. If you want to declare a PIC N VARCHAR variable, specify the precompiler option VARCHAR=YES and declare the variable as an implicit VARCHAR group item as illustrated by the following example: EXEC SQL BEGIN DECLARE SECTION END-EXEC. ... 01 ENAME. 05 ENAME-LEN PIC S9(4) COMP. 05 ENAME-ARR PIC N(20). ... EXEC SQL END DECLARE SECTION END-EXEC.

**PCC-01015: Cannot equivalence PIC N variable string**

**Cause:** A PIC N variable or an implicit VARCHAR group item (with a PIC N variable as an elementary item) was used in an EXEC SQL VAR statement. This is not allowed.

**Action:** Do not use the PIC N variable in an EXEC SQL VAR statement. If you want an equivalence to an Oracle type using an EXEC SQL VAR statement, use a PIC X variable, instead of a PIC N variable.

**PCC-01016: "N" character literals not supported in embedded PL/SQL**

**Cause:** An "N" character literal was used within a PL/SQL block

**Action:** Remove the "N" character literal from the PL/SQL block.

**PCC-01017: The SQLCA and a SQLCODE variable cannot both be used**

---

**Cause:** The SQLCA has been included and a SQLCODE variable has been declared. This is not allowed as references to the SQLCODE variable are ambiguous and will result in COBOL compiler errors.

**Action:** Use either the SQLCA or the SQLCODE variable. Remove either the include of the SQLCA or the SQLCODE variable declaration.

**PCC-01018: Conversion buffer size can only be specified for character types**

**Cause:** A CONVBUFSZ clause has been used in an EXEC SQL VAR statement where the variable is not of a character datatype.

**Action:** Remove the CONVBUFSZ clause from the EXEC SQL VAR statement.

**PCC-01019: Invalid conversion buffer size**

**Cause:** The size specified in a CONVBUFSZ clause must be an integer in the range 1-32765. Either the size given is not an integer or is outside the required range.

**Action:** Specify an integer in the range 1-32765.

**PCC-01100: You are not authorized to run Pro\*FORTRAN**

**Cause:** The authorization or license to run the Pro\*FORTRAN Precompiler has expired.

**Action:** Call customer support for assistance.

**PCC-01101: Your Pro\*FORTRAN authorization is about to expire**

**Cause:** The authorization or license to run the Pro\*FORTRAN Precompiler is about to expire.

**Action:** Call customer support for assistance.

**PCC-01102: Invalid label at line *number* in file *string***

**Cause:** The Pro\*FORTRAN Precompiler found an invalid FORTRAN statement label in columns 1 through 6.

**Action:** Correct or remove the statement label.

**PCC-01200: You are not authorized to run Pro\*C**

**Cause:** The authorization or license to run the Pro\*C Precompiler has expired.

**Action:** Call customer support for assistance.

**PCC-01201: Your Pro\*C authorization is about to expire**

**Cause:** The authorization or license to run the Pro\*C Precompiler is about to expire.

**Action:** Call customer support for assistance.

**PCC-01202: Identifier "*string*" truncated to 31 characters**

**Cause:** A host identifier (the name of a host variable, for example) was truncated to the maximum length (31 characters) allowed by the precompiler.

**Action:** No action required. This message is just informational.

**PCC-01300: You are not authorized to run Pro\*PL/I**

**Cause:** The authorization or license to run the Pro\*PL/I Precompiler has expired.

**Action:** Call customer support for assistance.

**PCC-01301: Your Pro\*PL/I authorization is about to expire**

**Cause:** The authorization or license to run the Pro\*PL/I Precompiler is about to expire.

---

**Action:** Call customer support for assistance.

**PCC-01400: You are not authorized to run Pro\*Pascal**

**Cause:** The authorization or license to run the Pro\*Pascal Precompiler has expired.

**Action:** Call customer support for assistance.

**PCC-01401: Your Pro\*Pascal authorization is about to expire**

**Cause:** The authorization or license to run the Pro\*Pascal Precompiler is about to expire.

**Action:** Call customer support for assistance.

**PCC-01500: You are not authorized to run Pro\*Ada**

**Cause:** The authorization or license to run the Pro\*Ada Precompiler has expired.

**Action:** Call customer support for assistance.

**PCC-01501: Your Pro\*Ada authorization is about to expire**

**Cause:** The authorization or license to run the Pro\*Ada Precompiler is about to expire.

**Action:** Call customer support for assistance.

**PCC-01510: No Package, Procedure or Function statement seen in *string***

**Cause:** Every Ada source file must have a package, procedure, or function statement. The precompiler did not find one.

**Action:** Add the appropriate statement(s) to the source file and rerun Pro\*Ada.

**PCC-01511: Identifier on line *number* in file *string* too long for code generated in file *string***

**Cause:** An identifier used in the host program is of a length that causes precompiler-generated code to exceed the length limitation on source lines.

**Action:** Use a shorter identifier or use the ORECLLEN option to increase the allowed line length.

**PCC-01512: Invalid EXEC SQL INCLUDE of file *string* found at line *number* in file *string***

**Cause:** The EXEC SQL INCLUDE statement is not allowed in Pro\*Ada.

**Action:** Embed required source text directly in the Pro\*Ada file. Use the "with" context clause to include required packages.

**PCC-01513: FIPS warning: Unsupported datatype in line *number* of file *string***

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a host variable was declared with a non-ANSI/ISO standard type.

**Action:** No action required. However, for ANSI/ISO compliance, use only ANSI/ISO standard types.

**PCC-01515: FIPS warning: Undeclared host variable "*string*" at line *number* in file *string***

**Cause:** An Oracle extension to the ANSI/ISO SQL standard was used. Specifically, a host variable was declared outside of a Declare Section.

**Action:** No action required. However, for ANSI/ISO compliance, declare the host variable within a Declare Section.



---

---

## PCC-02010 to PCC-02460

**PCC-02010: found end-of-file while scanning string literal**

**Cause:** A string in a SQL statement, which should be delimited by single quotation marks, was not terminated properly.

**Action:** Check that all strings are delimited.

**PCC-02011: found identifier greater than 128 characters (truncated)**

**Cause:** The precompiler found an identifier that was too long.

**Action:** Shorten the identifier. SQL identifiers should be limited to 18 characters.

**PCC-02012: did not find matching quote for char constant**

**Cause:** A character constant with a single quotation mark was not terminated.

**Action:** Terminate the character constant.

**PCC-02013: unknown escape sequence**

**Cause:** The precompiler found an escape sequence that it could not process inside a string literal. This error can arise when multibyte character strings that can contain shift-in or shift-out escape sequences are used.

**Action:** Correct the string representation.

**PCC-02014: Syntax error at line *number*, column *number*, file *string*:**

**Cause:** The precompiler detected an error in C or embedded SQL syntax. This message is followed by a more specific error message.

**Action:** Correct the syntax error.

**PCC-02015: unable to open include file**

**Cause:** The precompiler could not open a header file that was specified using the #include preprocessor directive or the EXEC SQL INCLUDE statement. This can happen if the file specification is inaccurate or if read permission or read access rights on the file or on one or more of the directories in the path were not granted.

**Action:** Recheck that the file specification is correct, that the file exists, and that read permission has been granted so that the file can be read.

**PCC-02016: include file pathname is too long**

**Cause:** The pathname for include files exceeded the maximum length of 80 characters.

**Action:** Move the include file, or create an environment variable or logical to shorten the pathname.

**PCC-02017: unable to open output file**

---

**Cause:** The precompiler could not open an output file. This could be a generated code output file(.c file) or a listing file. This message can result from many causes. For example: o) A pathname for a specified output file contains a non-existent directory. o) An operating-system error occurred because the file system or disk is full. o) Write permission on the specified directory or directories in the path do not exist.

**Action:** Track down the cause of the error, as suggested above, and correct it.

**PCC-02018: found end-of-file while scanning comment**

**Cause:** A C comment either in C code or in an embedded SQL statement, was not terminated.

**Action:** Find the unterminated comment and terminate it with \*/ .

**PCC-02019: Preprocessor warning at line *number*, column *number*, file *string*:**

**Cause:** This message indicates that a warning condition occurred as the precompiler was doing the preprocessor pass. A more specific warning message will follow this message.

**Action:** Correct the condition according to the action specified for the message that follows.

**PCC-02020: Preprocessor error at line *number*, column *number*, file *string*:**

**Cause:** This message indicates that an error condition occurred as the precompiler was in the preprocessing phase. A more specific error message will follow this message.

**Action:** Correct the error according to the action specified for the message that follows.

**PCC-02021: Found newline while scanning string literal**

**Cause:** A string constant contains a newline character, For example char x[] = "Hello world";

**Action:** Remove the newline character.

**PCC-02022: Found end of file while scanning a SQL statement**

**Cause:** The precompiler encountered an end of file while parsing an EXEC SQL statement.

**Action:** Add statement terminator(;) or complete the EXEC SQL statement.

**PCC-02023: Found end of file while scanning a PL/SQL statement**

**Cause:** The precompiler encountered an end of file while parsing a PL/SQL statement (EXEC SQL EXECUTE ...).

**Action:** Complete the PL/SQL statement.

**PCC-02035: CMD-LINE: CONFIG= option is invalid in a config file**

**Cause:** A user configuration file inside a user configuration file cannot be specified. That is, nested configuration files cannot be nested.

**Action:** If there are nested configuration files, move the options from the nested files to the top levels.

**PCC-02040: CMD-LINE: Option selected, but no value provided**

**Cause:** An option on the command line was specified, but a value for it was not included. For example, the offending code might look like: proc iname=sample1.pc oname=

---

**Action:** Provide a value for the option.

**PCC-02041: CMD-LINE: Option does not exist:**

**Cause:** A non-existent option on the command line was specified.

**Action:** See the Programmer's Guide to the Oracle Precompilers, Release 2.2 for a list of the valid command line options and their possible values.

**PCC-02043: CMD-LINE: Option syntax is incorrect**

**Cause:** A value for a command line option was incorrectly specified.

**Action:** See the Programmer's Guide to the Oracle Precompilers, Release 2.2 for the correct syntax for specifying command line option values.

**PCC-02044: CMD-LINE: Illegal or out of range value for option:**

**Cause:** A value specified for a command line option was not within the accepted range. For example, the range for the MAXOPENCURSORS option is 5 to 256. If a value outside the range is specified, the message is triggered.

**Action:** See the Programmer's Guide to the Oracle Precompilers for the ranges that option values can take.

**PCC-02045: CMD-LINE: Option is not unique:**

**Cause:** An option name was partially specified on the command line that made it non-unique. For example, % proc in=t.pc the "in" option can imply either the INAME or INCLUDE option.

**Action:** Provide sufficient characters on the command line to make the option name unique.

**PCC-02046: CMD-LINE: Unable to open config file:**

**Cause:** A non-existent user configuration file was specified on the command line with the config option.

**Action:** Provide a valid filename for the configuration file.

**PCC-02047: CMD-LINE: Option is not allowed inline:**

**Cause:** An option was entered inline that can only be entered on the command line or in a configuration file. For example, the offending code might look like EXEC ORACLE OPTION (NLS\_CHAR=<name>); The NLS\_CHAR option can only be entered on the command line or in a configuration file.

**Action:** Remove the option from the source file, and specify it on the command line.

**PCC-02066: CMD-LINE: Could not find or could not open system config file**

**Cause:** The system configuration file has a standard name (pmscfg.h) and a location that is operating system dependent. On UNIX systems, it is located in the ORACLE\_HOME/proc directory. If a file named pmscfg.h is not found in the standard location, this warning message is issued.

**Action:** Create a system configuration file in the standard location. The file can be empty. See also the operating system specific Oracle documentation.

**PCC-02081: CMD-LINE: Unterminated option value list or value list was truncated.**

**Cause:** An option that takes a list of values was entered. The value list did not have a closing parenthesis. This error may also occur if the list of values entered on a single line was too long and Pro\*C truncated it.

**Action:** Ensure that all value lists are terminated with a closing parenthesis. Split long value lists into individual entries.

---

**PCC-02100: Unable to initialize PL/SQL**

**Cause:** The precompiler connected to Oracle but could not invoke the PL/SQL engine. This error can result if an earlier release of Oracle7 is used without the Procedural Option.

**Action:** To use PL/SQL, upgrade to a more recent release of Oracle7.

**PCC-02101: Unable to open input file**

**Cause:** The precompiler could not open the input file. This is the .pc file specified in the INAME=option. This means that the file does not exist, that a directory was incorrectly specified in the pathname, or that the person running the precompiler does not have read permission for the file. This message could also result from operating-system errors. For example, an unmounted file system or disk I/O errors, could trigger this error.

**Action:** Check that permission to read the file exists and that the full pathname has been specified correctly. Check for operating- system problems. See also the operating system-specific Oracle documentation.

**PCC-02102: Fatal error while doing C preprocessing**

**Cause:** The precompiler issues this message after a more specific message.

**Action:** Correct the problem specified in the previous message or messages.

**PCC-02103: Password:**

**Cause:** The username was specified on the command line without a password. For example, proc sqlcheck=full iname=sample1.pc userid=scott

**Action:** Re-enter the command line, and include the password or specify the password when prompted.

**PCC-02104: Unable to connect to Oracle**

**Cause:** The precompiler could not connect to Oracle with the username, password, and, if applicable, database link that was supplied. Note that this is a precompiler message, not a runtime message. This means that the USERID option value, either on the command line or in a configuration file, was incorrect.

**Action:** Check that the username and password are current and correct. Run SQL\*DBA or SQL\*PLUS and verify that connection can be made using that username and password.

**PCC-02105: Unable to open list file**

**Cause:** The precompiler could not open the listing file. This message can result from many causes. For example, o) A pathname for a specified listing file contains a non-existent directory. o) An operating-system error occurred because the file system or disk is full. o) Write permission on the specified directory has not been granted.

**Action:** Track down the cause of the error, as suggested above, and correct it.

**PCC-02106: Userid only used when SQLCHECK = FULL, userid ignored.**

**Cause:** The USERID option was specified on the command line, but SQLCHECK was not equal to FULL or SEMANTICS. The USERID has no effect, unless SQLCHECK=FULL or SQLCHECK=SEMANTICS.

**Action:** This is a warning message only.

**PCC-02107: You may not specify PARSE = FULL when CODE = CPP**

**Cause:** The PARSE=FULL and CODE=CPP options were both specified on the command line. The PARSE=FULL option invokes the C parser which does not

---

understand any C++ constructs generated by the precompiler with CODE=CPP option.

**Action:** Set the PARSE option to either NONE or PARTIAL if the CODE=CPP option is specified.

**PCC-02108: UNSAFE\_NULL=YES allowed if MODE=ORACLE and DBMS=V7 or V8**

**Cause:** UNSAFE\_NULL=YES was specified on the command line, but either the MODE was not ORACLE or the DBMS was not V7 or V8.

**Action:** Specify MODE=ORACLE and DBMS=V7 or V8 when using UNSAFE\_NULL=YES.

**PCC-02109: SQLCHECK=NONE is no longer supported.. using SYNTAX**

**Cause:** SQLCHECK=NONE was specified on the command line but is no longer a supported option. SQLCHECK=SYNTAX was used instead.

**Action:** This is a warning message only. To avoid this warning, specify SQLCHECK=SYNTAX or SQLCHECK=SEMANTICS.

**PCC-02110: DBMS=V6\_CHAR is deprecated. Use CHAR\_MAP=VARCHAR2, DBMS=V7 instead**

**Cause:** DBMS=V6\_CHAR was specified on the command line but is no longer a supported option. The options CHAR\_MAP=VARCHAR2 and DBMS=V7 were used instead.

**Action:** This is a warning message only. To avoid this warning, specify CHAR\_MAP=VARCHAR2 and, if required, DBMS=V7.

**PCC-02111: CHAR\_MAP option ignored. Only CHAR\_MAP=VARCHAR2 allowed for DBMS=V6**

**Cause:** DBMS=V6 was specified, and CHAR\_MAP was specified with a value other than VARCHAR2. The CHAR\_MAP value is ignored.

**Action:** This is a warning message only. To avoid this warning, specify a DBMS value other than DBMS=V6 or use CHAR\_MAP=VARCHAR2.

**PCC-02112: OBJECTS option ignored. OBJECTS=YES is not allowed for DBMS=V6 or V7.**

**Cause:** OBJECTS=YES was specified on the Pro\*C command line, but the DBMS option value was not valid.

**Action:** This is a warning message only. To avoid this warning for OBJECTS=YES, use DBMS=V8 or DBMS=NATIVE with a V8 database.

**PCC-02113: DBMS=V6 no longer supported; using DBMS=NATIVE, CHAR\_MAP=VARCHAR2.**

**Cause:** DBMS=V6 was specified on the command line, but is no longer a supported option value. The options DBMS=NATIVE and CHAR\_MAP=VARCHAR2 were used instead.

**Action:** Check your program to verify that you are not depending on any V6 behavior. Please refer to the Programmer's Guide to the Pro\*C/C++ Precompiler for effects of specifying DBMS=V6.

**PCC-02114: Command line argument MODE=ANSI may not be used with DBMS=V6**

**Cause:** The semantics of certain operations (such as character comparison) in Oracle version ^ are not 100% compliant with the ANSI/ISO SQL standards.

---

When V6 semantics are requested, using the DBMS=V6 or DBMS=V6\_CHAR option, precompilation with MODE=ANSI is not permitted.

**Action:** Do not use ANSI mode with V6 options.

**PCC-02115: Unable to open output file for writing**

**Cause:** An attempt was made to precompile a header file where the output data file could not be opened (or created) for writing.

**Action:** Check for appropriate permissions on the directory and possibly file objects (if a data file already exists) to make sure that write permissions have been granted.

**PCC-02116: You must specify a file extension using the HEADER option**

**Cause:** An attempt was made to precompile a header file without specifying the name of the extension to use when creating the generated data file.

**Action:** Use the HEADER option to specify the name of a file extension to use when creating a data file for a precompiled header.

**PCC-02129: CMD-LINE: Client supplied static options table is invalid**

**Cause:** This is an internal error message not usually issued.

**Action:** Call Oracle customer support.

**PCC-02132: CMD-LINE: Could not allocate memory**

**Cause:** This is an internal error message not usually issued.

**Action:** Call Oracle customer support.

**PCC-02133: CMD-LINE: Error in string processing function**

**Cause:** This is an internal error message not usually issued. It indicates that a C string function, such as strcpy or strlen, returned an error.

**Action:** Call Oracle customer support.

**PCC-02134: CMD-LINE: Null option supplied**

**Cause:** A zero length option was specified on the command line.

**Action:** Re-enter the command line with a valid option.

**PCC-02135: CMD-LINE: User asked for help**

**Cause:** This is a final message that the precompiler issues when information about the command line options has been requested. For example, if the command proc ? is issued to get a list of current default values for the command line options, this message appears at the end of the list.

**Action:** No action required.

**PCC-02138: CMD-LINE: Internal consistency error**

**Cause:** This is an internal message for program exceptions. An unexpected condition was encountered by the command-line processor and a consistency check failed. Some possible causes of this message include: --invalid command-line options --memory corruption

**Action:** Report this error to Worldwide Support after gathering the following information: --the events that led to the error --the attempted operations that led to the error --any unusual circumstances prior to this error

**PCC-02144: CMD-LINE: Blank characters are not allowed on either side of an equal sign (=)**

---

**Cause:** An equal sign (=) was either immediately preceded or followed by a blank character.

**Action:** Precompile your program again without blank characters on either side of any equal sign (=) on the command line.

**PCC-02146: CMD-LINE: value of option too long**

**Cause:** The length of the user option exceeded 1023 bytes

**Action:** Reduce the length of the user option

**PCC-02150: Error at line *number*, column *number* in file *string***

**Cause:** An error was encountered at the given location.

**Action:** Check the named source file and correct the error using the additional information which follows this error message.

**PCC-02151: Line *number* column *number* file *string*:**

**Cause:** An error was encountered at the given location.

**Action:** Check the listed source file and correct the error using the additional information which follows this error message.

**PCC-02152: Unable to open file *string* to display or list the source line *number***

**Cause:** The file contains an error, but could not be reopened to list or display the incorrect line.

**Action:** Check that the file is intact and it has read permission. Then rerun the operation.

**PCC-02153: Open file: *string***

**Cause:** A new source file was opened while producing the list file.

**Action:** No action required; this is an informational message.

**PCC-02154: Close file: *string***

**Cause:** A source file was closed while producing the list file.

**Action:** No action required; this is an informational message.

**PCC-02200: found unrecognized punctuation sequence**

**Cause:** The error indicates that the precompiler parser encountered a badly-formed identifier or keyword.

**Action:** Correct the syntax.

**PCC-02201: Found syntax error**

**Cause:** This general message precedes one or more specific messages that detail the nature of the error.

**Action:** No action required. Correct the errors diagnosed in the following message(s).

**PCC-02202: No typedef name was given**

**Cause:** The precompiler parser encountered a typedef statement that had no name after the type specification. For example, typedef int;

**Action:** Correct the syntax

**PCC-02203: found end of file when not expected**

**Cause:** The parser can emit this message when a general syntax error occurs, for example, an unmatched "{" or "(".

---

**Action:** Correct the syntax.

**PCC-02204: EXEC SQL INCLUDE not permitted from within an included file**

**Cause:** EXEC SQL INCLUDE statements cannot be nested. Also, EXEC SQL INCLUDE statement cannot be put inside a file that is included using the #include preprocessor command.

**Action:** Recode the program so that the nested include statement is not required.

**PCC-02205: Parser error at line *number*, column *number*, file *string*:**

**Cause:** The precompiler parser encountered a syntax error, either in C code or in SQL code. A more specific message should follow.

**Action:** for any following messages.

**PCC-02206: Host variables are not permitted within a DDL statement**

**Cause:** A Data Definition Language statement cannot use host variables. For example, the statement CREATE TABLE :table\_name (c1 char(10)); is illegal, because the name of the table in a CREATE TABLE statement cannot be represented using host variable.

**Action:** Use dynamic SQL to create the names of database objects (tables, views, columns, etc.) at runtime. See the Programmer's Guide to the Oracle Precompilers, Release2.2 for information about dynamic SQL.

**PCC-02207: Invalid macro name**

**Cause:** The precompiler parser encountered a #define directive that had no macro name associated with it. For example, #define

**Action:** Correct the syntax.

**PCC-02208: No filename specified in #include statement**

**Cause:** The precompiler parser encountered a #include directive that had no filename associated with it. For example, #include

**Action:** Specify appropriate filename with the #include directive, or correct the syntax.

**PCC-02209: Macro invocation has incorrect number of arguments**

**Cause:** A macro invocation in the source does not have the same number of arguments as the macro definition in the #define line.

**Action:** Correct the macro reference or the macro definition.

**PCC-02210: C++ punctuation sequences are not permitted**

**Cause:** C++ punctuation sequences are not supported by the ProC/C++ precompiler.

**Action:** Rewrite your C++ code without using punctuation sequences and precompile it again.

**PCC-02301: cannot reopen input file for reading**

**Cause:** The semantic analysis phase of the precompiler could not reopen the input file to generate the output code.

**Action:** Check that the input file and its directory protection and privileges do not change during precompilation.

**PCC-02302: cannot open code generation output file "*string*"**

---

**Cause:** Pro\*C was unable to open one or both temporary files required for code generation. The user executing the precompiler must have write permission (and/or the appropriate privileges) on the current directory.

**Action:** Check that permission exists to create files in the the directory where you precompile.

**PCC-02303: cannot open include file**

**Cause:** The precompiler was not able to open a header file specified using the #INCLUDE preprocessor directive or the EXEC SQL INCLUDE statement. This can happen if the file specification is inaccurate or if read permission or read-access rights on the file or on one or more of the directories in the path have not been granted.

**Action:** Recheck that the file specification is correct, that the file exists, and that read permission has been granted so that the file can be read.

**PCC-02304: invalid declaration of C function**

**Cause:** A C function using invalid syntax was declared.

**Action:** Consult a C programming manual and correct the declaration.

**PCC-02305: illegal mixing of new and old style C function declarations**

**Cause:** All C functions using either the traditional style (K&R style) function declarations or the new (ANSI) style must be declared; the two styles cannot be mixed.

**Action:** Adopt a consist declaration style for functions.

**PCC-02306: illegal name of C function**

**Cause:** A C function was declared with a name that is not a legal C identifier.

**Action:** Use legal C identifiers for all function names.

**PCC-02307: void can only be used when single parameter**

**Cause:** A function can be declared or defined using the following syntax: int func1(void) to indicate that the function has no parameters. void can be used only once in this case.

**Action:** Remove the extra voids in the function definition or declaration.

**PCC-02308: identifier required in this function declaration**

**Cause:** A function definition written in ANSI C must have both the name and the type for all parameters.

**Action:** Rewrite the function definition so that it contains the name of each parameter.

**PCC-02309: illegal formal parameter declaration**

**Cause:** A formal parameter to a function was specified without giving its type.

**Action:** Rewrite the function declaration and include types of all parameters in function declarations.

**PCC-02310: formal parameter VARCHARs should be declared as pointers**

**Cause:** Many C compilers allow structures to be passed to and returned from functions. Although a VARCHAR is implemented as a C struct, VARCHARs must be passed to a function as pointers.

---

**Action:** Take the address of a VARCHAR when it is passed to a function. See the example in the section "Referencing VARCHAR Variables" in the Programmer's Guide to the Oracle Precompilers.

**PCC-02311: cannot have VARCHAR bit fields**

**Cause:** Host variables cannot contain bit fields.

**Action:** Recode the application to remove the bit fields.

**PCC-02312: arrays of VARCHAR greater than 2 dimensions not allowed**

**Cause:** A VARCHAR variable having more than 2 dimensions was declared. Multidimensional arrays are not supported as host variables.

**Action:** Recode the application to remove multidimensional array usage.

**PCC-02313: malformed VARCHAR declaration - missing length**

**Cause:** When a VARCHAR is declared, a length specification is mandatory. For example, the following VARCHAR declaration is meaningless, hence illegal:  
VARCHAR v1[];

**Action:** Specify the length for each declared VARCHAR.

**PCC-02314: cannot evaluate constant sizeof expression**

**Cause:** A SIZEOF operator was used where a precompiler expression was expected. For example, as the length of a varchar.

**Action:** Eliminate the SIZEOF operator in this instance.

**PCC-02315: cannot evaluate expression as constant**

**Cause:** The specified expression does not evaluate to a constant. Such expressions are required, for example, as the length of a VARCHAR.

**Action:** Replace the expression with one that does evaluate to a constant integer.

**PCC-02316: illegal operator in constant expression**

**Cause:** A non-arithmetic operator was present in a constant expression.

**Action:** Rewrite the expression to eliminate the non-arithmetic operator.

**PCC-02317: illegal cast type expression**

**Cause:** An illegal cast is present in the expression.

**Action:** Remove the illegal cast.

**PCC-02318: missing type expression**

**Cause:** The specified expression is missing the declaration of a type.

**Action:** Specify a type for the expression.

**PCC-02319: expression type does not match usage**

**Cause:** The type of a variable does not match its usage. For example, in dynamic SQL, a host variable containing the text of a SQL statement must be declared as a C character type or be equivalenced to the SQL type STRING.

**Action:** Remove the declaration.

**PCC-02320: arithmetic expression does not have correct operand types**

**Cause:** The arithmetic expression must be specified with integral types.

**Action:** Rewrite the expression using integral types.

**PCC-02321: only subtraction between two pointers is permitted**

---

**Cause:** Pointer values cannot be added, multiplied, or divided. The only arithmetic operation permitted with pointers is subtraction.

**Action:** Recode to avoid this error message.

**PCC-02322: found undefined identifier**

**Cause:** An identifier used in a SQL statement was not defined. For example, a cursor name was referenced that had not been declared, or in a DECLARE CURSOR statement, a statement name was used that had not been PREPARED.

**Action:** Provide a declaration for the variable and/or its type identifier.

**PCC-02323: found typedef name used in an expression (expecting a value)**

**Cause:** The name of a typedef was found where a variable was expected.

**Action:** Rewrite the expression and remove the reference to the typedef.

**PCC-02324: found variable name used as a typedef name**

**Cause:** The name of a variable was found where a typedef was expected.

**Action:** Rewrite the expression and specify the correct typedef reference.

**PCC-02325: illegal indirection operation**

**Cause:** An attempt was made to use a non-pointer type as a pointer.

**Action:** Rewrite the expression.

**PCC-02326: illegal structure reference operation**

**Cause:** A structure component using invalid syntax was referenced. For example, a -> operator was used instead of a required `.` operator.

**Action:** Correct the invalid reference.

**PCC-02327: struct or struct pointer required**

**Cause:** A scalar host variable was used in a context where a structure (or its pointer) is required.

**Action:** Make the host variable a structure or add more scalar host variables to satisfy the SQL syntax requirements.

**PCC-02328: undefined struct member**

**Cause:** A structure component was referenced that was not declared as part of the structure.

**Action:** Redefine the structure member.

**PCC-02329: found reference to undeclared function**

**Cause:** A function was referenced that was not declared. All function references must be declared.

**Action:** Declare the function.

**PCC-02330: expecting an expression of integer type**

**Cause:** The expression does not evaluate to an integer. For example, a SQL FOR expression must evaluate to an integral type.

**Action:** Rewrite the expression.

**PCC-02331: undefined SQL identifier**

**Cause:** All SQL identifiers must be declared before they are used. This message can result when a CURSOR or STATEMENT is not declared (defined) before being referenced.

---

**Action:** Define the SQL identifier before it is used.

**PCC-02332: attempted to redefine SQL identifier**

**Cause:** A SQL identifier (such as a cursor name) can be defined only once.

**Action:** Do not redefine the SQL identifier. Use a different name.

**PCC-02333: SQL identifier was not declared as a statement**

**Cause:** A SQL statement identifier was referenced in a DECLARE... CURSOR statement that was not PREPARED.

**Action:** Check that all SQL statement names have been declared. Remember that SQL statement names are identifiers, not variables, and that they are local to the precompilation unit.

**PCC-02334: SQL identifier was not declared as a cursor**

**Cause:** A cursor name was used in an OPEN, FETCH, or CLOSE statement that had not been DECLARED.

**Action:** Check that all SQL cursor names have been declared. Remember that cursors are identifiers, not variables, and that they are local to the precompilation unit.

**PCC-02335: body of cursor must name statement identifier**

**Cause:** In a Dynamic SQL Method 4 application, the DECLARE... CURSOR statement must name a statement identifier that has been PREPARED in a preceding statement. The PREPARE statement must physically (not logically) precede the DECLARE command.

**Action:** This error message is followed by another message that gives the line and column of the reference to the statement. Recode the application.

**PCC-02336: host variable expression has invalid type**

**Cause:** The host variable was declared using a C type that is not permitted as a host variable. See the Programmer's Guide to the Oracle Precompilers for a list of the permissible C types for host variables.

**Action:** Use a permissible host variable type.

**PCC-02337: cannot declare multi-dimensioned array for this type**

**Cause:** Host variable arrays of scalars with more than 1 dimension cannot be declared. The only host variables allowed to be multi-dimensioned are CHAR and VARCHAR.

**Action:** Rewrite the variable declaration.

**PCC-02338: structure contains a nested struct or union**

**Cause:** A structure used as a host variable may not have structures or unions nested within it.

**Action:** Rewrite the variable declaration.

**PCC-02339: host variables cannot be of union types**

**Cause:** A C union as a host variable cannot be used.

**Action:** This error message is followed by another message that gives the line and column of the reference to the illegal union. Recode, using a struct or individual scalar host variables.

**PCC-02340: structure contains a bit field**

---

**Cause:** Bit fields are not allowed in host variables because they are meaningless for database DML operations.

**Action:** This error message is followed by another message that gives the line and column of the reference to the offending host variable. Recode the application.

**PCC-02341: host variable has illegal type**

**Cause:** A host variable has an unpermitted type (i.e.; enum, void, etc).

**Action:** Rewrite the host variable declaration, using a permissible host variable type.

**PCC-02342: using WHERE CURRENT OF on cursor defined without FOR UPDATE clause**

**Cause:** When MODE=Oracle, a cursor defined with a WHERE CURRENT OF clause must also have a FOR UPDATE clause.

**Action:** Rewrite the cursor definition.

**PCC-02343: body of cursor must be a query expression**

**Cause:** A cursor definition must be a SELECT statement.

**Action:** Rewrite the cursor definition.

**PCC-02344: Host variable array size mismatch. Using minimum: *number***

**Cause:** Host variable arrays in a single statement should all be of equal size.

**Action:** Redefine the bind variable array lengths to all be the same size.

**PCC-02345: SQLCHECK=SEMANTICS must be given when embedded PL/SQL blocks are used**

**Cause:** Embedded PL/SQL blocks require that the command-line flag SQLCHECK=SEMANTICS is used.

**Action:** Use the SQLCHECK=SEMANTICS option. This also requires that the USERID connect option be given.

**PCC-02346: PL/SQL found semantic errors**

**Cause:** A database entity, such as a table or column name, was referenced, that does not exist. This is a compile time error, not a runtime error.

**Action:** Check that all referenced objects in PL/SQL statements actually exist and that the necessary access permission on them have been granted.

**PCC-02347: PL/SQL found syntax errors**

**Cause:** A PL/SQL statement was used illegally.

**Action:** Check the PL/SQL User's Guide and Reference for the correct syntax.

**PCC-02348: indicators are not allowed in EXEC IAF statements**

**Cause:** Indicator variables associated with host variables cannot be used in EXECIAF statements such as GET and PUT in a user exit.

**Action:** Eliminate the indicator variabls. If feasible (for example with Forms V4), use EXEC TOOLS statements, which do allow indicator variables. See the Programmer's Guide to the Oracle Precompilers for more information of EXECIAF and EXEC TOOLS statements.

**PCC-02349: precision must be specified for this type**

**Cause:** In a VAR or TYPE statement, certain Oracle types require that the precision be specified. For example, VARCHAR2 or CHAR.

---

**Action:** Indicate the precision.

**PCC-02350: cannot equivalence this SQL type**

**Cause:** Datatype or variable equivalencing to the datatypes NUMBER or DECIMAL cannot be used. See the "Datatype Equivalencing" section in the Programmer's Guide to the Oracle Precompilers for more information.

**Action:** Use the appropriate datatype for the application.

**PCC-02351: illegal datatype equivalencing operation**

**Cause:** The datatype specified could not be equivalenced, or the syntax was incorrect in the VAR or TYPE statement.

**Action:** See the Programmer's Guide to the Oracle Precompilers for a list of the datatypes that can be equivalenced and the correct syntax of the VAR or TYPE statement.

**PCC-02352: out of bounds bind position from PL/SQL**

**Cause:** PL/SQL requested a bind position that does not exist.

**Action:** Contact ORACLE customer support.

**PCC-02353: Semantic error at line *number*, column *number*, file *string*:**

**Cause:** This error message precedes a more specific error message.

**Action:** No action required. Correct the error(s) reported in the following message(s).

**PCC-02354: A file included with #include may not contain SQL statements**

**Cause:** The Pro\*C Precompiler reads header files referenced in #INCLUDE directives and uses the values defined in them. But the precompiler never generates code using statements in header files, so use of SQL statements in these files is illegal.

**Action:** Move the SQL statement(s) into the main body of the application or use EXEC SQL INCLUDE to check that the included file is precompiled.

**PCC-02355: Invalid or obsolete option, ignored**

**Cause:** A command-line option that is not used in Pro\*C Release 2.0 was specified. For example, the option AREASIZE is no longer valid with precompilers used with the Oracle7 Server.

**Action:** No action required. This is an informational message.

**PCC-02356: Warning at line *number*, column *number*, file *string*:**

**Cause:** This is a generic warning message. It precedes a more specific warning.

**Action:** No action required. Correct the error(s) indicated in the following message(s).

**PCC-02357: Function calls may not be used as host variable expressions**

**Cause:** Only objects that are lvalues (that resolve to an address) can be host variables. Because a function call is not an lvalue, one cannot be used in place of a host variable.

**Action:** Recode the application.

**PCC-02358: Identifier following ARRAYLEN must be the name of an array**

**Cause:** A declared array must be specified as the argument for an ARRAYLEN statement. Declare the array textually before the ARRAYLEN statement. See the

---

Programmer's Guide to the Oracle Precompilers for the syntax of the ARRAYLEN statement.

**Action:** Correct the statement, specifying a host array as the argument.

**PCC-02359: Identifier specifying ARRAYLEN must be a 4-byte integer**

**Cause:** The expression that specifies the ARRAYLEN dimension must evaluate to an integer. For example, the statement EXEC SQL ARRAYLEN my\_array(1,3) cannot be parsed.

**Action:** Correct the statement, using an integral dimension.

**PCC-02360: This array type is invalid for use with ARRAYLEN statement**

**Cause:** Arrays of some host variable types are not allowed and hence also cannot be used in ARRAYLEN statements. VARCHAR and DATE are examples.

**Action:** Specify an array with a datatype that can be used in host arrays.

**PCC-02361: Use of ARRAYLEN with SQL bind arrays is ignored**

**Cause:** ARRAYLEN is only valid with arrays that can be bound in PL/SQL blocks.

**Action:** Use an appropriate array type.

**PCC-02362: Host variable not declared within SQL DECLARE section**

**Cause:** When MODE=ANSI is specified at precompile time, all host variables must be declared inside Declare Sections. Remember that MODE=ANSI refers to ANSI SQL, not ANSI C.

**Action:** Add the EXEC SQL BEGIN DECLARE SECTION... EXEC SQL END DECLARE SECTION statements around all host variable declarations.

**PCC-02363: Indicator variable must be a structure**

**Cause:** If a host variable is a structure, the associated indicator variable must also be a structure.

**Action:** Recode the application to create an indicator variable as a structure.

**PCC-02364: Host struct and its indicator must have the same number of fields**

**Cause:** When a structure containing indicator variables is declared and associated with a host structure, the indicator structure must contain the same number of fields as the host structure. This is so even when some of the indicators will not be used or even when it would not make sense to do so (for fields constrained as NON NULL, for example).

**Action:** Redeclare the indicator variable with the correct number of fields.

**PCC-02365: Indicator array size cannot be smaller than host array size**

**Cause:** An indicator array must have dimension greater than or equal to the corresponding host variable array dimension.

**Action:** Change the dimension of the indicator array.

**PCC-02366: Command line argument MODE=ANSI may not be used with DBMS=V6**

**Cause:** The semantics of certain operations (such as character comparison) in Oracle version ^ are not 100% compliant with the ANSI/ISO SQL standards. When V6 semantics are requested, using the DBMS=V6 or DBMS=V6\_CHAR option, precompilation with MODE=ANSI is not permitted.

**Action:** Do not use ANSI mode with V6 options.

---

**PCC-02367: This indicator variable must be declared as type short**

**Cause:** An indicator for a host variable of this type must have the C type short. An array of such indicators must be an array of shorts.

**Action:** Declare the indicator variable or indicator array as type short.

**PCC-02368: An EXEC TOOLS host variable context name is not type char**

**Cause:** If a host variable is used to define a context name in an EXEC TOOLS GET CONTEXT or EXEC TOOLS SET CONTEXT statement, that host variable must be of a character type.

**Action:** Redeclare the context name to a host variable of a char type.

**PCC-02369: An EXEC TOOLS host pointer variable is not a pointer**

**Cause:** The host variable specifying an EXEC TOOLS context must be a pointer type.

**Action:** Redeclare the variable, making sure that it is a pointer.

**PCC-02370: An EXEC TOOLS MESSAGE host variable is not type char**

**Cause:** If a host variable is used to define a context name in an EXEC TOOLS GET CONTEXT or EXEC TOOLS SET CONTEXT statement, that host variable must be of a character type.

**Action:** Declare the message to a host variable of a char type.

**PCC-02371: Illegal FOR clause**

**Cause:** The argument of a FOR clause must be specified as an integer or as an identifier containing an integer.

**Action:** Rewrite the FOR clause.

**PCC-02372: FOR clause not allowed in SELECT statement**

**Cause:** A SQL statement containing a SELECT command cannot contain a FOR clause. The meaning of such a statement would be unclear.

**Action:** Rephrase the SELECT statement, removing the FOR clause.

**PCC-02373: Invalid declaration in EXEC SQL DECLARE section**

**Cause:** An improper declaration was placed in a Declare Section. This message is usually caused by including an EXEC SQL TYPE or EXEC SQL VAR declaration in a Declare Section.

**Action:** Move the declaration outside of the SQL DECLARE section.

**PCC-02374: SQLCHECK value exceeds command line value**

**Cause:** The value given to the SQLCHECK option in an EXEC ORACLE statement in a program was greater than the value given either on the command line or greater than the default value if no SQLCHECK option was given on the command line. The order of the option values is SEMANTICS>SYNTAX>NONE. When this warning message is issued, the original value of SQLCHECK (the default or the command-line value) stays in effect.

**Action:** Remove or recode the EXEC Oracle option(s) in the .pc source file to avoid this warning message.

**PCC-02375: SQL statement found outside the body of a function**

**Cause:** A SQL statement other than a declarative, datatype equivalence or WHENEVER statement was found outside the body of a function when PARSE=FULL.

---

**Action:** Move the SQL statement inside the body of a function.

**PCC-02376: You may not declare SQLCODE when DEF\_SQLCODE = TRUE**

**Cause:** The DEF\_SQLCODE option may not be specified if a SQLCODE declaration already explicitly appears in the program.

**Action:** Remove the SQLCODE declaration from the program or specify DEF\_SQLCODE=NO (the default).

**PCC-02377: Arrays of implicit varchars are not permitted**

**Cause:** An array of implicit VARCHARS was declared when HOST\_VARCHAR=TRUE.

**Action:** Rewrite the implicit VARCHAR declaration without using arrays.

**PCC-02378: Invalid type for National Language character variable**

**Cause:** A variable declared as a National Language character using the NLS\_CHAR option was not declared as a char or implicit VARCHAR.

**Action:** Declare the variable as a char or implicit VARCHAR or do not specify using the NLS\_CHAR option.

**PCC-02379: Cannot equivalence National Language character variables**

**Cause:** A National Language character variable (specified using the NLS\_CHAR option) has undergone datatype equivalencing using either the EXEC SQL VAR or TYPE statements.

**Action:** Do not equivalence National Language character variables.

**PCC-02380: Cannot specify a connect mode when altering a user password**

**Cause:** An attempt was made to connect in either SYSOPER or SYSDBA mode while at the same time trying to change passwords using the ALTER AUTHORIZATION clause in the same CONNECT statement.

**Action:** Changing passwords while connecting in SYSOPER or SYSDBA mode is prohibited. Rewrite the connect statement by either removing the ALTER AUTHORIZATION clause or the CONNECT MODE clause.

**PCC-02382: You must specify MODE=ANSI when using NLS\_LOCAL=YES**

**Cause:** NLS\_CHAR was used to specify NLS multi-byte character variables without specifying MODE=ANSI.

**Action:** Specify MODE=ANSI on the command line when using NLS\_LOCAL=TRUE.

**PCC-02383: Expecting an expression of type OCIExtProcContext**

**Cause:** The type of the bind variable given in a REGISTER CONNECT USING statement was not (pointer to) OCIExtProcContext.

**Action:** Declare a variable having type (pointer to) OCIExtProcContext and use it in the REGISTER CONNECT USING statement.

**PCC-02384: Missing array length specifier**

**Cause:** An array declaration was given without an array length specifier.

**Action:** Provide the length for the array declaration.

**PCC-02385: CHAR\_MAP disallowed when using NLS\_CHAR and NLS\_LOCAL=TRUE**

**Cause:** The CHAR\_MAP option was specified while indicating which host variables are to be treated by the precompiler as NLS multi-byte character

---

variables. This mapping cannot be performed with the option NLS\_LOCAL=TRUE. This error also occurs when DBMS=V6 is used in conjunction with NLS\_CHAR and NLS\_LOCAL=TRUE.

**Action:** Remove either the CHAR\_MAP option or set NLS\_LOCAL=FALSE. Ensure that DBMS is not set to V6.

**PCC-02386: Use of the AT clause is not permitted here**

**Cause:** An explicit AT clause was used with an ALLOCATE statement or a FETCH/CLOSE statement also using a SQL\_CURSOR declaration.

**Action:** Remove the AT clause.

**PCC-02387: Expecting an expression of type sql\_cursor**

**Cause:** A host bind variable was used in an ALLOCATE, FETCH or CLOSE statement that was not declared as a result set SQL\_CURSOR.

**Action:** Declare the variable to be of type sql\_cursor.

**PCC-02388: Arrays not allowed in FROM/WHERE clause of SELECT statement**

**Cause:** A host array was used in the WHERE clause of a SELECT-INTO statement.

**Action:** Rewrite the SELECT statement without using arrays or use a cursor.

**PCC-02389: Arrays not allowed as input bind variables in SELECT list**

**Cause:** A host array was used in the SELECT list of a SELECT-INTO statement.

**Action:** Rewrite the SELECT statement without using arrays in SELECT list.

**PCC-02390: No EXEC SQL CONTEXT USE statement encountered**

**Cause:** No EXEC SQL CONTEXT USE statement was encountered and the option threads=yes was requested.

**Action:** Ensure that the necessary context variable (of type sql\_context) has been declared and that has been ALLOCATED and USED prior to any executable SQL statements.

**PCC-02391: Runtime context variable not of correct type**

**Cause:** The host variable in a EXEC SQL CONTEXT USE statement or in the RETURNING clause of a REGISTER CONNECT statement was not declared to be of type SQL\_CONTEXT.

**Action:** Declare the runtime context variable to be of type SQL\_CONTEXT.

**PCC-02392: You are already in an EXEC SQL DECLARE SECTION**

**Cause:** A SQL DECLARE SECTION appears nested inside another one.

**Action:** Do not nest DECLARE SECTIONS. Remove any nested inner ones.

**PCC-02393: SQL statement found inside an EXEC SQL DECLARE SECTION**

**Cause:** An executable SQL statement appears inside a DECLARE SECTION.

**Action:** Move the SQL statement into the body of a function.

**PCC-02394: Input file name and output filename are identical**

**Cause:** The values of INAME and ONAME are the same or the default output filename is the same as that specified by ONAME.

**Action:** Use ONAME to specify a different filename for the output file.

**PCC-02395: Using arrays of structs requires that the struct be named**

---

**Cause:** An array of some unnamed struct was used as a host variable. When using arrays of structs, the struct requires a name or tag.

**Action:** Provide a name for the struct.

**PCC-02396: Illegal use of arrays inside an array of structs**

**Cause:** An array of a struct that contained arrays of scalars or two-dimensional char or VARCHAR fields was used as a host variable.

**Action:** Rewrite the struct so that there are no scalar arrays or two-dimensional char or VARCHAR fields.

**PCC-02397: VARCHAR declarations not permitted in #include file**

**Cause:** A VARCHAR declaration was found in a file included using a #include form.

**Action:** Use the EXEC SQL INCLUDE form to include files with VARCHAR declarations instead.

**PCC-02398: Indicator ignored in this statement for this type**

**Cause:** An indicator variable was used in a host/indicator variable pair for some type in a statement that did not require or need one. Typically, indicator variables are not used in ALLOCATE and FREE statements for types other than object or collection types. They are also not used in OBJECT CREATE/DEREF statements for REF types.

**Action:** Remove the use of the indicator for the type in the specified statement. It will be ignored otherwise.

**PCC-02399: Illegal CHAR\_MAP option value for DBMS=V6. Option ignored.**

**Cause:** A CHAR\_MAP option other than CHAR\_MAP=VARCHAR2 was specified inline. Since DBMS=V6, this option is ignored for a character or string variable in the offending statement.

**Action:** Either set DBMS to something other than V6, or specify CHAR\_MAP=VARCHAR2.

**PCC-02400: This host variable must be declared as a pointer type**

**Cause:** The specified host variable was not declared as a pointer type.

**Action:** Declare the host variable to be a pointer type.

**PCC-02401: Host variable arrays of this type are currently not supported**

**Cause:** Host variable arrays of the specified type are not supported.

**Action:** Rewrite your program so that there are no arrays of this type.

**PCC-02402: Pro\*C option OBJECTS=YES is required when using the object cache**

**Cause:** The object cache will be used for this host variable, but OBJECTS=NO was specified on the Pro\*C command line.

**Action:** Specify OBJECTS=YES on the Pro\*C command line when using the object cache.

**PCC-02403: Invalid indicator variable type for this host variable**

**Cause:** The type of the indicator variable is not appropriate for the specified host variable.

**Action:** Change the type of the indicator variable to a valid type. Refer to the "Programmer's Guide to the ORACLE Pro\*C/C++ Precompiler" for a discussion of appropriate indicator variable declarations.

---

**PCC-02404: This indicator variable must be declared as a pointer type**

**Cause:** The specified indicator variable was not declared as pointer type.

**Action:** Declare the indicator variable to be a pointer type.

**PCC-02405: Variable is of undefined type**

**Cause:** No declaration was found for the type identifier of the variable.

**Action:** Provide a valid declaration for the type of the host variable. If using objects in your program, check that the OTT-generated header for the object type was #included and that the typefile was specified in the INTYPE option on the Pro\*C command line.

**PCC-02406: Expecting the form "RETURN[ING] REF INTO :<ref>" only**

**Cause:** When using the RETURNING clause in an OBJECT CREATE statement, only a single "REF INTO :<host variable>" is expected. This error occurs if the expression list to which REF belongs is greater than one or if there are more than one host variables supplied in the into list.

**Action:** Rewrite the RETURNING clause as per the given specification.

**PCC-02407: Object and REF types do not match**

**Cause:** In an OBJECT CREATE or DEREf statement, the types of the given Object and its associated REF do not match.

**Action:** Make sure that the Object and its REF have the same type. The type information is generated by OTT and should appear in the header file which OTT creates.

**PCC-02408: Expecting an expression of some Object type**

**Cause:** The expression is not an Object type. For example, many host variable expressions in the Navigational statements require that the variable be declared of some Object type.

**Action:** Rewrite the expression or declare the variable to be an Object.

**PCC-02409: Expecting an expression of some REF type**

**Cause:** The expression is not a REF type. For example, some host variables in the Navigational CREATE and DEREf statements are required to be declared of some REF type.

**Action:** Rewrite the expression or declare the variable to be a REF.

**PCC-02410: Expecting an expression of some Collection type.**

**Cause:** The expression is not a Collection type. A VARRAY or Nested Table object was expected, but the given host variable did not resolve to a valid Collection type.

**Action:** Check that the OTT-generated header for the Collection type was properly #included in the Pro\*C/C++ program and that the typefile was specified in the INTYPE option on the Pro\*C/C++ command line.

**PCC-02411: Invalid type for INDICATOR descriptor item host variable**

**Cause:** The type of the host variable paired with the INDICATOR descriptor item was invalid. The only permissible types for the INDICATOR item are a signed 2 byte numeric type or an indicator struct generated by the Object Type Translator for a user defined object type.

**Action:** Either replace the INDICATOR host variable with a valid one having an acceptable type or redeclare the existing host variable to be of a valid type.

---

**PCC-02412: FOR clause not permitted in OBJECT GET or SET statement**

**Cause:** An explicit FOR clause was used in an OBJECT GET or OBJECT SET statement. Use of the FOR clause is illegal for these statements.

**Action:** Remove the FOR clause.

**PCC-02413: Number of attributes does not match number of host variables**

**Cause:** The number of attributes supplied in the attribute list of an OBJECT SET or GET statement does not match the total number of host variables also supplied in that statement.

**Action:** Either remove some attributes or remove some host variables from the statement in order to make the total count for each the same.

**PCC-02414: This attribute does not exist in the specified Object**

**Cause:** An attribute given in the attribute list of an OBJECT SET or GET statement is not a member of the specified object in that statement.

**Action:** Remove the attribute from the list.

**PCC-02415: Cannot manipulate Object attributes in an OBJECT GET or SET**

**Cause:** An attempt was made to either GET or SET an attribute of an Object that itself was an Object or REF type.

**Action:** Remove the attribute from the attribute list in the statement.

**PCC-02416: The Object in an OBJECT GET or SET must not be an array**

**Cause:** The Object specified in an OBJECT GET or SET statement is an array which is illegal.

**Action:** Redeclare the Object so that it is not an array or subscript the Object so that only a single element of the Object array is specified.

**PCC-02417: Illegal type conversion between attribute and host variable**

**Cause:** An illegal type conversion was attempted in a Navigational GET or SET statement between the type of the Attribute and the type of the Host Variable.

**Action:** Change the type of either the Attribute or the Host Variable.

**PCC-02418: Array size mismatch between Object and REF host variables**

**Cause:** The array sizes of the Object and REF variables in an OBJECT CREATE or DEREf do not match.

**Action:** Adjust the array dimensions of the two host variables so that they are equal to one another.

**PCC-02419: Host variable arrays not allowed in an OBJECT SET or GET**

**Cause:** An array was found in the host variable list of an OBJECT SET or GET statement.

**Action:** Only scalars are allowed (except for single dimensioned char or varchar variables) in the host variable list of an OBJECT SET or GET. Make sure to use only scalars in these statements.

**PCC-02420: Incomplete (or missing) type specification**

**Cause:** An incomplete or perhaps missing type specification was given when declaring a host variable used in some SQL statement.

**Action:** Provide a complete type definition when declaring host variables intended for use inside any SQL statements.

---

**PCC-02421: This host variable requires the use of an indicator variable**

**Cause:** No indicator variable was provided (or matched) with a specific host variable where one was explicitly required.

**Action:** Provide an indicator variable for use with the specified host variable in the given SQL statement.

**PCC-02422: Invalid value specified for the given context option**

**Cause:** An illegal value was given for the specified runtime context option in the CONTEXT <option> OPTION SET (or GET) statement.

**Action:** Use a valid option value in the statement for the specified option being manipulated by the statement.

**PCC-02423: Host variable has an invalid type for this option value**

**Cause:** The type of the host variable corresponding to a specific option value in a CONTEXT <option> OPTION SET (or GET) statement is invalid for that particular value.

**Action:** Use a type suitable for the specific value being manipulated.

**PCC-02424: The number of values and host variables does not match**

**Cause:** There is a mismatch between the number of values specified and the number of valid host variables given in a CONTEXT <option> OPTION SET (or GET) statement.

**Action:** Use the same number of host variables as there are values given in that particular statement.

**PCC-02425: An indicator variable is not required with this attribute**

**Cause:** In a LOB or Collection DESCRIBE, an Indicator Variable was used with a Host Variable when retrieving a LOB attribute that doesn't require one.

**Action:** Remove the Indicator Variable.

**PCC-02426: Incompatible LOB types**

**Cause:** A LOB operation was attempted between LOBs whose types were not compatible. For example, When ASSIGNING one LOB to another, both LOBs must be of the same type. If they are not, this error results.

**Action:** Correct the LOB operation by having it function between LOBs of the same type. This may require a redeclaration of one of the LOBs used in the LOB statement performing the specified operation.

**PCC-02427: Expression is not of the correct character string type**

**Cause:** The given host variable expression was not declared to be of the required character type. In this case, one of several possible character types would have been accepted. However, the host variable type did not match any of them.

**Action:** Redeclare the problematic host variable, using one of the permitted character types.

**PCC-02428: Buffer type is incompatible with LOB type**

**Cause:** This error can occur in either of the following situations

1. An attempt to READ from a LOB into a buffer whose type was not compatible with the LOB type.
2. An attempt to WRITE a buffer into a LOB whose type was not compatible with the buffer type.

---

**Action:** Either the LOB type or the buffer type needs to be changed so that the LOB and buffer types become compatible for the specified operation.

**PCC-02429: Expecting an expression of some internal LOB type**

**Cause:** The given host variable was not declared to be an Internal LOB. BLOB, CLOB or NCLOB would have been accepted, however, the type of the host variable did not match any of these.

**Action:** Redeclare the host variable using one of the Internal LOB types.

**PCC-02430: Expecting an expression of some arbitrary LOB type**

**Cause:** The given host variable was not declared to be any type of LOB, Internal or External. In addition to any Internal LOB type, BFILE would also have been accepted, however, the type of the host variable did not match any of these.

**Action:** Redeclare the host variable using any of the LOB types, Internal or External.

**PCC-02431: Expecting an expression of type external LOB (BFILE)**

**Cause:** The given host variable was not declared to be an External LOB. Only BFILE would have been accepted in this case.

**Action:** Redeclare the host variable using an External LOB type (BFILE).

**PCC-02432: Cannot open an external LOB (BFILE) in READ WRITE mode**

**Cause:** An attempt was made to OPEN a BFILE in READ WRITE mode. Writable BFILES are currently not supported so this operation is considered erroneous.

**Action:** Do not open BFILES using READ WRITE mode. BFILES can only be OPENed in READ ONLY mode.

**PCC-02433: Invalid host variable and attribute pairing**

**Cause:** The host variable and attribute pairing in a LOB or Collection DESCRIBE is invalid. Most likely, this was due to some problem with the host variable. For example, this error could occur if the host variable was not declared or is otherwise not provided.

**Action:** Usually, other, more specific, errors will accompany this one. Correcting some or all of those problems should resolve this error.

**PCC-02434: FOR clause not permitted in any LOB statement**

**Cause:** An explicit FOR clause was used in some LOB statement. The use of the FOR clause in LOB statements is erroneous.

**Action:** Remove the FOR clause.

**PCC-02435: This attribute is only valid for internal LOB types**

**Cause:** A request for a LOB attribute was made in a LOB DESCRIBE statement in which the given LOB was not of some Internal LOB type.

**Action:** Replace the LOB host variable in the LOB DESCRIBE with one that was declared to be an Internal LOB.

**PCC-02436: This attribute is only valid for external LOB types (BFILES)**

**Cause:** A request for a LOB attribute was made in a LOB DESCRIBE statement in which the given LOB was not an External LOB type (BFILE).

**Action:** Use an External LOB (BFILE) host variable in the LOB DESCRIBE statement.

**PCC-02437: Expecting an expression having binary integral type**

---

**Cause:** A host variable was given that was not declared to be of some acceptable binary numeric integral type. Generally, when this error occurs, a signed or unsigned integral type was expected. Floating point or otherwise imprecise numeric types are considered erroneous.

**Action:** Replace the problematic host variable with one that was declared using a proper exact numeric integral type.

**PCC-02438: Arrays of collection objects are not allowed**

**Cause:** An array of collections was given in a COLLECTION statement. Only scalar (non-array) collection objects are allowed in any of the COLLECTION statements.

**Action:** Change the declaration of the Collection host variable so that it is not an array.

**PCC-02439: FOR clause not allowed in this COLLECTION statement**

**Cause:** An illegal FOR clause was used in a COLLECTION statement that did not allow one, particularly, one of either the TRIM or DESCRIBE COLLECTION statements.

**Action:** Remove the FOR clause from the statement.

**PCC-02440: This attribute is valid for either internal or external LOBs**

**Cause:** A request for a LOB attribute was made in a LOB DESCRIBE statement in which the given LOB host variable was neither an Internal an External LOB (BFILE) type.

**Action:** Use either an Internal or External LOB host variable in the LOB DESCRIBE statement.

**PCC-02441: Number of attributes does not match number of host variables**

**Cause:** There is a mismatch between the number of attributes and the number of valid host variables in the LOB or Collection DESCRIBE.

**Action:** Make sure that for each attribute being requested there is at most a single valid host variable given to hold its value.

**PCC-02442: Expecting a value between 1 and 65535 inclusive**

**Cause:** The value specified in the WITH MAX clause of an ALLOCATE DESCRIPTOR statement or the VALUE clause of a GET/SET DESCRIPTOR statement was either less than 1 or greater than 65535.

**Action:** Specify a value between 1 and 65535 inclusive.

**PCC-02443: This usage is only valid when DYNAMIC=ANSI is specified**

**Cause:** One of the following statements was used without specifying a DYNAMIC=ANSI command line option setting

- o EXEC SQL ALLOCATE/DEALLOCATE/GET/SET DESCRIPTOR
- o EXEC SQL DESCRIBE OUTPUT/INPUT ... USING ... <descriptor>
- o EXEC SQL EXECUTE ... INTO ...
- o EXEC SQL EXECUTE ... USING ... <descriptor>
- o EXEC SQL OPEN ... INTO ...
- o EXEC SQL OPEN ... USING ... <descriptor>

**Action:** Specify DYNAMIC=ANSI or remove statements like those above from the program.

---

**PCC-02444: Invalid combination of descriptor and non-descriptor clauses**

**Cause:** There was a mixing of descriptor and non-descriptor clauses in an ANSI Dynamic SQL statement.

**Action:** Do not mix descriptors and non-descriptors in the ANSI statement in question.

**PCC-02445: USING clause valid only on a PREPARED dynamic statement**

**Cause:** The USING clause was used with an OPEN cursor statement where the cursor declaration was not for a PREPARED statement. The correct sequence of statements should be as follows EXEC SQL PREPARE s FROM :stmt; EXEC SQL DECLARE c CURSOR FOR s; EXEC SQL OPEN c USING ...;

**Action:** Use the PREPARE statement for the SQL statement and use that in the DECLARE CURSOR statement.

**PCC-02446: FOR clause not allowed in a DEALLOCATE statement**

**Cause:** An explicit FOR clause was used in a DEALLOCATE DESCRIPTOR statement.

**Action:** Remove the FOR clause from the statement.

**PCC-02447: Cannot specify destination offset in a LOB WRITE APPEND**

**Cause:** A destination offset was specified in a LOB WRITE APPEND statement. The destination offset is assumed to be the end of the LOB so specifying an explicit destination offset is erroneous.

**Action:** Remove the destination offset from the LOB WRITE APPEND statement.

**PCC-02448: Cannot specify a UCS2 variable in the NLS\_NCHAR option**

**Cause:** A variable declared as utext, uvarchar, or longnvarchar was specified in the NLS\_NCHAR command line option.

**Action:** Re-compile without specifying the variable in an NLS\_NCHAR command line option.

**PCC-02449: Cannot type equivalence a UCS2 type**

**Cause:** A UCS2 type has been type equivalenced in an EXEC SQL TYPE statement or a variable of UCS2 type has been type equivalenced in an EXEC SQL VAR statement.

**Action:** Remove the EXEC SQL TYPE or EXEC SQL VAR statement.

**PCC-02450: Cursor was not declared in scrollable mode**

**Cause:** A cursor which was not DECLARED in SCROLL mode was used in scrollable mode in the FETCH statement.

**Action:** Declare the cursor in scroll mode using the SCROLL keyword.

**PCC-02451: Value of offset cannot be negative in ABSOLUTE orientation mode**

**Cause:** The offset for the FETCH ABSOLUTE statement is negative.

**Action:** Value of offset should be positive.

**PCC-02452: Common SQL Front End found semantic error**

**Cause:** A database entity, such as a table or column name, was referenced, that does not exist. This is a compile time error, not a runtime error.

**Action:** Check that all referenced objects in the SQL statements actually exist and that the necessary access permission on them have been granted.

---

**PCC-02453: Must use option SQLCHECK=SEMANTICS(FULL) when option OUTLINE is used**

**Cause:** The precompiler option OUTLINE was used without specifying SQLCHECK=SEMANTICS(FULL).

**Action:** Set the precompiler option SQLCHECK=SEMANTICS(FULL).

**PCC-02454: Must use option OUTLINE when option OUTLINPREFIX is used**

**Cause:** The precompiler option OUTLINPREFIX was used without specifying OUTLINE=YES | <OUTLINENAME>. The precompiler option OUTLINE must be specified if OUTLINPREFIX is used.

**Action:** Set the precompiler option OUTLINE=YES | <OUTLINENAME>.

**PCC-02455: Must use option OUTLINE when option RUNOUTLINE is used**

**Cause:** The precompiler option RUNOUTLINE was used without specifying OUTLINE=YES | <OUTLINENAME>. The precompiler option OUTLINE must be specified if RUNOUTLINE is used.

**Action:** Set the precompiler option OUTLINE=YES | <OUTLINENAME>.

**PCC-02456: Unable to open Outline SQL file**

**Cause:** Pro\*C was unable to open the OUTLINE SQL file. The user executing the precompiler must have write permission (and/or the appropriate privileges) on the current directory.

**Action:** Check that permission exists to create files.

**PCC-02457: Unable to open Outline LOG file**

**Cause:** Pro\*C was unable to open the OUTLINE LOG file. The user executing the precompiler must have write permission (and/or the appropriate privileges) on the current directory.

**Action:** Check that permission exists to create files.

**PCC-02458: Outline name length exceeds the allowed limit**

**Cause:** Outline name <value of outline option>\_<filename>\_<filetype>\_<seqno> has exceeded the allowed limit.

**Action:** Use OUTLINPREFIX option to specify the outline name which will be well in the permitted limit.

**PCC-02459: Number of outlines has exceeded the limit**

**Cause:** Number of outlines that can be created has exceeded the file limit. Allowed outlines per file is 10000.

**Action:** Split the file so that each file can have not more than 10000 outlines.

**PCC-02460: Outline cannot be created**

**Cause:** Outline cannot be created as there is syntax error; or outlines are not supported on that statement.

**Action:** Correct the syntax error in the actual SQL used in the file or refer to "Performance Tuning Guide" for the list of supported statements.

---

---

## SQL-01075 to SQL-02158

**SQL-01075: you are currently logged on**

**Cause:** There is already a connection on this host.

**Action:** Do not attempt the second connection.

**SQL-02100: Out of memory (i.e., could not allocate)**

**Cause:** SQLLIB was unable to allocate enough memory to execute the program.

**Action:** Allocate more memory to the user session, then rerun the program. If the error persists, call customer support for assistance.

**SQL-02101: Inconsistent cursor cache. Unit cursor/global cursor mismatch**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02102: Inconsistent cursor cache. No global cursor entry.**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02103: Inconsistent cursor cache. Out of range cursor cache reference**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02104: Inconsistent host cache. No cursor cache available**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02105: Inconsistent cursor cache. Global cursor not found**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02106: Inconsistent cursor cache. Invalid Oracle cursor number**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

---

**SQL-02107: Program too old for runtime library; please re-compile it**

**Cause:** The program was precompiled by an older version of the Oracle Precompilers, which is incompatible with this release of SQLLIB.

**Action:** Precompile the program with a newer version of the Oracle Precompilers.

**SQL-02108: Invalid descriptor passed to run-time library**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02109: Inconsistent host cache. Host reference is out of range**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02110: Inconsistent host cache. Invalid host cache entry type**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02111: Heap consistency error**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02112: SELECT..INTO returns too many rows**

**Cause:** A SELECT...INTO statement returned more rows than can be stored in the host variable provided.

**Action:** There are 3 possible solutions:

1. Use the precompiler option `select_error=no`.
2. Declare a host variable with a larger array dimension.
3. Declare a cursor or cursor variable for the select statement.

**SQL-02113: Unable to open message file**

**Cause:** SQLLIB was unable to find or open the sqllib message file `sql*.msb`

**Action:** Check that the file exists in the mesg directory and that it is readable

**SQL-02114: Invalid SQL Cursor usage: trying to CLOSE a CLOSED cursor**

**Cause:** An attempt was made to CLOSE a cursor that was already CLOSED with `MODE={ANSI | ANSI14}`. A CLOSED cursor can be re-CLOSEd only when `MODE={ORACLE | ANSI13}`.

**Action:** When `MODE={ANSI | ANSI14}`, verify that a cursor is not already CLOSED before trying to CLOSE it. Specify `MODE={ORACLE | ANSI13}` if a CLOSED cursor is to be re-CLOSEd.

**SQL-02115: Code interpretation problem -- check COMMON\_NAME usage**

**Cause:** With `PRO*FORTRAN`, this error occurs if the precompiler option `COMMON_NAME` is specified incorrectly. With other Oracle Precompilers, this error occurs when the precompiler cannot generate a section of code.

**Action:** With `Pro*FORTRAN`, when using `COMMON_NAME` to precompile two or more source modules, make sure to specify a different common name for each

---

module. With other Oracle Precompilers, if the error persists, call customer support for assistance.

**SQL-02116: FATAL ERROR: Reentrant code generator gave invalid context**

**Cause:** This internal error typically indicates a memory-related error.

**Action:** Check the program for memory-related errors, such as invalid pointers or array-bounds violations.

**SQL-02117: Invalid SQL Cursor usage: trying to OPEN an OPENed cursor**

**Cause:** An attempt was made to OPEN a cursor that was already OPENed with MODE={ANSI | ANSI14 | ANSI13}. An open cursor can be re-OPENed only when MODE=ORACLE.

**Action:** When MODE={ANSI | ANSI14 | ANSI13}, verify that a cursor is not already OPENed before trying to OPEN it. Specify MODE=ORACLE if an OPENed cursor is to be re-OPENed.

**SQL-02118: Invalid row for a WHERE CURRENT OF operation**

**Cause:** An attempt was made to reference a nonexistent row using the CURRENT OF clause in an UPDATE or DELETE statement. This happens when no FETCH has been executed or when FETCH returns a "no data found" error that the program fails to trap.

**Action:** Check that the last cursor operation succeeded and that the current row of the cursor is valid. The outcome of a cursor operation can be checked in two ways: implicit checking with the WHENEVER statement or explicit checking of SQLCODE in the SQLCA.

**SQL-02119: Invalid HSTDEF argument**

**Cause:** A non-null ptr was given for a hstdef as the second argument to a call to sqlrcn when the first argument was also used. Either the first or the second argument to SQLRCN must be null.

**Action:** Pass a null pointer in either the first or second argument to SQLRCN. \*Note: This error \*msg\* is never actually used. The error \*number\* is used, given as the return value of sqlrcn if this error occurs.

**SQL-02120: First and second arguments to SQLRCN both null**

**Cause:** Both the first and second arguments to sqlrcn were null. An HSTDEF must be passed into SQLRCN in either the form of an OCI lda (first argument) or as an HSTDEF pointer itself (second argument).

**Action:** Pass in either an OCI LDA or an HSTDEF, but not both. \*Note: This error \*msg\* is never actually used. The error \*number\* is used, given as the return value of sqlrcn if this error occurs.

**SQL-02121: Invalid host name**

**Cause:** The host name passed into a SQLFCN call was not used in a previous call to SQLRCN.

**Action:** Use the same identifier used in the corresponding SQLRCN call. \*Note: This error \*msg\* is never actually used. The error \*number\* is used, given as the return value of sqlfcn if this error occurs.

**SQL-02122: Invalid OPEN or PREPARE for this database connection**

**Cause:** An attempt was made to execute an OPEN or a PREPARE statement using a cursor that is currently open for another database connection and, therefore, cannot be used for this connection.

---

**Action:** Close the cursor to make it available for this connection or use a different cursor for this connection.

**SQL-02123: Context referenced in EXEC TOOLS GET CONTEXT statement not found**

**Cause:** The context name given in the EXEC TOOLS GET CONTEXT statement was never stored with an EXEC TOOLS SET CONTEXT statement.

**Action:** Use the EXEC TOOLS SET CONTEXT statement to save any contexts to be retrieved later.

**SQL-02124: NULL value returned by EXEC TOOLS statement**

**Cause:** A NULL value was returned by EXEC TOOLS for a host variable that lacks an indicator variable. This error is returned only when MODE=ANSI. When MODE=ORACLE, although the value of the host variable is indeterminate, no error is generated.

**Action:** Associate an indicator variable with each host variable to which nulls might be returned.

**SQL-02125: Connect error, can't get error text**

**Cause:** No connection (not even to the default host) was available, so SQLLIB could not get the message text for the Oracle error that occurred. However, SQLLIB returns the Oracle error number, which can be used to look up the message.

**Action:** Look up the appropriate message in the Oracle7 Server Messages manual, and follow the Cause and Action information provided.

**SQL-02126: Count of array elements cannot be negative (i.e. < 0)**

**Cause:** The precompiler found a negative number of array elements in the the N or F element of the SQLDA (SQL Descriptor Area, which is used with dynamic SQL Method 4). Before executing the DESCRIBE statement, N must be set to the dimension of the descriptor arrays. After executing the DESCRIBE statement, N must be reset to the actual number of variables DESCRIBEd, which is stored in the F variable.

**Action:** Check that the N or F variables are set to non-negative values.

**SQL-02127: Precompiler/SQLLIB version mismatch**

**Cause:** The program was linked to an older version of SQLLIB, which is incompatible with this release of the Oracle Precompilers.

**Action:** Relink the program with a newer version of SQLLIB

**SQL-02128: Sessions still exist, not logged off**

**Cause:** A host was not removed ("logged off") from SQLLIB because XA still has sessions associated with that host.

**Action:** Before calling SQLXDH to drop a host, XA must either drop all sessions for that host or set the "doit\_anyway" flag. \*Note: This error \*msg\* is never actually used. The error \*number\* is used, given as a possible return value to the sqllib xa function sqlxdh.

**SQL-02129: Fetched number of bytes is odd.**

**Cause:** The program tried to FETCH an invalid column value into a multi-byte NLS host variable. Specifically, the column did not contain valid double-byte data.

**Action:** Make sure the column contains only double-byte data. To verify this, use SQL\*Plus or Server Manager.

---

**SQL-02130: EXEC TOOLS interface is not available.**

**Cause:** An attempt was made to link with a version of an Oracle tool that does not support the EXEC TOOLS interface. EXEC TOOLS interface.

**Action:** Either upgrade the Oracle tool, or use the EXEC IAF interface.

**SQL-02131: Runtime context in use**

**Cause:** Your application attempted to execute a SQL statement using a runtime context that is already in use.

**Action:** Rewrite the application to either wait for one thread to complete before executing another SQL statement with the same runtime context, or to allocate and use a separate runtime context for each thread.

**SQL-02132: Unable to allocate runtime context sdfla asdjklfajs jfja aj sdf**

**Cause:** An attempt to allocate a runtime context failed.

**Action:** This error typically occurs when the process memory is low. Allocate more memory and run the application again.

**SQL-02133: Unable to initialize process for use with threads**

**Cause:** This is an internal error.

**Action:** Call customer support.

**SQL-02134: Invalid runtime context**

**Cause:** The runtime context associated with this statement has not been properly allocated.

**Action:** Rewrite the application to execute the EXEC SQL CONTEXT ALLOCATE statement before executing any SQL statements.

**SQL-02135: Unable to initialize date format using supplied mask**

**Cause:** The runtime library was unable to issue a set date format statement with the date format mask supplied.

**Action:** Check the validity of the date format and correct if necessary. Check the ORA error number for further information.

**SQL-02136: Invalid NCHAR character set id**

**Cause:** An attempt was made to bind or define an NCHAR host variable, and the NLS\_NCHAR variable was not set correctly.

**Action:** Set the NLS\_NCHAR environment variable to a valid fixed width character set id and run the application again.

**SQL-02137: Multi-threaded agent with no RETURNING clause present**

**Cause:** The EXEC SQL REGISTER CONNECT statement does not contain a RETURNING clause and the agent is running in threaded mode.

**Action:** Re-code the statement to use a RETURNING clause that references a declared sql\_context host variable.

**SQL-02138: No external procedure context exists**

**Cause:** The external procedure context passed in the EXEC SQL REGISTER CONNECT statement is not valid.

**Action:** Ensure that you have done the following:

1. Created the PL/SQL procedure/function with a CONTEXT parameter.

- 
2. Included OCIExtProcContext in the formal parameter list of the external procedure
  3. Correctly passed the OCIExtProcContext to the EXEC SQL REGISTER CONNECT statement.

**SQL-02139: Unable to get the OCI handles**

**Cause:** The call to OCIExtProcGetEnv failed.

**Action:** Ensure that the OCIExtProcContext that the external procedure has been created with a CONTEXT parameter and that this context is correctly referenced in the EXEC SQL REGISTER CONNECT statement.

**SQL-02140: An unnamed connection already exists**

**Cause:** An attempt to register an external procedure context was made when an unnamed connection already exists for the runtime context.

**Action:** Do not attempt to establish any connections with the EXEC SQL CONNECT statement from external procedures.

**SQL-02141: Collection descriptor has not been allocated**

**Cause:** An unallocated collection descriptor was referenced in a COLLECTION SET or COLLECTION GET statement.

**Action:** Allocate the collection descriptor with the EXEC SQL ALLOCATE statement. e.g. EXEC SQL ALLOCATE :coldesc\_p;

**SQL-02142: Collection is NULL**

**Cause:** The collection referenced in an EXEC SQL COLLECTION statement is null.

**Action:** Check the status of the associated indicator variable prior to executing an EXEC SQL COLLECTION statement.

**SQL-02143: Target object has not been properly allocated**

**Cause:** An attempt was made to retrieve elements from a collection into an unallocated object pointer.

**Action:** Allocate the object pointer with the EXEC SQL ALLOCATE statement.

**SQL-02144: Invalid ANSI dynamic usage**

**Cause:** An ANSI allocate, deallocate, get or set descriptor statement was encountered when dynamic option was not set.

**Action:** Precompile your source with option dynamic=ansi.

**SQL-02145: Invalid dynamic descriptor**

**Cause:** An attempt to access an unallocated or invalid descriptor was encountered.

**Action:** For ANSI descriptors, check that descriptor name is valid and descriptor has been allocated and not previously deallocated. Or if using Oracle descriptors (sqlda) with mode=ansi also use dynamic=oracle.

**SQL-02146: Attempt to allocate an existing descriptor**

**Cause:** An attempt allocated a descriptor which has previously been allocated was encountered.

**Action:** Use and unique descriptor name or deallocate the descriptor before attempting to reallocate it.

**SQL-02147: ANSI Dynamic occurrence value out of range**

---

**Cause:** The value clause in a dynamic GET or SET statement is less than one or greater than MAX given for descriptor allocation.

**Action:** Supply a number for the VALUE clause between 1 and the MAX occurrences supplied when the descriptor was allocated.

**SQL-02148: ANSI Dynamic count value out of range**

**Cause:** The count in a dynamic GET or SET statement is less than one or greater than MAX given for descriptor allocation.

**Action:** Supply a number for the COUNT clause between 1 and the MAX occurrences supplied when the descriptor was allocated.

**SQL-02149: ANSI Dynamic insufficient item descriptor areas**

**Cause:** The SQL statement being described contains more output items (or columns) than were allocated in the descriptor.

**Action:** Increase the MAX number of occurrences when allocating the descriptor.

**SQL-02150: Encountered zero length in ANSI dynamic SET statement**

**Cause:** An invalid length of zero was encountered in an ANSI dynamic statement.

**Action:** Set the length to a non-zero value

**SQL-02151: Invalid host variable for exact numeric SET statement item**

**Cause:** An host variable with an invalid type or length was used to get or set an exact numeric item in an ANSI dynamic statement.

**Action:** Make sure your host variable is and int or short for C or for COBOL, S9(4) or S9(9) binary/comp/display sign leading separate.

**SQL-02152: Invalid numeric variable for use in an array GET/SET statement**

**Cause:** An host variable with type other than int or short for C or S9(4) or S9(9) binary or comp was used for an exact numeric with and array size > 1.

**Action:** Use only int or short for C or S9(4) or S(9) binary or comp for COBOL when supplying an exact numeric in conjunction with the for clause to indicate arrays. Specifically, display sign leading separate is not allowed in this context.

**SQL-02153: Invalid character variable for use in a GET/SET statement**

**Cause:** An host variable with type other than character, string or varchar was found as an item name (other than DATA item) in an ANSI Dynamic GET or SET descriptor statement.

**Action:** Host variable types for character items (other than the DATA item) in ANSI dynamic GET or SET descriptor statements must not be of type LONG or LONG VARCHAR. Redeclare the variable to be character, string or varchar type

**SQL-02154: Invalid or unset data type for host variable in ANSI Dynamic**

**Cause:** An ANSI Dynamic SET statement with item name DATA was encountered with out a valid TYPE having been previously set and option mode=ansi was used

**Action:** With mode=ansi, you must set the TYPE before setting the DATA. Issue a SET statement with correct item TYPE or, for output issue a DESCRBE to set the item type. Or use mode=oracle which allows the type to default to the type of the bind/define host variable

**SQL-02155: Date Time Interval only valid with Dynamic=ANSI**

**Cause:** An attempt to access the datetime interval code or precision was encountered when type\_code option not set to ANSI

---

**Action:** Use precompiler option type\_code=ansi to access the date time interval code or date time interval precision

**SQL-02156: Invalid type for Indicator or Returned Length**

**Cause:** A host variable associated with the item Indicator or Returned Length must be of type short or s9(4) comp. If value semantics and scalar they may also be gotten into display sign leading separate host variables

**Action:** Use signed short for indicator, ref indicator and returned length, ref returned length host variables in C. For COBOL use s9(4) comp. for GETs only with non-arrays and you may use display sign leading separate host variables

**SQL-02157: Source or destination lob is invalid**

**Cause:** One of the lobs used in the lob append call is invalid or possibly null.

**Action:** Make sure the lobs used in the append call are non-null.

**SQL-02158: Unable to establish savepoint**

**Cause:** An internal error occurred while establishing an internal savepoint.

**Action:** Check trace files for errors and rerun your application.

---

---

## AUD-00611 to AUD-00809

**AUD-00611: unable to access the BLOB for reading**

**Cause:** The BLOB could not be opened for reading.

**Action:** Contact Oracle Support Services.

**AUD-00612: unable to open export destination file**

**Cause:** The file could not be created or opened.

**Action:** Check that the file does not refer to an existing directory. Check that the file is not locked by another application.

**AUD-00613: export destination access denied**

**Cause:** Permission to write to destination file was denied.

**Action:** Refer to the Oracle Multimedia documentation for information on granting privileges for the export() method.

**AUD-00614: I/O error during export**

**Cause:** The export operation failed because of an I/O error.

**Action:** Check OS logs and contact Oracle Support Services.

**AUD-00702: unable to initialize audio processing environment**

**Cause:** The initialization of the audio processing procedure failed.

**Action:** See the database administrator to make sure that enough memory has been allocated to JServer. If JServer does have enough memory, contact Oracle Support Services.

**AUD-00703: unable to read audio data**

**Cause:** An error occurred while accessing the audio source.

**Action:** Make sure the audio source is valid. For external sources, make sure all access privileges are granted.

**AUD-00704: invalid input format**

**Cause:** The audio data in the source was not in the format specified by the format field of the audio object. In some unusual cases, the audio data is actually corrupted.

**Action:** Provide a correct value in the format field. If the correct value is unknown, put NULL in the format field to invoke the DEFAULT format plug-in.

**AUD-00705: unsupported input format**

**Cause:** The file format of the audio data was not supported. This error can only occur in the DEFAULT format plug-in package.

---

**Action:** Refer to the Oracle Multimedia documentation for supported formats.

**AUD-00706: unsupported or corrupted input format**

**Cause:** The audio data was either corrupted or the file format was not supported.

**Action:** Refer to the Oracle Multimedia documentation for supported formats. If the audio data is not corrupted and is in a supported file format, contact Oracle Support Services.

**AUD-00707: unable to read empty audio data**

**Cause:** There is no data in the audio object.

**Action:** Refer to the Oracle Multimedia documentation for information on how to populate the audio object with audio data.

**AUD-00713: internal error while parsing audio data**

**Cause:** An internal error occurred during parsing.

**Action:** Contact Oracle Support Services.

**AUD-00714: internal error**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services.

**AUD-00721: unable to find format plug-in package ORDPLUGINS.ORDX\_string\_AUDIO**

**Cause:** Custom audio plug-in for user-specified format was not found.

**Action:** Ensure correct audio format is specified or proper custom audio plug-in package is installed.

**AUD-00802: name of index is limited to 22 characters**

**Cause:** The user specified an index name that is more than 22 characters long.

**Action:** Drop this index, and issue the CREATE INDEX statement again with a name that is at most 22 characters long.

**AUD-00803: internal error while processing WHERE clause**

**Cause:** The WHERE clause could not be properly processed.

**Action:** Contact Oracle Support Services.

**AUD-00806: first argument to SpeechContains must be a column**

**Cause:** The first argument to SpeechContains is not a column. This is not allowed.

**Action:** Make sure that the first argument to SpeechContains is a column in a database table.

**AUD-00807: SpeechContains: index of indextype ORDSpeechIndex is required**

**Cause:** SpeechContains was used without an associated index of indextype ORDSpeechIndex.

**Action:** Make sure that SpeechContains is used in the context of an index of indextype ORDSpeechIndex. See the Oracle Multimedia documentation for sample usage scenarios.

**AUD-00808: ORDSpeechIndex: unable to CREATE internal Text index**

**Cause:** CREATE INDEX for ORDSpeechIndex failed when trying to create internal Text index.

---

**Action:** Make sure that you are supplying a valid parameter string. See SpeechIndexing and Oracle Text documentation for descriptions of a valid parameter string for CREATE INDEX. To return to a consistent state, issue a DROP INDEX command.

**AUD-00809: ORDSpeechIndex: unable to ALTER REBUILD internal Text index**

**Cause:** ALTER INDEX REBUILD for ORDSpeechIndex failed when trying to alter rebuild internal Text index.

**Action:** Make sure that you are supplying a valid parameter string. See SpeechIndexing and Oracle Text documentation for descriptions of a valid parameter string for ALTER INDEX REBUILD. To return to a consistent state, issue a ALTER INDEX REBUILD PARAMETERS("optimize full") command.



---

---

## IMG-00001 to IMG-02014

**IMG-00001: unable to initialize Oracle Multimedia environment**

**Cause:** The image processing external procedure initialization process failed.

**Action:** Contact Oracle Support Services.

**IMG-00002: unrecoverable error**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00003: exhausted memory while processing image**

**Cause:** Oracle Multimedia exhausted available Java memory during processing.

**Action:** Increase the JAVA\_POOL\_SIZE initialization parameter setting.

**IMG-00201: unsupported metadata type**

**Cause:** The requested metadata type could not be read from or written to this image format.

**Action:** Refer to the Oracle Multimedia documentation to select the proper metadata type for this image.

**IMG-00202: unsupported character encoding**

**Cause:** The character encoding was not supported for this image format.

**Action:** Refer to the Oracle Multimedia documentation to select the proper encoding for this image.

**IMG-00203: xmlData is invalid**

**Cause:** The XML document was NULL or not schema valid.

**Action:** Create a schema valid document for input.

**IMG-00204: input metadata too long**

**Cause:** The metadata was too long to embed in this image format.

**Action:** Trim the metadata, or use a different image format.

**IMG-00205: cannot add a TIFF directory entry**

**Cause:** No new entries could be added to this directory.

**Action:** Use a different image format.

**IMG-00206: unsupported image format for putMetadata**

**Cause:** Metadata could not be written to this image format.

**Action:** Use a different image format.

---

**IMG-00207: input parameter is not valid**

**Cause:** The input parameter value contained an invalid value.

**Action:** Correct the input parameter value.

**IMG-00208: metadata format parse error**

**Cause:** The parser detected an error in the embedded metadata.

**Action:** Verify that the metadata conforms to proper standards.

**IMG-00209: error parsing metadata**

**Cause:** There was an internal error while parsing the metadata.

**Action:** Contact Oracle Support Services.

**IMG-00210: unable to get metadata from an empty image**

**Cause:** There was no data in the input image.

**Action:** Refer to the Oracle Multimedia documentation for information on how to populate image data into the image object.

**IMG-00211: metadataType value "string" is invalid**

**Cause:** The metadataType parameter value was NULL or invalid.

**Action:** Correct the metadataType parameter value.

**IMG-00212: encoding value "string" is invalid**

**Cause:** The encoding parameter value was NULL or invalid.

**Action:** Correct the encoding parameter value.

**IMG-00213: xmlData does not contain an <RDF> element**

**Cause:** The XML document did not contain an <RDF> element as a child of <xmpMetadata>.

**Action:** Create a schema valid document with an <RDF> element.

**IMG-00502: invalid scale value**

**Cause:** An invalid scale value was found while parsing the parameters for the image process function.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax for the image processing command string.

**IMG-00505: missing value in CUT rectangle**

**Cause:** An incorrect number of values was used to specify a rectangle.

**Action:** Use exactly four integer values for the lower-left and upper-right vertices.

**IMG-00506: extra value in CUT rectangle**

**Cause:** An incorrect number of values was used to specify a rectangle.

**Action:** Use exactly four integer values for the lower left and upper right vertices.

**IMG-00510: string**

**Cause:** A syntax error was found while parsing the parameters for the image process function.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax for the image processing command string.

**IMG-00511: string**

---

**Cause:** An error was found while accessing image data.

**Action:** Contact Oracle Support Services.

**IMG-00512: multiple incompatible scaling parameters found**

**Cause:** Multiple incompatible scaling parameters were found in the image process command string. With the exception of XSCALE and YSCALE, which can be used together in a process command string, scaling functions are mutually exclusive and cannot be combined.

**Action:** Remove scaling functions until only one remains (or two, if they are XSCALE and YSCALE).

**IMG-00513: missing value in scaling operation**

**Cause:** An incorrect number of values was used to specify image dimensions. fixedScale and maxScale require exactly two integer values for the X and Y dimensions of the desired image.

**Action:** Use two values for fixedScale and maxScale.

**IMG-00514: extra value in scaling operation**

**Cause:** An incorrect number of values was used to specify image dimensions. fixedScale and maxScale require exactly two integer values for the X and Y dimensions of the desired image.

**Action:** Use two values for fixedScale and maxScale.

**IMG-00515: incorrect number of input channels**

**Cause:** An incorrect number of values was used to specify input channels. InputChannels requires either one or three channels numbers for the gray or red, green, and blue channel assignments.

**Action:** Use either one or three values to specify the input channels.

**IMG-00516: default channel out of range**

**Cause:** An incorrect value was used to specify the default channel selection.

**Action:** Use a channel number which is less than or equal to the number of bands and greater than zero.

**IMG-00517: height or width not present in parameter string**

**Cause:** Height and/or width were not specified in the setProperties parameter string.

**Action:** Specify both the height and width.

**IMG-00518: invalid value for height or width**

**Cause:** Height and/or width were not positive integers"

**Action:** Specify both the height and width as positive integers"

**IMG-00519: illegal combination of parameters**

**Cause:** Other than height, width, dataOffset, and userString no other parameters may be specified in the setProperties parameter string when CCITTG3 or CCITTG4 is used as the compressionFormat.

**Action:** Supply only the height and width when compressionFormat is either CCITTG3 or CCITTG4. The dataOffset and userString may optionally be supplied as well.

**IMG-00520: invalid value for numberOfBands**

---

**Cause:** NumberOfBands was not a positive integer"

**Action:** Specify numberOfBands as a positive integer"

**IMG-00521: invalid value for dataOffset**

**Cause:** DataOffset was not a positive integer"

**Action:** Specify dataOffset as a positive integer"

**IMG-00522: invalid format for parameter value**

**Cause:** A floating point value was specified where an integer is required, or a character value was specified where a numeric value is required.

**Action:** Specify the correct type of values for process parameters.

**IMG-00523: invalid process verb**

**Cause:** A process verb was specified that is not understood by Oracle Multimedia.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid process verbs.

**IMG-00524: mismatched quotes**

**Cause:** Quotation marks used within a process command string were not matched.

**Action:** Ensure that quotation marks occur in pairs.

**IMG-00525: locale error**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00526: error parsing foreign image description**

**Cause:** An internal error occurred while processing a foreign image.

**Action:** Contact Oracle Support Services.

**IMG-00530: internal error while parsing command**

**Cause:** An internal error occurred while parsing the command passed to the image processing function or the foreign image setProperties function.

**Action:** If you are certain that your command is correct, then contact Oracle Support Services.

**IMG-00531: empty or null image processing command**

**Cause:** An empty or null image processing command was passed to the image process function.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax for the image processing command string.

**IMG-00540: contentFormat and interleave conflict**

**Cause:** Interleave values were specified using both the contentformat and interleave verbs.

**Action:** Specify interleave using either contentformat or interleave, but not both.

**IMG-00541: invalid contentFormat specified**

**Cause:** The specified contentFormat was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid contentFormat specifications.

---

**IMG-00542: contentFormat includes invalid extra information**

**Cause:** The specified contentFormat included invalid characters at the end of the parameter string.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid contentFormat specifications.

**IMG-00543: invalid compressionFormat specified**

**Cause:** The specified compressionFormat was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid compressionFormat specifications.

**IMG-00544: invalid compressionQuality specified**

**Cause:** The specified compressionQuality was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid compressionQuality specifications.

**IMG-00545: invalid cut values specified**

**Cause:** An invalid value was found while parsing the parameters for the cut operation.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax for the image processing command string.

**IMG-00546: invalid page number specified**

**Cause:** An invalid page number was specified.

**Action:** Specify page numbers that are not negative.

**IMG-00547: invalid channelOrder specified**

**Cause:** The specified channelOrder was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid channelOrder specifications.

**IMG-00548: invalid interleave specified**

**Cause:** The specified interleave was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid interleave specifications.

**IMG-00549: invalid pixelOrder specified**

**Cause:** The specified pixelOrder was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid pixelOrder specifications.

**IMG-00550: invalid scanlineOrder specified**

**Cause:** The specified scanline order was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid scanlineOrder specifications.

**IMG-00551: invalid quantize method specified**

**Cause:** The specified quantization method was not valid.

**Action:** Refer to the Oracle Multimedia documentation for a description of valid quantization method specifications.

**IMG-00552: invalid inputChannels specified**

---

**Cause:** An invalid value was specified for the inputChannels verb.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax for the image processing command string.

**IMG-00553: invalid rotate value**

**Cause:** An invalid value was specified for image rotation. Rotation values must be a floating point number.

**Action:** Correct the statement by providing a valid rotation value.

**IMG-00554: extra value in rotate operation**

**Cause:** Multiple arguments were used to specify image rotation. The rotate operation accepts only a single value.

**Action:** Provide a single value for the rotate operation.

**IMG-00555: invalid value for gamma correction**

**Cause:** An invalid value was specified for gamma correction. Gamma values must be positive.

**Action:** Correct the statement by providing a positive gamma value.

**IMG-00556: incorrect number of gamma values**

**Cause:** An incorrect number of values were used to specify gamma correction. Gamma correction requires either one or three gamma values.

**Action:** Provide either one or three values to specify the gamma correction.

**IMG-00557: invalid value for contrast enhancement**

**Cause:** An invalid value was used to specify contrast enhancement.

**Action:** To specify contrast enhancement using percentages, provide values between 0 and 100. To specify contrast enhancement using bounds, provide values greater than 0.

**IMG-00558: incorrect number of contrast values**

**Cause:** An incorrect number of values were used to specify contrast enhancement. Contrast enhancement requires one, two, three, or six contrast values.

**Action:** Provide one or three values to specify contrast enhancement using percentages; provide two or six values to specify contrast enhancement using contrast bounds.

**IMG-00559: invalid frame number**

**Cause:** An incorrect number was used to specify frame in Dicom image. The number should be greater than 0 and less than total frames in Dicom image.

**Action:** Provide one number greater than 0 and less than total frames in Dicom image.

**IMG-00560: input format does not support page selection**

**Cause:** The page verb was specified for an input format that does not support selecting pages.

**Action:** Refer to the Oracle Multimedia documentation for a description of which image formats support page selection.

**IMG-00561: input format does not support channel selection**

**Cause:** The inputChannels verb was specified for an input format that does not support selecting channels.

---

**Action:** Refer to the Oracle Multimedia documentation for a description of which image formats support input channel selection.

**IMG-00577: invalid quantize argument**

**Cause:** A quantize value was specified that accepts an argument, but the argument provided was not valid.

**Action:** Provide a valid, non-negative argument for the quantize value.

**IMG-00578: missing quantize argument**

**Cause:** A quantize value was specified that requires an argument, but no argument was provided.

**Action:** Provide an argument for the quantize value.

**IMG-00579: extra quantize argument**

**Cause:** An extra argument was provided for a quantize value. Some quantize values accept no arguments, while others accept a single argument.

**Action:** Provide an argument only for quantize values that accept an argument.

**IMG-00580: specified format does not support output**

**Cause:** The output format specified by fileFormat does support output.

**Action:** Refer to the Oracle Multimedia documentation for a description of which formats support output.

**IMG-00581: output format does not support the specified contentFormat**

**Cause:** The specified contentFormat is not supported by the explicitly or implicitly specified output format.

**Action:** Refer to the Oracle Multimedia documentation for a description of which contentFormat values are supported for each output format.

**IMG-00582: output format does not support the specified interleave**

**Cause:** The specified interleave is not supported by the explicitly or implicitly specified output format.

**Action:** Refer to the Oracle Multimedia documentation for a description of which interleave values are supported for each output format.

**IMG-00583: output format does not support the specified compressionFormat**

**Cause:** The specified compressionFormat is not supported by the explicitly or implicitly specified output format.

**Action:** Refer to the Oracle Multimedia documentation for a description of which compressionFormat values are supported for each output format.

**IMG-00584: output format does not support the specified compressionQuality**

**Cause:** The specified compressionQuality is not supported by the explicitly or implicitly specified output format.

**Action:** Refer to the Oracle Multimedia documentation for a description of which compressionQuality values are supported for each output format.

**IMG-00585: output format does not support the specified channelOrder**

**Cause:** The specified channelOrder is not supported by the explicitly or implicitly specified output format.

**Action:** Refer to the Oracle Multimedia documentation for a description of which channelOrder values are supported for each output format.

---

**IMG-00586: output format does not support the specified pixelOrder**

**Cause:** The specified pixelOrder is not supported by the explicitly or implicitly specified output format.

**Action:** Refer to the Oracle Multimedia documentation for a description of which pixelOrder values are supported for each output format.

**IMG-00587: output format does not support the specified scanlineOrder**

**Cause:** The specified scanlineOrder is not supported by the explicitly or implicitly specified output format.

**Action:** Refer to the Oracle Multimedia documentation for a description of which scanlineOrder values are supported for each output format.

**IMG-00599: internal error**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services.

**IMG-00601: out of memory while copying image**

**Cause:** Operating system process memory has been exhausted while copying the image.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00602: unable to access image data**

**Cause:** An error occurred while reading or writing image data.

**Action:** Ensure that the source image can be read from and the destination can be written to.

**IMG-00603: unable to access source image data**

**Cause:** The source image SOURCE attribute is invalid.

**Action:** Ensure that the SOURCE attribute of the source image is populated with image data.

**IMG-00604: unable to access destination image data**

**Cause:** The destination image SOURCE attribute is invalid.

**Action:** Ensure that the SOURCE attribute of the destination image is populated with image data.

**IMG-00606: unable to access image data**

**Cause:** An attempt was made to access an invalid image.

**Action:** Ensure that the SOURCE attribute of the image is populated with image data.

**IMG-00607: unable to write to destination image**

**Cause:** The destination image SOURCE attribute is invalid.

**Action:** Ensure that the SOURCE attribute of the destination image is initialized correctly and that you have sufficient tablespace.

**IMG-00609: unable to read image stored in a BFILE**

**Cause:** The image stored in a BFILE cannot be opened for reading.

**Action:** Ensure that the access privileges of the image file and the image file's directory allow read access.

---

**IMG-00611: unable to access the BLOB for reading**

**Cause:** The BLOB could not be opened for reading.

**Action:** Contact Oracle Support Services.

**IMG-00612: unable to open export destination file**

**Cause:** The file could not be created or opened.

**Action:** Check that the file does not refer to an existing directory. Check that the file is not locked by another application.

**IMG-00613: export destination access denied**

**Cause:** Permission to write to destination file was denied.

**Action:** Refer to the Oracle Multimedia documentation for information on granting privileges for the export() method.

**IMG-00614: I/O error during export**

**Cause:** The export operation failed because of an I/O error.

**Action:** Check OS logs and contact Oracle Support Services.

**IMG-00701: unable to set the properties of an empty image**

**Cause:** There is no data in the image object.

**Action:** Refer to the Oracle Multimedia documentation for information on how to populate image data into the image object.

**IMG-00702: unable to initialize image processing environment**

**Cause:** The image processing external procedure initialization process failed.

**Action:** Contact Oracle Support Services.

**IMG-00703: unable to read image data**

**Cause:** There is no image data in the image object.

**Action:** Refer to the Oracle Multimedia documentation for information on how to populate image data into the image object.

**IMG-00704: unable to read image data**

**Cause:** There is no image data in the image object.

**Action:** Refer to the Oracle Multimedia documentation for information on how to populate image data into the image object.

**IMG-00705: unsupported or corrupted input format**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00706: unsupported or corrupted output format**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00707: unable to access image data**

**Cause:** An error occurred while reading or writing image data.

**Action:** Contact your system administrator.

**IMG-00710: unable to write to destination image**

**Cause:** The destination image is invalid.

---

**Action:** Ensure that the SOURCE attribute of the destination image is initialized and that you have sufficient tablespace.

**IMG-00711: unable to set properties of destination image**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00712: unable to write to destination image**

**Cause:** The destination image is invalid.

**Action:** Ensure the row containing the destination image has been locked (this does not apply to temporary BLOBs).

**IMG-00713: unsupported destination image format**

**Cause:** A request was made to convert an image to a format that is not supported.

**Action:** Refer to the Oracle Multimedia Documentation for supported formats.

**IMG-00714: internal error**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00715: unable to open image stored in a BFILE**

**Cause:** The image stored in a BFILE could not be opened for reading.

**Action:** Ensure that the access privileges of the image file and the image file's directory allow read access.

**IMG-00716: source image format does not support process options**

**Cause:** A request was made to apply a processing option not supported by the source image format.

**Action:** Refer to the Oracle Multimedia Documentation for a discussion of supported processing options.

**IMG-00717: destination image format does not support process options**

**Cause:** A request was made to apply a processing option not supported by the destination image format.

**Action:** Refer to the Oracle Multimedia Documentation for a discussion of supported processing options.

**IMG-00718: the same Temporary LOB cannot be used as both source and destination**

**Cause:** A call was made to processCopy with the same Temporary LOB being specified as both the source and destination.

**Action:** Specify a different LOB for parameter "dest".

**IMG-00719: image processing internal error**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00720: image processing internal error**

**Cause:** This is an internal error.

**Action:** Contact Oracle Support Services.

**IMG-00721: unable to find source plug-in package ORDPLUGINS.ORDX\_string\_SOURCE**

---

**Cause:** Custom source plug-in for user-specified source type was not found.

**Action:** Ensure correct source type is specified or proper custom source plug-in package is installed.

**IMG-00722: incorrect value of bitsAllocated, bitsStored or highBit for output Dicom image**

**Cause:** incorrect value of bitsAllocated, bitsStored or highBit for output Dicom image.

**Action:** Ensure correct value of bitsAllocated, bitsStored or highBit for output Dicom image.

**IMG-00730: unable to process empty image**

**Cause:** There is no data in the input image object.

**Action:** Refer to the Oracle Multimedia documentation for information on how to put image data into the image object.

**IMG-00731: specified page could be found in input image**

**Cause:** The specified page does not exist in the input image.

**Action:** Restrict the value of the page parameter to values specifying pages that exist within the input image object.

**IMG-00732: specified inputChannels could not be found in input image**

**Cause:** The specified inputChannel parameter does not exist in the input image.

**Action:** Restrict the value of the inputChannels parameter to values specifying channels that exist within the input image object.

**IMG-00800: internal error while parsing attribute string**

**Cause:** An internal error occurred while parsing the attribute string containing the weights of the attributes.

**Action:** If you are certain that your command is correct, then contact Oracle Support Services.

**IMG-00801: cannot extract height and width**

**Cause:** Height and width are not set in the image object.

**Action:** Set the properties of the image object by calling setProperties and then generate signature.

**IMG-00802: empty or null attribute string**

**Cause:** An empty or null attributes string was passed to the image matching operators.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax of the attributes string.

**IMG-00803: invalid attribute value**

**Cause:** An invalid value was found while parsing the attribute string for the image matching operators.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax for the attributes string. The weight values should be between 0.0 and 1.0.

**IMG-00804: Syntax error in attribute string**

---

**Cause:** A syntax error was found while parsing the attribute string for the image matching operators.

**Action:** Refer to the Oracle Multimedia documentation for a description of the correct usage and syntax of the attributes string.

**IMG-00805: SIGNATURE data has been corrupted or is invalid**

**Cause:** The data in the signature is not a valid signature.

**Action:** Re-create the signature using the generateSignature method.

**IMG-00806: invalid input image**

**Cause:** The image data is either corrupt or is in an unsupported format.

**Action:** Repopulate the image object, set properties of the image, and generate the signature.

**IMG-00807: no weights specified in weight string**

**Cause:** All weights passed were zero. At least one attribute must be weighted.

**Action:** Specify a non-zero weight for at least one attribute

**IMG-00808: unable to read an empty image**

**Cause:** There is no data in the image object.

**Action:** Refer to the Oracle Multimedia documentation for information on how to populate the image object with image data.

**IMG-00809: usage of IMGSimilar is incorrect**

**Cause:** Syntax error while using IMGSimilar

**Action:** Refer to the Oracle Multimedia documentation for information on how to use the IMGSimilar operator. Check whether the value returned by IMGSimilar is compared to the value 1.

**IMG-00810: boundary queue initialization failed**

**Cause:** Operating system process memory has been exhausted while initializing the boundary queue.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00811: fail queue initialization failed**

**Cause:** Operating system process memory has been exhausted while initializing the fail queue.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00812: merged area queue initialization failed**

**Cause:** Operating system process memory has been exhausted while initializing the merged area queue.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00813: boundary queue free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00814: fail queue free failed**

- 
- Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00815: merged area queue free failed**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00820: area 0 queue clear failed**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00821: area N queue clear failed**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00822: area queue reset failed**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00823: boundary queue pop failed**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00824: fail queue pop failed**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00825: merged area queue pop failed**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number.
- IMG-00830: boundary queue is full**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number and the image causing this problem.
- IMG-00831: boundary queue size exceeds expected size**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number and the image causing this problem.
- IMG-00832: fail queue is full**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number and the image causing this problem.
- IMG-00833: boundary queue size exceeds expected size**  
**Cause:** An internal error has occurred.  
**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

---

**IMG-00834: merged area queue is full**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00835: merged area queue size exceeds expected size**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00836: area queue merge failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00840: image structure allocation failed**

**Cause:** Operating system process memory has been exhausted while initializing the image structure.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00841: image data allocation failed**

**Cause:** Operating system process memory has been exhausted while initializing the image data.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00842: image index allocation failed**

**Cause:** Operating system process memory has been exhausted while initializing the image index.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00843: internal image structure allocation failed**

**Cause:** Operating system process memory has been exhausted while initializing the internal image structure.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00844: internal image data allocation failed**

**Cause:** Operating system process memory has been exhausted while initializing the internal image data.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00845: internal image index allocation failed**

**Cause:** Operating system process memory has been exhausted while initializing the internal image index.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00846: adjacency matrix allocation failed**

---

**Cause:** Operating system process memory has been exhausted while initializing the adjacency matrix.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00847: area list allocation failed**

**Cause:** Operating system process memory has been exhausted while initializing the area list.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00850: image structure free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00851: image data free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00852: image index free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00853: internal image structure free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00854: internal image data free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00855: internal image index free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00856: adjacency matrix free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00857: area list free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number.

**IMG-00860: assert failure, number of region exceeds allocated**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00861: assert failure, inconsistency in area merge operation**

**Cause:** An internal error has occurred.

---

**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00862: assert failure, inconsistency in merged area labels**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00870: unsupported aspect ratio or image size**

**Cause:** Signature generation was attempted on an image smaller than the supported size.

**Action:** Try scaling the image up to have a larger height and width, the suggested size is greater than 21 pixels each. If signature generation still fails, contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00871: unexpected number of seeds**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00872: unsupported image model**

**Cause:** Signature generation was attempted on an image with an image model that Oracle Multimedia is unable to support.

**Action:** Try scaling the image down. If signature generation still fails, contact Oracle Support Services with the error number and the image causing this problem.

**IMG-00899: signature cannot be generated**

**Cause:** generateSignature could not generate the signature.

**Action:** Verify that the input image is a format supported by Oracle Multimedia.

**IMG-00901: VIR signature version mismatch**

**Cause:** Two signatures to be compared have different versions.

**Action:** Recompute signatures on the same platform and repeat signature comparison.

**IMG-00902: VIR signature free failed**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services.

**IMG-00910: allocation of basic data structure failed**

**Cause:** Operating system process memory has been exhausted while copying the image.

**Action:** See the database administrator or operating system administrator to increase process memory quota.

**IMG-00911: free basic data structure failed**

**Cause:** Operating system process memory has been exhausted while copying the image.

**Action:** Contact Oracle Support Services.

**IMG-00921: threshold out of range**

---

**Cause:** Threshold is not between 0 and 100

**Action:** Use a threshold between 0 and 100 and retry query.

**IMG-00922: location specified without feature**

**Cause:** only location was specified.

**Action:** Specify at least one other parameter (color, texture or shape) along with location. Refer to the Oracle Multimedia documentation for more details.

**IMG-00923: signature is empty**

**Cause:** Signature has not been generated.

**Action:** Generate the signature for the image by calling the generateSignature method.

**IMG-00924: Incorrect parameter specification during CREATE INDEX**

**Cause:** There is a spelling error, or duplicate parameter specification, or incorrect specification of parameters while creating an index of type ORDIMAGEINDEX.

**Action:** Refer to the Oracle Multimedia documentation for correct specification of CREATE INDEX parameters.

**IMG-00925: unable to write to the ORDImageSignature object**

**Cause:** The signature object was not valid and therefore the write operation failed. This problem is commonly caused by an attempt to invoke the generateSignature method on an uninitialized ORDImageSignature object.

**Action:** Ensure that the ORDImageSignature object has been initialized and inserted into a table. Also ensure that the row containing the signature object is locked. (The two previous actions do not apply to signature objects created using temporary BLOBs). Ensure that there is sufficient tablespace to contain the signature.

**IMG-00926: tablespace specified during CREATE INDEX is not valid**

**Cause:** A tablespace specified in the parameter string of a CREATE INDEX operation did not exist or the current user did not have sufficient privileges on the tablespace.

**Action:** Create the tablespace, grant appropriate privileges on the tablespace to the current user, or choose a different tablespace.

**IMG-01000: unsupported option string**

**Cause:** The function was invoked with an invalid option string.

**Action:** Ensure that correct option string is passed to the PL/SQL function. Refer to the Oracle Multimedia documentation for more information.

**IMG-01001: not a DICOM object**

**Cause:** The input was not a valid DICOM standalone object.

**Action:** Use an object that conforms to the DICOM standard. Refer to the Oracle Multimedia documentation for more information.

**IMG-01002: unsupported DICOM version**

**Cause:** The object header could not be parsed, possibly because the object header did not conform to the DICOM standard release 2003.

**Action:** Use an object that conforms to the DICOM standard release 2003. Refer to the Oracle Multimedia documentation for more information.

---

**IMG-01003: unsupported DICOM object type**

**Cause:** The category of DICOM objects is not supported by Oracle Multimedia.

**Action:** Use a DICOM image is supported by Oracle Multimedia. Oracle Multimedia supports image types defined in the DICOM standard release 2003. Refer to the Oracle Multimedia documentation for more details.

**IMG-01004: input DICOM object is not an image**

**Cause:** The DICOM object was not a DICOM image. DICOM object types such as structured reporting are not allowed by this function.

**Action:** Invoke this function with a DICOM image. Refer to the Oracle Multimedia documentation for more details.

**IMG-01005: unsupported DICOM transfer syntax**

**Cause:** The operation failed because the transfer syntax in the DICOM object, which describes the binary encoding of the DICOM object, was not supported by Oracle Multimedia.

**Action:** Use a DICOM object with a transfer syntax supported by Oracle Multimedia. Refer to the Oracle Multimedia documentation for more details.

**IMG-01006: DICOM object cannot be parsed**

**Cause:** The DICOM object could not be parsed by Oracle Multimedia, possibly due to an incorrect format or corrupted object.

**Action:** Verify that the DICOM object is not corrupted. If the DICOM object is valid, contact Oracle Support Services.

**IMG-02001: 2FF01 - incorrect image format**

**Cause:** There was a SQL/MM Still Image exception. Either the supplied image BLOB format did not match the image format or the image format is unsupported.

**Action:** For supported image formats, specify an input BLOB that has the same format as the image. For unsupported image formats, this method is not supported. Refer to the Oracle Multimedia documentation for more information.

**IMG-02002: 2FF02 - incorrect average color feature specification**

**Cause:** There was a SQL/MM Still Image exception. The specified average color value was not a valid SI\_Color value.

**Action:** Specify an average color value that is not null and contains valid SI\_Color values. SI\_Color attribute values must be integers from 0 to 255. Refer to the Oracle Multimedia documentation for more information on constructing valid SI\_Color objects.

**IMG-02003: 2FF03 - incorrect color histogram feature specification**

**Cause:** There was a SQL/MM Still Image exception. This exception was caused by one of the following.

- The specified color value was null or invalid.
- The specified frequency value was null or invalid.
- The input color and frequency arrays were not equal in size.
- The SI\_ColorList array attribute had reached the maximum size.

**Action:** Ensure that the following are true(as applicable to your case):

- The color and frequency values are not null.

- 
- The SI\_Color attribute values are integers from 0 to 255.
  - The frequency value is a double precision number from 0 to 100.
  - The color and frequency arrays are equal in size and the size of the arrays is less than the SI\_MaxHistogramLength value listed in the SI\_VALUES view in the SI\_INFORMTN\_SCHEMA. Refer to the Oracle Multimedia documentation for more information on constructing SI\_ColorHistogram objects.

**IMG-02004: 2FF04 - incorrect feature list specification**

**Cause:** There was a SQL/MM Still Image exception. Either the specified feature values were invalid or the specified feature weights were invalid.

**Action:** Check the values of feature and featureweight pairs. For a non null feature value, the corresponding feature weight value must be a double precision number greater than 0.0. Refer to the Oracle Multimedia documentation for more information on the SI\_FeatureList object type and its methods.

**IMG-02005: 2FF05 - incorrect color specification**

**Cause:** There was a SQL/MM Still Image exception. The specified red/green/blue value was null or invalid.

**Action:** Specify red, green and blue values as integers from 0 to 255.

**IMG-02006: 2FF06 - average color feature cannot be determined**

**Cause:** There was a SQL/MM Still Image exception. Either the specified image was null, the image data in the specified image was null, or the average color feature was not supported by the specified image format

**Action:** Specify an image with non null image data and a supported format. Refer to the SI\_INFORMTN\_SCHEMA views and the Oracle Multimedia documentation for a list of supported image formats and image features.

**IMG-02007: 2FF07 - positional color feature cannot be determined**

**Cause:** There was a SQL/MM Still Image exception. Either the specified image was null, the image data in the specified image was null, or the positional color feature was not supported by the specified image format.

**Action:** Specify an image with non null image data and a supported format. Refer to the SI\_INFORMTN\_SCHEMA views and the Oracle Multimedia documentation for a list of supported image features and formats.

**IMG-02008: 2FF08 - color histogram feature cannot be determined**

**Cause:** There was a SQL/MM Still Image exception. Either the specified image was null, the image data in the specified image was null, or the color histogram feature was not supported by the specified image format.

**Action:** Specify an image with non null image data and a supported format Refer to the SI\_INFORMTN\_SCHEMA views and the Oracle Multimedia documentation for a list of supported image features and formats.

**IMG-02009: 2FF09 - texture feature cannot be determined**

**Cause:** There was a SQL/MM Still Image exception. Either the specified image was null, the image data in the specified image was null, or the texture feature was not supported by the specified image format.

**Action:** Specify an image with non null image data and a supported format. Refer to the SI\_INFORMTN\_SCHEMA views and the Oracle Multimedia documentation for a list of supported image features and formats.

**IMG-02010: 2FF10 - illegal image format specification**

---

**Cause:** There was a SQL/MM Still Image exception. The specified format name was null or invalid.

**Action:** Specify a format name that is not null. For supported image formats, specify a format name that matches the image BLOB format. For unsupported image formats, specify a format name that is not listed as supported image format. Refer to the SI\_INFORMTN\_SCHEMA views and the Oracle Multimedia documentation for a list of supported image formats.

**IMG-02011: 2FF11 - unsupported image format conversion specified**

**Cause:** There was a SQL/MM Still Image exception. Either the specified target format value was null, the specified image had a null format value, or the conversion from the specified image format to the specified target format was not supported.

**Action:** Specify an image with a supported image format and specify a target format value that is supported for conversion. Refer to the SI\_INFORMTN\_SCHEMA views and the Oracle Multimedia documentation for a list of supported image format conversions.

**IMG-02012: 2FF12 - illegal specification for thumbnail generation**

**Cause:** There was a SQL/MM Still Image exception. Either the specified image format did not support thumbnail generation, the specified thumbnail height or width was greater than the image height or width respectively, or the default thumbnail size 80 X 80 was greater than the image height or width respectively.

**Action:** Specify an image for which thumbnail generation is supported and specify thumbnail height and width values that are less than the image height and width values. Refer to the SI\_INFORMTN\_SCHEMA views and the Oracle Multimedia documentation for a list of supported thumbnail formats.

**IMG-02014: 2202D Data exception - Null image value**

**Cause:** There was a SQL/MM Still Image exception. The function was invoked using a null image value.

**Action:** Specify an image whose image data is not null. Refer to the Oracle Multimedia documentation for more information on constructing SI\_StillImage objects.

---

---

## VID-00611 to VID-00721

**VID-00611: unable to access the BLOB for reading**

**Cause:** The BLOB could not be opened for reading.

**Action:** Contact Oracle Support Services.

**VID-00612: unable to open export destination file**

**Cause:** The file could not be created or opened.

**Action:** Check that the file does not refer to an existing directory. Check that the file is not locked by another application.

**VID-00613: export destination access denied**

**Cause:** Permission to write to destination file was denied.

**Action:** Refer to the Oracle Multimedia documentation for information on granting privileges for the export() method.

**VID-00614: I/O error during export**

**Cause:** The export operation failed because of an I/O error.

**Action:** Check OS logs and contact Oracle Support Services.

**VID-00702: unable to initialize video processing environment**

**Cause:** The initialization of the video processing procedure failed.

**Action:** See the database administrator to make sure that enough memory has been allocated to JServer. If JServer does have enough memory, contact Oracle Support Services.

**VID-00703: unable to read video data**

**Cause:** An error occurred while accessing the video source.

**Action:** Make sure the video source is valid. For external sources, make sure all access privileges are granted.

**VID-00704: invalid input format**

**Cause:** The video data in the source was not in the format specified by the format field of the video object. In some unusual cases, the video data is actually corrupted.

**Action:** Provide a correct value in the format field. If the correct value is unknown, put NULL in the format field to invoke the DEFAULT format plug-in.

**VID-00705: unsupported input format**

**Cause:** The file format of the video data was not supported. This error can only occur in the DEFAULT format plug-in package.

**Action:** Refer to the Oracle Multimedia documentation for supported formats.

---

**VID-00706: unsupported or corrupted input format**

**Cause:** The video data was either corrupted or the file format was not supported.

**Action:** Refer to the Oracle Multimedia documentation for supported formats. If the video data is not corrupted and is in a supported file format, contact Oracle Support Services.

**VID-00707: unable to read empty video data**

**Cause:** There is no data in the video object.

**Action:** Refer to the Oracle Multimedia documentation for information on how to populate the video object with video data.

**VID-00713: internal error while parsing video data**

**Cause:** An internal error occurred during parsing.

**Action:** Contact Oracle Support Services.

**VID-00714: internal error**

**Cause:** An internal error occurred.

**Action:** Contact Oracle Support Services.

**VID-00721: unable to find format plug-in package ORDPLUGINS.ORDX\_string\_VIDEO**

**Cause:** Custom video plug-in for user-specified format was not found.

**Action:** Ensure correct video format is specified or proper custom video plug-in package is installed.

---

---

## DRG-10000 to DRG-52305

**DRG-10000: failed to read column *string.string***

**Cause:** Error during read of specified text column

**Action:** check existence and privs of column

**DRG-10001: can not access result table *string***

**Cause:** specified table does not exist or server does not have write privileges

**Action:** check result table

**DRG-10002: can not insert into result table**

**Cause:** text server is not privileged to insert, tablespace exhausted

**Action:** check privileges and tablespace

**DRG-10011: invalid object name *string***

**Cause:** a table, column or procedure name specified had an invalid format. It is either too long or contains illegal characters. Probably you are passing in incorrect parameters.

**Action:** check parameter values

**DRG-10015: id exceeds limit(2147483642) of a number**

**Cause:** the limit of an id is 2147483642

**Action:** use an id with value 214748364 or under

**DRG-10016: you must be the owner to modify this object**

**Cause:** you tried to modify an object which you do not own

**Action:** have the owner modify the object

**DRG-10017: you must be *string* to do this: *string***

**Cause:** you tried to modify an object which you have no privilege

**Action:** have the owner modify the object

**DRG-10100: invalid argument found: *string***

**Cause:** invalid command argument was specified

**Action:** check the documentation for the legal arguments and re-execute the command

**DRG-10101: no value for argument: *string***

**Cause:** this argument requires value(s)

**Action:** re-execute the command with the correct argument value(s)

---

**DRG-10102: mandatory argument missing: *string***

**Cause:** this argument is mandatory

**Action:** re-execute the command and specify the argument

**DRG-10103: illegal value for argument: *string***

**Cause:** an illegal value was passed to this argument

**Action:** check the documentation for the legal values for this argument

**DRG-10200: invalid server personality mask: *string***

**Cause:** the specification for the server personality mask is invalid

**Action:** check the documentation and specify the correct mask

**DRG-10202: server failed to register**

**Cause:** the server failed to register itself with the data dictionary

**Action:** look at the next error on the stack

**DRG-10203: server named *string* does not exist**

**Cause:** update was called with the name of a server that does not exist

**Action:** correct the name of the server

**DRG-10204: server update failed**

**Cause:** the attempt to update the server failed

**Action:** look at the next error on the stack

**DRG-10205: server deregister failed**

**Cause:** the attempt to deregister the server from the data dictionary failed

**Action:** look at the next error on the stack

**DRG-10206: failed to perform recovery for a server or client**

**Cause:** Contact oracle support

**Action:** Contact oracle support

**DRG-10301: timed out waiting for responses from servers**

**Cause:** Not enough servers are running to handle the current system load, and a large backlog of commands has accumulated; perhaps no servers are running. This message could also indicate an internal error where one of the servers has crashed trying to process a given request

**Action:** Check that enough servers are running, and that they are processing commands of the correct type. For instance, a DDL command might timeout if all the servers are setup to exclusively process query commands. Also, check the server log files.

**DRG-10302: interrupted waiting for responses from servers**

**Cause:** User interrupted the request before it was completed

**Action:** Restart the request

**DRG-10303: could not queue given commands to be processed**

**Cause:** The given command or commands could not (all) be queued. This could indicate an extremely high system load, but it is more likely an internal error.

**Action:** Check if any servers are running to process the command.

**DRG-10304: unexpected error sending command(s) to Oracle Text server**

---

**Cause:** There was an unexpected error sending command(s) to server

**Action:** Call customer support.

**DRG-10305: pipe *string* is full**

**Cause:** Could not send command to pipe, because the pipe was full

**Action:** Check if any servers are running to process the commands on that pipe

**DRG-10306: server terminated unexpectedly while processing command**

**Cause:** The server shutdown during execution of your command. This could be caused by a shutdown abort, or by an internal error in the server.

**Action:** If the server terminated had an internal error, contact customer support.

**DRG-10307: no servers running**

**Cause:** Could not process command because no servers are running with the correct personality mask.

**Action:** Start some servers with correct personality mask.

**DRG-10308: no server with the required *string* personality mask is running**

**Cause:** Could not process command because no servers are running with the correct personality mask.

**Action:** Start some servers with correct personality mask.

**DRG-10309: not enough job queue processes**

**Cause:** Could not process command because no servers with the correct personality mask are running.

**Action:** increase the JOB\_QUEUE\_PROCESSES initialization parameter or reduce the parallel degree for this statement.

**DRG-10310: servers were shutdown before processing request**

**Cause:** The command could not be completed because the servers were shut down or terminated before processing the request.

**Action:** Start another server with the correct personality mask.

**DRG-10311: remote send not supported**

**Cause:** You tried to specify a database link in an index specification

**Action:** Specify only local index names

**DRG-10312: logfile name must be specified**

**Cause:** You tried to start logging without specifying a logfile name

**Action:** Specify a logfile name

**DRG-10313: logging has already been started**

**Cause:** You tried to start logging even though logging has already been started

**Action:** Stop logging first, or ignore

**DRG-10314: logging has not been started**

**Cause:** You tried to stop logging even though logging has not been started

**Action:** Start logging first, or ignore

**DRG-10315: logging is not supported on MTS**

**Cause:** You tried to start logging on MTS

---

**Action:** None

**DRG-10500: CREATE\_INDEX failed: column spec *string***

**Cause:** failed to create text index on the specified column

**Action:** See the next errors on stack and take appropriate action

**DRG-10501: invalid stopword: *string***

**Cause:** The stopword specified could be lexed into multiple tokens with current lexer preference

**Action:** Check lexer preference and Respecifies the stopword

**DRG-10502: index *string* does not exist**

**Cause:** the specified index does not exist or you do not have access to it.

**Action:** Specify an existing index

**DRG-10503: table *string* cannot be indexed because it has no primary key**

**Cause:** a textkey needs to be a single column unique key whose length does not exceed 64 bytes. no such key was defined as an unique index or declared as a primary or unique key constraint

**Action:** create a suitable textkey for the table or specify it explicitly in this procedure call

**DRG-10504: primary key is required when using the DETAIL\_DATASTORE**

**Cause:** you tried to use the detail datastore to index a table with no primary key constraint

**Action:** add a primary key constraint on the table

**DRG-10506: table does not exist: *string***

**Cause:** The table, view, or synonym specified does not exist. There may also be a permissions problem reading the table.

**Action:** Reinvoke the operation with the correct table name

**DRG-10507: duplicate index name: *string***

**Cause:** the specified index already exists in the dictionary

**Action:** this index can be updated or deleted, however this is only allowed if there is no text index available on the text column

**DRG-10509: invalid text column: *string***

**Cause:** the column specified is not valid

**Action:** check that the followings are valid: a) text column is of supported datatype b) valid table name, column name in the specification.

**DRG-10510: stopword is missing**

**Cause:** The stopword to be added was not specified.

**Action:** Specify the stopword

**DRG-10511: index *string* does not exist or is incomplete**

**Cause:** index creation is not complete

**Action:** create index before performing this operation

**DRG-10513: index *string* metadata is corrupt**

**Cause:** dictionary contains bad preferences for this index

---

**Action:** contact you DBA

**DRG-10516: failed to perform DDL operation due to an Oracle error**

**Cause:** the ddl operation requested has failed because of an Oracle error

**Action:** see the Oracle error on the stack and take the appropriate action

**DRG-10517: index *string* is already valid**

**Cause:** The index was in a valid state and did not need the requested operation.

**Action:** Check the requested operation

**DRG-10518: an operation is in progress which conflicts with *string* request**

**Cause:** another session is operating on this index. it could be: a) DML is requested and DDL is in progress or b) DDL is requested and DML is in progress operation on the index

**Action:** try again later

**DRG-10520: failed to drop index: *string***

**Cause:** Failed to drop index on the specified index

**Action:** see the Oracle error on the stack and take the appropriate action

**DRG-10525: missing REBUILD keyword**

**Cause:** all Oracle Text alter index options require the REBUILD keyword

**Action:** specify alter index with the REBUILD keyword

**DRG-10528: primary keys of type *string* are not allowed**

**Cause:** you tried to create an index on a table with an illegal primary key datatype

**Action:** change the textkey to one of the followings: VARCHAR2, NUMBER, VARCHAR, DATE, CHAR, MLSLABEL

**DRG-10531: parallel parameter must be > 0**

**Cause:** you called create index with parallel = 0

**Action:** specify with value > 0

**DRG-10532: table is not partitioned**

**Cause:** you called parallel create index on non-partitioned table

**Action:** recreate the table with partitions or remove the PARALLEL clause

**DRG-10533: invalid user name: *string***

**Cause:** you specified a user name that is invalid

**Action:** specify the correct user name

**DRG-10535: failed to optimize text index *string***

**Cause:** the optimize operation requested has failed because of an Oracle error

**Action:** see the Oracle error on the stack and take the appropriate action

**DRG-10549: length of the object name *string* exceeded the limit**

**Cause:** object name has exceeded the maximum length of 30 bytes

**Action:** Reduce the length of the object name if you want to re-create it

**DRG-10550: illegal syntax for index, preference, source or section name**

**Cause:** name may have additional periods(.)

---

**Action:** check the syntax of the name

**DRG-10553: illegal syntax for column specification *string***

**Cause:** column specification may have additional periods(.)

**Action:** check the syntax of column specification if you want to re-create it

**DRG-10561: index *string* is not valid for requested operation**

**Cause:** The index was not in a valid state due to some prior error.

**Action:** Drop index and create index again.

**DRG-10562: missing alter index parameter**

**Cause:** The parameter string was missing

**Action:** Provide correct parameter string with regard to the requested alter index operation.

**DRG-10569: table or column does not exist: *string***

**Cause:** The table, view, synonym or column specified does not exist. There may also be a permissions problem reading the table.

**Action:** Reinvoke the operation with the correct table name or column name

**DRG-10573: index *string* is obsolete**

**Cause:** you specified an obsolete index

**Action:** perform upgrade\_index on the index

**DRG-10574: failed to upgrade text index *string***

**Cause:** the upgrade operation has failed because of an Oracle error

**Action:** see the Oracle error on the stack and take the appropriate action

**DRG-10579: must provide text query criteria**

**Cause:** text query criteria is mandatory

**Action:** provide text query criteria

**DRG-10580: parallel indexing is not supported: *string***

**Cause:** attempted to create index with parallel servers

**Action:** Drop index and set parallel to 1 in create index

**DRG-10581: indirect datastores cannot be used with long or lob text columns**

**Cause:** You tried to create an index on a long or lob column using an indirect datastore such as the file or url datastores

**Action:** Use direct datastore or a varchar column

**DRG-10582: column *string* does not exist in table *string***

**Cause:** you specified an invalid column

**Action:** specify valid column

**DRG-10583: TRUNCATE INDEX failed: *string***

**Cause:** Failed to truncate index

**Action:** See the next errors on stack and take appropriate action

**DRG-10584: failed to *string string string* due to an Oracle error**

**Cause:** a DDL operation on an index object failed due to SQL error

---

**Action:** see following error

**DRG-10595: ALTER INDEX *string* failed**

**Cause:** failed to alter index

**Action:** See the next errors on stack and take appropriate action

**DRG-10597: invalid rebuild online operation**

**Cause:** REBUILD ONLINE is not supported for requested operation.

**Action:** Alter index without the online option.

**DRG-10598: invalid parallel operation**

**Cause:** PARALLEL is not supported for requested operation.

**Action:** Alter index without the parallel option

**DRG-10599: column is not indexed**

**Cause:** The column specified is not indexed.

**Action:** Create index on the column before performing this operation

**DRG-10601: failed to remove pending DML for this index**

**Cause:** The system could not remove triggers setup to monitor updates to the requested table

**Action:** See next error on stack to determine course of action. Call Oracle support if necessary. Until this error is fixed, updates to all text columns in the given table may not be indexed.

**DRG-10602: failed to queue DML change to column *string* for primary key *string***

**Cause:** The system could not record that a change had been made to the given column

**Action:** See next error on stack to determine course of action. Call Oracle support if necessary. Until this error is fixed, updates to all text columns in the given table may not be indexed.

**DRG-10606: server failed to access the DML Queue**

**Cause:** The server was had an error accessing the DML Queue

**Action:** See next error on stack.

**DRG-10700: preference does not exist: *string***

**Cause:** the preference name specified does not exist

**Action:** retry with the correct preference name

**DRG-10701: preference *string.string* already exists**

**Cause:** the specified preference already exists

**Action:** must drop the preference if you want to re-create it.

**DRG-10702: cannot create or modify preference in another user's schema**

**Cause:** you tried to create a preference for another user

**Action:** owner or CTXSYS or a user who has CTXADMIN role should create preference

**DRG-10703: invalid framework object *string***

**Cause:** you specified an invalid object type

**Action:** use a valid framework object

- 
- DRG-10704: preference *string* does not have an attribute named *string***  
**Cause:** you tried to set value for a invalid attribute (not supported by the object).  
**Action:** specify the correct attribute name
- DRG-10705: invalid value *string* for attribute *string***  
**Cause:** you tried to set an illegal value for an attribute  
**Action:** specify the correct attribute value for the datatype of the attribute
- DRG-10706: length of *string* exceeds maximum size of *string***  
**Cause:** Parameter is too many bytes  
**Action:** Correct preference setting and resubmit
- DRG-10707: a value is required for attribute *string* of preference *string***  
**Cause:** A required attribute was not provided  
**Action:** Correct preference setting and resubmit
- DRG-10708: invalid class id *string* for preference *string***  
**Cause:** the specified class id is not correct for the specified preference  
**Action:** specify the correct class id
- DRG-10709: this preference is referenced by *string* and cannot be dropped**  
**Cause:** the specified preference is used as part of another preference and cannot be dropped until the referring preference is modified  
**Action:** modify the referring preference
- DRG-10750: unknown parameter *string***  
**Cause:** Unrecognized parameter  
**Action:** Specify correct parameter
- DRG-10751: invalid value for parameter**  
**Cause:** Wrong data type or out of range  
**Action:** Specify correct parameter value
- DRG-10752: DEFAULT\_INDEX\_MEMORY cannot be greater than MAX\_INDEX\_MEMORY**  
**Cause:** You tried to set DEFAULT\_INDEX\_MEMORY to a value higher than the maximum set in MAX\_INDEX\_MEMORY  
**Action:** Specify a lower value
- DRG-10753: invalid memory size string *string***  
**Cause:** You specified an incorrectly formatted memory string  
**Action:** Specify a correctly formatted memory string
- DRG-10754: memory size must be between *string* and *string***  
**Cause:** You specified a memory size which is outside the allowed range  
**Action:** Specify a memory size within the allowed range
- DRG-10755: *string* and *string* have characters in common**  
**Cause:** the join character sets cannot have characters in common  
**Action:** Correct the attribute values and resubmit

---

**DRG-10756: neither text indexing nor theme indexing has been selected**

**Cause:** INDEX\_TEXT and INDEX\_THEMES preferences both cannot be FALSE.

**Action:** Set either of INDEX\_TEXT or INDEX\_THEMES or both to TRUE.

**DRG-10757: stoplist cannot have more than 4096 stopwords**

**Cause:** a stoplist cannot have more than 4096 stopwords. This includes stopthemes.

**Action:** none required

**DRG-10758: index owner does not have the privilege to use this preference**

**Cause:** index owner does not have the role defined in FILE\_DATASTORE\_ROLE

**Action:** grant index owner the appropriate role

**DRG-10759: invalid role**

**Cause:** the role does not exist in the database

**Action:** check the role name or create the role

**DRG-10760: illegal format for procedure name**

**Cause:** the procedure name specified is invalid. For instance, it may have a semicolon

**Action:** check the procedure name

**DRG-10761: procedure *string* does not exist**

**Cause:** the specified procedure could not be found

**Action:** check input. Try a fully-specified format such as OWNER.OBJECT

**DRG-10762: index owner does not have access to procedure *string***

**Cause:** the index owner does not have execute privilege on the specified procedure

**Action:** grant index owner execute permission on the procedure

**DRG-10763: value *string* is not a valid character set**

**Cause:** the value specified for the filename\_charset attribute of the file datastore is not a valid character set name

**Action:** specify a valid Oracle character set name

**DRG-10800: query failed: *string string string***

**Cause:** Failed to process the query

**Action:** Check the errors on stack and take appropriate action

**DRG-10801: cannot create an SQE for another user**

**Cause:** You tried to create an SQE for another user

**Action:** Remove owner from SQE name specification

**DRG-10816: display/highlight call failed**

**Cause:** See the next error on the stack.

**Action:** See the next error on the stack.

**DRG-10817: CONTAINS term consists of stopword or phrase of stopwords: *string***

**Cause:** One or more terms within a CONTAINS query consist of just a stopword or a phrase of just stopwords

---

**Action:** Replace the stopword or use stopwords within phrases containing non-stopwords.

**DRG-10819: could not open contains cursor**

**Cause:** An error occurred while trying to open a contains cursor

**Action:** See accompanying error messages in the stack

**DRG-10820: invalid contains cursor id**

**Cause:** You tried to fetch or close a contains cursor with an id which does not exist.

**Action:** Review fetch or close invocation

**DRG-10821: contains cursor is not open**

**Cause:** You tried to fetch from a contains cursor which was not open.

**Action:** Open cursor first

**DRG-10822: duplicate query name**

**Cause:** You tried to create a stored query with a name already used.

**Action:** Use different name

**DRG-10823: invalid query name**

**Cause:** The query name specified is not valid

**Action:** Check the query name

**DRG-10825: stored query does not exist: *string***

**Cause:** The specified stored query does not exist.

**Action:** Check the query name

**DRG-10826: no document with the specified textkey is found**

**Cause:** There is no document with the specified textkey.

**Action:** Check the textkey

**DRG-10827: open\_con must be performed before count\_last**

**Cause:** last\_count returns hit from in-memory query,so an in-memory query must be run before you can use count\_last

**Action:** execute open\_con before run count\_last

**DRG-10828: token *string* is longer than maximum length for column *string***

**Cause:** A token to be inserted in the feedback table is longer than the maximum allowed column size.

**Action:** Modify the query, or the column size for feedback table, or feedback procedure arguments accordingly.

**DRG-10829: feedback id *string* is longer than the maximum length of *string* bytes**

**Cause:** Feedback id is longer than the maximum allowed length for the feedback\_id column.

**Action:** Use a smaller feedback\_id.

**DRG-10830: SHARELEVEL is not 0 or 1**

**Cause:** You specified a sharelevel which is not 0 or 1

**Action:** Use sharelevel equal to 0 or 1 only.

---

**DRG-10831: can not insert into feedback table *string***

**Cause:** Not privileged to insert.

**Action:** Check privileges.

**DRG-10832: can not delete from feedback table *string***

**Cause:** Not privileged to delete.

**Action:** Check privileges.

**DRG-10833: feedback failed**

**Cause:** Failed to process feedback request

**Action:** Check the errors on stack and take appropriate action

**DRG-10834: upper-case form of section name *string* too long**

**Cause:** upper-case form of the section name is longer than supported length

**Action:** reduce length of section name when adding section

**DRG-10835: WITHIN operator not supported for theme index**

**Cause:** WITHIN operator used in theme index query

**Action:** Rewrite query without WITHIN operator

**DRG-10836: field section and attribute section can not be nested**

**Cause:** A field section or a attribute section is specified in a nested section search

**Action:** Rewrite query without nested field sections

**DRG-10837: section *string* does not exist**

**Cause:** The given section name does not exist in USER\_SECTIONS

**Action:** Rewrite query with valid section name

**DRG-10838: invalid SPAN argument supplied to NEAR**

**Cause:** An invalid value was supplied for SPAN argument to NEAR

**Action:** Provide a valid SPAN. Valid values are integers from 0 to 100.

**DRG-10839: invalid ORDER argument supplied to NEAR**

**Cause:** An invalid value was supplied for ORDER argument to NEAR

**Action:** Provide a valid ORDER. Valid values are T, TRUE, F, FALSE (case insensitive).

**DRG-10840: CONTAINS predicate including 0 is not supported by FIRST\_ROWS hint**

**Cause:** User attempts to issue a query with CONTAINS predicate including 0 while giving FIRST\_ROWS hint.

**Action:** remove FIRST\_ROWS hint.

**DRG-10841: invalid SCORE argument supplied to FUZZY**

**Cause:** An invalid value was supplied for SCORE argument to FUZZY

**Action:** Provide a valid SCORE. Valid values are integers from 0 to 80.

**DRG-10842: invalid NUMRESULTS argument supplied to FUZZY**

**Cause:** An invalid value was supplied for NUMRESULTS argument to FUZZY

**Action:** Provide a valid NUMRESULTS. Valid values are integers from 0 to 5000.

---

**DRG-10843: invalid WEIGHT argument supplied to FUZZY**

**Cause:** An invalid value was supplied for WEIGHT argument to FUZZY

**Action:** Set WEIGHT to WEIGHT or NOWEIGHT.

**DRG-10844: index cannot execute this structured predicate efficiently**

**Cause:** You specified a combination of condition and order by columns in a catsearch query which cannot be executed by the index's index set efficiently

**Action:** None

**DRG-10845: column *string* is not indexed**

**Cause:** You specified a column in a condition or order by which is not part of the ctxcat index

**Action:** None

**DRG-10846: order by columns must be all ascending or all descending**

**Cause:** You specified an order by clause which has some columns ascending and some descending. This is not currently supported by catsearch

**Action:** None

**DRG-10847: catsearch requires prefix index for this type of queries**

**Cause:** For efficient execution of this Vgram query we require presence of a prefix index.

**Action:** create a prefix index

**DRG-10848: invalid structured clause**

**Cause:** you have specified an invalid structured clause

**Action:** None

**DRG-10849: catsearch does not support functional invocation**

**Cause:** the query plan for your query is invoking a catsearch operator functionally rather than as an index rowsource. The catsearch operator does not support functional invocation

**Action:** add optimizer hints so that all catsearch operators are performed through index scans

**DRG-10850: CTXRULE indextype does not support the operator**

**Cause:** Used an operator not supported by CTXRULE. Currently it only supports AND, NEAR, phrase, NOT, WITHIN, OR, ABOUT, EQUIVALENCE, STEM and THESAURUS operators

**Action:** Rewrite query without this operator

**DRG-10851: Invalid grammar *string* specified for query template**

**Cause:** incorrect grammar specification

**Action:** Rewrite query specifying valid grammar name

**DRG-10852: Invalid scoring type *string* specified for query template**

**Cause:** incorrect scoring type specification

**Action:** Rewrite query specifying valid scoring type (integer/float)

**DRG-10853: Catsearch does not support this operator**

**Cause:** unsupported operator specified

- 
- Action:** Rewrite query using valid operators
- DRG-10854: Invalid scoring algorithm *string* specified for query template**  
**Cause:** incorrect scoring algorithm specification  
**Action:** Rewrite query specifying valid scoring algorithm (default/count)
- DRG-10855: CTXRULE indextype does not support the token type**  
**Cause:** Unsupported VGRAM token type 1.  
**Action:** None
- DRG-10856: SDATA section *string* does not exist**  
**Cause:** The given SDATA section name does not exist in USER\_SECTIONS  
**Action:** Rewrite query with valid SDATA section name
- DRG-10857: literal is not compatible with the data type of the SDATA section**  
**Cause:** The given literal is not compatible with the data type of the specified SDATA section.  
**Action:** Rewrite query with a compatible literal
- DRG-10858: SDATA operator is not allowed in WITHIN**  
**Cause:** A field section or a attribute section is specified in a nested section search  
**Action:** Rewrite query without nested field sections
- DRG-10859: Only one predefined scoring component can be used in DEFINESCORE**  
**Cause:** More than one predefined scoring component (i.e. RELEVANCE, OCCURRENCE, etc.) is used in the scoring expression of the DEFINESCORE operator  
**Action:** Rewrite query using only one predefined component
- DRG-10860: All expressions under the same WITHIN must use the same predefined scoring component**  
**Cause:** The query side of the same within mixes different types of scoring components(i.e. RELEVANCE, OCCURRENCE, etc.)  
**Action:** Rewrite query using only one type of predefined component
- DRG-10861: COMPLETION score must be used with WITHIN operator**  
**Cause:** The completion score is used without using the WITHIN operator  
**Action:** Rewrite query to include a within operator
- DRG-10862: *string* attribute cannot be used with CTXRULE indexes**  
**Cause:** Used an attribute not supported by CTXRULE. This restriction is due to lack of wildcard support for CTXRULE indexes.  
**Action:** Rewrite query without this attribute
- DRG-10863: invalid ORDER argument supplied to NDATA**  
**Cause:** An invalid value was supplied for ORDER argument to NDATA  
**Action:** Set ORDER to ORDER or NOORDER.
- DRG-10864: invalid PROXIMITY argument supplied to NDATA**  
**Cause:** An invalid value was supplied for PROXIMITY argument to NDATA  
**Action:** Set PROXIMITY to PROXIMITY or NOPROXIMITY.

---

**DRG-10865: invalid datatype in user scoring expression**

**Cause:** The scoring expression specified in DEFINESCORE or NORMALIZATION\_EXPR in the query template either contains components with unsupported datatypes or does not return numerical values.

**Action:** Rewrite the scoring expression.

**DRG-10866: The right hand operand of MINUS cannot use IGNORE score**

**Cause:** The IGNORE score is used as the right hand operand of MINUS

**Action:** Rewrite the scoring expression.

**DRG-10867: OCCURRENCE and COMPLETION score cannot be used with ABOUT in DEFINESCORE**

**Cause:** The OCCURRENCE and COMPLETION score cannot be used with ABOUT queries

**Action:** Rewrite the scoring expression.

**DRG-10900: out of memory**

**Cause:** can not allocate more memory

**Action:** Contact your system administrator

**DRG-11000: invalid keyword *string***

**Cause:** A keyword was invalid.

**Action:** Respecify the parameter string with correct keyword

**DRG-11001: missing keyword when expecting one of *string***

**Cause:** A keyword was missing.

**Action:** Respecify the parameter string with keyword

**DRG-11002: missing value for *string***

**Cause:** A value for the argument was missing.

**Action:** Respecify the parameter string with value

**DRG-11003: invalid value *string* for *string***

**Cause:** An invalid value was given for the argument

**Action:** Specify a valid value

**DRG-11004: duplicate or conflicting value for *string***

**Cause:** More than one value has been specified for the argument

**Action:** Check parameter string and correct the problem parameter

**DRG-11005: invalid create index parameter string**

**Cause:** the supplied parameter string is not correct

**Action:** drop index and recreate index with correct parameters

**DRG-11006: invalid alter index parameter string**

**Cause:** The parameter string was invalid.

**Action:** Reissue the statement with the correct parameter string.

**DRG-11007: multiple stopwords specified**

**Cause:** Tried to add more than one stopword

**Action:** Specify one stopword at a time

---

**DRG-11008: invalid create index partition parameter string**

**Cause:** The parameter string was invalid

**Action:** drop index and recreate index with correct parameters

**DRG-11100: unable to connect to the database**

**Cause:** failed to connect to Oracle database

**Action:** check the Oracle error and connect string

**DRG-11101: failed to open file *string***

**Cause:** failed to open a file

**Action:** check whether the file exist or access permission available

**DRG-11102: assigned lexer can not operate on *string* language setting**

**Cause:** Single byte lexer selected in multibyte language setting

**Action:** check RDBMS language setting or text columns lexer setting

**DRG-11104: Oracle Text error:**

**Cause:** See the next error on stack

**Action:** See the next error on stack

**DRG-11106: user database session has terminated during this operation**

**Cause:** this database session does not exist or has terminated

**Action:** determine why the user database session terminated while the operation was still being carried out.

**DRG-11107: invalid path specification: *string***

**Cause:** the path specified is not valid

**Action:** check the path specification

**DRG-11108: invalid filename specified: *string***

**Cause:** the filename specified is not valid

**Action:** check the filename for beginning or trailing spaces, invalid characters, or other such problems.

**DRG-11109: assigned lexer does not support *string* query operator**

**Cause:** This lexer does not support this query operator

**Action:** do not use the operator in your query

**DRG-11111: value of *string* must be between *string* and *string***

**Cause:** You specified a value for the parameter which is out of range

**Action:** Specify a value which is in the allowed range

**DRG-11112: length of *string* exceeds maximum of *string***

**Cause:** You specified a value for the parameter which is too long

**Action:** Specify a value which is less than or equal to the maximum length

**DRG-11113: value of *string* must be one of *string***

**Cause:** You specified a value for the parameter which is invalid

**Action:** Specify a valid value for the parameter

**DRG-11114: result table format is not correct for this operation**

---

**Cause:** You specified a result table which has the wrong number, type, or names of columns for this operation.

**Action:** Check result table. Refer to the documentation for the correct format for each operation

**DRG-11115: a value for *string* must be specified**

**Cause:** You did not specify a value for the parameter

**Action:** Specify a value for the parameter

**DRG-11116: value of *string* must be less than or equal to value of *string***

**Cause:** You specified values for the two parameters which are invalid

**Action:** Specify valid values for the parameters

**DRG-11117: name is already used by an existing object**

**Cause:** You tried to create an object whose name conflicts with an object of that type which already exists

**Action:** Specify a new name

**DRG-11118: object *string* does not exist**

**Cause:** You tried to modify or drop an object which does not exist

**Action:** Specify correct object name

**DRG-11119: operation is not supported by this index type**

**Cause:** You tried to invoke an operation on an index which is not supported by the index type

**Action:** None

**DRG-11120: failed to write to file *string***

**Cause:** failed to write to a file

**Action:** check whether the file exist or access permission available

**DRG-11121: failed to read from file *string***

**Cause:** failed to read from a file

**Action:** check whether the file exist or access permission available

**DRG-11122: unsupported section group**

**Cause:** unsupported section group is specified for functional contains

**Action:** change the section group to NULL\_SECTION\_GROUP

**DRG-11123: theme indexing is not supported**

**Cause:** theme indexing is on in the lexer preference for functional contains

**Action:** turn off theme indexing

**DRG-11124: invalid value *string***

**Cause:** you specified an invalid value

**Action:** specify a valid value

**DRG-11125: invalid format of existing log file *string***

**Cause:** the file specified by START\_LOG already exists, and is not a previously written log file

**Action:** specify a new file, or remove the existing file

---

**DRG-11126: context index is empty**

**Cause:** the training table is empty or the context index of training table is not populated

**Action:** populate the training table or context index

**DRG-11127: inconsistent index policy with trained rule**

**Cause:** the ctxrule index policy is inconsistent with the policy in which the rule was trained

**Action:** change the ctxrule index policy

**DRG-11128: invalid format of rule**

**Cause:** the rule format is not valid for this operation

**Action:** check the rule type and operation type

**DRG-11129: the rule table is empty**

**Cause:** the rule table is empty

**Action:** populate the rule table by training

**DRG-11130: no data found in the collection**

**Cause:** feature preparation program can not find any feature in the specified collection

**Action:** check the setting for extracting features.

**DRG-11131: Error from Oracle XML parser: *string***

**Cause:** The Oracle XML parser reported an error

**Action:** Check the document for the error, and fix if necessary

**DRG-11132: Invalid character in logfile name**

**Cause:** The logfile parameter to CTX\_OUTPUT.START\_LOG or CTX\_OUTPUT.START\_QUERY\_LOG contains an invalid character (such as a forward slash)

**Action:** Remove the invalid character

**DRG-11133: failed to convert a datetime value [*ora-number*]**

**Cause:** Failed to convert the datetime value.

**Action:** Check the error code

**DRG-11134: The file *string* is currently being used for logging by another process**

**Cause:** The file is currently being used by another process.

**Action:** Give a different file name.

**DRG-11135: feature not generally available**

**Cause:** You tried to use a feature not generally available.

**Action:** Contact customer support

**DRG-11203: INSO filter not supported on this platform**

**Cause:** You tried to use the INSO filter on a platform which does not support it

**Action:** Do not use the INSO filter

**DRG-11204: user filter command is too long**

**Cause:** The user filter command must be 32 characters or less

---

**Action:** Specify a shorted user filter command

**DRG-11205: user filter command contains illegal characters**

**Cause:** The user filter command cannot contain special characters such as slashes, parentheses, semicolons, etc.

**Action:** Correct command specification

**DRG-11206: user filter command *string* could not be executed**

**Cause:** The user filter command could not be executed.

**Action:** Check that the command exists in \$ORACLE\_HOME/ctx/bin, and that it is executable.

**DRG-11207: user filter command exited with status *string***

**Cause:** The user filter command exited with the given error status.

**Action:** See any DRG-11220, DRG-11221, DRG-11222, DRG-11223, DRG-11224, DRG-11225, or DRG-11227 error message on the error stack otherwise see error status.

**DRG-11208: ORACLE\_HOME is not set**

**Cause:** ORACLE\_HOME is not set

**Action:** make sure ORACLE\_HOME is set when running ctxsrv

**DRG-11209: filename for *string* exceeds maximum length of *string***

**Cause:** Value of the file name is too long

**Action:** Specify a shorter filename

**DRG-11210: format column must be a char, varchar, or varchar2 type**

**Cause:** you specified a format column which is not a char, varchar, or varchar2 type.

**Action:** specify a format column of correct type

**DRG-11211: charset column must be a char, varchar, or varchar2 type**

**Cause:** you specified a charset column which is not a char, varchar, or varchar2 type.

**Action:** specify a charset column of correct type

**DRG-11212: procedure filter procedure name contains a semicolon**

**Cause:** the procedure name specified had a semicolon

**Action:** remove semicolon or rename procedure name. The correct format is PACKAGE\_NAME.PROCEDURE\_NAME

**DRG-11213: CTXSYS does not own procedure filter stored procedure: *string***

**Cause:** CTXSYS does not have execute privilege to the procedure filter stored procedure

**Action:** make sure the package is owned by CTXSYS and the procedure exist

**DRG-11214: execution of procedure filter stored procedure has failed**

**Cause:** an error occur while executing the proedure filter stored procedure

**Action:** check or debug the stored procedure

**DRG-11215: index owner does not have access to filter stored procedure: *string***

**Cause:** the index owner does not have execute privilege of the procedure

---

**Action:** CTXSYS to grant execute privilege of the procedure to index owner

**DRG-11216: length of datastore data exceeds limit**

**Cause:** the length of the datastore data passed to the filter stored procedure is longer than the maximum length (32767 bytes)

**Action:** check primary key parameter

**DRG-11217: INSO safe callout failed**

**Cause:** The INSO safe callout cannot be executed

**Action:** check the Oracle errpr

**DRG-11218: malformed mail line, line *string***

**Cause:** The mail message has an error at the indicated line

**Action:** manually edit mail message, if possible

**DRG-11219: malformed mail configuration file, line *string***

**Cause:** mail filter configuration file has an error at the indicated line

**Action:** manually edit mail filter configuration file, if possible

**DRG-11220: Third-party filter is out of memory.**

**Cause:** Third-party filter could not filter this document because it was unable to allocate sufficient virtual memory.

**Action:** Increase virtual memory provided by the Operating System and reindex this document.

**DRG-11221: Third-party filter indicates this document is corrupted.**

**Cause:** Third-party filter could not filter this document because this document is corrupted.

**Action:** Fix the corruption and reindex this document.

**DRG-11222: Third-party filter does not support this known document format.**

**Cause:** Third-party filter was able to recognize the format of this document but could not filter it because this format is not supported.

**Action:** Remove this document or specify it to be ignored.

**DRG-11223: Third-party filter indicates this document is password protected or encrypted.**

**Cause:** Third-party filter encountered a password protected or encrypted document and could not filter it because this level of password protection or encryption is not supported.

**Action:** Remove this document or specify it to be ignored.

**DRG-11224: Third-party filter is unable to create or write to temporary file.**

**Cause:** Third-party filter could not filter this document because it was unable to create a temporary file or unable to write to a temporary file.

**Action:** Make sure that the Operating System specified temporary directory has enough space and that the Operating System Oracle user has the privileges to create files in this temporary directory.

**DRG-11225: Third-party filter timed out.**

**Cause:** Third-party filter could not filter this document because the filter timed out.

---

**Action:** Increase the value of the TIMEOUT attribute of INSO\_FILTER filter type and reindex this document. When TIMEOUT attribute is set to 0 and the session hangs then contact Oracle Support.

**DRG-11226: Error initializing third-party filter: *string***

**Cause:** There was an error initializing the third-party filter.

**Action:** Check the following messages for details

**DRG-11227: Third-party filter does not support this document format.**

**Cause:** Third-party filter does not support the format of this document.

**Action:** Remove this document or specify it to be ignored.

**DRG-11301: error while indexing document**

**Cause:** An error was encountered while indexing the document. The error may have occurred during lexing, parsing for sections, or other

**Action:** review document and update with valid data. Note that the document contents may have been partially indexed, so it may be returned by some queries.

**DRG-11303: secondary indexes are not supported by this indextype**

**Cause:** You attempted to create an index on an index-organized table, but the indextype does not support this action.

**Action:** None

**DRG-11304: function-based indexes are not supported by this indextype**

**Cause:** You attempted to create a function-based index but the indextype does not support this action.

**Action:** None

**DRG-11305: create/alter index *string* is in progress in another session**

**Cause:** you attempted to mark the index from INPROGRESS to FAILURE but create/alter on the same index is in progress in another session

**Action:** None

**DRG-11306: operation cannot be performed on a policy**

**Cause:** you attempted to perform an operation on a policy, but the operation is only valid for an index.

**Action:** None

**DRG-11307: operation cannot be performed on an index**

**Cause:** you attempted to perform an operation on an index, but the operation is only valid for a policy.

**Action:** None

**DRG-11308: unsupported column expression *string***

**Cause:** You attempted to create an index with an unsupported column expression.

**Action:** None

**DRG-11309: invalid filter by column: *string***

**Cause:** the column specified is not valid

**Action:** check that the followings are valid: a) column is of supported datatype b) valid table name, column name in the specification.

---

**DRG-11310: invalid order by column: *string***

**Cause:** the column specified is not valid

**Action:** check that the followings are valid: a) column is of supported datatype b) valid table name, column name in the specification.

**DRG-11400: failed to parse document with key *string***

**Cause:** The document specified for linguistic extraction could not be parsed. This could indicate that the document is not well-formed English

**Action:** check the document contents

**DRG-11403: primary key value too long**

**Cause:** the primary key value parameter passed to the service request is longer than the maximum primary key length (64 bytes)

**Action:** check primary key parameter

**DRG-11404: no primary key value specified**

**Cause:** the primary key value parameter passed to the service request is null

**Action:** check primary key parameter

**DRG-11410: could not insert into *string* result table**

**Cause:** an ORACLE error occurred while linguistic output was being inserted into the result table

**Action:** take action appropriate to the ORACLE error code.

**DRG-11418: insufficient document content for linguistic parser**

**Cause:** the document specified for linguistic extraction was parsed but the document content was insufficient for linguistic extraction by the specified parser.

**Action:** check the document contents or try modifying linguistic settings

**DRG-11422: linguistic initialization failed**

**Cause:** linguistic services initialization failed

**Action:** Check to see if knowledge base files present for the language

**DRG-11425: gist level *string* is invalid**

**Cause:** invalid gist level

**Action:** Specify a valid gist level

**DRG-11427: valid gist level values are *string***

**Cause:** Invalid gist level

**Action:** Specify a valid gist level

**DRG-11428: document contains invalid characters**

**Cause:** The document contains invalid characters

**Action:** Remove invalid characters

**DRG-11432: file error while accessing knowledge base**

**Cause:** An oracle error was encountered during knowledge base access

**Action:** Check to see if knowledge base files present for the language

**DRG-11435: primary key value is invalid**

**Cause:** the primary key value parameter passed to the service request is not valid

---

**Action:** check primary key parameter

**DRG-11439: index name length exceeds maximum of *string* bytes**

**Cause:** the length of the index name is longer than the maximum index name size

**Action:** drop the index and recreate the index with a shorter index name

**DRG-11440: operation not supported for the *string* language**

**Cause:** the requested operation is not supported for the current language

**Action:** Do not request this operation

**DRG-11441: gist numParagraphs *string* is invalid**

**Cause:** invalid gist numparagraphs

**Action:** Specify valid gist numparagraphs

**DRG-11442: valid gist numParagraphs values are *string***

**Cause:** invalid gist numparagraphs

**Action:** Specify valid gist numparagraphs

**DRG-11443: gist maxPercent *string* is invalid**

**Cause:** invalid gist max percent

**Action:** Specify valid gist max percent

**DRG-11444: valid gist maxPercent values are *string***

**Cause:** invalid gist max percent

**Action:** Specify valid gist max percent

**DRG-11445: rowid value is invalid: *string***

**Cause:** the rowid value parameter passed to the service request is not valid

**Action:** check rowid parameter

**DRG-11446: supplied knowledge base file *string* not installed**

**Cause:** Either using Oracle Express edition or supplied Knowledge Base was required but was not installed.

**Action:** If using Oracle Express edition then upgrade to Oracle Enterprise or Oracle Standard edition. Otherwise see post-installation tasks section of the Database Installation Guide for instructions to install supplied Knowledge Base.

**DRG-11480: ctxkbtc memory allocation error: %(1)**

**Cause:** Unable to allocate memory

**Action:** Contact your system administrator

**DRG-11500: column name expected, found *string* on line *string***

**Cause:** possibly miss-spelt column name or keyword

**Action:** check spellings and punctuation around specified line

**DRG-11501: identifier *string* found in place of column name on line *string***

**Cause:** possibly miss-spelt column name

**Action:** check spellings around specified line

**DRG-11502: read of file failed at line *string* for file *string***

**Cause:** bad file name, wrong file\_type or file system error

- 
- Action:** check file name, type and/or file integrity
- DRG-11503: insert statement overflows maximum statement size**  
**Cause:** total length of statement exceeds database maximum  
**Action:** reduce length of column names or number of columns
- DRG-11504: invalid longsize parameter of *string* specified**  
**Cause:** invalid option argument  
**Action:** specify long buffer size in kbytes above 0
- DRG-11505: long data on line *string* not found or invalid**  
**Cause:** either bad data or bad data file  
**Action:** check file exists and is accessible, if separate
- DRG-11506: record ignored on line *string* because of error(s)**  
**Cause:** an error occurred parsing this row's data  
**Action:** move and amend line in error to alternate load file
- DRG-11507: file error trying to read file *string***  
**Cause:** file not found or could not be read  
**Action:** check name and location of file
- DRG-11508: bad or missing *string* token on line *string***  
**Cause:** token expected was not found  
**Action:** move and amend record affected to error load file
- DRG-11509: value expected on line *string***  
**Cause:** could not make sense of text where value expected  
**Action:** move and amend record affected to error load file
- DRG-11510: encountered unrecoverable error on line *string***  
**Cause:** see previous messages  
**Action:** see previous errors
- DRG-11511: specified table does not contain a LONG RAW column**  
**Cause:** text must be inserted into a LONG RAW type column  
**Action:** check table and type of data
- DRG-11512: bad syntax for thesaurus load file at line *string***  
**Cause:** load file must have specific format for loading thesaurus  
**Action:** check documentation for description of correct format
- DRG-11513: unable to open or write to file *string***  
**Cause:** an attempt to open or to write to the given file failed  
**Action:** check with system administrator
- DRG-11514: user *string* does not have UPDATE or SELECT privilege on *string***  
**Cause:** user has not been granted UPDATE or SELECT privilege  
**Action:** check privilege on the user
- DRG-11515: not enough text key values**

- 
- Cause:** number of values provided does not match the number of text keys  
**Action:** provide same number of values as the number of text keys
- DRG-11516: user must be at least in role CTXUSER to perform this operation**  
**Cause:** user does not have CTXUSER, CXAPP or CTXADMIN role  
**Action:** grant user the proper role
- DRG-11517: error when validating text objects**  
**Cause:** see accompanying Oracle error  
**Action:** see accompanying Oracle error
- DRG-11518: text table *string* does not have a LONG or LONG RAW column**  
**Cause:** table specified does not have a LONG or LONG RAW column  
**Action:** check the table
- DRG-11519: encounter error when exporting a LONG or LONG RAW column**  
**Cause:** see accompanying error message  
**Action:** see accompanying error message
- DRG-11520: error writing to file**  
**Cause:** file does not exist  
**Action:** make sure file exists
- DRG-11521: encounter error when updating a LONG or LONG RAW column**  
**Cause:** see accompanying error message  
**Action:** see accompanying error message
- DRG-11522: no row exists for the text key(s) specified**  
**Cause:** no row in the table has the text key(s) specified  
**Action:** use a valid text key(s)
- DRG-11523: unable to lock the specified row for update**  
**Cause:** some other process has a lock on the row  
**Action:** release the lock or wait until the lock is released
- DRG-11524: primary key value is missing**  
**Cause:** primary key value is not provided  
**Action:** provide the primary key value(s)
- DRG-11525: invalid commitafter parameter of *string* specified**  
**Cause:** invalid option argument  
**Action:** specify commitafter above 0
- DRG-11526: filename exceeds maximum length**  
**Cause:** value of the file name is too long  
**Action:** Specify a shorter file name
- DRG-11527: end token not found on line *string***  
**Cause:** <TEXTEND> not found at end of record  
**Action:** processing discontinued - amend record

---

**DRG-11528: LONG or LONG RAW column definition found in structure data**

**Cause:** could be misplaced

**Action:** remove reference to LONG or LONG RAW column from structure data

**DRG-11529: token exceeds maximum length**

**Cause:** value of the column name or value is too long

**Action:** processing discontinued - amend record

**DRG-11530: token exceeds maximum length**

**Cause:** value of the phrase or relation word is too long

**Action:** processing discontinued - amend record

**DRG-11531: start token not found on line *string***

**Cause:** <TEXTSTART: not found at start of record

**Action:** processing discontinued - amend record

**DRG-11532: error reading through end of line *string* for file *string***

**Cause:** characters encountered while reading through end of line

**Action:** remove extraneous characters

**DRG-11533: improper value of column *string***

**Cause:** value of the column is too long or mismatched quote

**Action:** processing discontinued - amend record

**DRG-11534: invalid column *string***

**Cause:** column does not exist or it's misspelled

**Action:** processing discontinued - amend record

**DRG-11535: error writing phrase or qualifier: *string* on line *string* to memory**

**Cause:** not enough memory

**Action:** allocate more memory, contact WorldWide Support if problem persists

**DRG-11600: URL store: *string* has permanently moved**

**Cause:** the document referred to by the URL has permanently moved

**Action:** find the new address, if any, of the document

**DRG-11601: URL store: bad syntax on request for *string***

**Cause:** client did not make correct request

**Action:** contact support

**DRG-11602: URL store: access to *string* requires authentication**

**Cause:** user has to provide password or other authentication

**Action:** get required access, or check URL

**DRG-11603: URL store: payment required to access *string***

**Cause:** payment is required before the URL can be accessed

**Action:** check URL, or pay if required if access necessary

**DRG-11604: URL store: access to *string* is denied**

**Cause:** access to the URL is denied

**Action:** check URL; if correct, do not try to access URL again

- 
- DRG-11605: URL store: document specified by *string* not found**  
Cause: the document can not be found on the host specified  
Action: check URL
- DRG-11606: URL store: access to *string* timed out waiting for client request**  
Cause: client did not make response within timeout period  
Action: check URL
- DRG-11607: URL store: access to *string* was denied due to garbled response**  
Cause: Web server identified in URL doesn't obey HTTP protocol  
Action: contact the Web administrator of the remote host
- DRG-11608: URL store: host portion of *string* specified incorrectly**  
Cause: host portion of the URL could not be parsed  
Action: check URL
- DRG-11609: URL store: unable to open local file specified by *string***  
Cause: attempt to open local file failed  
Action: check URL
- DRG-11610: URL store: unable to read local file specified by *string***  
Cause: attempt to read local file failed  
Action: contact system administrator
- DRG-11611: URL store: unknown protocol specified in *string***  
Cause: the protocol parsed is neither http or file  
Action: check URL
- DRG-11612: URL store: unknown host specified in *string***  
Cause: the address of the host specified could not be resolved  
Action: check URL
- DRG-11613: URL store: connection refused to host specified by *string***  
Cause: attempt to connect to host was forcibly refused  
Action: check URL
- DRG-11614: URL store: communication with host specified in *string* timed out**  
Cause: a network operation timed out  
Action: try again later; network connection may be down to Web server
- DRG-11615: URL store: write failed sending to *string* over network**  
Cause: unknown error writing request to Web server  
Action: check network connection
- DRG-11616: URL store: too many redirections trying to access *string***  
Cause: too long a chain of HTTP redirections given the URL  
Action: contact the Web administrator of the remote host
- DRG-11617: URL store: URL *string* is too long**  
Cause: The length of the URL string is longer than URLSIZE  
Action: set URLSIZE attribute to a larger value

---

**DRG-11618: URL store: document identified by *string* is too large**

**Cause:** document larger than user-set maximum size

**Action:** do not access URL, or increase document size limit

**DRG-11619: URL store: row in table is empty**

**Cause:** row deleted or otherwise missing

**Action:** check table if necessary

**DRG-11620: URL store: thread operation error**

**Cause:** thread operation failed

**Action:** contact system administrator

**DRG-11621: URL store: socket open error for *string***

**Cause:** socket open failed; probably too many open file descriptors

**Action:** reduce the maximum number of threads started

**DRG-11622: URL store: unknown HTTP error getting *string***

**Cause:** an unexpected HTTP error has occurred

**Action:** consult HTTP error codes; if valid, contact support

**DRG-11623: URL store: unknown error getting *string***

**Cause:** unexpected error

**Action:** contact support

**DRG-11624: invalid attribute *string* for *string*: proper range *string* to *string***

**Cause:** unexpected error

**Action:** change attribute value

**DRG-11625: MAXURLS \* URLSIZE must be less than *string***

**Cause:** MAXURLS \* URLSIZE cannot be larger than the limit

**Action:** Lower either MAXURLS or URLSIZE

**DRG-11626: URL store: unknown protocol specified during redirect from *string***

**Cause:** the URL redirected to a site with neither http nor file protocol

**Action:** check URL

**DRG-11700: thesaurus *string* already exists**

**Cause:** thesaurus with same name exists

**Action:** use another name

**DRG-11701: thesaurus *string* does not exist**

**Cause:** thesaurus does not exist

**Action:** use another thesaurus or create it

**DRG-11702: *string***

**Cause:** error while parsing thesaurus operator in query term. see error message for details.

**Action:** see error message

**DRG-11703: user *string* must have at least CTXAPP role to execute this function**

**Cause:** privilege is not sufficient

---

**Action:** grant user CTXAPP role

**DRG-11704: phrase *string* does not exist**

**Cause:** phrase does not exist

**Action:** use another phrase or create it

**DRG-11705: multilevel jump from *string* to *string***

**Cause:** the thesaurus load file has a multilevel jump which could not be parsed.

**Action:** correct thesaurus file

**DRG-11706: invalid relation *string***

**Cause:** You specified an invalid relation. The set of valid relations will be displayed. Additionally, you may be able to specify a translation, which has the syntax languagename: where languagename can be any string up to 10 bytes

**Action:** Specify a valid relation

**DRG-11707: valid relations: *string***

**Cause:** You specified an invalid relation. The set of valid relations will be displayed. Additionally, you may be able to specify a translation, which has the syntax languagename: where languagename can be any string up to 10 bytes

**Action:** Specify a valid relation

**DRG-11708: too many thesauri**

**Cause:** ctxkbtc cannot compile more than 16 thesauri

**Action:** Specify fewer thesauri

**DRG-11709: too many terms in thesaurus**

**Cause:** number of thesaurus terms exceeds maximum

**Action:** Use a thesaurus with fewer terms

**DRG-11710: thesaurus term *string* too long**

**Cause:** knowledge base does not permit terms longer than 80 characters

**Action:** Correct thesaurus

**DRG-11711: too much data for term *string***

**Cause:** internal limit on size of data per term

**Action:** redesign thesaurus

**DRG-11712: multiple Broader Terms for term *string***

**Cause:** There is a term in the thesaurus with multiple broader terms

**Action:** make sure each term has only one broader term

**DRG-11713: multiple Preferred Terms per synonym ring**

**Cause:** There is a synonym ring in the thesaurus with multiple preferred terms

**Action:** make sure each synonym ring has only one preferred term

**DRG-11714: synonyms have different Broader Terms**

**Cause:** Some synonyms in a synonym ring have different broader terms

**Action:** make sure all synonyms have the same broader term

**DRG-11715: attempt to add a BT relation between 2 KB categories *string* and *string***

**Cause:** BT relation cannot be between two existing knowledge base categories

- 
- Action:** redesign the BT hierarchy
- DRG-11716: attempt to add Narrower Term *string* for non-Preferred Term *string***  
**Cause:** only a PT can have NTs  
**Action:** attach the NT to the preferred term
- DRG-11717: attempt to add Related Term *string* to non-Preferred Term *string***  
**Cause:** only a PT can have RTs  
**Action:** attach the RT
- DRG-11718: multiple Preferred Terms for term *string***  
**Cause:** There are multiple preferred terms for this term  
**Action:** Correct thesaurus
- DRG-11719: Broader Term hierarchy too deep**  
**Cause:** The broader term hierarchy in this thesaurus is too deep  
**Action:** flatten the hierarchy for best results
- DRG-11720: too many synonyms per synonym ring**  
**Cause:** too many synonyms for a single preferred term  
**Action:** introduce further distinctions to deepen the hierarchy
- DRG-11721: thesaurus *string* is empty**  
**Cause:** no entries in thesaurus  
**Action:** add some entries or drop the thesaurus
- DRG-11722: invalid language specification**  
**Cause:** language specification cannot be more than 10 characters  
**Action:** reduce language specification to less or equal to 10 char
- DRG-11723: phrase cannot be NULL**  
**Cause:** you tried to add a NULL phrase to the thesaurus  
**Action:** specify a valid phrase
- DRG-11724: phrase *string* already exists**  
**Cause:** phrase with same name exists  
**Action:** use another name
- DRG-11725: phrase does not have any synonyms**  
**Cause:** you tried to nominate a phrase with no synonyms to be the preferred term, or you tried to drop SYN from a phrase with no synonyms  
**Action:** None
- DRG-11726: phrase is not a preferred term**  
**Cause:** you tried to remove the preferred term relation from a phrase which is not a preferred term.  
**Action:** None
- DRG-11727: phrase does not have any related terms**  
**Cause:** you tried to drop a relation which does not exist  
**Action:** None

---

**DRG-11728: phrase does not have any broader terms of this type**

**Cause:** you tried to drop a relation which does not exist

**Action:** None

**DRG-11729: phrase does not have any narrower terms of this type**

**Cause:** you tried to drop a relation which does not exist

**Action:** None

**DRG-11730: relation does not exist**

**Cause:** you tried to drop a relation which does not exist

**Action:** None

**DRG-11731: translation does not exist**

**Cause:** you tried to drop a translation which does not exist

**Action:** None

**DRG-11732: phrase does not have any translations**

**Cause:** you tried to drop translations which does not exist

**Action:** None

**DRG-11733: more than one translation for the term in the specified language**

**Cause:** the term has more than one translation in the specified language

**Action:** specified a translation

**DRG-11801: Continue**

**Cause:** Enquire user to decide if continue is necessary HTTP\_ERROR = 100

**Action:** Upon positive response, continue the original operation

**DRG-11802: Switching Protocols**

**Cause:** Telling client a protocol switching just happened HTTP\_ERROR = 101

**Action:** The user agent takes proper actions

**DRG-11803: OK**

**Cause:** Telling client things are ok HTTP\_ERROR = 200

**Action:** The user agent takes proper actions

**DRG-11804: Created**

**Cause:** Telling client things are created HTTP\_ERROR = 201

**Action:** The user agent takes proper actions

**DRG-11805: Accepted**

**Cause:** Telling client things are accepted but not committed HTTP\_ERROR = 202

**Action:** The user agent takes proper actions

**DRG-11806: Non-authoritative Information**

**Cause:** The returned meta-information is not the definitive set HTTP\_ERROR = 203

**Action:** The user agent knows the information is Non-authoritative

**DRG-11807: No Content**

---

**Cause:** request has been fulfilled but no new information found HTTP\_ERROR = 204

**Action:** The user agent takes proper actions

**DRG-11808: Reset Content**

**Cause:** Telling client to reset the document view HTTP\_ERROR = 205

**Action:** The user agent takes proper actions

**DRG-11809: Partial Content**

**Cause:** Telling client document content is a partial content HTTP\_ERROR = 206

**Action:** The user agent takes proper actions

**DRG-11810: Partial Update OK**

**Cause:** Telling client document is partially updated HTTP\_ERROR = 207

**Action:** The user agent takes proper actions

**DRG-11811: Multiple Choices**

**Cause:** Telling client multiple choices of resources is possible HTTP\_ERROR = 300

**Action:** The user agent takes proper actions

**DRG-11812: Moved Permanently**

**Cause:** The URI has been assigned a new permanent URI HTTP\_ERROR = 301

**Action:** The user agent takes proper actions

**DRG-11813: Moved Temporarily**

**Cause:** The URI resides temporarily under a different URI. HTTP\_ERROR = 302

**Action:** The user agent takes proper actions

**DRG-11814: See Other**

**Cause:** The URI can be found using GET METHOD under a different URI HTTP\_ERROR = 303

**Action:** The user agent takes proper actions

**DRG-11815: Not Modified**

**Cause:** Response to conditional GET, indicating document not modified. HTTP\_ERROR = 304

**Action:** The user agent takes proper actions

**DRG-11816: Use Proxy**

**Cause:** The client should use specified proxy to repeat the request HTTP\_ERROR = 305

**Action:** The user agent takes proper actions

**DRG-11817: Proxy Redirect**

**Cause:** Proxy redirection. Not used HTTP\_ERROR = 306

**Action:** Outdated due to HTTP evolution

**DRG-11818: Temporary Redirect**

**Cause:** The resource is temporarily under a different URI. HTTP\_ERROR = 307

**Action:** The takes proper actions

---

**DRG-11819: Bad Request**

**Cause:** The URL syntax is incorrect. Request rejected by server. HTTP\_ERROR = 400

**Action:** The user agent takes proper actions

**DRG-11820: Unauthorized**

**Cause:** The request requires further authentication. HTTP\_ERROR = 401

**Action:** The user agent takes proper actions

**DRG-11821: Payment Required**

**Cause:** Reserved for future use. HTTP\_ERROR = 402

**Action:** The user agent takes proper actions

**DRG-11822: Forbidden**

**Cause:** The server refuses to fulfil the request from client HTTP\_ERROR = 403

**Action:** The user agent takes proper actions

**DRG-11823: Not Found**

**Cause:** The server can not find the requested URI HTTP\_ERROR = 404

**Action:** The user agent takes proper actions

**DRG-11824: Method Not Allowed**

**Cause:** The user agent specified method not allowed HTTP\_ERROR = 405

**Action:** The user agent reads allow header to decide alternatives.

**DRG-11825: Not Acceptable**

**Cause:** Requested resource is not acceptable according to request header HTTP\_ERROR = 406

**Action:** The user agent should query the user for the next action.

**DRG-11826: Proxy Authentication Required**

**Cause:** The client must authenticate itself with the proxy. HTTP\_ERROR = 407

**Action:** The user agent takes proper actions

**DRG-11827: Request Timeout**

**Cause:** The server is tired of waiting for the request HTTP\_ERROR = 408

**Action:** The user agent repeat the request

**DRG-11828: Conflict**

**Cause:** The request conflicts with the current state of the URI HTTP\_ERROR = 409

**Action:** The user agent takes proper actions

**DRG-11829: Gone**

**Cause:** The resource is no longer available and no forwarding address. HTTP\_ERROR = 410

**Action:** The user agent takes proper actions

**DRG-11830: Length Required**

**Cause:** The server must receive a content-length header. HTTP\_ERROR = 411

**Action:** The user agent takes proper actions

---

**DRG-11831: Precondition Failed**

**Cause:** Telling the user agent that the resource failed preconditions HTTP\_ERROR = 412

**Action:** The user agent takes proper actions

**DRG-11832: Request Entity Too Large**

**Cause:** Request rejected because request entity is too large. HTTP\_ERROR = 413

**Action:** If Retry-After header found, the user agent should retry.

**DRG-11833: Request-URI Too Big**

**Cause:** The server is refusing to accept the URI which is too big. HTTP\_ERROR = 414

**Action:** The user agent takes proper actions

**DRG-11834: Unsupported Media Type**

**Cause:** The server is refusing the request because of media type HTTP\_ERROR = 415

**Action:** The user agent takes proper actions

**DRG-11835: Requested Range Not Satisfiable**

**Cause:** The byte range request can not be satisfied by the resource extent. HTTP\_ERROR = 416

**Action:** The user agent reads content-range header in the response.

**DRG-11836: Expectation Failed**

**Cause:** Server can not meet the user agent's expectation. HTTP\_ERROR = 417

**Action:** The user agent takes pro

**DRG-11837: Reauthorization Required**

**Cause:** Reserved HTTP\_ERROR = 418

**Action:** Reserved

**DRG-11838: Proxy Reauthentication Required**

**Cause:** Reserved HTTP\_ERROR = 419

**Action:** Reserved

**DRG-11839: Internal Server Error**

**Cause:** The server encountered internal error in fulfilling the request. HTTP\_ERROR = 500

**Action:** The user agent takes proper actions

**DRG-11840: Not Implemented**

**Cause:** The server can't support a request feature which has yet to be implemented. HTTP\_ERROR = 501

**Action:** The user agent takes proper actions

**DRG-11841: Bad Gateway**

**Cause:** In serving the request, the server received invalid response from gateway. HTTP\_ERROR = 502

**Action:** The user agent takes proper actions

**DRG-11842: Service Unavailable**

---

**Cause:** Server overloaded or in maintenance mode. HTTP\_ERROR = 503

**Action:** If retry-after header is in the response, retry the request.

**DRG-11843: Gateway Timeout**

**Cause:** Upstream server did not timely respond to the gateway server. HTTP\_ERROR = 504

**Action:** The user agent takes proper actions

**DRG-11844: HTTP Version Not Supported**

**Cause:** The HTTP version in the request header is rejected by the server. HTTP\_ERROR = 505

**Action:** The user agent takes proper actions

**DRG-11845: No Partial Update**

**Cause:** Reserved HTTP\_ERROR = 506

**Action:** Reserved

**DRG-11846: Response Is Stale**

**Cause:** The the user agent knows the returned reponse is stale. HTTP\_CACHE\_ERROR = 10

**Action:** The user agent client takes proper actions.

**DRG-11847: Revalidation Failed**

**Cause:** User agent's attempt to revalidate a stale response failed. HTTP\_CACHE\_ERROR = 11

**Action:** The user agent client takes proper actions

**DRG-11848: Disconnected Operation**

**Cause:** The cache is intentionally disconnected for a time period. HTTP\_CACHE\_ERROR = 12

**Action:** The user agent client takes proper actions

**DRG-11849: Heuristic Expiration**

**Cause:** Cache freshness lifetime and response age both greater than 24 hours. HTTP\_CACHE\_ERROR = 13

**Action:** The user agent client takes proper actions

**DRG-11850: Transformation Applied**

**Cause:** Telling cache manager, content encoding/media type has been changed in cache. HTTP\_CACHE\_ERROR = 14

**Action:** The user agent takes proper actions

**DRG-11851: Cache Related Warning**

**Cause:** Arbitrary information about cache to be presented to logger. HTTP\_CACHE\_ERROR = 99

**Action:** The user agent client must not take any automated action.

**DRG-11852: Can't Locate Remote Host**

**Cause:** connection to remote host failed USER\_AGENT\_ERROR

**Action:** The user agent client takes proper actions

**DRG-11853: No Host Name Found**

- 
- Cause:** The host name is not specified in URI. USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper action.
- DRG-11854: No File Name Found Or File Not Accessible**  
**Cause:** Unable to open the file specified USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11855: FTP Server Replies**  
**Cause:** FTP server responds to the agent request USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11856: FTP Server Doesn't Reply**  
**Cause:** No response from FTP server during operation. USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11857: Server Timed Out**  
**Cause:** Server operation timed out USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11858: Gopher Server Replies**  
**Cause:** Gopher server responds to the agent request. USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11859: Data Transfer Interrupted**  
**Cause:** Processing of URL request was interrupted USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11860: Connection Establishment Interrupted**  
**Cause:** Connection operation was interrupted USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11861: CSO-server Replies**  
**Cause:** Telling client things are ok USER\_AGENT\_ERROR  
**Action:** The user agent takes proper actions
- DRG-11862: This Is Probably A HTTP Server 0.9 Or Less**  
**Cause:** A very old web server USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11863: Bad, Incomplete, Or Unknown Response**  
**Cause:** The server is numbering something not understandable USER\_AGENT\_ERROR  
**Action:** The user agent takes proper actions
- DRG-11864: Unknown Access Authentication Scheme**  
**Cause:** The server is using an unknown access authentication scheme USER\_AGENT\_ERROR  
**Action:** The user agent client takes proper actions
- DRG-11865: News Server Replies**  
**Cause:** News Server is responding USER\_AGENT\_ERROR

---

**Action:** The user agent takes proper actions

**DRG-11866: Please Try `ftp:/' Instead Of `file:/'**

**Cause:** wrong access scheme is used. USER\_AGENT\_ERROR

**Action:** The user agent client takes proper actions

**DRG-11867: Method Not Suited For Automatic Redirection**

**Cause:** Telling client things are ok USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11868: Too Many Redirections**

**Cause:** The web server setup configured too many redirections USER\_AGENT\_ERROR

**Action:** The user agent client should take proper actions

**DRG-11869: Premature End Of File Detected**

**Cause:** Detected end of file is unexpected USER\_AGENT\_ERROR

**Action:** The user agent client takes proper actions

**DRG-11870: Response From WAIS Server Too Large -- Extra Lines Ignored**

**Cause:** Response from WAIS caused buffer overflow USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11871: WAIS Server Doesn't Return Any Data**

**Cause:** Bad WAIS Server USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11872: Can't Connect To WAIS Server**

**Cause:** Connect to WAIS server failed USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11873: System Call Replies**

**Cause:** register what system call replies USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11874: Wrong Or Unknown Access Scheme**

**Cause:** Protocol class is wrongfully connected to ther server USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11875: Access Scheme Is Not Allowed**

**Cause:** Telling client things are ok USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11876: When Your Are Connected, You Can Log In**

**Cause:** Pass information to telnet agent USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11877: This Cache Version Has Expired And Will Be Automatically Reloaded**

**Cause:** Need to tell user that cache entry has been reloaded USER\_AGENT\_ERROR

---

**Action:** The user agent takes proper actions

**DRG-11878: Loading New Rules Must Be Explicitly Acknowledged**

**Cause:** Let user agent client be aware of new rule loading USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-11879: Automatic Proxy Redirection Must Be Explicitly Acknowledged**

**Cause:** Let user agent client be aware of proxy redirection USER\_AGENT\_ERROR

**Action:** The user agent takes proper actions

**DRG-12001: Please enter username:**

**Cause:** Prompt user for name W3CLIB\_MSG = 0

**Action:** The user agent client takes proper actions

**DRG-12002: Please enter username for proxy authentication:**

**Cause:** Prompt user for name W3CLIB\_MSG = 1

**Action:** The user agent client takes proper actions

**DRG-12003: Please enter username for this FTP server:**

**Cause:** Prompt user for name W3CLIB\_MSG = 2

**Action:** The user agent client takes proper actions

**DRG-12004: Password:**

**Cause:** Prompt user for password W3CLIB\_MSG = 3

**Action:** The user agent client takes proper actions

**DRG-12005: Please give name of file to save in:**

**Cause:** Prompt user for file name W3CLIB\_MSG = 4

**Action:** The user agent client takes proper actions

**DRG-12006: Please enter account:**

**Cause:** Prompt user for account W3CLIB\_MSG = 5

**Action:** The user agent client takes proper actions

**DRG-12007: You might not be allowed to use this method here, continue?**

**Cause:** Warn user of deny of service. W3CLIB\_MSG = 6

**Action:** The user agent client takes proper actions

**DRG-12008: Location has moved, continue?**

**Cause:** Warn user of location changes. W3CLIB\_MSG = 7

**Action:** The user agent client takes proper actions

**DRG-12009: A new set of rules is requested to be added to your setup - continue?**

**Cause:** Warn user of rule changes. W3CLIB\_MSG = 8

**Action:** The user agent client takes proper actions

**DRG-12010: This file already exists - replace existing file?**

**Cause:** Warn user of pending replacement W3CLIB\_MSG = 9

**Action:** The user agent client takes proper actions

**DRG-12011: Authentication failed - retry?**

- 
- Cause:** Warn user of authentication failure W3CLIB\_MSG = 10  
**Action:** The user agent client takes proper actions
- DRG-12012: Proxy authentication failed - retry?**  
**Cause:** Warn user of proxy authentication failure W3CLIB\_MSG = 11  
**Action:** The user agent client takes proper actions
- DRG-12013: This method has already been performed - repeat operation?**  
**Cause:** Warn user the repetition of previous method used W3CLIB\_MSG = 12  
**Action:** The user agent client takes proper actions
- DRG-12014: This document is very big - continue operation?**  
**Cause:** Warn user of big document processing W3CLIB\_MSG = 13  
**Action:** The user agent client takes proper actions
- DRG-12015: The source document for this operation has moved - continue?**  
**Cause:** Warn user of location changes W3CLIB\_MSG = 14  
**Action:** The user agent client takes proper actions
- DRG-12016: The target document for this operation has moved - continue?**  
**Cause:** Warn user of destination document changes W3CLIB\_MSG = 15  
**Action:** The user agent client takes proper actions
- DRG-12017: A redirection may change the behavior of this method - proceed anyway?**  
**Cause:** Warn user of redirection effects on method W3CLIB\_MSG = 16  
**Action:** The user agent client takes proper actions
- DRG-12018: Encountered an automatic request for changing proxy - continue?**  
**Cause:** Warn user of automatic proxy change W3CLIB\_MSG = 17  
**Action:** The user agent client takes proper actions
- DRG-12201: section group *string* already exists**  
**Cause:** Section group with the same name already exists  
**Action:** Use another name or delete the existing one first
- DRG-12202: error while creating section group**  
**Cause:** detect an Oracle error while creating section group  
**Action:** see the accompanying Oracle error and take appropriate action
- DRG-12203: section group *string* does not exist**  
**Cause:** section group provided does not exist  
**Action:** provide an existing section group
- DRG-12204: error while dropping section group *string***  
**Cause:** detect an Oracle error while dropping a section group  
**Action:** see the accompanying Oracle error and take appropriate action
- DRG-12206: tag *string* already exists in section group *string***  
**Cause:** the start tag provided already exists in the same Section  
**Action:** provide another start tag

---

**DRG-12210: error while adding section *string***

**Cause:** detect an Oracle error while adding a section

**Action:** see the accompanying Oracle error and take appropriate action

**DRG-12211: section or section id *string* does not exist**

**Cause:** Section name or Section id to be dropped does not exist

**Action:** provide an existing Section name or Section id

**DRG-12212: error while dropping section *string***

**Cause:** detect an Oracle error while dropping a Section

**Action:** see the accompanying Oracle error and take appropriate action

**DRG-12213: cannot create/drop section group or sections for other user**

**Cause:** You can only create/drop section group objects of your own

**Action:** have the other user create/drop his/her own objects

**DRG-12217: tags cannot be more than 64 bytes**

**Cause:** max limit of start and end tag is 64 bytes

**Action:** provide a shorter start and end tag

**DRG-12218: section group name missing**

**Cause:** must provide section group name

**Action:** provide a section group name when creating Section or section group

**DRG-12219: section name missing**

**Cause:** must provide Section name when creating a Section

**Action:** provide a Section name

**DRG-12220: a valid tag must be provided**

**Cause:** must provide tag when adding a section to a section group

**Action:** provide a tag

**DRG-12223: section name *string* is a reserved name**

**Cause:** you tried to name a section a reserved name

**Action:** Specify a different name for the section

**DRG-12224: use `ctx_ddl.create_section_group` to create section groups**

**Cause:** you tried to use `ctx_ddl.create_preference` to create a section group

**Action:** use `ctx_ddl.create_section_group`

**DRG-12225: this type of section cannot be added to this section group**

**Cause:** You tried to add sections to the null section group, add a stop section to a non-auto section group, or add a zone or field section to the auto section group

**Action:** Do not add this type of section to this section group

**DRG-12226: a field section named *string* already exists in this section group**

**Cause:** you tried to name an attribute or zone section the same name as an existing field section

**Action:** use another name

**DRG-12227: a zone section named *string* already exists in this section group**

---

**Cause:** you tried to name an attribute or field section the same name as an existing zone section

**Action:** use another name

**DRG-12228: maximum number of field sections (*string*) exceeded**

**Cause:** a section group has more than the maximum number of unique field sections

**Action:** no action required

**DRG-12229: special section *string* already exists in this section group**

**Cause:** you tried to add a special section which already exists

**Action:** no action required

**DRG-12230: special section name must be one of *string***

**Cause:** you tried to add an invalid special section

**Action:** specify a valid special section

**DRG-12231: an attr section named *string* already exists in this section group**

**Cause:** you tried to name a field or zone section the same name as an existing attribute section

**Action:** use another name

**DRG-12232: invalid attribute tag format**

**Cause:** you specified a tag for use as an attribute tag which did not have the correct format. An attribute tag must have the form TAG@ATTR

**Action:** use correct format

**DRG-12233: xml sections cannot co-exist with other section types**

**Cause:** you tried to add an xml section to a section group or index which already has zone, field, attr, or special sections, or you tried to add a zone, field, attr, or special section to a section group or index which already has xml sections

**Action:** None

**DRG-12234: column *string* already mapped in section group *string***

**Cause:** you tried to add a column section which already exists

**Action:** use correct format

**DRG-12235: an sdata section named *string* already exists in this section group**

**Cause:** you tried to name a non-sdata section the same name as an existing sdata section

**Action:** use another name

**DRG-12236: an mdata section named *string* already exists in this section group**

**Cause:** you tried to name a non-mdata section the same name as an existing mdata section

**Action:** use another name

**DRG-12237: a section named *string* already exists in this section group**

**Cause:** you tried to map a column but the section name is already being used by another section

**Action:** use another name

---

**DRG-12238: maximum number of mdata sections (*string*) exceeded**

**Cause:** a section group has more than the maximum number of unique mdata sections

**Action:** no action required

**DRG-12239: maximum number of sdata sections (*string*) exceeded**

**Cause:** a section group has more than the maximum number of unique sdata sections

**Action:** no action required

**DRG-12240: ORDER BY column *string* must be indexed as an SDATA section**

**Cause:** an order by column has been mapped to an MDATA section

**Action:** adjust section group

**DRG-12241: column name *string* is not a valid section name**

**Cause:** an order by or filter by column cannot be implicitly mapped to an SDATA section because the name is not valid as a section name

**Action:** adjust section group to map column name to a valid section name

**DRG-12242: value of *string* is too large for section *string***

**Cause:** the value of a filter by or order by column is too large to be indexed

**Action:** update the row

**DRG-12243: invalid datatype**

**Cause:** the datatype specified for a sdata or mdata section is invalid

**Action:** specify a supported datatype

**DRG-12244: data conversion error for sdata section *string***

**Cause:** failed to convert data

**Action:** check the format of the data

**DRG-12245: SDATA operator not compatible with the sdata section *string***

**Cause:** failed to convert data

**Action:** check the format of the data

**DRG-12246: SDATA operand not compatible with the sdata section *string***

**Cause:** failed to convert data

**Action:** check the format of the data

**DRG-12247: maximum number of NDATA sections (*string*) exceeded**

**Cause:** a section group has more than the maximum number of unique NDATA sections

**Action:** no action required

**DRG-12248: a NDATA section named *string* already exists in this section group**

**Cause:** you tried to name a non-NDATA section the same name as an existing NDATA section

**Action:** use another name

**DRG-12300: an index with this column list already exists in the index set**

---

**Cause:** You tried to add an index to an index set, but an index with the specified column list already exists

**Action:** None

**DRG-12301: index does not exist in index set**

**Cause:** You tried to remove an index from an index set, but the specified index was not found

**Action:** None

**DRG-12302: invalid column list**

**Cause:** You specified an invalid column list -- it may have a syntax error, duplicate columns, or invalid column names

**Action:** None

**DRG-12303: cannot add more than 99 indexes to an index set**

**Cause:** You tried to add too many indexes to the index set

**Action:** None

**DRG-12304: index set *string* does not exist**

**Cause:** You specified an invalid index set name

**Action:** None

**DRG-12305: column *string* data type is not supported for index set columns**

**Cause:** You specified a column in the column list of an index of an index set which does not have a valid datatype

**Action:** use only DATE, NUMBER, CHAR, or VARCHAR2 columns in index column lists

**DRG-12306: column *string* is too long for index set columns**

**Cause:** You specified a column in the column list of an index of an index set which is too long

**Action:** CHAR and VARCHAR2 columns must be 30 bytes or less max length

**DRG-12307: column *string* is NULL and cannot be indexed**

**Cause:** You tried to index a row where at least one of the meta columns was NULL.

**Action:** provide a value for the meta column and reindex the row

**DRG-12308: use `ctx_ddl.create_index_set` to create index sets**

**Cause:** you tried to use `ctx_ddl.create_preference` to create an index set

**Action:** use `ctx_ddl.create_index_set`

**DRG-12400: template *string* is empty**

**Cause:** The template is empty.

**Action:** Check the template was installed successfully.

**DRG-12401: invalid template: query within a loop**

**Cause:** A CTX EXEC tag cannot occur within a CTX REPEAT tag.

**Action:** Remove the CTX EXEC tag.

**DRG-12402: error processing template *string*, line *string***

**Cause:** An error occurred when processing a template.

- 
- Action:** See other errors on the stack and take the appropriate action.
- DRG-12403: template *string* was not found**  
**Cause:** The template does not exist.  
**Action:** Check the name of the template and check that it is installed.
- DRG-12404: more than one template *string* found**  
**Cause:** More than one template with the same name was found.  
**Action:** Remove templates as appropriate.
- DRG-12405: error occurred processing CTX REDIRECT or CTX LABEL tag**  
**Cause:** Error in syntax of a tag.  
**Action:** Correct the syntax of the tag.
- DRG-12406: invalid CTX EXEC tag attribute (*string*)**  
**Cause:** The specified attribute is incorrectly specified.  
**Action:** Check the syntax of the specified attribute.
- DRG-12407: invalid CTX REPEAT tag attribute (*string*)**  
**Cause:** The specified attribute is incorrectly specified.  
**Action:** Check the syntax of the specified attribute.
- DRG-12408: invalid variable reference: *string.string***  
**Cause:** The variable referenced does not exist.  
**Action:** Check the label and column name.
- DRG-12409: syntax error for label in *string***  
**Cause:** The SQL in a CTX EXEC tag has incorrect syntax for a label or label type.  
**Action:** Check the SQL attribute of the CTX EXEC tag.
- DRG-12410: could not process CTX EXEC tag**  
**Cause:** An error occurred when processing the SQL attribute of a CTX EXEC tag.  
**Action:** See other errors on the stack and take the appropriate action.
- DRG-12411: SQL processing error: *string***  
**Cause:** Error executing SQL from SQL attribute of CTX EXEC tag.  
**Action:** Check the SQL in the SQL attribute.
- DRG-12412: missing or invalid Template Processor attribute (*string*)**  
**Cause:** The specified attribute was missing or invalid in a HTML input field.  
**Action:** Check the Template Processor-specific attributes in the INPUT, SELECT, RADIO and CHECKBOX tags of the template.
- DRG-12422: write to client failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12430: mandatory argument missing: *string***  
**Cause:** This argument is mandatory.  
**Action:** Re-submit the URL with this argument supplied.

- 
- DRG-12431: configuration section *string* not found**  
**Cause:** Specified conf argument is invalid.  
**Action:** Re-submit the URL with this argument corrected.
- DRG-12432: configuration file *string* not found or unreadable**  
**Cause:** An error occurred when processing the configuration file.  
**Action:** Contact the administrator.
- DRG-12433: load of *string* JDBC driver class failed**  
**Cause:** Driver class is invalid.  
**Action:** Contact the administrator to modify configuration.
- DRG-12434: connection failed using configuration *string* information**  
**Cause:** Configuration information is not correct.  
**Action:** Contact the administrator to modify configuration.
- DRG-12435: highlight table allocation failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12436: document table allocation failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12437: highlight table release failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12438: document table release failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12439: highlight table read failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12440: document table read failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12441: counting the number of highlights failed**  
**Cause:** See the following messages.  
**Action:** Contact the administrator.
- DRG-12500: stoplist *string* already exists**  
**Cause:** the specified stop list already exists  
**Action:** must remove the duplicate stop list if you want to re-create it.
- DRG-12501: null stoplist is not allowed**  
**Cause:** the specified stop list is null  
**Action:** mustspecify a valid stop list

---

**DRG-12502: cannot modify stoplists owned by other users**

**Cause:** You can only create/drop Stop List or Stop Word objects of your own

**Action:** have the other user create/drop his/her own objects

**DRG-12503: error while creating or dropping stoplist**

**Cause:** detect an Oracle error while creating Stop List

**Action:** see the accompanying Oracle error and take appropriate action

**DRG-12504: stoplist *string* does not exist**

**Cause:** the specified stop list does not exist

**Action:** check that the Stop List is valid

**DRG-12505: error while adding or removing a stop word**

**Cause:** detect an Oracle error while adding or removing Stop Word

**Action:** see the accompanying Oracle error and take appropriate action

**DRG-12506: stop word *string* does not exist in stoplist *string***

**Cause:** the specified Stop Word does not exist

**Action:** check that the Stop Word is valid

**DRG-12507: stop word *string* already exists in this stoplist**

**Cause:** the specified stop word already exists

**Action:** must remove the duplicate word if you want to re-create it.

**DRG-12508: null stop words are not allowed**

**Cause:** the specified stop word is null

**Action:** must remove the null stop word if you want to re-create it.

**DRG-12509: length of the stop word *string* exceeded the limit of *string* bytes**

**Cause:** A stop list entry has exceeded the maximum length

**Action:** Reduce the length of the stop list entry

**DRG-12511: use `ctx_ddl.create_stoplist` to create stoplists**

**Cause:** you tried to use `ctx_ddl.create_preference` to create a stoplist

**Action:** use `ctx_ddl.create_stoplist`

**DRG-12512: invalid stop class *string***

**Cause:** you specified an invalid stop class

**Action:** specify a valid stop class

**DRG-12513: valid stop classes are: *string***

**Cause:** You specified an invalid stop class

**Action:** Specify a valid stop class

**DRG-12514: languages must be specified for stopwords in a `MULTI_STOPLIST`**

**Cause:** You tried to add a stopword to a `multi_stoplist` without specifying the language of the stopword

**Action:** Specify the language of the stopword

**DRG-12515: cannot specify language for stopwords in a `BASIC_STOPLIST`**

**Cause:** You tried to add a language-specific stopword to a basic stoplist.

---

**Action:** Do not specify language for the stopword

**DRG-12516: language column must be specified when using the multi stoplist**

**Cause:** you tried to create an index using a multi stoplist but you did not specify a language column

**Action:** specify a language column

**DRG-12517: cannot add stopthemes to a MULTI\_STOPLIST**

**Cause:** you tried to add a stoptheme to a MULTI\_STOPLIST. This is not supported in this version.

**Action:** None

**DRG-12600: user datastore procedure name contains a semicolon**

**Cause:** the procedure name specified had a semicolon

**Action:** remove semicolon or rename procedure name. The correct format is PACKAGE\_NAME.PROCEDURE\_NAME

**DRG-12601: invalid user datastore procedure name: *string***

**Cause:** the format of the procedure name is invalid. It should be in the form PACKAGE\_NAME.PROCEDURE\_NAME or PROCEDURE\_NAME

**Action:** make sure PROCEDURE attr has the format PACKAGE\_NAME.PROCEDURE\_NAME or PROCEDURE\_NAME

**DRG-12602: index owner does not have access to user datastore procedure: *string***

**Cause:** the index owner does not have execute privilege of the procedure

**Action:** CTXSYS to grant execute privilege of the procedure to index owner

**DRG-12603: CTXSYS does not own user datastore procedure: *string***

**Cause:** CTXSYS does not have execute privilege to the user datastore procedure

**Action:** make sure the package is owned by CTXSYS and the procedure exist

**DRG-12604: execution of user datastore procedure has failed**

**Cause:** an error occur while executing the user datastore procedure

**Action:** check or debug the datastore procedure

**DRG-12605: datatype of column *number* in COLUMNS list is not supported**

**Cause:** one or more of the columns in the column list of the multi datastore are of a type which the multi datastore is unable to process

**Action:** change the column list of the multi datastore to contain only supported types. PL/SQL functions can be used in the comlumn list to convert unsupported types to supported types.

**DRG-12606: error encountered while parsing COLUMNS list**

**Cause:** An oracle error was encountered while parsing the columns list of the multi datastore.

**Action:** See next error on stack and take appropriate action

**DRG-12607: only ctxsys can create MULTI\_COLUMN preferences**

**Cause:** In order to create a multi column datastore preference, the effective user must be ctxsys.

**Action:** contact your DBA to create the preference as ctxsys

---

**DRG-12700: seed word must be a single word**

**Cause:** seed word is not a single word

**Action:** use a single-word seed word

**DRG-12800: Attribute NESTED\_TYPE must have owner name as prefix**

**Cause:** the attribute NESTED\_TYPE does not have an owner name prefix

**Action:** reset the attribute NESTED\_TYPE to include owner name prefix

**DRG-12801: invalid type: *string***

**Cause:** invalid nested\_type or

**Action:** check the owner and the type attribute names

**DRG-12802: invalid type column: *string***

**Cause:** column specified does not exist in the type table

**Action:** check the type table

**DRG-12803: invalid text datatype**

**Cause:** LONG and LONG RAW are not supported in nested table

**Action:** change text column to a supported data type

**DRG-12900: Operation:*string* for index: *string* has already been started**

**Cause:** the specified operation has been started

**Action:** None

**DRG-13000: error while adding or removing a sub lexer**

**Cause:** see next error

**Action:** None

**DRG-13001: sub lexer and multi lexer must have the same owner**

**Cause:** you specified a sub lexer which is not owned by the owner of the enclosing multi-lingual lexer preference

**Action:** specify a sub lexer owned by the owner of the multi-lexer preference

**DRG-13002: preference *string* is not a MULTI\_LEXER**

**Cause:** you tried to add a sub lexer to a lexer preference which cannot accept sub lexers. Only multi-lingual lexers can accept sub lexers.

**Action:** specify a multi lingual lexer

**DRG-13003: preference *string* cannot be used as a sub lexer**

**Cause:** you specified a preference for sub lexer which is not a lexer, or is a multi-lingual lexer

**Action:** specify a sub lexer which is not a multi-lingual lexer

**DRG-13004: language is invalid**

**Cause:** you specified an invalid language for the sub lexer or stopword

**Action:** specify a valid language -- see NLS Support Guide for a list of valid languages

**DRG-13005: alt\_value cannot be an NLS language name**

**Cause:** you specified an NLS language name as the alt value

**Action:** specify a non-NLS value

---

**DRG-13006: sub lexer for this language is not defined**

**Cause:** you tried to remove a sub lexer for a language, but no sub lexer was defined for that language

**Action:** None

**DRG-13007: cannot define an alternate value for the DEFAULT sub lexer**

**Cause:** you tried to define an alternate value for the DEFAULT sub lexer

**Action:** None

**DRG-13008: cannot remove the DEFAULT sub lexer**

**Cause:** you tried to remove the DEFAULT sub lexer

**Action:** None

**DRG-13009: multi lexer preference does not have a DEFAULT sub lexer**

**Cause:** you tried to use a multi lexer preference which does not have a DEFAULT sub lexer defined

**Action:** add a DEFAULT sub lexer to the multi lexer preference and retry

**DRG-13010: alt\_value is already used by another sub lexer**

**Cause:** you tried to specify an alt value which is already in use by another sub lexer in the lexer preference

**Action:** specify a different alt value

**DRG-13011: language column must be specified when using the multi lexer**

**Cause:** you tried to create an index using a multi lexer preference, but you did not specify a language column

**Action:** specify a language column

**DRG-13012: language column must be a char, varchar, or varchar2 type**

**Cause:** you specified a language column which is not a char, varchar, or varchar2 type.

**Action:** specify a language column of correct type

**DRG-13100: index is not partitioned**

**Cause:** you attempted to invoke a partition-level operation on an index which is not partitioned

**Action:** invoke appropriate index-level operation

**DRG-13101: partition *string* does not exist in this index**

**Cause:** you specified a partition name which does not exist

**Action:** specify correct partition name

**DRG-13102: index partition name must be specified**

**Cause:** you attempted to invoke a partition-level operation on a partitioned index but did not specify the partition name

**Action:** None

**DRG-13103: index table *string* is partitioned**

**Cause:** you attempted to perform an exchange partition including indexes, but one or more of the internal index tables are partitioned.

---

**Action:** specify EXCLUDING INDEXES on the exchange partition, then manually rebuild the indexes.

**DRG-13104: indexes do not have equivalent settings for *string***

**Cause:** you attempted to perform an exchange partition including indexes, but the specified metadata setting is not equivalent across the two indexes, so the data cannot be exchanged

**Action:** specify EXCLUDING INDEXES on the exchange partition, then manually rebuild the indexes.

**DRG-13200: failed to load dictionary file *string***

**Cause:** failed to load a dictionary file

**Action:** check whether the dictionary file exists in \$ORACE\_HOME/ctx/data/kolx or access permission is available

**DRG-13201: KOREAN\_LEXER is desupported**

**Cause:** Using lexer type KOREAN\_LEXER which is desupported.

**Action:** Use lexer type KOREAN\_MORPH\_LEXER instead.

**DRG-13300: document size bigger than *string* bytes**

**Cause:** size of the document being indexed is larger than the maximum supported size for the VARCHAR2 interface of stored procedure

**Action:** use the CLOB interface for the stored procedure

**DRG-13301: syntax error in token data when expecting *string*, at line *string***

**Cause:** token data returned by the user-defined lexer procedure is incorrect

**Action:** modify user-defined lexer procedure to return expected data

**DRG-13302: number of wildcard offsets must be in the range *string..string*, at line *string***

**Cause:** number of wildcard offsets specified as value for the wildcard attribute does not meet the supported range

**Action:** modify user-defined lexer query procedure to return valid number of wildcard offsets

**DRG-13303: value of wildcard offset must be in the range *string..string*, at line *string***

**Cause:** value of pre-normalized wildcard offset or post-normalized wildcard offset specified as value for the wildcard attribute does not meet the supported range

**Action:** modify user-defined lexer query procedure to return valid value for wildcard offset

**DRG-13304: character referenced by wildcard attribute is not a wildcard character, at line *string***

**Cause:** The wildcard attribute value specified the offset of a wildcard character. The character at the specified offset is neither the "%" character nor the "\_" character.

**Action:** Modify user-defined lexer query procedure.

**DRG-13305: "off" attribute value must be in the range *string..string*, at line *string***

**Cause:** value of "off" attribute does not meet the supported range

---

**Action:** modify user-defined lexer index procedure to return valid value for "off" attribute

**DRG-13306: "len" attribute value must be in the range *string..string*, at line *string***

**Cause:** value of "len" attribute does not meet the supported range

**Action:** modify user-defined lexer index procedure to return valid value for "len" attribute

**DRG-13307: "off"=*string* and "len"=*string* references character past end-of-file of *string* character document, at line *string***

**Cause:** value of "off" attribute plus value of "len" attribute is greater than the number of characters in the document

**Action:** modify user-defined lexer index procedure to return valid values for "off" and "len" attributes

**DRG-13308: query operator ABOUT not supported by USER\_LEXER**

**Cause:** the query contains an ABOUT operator while using USER\_LEXER lexer type

**Action:** remove ABOUT operator from query or use lexer type other than USER\_LEXER

**DRG-13309: operation not supported by USER\_LEXER**

**Cause:** USER\_LEXER does not support this operation

**Action:** stop the operation or use alternate lexer type

**DRG-13310: index owner does not have EXECUTE privilege on USER\_LEXER stored procedure *string***

**Cause:** user CTXSYS did not grant EXECUTE privilege on USER\_LEXER stored procedure to the index owner

**Action:** user CTXSYS grant EXECUTE privilege on USER\_LEXER stored procedure to index owner

**DRG-13311: USER\_LEXER stored procedure name contains a semicolon**

**Cause:** the procedure name contains a semicolon character

**Action:** remove semicolon from procedure name or rename stored procedure

**DRG-13312: user CTXSYS does not own USER\_LEXER stored procedure *string***

**Cause:** CTXSYS does not have EXECUTE privilege on the USER\_LEXER stored procedure

**Action:** make sure the stored procedure exists and is owned by CTXSYS

**DRG-13400: Oracle Data Mining was not installed**

**Cause:** The function you used depends on Oracle Data Mining, which has not been installed yet.

**Action:** make sure the Oracle Data Mining is installed

**DRG-13500: Parameter\_string must start with REPLACE**

**Cause:** Wrong syntax for parameter\_string.

**Action:** Make sure the parameter\_string has the correct syntax

**DRG-13501: Shadow Index Already Exists**

**Cause:** A shadow index was previously created already

- 
- Action:** Drop the shadow index and try again
- DRG-13502: NOPOPULATE is not allowed in recreate\_index\_online**  
**Cause:** Specify NOPOPULATE in parameter\_string in recreate\_index\_online  
**Action:** Don't specify NOPOPULATE.
- DRG-13503: POPULATE is not allowed for a local index in create\_shadow\_index**  
**Cause:** Specify POPULATE for a local index during create\_shadow\_index  
**Action:** Don't specify POPULATE.
- DRG-13504: string has no shadow index**  
**Cause:** Tried to perform exchange shadow without creating shadow index first  
**Action:** create a shadow index before doing exchanges\_shadow\_index
- DRG-13505: Keyword string is not allowed here in parameter\_string**  
**Cause:** Wrong syntax for parameter\_string  
**Action:** Make sure the parameter\_string has the correct syntax
- DRG-13506: string has no shadow part**  
**Cause:** Tried to perform exchange shadow part without creating shadow part first  
**Action:** create a shadow part before doing exchanges\_shadow\_index on the partition.
- DRG-13507: SWAP and NOPOPULATE is incompatible**  
**Cause:** Specified SWAP and NOPOUPLATE in parameter string  
**Action:** Correct the parameter string setting
- DRG-13508: Not all partitions for index string are swapped**  
**Cause:** try to swap an local partitioned index when not all partitions are swapped  
**Action:** Swap all partitions first, then swap the (local) index.
- DRG-13600: Syntax error in the result set descriptor**  
**Cause:** The result set descriptor has a syntax error  
**Action:** check the syntax of the result set descriptor
- DRG-13601: Syntax error in the order attribute**  
**Cause:** The order attribute has a syntax error  
**Action:** check the syntax of the order attribute
- DRG-13602: Number parsing error in string**  
**Cause:** The number string is malformed  
**Action:** check the syntax of the number string
- DRG-13603: To many sort keys**  
**Cause:** Too many sort keys are specified  
**Action:** reduce the number of sort keys
- DRG-13604: To many items to select**  
**Cause:** Too many select items are specified  
**Action:** reduce the number of select items

- 
- DRG-13605: Too many group tags**  
**Cause:** Too many group tags are specified  
**Action:** reduce the number of group tags
- DRG-13606: start\_hit\_num is not specified or out of valid range *number..number***  
**Cause:** start\_hit\_num is not specified or out of valid range  
**Action:** set a correct start\_hit\_num value
- DRG-13607: end\_hit\_num is not specified or out of valid range *number..number***  
**Cause:** end\_hit\_num is not specified or out of valid range  
**Action:** set a correct end\_hit\_num value
- DRG-50000: requested size larger than pagesize**  
**Cause:** The requested memoery size is larger than page size,  
**Action:** Contact support
- DRG-50100: CORE LSF error: *string***  
**Cause:** detect a CORE LSF error  
**Action:** look up the core error and take appropriate action
- DRG-50101: CORE LEM error: *string***  
**Cause:** detect a CORE LEM error while reading the error stack  
**Action:** Contact support
- DRG-50200: Third-party filter internal error**  
**Cause:** Third-party filter could not filter this document because of an internal error.  
**Action:** Contact Oracle Support.
- DRG-50300: error sending message from server to client**  
**Cause:** internal database error or internal Text error  
**Action:** Call customer support
- DRG-50301: server error reading request queue**  
**Cause:** database error or internal Text error  
**Action:** Call customer support
- DRG-50302: server error reading OOB break queue; cannot detect interrupts**  
**Cause:** database error or internal Text error  
**Action:** Call customer support
- DRG-50303: error in bufout**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50304: error in execute()**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50305: getcmd() called when one of the queue names is NULL**  
**Cause:** This is an internal error

---

**Action:** Contact Oracle Support

**DRG-50400: maximum number of fuzzy match candidates exceeded:** *string*  
**Cause:** Internal error, probably result of large number of indexed words  
**Action:** Contact Oracle support

**DRG-50401: failed to retrieve fuzzy match candidates from db:** *string*  
**Cause:** Internal error  
**Action:** Contact Oracle support

**DRG-50600: assertion failed**  
**Cause:** An internal check-condition has been violated  
**Action:** Contact Oracle support for assistance

**DRG-50601: fatal error**  
**Cause:** A fatal error has occurred  
**Action:** Contact Oracle support for assistance

**DRG-50603: unrecognized operation code** *string*  
**Cause:** Bad operation code was encountered (reached switch default:)  
**Action:** check .h files versions

**DRG-50607: failed to obtain column info for cid** *string*  
**Cause:** internal error, probably a bug  
**Action:** call customer support

**DRG-50608: unexpected end of data**  
**Cause:** internal error, probably a bug  
**Action:** call customer support

**DRG-50609: pipe internal error**  
**Cause:** internal error, probably a bug  
**Action:** call customer support

**DRG-50610: internal error:** *string*  
**Cause:** internal error, probably a bug  
**Action:** call customer support

**DRG-50611: Third party lexer internal error:** *string*  
**Cause:** internal error from inxight lexer  
**Action:** call customer support

**DRG-50700: unknown command (args=queue, command)**  
**Cause:** this is an internal error  
**Action:** Contact Oracle support to report a bug

**DRG-50701: error in listener.get\_cmd()**  
**Cause:** this is an internal error  
**Action:** Contact Oracle support to report a bug

**DRG-50702: error in drtlsleep()**

---

**Cause:** this is an internal error in a testing function

**Action:** Contact Oracle Support

**DRG-50703: listener startup error**

**Cause:** this is an internal error

**Action:** Contact Oracle support to report a bug

**DRG-50704: Net8 listener is not running or cannot start external procedures**

**Cause:** Oracle Text needs to call external code to complete your request, and could not start the extproc agent process.

**Action:** Start listener if it is configured for external procedures and is not running. If your listener is running, configure it for starting external procedures and restart it. Consult Oracle documentation for details.

**DRG-50800: failed to open cursor**

**Cause:** Too many cursors open for internal queries

**Action:** implement cursor cleanup routine

**DRG-50801: failed to parse cursor**

**Cause:** parse error on an internal query

**Action:** check versions of code

**DRG-50802: failed to bind input**

**Cause:** bind error on an internal query

**Action:** check versions of code

**DRG-50803: failed to define output**

**Cause:** define error on an internal query

**Action:** check versions of code

**DRG-50804: failed to exec cursor**

**Cause:** exec error on an internal query

**Action:** debug code

**DRG-50805: failed to close cursor**

**Cause:** cursor close error on an internal query

**Action:** check versions of code

**DRG-50806: failed to rollback**

**Cause:** transaction rollback error

**Action:** contact support

**DRG-50807: failed to commit**

**Cause:** internal error

**Action:** contact support

**DRG-50850: *string***

**Cause:** This is an oracle error

**Action:** See RDBMS documentation

**DRG-50851: SQL execute failed**

- 
- Cause:** failed to execute a sql statement  
**Action:** please report this as a bug
- DRG-50852: failed to turn SQL trace on**  
**Cause:** internal error,  
**Action:** Please contact Oracle support
- DRG-50853: fetch error**  
**Cause:** fetch error on an internal query  
**Action:** check versions of code
- DRG-50855: logoff fail**  
**Cause:** Fail to logoff from the database  
**Action:** check versions of code
- DRG-50857: oracle error in *string***  
**Cause:** this is an informational message  
**Action:** See error
- DRG-50858: OCI error: *string***  
**Cause:** a generic OCI error occurred  
**Action:** Please contact Oracle support
- DRG-50859: failed to allocate statement handle**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50860: failed to prepare statement**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50861: failed to obtain type descriptor**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50862: failed to create new Oracle object**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50863: string assignment failed**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50864: number assignment failed**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support
- DRG-50865: failed to append to collection**  
**Cause:** This is an internal error  
**Action:** Contact Oracle Support

- 
- DRG-50866: failed to resize string**  
Cause: This is an internal error  
Action: Contact Oracle Support
- DRG-50867: failed to free Oracle object**  
Cause: This is an internal error  
Action: Contact Oracle Support
- DRG-50868: failed to free statement handle**  
Cause: This is an internal error  
Action: Contact Oracle Support
- DRG-50900: text query parser error on line *string*, column *string***  
Cause: bad query  
Action: fix query
- DRG-50901: text query parser syntax error on line *string*, column *string***  
Cause: bad query  
Action: fix query
- DRG-50902: unexpected character *string***  
Cause: bad query  
Action: fix query
- DRG-50903: invalid weight *string***  
Cause: invalid weight  
Action: fix query
- DRG-50904: weight *string* outside valid range 0.1 to 10.0**  
Cause: invalid weight  
Action: fix query
- DRG-50905: invalid score threshold *string***  
Cause: invalid score threshold  
Action: fix query
- DRG-50906: score threshold *string* is not an integer**  
Cause: invalid score threshold  
Action: fix query
- DRG-50907: score threshold *string* outside valid range 1 to 100**  
Cause: invalid score threshold  
Action: fix query
- DRG-50908: invalid maximum number of documents *string***  
Cause: invalid maximum number of documents  
Action: fix query
- DRG-50909: maximum number of documents *string* is not an integer**  
Cause: invalid maximum number of documents  
Action: fix query

---

**DRG-50910: max documents requested *string* outside valid range 1 to 65535**

**Cause:** invalid maximum number of documents

**Action:** fix query

**DRG-50911: invalid first document number *string***

**Cause:** invalid first document number

**Action:** fix query

**DRG-50912: first document number *string* is not an integer**

**Cause:** invalid first document number

**Action:** fix query

**DRG-50913: first document requested *string* is not a positive number**

**Cause:** invalid first document number

**Action:** fix query

**DRG-50914: invalid last document number *string***

**Cause:** invalid last document number

**Action:** fix query

**DRG-50915: last document number *string* is not an integer**

**Cause:** invalid last document number

**Action:** fix query

**DRG-50916: last document *string* is less than first document**

**Cause:** invalid last document number

**Action:** fix query

**DRG-50917: escape on at end of text query *string***

**Cause:** unbalanced escape characters

**Action:** turn escape off

**DRG-50918: mismatched close escape character**

**Cause:** no matching open escape character for close escape

**Action:** match open and close escapes

**DRG-50919: NEAR operand not a phrase, equivalence or another NEAR expression**

**Cause:** invalid operand type for NEAR operator

**Action:** correct operand type

**DRG-50920: part of phrase not itself a phrase or equivalence**

**Cause:** invalid type of expression which is part of phrase

**Action:** fix query

**DRG-50921: EQUIV operand not a word or another EQUIV expression**

**Cause:** invalid operand type for EQUIV operator

**Action:** correct operand type

**DRG-50922: PL/SQL execution failed for *string***

**Cause:** PL/SQL function may not exist or is returning bad value

**Action:** PL/SQL may not exist or is returning bad value

---

**DRG-50923: could not rewrite PL/SQL for execution**

**Cause:** parser internal

**Action:** call support

**DRG-50924: PL/SQL inside PL/SQL not supported**

**Cause:** PL/SQL function call returned another PL/SQL call

**Action:** remove recursive PL/SQL

**DRG-50925: could not parse return value of PL/SQL**

**Cause:** string returned by PL/SQL function could not be parsed

**Action:** fix PL/SQL function being called

**DRG-50926: invalid text query string**

**Cause:** query string empty or made up of invalid characters

**Action:** fix query

**DRG-50927: parser failed on line *string* on column *string***

**Cause:** bug

**Action:** call support

**DRG-50928: reserved failure on line *string* on column *string***

**Cause:** bug

**Action:** call support

**DRG-50929: parser internal on line *string* on column *string***

**Cause:** bug

**Action:** call support

**DRG-50930: parser memory failure on line *string* on column *string***

**Cause:** memory allocation or freeing error

**Action:** call support

**DRG-50931: parser not opened**

**Cause:** bug

**Action:** call support

**DRG-50932: parser preference initialization failed**

**Cause:** bug

**Action:** call support

**DRG-50933: parser hash insert failure**

**Cause:** bug

**Action:** call support

**DRG-50934: parser hash create failure**

**Cause:** bug

**Action:** call support

**DRG-50935: parser component failure**

**Cause:** bug

**Action:** look for other errors

---

**DRG-50936: query word *string* is too complex for index**

**Cause:** bug

**Action:** look for other errors

**DRG-50937: query too complex**

**Cause:** query is too complex for our query evaluator

**Action:** make query smaller

**DRG-50938: parser already bound**

**Cause:** internal coding mistake

**Action:** call support

**DRG-50939: parser not set**

**Cause:** bug

**Action:** call support

**DRG-50940: parser not parsed**

**Cause:** bug

**Action:** call support

**DRG-50941: PL/SQL function *string* cannot be executed**

**Cause:** PL/SQL function may not exist or cannot be executed by user

**Action:** rewrite PL/SQL function specified in query

**DRG-50942: errors: *stringstring***

**Cause:** PL/SQL function encountered error -- this is the error message

**Action:** See error message

**DRG-50943: query token too long on line *string* on column *string***

**Cause:** A query token is longer than 256 bytes

**Action:** Rewrite query

**DRG-50944: NEAR operator not supported for theme index**

**Cause:** NEAR operator used in theme index query

**Action:** Rewrite query without NEAR operator

**DRG-50945: Illegal phrase in query for theme index**

**Cause:** Phrase incorrectly defined in theme index query

**Action:** Rewrite query

**DRG-50946: Invalid unary operator for theme index**

**Cause:** Stemming, fuzzy match and soundex not allowed for theme index

**Action:** Rewrite query

**DRG-50947: ABOUT clause not allowed without a theme index**

**Cause:** The query contains an ABOUT clause, but there is no theme index to support it

**Action:** Rewrite query

**DRG-50948: ABOUT clause required in the absence of a text index**

---

**Cause:** There is no text index, but the query does not contain any about clause. With only a theme index present, each query term must belong to an ABOUT clause

**Action:** Rewrite query

**DRG-50949: too many SQEs**

**Cause:** Too many SQEs to expand

**Action:** Rewrite query or SQE

**DRG-50950: circular SQE found**

**Cause:** Circular SQE reference is found.

**Action:** Rewrite query or SQE

**DRG-50951: Unable to resolve element name for attribute *string***

**Cause:** XPATH expression such as A/\*/@B or A//@B is not supported.

**Action:** Rewrite query

**DRG-50952: Section is not PATH section group**

**Cause:** XPATH expression has section which is not created using PATH section group.

**Action:** Rewrite query not to use XPATH expression or create the index with PATH section group

**DRG-50953: Unable to determine section name**

**Cause:** XPATH expression should not end with . or \*

**Action:** Rewrite the path expression not to use . or \* at the end

**DRG-50954: Theme index is required for CTXCAT about queries**

**Cause:** There is no theme index, but the catsearch query contains about clause. You must create a theme index before using ABOUT query against CTXCAT index

**Action:** create theme index

**DRG-50955: Missing comma in transform clause *string***

**Cause:** A transform clause in a query template is missing a comma

**Action:** Add the comma in the appropriate position

**DRG-50956: Theme index is required for THEMES transform queries**

**Cause:** There is no theme index, but the operator TRANSFORM is used with THEMES as its parameter. You must create a theme index before using THEMES in TRANSFORM operator.

**Action:** create theme index

**DRG-50957: Missing <textquery> element in query template *string***

**Cause:** The <textquery> tag is missing or misspelled in a query template

**Action:** Correct the missing tag

**DRG-50958: Missing quote in transform clause *string***

**Cause:** A transform clause in a query template is missing a quote

**Action:** Add the quote in the appropriate position

**DRG-50959: Query length exceeds *string* bytes**

**Cause:** the query length exceeds the maximum allowed length

- 
- Action:** reduce the length of the query
- DRG-51002: unexpected component failure**  
**Cause:** Internal error  
**Action:** Contact Oracle support
- DRG-51017: unable to open storage buffer for fuzzy match candidates**  
**Cause:** Internal error, probably insufficient memory  
**Action:** Contact Oracle support
- DRG-51019: unable to open or illegal format for fuzzy match data file: *string***  
**Cause:** Unable to open OS file containing fuzzy matching information or the file was not of the correct format  
**Action:** Consult the documentation for correct location of the fuzzy match information files and check for file damage
- DRG-51020: out of memory in fuzzy matcher**  
**Cause:** Cannot allocate more memory  
**Action:** Contact your system administrator
- DRG-51021: undefined error in fuzzy matcher**  
**Cause:** Internal error  
**Action:** Contact Oracle support
- DRG-51022: undefined error in stemmer**  
**Cause:** Internal error  
**Action:** Contact Oracle support
- DRG-51023: stemmer file cannot be opened**  
**Cause:** Unable to open OS file containing stemmer lexicon, or the file contents were not correct  
**Action:** Consult documentation for for correct location of the stemmer lexicons and check for file damage
- DRG-51024: out of memory in stemmer**  
**Cause:** Cannot allocate more memory  
**Action:** Contact your system administrator
- DRG-51025: an invalid character was passed to the stemmer**  
**Cause:** Invalid character in word input to the stemmer  
**Action:** Remove invalid character from word to be stemmed
- DRG-51028: unexpected error in fuzzy match expansion: *%(1)***  
**Cause:** Internal error  
**Action:** Contact Oracle support
- DRG-51029: unexpected error in stemmer expansion: *%(1)***  
**Cause:** Internal error  
**Action:** Contact Oracle support
- DRG-51030: wildcard query expansion resulted in too many terms**  
**Cause:** User error

---

**Action:** Make wildcard query narrower

**DRG-51100: invalid program argument index**

**Cause:** This is an internal error

**Action:** Contact Oracle Support to report a bug

**DRG-51101: argument processing callback failed**

**Cause:** this is an internal error

**Action:** Contact Oracle support to report a bug

**DRG-51200: open keymap failed for index id = *string***

**Cause:** Failed to initialize the keymap for the column id specified.

**Action:** Check index ID. Contact support if caused by internal errors

**DRG-51201: failed to perform DDL operation: database object *string***

**Cause:** Textkey mapping service failed on DDL operation

**Action:** Check Oracle error and take corrective action

**DRG-51202: invalid key mapping operation mode : *string***

**Cause:** invalid keymap mode value found. This is an internal error

**Action:** Contact Oracle support

**DRG-51203: found doc ids without mappings during get maps**

**Cause:** found doc ids without mappings during get mapping by doc ids, the index data and keymap service are out of synch.

**Action:** Contact Oracle support

**DRG-51300: error getting dml Queue lock**

**Cause:** a server must have hung while processing the dml Queue, leaving it locked

**Action:** Contact Oracle support

**DRG-51301: error releasing dml Queue lock**

**Cause:** internal database error, or perhaps someone dropped the lock while we were using it

**Action:** Contact Oracle support

**DRG-51311: DML lock handle previously allocated**

**Cause:** internal error

**Action:** Contact Oracle support

**DRG-51312: DML lock internal error *string***

**Cause:** internal error

**Action:** Contact Oracle support

**DRG-51313: timeout while waiting for lock**

**Cause:** most likely an internal error

**Action:** Contact Oracle support

**DRG-51314: index is not empty**

**Cause:** you attempted to invoke populate\_pending against an index which already has or has had indexed documents.

---

**Action:** populate pending manually, or recreate the index NOPOPULATE

**DRG-51403: New index name not provided by kernel**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-51801: failed to seek in file: %(1)**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-51802: failed to read from file: %(1)**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-51803: failed to open file: %(1)**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-51804: failed to write to file: %(1)**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52100: *string* returned internal error code *string***

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52101: an invalid session handle was passed to Oracle Text**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52102: an invalid transaction handle was passed to Oracle Text**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52103: the Oracle Text environment could not reset**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52104: the Oracle Text environment could not initialize**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52105: no delete function found**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52106: Oracle Text service results could not be committed**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52107: ctxkbtc internal error**

- 
- Cause:** this is an internal error  
**Action:** Contact Oracle support
- DRG-52108: failed to delete knowledge base user extension**  
**Cause:** this is an internal error  
**Action:** check file permissions or contact Oracle support
- DRG-52109: error in reading thesaurus**  
**Cause:** this is an internal error  
**Action:** Contact Oracle support
- DRG-52110: error in writing extended knowledge base**  
**Cause:** this is an internal error  
**Action:** Contact Oracle support
- DRG-52111: error in knowledge base cache**  
**Cause:** this is an internal error  
**Action:** Contact Oracle support
- DRG-52112: improper Chinese string *string* of length *number***  
**Cause:** this is an internal error  
**Action:** None
- DRG-52113: improper Japanese string *string* of length *number***  
**Cause:** this is an internal error  
**Action:** None
- DRG-52200: invalid state during export**  
**Cause:** this is an internal error  
**Action:** Contact Oracle support
- DRG-52201: incompatible Oracle Text versions**  
**Cause:** attempting to import an incompatible version of Oracle Text data  
**Action:** make sure source and target Oracle Text versions are compatible
- DRG-52202: invalid class name: *string***  
**Cause:** the specified class name is not valid  
**Action:** Contact Oracle Support
- DRG-52203: invalid object name: *string***  
**Cause:** the specified object name is not valid  
**Action:** Contact Oracle Support
- DRG-52204: error while registering index**  
**Cause:** this is an internal error  
**Action:** Contact Oracle support
- DRG-52205: class *string* and object *string* already exists for this index**  
**Cause:** duplicate entry of class and object  
**Action:** Contact Oracle support

---

**DRG-52206: error while registering index object**

**Cause:** this is an internal error

**Action:** Contact Oracle support

**DRG-52207: the specified attribute does not exist: *string***

**Cause:** This is an internal error

**Action:** Contact Oracle Support

**DRG-52208: the specified attribute already exist: *string***

**Cause:** This is an internal error

**Action:** Contact Oracle Support

**DRG-52210: error while registering value for attribute: *string***

**Cause:** This is an internal error

**Action:** Contact Oracle Support

**DRG-52300: Index *string.string* does not exist**

**Cause:** The given index does not exist for the current user

**Action:** Give a valid index name

**DRG-52301: Query Stats is already enabled for this index**

**Cause:** attempting to enable the query stats for an index for which it is already enabled

**Action:** None. No need to enable again

**DRG-52302: Query Stats is not enabled for this index**

**Cause:** attempting to disable the query stats for an index for which it is not enabled

**Action:** None. No need to disable if it is not already enabled

**DRG-52303: Option String is full**

**Cause:** Index option string is full

**Action:** None

**DRG-52304: This operation requires Query Stats to be enabled for the index**

**Cause:** attempting to do an operation which required query stats option for the index to be enabled

**Action:** Enable query stats option for the index using `ctx_output.enable_query_stats()`

**DRG-52305: Unknown value, *string*, passed in to *stat\_type***

**Cause:** An invalid value is passed in to the parameter *stat\_type*

**Action:** Give a valid value



---

---

## LPX-00000 to LPX-01093

**LPX-00000: normal, successful completion**

**Cause:** Normal exit

**Action:** No action required.

**LPX-00001: NULL pointer**

**Cause:** A NULL pointer was detected as an internal error condition.

**Action:** This is a programming error by the caller of the XML parser. Please contact someone who can fix the problem.

**LPX-00002: out of memory**

**Cause:** The operating system has run out of memory.

**Action:** Make more memory available to the program.

**LPX-00003: duplicate entry in hash table**

**Cause:** An internal error has occurred (a key was requested to be placed in a hash table but was already there).

**Action:** Contact Oracle Support Services and report the error.

**LPX-00004: internal error "~s"**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services and report the error.

**LPX-00005: ~1s buffer overflow, maximum size is ~2u bytes**

**Cause:** A name, quoted string, URL, or other document component was too long.

**Action:** Restrict the component to the maximum size shown.

**LPX-00006: invalid child type for parent node**

**Cause:** An attempt was made to add an invalid node-type to a parent node.

**Action:** Correct the code.

**LPX-00007: unexpected end-of-file encountered**

**Cause:** The document ended unexpectedly, perhaps due to truncation.

**Action:** Verify that the document is complete.

**LPX-00008: invalid memory callback**

**Cause:** The memory callback structure passed to xmlinit was missing the allocate or free functions (or both).

**Action:** Provide both functions in the callback structure.

---

**LPX-00011: In line ~1u of ~2s [general entity ~3S]:**

**Cause:** Error message prefixes, not errors themselves. These are the possible banner messages which appear before an XML error to describe the position (line#) and source (buffer or URI) in which the error occurred, as well as the entity's name (if the source is an entity). Parameter entity banner must be at +1 to non-entity banner, general entity at +2 (see lpxerr.c).

**Action:** No action required. This is not an error message.

**LPX-00012: Unicode data alignment error**

**Cause:** An input Unicode (UCS2) datum was not aligned properly.

**Action:** UCS2 data consists of an array of shorts (ub2) which must be aligned on an even-byte boundary.

**LPX-00013: wrong node type**

**Cause:** The wrong node type was given as argument to a DOM call.

**Action:** Review the failing function call, consult the documentation, and make sure the node types passed as correct.

**LPX-00014: context is not clean**

**Cause:** An operation was performed on a context that has already been used (so is not "clean").

**Action:** Some functions must be performed on a newly initialized context before being used for parsing. For example, setting a shared DTD. Change the code and do the call before parsing.

**LPX-00017: ~1snodeName: <~2S>**

**Cause:** More error message boilerplate.

**Action:** No action required. This is not an error message.

**LPX-00018: internal error "nested open strings"**

**Cause:** An internal error has occurred.

**Action:** Contact Oracle Support Services and report the error.

**LPX-00019: property "~s" unknown**

**Cause:** An unexpected error has occurred in a subsystem used by XML. Subcode is the error code returned by that failing subsystem.

**Action:** Contact Oracle Support Services and report the error and subcode.

**LPX-00050: initialization error: NLS mismatch**

**Cause:** A language ID was specified without the matching global area.

**Action:** Internal error, contact Oracle Support Services and report the error.

**LPX-00051: NLS initialization failed**

**Cause:** The NLS (National Language Support) package initialization failed.

**Action:** Internal error, contact Oracle Support Services and report the error.

**LPX-00052: LEH initialization failed**

**Cause:** The LEH (Library Exception Handling) package initialization failed.

**Action:** Internal error, contact Oracle Support Services and report the error.

**LPX-00053: LML initialization failed**

**Cause:** The LML (Low-Level Memory manager) package initialization failed.

---

**Action:** Internal error, contact Oracle Support Services and report the error.

**LPX-00054: LPU initialization failed, error ~u**

**Cause:** The LPU (URL Parser/Loader) package initialization failed.

**Action:** Internal error, contact Oracle Support Services and report the error.

**LPX-00100: root element "~1S" does not match DTD root "~2s"**

**Cause:** Validity Constraint 2.8 failed: "The Name in the document type declaration must match the element type of the root element." \*Example: `<?xml version="1.0"?> <!DOCTYPE greeting [ <!ELEMENT greeting (#PCDATA)> ]> <salutation>Hello!</salutation>` \*Explanation: The document's root element, salutation, does not match the root element declared in the DTD (greeting).

**Action:** Correct the document.

**LPX-00101: parameter-entity markup cannot be split up**

**Cause:** Validity Constraint 2.8 failed: "Parameter-entity replacement text must be properly nested with markup declarations." \*Example: `<?xml version="1.0"?> <!DOCTYPE greeting [ <!ENTITY % e "<!ELEMENT "> %e; greeting (#PCDATA)> ]> <greeting>Hello!</greeting>` \*Explanation: The parameter entity "e" contains markup which may not be split up; the entire ELEMENT (or ATTLIST or ENTITY) definition must be present in one piece.

**Action:** Correct the document.

**LPX-00102: standalone document declaration should be "no"**

**Cause:** Validity Constraint 2.9 failed: "Standalone document declaration must have the value "no" if any external markup declarations contain declarations of:

\* attributes with default values - or -

\* entities - or -

\* attributes with values subject to normalization - or -

\* element types with element content"

**Action:** Correct the document.

**LPX-00103: document structure does not match DTD**

**Cause:** Validity Constraint 3 failed: "An element is valid if there is a declaration matching elementdecl where the Name matches the element type, and one of the following holds:

\* The declaration matches EMPTY and the element has no content

\* The declaration matches children and the sequence of child elements belongs to the language generated by the regular expression in the content model, with optional white space (characters matching the nonterminal S) between each pair of child elements.

\* The declaration matches Mixed and the content consists of character data and child elements whose types match names in the content model.

\* The declaration matches ANY, and the types of any child elements have been declared."

**Action:** Correct the document.

**LPX-00104: element "~S" is not declared in the DTD**

**Cause:** Validity Constraint 3 failed: The named element has no matching elementdecl in the DTD

---

**Action:** Correct the document.

**LPX-00105: element "~S" is not empty as required by the DTD**

**Cause:** Validity Constraint 3 failed: The named element is declared as EMPTY in the DTD but contains sub-elements in the document.

**Action:** Correct the document.

**LPX-00106: attribute "~1S" of element "~2S" is undefined**

**Cause:** Validity Constraint 3.1 failed:

**Action:** Correct the document.

**LPX-00107: element "~S" has multiple declarations**

**Cause:** Validity Constraint 3.2 failed: "No element type may be declared more than once."

**Action:** Correct the DTD.

**LPX-00108: parameter-entity parenthetical cannot be split up**

**Cause:** Validity Constraint 3.2.1 failed: "Parameter-entity replacement text must be properly nested with parenthesized groups. For interoperability, if a parameter-entity reference appears in a choice, seq, or Mixed construct, its replacement text should not be empty, and neither the first nor last non-blank character of the replacement text should be a connector ( | or ,). \*Example: <?xml version="1.0"?> <!DOCTYPE foo [ <!ELEMENT greeting (#PCDATA)> <!ENTITY % e "(#PCDATA | "> <!ELEMENT foo %e; greeting)> ]> <greeting>Hello!</greeting> \*Explanation: The parenthetical content of the "e" entity may not be split up into sections: both open and close parentheses must be in the same declaration.

**Action:** Correct the DTD.

**LPX-00109: duplicate name "~S" in mixed-content declaration**

**Cause:** Validity Constraint 3.2.2 failed: "The same name must not appear more than once in a single mixed-content declaration." \*Example: <!ELEMENT p (#PCDATA | a | b | c | d | a)> \*Explanation: "a" occurs more than once in the mixed-content declaration.

**Action:** Correct the DTD.

**LPX-00110: invalid ~1s "~2S" (not a Name)**

**Cause:** Validity Constraint 3.3.1 failed: Given thing is not a Name

**Action:** Correct the document.

**LPX-00111: invalid ~1s "~2S" (not a Nmtoken)**

**Cause:** Validity Constraint 3.3.1 failed: Given thing is not a Nmtoken

**Action:** Correct the document.

**LPX-00112: element "~S" has multiple ID attributes**

**Cause:** Validity Constraint 3.3.1 failed: "No element type may have more than one ID attribute specified."

**Action:** Correct the document.

**LPX-00113: element "~1S" ID attribute "~2S" must be #IMPLIED or #REQUIRED**

**Cause:** Validity Constraint 3.3.1 failed: "An ID attribute must have a declared default of #IMPLIED or #REQUIRED."

---

**Action:** Correct the document.

**LPX-00114: element "~1S" attribute "~2S" has invalid enumeration value "~3S"**

**Cause:** Validity Constraint 3.3.1 failed: "Values of this type must match one of the Nmtoken tokens in the declaration."

**Action:** Correct the document.

**LPX-00115: element "~1S" is missing required attribute "~2S"**

**Cause:** Validity Constraint 3.3.2 failed: "If the default declaration is the keyword #REQUIRED, then the attribute must be specified for all elements of the type in the attribute-list declaration."

**Action:** Correct the document.

**LPX-00116: element "~1S" attribute "~2S" has invalid value "~3S", must be "~4S"**

**Cause:** Validity Constraint 3.3.2 failed: "If an attribute has a default value declared with the #FIXED keyword, instances of that attribute must match the default value."

**Action:** Correct the document.

**LPX-00118: undefined entity "~S"**

**Cause:** Validity Constraint 4.1 failed: "In a document with an external subset or external parameter entities with "standalone="no"", the Name given in the entity reference must match that in an entity declaration."

**Action:** Correct the document.

**LPX-00119: element "~1S" attribute "~2S" must be an unparsed entity**

**Cause:** The attribute value must be an unparsed entity.

**Action:** Correct the document.

**LPX-00120: entity "~1S" NDATA (notation) "~2S" is undefined**

**Cause:** Entity's NDATA (notation) is undefined

**Action:** Correct the document.

**LPX-00121: undefined notation "~S"**

**Cause:** Notation is not known.

**Action:** Correct the document.

**LPX-00122: undefined ID "~S" in IDREF**

**Cause:** Validity Constraint 3.3.1 failed: "A name must not appear more than once in an XML document as a value of this type; i.e., ID values must uniquely identify the elements which bear them."

**Action:** Correct the document.

**LPX-00123: duplicate ID "~S"**

**Cause:** An ID was used twice, they must be unique.

**Action:** Correct the document.

**LPX-00124: attribute value should be one or more tokens**

**Cause:** An attribute with tokenized type (IDREFS, ENTITIES, NMTOKENS) did not contain any tokens.

**Action:** Value must contain one or more tokens, separated by spaces.

---

**LPX-00125: duplicate entity "~S" (ignored)**

**Cause:** Warning returned by XmlDomGetDecl when original document did not contain an XMLDecl

**Action:** This is a warning, not an error. The value XMLERR\_NO\_DECL is used by the programmer to detect whether a document had an XMLDecl or not. It does not indicate a problem.

**LPX-00200: could not convert from encoding ~1s to ~2s**

**Cause:** The conversion cannot be made between the specified encodings.

**Action:** Choose a data encoding which can represent all expected input encoding (such as a Unicode-based encoding, UTF-8 or UTF-16).

**LPX-00201: unknown encoding "~s"**

**Cause:** The specified encoding was not known. It should be an IANA or Oracle encoding name.

**Action:** Use an appropriate encoding.

**LPX-00202: could not open "~s" (error ~u)**

**Cause:** The named input (file, URL, etc) does not exist.

**Action:** Make sure the named input is available and can be opened.

**LPX-00203: could not read from "~s" (error ~u)**

**Cause:** Data could not be read from the named input.

**Action:** Take appropriate action to allow data to be read.

**LPX-00204: syntax error**

**Cause:** A syntax error was found.

**Action:** Check the XML document line and correct it.

**LPX-00205: expected "<!--" at the start of comment**

**Cause:** Bad syntax detected when processing a comment.

**Action:** Fix the comment syntax.

**LPX-00206: invalid CDATA section**

**Cause:** Bad syntax detected when processing CDATA. Proper format is "<![CDATA[" data "]]>".

**Action:** Correct the CDATA syntax.

**LPX-00207: expected "[" at the start of conditional section**

**Cause:** Bad syntax detected when processing a conditional section.

**Action:** Fix the conditional section syntax.

**LPX-00208: unknown DTD keyword "~s"**

**Cause:** An unknown keyword was found in the DTD.

**Action:** Use a proper keyword.

**LPX-00209: PI names starting with XML are reserved**

**Cause:** Processing instruction starting with XML was found.

**Action:** Use another name for the processing instruction.

**LPX-00210: expected "~1c" instead of "~2c"**

- 
- Cause:** A syntax error was detected.  
**Action:** Use proper syntax.
- LPX-00211: attribute default must be REQUIRED, IMPLIED, or FIXED**  
**Cause:** Attribute default was invalid.  
**Action:** Default must be REQUIRED, IMPLIED, or FIXED.
- LPX-00212: comment must not contain "--"**  
**Cause:** A syntax error was detected in the comment.  
**Action:** Use "--" only when specifying the end of the comment.
- LPX-00213: comment did not end in "-->"**  
**Cause:** A syntax error was detected in the comment.  
**Action:** Be sure to end the comment with "-->".
- LPX-00214: CDATA section did not end in "]]>"**  
**Cause:** A syntax error was detected in the CDATA section.  
**Action:** Be sure to end the CDATA section with "]]>".
- LPX-00215: processing instruction did not end in "?>"**  
**Cause:** A syntax error was detected in the PI section.  
**Action:** Be sure to end the PI with "?>".
- LPX-00216: invalid character ~1u (~2X)**  
**Cause:** An invalid multibyte character was found.  
**Action:** Use only characters allowed by the XML specification.
- LPX-00217: invalid character ~1u (~2x)**  
**Cause:** An invalid Unicode character was found.  
**Action:** Use only characters allowed by the XML specification.
- LPX-00218: invalid character ~1u ("~2c")**  
**Cause:** An invalid native (ASCII/EBCDIC) character was found.  
**Action:** Use only characters allowed by the XML specification.
- LPX-00219: invalid digit "~c" in character reference**  
**Cause:** An invalid digit was found in a character reference.  
**Action:** Character references are either &#DDD; where D's are decimal digits, or &#xHHH; where H's are hexadecimal digits.
- LPX-00220: the string "]]>" cannot occur in character data**  
**Cause:** Found "]]>" in character data.  
**Action:** Do not use "]]>" in character data.
- LPX-00221: the character "<" cannot occur in attribute values**  
**Cause:** Found "<" in an attribute value.  
**Action:** Do not use "<" in attribute values.
- LPX-00222: error received from SAX callback function**  
**Cause:** An error was received from the SAX callback function.  
**Action:** Examine the additional error messages and take corrective action.

---

**LPX-00223: external entity "~s" found in an attribute value**

**Cause:** An external entity reference was found in an attribute value.

**Action:** Use only references to internal or character entities in attribute values.

**LPX-00224: multiple occurrences of attribute "~S" found**

**Cause:** An attribute occurred multiple times in the same start-tag or empty-element tag.

**Action:** Make sure that the attributes are unique.

**LPX-00225: end-element tag "~1S" does not match start-element tag "~2S"**

**Cause:** An element tag was not ended properly.

**Action:** Make sure that the correct end element tag is used.

**LPX-00226: entity "~S" is not declared**

**Cause:** An entity is not declared.

**Action:** Declare the entity before referencing it.

**LPX-00227: entity "~S" is not a parsed entity**

**Cause:** An entity reference contained the name of an unparsed entity.

**Action:** Only reference parsed entities.

**LPX-00228: entity reference "~S" refers to itself**

**Cause:** An entity reference contains a recursive reference to itself.

**Action:** Modify the contents of the entity reference to remove this recursion.

**LPX-00229: input source is empty**

**Cause:** An XML input file has no contents.

**Action:** The XML file representing a document must contain at least one element.

**LPX-00230: invalid character ~1u (~2x) found in a Name or Nmtoken**

**Cause:** An invalid character was found in a NAME or NMTOKEN.

**Action:** Use only the characters allowed for NAMES and NMTOKENS by the XML specification.

**LPX-00231: invalid character ~1u ("~2c") found in a Name or Nmtoken**

**Cause:** An invalid character was found in a NAME or NMTOKEN.

**Action:** Use only the characters allowed for NAMES and NMTOKENS by the XML specification.

**LPX-00232: invalid use of a parameter entity reference**

**Cause:** A parameter entity reference was found in an improper location in the internal DTD subset.

**Action:** Use a parameter entity reference only where markup declarations can occur in the internal DTD subset, in the external DTD subset, or in an external entity.

**LPX-00233: namespace prefixes starting with "xml" are reserved**

**Cause:** Namespace prefix starting with XML was found.

**Action:** Use another name for the namespace prefix.

**LPX-00234: namespace prefix "~S" is not declared**

---

**Cause:** Namespace prefix is not declared.

**Action:** Declare the prefix in an attribute list.

**LPX-00235: invalid XML version, must be 1.0 or 2.0**

**Cause:** Only versions 1.0 and 2.0 of the XML specification are supported.

**Action:** Use the 1.0 or 2.0 specification & set version# accordingly.

**LPX-00236: invalid character ~1u ("~2c") found in public identifier**

**Cause:** An invalid character was found in a public identifier.

**Action:** Use only the characters allowed for public identifiers by the XML specification.

**LPX-00237: invalid condition section keyword, must be INCLUDE or IGNORE**

**Cause:** A conditional section <![ keyword [ markup ]]> had invalid keyword, must be either "IGNORE" or "INCLUDE"

**Action:** Correct condition section usage in document.

**LPX-00238: unterminated conditional section**

**Cause:** A conditional section was not properly terminated with ]>.

**Action:** Verify conditional nesting in document and correct.

**LPX-00239: invalid attribute type "~s"**

**Cause:** The attribute type is not valid. Options are CDATA, ID, IDREF, IDREFS, ENTITY, ENTITIES, NMTOKEN, or NMTOKENS.

**Action:** Check and correct attribute declaration.

**LPX-00240: element-start tag is not well formed**

**Cause:** A start-element tag was improperly formed.

**Action:** Check and correct the start-element syntax.

**LPX-00241: entity reference is not well formed**

**Cause:** An entity reference (general or parameter) was not formed properly.

**Action:** Form entity reference correctly as "&name;" or "%name;".

**LPX-00242: invalid use of ampersand ("&") character (use &amp;)**

**Cause:** The ampersand character is used only to start entity or character references.

**Action:** To include an ampersand character as data, use the built-in &amp; general entity.

**LPX-00243: element attribute value must be enclosed in quotes**

**Cause:** An attribute defined in an element's start-tag must be enclosed in single (") or double (") quotes.

**Action:** Enclose the attribute value in quotes.

**LPX-00244: invalid use of less-than ("<") character (use &lt;)**

**Cause:** The less-than character ("<") is not permitted as data.

**Action:** Use the built-in entity &lt; instead. Check for mismatched quotes (") in case the "<" is part of subsequent markup.

**LPX-00245: extra data after end of document**

**Cause:** After the close of the top-level element, more data was found.

---

**Action:** The end-element tag for the top-level element must be the last thing in the document.

**LPX-00246: missing system ID after public ID**

**Cause:** In an external ID declaration, the public ID literal was not followed by the system ID literal as required.

**Action:** Provide with public \*and\* system IDs for "PUBLIC" type.

**LPX-00247: invalid Document Type Declaration (DTD)**

**Cause:** Problems were encountered in the DTD declaration.

**Action:** Review the DTD and correct the problems.

**LPX-00248: invalid entity declaration**

**Cause:** Problems were encountered parsing an entity declaration.

**Action:** Check and correct the declaration syntax.

**LPX-00249: invalid external ID declaration**

**Cause:** Problems were encountered parsing an external ID declaration.

**Action:** Check and correct the declaration syntax.

**LPX-00250: invalid attribute declaration**

**Cause:** Problems were encountered parsing an attribute declaration.

**Action:** Check and correct the declaration syntax.

**LPX-00251: conditional sections are valid only in external DTDs**

**Cause:** A condition section is not permitted in internal DTDs.

**Action:** Remove the condition section.

**LPX-00252: invalid entity replacement-text nesting**

**Cause:** Markup included from an entity must nest/group properly. That is, open/close markup must occur within the same entity. For example, `<!DOCTYPE doc [ <!ENTITY e "/foo><foo>" ]> <doc><foo>&e;</foo></doc>` Is invalid since foo's start-tag occurs in the top-level document, but the close-tag is provided by the "e" entity. Both start and end must be provided by the same source.

**Action:** Examples, such as the ones above, are not permitted.

**LPX-00253: missing required version number in XML declaration**

**Cause:** An XML declaration was missing the required version#.

**Action:** Always provide a version#, which must come first in the declaration. XML is case sensitive, so only "version" (not "Version", and so on) is valid.

**LPX-00254: invalid XML declaration**

**Cause:** Problems were encountered parsing an XML declaration.

**Action:** Check and correct the declaration syntax.

**LPX-00255: XML standalone declaration must be "yes" or "no"**

**Cause:** The "standalone" parameter in the XML declaration had an invalid value.

**Action:** standalone must be set to either "yes" or "no". Case is sensitive, so "Yes", "YES", and so on, are invalid.

**LPX-00256: invalid element declaration**

**Cause:** Problems were encountered parsing an element declaration.

---

**Action:** Check and correct the declaration.

**LPX-00257: invalid children specification in element declaration**

**Cause:** The "children" specification in an element declaration was invalid.

**Action:** Check and correct the declaration.

**LPX-00258: invalid "Mixed" specification in element declaration**

**Cause:** The "Mixed" specification in an element declaration was invalid.

**Action:** Check and correct the declaration.

**LPX-00259: invalid notation declaration**

**Cause:** Problems were encountered parsing a notation declaration.

**Action:** Check and correct the declaration syntax.

**LPX-00260: invalid xml:space attribute declaration**

**Cause:** The xml:space attribute must be declared as an enumeration with choices "default" and "preserve". For example, `<!ATTLIST foo xml:space (default|preserve) "preserve"`.

**Action:** Declare the special attribute as above.

**LPX-00261: invalid URL ~s**

**Cause:** The specified URL was invalid and could not be parsed.

**Action:** Correct the URL; consult RFC-2396.

**LPX-00262: unsupported protocol ~s**

**Cause:** An URL was encountered which requested a protocol not supported by the XML parser. Only HTTP and file are currently allowed.

**Action:** Make the data available through the filesystem or HTTP.

**LPX-00263: couldn't connect to host ~s port ~d**

**Cause:** A TCP connection couldn't be opened to the named host.

**Action:** Verify the hostname and connectivity to the host.

**LPX-00264: send failed to host ~s**

**Cause:** An error occurred trying to send data over a TCP connection.

**Action:** Verify network connectivity, and so on.

**LPX-00265: read failed from to host ~s**

**Cause:** An error occurred trying to read data from a TCP connection.

**Action:** Verify network connectivity, and so on.

**LPX-00266: invalid language specification ~s**

**Cause:** The given language specification was invalid.

**Action:** Language specification has the format `<language>_<territory>.<character set>`. For example, "French\_France".

**LPX-00267: could not resolve relative URL ~s**

**Cause:** The named relative URL couldn't be resolved against its parent.

**Action:** Make sure the relative makes sense in relation to its parent URL; see RFC-2396 sections 4, 5, and appendix C.

**LPX-00268: invalid access method ~1d, must be 0 to ~2d**

---

**Cause:** The provided access code was not in the valid range.

**Action:** The code should be one of the XMLACCESS\_XXX codes defined in oraxml.h, in the range shown in the error message.

**LPX-00269: all three access functions (open/close/read) must be provided**

**Cause:** An attempt was made to set the access method callbacks, but all three functions were not provided.

**Action:** All three callback functions (open, close, and read) are required. They must all be provided, even if they are stub functions which do nothing.

**LPX-00270: FTP error: ~s**

**Cause:** An error was returned from the FTP server while trying to retrieve a file. See the specific message for details.

**Action:** Corrective action depends on the error.

**LPX-00271: FTP login failed: ~s**

**Cause:** The username/password combination was invalid for FTP login.

**Action:** Specify a valid pair.

**LPX-00272: FTP server unavailable: ~s**

**Cause:** The FTP server is unavailable for use.

**Action:** No action is possible from the client side. See server's error message.

**LPX-00273: failed to initialize TCP/IP**

**Cause:** The TCP/IP package could not be initialized.

**Action:** Check with system administrator to see if this is a configuration problem or a connectivity problem.

**LPX-00274: can't import node type**

**Cause:** Some node types (DOCUMENT\_NODE & DOCUMENT\_TYPE\_NODE) cannot be imported with importNode().

**Action:** No action required.

**LPX-00275: can't set output/data encoding AFTER parsing**

**Cause:** Output/data encoding must be set after initialization but BEFORE any parsing has taken place.

**Action:** Set encoding before parsing any documents.

**LPX-00276: bad HTTP/Mime header**

**Cause:** An HTTP reply contained an invalid Mime header.

**Action:** Verify HTTP reply for accuracy. See RFC 2616.

**LPX-00277: no closing quote was seen**

**Cause:** A quoted string was started but not finished.

**Action:** Put a closing quote in the proper location.

**LPX-00278: invalid ~s proxy "~s"**

**Cause:** The proxy specification for the given protocol was invalid.

**Action:** Check and correct the proxy specification. For HTTP, this is the environment variable "http\_proxy".

**LPX-00279: invalid no\_proxy "~s"**

---

**Cause:** The no\_proxy specification was invalid.

**Action:** Check and correct it. no\_proxy is a comma- or space-separated list of machine or domain names, with an optional port part. If no port part is present, then it applies to all ports on that domain.

**LPX-00280: HTTP error ~s**

**Cause:** An HTTP protocol error occurred.

**Action:** Corrective action depends on the error..

**LPX-00281: unsupported encoding "~s"**

**Cause:** The specified encoding is known but not supported by the parser.

**Action:** Try a different encoding.

**LPX-00282: document cannot have both internal/external and shared DTDs**

**Cause:** A parser context which had a shared DTD set was used to parse a document which also contained a DTD. You cannot use both a shared DTD and and internal/external one.

**Action:** If a shared DTD is to be used, then the documents parsed must not contain or reference a DTD.

**LPX-00283: document encoding is ~s-based but default input encoding is not**

**Cause:** The input document was detected to be ASCII (or EBCDIC) based, but no encoding was specified in the XMLDecl and the default input coding was not ASCII (or EBCDIC) based, so could not be applied.

**Action:** Add an explicit encoding specification to the XMLDecl so the default input encoding is not needed, or pick a default encoding which matches the input document.

**LPX-00284: namespace prefix to NULL URI is not allowed**

**Cause:** An element's namespace prefix declarations was for a NULL URI, e.g. <foo xmlns:bar="" /> This is illegal presently in XML 1.0, but will be legal in XML 1.1

**Action:** Remove erroneous prefix definition.

**LPX-00285: invalid Unicode surrogate ~X ~X**

**Cause:** A Unicode document contained an invalid surrogate. If the first (high) surrogate is in the correct range 0xD800 to 0xDBFF, then the second (low) surrogate must be in the range 0xDC00 to 0xDFFF.

**Action:** Correct the document.

**LPX-00286: Exceeded max depth for recursion**

**Cause:** The depth of embedded elements in the document exceeded the limit of 2000.

**Action:** Correct the document.

**LPX-00300: no name in attribute set**

**Cause:** The name attribute was not found in the attribute-set element.

**Action:** Add a name attribute for this element.

**LPX-00301: error in XPATH evaluation**

**Cause:** The XPATH evaluation returns an error.

**Action:** Check specified XPATH expression to determine the error.

---

**LPX-00302: Incorrect stylesheet. The node is not valid.**

**Cause:** The child node is of invalid type or has invalid name for this particular location in stylesheet, rendering the stylesheet as invalid XSLT.

**Action:** Fix the stylesheet by using valid nodes only.

**LPX-00303: attribute value "~S" not expected for ~S**

**Cause:** Attribute is found but its value is not the expected value.

**Action:** Set the attribute value to the correct value.

**LPX-00304: input parameter to function is null**

**Cause:** An input parameter passed into this function is null when it is not supposed to.

**Action:** Make sure the caller function is not passing null for this parameter.

**LPX-00305: missing token**

**Cause:** An expected token is not found.

**Action:** Check the input string to make sure the expected token is present.

**LPX-00306: input string ended with no corresponding closing "}"**

**Cause:** A closing "}" is expected.

**Action:** Add the closing "}" to the input string or remove the extra opening "{".

**LPX-00307: namespace prefix ~S used but not declared**

**Cause:** Namespace prefix is used but not declared.

**Action:** Either declare the namespace or don't use this namespace prefix.

**LPX-00308: attribute ~S not found in ~S**

**Cause:** The expected attribute for this node is not found.

**Action:** Need to add this attribute to the node.

**LPX-00309: cannot initialize XPATH**

**Cause:** XPATH context could not be initialized.

**Action:** Check the initialization function LpxsutInitXpathCtx().

**LPX-00310: element ~S not found in ~S**

**Cause:** The expected element is not found.

**Action:** Check the initialization function LpxsutInitXpathCtx().

**LPX-00311: unsupported feature: ~s**

**Cause:** This feature is not supported.

**Action:** Do not use this feature.

**LPX-00312: cannot construct XML PI with content: ~S**

**Cause:** The content of XML PI node might be invalid.

**Action:** Make necessary changes to make the node valid according to spec.

**LPX-00313: cannot construct XML comment with content: ~S**

**Cause:** The content of XML comment node might be invalid.

**Action:** Make necessary changes to make the node valid according to spec.

**LPX-00314: an internal failure occurred**

---

**Cause:** An internal error occurred in the code.

**Action:** Contact appropriate developer.

**LPX-00315: extension function ~S not supported**

**Cause:** This extension function is not supported.

**Action:** Either contact appropriate developer for more information or don't use this extension function.

**LPX-00316: invalid value ~S for ~S attribute ~S**

**Cause:** The value for the specified attribute is invalid.

**Action:** Consult the XSL spec, use only legal values.

**LPX-00317: undefined decimal-format "~S"**

**Cause:** The named decimal-format is undefined (the name "#default" means the default format).

**Action:** Define the desired decimal-format before trying to use it.

**LPX-00318: duplicate xsl:decimal-format "~S"**

**Cause:** The named decimal-format was declared more than once.

**Action:** Make sure there is only a single declaration.

**LPX-00319: The node specified is not valid**

**Cause:** The node specified is not of expected type.

**Action:** Use only the nodes of legal type.

**LPX-00320: No more attributes can be added to a non empty element**

**Cause:** The element to which an attribute was being added is non empty and hence can not add anymore attributes to it.

**Action:** Modify the XSLT stylesheet so that all the attributes are added to an element before anything else is added to it. If you absolutely can not do that then select your output method to be DOM based rather than a stream or SAX based output which you are using presently.

**LPX-00321: None of the output method (DOM, SAX, Stream) is selected**

**Cause:** User is trying to process an XML file with out selecting any mechanism for output.

**Action:** User must select one of the output mechanisms (SAX/DOM/Stream) before attempting to process the XML file.

**LPX-00322: A doc referred by XSLT stylesheet could not be opened : ~s**

**Cause:** Either an import,include or document() function tried to open a document and failed.

**Action:** Make sure that document is present and can be opened.

**LPX-00323: illegal apply-imports because of no current template: ~s**

**Cause:** apply-imports was used even when there was no current template possibly with in for-each.

**Action:** Make sure that apply-imports are invoked only if there is a current template and it is not in a xsl:for-each.

**LPX-00324: "~S" is not a valid value for the lang attribute of xsl:sort**

**Cause:** An invalid language name was specified for sorting.

---

**Action:** Provide a valid value for the lang attribute of xsl:sort.

**LPX-00400: an internal error has occurred in XPATH**

**Cause:** An internal error has occurred in XPATH.

**Action:** Contact the appropriate developer.

**LPX-00401: invalid QName in the XSL file**

**Cause:** An invalid QName was passed to the XPATH parser.

**Action:** See whether there are any invalid QNames in the XSL file.

**LPX-00402: invalid axisname in the XSL file**

**Cause:** An invalid axis name was passed to the XPATH parser.

**Action:** See whether all axis names in the XSL file are correct.

**LPX-00403: unmatched quote in the XSL file**

**Cause:** An unmatched quote was found in the XSL file.

**Action:** Check for unmatched quotes in the XSL file.

**LPX-00404: unable to resolve namespace URI**

**Cause:** The namespace URI may not be valid.

**Action:** Make sure that the name space URIs are valid.

**LPX-00405: unable to allocate memory**

**Cause:** May be out of memory.

**Action:** Try increasing virtual memory.

**LPX-00406: object of incorrect type passed to the function**

**Cause:** An object of incorrect type was passed to the XPATH/XSL function.

**Action:** Do the required conversion before passing in an object of type which is different from the expected type.

**LPX-00407: right square bracket missing in the XSL file**

**Cause:** Right square bracket missing in the XSL file.

**Action:** Check for unmatched square bracket in the XSL file.

**LPX-00408: right parenthesis missing in the XSL file**

**Cause:** Right parenthesis missing in the XSL file.

**Action:** Check for unmatched parenthesis in the XSL file.

**LPX-00409: incorrect token encountered while parsing**

**Cause:** An unexpected token encountered while parsing the expression/ pattern.

**Action:** Check the syntax of the expressions/patterns.

**LPX-00410: unable to resolve the variable reference**

**Cause:** Variable reference may not be valid.

**Action:** Check whether the variable references are valid.

**LPX-00411: unknown function name encountered**

**Cause:** The function is not supported at this time or the name is invalid.

**Action:** Check the function names. If valid and this error occurs, then avoid using them at this time.

---

**LPX-00413: loss of precision due to excessively large numerical constant**

**Cause:** The numerical constant in the XPath expression is too big.

**Action:** None

**LPX-00601: Invalid token in: "~S"**

**Cause:** Invalid token in XPath expression.

**Action:** Check the expression.

**LPX-00602: Invalid child element "~1S" of element "~2S".**

**Cause:** Invalid child element in this stylesheet context.

**Action:** Check the stylesheet.

**LPX-00603: Invalid attribute value "~1S": {element "~2S", attribute "~3S"}.**

**Cause:** Invalid attribute value in this stylesheet context.

**Action:** Check the stylesheet.

**LPX-00604: Invalid attribute value "~1S", for attribute "~2s".**

**Cause:** Invalid attribute value for this attribute.

**Action:** Check the stylesheet.

**LPX-00605: Invalid attribute "~1S" in element "~2S".**

**Cause:** Invalid attribute for this element.

**Action:** Check the stylesheet.

**LPX-00606: Missing attribute "~1s" in element "~2S".**

**Cause:** Missing attribute for this element.

**Action:** Check the stylesheet.

**LPX-00607: Invalid reference: "~S".**

**Cause:** Invalid variable or parameter or template reference.

**Action:** Check the stylesheet.

**LPX-00608: Repeated declaration of "~1S" in element "~2S".**

**Cause:** Only one declaration is allowed at this level.

**Action:** Check the stylesheet.

**LPX-00609: Function call with invalid number of arguments in "~1S".**

**Cause:** Invalid number of arguments.

**Action:** Check the function signature.

**LPX-00651: VM Stack overflow.**

**Cause:** The XML data is too large.

**Action:** Increase the size of VM stacks in XmlXslVMCreate().

**LPX-00652: SAX callback returns with error.**

**Cause:** SAX callback returns an error.

**Action:** Check the callback function.

**LPX-00653: Output attribute "~S" doesn't have a parent element.**

**Cause:** Attribute is generated in a wrong context.

**Action:** Check the XSLT stylesheet.

---

**LPX-00654: Output namespace attribute "~S" doesn't have a parent element.**

**Cause:** Attribute generated in the wrong context.

**Action:** Check the XSLT stylesheet.

**LPX-00655: Invalid output comment "~S".**

**Cause:** Invalid comment node.

**Action:** Check the XSLT stylesheet.

**LPX-00656: XSLTVM terminate.**

**Cause:** VM terminates.

**Action:** No action.

**LPX-00657: Invalid output PI "~S".**

**Cause:** Invalid PI node.

**Action:** Check the XSLT stylesheet.

**LPX-00658: Invalid XSLT object type.**

**Cause:** Invalid object type in XPath evaluation.

**Action:** Check the XSLT stylesheet.

**LPX-00659: Output write failed.**

**Cause:** Write operation failed.

**Action:** Check the write method.

**LPX-00660: Not a well-formed document or external entity.**

**Cause:** The generated document is not well-formed.

**Action:** Check the XSLT stylesheet.

**LPX-00661: Failed to load: "~s".**

**Cause:** Failed to load a document.

**Action:** Check the XSLT stylesheet.

**LPX-00662: Invalid encoding.**

**Cause:** Invalid encoding specified.

**Action:** Check the encoding string.

**LPX-00663: VM String-Stack overflow.**

**Cause:** The string data is too large.

**Action:** Increase the size of VM StringStack in XmlXsIVMCreate().

**LPX-00664: VM Node-Stack overflow.**

**Cause:** Too many XML nodes.

**Action:** Increase the size of VM NodeStack in XmlXsIVMCreate().

**LPX-00690: Invalid argument.**

**Cause:** Invalid or missing argument.

**Action:** Check the function signature.

**LPX-00700: invalid SOAP context**

**Cause:** The SOAP context passed to an XmlSoap function was invalid.

---

**Action:** Make sure the context passed is an xmlsoapctx and is still valid (has not been destroyed).

**LPX-00701: invalid SOAP role**

**Cause:** An invalid SOAP role was specified.

**Action:** Only xmlsoaprole enum values should be used (see xml.h).

**LPX-00702: invalid SOAP connection binding**

**Cause:** An invalid SOAP connection binding was specified.

**Action:** Only xmlsoapbind enum values should be used (see xml.h).

**LPX-00703: SOAP POST failed**

**Cause:** A SOAP message sent with an HTTP binding failed.

**Action:** See the returned HTTP error to determine the problem.

**LPX-00704: elem has no mustUnderstand**

**Cause:** Header block does not have a mustUnderstand attribute.

**Action:** This is legal, no action required.

**LPX-00705: elem has no role**

**Cause:** Header block does not have a role attribute.

**Action:** This is legal, no action required.

**LPX-00706: message has no fault**

**Cause:** Message body has no Fault child.

**Action:** This is legal, no action required.

**LPX-00707: no Fault reason w/given language**

**Cause:** Fault element does not have a reason with given language.

**Action:** This is legal, no action required.

**LPX-00708: SOAP failed to make HTTP connection**

**Cause:** SOAP failed to make an HTTP connection to the given URL.

**Action:** Possible cause is invalid URL or memory exhaustion.

**LPX-00709: SOAP reply not valid XML**

**Cause:** The reply to a SOAP call was not a valid XML document.

**Action:** Check the calling URL for validity; otherwise the problem is likely to be on the reply side.

**LPX-00711: invalid SOAP version**

**Cause:** The version string specified at SOAP creation time was invalid.

**Action:** Specify a valid version string, either "1.1" or "1.2".

**LPX-00712: failed to set HTTP header**

**Cause:** Connection does not exist, or header is badly formed, or maximum number of headers is exceeded.

**Action:** Check that connection exists, header has ":", decrease number of headers.

**LPX-00713: body has more than one fault**

**Cause:** Message body has multiple Fault children.

---

**Action:** Most likely bug in the server.

**LPX-00714: fault is not a single child**

**Cause:** Message body has additional children besides Fault.

**Action:** Most likely bug in the server.

**LPX-00715: badly formed fault elemen**

**Cause:** Fault element does not have one of mandatory children or has children, which are not allowed.

**Action:** Most likely bug in the server.

**LPX-00716: badly formed Text subelement**

**Cause:** Mandatory text child is missing from the requested message subelement.

**Action:** Most likely bug in the server.

**LPX-00717: badly formed Value subelement**

**Cause:** Mandatory Value child of the Code child of the Fault badly formed or absent.

**Action:** Most likely bug in the server.

**LPX-00718: message has no envelope**

**Cause:** The message has no envelope element child.

**Action:** Most likely bug in the server.

**LPX-00719: prefix too long**

**Cause:** The maximum size of encoded namespace attribute name is 1022.

**Action:** Use shorter prefix.

**LPX-00720: envelope has no header**

**Cause:** The message envelope does not have header.

**Action:** This is legal, no action required

**LPX-00721: envelope has no body**

**Cause:** The message envelope does not have body.

**Action:** Most likely bug in the server.

**LPX-00722: elem has no relay**

**Cause:** Header block does not have a relay attribute.

**Action:** This is legal, no action required.

**LPX-00723: no such element**

**Cause:** The element with requested namespace name and local part does not exist.

**Action:** This is legal, no action required.

**LPX-00750: arguments "~1s" to function "~2s" are null**

**Cause:** Input arguments passed into this function are null when it is not supposed to.

**Action:** Make sure the caller function is not passing null for this parameter.

**LPX-00751: arguments "~s" are exclusive**

---

**Cause:** Input arguments passed into this function are exclusive. Specify only one of them.

**Action:** Specify only one of the exclusive arguments.

**LPX-00752: invalid ~1s, must be ~2s**

**Cause:** Invalid value was specified for attribute.

**Action:** Correct the value with one of the suggested values.

**LPX-00753: invalid proxy "~s"**

**Cause:** The proxy specification for the given protocol was invalid.

**Action:** Check and correct the proxy specification. For HTTP, this is the environment variable "http\_proxy".

**LPX-00754: invalid no\_proxy "~s"**

**Cause:** The no\_proxy specification was invalid.

**Action:** Check and correct the specification. no\_proxy is a comma- or space-separated list of machine or domain names, with an optional port part. If no port part is present, then it applies to all ports on that domain.

**LPX-00755: missing required argument "~s"**

**Cause:** A required argument was missing.

**Action:** Provide the missing argument to the function.

**LPX-00756: Etags and tokens must be either all tagged or all untagged**

**Cause:** The list of condition factors need to be either all tagged with absoluteURI's or all untagged with absoluteURI's.

**Action:** If all condition factors were applied to the resource receiving the request, make them all untagged. Otherwise, make them all tagged with appropriate resource's URI's.

**LPX-00757: maximum XML document size (~s bytes) exceeded**

**Cause:** The input XML document's size exceeded the limit set by "max\_xml\_size" attribute set in XmlDavCreate().

**Action:** Raise the value set for max\_xml\_size attribute in XmlDavCreate() if this does not create problems with security.

**LPX-00758: user-provided callback returns null**

**Cause:** Null was returned from user-provided callback function.

**Action:** Check error(s) encountered within the callback function.

**LPX-00759: failed to initialize TCP/IP**

**Cause:** The TCP/IP package could not be initialized.

**Action:** Check with your system administrator to see if this is a configuration problem or a connectivity problem.

**LPX-00760: couldn't connect to host ~s port ~u**

**Cause:** A TCP connection couldn't be opened to the named host.

**Action:** Verify the hostname and connectivity to the host.

**LPX-00761: send failed to host ~s**

**Cause:** An error occurred trying to send data over a TCP connection.

**Action:** Verify network connectivity.

---

**LPX-00762: read failed from host ~s**

**Cause:** An error occurred trying to read data from a TCP connection.

**Action:** Verify network connectivity.

**LPX-00763: exceeded maximum TCP connections**

**Cause:** The maximum allowable number of TCP connections were exceeded. This happens only if too many pending HTTP responses have not been properly ended or destroyed.

**Action:** End a pending response session or destroy response objects that have been processed.

**LPX-00764: TCP connection was broken**

**Cause:** Either the server terminated the TCP connection or the TCP connection is in a bad state.

**Action:** Analyze the error. After cleanup, retry the method.

**LPX-00765: HTTP error ~s**

**Cause:** An HTTP protocol error occurred.

**Action:** Corrective action depends on the error.

**LPX-00766: unsupported transfer-coding values: ~s**

**Cause:** Only "chunked" and "identity" transfer-coding values are supported.

**Action:** This is WebDAV implementation's shortfall. There is no workaround for this problem.

**LPX-00767: not a text media type**

**Cause:** A text media type was expected. But other media types were found.

**Action:** Since this data cannot be read as a text type, use another routine to read it.

**LPX-00768: no entity body found**

**Cause:** No entity body was found when it was read.

**Action:** Check the HTTP status code and headers to see why the entity body was not found.

**LPX-00769: not xml media type**

**Cause:** An XML media type was expected. But other media types were found.

**Action:** Since this data cannot be read as an XML type, use another routine to read it.

**LPX-00770: missing lock token in lock refresh request**

**Cause:** A LOCK request to refresh a lock had no lock token header specified.

**Action:** Use XmlDavUpdResDesc to set a lock token in the resource

**LPX-00771: missing lock token in UNLOCK request**

**Cause:** An UNLOCK request to remove a lock had no lock token header specified.

**Action:** Use XmlDavUpdResDesc to set a lock token in the resource

**LPX-00772: wrong object type**

**Cause:** The wrong object type was given as argument to a WebDAV call.

**Action:** Review the failing function call, consult the documentation, and make sure the object types pass as correct.

---

**LPX-00773: protocol violation: ~s**

**Cause:** The entity body sent by the server in Chunked Transfer Encoding violated protocol.

**Action:** Either this is an internal implementation error or a server implementation error. Users should file a bug against either the server's or the client's implementation.

**LPX-00800: XQuery invalid token**

**Cause:** Invalid XQuery query.

**Action:** Correct the query.

**LPX-00801: XQuery syntax error at**

**Cause:** Invalid XQuery query.

**Action:** Correct the query.

**LPX-00802: Too many arguments**

**Cause:** Invalid XQuery query.

**Action:** Correct the query.

**LPX-00803: Too few arguments**

**Cause:** Invalid XQuery query.

**Action:** Correct the query.

**LPX-00804: Invalid token: "~S"**

**Cause:** Invalid program.

**Action:** Correct the program.

**LPX-00805: Syntax error at "~S"**

**Cause:** Invalid program.

**Action:** Correct the program.

**LPX-00825: Can't compile the element:**

**Cause:** XSLT Stylesheet can't be compiled to XQuery query.

**Action:** Correct the the stylesheet.

**LPX-00826: Can't compile the attribute:**

**Cause:** XSLT Stylesheet can't be compiled to XQuery query.

**Action:** Correct the the stylesheet.

**LPX-00827: Namespace conflict for prefix:**

**Cause:** XSLT Stylesheet can't be compiled to XQuery query.

**Action:** Correct the the stylesheet.

**LPX-00903: Invalid flags specified for XmlDiff or XmlPatch**

**Cause:** Invalid value supplied to flags parameter for XmlDiff or XmlPatch functions.

**Action:** Specify valid flags (see xmldf.h).

**LPX-00904: Invalid inputs were supplied to XmlDiff or XmlPatch**

**Cause:** Data could not be read from inputs to XmlDiff or XmlPatch functions.

**Action:** Specify valid inputs (see xmldf.h).

---

**LPX-00910: The root nodes in input documents to XmlDiff did not match**

**Cause:** The root nodes in input documents do not match.

**Action:** Make sure the root nodes have same qualified name in both input documents. XmlDiff can be called only if the root nodes are same in input documents.

**LPX-00913: XmlPatch could not process the XML PI oracle-xmldiff**

**Cause:** The diff document either did not specify the XML Processing Instruction "oracle-xmldiff" or did not specify all data required by XmlPatch. The PI should be the first child of the top-level xdiff element. This error is also thrown when the output-model is "snapshot" and operations-in-docorder is "false".

**Action:** Specify the "oracle-xmldiff" PI correctly. See documentation for XmlPatch C function in xmldf.h.

**LPX-00918: XmlPatch encountered an error in translating XPATH using XmlXVM**

**Cause:** XmlPatch encountered an invalid XPATH in the diff document.

**Action:** If you handcoded the diff document, make sure all the XPATHs in the diff document are valid.

**LPX-01001: [XPST0001] Static context component "~S" has no value**

**Cause:** It is a static error if analysis of an expression relies on some component of the static context that has not been assigned a value.

**Action:** None

**LPX-01002: [XPDY0002] Dynamic context component "~S" has no value**

**Cause:** It is a dynamic error if evaluation of an expression relies on some // part of the dynamic context that has not been assigned a value.

**Action:** None

**LPX-01003: [XPST0003] Syntax error at "~s"**

**Cause:** It is a static error if an expression is not a valid instance of the grammar defined in A.1 EBNF

**Action:** None

**LPX-01004: [XPTY0004] Expression type does not match a required type**

**Cause:** It is a type error if, during the static analysis phase, an expression is found to have a static type that is not appropriate for the context in which the expression occurs, or during the dynamic evaluation phase, the dynamic type of a value does not match a required type as specified by the matching rules in 2.5.4 SequenceType Matching.

**Action:** Check the expression type.

**LPX-01005: [XPST0005] Invalid empty-sequence() expression**

**Cause:** During the analysis phase, it is a static error if the static type assigned to an expression other than the expression () or data() is empty-sequence().

**Action:** None

**LPX-01006: [XPTY0006]**

**Cause:** Not currently used.

**Action:** None

**LPX-01007: [XPTY0007]**

---

**Cause:** Not currently used.

**Action:** None

**LPX-01008: [XPST0008] Invalid reference**

**Cause:** It is a static error if an expression refers to an element name, attribute name, schema type name, namespace prefix, or variable name that is not defined in the static context, except for an ElementName in an ElementTest or an AttributeName in an AttributeTest.

**Action:** None

**LPX-01009: [XQST0009] Schema Import Feature not supported**

**Cause:** An implementation that does not support the Schema Import Feature must raise a static error if a Prolog contains a schema import.

**Action:** None

**LPX-01010: [XPST0010] Axis "~S" not supported**

**Cause:** An implementation must raise a static error if it encounters a reference to an axis that it does not support.

**Action:** None

**LPX-01012: [XQST0012] Invalid XML schema**

**Cause:** It is a static error if the set of definitions contained in all schemas imported by a Prolog do not satisfy the conditions for schema validity specified in Sections 3 and 5 of [XMLSchema] Part 1 i.e., each definition must be valid, complete, and unique

**Action:** None

**LPX-01013: [XQST0013] Invalid pragma content**

**Cause:** It is a static error if an implementation recognizes a pragma but determines that its content is invalid.

**Action:** None

**LPX-01014: [XQST0014]**

**Cause:** Not currently used.

**Action:** None

**LPX-01015: [XQST0015]**

**Cause:** Not currently used.

**Action:** None

**LPX-01016: [XQST0016] Module Feature not supported**

**Cause:** An implementation that does not support the Module Feature raises a static error if it encounters a module declaration or a module import.

**Action:** None

**LPX-01017: [XPST0017] Invalid function call**

**Cause:** It is a static error if the expanded QName and number of arguments in a function call do not match the name and arity of a function signature in the static context.

**Action:** None

**LPX-01018: [XPTY0018] Path last step contains both nodes and atomic values**

---

**Cause:** It is a type error if the result of the last step in a path expression contains both nodes and atomic values.

**Action:** None

**LPX-01019: [XPTY0019] Path step contains atomic values**

**Cause:** It is a type error if the result of a step (other than the last step) in a path expression contains an atomic value.

**Action:** None

**LPX-01020: [XPTY0020] The path step context item is not a node**

**Cause:** It is a type error if, in an axis step, the context item is not a node.

**Action:** None

**LPX-01021: [XPDY0021]**

**Cause:** Not currently used.

**Action:** None

**LPX-01022: [XPDY0022]**

**Cause:** Not currently used.

**Action:** None

**LPX-01023: [XPDY0023]**

**Cause:** Not currently used.

**Action:** None

**LPX-01024: [XQTY0024] Attribute node out of context**

**Cause:** It is a type error if the content sequence in an element constructor contains an attribute node following a node that is not an attribute node.

**Action:** None

**LPX-01025: [XQDY0025] Repeated attribute name**

**Cause:** It is a dynamic error if any attribute of a constructed element does not have a name that is distinct from the names of all other attributes of the constructed element.

**Action:** None

**LPX-01026: [XQDY0026] Processing instruction content contains "?>"**

**Cause:** It is a dynamic error if the result of the content expression of a computed processing instruction constructor contains the string "?>".

**Action:** None

**LPX-01027: [XQDY0027] Invalid PSVI validity property of the root element**

**Cause:** In a validate expression, it is a dynamic error if the root element information item in the PSVI resulting from validation does not have the expected validity property: valid if validation mode is strict, or either valid or notKnown if validation mode is lax.

**Action:** None

**LPX-01028: [XQDY0028]**

**Cause:** Not currently used

**Action:** None

---

**LPX-01029: [XQDY0029]**

**Cause:** Not currently used

**Action:** None

**LPX-01030: [XQTY0030] Expression should evaluate to exactly one node**

**Cause:** It is a type error if the argument of a validate expression does not evaluate to exactly one document or element node.

**Action:** None

**LPX-01031: [XQST0031] Version not supported by the implementation**

**Cause:** It is a static error if the version number specified in a version declaration is not supported by the implementation.

**Action:** None

**LPX-01032: [XQST0032] Repeated base URI declaration**

**Cause:** A static error is raised if a Prolog contains more than one base URI declaration.

**Action:** None

**LPX-01033: [XQST0033] Multiple bindings for the namespace prefix "~s"**

**Cause:** It is a static error if a module contains multiple bindings for the same namespace prefix.

**Action:** None

**LPX-01034: [XQST0034] Repeated function declaration**

**Cause:** It is a static error if multiple functions declared or imported by a module have the number of arguments and their expanded QNames are equal (as defined by the eq operator).

**Action:** None

**LPX-01035: [XQST0035] Repeated schema components**

**Cause:** It is a static error to import two schema components that both define the same name in the same symbol space and in the same scope.

**Action:** None

**LPX-01036: [XQST0036] Schema type "~s" not defined**

**Cause:** It is a static error to import a module if the importing module's in-scope schema types do not include definitions for the schema type names that appear in the declarations of variables and functions (whether in an argument type or return type) that are present in the imported module and are referenced in the importing module.

**Action:** None

**LPX-01037: [XQST0037]**

**Cause:** Not currently used

**Action:** None

**LPX-01038: [XQST0038] Invalid collation**

**Cause:** It is a static error if a Prolog contains more than one default collation declaration, or the value specified by a default collation declaration is not present in statically known collations.

**Action:** None

---

**LPX-01039: [XQST0039] Repeated parameter name**

**Cause:** It is a static error for a function declaration to have more than one parameter with the same name.

**Action:** None

**LPX-01040: [XQST0040] Repeated attribute name**

**Cause:** It is a static error if the attributes specified by a direct element constructor do not have distinct expanded QNames.

**Action:** None

**LPX-01041: [XQDY0041] Expression can't be cast to the type xs:NCName**

**Cause:** It is a dynamic error if the value of the name expression in a computed processing instruction constructor cannot be cast to the type xs:NCName.

**Action:** None

**LPX-01042: [XQST0042]**

**Cause:** Not currently used.

**Action:** None

**LPX-01043: [XQST0043]**

**Cause:** Not currently used.

**Action:** None

**LPX-01044: [XQDY0044] Invalid attribute namespace**

**Cause:** It is a dynamic error if the node-name property of the node constructed by a computed attribute constructor is in the namespace <http://www.w3.org/2000/xmlns/> (corresponding to namespace prefix xmlns), or is in no namespace and has local name xmlns.

**Action:** None

**LPX-01045: [XQST0045] Invalid function namespace**

**Cause:** It is a static error if the function name in a function declaration is in one of the following namespaces: <http://www.w3.org/XML/1998/namespace>, <http://www.w3.org/2001/XMLSchema>, <http://www.w3.org/2001/XMLSchema-instance>, <http://www.w3.org/2005/xpath-functions>.

**Action:** None

**LPX-01046: [XQST0046] Invalid URILiteral**

**Cause:** An implementation MAY raise a static error if the value of a URILiteral is of nonzero length and is not in the lexical space of xs:anyURI.

**Action:** None

**LPX-01047: [XQST0047] Repeated import module target namespace**

**Cause:** It is a static error if multiple module imports in the same Prolog specify the same target namespace.

**Action:** None

**LPX-01048: [XQST0048] Namespace should be as the module target namespace**

**Cause:** It is a static error if a function or variable declared in a library module is not in the target namespace of the library module.

**Action:** None

---

**LPX-01049: [XQST0049] Repeated variable declaration**

**Cause:** It is a static error if two or more variables declared or imported by a module have equal expanded QNames (as defined by the eq operator.)

**Action:** None

**LPX-01050: [XPDY0050] Invalid dynamic type**

**Cause:** It is a dynamic error if the dynamic type of the operand of a treat expression does not match the sequence type specified by the treat expression. This error might also be raised by a path expression beginning with "/" or "/" if the context node is not in a tree that is rooted at a document node. This is because a leading "/" or "/" in a path expression is an abbreviation for an initial step that includes the clause treat as document-node().

**Action:** None

**LPX-01051: [XQST0051] AtomicType not defined**

**Cause:** It is a static error if a QName that is used as an AtomicType in a SequenceType is not defined in the in-scope schema types as an atomic type.

**Action:** None

**LPX-01052: [XQDY0052]**

**Cause:** Not currently used.

**Action:** None

**LPX-01053: [XQDY0053]**

**Cause:** Not currently used.

**Action:** None

**LPX-01054: [XQST0054] The variable depends on itself**

**Cause:** It is a static error if a variable depends on itself.

**Action:** None

**LPX-01055: [XQST0055] Repeated copy-namespaces declaration**

**Cause:** It is a static error if a Prolog contains more than one copy-namespaces declaration.

**Action:** None

**LPX-01056: [XQST0056]**

**Cause:** Not currently used.

**Action:** None

**LPX-01057: [XQST0057] Missing schema import target namespace**

**Cause:** It is a static error if a schema import binds a namespace prefix but does not specify a target namespace other than a zero-length string.

**Action:** None

**LPX-01058: [XQST0058] Repeated schema import target namespace**

**Cause:** It is a static error if multiple schema imports specify the same target namespace.

**Action:** None

**LPX-01059: [XQST0059] Can't find schema or module with namespace "~s"**

---

**Cause:** It is a static error if an implementation is unable to process a schema or module import by finding a schema or module with the specified target namespace.

**Action:** None

**LPX-01060: [XQST0060] Function name should have a namespace**

**Cause:** It is a static error if the name of a function in a function declaration is not in a namespace (expanded QName has a null namespace URI).

**Action:** None

**LPX-01061: [XQDY0061] Invalid document node**

**Cause:** It is a dynamic error if the operand of a validate expression is a document node whose children do not consist of exactly one element node and zero or more comment and processing instruction nodes, in any order.

**Action:** None

**LPX-01062: [XQDY0062]**

**Cause:** Not currently used.

**Action:** None

**LPX-01063: [XQST0063]**

**Cause:** Not currently used.

**Action:** None

**LPX-01064: [XQDY0064] Processing instruction name contains "XML"**

**Cause:** It is a dynamic error if the value of the name expression in a computed processing instruction constructor is equal to "XML" (in any combination of upper and lower case).

**Action:** None

**LPX-01065: [XQST0065] Repeated ordering mode declaration**

**Cause:** A static error is raised if a Prolog contains more than one ordering mode declaration.

**Action:** None

**LPX-01066: [XQST0066] Repeated default declaration**

**Cause:** A static error is raised if a Prolog contains more than one default element/type namespace declaration, or more than one default function namespace declaration.

**Action:** None

**LPX-01067: [XQST0067] Repeated construction declaration**

**Cause:** A static error is raised if a Prolog contains more than one construction declaration.

**Action:** None

**LPX-01068: [XQST0068] Repeated boundary-space declaration**

**Cause:** A static error is raised if a Prolog contains more than one boundary-space declaration.

**Action:** None

**LPX-01069: [XQST0069] Repeated empty order declaration**

---

**Cause:** A static error is raised if a Prolog contains more than one empty order declaration.

**Action:** None

**LPX-01070: [XQST0070] Invalid (prefix, URI) combination**

**Cause:** A static error is raised if a namespace URI is bound to the predefined prefix xmlns, or if a namespace URI other than `http://www.w3.org/XML/1998/namespace` is bound to the prefix xml, or if the prefix xml is bound to a namespace URI other than `http://www.w3.org/XML/1998/namespace`.

**Action:** None

**LPX-01071: [XQST0071] Repeated namespace attribute**

**Cause:** A static error is raised if the namespace declaration attributes of a direct element constructor do not have distinct names.

**Action:** None

**LPX-01072: [XQDY0072] Element content contains invalid hyphens combination**

**Cause:** It is a dynamic error if the result of the content expression of a computed comment constructor contains two adjacent hyphens or ends with a hyphen.

**Action:** None

**LPX-01073: [XQST0073] Cyclic import sequence**

**Cause:** It is a static error if the graph of module imports contains a cycle (that is, if there exists a sequence of modules  $M_1 \dots M_n$  such that each  $M_i$  imports  $M_{i+1}$  and  $M_n$  imports  $M_1$ ), unless all the modules in the cycle share a common namespace.

**Action:** None

**LPX-01074: [XQDY0074] Invalid element QName**

**Cause:** It is a dynamic error if the value of the name expression in a computed element or attribute constructor cannot be converted to an expanded QName (for example, because it contains a namespace prefix not found in statically known namespaces.)

**Action:** None

**LPX-01075: [XQST0075] Validate expression not supported**

**Cause:** An implementation that does not support the Validation Feature must raise a static error if it encounters a validate expression.

**Action:** None

**LPX-01076: [XQST0076] Invalid collation**

**Cause:** It is a static error if a collation subclause in an order by clause of a FLWOR expression does not identify a collation that is present in statically known collations.

**Action:** None

**LPX-01077: [XQST0077]**

**Cause:** Not currently used.

**Action:** None

**LPX-01078: [XQST0078]**

**Cause:** Not currently used.

---

**Action:** None

**LPX-01079: [XQST0079] Invalid extension expression**

**Cause:** It is a static error if an extension expression contains neither a pragma that is recognized by the implementation nor an expression enclosed in curly braces.

**Action:** None

**LPX-01080: [XQST0080] Invalid target type**

**Cause:** It is a static error if the target type of a cast or castable expression is xs:NOTATION or xs:anyAtomicType.

**Action:** None

**LPX-01081: [XQST0081] Invalid prefix**

**Cause:** It is a static error if a QName used in a query contains a namespace prefix that cannot be expanded into a namespace URI by using the statically known namespaces.

**Action:** None

**LPX-01082: [XQST0082]**

**Cause:** Not currently used.

**Action:** None

**LPX-01083: [XQST0083]**

**Cause:** Not currently used.

**Action:** None

**LPX-01084: [XQDY0084] Missing top-level element declaration**

**Cause:** It is a dynamic error if the element validated by a validate statement does not have a top-level element declaration in the in-scope element declarations, if validation mode is strict.

**Action:** None

**LPX-01085: [XQST0085] The namespace URI shouldn't be a zero-length string**

**Cause:** It is a static error if the namespace URI in a namespace declaration attribute is a zero-length string, and the implementation does not support [XML Names 1.1].

**Action:** None

**LPX-01086: [XQTY0086] No-preserve mode conflict**

**Cause:** It is a type error if the typed value of a copied element or attribute node is namespace-sensitive when construction mode is preserve and copy-namespaces mode is no-preserve.

**Action:** None

**LPX-01087: [XQST0087] Invalid encoding**

**Cause:** It is a static error if the encoding specified in a Version Declaration does not conform to the definition of EncName specified in [XML 1.0].

**Action:** None

**LPX-01088: [XQST0088] Target namespace string shouldn't be of zero length**

**Cause:** It is a static error if the literal that specifies the target namespace in a module import or a module declaration is of zero length.

---

**Action:** None

**LPX-01089: [XQST0089] Repeated variable name**

**Cause:** It is a static error if a variable bound in a for clause of a FLWOR expression, and its associated positional variable, do not have distinct names (expanded QNames).

**Action:** None

**LPX-01090: [XQST0090] Invalid character reference**

**Cause:** It is a static error if a character reference does not identify a valid character in the version of XML that is in use.

**Action:** None

**LPX-01091: [XQDY0091] Invalid xml:id**

**Cause:** An implementation MAY raise a dynamic error if an xml:id error, as defined in [XML ID], is encountered during construction of an attribute named xml:id.

**Action:** None

**LPX-01092: [XQDY0092] Invalid xml:space value**

**Cause:** An implementation MAY raise a dynamic error if a constructed attribute named xml:space has a value other than preserve or default.

**Action:** None

**LPX-01093: [XQST0093] Module depends on itself**

**Cause:** It is a static error to import a module M1 if there exists a sequence of modules M1 ... Mi ... M1 such that each module directly depends on the next module in the sequence (informally, if M1 depends on itself through some chain of module dependencies.)

**Action:** None



---

---

## LSX-00001 to LSX-00344

**LSX-00001: NULL pointer**

**Cause:** A NULL pointer was detected as an internal error condition.

**Action:** This is a programming error by the caller of the Schema processor. Contact someone who can fix the problem.

**LSX-00002: root element is not <schema>**

**Cause:** The top-level element of an XML Schema must be <schema>.

**Action:** Correct the Schema; consult the Schema specification.

**LSX-00003: invalid attribute "~1S" for element "~2S"**

**Cause:** The named Schema element had an invalid attribute.

**Action:** Correct the Schema; consult the Schema specification.

**LSX-00004: unexpected XML node type**

**Cause:** Schema contains an XML node other than element, text (or CDATA),

**Action:** Other node types are not permitted; remove them.

**LSX-00008: feature "~s" is not implemented**

**Cause:** An attempt was made to use a feature that is not yet implemented.

**Action:** Make an enhancement request for the feature.

**LSX-00009: data missing for type "~S"**

**Cause:** Data is missing for an element or attribute of a simple type.

**Action:** Add data in the element or attribute.

**LSX-00010: extra element(s) at end of "~S"**

**Cause:** Extra elements exist at the end of schema component declarations.

**Action:** Remove the extra elements.

**LSX-00011: internal error: ~s**

**Cause:** Implementation error.

**Action:** File a bug.

**LSX-00013: element "~S" not from Schema of Schemas**

**Cause:** Bogus element exists in the schema file. Its name is not from Schema of Schemas.

**Action:** Remove the bogus element.

**LSX-00014: empty instance document**

---

**Cause:** Instance document to be Schema validated was empty (no top-level element).

**Action:** Provide a complete XML instance document.

**LSX-00015: failed to parse document**

**Cause:** Failed to parse the schema document using the given URI.

**Action:** Provide the correct URI and make sure that the schema document is valid.

**LSX-00016: schema and instance document have incompatible character sets**

**Cause:** Parsed schema components were in a simple-type character set while the parsed instance document data was not. A simple-type character set is single-byte, not shift sensitive, and has no linguistic specials in use.

**Action:** Reinitialize the schema global context with appropriate parser context settings, i.e. pass a parser context with its output encoding set to be a multibyte or Unicode character set.

**LSX-00018: invalid schema context**

**Cause:** An invalid schema context was provided to the processor. Multiple schema documents were loaded and assembled into the schema context. At least one of them is not fully valid with respect to a schema corresponding to the Schema for Schemas.

**Action:** Check the errors reported when schema documents were loaded, mapped, or validated. Correct errors found in the identified schema documents and reload them into a new schema context. Then provide the new schema context to the processor.

**LSX-00020: unknown type "~S"**

**Cause:** A specified type was unknown (not defined in any loaded Schemas).

**Action:** Make sure the type was defined and that the type usage referenced the correct Schema.

**LSX-00021: undefined element "~S"**

**Cause:** Element is undefined in the specified namespace.

**Action:** If the element name is misspelled, correct the spelling.

**LSX-00022: unknown namespace prefix "~S"**

**Cause:** Prefix in a QName is undefined in the current scope.

**Action:** Correct the prefix name if it's misspelled.

**LSX-00023: unknown namespace URI "~S"**

**Cause:** Namespace URI is unknown to the schema processor.

**Action:** Correct the namespace URI if it's misspelled.

**LSX-00024: unknown attribute group "~S"**

**Cause:** The name of attribute group is unknown to the schema processor in the current scope.

**Action:** Correct the name of attribute group if it's misspelled.

**LSX-00025: unknown group "~S"**

**Cause:** The name of group is unknown to the schema processor in the current scope.

**Action:** Correct the name of group if it's misspelled.

---

**LSX-00026: unknown attribute "~S"**

**Cause:** The name of attribute is unknown to the schema processor in the current scope.

**Action:** Correct the name of attribute if it's misspelled.

**LSX-00027: property "~s" unknown**

**Cause:** The named validation property was unknown.

**Action:** Refer to the documentation for the complete list of validation properties.

**LSX-00102: duplicate element "~S"**

**Cause:** Element declaration is not unique within its scope.

**Action:** Rename the element.

**LSX-00103: duplicate group "~S"**

**Cause:** Group declaration is not unique within its scope.

**Action:** Rename the group.

**LSX-00104: duplicate type "~S"**

**Cause:** Type definition is not unique within its scope.

**Action:** Rename the type.

**LSX-00105: duplicate attribute group "~S"**

**Cause:** Attribute group declaration is not unique within its scope.

**Action:** Rename the attribute group.

**LSX-00106: duplicate attribute "~S"**

**Cause:** Attribute declaration is not unique within its scope.

**Action:** Rename the attribute.

**LSX-00110: facet "~S" should have single value attribute**

**Cause:** A facet declaration did not have a value attribute.

**Action:** Each facet declaration must contain one and only one value attribute.

**LSX-00111: type "~S" contains invalid facets**

**Cause:** A specified facet was invalid for a type. Each datatype has a different set of facets which may apply.

**Action:** Use only applicable facets for the type.

**LSX-00112: facet "~S" duplicated**

**Cause:** A facet (other than "enumeration") was specified more than once.

**Action:** Only the enumeration facet may be used more than once for a type.

**LSX-00113: facet "~1S" has invalid value "~2S"**

**Cause:** Facet value contained illegal characters or its value was out of range.

**Action:** Remove illegal characters.

**LSX-00114: facet "~S" not in schema schema**

**Cause:** Facets are not defined in the XMLSchema namespace.

**Action:** Remove illegal facet declarations.

**LSX-00116: mutually exclusive facets are not allowed**

---

**Cause:** Mutual exclusiveness violations were found for facets. For example, both "length" and either "minLength" or "maxLength" are not allowed to be facets.

**Action:** Remove the facets that are at fault.

**LSX-00117: "minLength" should not be greater than "maxLength"**

**Cause:** The value of "minLength" must be less than or equal to the value of "maxLength".

**Action:** Correct either "minLength" or "maxLength".

**LSX-00118: fixed facet value cannot be changed**

**Cause:** The value of a fixed facet in the base type definition should remain the same.

**Action:** Remove the fixed facet specification in the parent's type for the erroneous facet component.

**LSX-00119: value is not valid restriction of parent's minLength**

**Cause:** There was an error in that minLength was among the members of {facets} of {base type definition} and {value} was less than the {value} of the parent minLength.

**Action:** Increase the {value} of minLength.

**LSX-00120: value is not valid restriction of parent's maxLength**

**Cause:** There was an error in that maxLength was among the members of {facets} of {base type definition} and {value} was greater than the {value} of the parent maxLength.

**Action:** Increase the {value} of maxLength.

**LSX-00121: value is not valid restriction of parent's length**

**Cause:** There was an error in that length was among the members of {facets} of {base type definition} and {value} was not equal to the {value} of the parent length.

**Action:** Make {value} the same as parent's.

**LSX-00122: value is not valid restriction of parent's whitespace**

**Cause:** There was an error in that whitespace was among the members of {facets} of {base type definition} and at least one of the following conditions was true: 1 {value} is replace or preserve and {value} of the parent whitespace is collapse 2 {value} is preserve and the {value} of the parent whitespace is replace

**Action:** Change the {value} of whitespace.

**LSX-00123: base type is required**

**Cause:** Missing base type declaration in the type definition.

**Action:** Define a base type.

**LSX-00124: "list" element is improperly defined**

**Cause:** A "list" element either must have its "itemType" attribute set or have one of its children be a "simpleType" element, but both conditions cannot exist.

**Action:** Remove the erroneous condition.

**LSX-00125: "restriction" element is improperly defined**

**Cause:** A "restriction" element either must have its "base" attribute set or have one of its children be a "simpleType" element, but both conditions cannot exist.

**Action:** Remove the erroneous condition.

---

**LSX-00126: facet "~1S" has invalid value "~u"**

**Cause:** Facet value contained illegal characters or its value was out of range.

**Action:** Remove illegal characters.

**LSX-00130: attribute "processContents" has invalid value "~S"**

**Cause:** Attribute "processContents" in the "any" element or "anyAttribute" declaration has an invalid value.

**Action:** Specify one of the following values: lax, skip, or strict.

**LSX-00132: attribute "~1S" has invalid occurrences value "~2S"**

**Cause:** A minOccurs or maxOccurs attribute had an invalid value (not a integer or less than zero).

**Action:** Use a legal "occurs" value.

**LSX-00133: attribute "use" has invalid value "~S"**

**Cause:** A "use" attribute had an invalid value. Choices for "use" are "default", "fixed", "optional", "prohibited", or "required".

**Action:** Change the attribute to one of the above values.

**LSX-00134: attribute "~1S" has invalid qualification "~2S"**

**Cause:** An attribute that specifies qualification (form, attributeFormDefault, elementFormDefault) was invalid; it must be one of "qualified" or "unqualified".

**Action:** Change the attribute to one of the above values.

**LSX-00135: invalid min/max Occurs for <all> element, must be 0/1**

**Cause:** "minOccurs" has a value other than 0/1 or "maxOccurs" has a value other than 1.

**Action:** Specify 0/1 for "minOccurs" or "maxOccurs".

**LSX-00136: "maxOccurs" is less than "minOccurs"**

**Cause:** The value of the "maxOccurs" specification is less than the value of the "minOccurs" specification.

**Action:** Correct "minOccurs" or "maxOccurs".

**LSX-00141: ID type may only be used in attributes**

**Cause:** For backward compatibility with DTD, ID type may only be used in attributes.

**Action:** Remove the ID type.

**LSX-00142: invalid sub-element "~1S" for element "~2S"**

**Cause:** There was an invalid sub-element in the content of either the attribute or the element declaration. This was because the sub-element was either at the wrong position or out of context.

**Action:** Remove the sub-element or move it to the correct position.

**LSX-00143: element "~S" must have type or ref**

**Cause:** A Schema element was declared but was neither type or reference.

**Action:** One of type or reference must be specified.

**LSX-00144: attribute "~1S" invalid derivation-restriction value "~2S"**

**Cause:** An attribute which specifies a derivation-restriction setting (block, content, final) had an invalid value. Choices are "#all", "extension", or "restriction".

---

**Action:** Change the attribute to one of the above values.

**LSX-00145: attribute "~1S" invalid derived value "~2S"**

**Cause:** A derivedBy attribute had an invalid value. Choices are "extension" or "restriction".

**Action:** Change the attribute to one of the above values.

**LSX-00146: element or attribute is improperly defined**

**Cause:** An element or attribute definition must have either its "type" attribute set or must have one of its children be a "simpleType" or "complexType" element but both conditions cannot exist.

**Action:** Remove the erroneous condition.

**LSX-00147: "~1S" cannot contain "~2S"**

**Cause:** An invalid schema component exists in the current declaration.

**Action:** Remove the schema component.

**LSX-00148: annotation must come first in "~S"**

**Cause:** "annotation" element must be the first in the content.

**Action:** Make "annotation" the first element.

**LSX-00149: duplicated ID specified in "~S"**

**Cause:** An attempt was made to specify two distinct members of {attribute uses}with {attribute declaration}s, both of whose {type definition}s are from ID or are derived from ID.

**Action:** Declare only one member of the {attribute uses} whose {type definition} is from ID or will be derived from ID.

**LSX-00150: attributeGroup reference shouldn't have children**

**Cause:** A reference-to-attributeGroup element has children. It is suppose to be empty except for annotations.

**Action:** Remove the children.

**LSX-00151: invalid combination of attributes "ref" and "name"**

**Cause:** If the item's parent is not <schema>, then either the "ref" or the "name" attribute must be present, but not both. Top-level elements or attributes must have a name.

**Action:** Specify either the "ref" or "name" attribute.

**LSX-00152: only "minOccurs", "maxOccurs", or "id" is allowed**

**Cause:** If the item's parent is not <schema> and "ref" is present, then "complexType", "simpleType", "key", "keyref", "unique", "nillable", "default", "fixed", "form", "block", and "type" must be absent.

**Action:** Remove the prohibited attribute.

**LSX-00153: invalid combination of default and fixed attributes**

**Cause:** It is an error for a declaration to contain both fixed and default attributes.

**Action:** Remove either the default or the fixed attributes.

**LSX-00154: attribute "use" must have its value set to "optional"**

**Cause:** If "default" and "use" are both present, use must have its value set to "optional".

---

**Action:** Remove the default attribute or change the value of the "use" attribute.

**LSX-00155: invalid use of attribute "ref"**

**Cause:** If the item's parent is not <schema> and the attribute "ref" is present, then the element "simpleType" and the attributes "form" and "type" must be absent.

**Action:** Remove the prohibited items.

**LSX-00156: type is final and no derivations are allowed**

**Cause:** Derivation from a type that is declared to be final occurred.

**Action:** Remove the final declaration from the base type.

**LSX-00157: "~S" is abstract and cannot be used in an instance document**

**Cause:** The element declaration or the type definition was abstract.

**Action:** When an element is declared to be abstract, a member of that element's substitution group must appear in the instance document. When an element's corresponding type definition is declared as abstract, all instances of that element must use xsi:type to indicate a derived type that is not abstract.

**LSX-00158: base type of "~S" must be simple type or primitive datatype**

**Cause:** The derivation constraint was violated.

**Action:** Use complexType instead of simpleType.

**LSX-00159: list content of multiple simple types is not allowed**

**Cause:** Two or more simple types were specified within the list content .

**Action:** Specify only one simple type.

**LSX-00160: invalid substitution group affiliation between "~S" and "~S"**

**Cause:** There was an error in that {substitution group exclusions} prevented substitution group affiliation by type restriction or type extension.

**Action:** Remove the offending deriving method from the {substitution group exclusions} list.

**LSX-00161: disallowed type substitution between "~S" and "~S"**

**Cause:** There was a substituted type whose deriving method falls in the union of the {disallowed substitutions} and the {type definition}'s {prohibited substitutions}.

**Action:** Remove the offending deriving method from the element's {disallowed substitutions} list or the {type definition}'s {prohibited substitutions} list.

**LSX-00162: string "~S" is an invalid default for the complex type**

**Cause:** If the {content type} is a simple type definition, then the string must be valid with regard to the simple type definition as defined by String Valid (3.14.4). If the {content type} is mixed, then the {content type}'s particle must be empty as defined by Particle Emptyable (3.9.6). However, one of these conditions was not met, resulting in this error.

**Action:** Make the default string a valid default with regard to the complex type definition.

**LSX-00163: duplicated content specification in "~S"**

**Cause:** There was a duplicate content specification in the children of complexType.

**Action:** Remove the duplicate content specification.

---

**LSX-00164: no content specified in "~S"**

**Cause:** In a simpleContent specification, either "restriction" or "extension" was not specified as a child.

**Action:** Add either a "restriction" or an "extension" element information item.

**LSX-00165: content type of "~S" must be simple type**

**Cause:** The content type of the type definition was not a simple type definition.

**Action:** Use complexContent instead of simpleContent .

**LSX-00166: both content types must be mixed or both must be element-only**

**Cause:** If the content types of the derived type and base type are not the same simple type definition and the content type of the base type is not empty, then both content types must be mixed or both must be element-only. This was not the case, resulting in this error.

**Action:** Add attribute mixed="true" or remove it.

**LSX-00167: defining form of "~S" must occur at the top level**

**Cause:** The defining form did not occur at the top level of a schema.

**Action:** Move attributeGroup or group definition to the top level of the schema.

**LSX-00168: referring form of "~S" must NOT occur at the top level**

**Cause:** The referring form did not occur within a complex type definition or an attribute group definition.

**Action:** Move the attributeGroup definition to within a complex type definition or an attribute group definition. Or, move the group definition to within a complex type, restriction, extension, choice, or sequence.

**LSX-00169: circular group reference is disallowed outside <redefine>**

**Cause:** There was a circular group reference.

**Action:** One of the group references needs to be changed to a group definition.

**LSX-00170: union must have memberTypes attribute or some simpleType children**

**Cause:** There was no member type definition for the union declaration.

**Action:** Add memberTypes attribute or simpleType children.

**LSX-00171: missing required sub-element "~S"**

**Cause:** The sub-element specified in the error message was required.

**Action:** Add the required sub-element.

**LSX-00172: "~S" is not a valid restriction of "~S"**

**Cause:** The schema component constraint, Derivation Valid (Restriction, Complex) or Particle Valid (Restriction), was violated.

**Action:** Modify the base type (particle) or the restricted type (particle) definition.

**LSX-00173: ~S of ~S type is not a valid restriction of ~S of ~S type**

**Cause:** The schema component constraint, Particle Restriction OK (Elt:Elt -- NameAndTypeOK), was violated.

**Action:** Modify either or both element declaration particles.

**LSX-00174: "~S" is not a valid derivation of "~S"**

**Cause:** The schema component constraint, Derivation Valid (Restriction, simple), (Restriction, complex) or (Extension), was violated.

---

**Action:** Modify the base type or the derived type definition.

**LSX-00175: a complex base within "simpleContent" must have simple content**

**Cause:** A complex base within "simpleContent" was not restricted to contain only simple content.

**Action:** Modify the base type or the derived type definition.

**LSX-00176: circular reference detected in schema component named "~S"**

**Cause:** An attempt was made to use a circular reference. This is not allowed. For example, it is not possible to return to an element declaration by repeatedly following the {substitution group affiliation} property. Or, within the {particles} of a group there must not be at any depth a particle whose {term} is the group itself.

**Action:** Modify one of the schema components in the loop.

**LSX-00200: element "~S" not empty**

**Cause:** Content of the element must be empty.

**Action:** Remove any schema components in the content.

**LSX-00201: contents of "~S" should be elements only**

**Cause:** Node with type other than "element", "processing instruction", or "comment" exists in the content of the violating element.

**Action:** Remove the offending nodes.

**LSX-00202: contents of "~S" should be text only**

**Cause:** Node with type other than "text", "processing instruction", or "comment" exists in the content of the violating element.

**Action:** Remove the offending nodes.

**LSX-00204: extra data at end of complex element**

**Cause:** Extra nodes exist at the end of an element with a complex type definition.

**Action:** Remove the offending nodes or check the definition of the complex type.

**LSX-00205: element "~1S" value "~2S" is wrong (must be "~3S")**

**Cause:** The element had a value other than its fixed value.

**Action:** Use the fixed value as its value.

**LSX-00206: substitution for element "~S" is disallowed**

**Cause:** An attempt was made to substitute an element that violated a constraint.

**Action:** Change to a valid new element that can be substituted for the headElement.

**LSX-00210: value "~1S" out of range for type "~2S"**

**Cause:** Value is out of range for the data with a specific type.

**Action:** Fix the value.

**LSX-00211: value "~1S" whose fractional digits exceeds ~2d**

**Cause:** Too many fractional digits after the decimal point.

**Action:** Remove the extra fractional digits.

**LSX-00212: value "~1s" whose total digits exceeds ~2d**

**Cause:** Too many digits in the decimal data.

**Action:** Remove the extra digits.

---

**LSX-00213: only ~1d occurrences of particle "~2S", minimum is ~3d**

**Cause:** Too few occurrences of particles in the node.

**Action:** Specify more particles.

**LSX-00214: too many occurrences of particle "~1S", maximum is ~2d**

**Cause:** Too many occurrences of particles in the node.

**Action:** Remove extra ones.

**LSX-00215: value "~1S" whose total digits exceeds ~2d**

**Cause:** There were too many digits in the decimal data.

**Action:** Remove the extra digits.

**LSX-00220: "~1S" is wrong length, should be ~2d**

**Cause:** Data of simple type has invalid length.

**Action:** Fix the length of the data.

**LSX-00221: "~1S" is too short (minimum length is ~2d)**

**Cause:** The length of the data is too short.

**Action:** Prepend extra characters (such as zeros or blank characters) to make the data longer.

**LSX-00222: "~1S" is too long (maximum length is ~2d)**

**Cause:** The length of the data is too long.

**Action:** Remove extra characters from the data.

**LSX-00229: item type is not a valid type for a list simple type**

**Cause:** The specified item type must not itself be a list type, and must be one of the types identified in [XML Schemas: Datatypes] as a suitable item type for a list simple type.

**Action:** Change the list schema component's declaration.

**LSX-00230: invalid integer "~S"**

**Cause:** Illegal characters exist in the "integer" or its derivative type declarations.

**Action:** Remove illegal characters.

**LSX-00231: invalid unsigned integer "~S"**

**Cause:** Illegal characters exist in the "unsignedLong", "unsignedInt", "unsignedShort", or "unsignedByte" declarations.

**Action:** Remove illegal characters.

**LSX-00232: invalid unsigned long "~S"**

**Cause:** Illegal characters exist in the "unsignedLong" declaration.

**Action:** Remove illegal characters.

**LSX-00233: invalid long "~S"**

**Cause:** Illegal characters exist in the "long" declaration.

**Action:** Remove illegal characters.

**LSX-00234: invalid decimal "~S"**

**Cause:** Illegal characters exist in the "decimal" declaration.

**Action:** Remove illegal characters.

---

**LSX-00235: invalid URI "~S"**

**Cause:** Invalid URI specification for data of "anyURI" type.

**Action:** Remove illegal characters.

**LSX-00237: invalid Name "~S"**

**Cause:** Invalid XML name.

**Action:** Remove illegal characters.

**LSX-00238: invalid Nmtoken "~S"**

**Cause:** Invalid Nmtoken.

**Action:** Remove illegal characters.

**LSX-00240: bad float "~S"**

**Cause:** Invalid value for "float" type data.

**Action:** Remove illegal characters.

**LSX-00241: bad double "~S"**

**Cause:** Invalid value for "double" type data.

**Action:** Remove illegal characters.

**LSX-00242: bad Boolean "~S"**

**Cause:** Boolean data must have a value from the following set: "1", "0", "true", or "false".

**Action:** Specify one of "1", "0", "true", or "false".

**LSX-00243: invalid date "~S"**

**Cause:** Invalid value for data of "date" type.

**Action:** Remove illegal characters.

**LSX-00244: invalid NCName "~S"**

**Cause:** Invalid value for data of "NCName" type.

**Action:** Remove illegal characters.

**LSX-00245: invalid ID "~S"**

**Cause:** Data specified is not of "NCName" type.

**Action:** Remove illegal characters.

**LSX-00246: invalid QName "~S"**

**Cause:** Invalid value for data of "QName" type.

**Action:** Remove illegal characters.

**LSX-00247: invalid language specification "~S"**

**Cause:** Invalid value for data of "language" type.

**Action:** Remove illegal characters.

**LSX-00248: invalid duration "~S"**

**Cause:** Invalid value for data of "duration" type.

**Action:** Remove illegal characters.

**LSX-00249: invalid date or time "~S"**

---

**Cause:** Invalid value for data of "dateTime", "time", "gYearMonth", "gYear", "gMonthDay", "gDay", or "gMonth" type.

**Action:** Remove illegal characters.

**LSX-00250: invalid normalizedString "~S"**

**Cause:** Invalid value for data of "normalizedString" type.

**Action:** Remove illegal characters.

**LSX-00251: invalid token "~S"**

**Cause:** Invalid value for data of "token" type.

**Action:** Remove illegal characters.

**LSX-00252: invalid union "~S"**

**Cause:** Data of simple type is not one of the union type.

**Action:** Use one of the union type as its type.

**LSX-00253: branch is empty**

**Cause:** The pattern specification "branch1 | branch2" has either "branch1" or "branch2" missing.

**Action:** Remove "|" or add either "branch1" or "branch2".

**LSX-00255: mismatched parentheses**

**Cause:** ")" found without a matching "(" in a pattern specification.

**Action:** Add "(" to the pattern specification.

**LSX-00256: empty character class expression**

**Cause:** "[]" found when processing a character class expression.

**Action:** Specify the character group within the brackets.

**LSX-00257: atom specification is missing**

**Cause:** A quantifier was found without an atom specification.

**Action:** Add an atom specification in front of the quantifier.

**LSX-00258: invalid escape character**

**Cause:** "x" in "\x" is not a valid escape character.

**Action:** Change "x" to a valid escape character.

**LSX-00259: invalid character found in the pattern**

**Cause:** An unexpected character was found in the pattern.

**Action:** Fix the pattern.

**LSX-00260: unexpected end of pattern**

**Cause:** Something is missing at the end of the pattern.

**Action:** Fix the pattern.

**LSX-00261: invalid character property**

**Cause:** An error occurred when processing the character property. For example, "{" is missing after "\p" or "\P".

**Action:** Fix the character property.

**LSX-00262: attribute "~1S" cannot have complex type "~2S"**

---

**Cause:** The type of the attribute is "complex".

**Action:** Specify the type of the attribute to be "simple".

**LSX-00263: undefined attribute "~S"**

**Cause:** Violating attribute is not defined in the current scope.

**Action:** Correct the attribute name if it's misspelled.

**LSX-00264: attribute "~S" is prohibited (may not occur)**

**Cause:** Global declarations cannot contain the attributes "ref", "minOccurs", or "maxOccurs", or the use of this attribute is explicitly declared as "prohibited" by the schema.

**Action:** Remove the attribute.

**LSX-00265: attribute "~1S" value "~2S" is wrong (must be "~3S")**

**Cause:** Attribute has a value other than its fixed value.

**Action:** Use fixed value as its value.

**LSX-00266: missing required attribute "~S"**

**Cause:** A required attribute is missing.

**Action:** Add the required attribute.

**LSX-00270: hex-encoded binary has odd length**

**Cause:** Data of "hexBinary" type has odd number of digits.

**Action:** Add missing digits as appropriate.

**LSX-00271: invalid character "~c" in hex-encoded binary**

**Cause:** Data of "hexBinary" type has invalid characters.

**Action:** Remove illegal characters.

**LSX-00272: BASE64-encoded binary grouped improperly (not 4's)**

**Cause:** Number of digits is not a multiple of four.

**Action:** Add missing digits as appropriate.

**LSX-00273: invalid character "~c" in base64-encoded binary**

**Cause:** Data of "base64Binary" type has invalid characters.

**Action:** Remove illegal characters.

**LSX-00274: invalid padding in base64-encoded binary**

**Cause:** Invalid padding characters at the end of data.

**Action:** Use "=" as the padding characters.

**LSX-00280: duplicate ID "~S"**

**Cause:** ID name is not unique within the schema scope.

**Action:** Rename the ID.

**LSX-00281: referenced ID "~S" is not defined**

**Cause:** Referenced ID name is not defined within the schema scope.

**Action:** Define the ID.

**LSX-00282: duplicate notation name "~S"**

**Cause:** The name of the "notation" element is not unique within the schema scope.

---

**Action:** Rename the element.

**LSX-00283: referenced notation "~S" is not defined**

**Cause:** Referenced notation name is not defined within the schema scope.

**Action:** Define the element.

**LSX-00284: duplicate constraint name "~S"**

**Cause:** Each constraint declaration has a name which exists in a single symbol space for constraints.

**Action:** Choose a different name.

**LSX-00285: referenced key "~S" is not defined**

**Cause:** Referenced key name is not defined within the schema scope.

**Action:** Define the key.

**LSX-00286: duplicate key "~S" for {"~S"}~S"**

**Cause:** The key value was not unique within its scope.

**Action:** Change the key value.

**LSX-00287: duplicate key "~S"**

**Cause:** The key value was not unique within its scope.

**Action:** Change the key value.

**LSX-00290: invalid enumeration choice "~S"**

**Cause:** The value of the data is not one of the enumeration choice.

**Action:** Select one of the enumeration choice as its value.

**LSX-00291: value "~1S" is less than minimum "~2S" (~3S)**

**Cause:** Data has a value less than required minimum.

**Action:** Increase the value.

**LSX-00292: value "~1S" is greater than maximum "~2S" (~3S)**

**Cause:** Data has a value greater than maximum.

**Action:** Decrease the value.

**LSX-00293: missing one or more fields from element "~S"**

**Cause:** The required fields were missing from the content of the element.

**Action:** Add the fields.

**LSX-00294: field "~S" produced multiple hits**

**Cause:** XPath expressions relative to each element selected by a {selector} are specified by {fields}. These XPath expressions must identify a single node (element or attribute) whose content or value was used in the constraint. This content or value must be of a simple type.

**Action:** Remove duplicate elements or attributes.

**LSX-00295: field element "~S" is not a simple type**

**Cause:** The field element evaluated to a node-set with a member that was not a simple type.

**Action:** Change the field element's type.

**LSX-00300: group must have name or ref but not both**

---

**Cause:** "ref" or "name" attributes are either both missing or have both been specified.

**Action:** Specify either "ref", "name", but not both.

**LSX-00310: local element or attribute should be namespace qualified**

**Cause:** Element or attribute name is not namespace qualified.

**Action:** Add prefix or default namespace URI declaration.

**LSX-00311: local element or attribute shouldn't be namespace qualified**

**Cause:** Element or attribute name is namespace qualified.

**Action:** Remove prefix or default namespace URI declaration from itself or ancestors.

**LSX-00320: missing required elements in <all>**

**Cause:** Some required elements in "all" particle are missing.

**Action:** Add the missing elements.

**LSX-00330: missing range start character**

**Cause:** Missing range start character in a character range specification.

**Action:** Add the missing characters.

**LSX-00331: missing comma**

**Cause:** A comma is missing in a range specification.

**Action:** Add the missing characters.

**LSX-00332: bad decimal digits in a quantifier specification**

**Cause:** Quantifier has invalid characters.

**Action:** Remove illegal characters.

**LSX-00333: literal "~S" is not valid with respect to the pattern**

**Cause:** Literal is not valid with respect to the pattern.

**Action:** Choose correct characters in the literal.

**LSX-00340: improper namespace value for the imported element**

**Cause:** If the namespace attribute is present, then its actual value must not match the actual value of the enclosing schema's targetNamespace attribute. If the namespace attribute is not present, then the enclosing schema must have a targetNamespace attribute.

**Action:** Match namespace value.

**LSX-00341: ENTITY or ENTITIES type may only be used in attributes**

**Cause:** For compatibility, ENTITY or ENTITIES should be used only on attributes.

**Action:** Remove the ENTITY or ENTITIES.

**LSX-00342: value of attribute "base" must be a complex type definition**

**Cause:** If the "complexContent" alternative is chosen, then the type definition resolved to by the actual value of the attribute "base" must be a complex type definition.

**Action:** Choose a complex type definition as its base type.

**LSX-00343: "~S" is not nillable**

**Cause:** Attribute nillable was set to be "false" in element's declaration.

---

**Action:** Remove attribute xsi:nil from the instance document.

**LSX-00344: namespace values "~1S" and "~2S" differ**

**Cause:** The targetNamespace specified in the schema document differed from either: a) the value of the enclosing schema's namespace attribute, or b) the value of the namespace attribute identified in the import element information item.

**Action:** Match the namespace value to the enclosing schema's targetNamespace attribute or the actual value of the namespace attribute identified in the import element information item.

---

---

## PGA-20900 to PGA-22014

**PGA-20900: unable to obtain *number* bytes of storage for *string***

**Cause:** Memory shortage in the gateway server process.

**Action:** Ensure your system has enough available memory to support the number of concurrent users you are running.

**PGA-20901: internal gateway error: *string***

**Cause:** Internal error in the gateway server process.

**Action:** Reproduce the error with debugging enabled to produce a log file. Supported customers should contact Oracle Worldwide Support for assistance.

**PGA-20905: invalid conversation id: no active conversations were found**

**Cause:** There were no APPC conversations active for the user.

**Action:** Check that the application is not calling the PL/SQL TIP routines out of sequence.

**PGA-20906: invalid conversation id: no matching conversation was found**

**Cause:** The conversation id received from the caller is not a valid active conversation id.

**Action:** Check that the application is not calling the PL/SQL TIP routines out of sequence.

**PGA-20907: preceding error occurred during gateway *string* processing**

**Cause:** An error occurred processing the Oracle function <func>. This message is preceded by additional messages providing more detailed information about the error.

**Action:** Refer to the messages preceding this one to determine the course of action to take.

**PGA-20910: communication error: CPI-C *string* failed, rc = *number*, errno = *number***

**Cause:** An unexpected communication error occurred while executing the specified CPI-C function <func>. The CPI-C function return code <rc> and system error number <errno> are provided in the message text. The CPI-C function return codes and system error numbers are described in the vendor documentation.

**Action:** Determine the cause of the communications error, correct it, and rerun the transaction.

**PGA-20911: update transaction is already active with TP *string* at LU *string***

---

**Cause:** Transaction <tpname> has already been started at LU <luname> by a PGAINIT call with synclevel set to 1 or 2. Only one transaction at synclevel 1 or 2 is allowed at any given time.

**Action:** The new transaction is not started. Change your application to start the second update transaction after the first one has completed, or to use a different gateway database link for the second update transaction.

**PGA-20912: send and receive buffer lengths cannot both be zero**

**Cause:** Both the send and receive buffer lengths passed to PGAXFER were zero. This is invalid.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20914: send buffer length of *number* exceeds actual send buffer size of *number***

**Cause:** The send buffer length <len> passed to PGAXFER was larger than the actual size <size> of the send buffer passed to PGAXFER.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20915: receive buffer length of *number* exceeds the maximum of *number***

**Cause:** The receive buffer length <len> passed to PGAXFER was larger than the maximum allowed length <max>.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20916: send count is *number* but only *number* send lengths were specified**

**Cause:** The first value <count> in the send lengths array passed to PGAXFER specified more elements than the send lengths array contained. Only <num> elements were found in the array.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20917: receive count is *number* but only *number* receive lengths were specified**

**Cause:** The first value <count> in the receive lengths array passed to PGAXFER specified more elements than the receive lengths array contained. Only <num> elements were found in the array.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

---

**PGA-20918: send length number *number* is *number* but only *number* bytes are left in the buffer**

**Cause:** The length <len> specified in send lengths array element number <num> exceeded the number of bytes <bytes> of data remaining in the send buffer.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20919: receive length number *number* is *number* but only *number* bytes are left in the buffer**

**Cause:** The length <len> specified in receive lengths array element number <num> exceeded the number of bytes <bytes> of space remaining in the receive buffer.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20920: unexpected request-to-send received**

**Cause:** The remote transaction program requested to send data when the gateway was still sending data.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20921: buffer overflow on receive: requested *number* bytes, received *number* bytes**

**Cause:** The remote transaction program sent <len> bytes of data when the gateway was expecting to receive only <num> bytes.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20922: no data available to receive: *number* bytes were requested**

**Cause:** The remote transaction program has either requested to receive or deallocated the conversation, but the gateway is still expecting to receive more data.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

**PGA-20923: unexpected status, *number* (*string*), received after *string***

---

**Cause:** An unexpected status code <stat> was received from the remote transaction program following the CPI-C <func> call. The descriptive name of the status code is <desc>. <func> is the CPI-C function receiving the status.

**Action:** This is usually a problem with the remote transaction program or a network problem. The status codes for each CPI-C function call are documented in the platform-specific SNA software documentation for your system. Refer to the "System Requirements" chapter of the Oracle Database Gateway for APPC Installation and Configuration Guide for your platform for titles of SNA software documentation.

**PGA-20924: unable to enter send state for deallocate, state = *number (string)***

**Cause:** The gateway was unable to enter send state to perform a normal deallocation. The conversation state is <state>, and its descriptive name is <desc>. The conversation states are documented in the /usr/include/cmc.h header file.

**Action:** This is usually a problem with the remote transaction program or a problem with the network. Check the remote system for diagnostic information. The gateway will perform an abnormal deallocation after this error has been encountered.

**PGA-20925: missing LU/TP/MODE name parameter and no side info profile specified**

**Cause:** PGAINIT was called with no Side Information profile name specified but the LU name, TP name, and MODE name parameters were not all filled in with non-blank values.

**Action:** Check the PGDL used to define the transaction program to PGAU to ensure that either a valid Side Information profile name is specified (SIDEPROFILE keyword), or that the LU name, TP name, and Mode name (LUNAME, TPNAME, LOGMODE keywords) are all specified with valid values. If no Side Information profile is specified, the LU name, TP name, and Mode name parameters are all required.

**PGA-20926: userid *string* length of *number* is invalid; maximum length is *number***

**Cause:** The userid <uid> is too long (<len>) to be used with APPC conversation security. The maximum allowable length for the userid is <max> characters. This can occur only when the gateway initialization parameter PGA\_SECURITY\_TYPE is set to either SAME or PROGRAM.

**Action:** The userid must be changed to a shorter value on both the client system and the system where the remote transaction program is being executed. This restriction is imposed by SNA and APPC, not by the gateway.

**PGA-20927: password length of *number* is invalid; maximum length is *number***

**Cause:** The password is too long (<len>) to be used with APPC conversation security. The maximum allowable length for the password is <max> characters. This can occur only when the gateway initialization parameter PGA\_SECURITY\_TYPE is set to PROGRAM.

**Action:** The password must be changed to a shorter value on both the client system and the system where the remote transaction program is being executed. This restriction is imposed by SNA and APPC, not by the gateway.

**PGA-20928: cannot open parameter file *string***

**Cause:** The gateway cannot locate or open the file specified.

**Action:** Make sure that the file exists in a location expected by the gateway and can be opened.

---

**PGA-20930: invalid SYNCLEVEL, *number*, specified; valid range is *number:number***

**Cause:** The synclevel, <sync>, passed to PGAINIT is not a valid value. This value is specified by the SYNCLEVEL keyword in the DEFINE TRANSACTION statement used to define the transaction to PGAU.

**Action:** The value for SYNCLEVEL must fall within the range <min>:<max>. Correct the value specified in the DEFINE TRANSACTION statement for the SYNCLEVEL keyword, and regenerate the PL/SQL TIP using PGAU.

**PGA-20931: send buffer length of *number* exceeds the maximum of *number***

**Cause:** The send buffer length, <len>, passed to PGAXFER was larger than the maximum allowed, <max>.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU do not define any data items larger than the maximum size allowed by APPC. Correct the data item(s) in error and regenerate the PL/SQL TIP using PGAU.

**PGA-20932: invalid function code, *string*, passed to *pgatctl***

**Cause:** The function code, <func>, passed to the PGATCTL function was invalid.

**Action:** Correct the function code in the PL/SQL procedure, recompile it, and retry the operation.

**PGA-20933: invalid value specified by initialization parameter *string=string***

**Cause:** The keyword parameter <keyword>=<value> specifies an invalid value.

**Action:** Refer to the Oracle Database Gateway for APPC, Installation and Configuration Guide, documenting gateway initialization parameters for the keyword and correct the error.

**PGA-20934: side information profile *string* not defined; cannot establish conversation**

**Cause:** The Side Information profile <profile> is not defined to the SNA software. Either the profile name was misspelled, or no profile has been defined.

**Action:** Correct the profile name if it was misspelled, or have the profile defined to the SNA software if it was not already defined.

**PGA-20935: synclevel *number* is not allowed when *PGA\_CAPABILITY=string***

**Cause:** The synclevel parameter <sync> passed to PGAINIT was incompatible with the setting of the PGA\_CAPABILITY gateway initialization parameter, <cap>.

**Action:** If the synclevel passed to PGAINIT is correct, then the gateway initialization parameter PGA\_CAPABILITY must be changed to allow the desired synclevel to be supported. If the synclevel is not correct, the TIP should be changed to specify the correct sync- level in the call to PGAINIT. If the TIP was generated by PGAU, the SYNCLEVEL keyword of the DEFINE TRANSACTION statement should be changed to specify the correct synclevel and the TIP should be regenerated. The table below shows which synclevels are valid with each PGA\_CAPABILITY setting. PGA\_CAPABILITY Value SYNCLEVELs Allowed

-----	READ_ONLY	0	SINGLE_SITE	0, 1	COMMIT_
CONFIRM	0, 1				

**PGA-20936: send buffer length is *number* but no send lengths were specified**

**Cause:** The send buffer length passed to PGAXFER was <len>, but the send lengths array was either null or contained a send count of zero.

---

**Action:** Check that the PGDL or COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions.

**PGA-20937: receive buffer length is *number* but no receive lengths were specified**

**Cause:** The receive buffer length passed to PGAXFER was <len>, but the receive lengths array was either null or contained a receive count of zero.

**Action:** Check that the PGDL or COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions.

**PGA-20938: send lengths array too small (*number*) to contain a valid send count**

**Cause:** The send lengths array passed to PGAXFER was too small to contain a valid send item count. The actual length of the send lengths array was <len>. The minimum length of the send lengths array is 4 bytes.

**Action:** If the TIP was generated by PGAU, ensure that it was not modified incorrectly. If the TIP was not modified, supported customers should contact Oracle Worldwide Support for assistance. If the TIP was modified or was not generated by PGAU, correct the send lengths array passed to PGAXFER.

**PGA-20939: receive lengths array too small (*number*) to contain a valid receive count**

**Cause:** The receive lengths array passed to PGAXFER was too small to contain a valid receive item count. The actual length of the receive lengths array was <len>. The minimum length of the receive lengths array is 4 bytes.

**Action:** If the TIP was generated by PGAU, ensure that it was not modified incorrectly. If the TIP was not modified, supported customers should contact Oracle Worldwide Support for assistance. If the TIP was modified or was not generated by PGAU, correct the receive lengths array passed to PGAXFER.

**PGA-20945: unable to log on to Oracle for transaction logging**

**Cause:** The gateway server was unable to connect to the Oracle server where the transaction log table is stored. An Oracle server message will follow this message.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. If the protocol is SNA: also check the PGA\_LOG\_DB, PGA\_LOG\_USER, and PGA\_LOG\_PASS parameters in the gateway init file and ensure that they specify the correct database string, userid, and password, respectively. If the protocol is TCP/IP: also check the PGA\_TCP\_DB, PGA\_TCP\_USER, and PGA\_LOG\_PASS parameters in the gateway init file and ensure that they specify the correct database string, userid, and password, respectively. Refer to the Oracle Server Messages and Codes Manual for information on the Oracle server message.

**PGA-20947: unable to bind variable *string* for transaction logging**

**Cause:** The gateway server was unable to bind variable <var> for use in performing transaction logging functions. An Oracle server message will follow this message.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also check the PGA\_LOG\_DB, PGA\_LOG\_USER, and PGA\_LOG\_PASS parameters in the gateway init file and ensure that they specify the correct database string, userid, and password, respectively. Refer to the Oracle Server Messages and Codes Manual for information on the Oracle server message.

**PGA-20948: unable to prepare the statement for transaction logging**

---

**Cause:** The gateway server was unable to prepare the statement to be used to call the transaction logging PL/SQL stored procedure. An Oracle server message will follow this message.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also check the PGA\_LOG\_DB, PGA\_LOG\_USER, and PGA\_LOG\_PASS parameters in the gateway init file and ensure that they specify the correct database string, userid, and password, respectively. Verify that the transaction logging PL/SQL procedure has been properly installed into the Oracle server under the userid and password specified by PGA\_LOG\_USER and PGA\_LOG\_PASS and that it is executable. Refer to the Oracle Server Messages and Codes Manual for information on the Oracle server message.

**PGA-20949: unable to define variable *string* for transaction recovery**

**Cause:** The gateway server was unable to define variable <var> to be used in accessing the transaction log table during recovery processing. An Oracle server message will follow this message.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also check the PGA\_LOG\_DB, PGA\_LOG\_USER, and PGA\_LOG\_PASS parameters in the gateway init file and ensure that they specify the correct database string, userid, and password, respectively. Refer to the Oracle Server Messages and Codes Manual for information on the Oracle server message.

**PGA-20950: unable to perform *string* on transaction log**

**Cause:** The gateway server was unable to insert, update, or delete a pending transaction row in the transaction log table. An Oracle server message will follow this message.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also check the PGA\_LOG\_DB, PGA\_LOG\_USER, and PGA\_LOG\_PASS parameters in the gateway init file and ensure that they specify the correct database string, userid, and password, respectively. Verify that the transaction logging PL/SQL stored procedure and the transaction log table have been properly installed into the Oracle server under the userid and password specified by PGA\_LOG\_USER and PGA\_LOG\_PASS. Refer to the Oracle Server Message and Codes Manual for information on the Oracle server message.

**PGA-20960: missing *string* parameter, required when PGA\_CAPABILITY=*string***

**Cause:** The PGA\_CAPABILITY parameter specified <cap>, but another required parameter, <parm>, was omitted.

**Action:** Add the missing parameter to the gateway initialization file. Refer to Appendix A, "Gateway Initialization Parameters", in the Oracle Database Gateway for APPC Installation and Configuration Guide for information on required parameters.

**PGA-20961: synclevel 1 conversations not allowed when PGA\_CAPABILITY=2\_PHASE**

**Cause:** A conversation was requested at synclevel 1. The gateway init file specified PGA\_CAPABILITY=2\_PHASE. When 2-phase commit is enabled, synclevel 1 conversations are not supported, since they are not protected by 2-phase processing.

**Action:** Either use synclevel 2 for the conversation (if the remote transaction program supports it) or use a different gateway SID for this conversation.

**PGA-20962: synclevel 2 conversations not currently allowed**

---

**Cause:** A conversation was requested at synclevel 2, but the SNA software allocated the conversation at synclevel 0 or 1. This means that the SNA software is not configured to support synclevel 2, or has no RRM enabled.

**Action:** Correct the SNA software configuration to support synclevel 2 and to enable RRN processing.

**PGA-20963: side profile *string* specifies the wrong local LU name (*string*)**

**Cause:** The Side Information profile <profile> specified for this conversation has a local LU name <lu> that is different from the local LU name specified by the PGA\_LOCAL\_LU gateway initialization parameter.

**Action:** This message will be accompanied by message PGA-20984, which provides the local LU name that was specified by the PGA\_LOCAL\_LU gateway initialization parameter. The Side Information profile must be changed to use the same local LU name.

**PGA-20964: local LU name specified by PGA\_LOCAL\_LU is *string***

**Cause:** Message PGA-20963 was issued. This message always follows.

**Action:** See message PGA-20963.

**PGA-20965: syncpoint error: expecting *string* PS header, received *string***

**Cause:** During the processing of a 2-phase commit, an incorrect response was received from the remote transaction program following a syncpoint control command. The response received was <rcv> and not a <pstype> PS header as expected.

**Action:** This is an error in the remote transaction program or the remote OLTP. Check the remote system for error messages from the OLTP. Contact the system administrator for the remote system to assist in problem determination.

**PGA-20966: syncpoint error: sent *string*, expecting *string*, received *string***

**Cause:** During the processing of a 2-phase commit, an incorrect response <resp> was received from the remote transaction program following a syncpoint control command <psh>. The expected response was <exp>.

**Action:** This is an error in the remote transaction program or the remote OLTP. Check the remote system for error messages from the OLTP. Contact the system administrator for the remote system to assist in problem determination.

**PGA-20967: 2-phase commit recovery attempted, DBA action required**

**Cause:** The recovery process of the Oracle integrating server has connected to the gateway to perform recovery. However, the gateway cannot perform automatic recovery for this transaction due to unknown heuristic action taken by the target OLTP.

**Action:** The DBA must attempt to manually resolve the in-doubt transaction. Detailed information on how to proceed is contained in Chapter 8 of the Oracle Database Gateway for APPC Installation and Configuration Guide, in the section titled "Manual Recovery of In-Doubt Transactions".

**PGA-20995: communication error: "*string*" failed, rc = *number*, errno = *number***

**Cause:** An unexpected communications error occurred while executing the AIX SNA Server API <func> function. The function return code is <rc> and the system error number is <errno>. The AIX SNA Server LU6.2 API function return codes and system error numbers are described in the vendor documentation. The SNA system error numbers can also be found in the /usr/include/luxsna.h header file on AIX systems.

---

**Action:** Determine the cause of the communications error, correct it, and rerun the transaction. If you need assistance, contact your system administrator.

**PGA-20999: SIGDANGER received from system - all conversations deallocated**

**Cause:** The system sent a SIGDANGER signal to the server, indicating that there is a shortage of paging space. All currently active conversations are deallocated abnormally.

**Action:** Contact your system administrator.

**PGA-21001: internal error: *string***

**Cause:** Internal error in the gateway RRM process.

**Action:** Reproduce the error with tracing enabled to produce a trace file. Supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21002: unable to obtain *number* bytes of memory for *string***

**Cause:** Memory shortage in the gateway RRM process. A request failed to allocate <bytes> of memory for the <usage> area.

**Action:** Ensure your system has enough available memory to support the RRM.

**PGA-21003: memory allocation error in *lxinit***

**Cause:** Memory shortage in the gateway RRM process.

**Action:** Ensure your system has enough available memory to support the RRM.

**PGA-21004: invalid *string* specified by NLS\_LANG**

**Cause:** The <comp> component of the NLS\_LANG environment variable was not valid. The component can be the language, territory, or character set.

**Action:** Correct the invalid component and restart the RRM process.

**PGA-21005: no message file found for language "*string*"**

**Cause:** There was no message file available for the language <lang> specified by the NLS\_LANG environment variable.

**Action:** Refer to Appendix J, National Language Support, for a list of message file languages supported by the RRM. If the language required is supported, ensure that the ORACLE\_HOME environment variable specifies the gateway's home directory and that the message files are properly installed.

**PGA-21006: RRM initialization failed**

**Cause:** The initialization of the gateway RRM process failed.

**Action:** This message is sent to the system log as an ALERT message when the initialization of the RRM failed before it could initialize the message facility or before it could determine the local LU name for which it was started.

**PGA-21010: missing fully-qualified local LU name argument**

**Cause:** The fully-qualified local LU name was not passed as the first argument to the pg4arrm program on the command line.

**Action:** The fully-qualified local LU name must be specified as the first argument to the pg4arrm program. Reenter the command line with the fully-qualified local LU name specified.

**PGA-21011: invalid network name length (*number*), valid range is *number:number***

**Cause:** The network name portion of the fully-qualified local LU name specified as the first argument to the pg4arrm program is the wrong length (<len>).

---

**Action:** The valid range of lengths for the network name is given in the message text by <min>:<max>. Reenter the command line with a valid network name specified in the fully-qualified local LU name.

**PGA-21012: invalid LU name length (*number*), valid range is *number:number***

**Cause:** The LU name portion of the fully-qualified local LU name specified as the first argument to the pg4arm program is the wrong length (<len>).

**Action:** The valid range of lengths for the LU name is given in the message text by <min>:<max>. Reenter the command line with a valid LU name specified in the fully-qualified local LU name.

**PGA-21013: missing period(.) in fully-qualified local LU name**

**Cause:** There is no period (.) in the fully-qualified local LU name specified as the first argument to the pg4arm program.

**Action:** A fully-qualified local LU name must contain a network name and an LU name, separated by a period (.). Reenter the command line with a valid fully-qualified local LU name specified.

**PGA-21014: invalid character(s) found in network name "*string*"**

**Cause:** One or more invalid characters were found in the network name portion <net> of the fully-qualified local LU name.

**Action:** The network name must begin with an upper-case alphabetic character or one of the national characters \$, #, or @. Subsequent characters can be upper-case alphabetic, national, or numeric. Reenter the command line with a valid network name specified in the fully-qualified local LU name.

**PGA-21015: invalid character(s) found in LU name "*string*"**

**Cause:** One or more invalid characters were found in the LU name portion <lu> of the fully-qualified local LU name.

**Action:** The LU name must begin with an upper-case alphabetic character or one of the national characters \$, #, or @. Subsequent characters can be upper-case alphabetic, national, or numeric. Reenter the command line with a valid network name specified in the fully-qualified local LU name.

**PGA-21016: RRM initialization failed for LU *string***

**Cause:** The initialization of the gateway RRM process for local LU <lu> failed.

**Action:** This message is sent to the system log as an ALERT message when the initialization of the RRM failed for the local LU.

**PGA-21017: RRM already active for LU *string***

**Cause:** The RRM has already been started for the local LU <lu>. A second RRM cannot be started for the same local LU.

**Action:** Determine whether the RRM is still active and functioning. If it is not, then it may have terminated without cleaning up. On AIX systems, the /tmp/o/e<luname> file may still exist. This will prevent a new RRM from being started. If you have verified that the original RRM is no longer running, you can delete the file to allow a new copy of the RRM to be started.

**PGA-21020: error creating path object for init file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the init file.

---

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21021: error creating name object for init file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the init file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21022: error creating file object for init file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the init file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21023: error opening init file *string***

**Cause:** An error occurred opening the init file <ifn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21024: error reading init file *string***

**Cause:** An error occurred reading the init file <ifn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21025: error closing init file *string***

**Cause:** An error occurred opening the init file <ifn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21030: invalid keyword in line *number***

**Cause:** An invalid keyword was encountered in the init file in line number <line>.

**Action:** Correct the invalid line in the init file and restart the RRM process.

**PGA-21031: length of *string* value (*number*) not within valid range (*number:number*)**

**Cause:** The length <len> of the value specified in the init file by the keyword <key> is not within the valid range <min>:<max>.

**Action:** Correct the invalid keyword value in the init file and restart the RRM process.

**PGA-21032: invalid value specified by *stringstring***

**Cause:** The value <val> specified in the init file by the keyword <key> is invalid.

**Action:** Correct the invalid keyword value in the init file and restart the RRM process.

**PGA-21033: error(s) found in init file**

---

**Cause:** One or more errors were found in the init file during RRM initialization. The RRM process has terminated.

**Action:** Correct all init file errors and restart the RRM process.

**PGA-21034: too many errors in init file, cannot continue**

**Cause:** The init file contained more errors than the RRM initialization code could process.

**Action:** Correct all errors that have been processed so far, and restart the RRM process. Any additional errors will then be processed. This error is received only when the init file contains a very large number of invalid lines.

**PGA-21035: value of *string (number)* not within valid range (*number:number*)**

**Cause:** The value <val> specified in the init file by the keyword <key> is not within the valid range <min>:<max>.

**Action:** Correct the invalid keyword value in the init file and restart the RRM process.

**PGA-21040: error creating path object for log file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the log file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21041: error creating name object for log file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the log file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21042: error creating file object for log file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the log file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21043: error opening log file *string***

**Cause:** An error occurred opening the log file <lfn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21044: error writing to log file *string***

**Cause:** An error occurred writing to the log file <lfn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21045: error closing log file *string***

**Cause:** An error occurred closing the log file <lfn>.

---

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21046: logging switched to system log due to error on log file**

**Cause:** An error occurred writing to the log file, and logging as been switched to the system log facility for the remainder of this RRM execution.

**Action:** Correct the problem that caused the error on the log file, so that the next restart of the RRM will be able to write to the log file. A common cause for this message is unavailable disk space for the file.

**PGA-21050: error creating path object for trace file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the trace file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21051: error creating name object for trace file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the trace file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21052: error creating file object for trace file**

**Cause:** A memory shortage occurred while creating an internal control block for accessing the trace file.

**Action:** Ensure that sufficient memory is available to the RRM process. If the problem persists, supported customers should contact Oracle Worldwide Support for assistance.

**PGA-21053: error opening trace file *string***

**Cause:** An error occurred opening the trace file <tfn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21054: error writing to trace file *string***

**Cause:** An error occurred writing to the trace file <tfn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21055: error closing trace file *string***

**Cause:** An error occurred closing the trace file <tfn>.

**Action:** This message will be followed by an OS-specific message displaying the error information. Use that information to determine the cause of the error and correct it. Then restart the RRM process.

**PGA-21056: tracing suspended due to error on trace file**

**Cause:** An error occurred writing to the trace file, and tracing has been suspended for the remainder of this RRM execution.

---

**Action:** Correct the problem that caused the error on the trace file, so that the next restart of the RRM will be able to write to the trace file. A common cause for this message is unavailable disk space for the file.

**PGA-21060: system errno = *number***

**Cause:** The system error number was <errno> following a failure in a file operation.

**Action:** The system error codes are documented in the header file /usr/include/errno.h. Determine the cause of the file error and correct it.

**PGA-21100: RRM initializing for local LU *string***

**Cause:** The RRM is initializing for the local LU <llu>.

**Action:** Informational message.

**PGA-21101: initialization parameters read from *string***

**Cause:** Init parameters were read from the file <ifn>.

**Action:** Informational message.

**PGA-21102: log messages written to *string***

**Cause:** Log messages will be written to the file <lfm>.

**Action:** Informational message.

**PGA-21103: trace information written to *string***

**Cause:** Trace information will be written to the file <tfn>.

**Action:** Informational message.

**PGA-21104: trace level currently set to *number***

**Cause:** The trace level specified by the TRACE\_LEVEL parameter is <trc>.

**Action:** Informational message.

**PGA-21105: startup for local LU *string* is warm**

**Cause:** The RRM is warm-starting for the local LU <llu>. The RRM will attempt to restore all LU6.2 log states from the RRM LU6.2 log as it existed at the last RRM shutdown.

**Action:** Informational message.

**PGA-21106: warm start complete for local LU *string***

**Cause:** The RRM has warm-started for the local LU <llu>. This means that all state information for the local LU and partner LUs with which the RRM has previously communicated was restored from the RRM LU6.2 log as it existed at the last RRM shutdown.

**Action:** Informational message.

**PGA-21107: startup for local LU *string* is cold**

**Cause:** The RRM is cold-starting for the local LU <llu>. The RRM will not retain any LU6.2 log states from the previous execution.

**Action:** Informational message.

**PGA-21108: cold start complete for local LU *string***

**Cause:** The RRM has cold-started for the local LU <llu>. The RRM has a new local LU6.2 log name and all LU6.2 log names for partner LUs have been erased.

**Action:** Informational message.

---

**PGA-21109: local log name is x'*string*'**

**Cause:** The local LU's LU6.2 log name is <llog>. Since the log name is not necessarily a printable string, it is listed as a hexadecimal string.

**Action:** Informational message.

**PGA-21110: XLN received from partner LU *string***

**Cause:** An Exchange Log Names (XLN) GDS variable has been received from the RRM at the partner LU <plu>. This is the first thing that occurs when communication is established with a partner LU for the first time since either the local RRM or the partner RRM was last started.

**Action:** Informational message.

**PGA-21111: partner log name is x'*string*'**

**Cause:** The partner LU's LU6.2 log name is <plog>. Since the log name is not necessarily a printable string, it is listed as a hexadecimal string.

**Action:** Informational message.

**PGA-21112: creating new log entry for partner LU *string***

**Cause:** The RRM is creating an entry in its LU6.2 log for the partner LU <plu>. This happens only the first time that the partner LU's RRM contacts the local RRM since the last cold start of the local RRM.

**Action:** Informational message.

**PGA-21113: warm starting for partner LU *string***

**Cause:** The RRM is warm starting for the partner LU <plu>. This happens when the partner LU's RRM is warm starting and is contacting the local RRM for the first time since the local RRM was started.

**Action:** Informational message.

**PGA-21114: cold starting for partner LU *string***

**Cause:** The RRM is cold starting for the partner LU <plu>. This happens when the partner LU's RRM is cold starting and is contacting the local RRM for the first time since the local RRM was started.

**Action:** Informational message.

**PGA-21115: shutdown request received**

**Cause:** A shutdown request has been received by the RRM.

**Action:** Informational message.

**PGA-21116: RRM termination complete for local LU *string***

**Cause:** The RRM has terminated for the local LU <llu>.

**Action:** Informational message.

**PGA-21200: connect to Oracle Server as *string* failed**

**Cause:** The RRM was unable to connect as user <user> to the Oracle server where its LU6.2 log information is stored. An Oracle server message will follow this message.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also check the LOG\_DB, LOG\_USER, and LOG\_PASS parameters in the RRM init file and ensure that they specify the correct database string, userid, and password, respectively.

---

**PGA-21201: error selecting PGA\_2PC\_LUS row for local LU string**

**Cause:** The RRM was unable to read its local LU6.2 log entry. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21202: error updating PGA\_2PC\_LUS row for local LU string**

**Cause:** The RRM was unable to update its local LU6.2 log entry during warm start processing. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21203: error inserting PGA\_2PC\_LUS rows for local LU string**

**Cause:** The RRM was unable to create its local LU6.2 log entry during cold start processing. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started again.

**PGA-21204: error deleting PGA\_2PC\_PENDING rows for local LU string**

**Cause:** The RRM was unable to delete the pending transaction entries from its local LU6.2 log during cold start processing. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_PENDING table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started again.

**PGA-21205: error deleting PGA\_2PC\_LUS rows for partner LUs**

**Cause:** The RRM was unable to delete the partner LU entries from its local LU6.2 log during cold start processing. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started again.

**PGA-21206: error selecting PGA\_2PC\_LUS row for partner LU string**

**Cause:** The RRM was unable to read its local LU6.2 log entry for the partner LU. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

---

**PGA-21207: error inserting PGA\_2PC\_LUS row for partner LU *string***

**Cause:** The RRM was unable to create a local LU6.2 log entry for the partner LU. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21208: error updating PGA\_2PC\_LUS row for partner LU *string***

**Cause:** The RRM was unable to update its local LU6.2 log entry for the partner LU. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21209: error selecting PGA\_2PC\_PENDING rows for partner LU *string***

**Cause:** The RRM was unable to read the pending transaction entries from its LU6.2 log for the partner LU <plu>. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_PENDING table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21210: unable to open connection with SNA services**

**Cause:** The RRM was unable to initialize its connection with the SNA software for LU6.2 communications. An OS-specific error message precedes this message.

**Action:** Check the error information in the OS-specific error message to determine the cause of the problem, and take corrective action. Once the problem has been corrected, restart the RRM.

**PGA-21211: unable to allocate LU6.2 listen for RRM TP**

**Cause:** The RRM was unable to allocate an LU6.2 listen with the SNA software for LU6.2 communications. An OS-specific error message precedes this message.

**Action:** Check the error information in the OS-specific error message to determine the cause of the problem, and take corrective action. Once the problem has been corrected, restart the RRM.

**PGA-21212: incorrect data received from partner LU *string***

**Cause:** A partner LU has sent incorrect data in its initial communication with the local RRM. The first data received should be an Exchange Log Names (XLN) GDS variable, but was not.

**Action:** This error indicates that there is a problem on the partner LU side of the connection. Corrective action must be taken by the system administrator for that LU.

**PGA-21213: received x'*string*'**

**Cause:** This message follows message PGA-00208, and dumps out the first 32 bytes of the data received from the partner LU.

---

**Action:** If the data in this message is not sufficient for determination of the problem at the partner LU, use SNA traces on either side of the connection to gather more detailed information, or use the TRACE\_LEVEL parameter in the RRM init file to enable SNA data tracing to the trace file.

**PGA-21214: incorrect service flag in XLN**

**Cause:** The service flag in the Exchange Log Names (XLN) GDS variable received from the partner LU's RRM is not correct. The XLN is expected to have the REQUEST flag set.

**Action:** This error indicates that there is a problem on the partner LU side of the connection. Corrective action must be taken by the system administrator for that LU.

**PGA-21215: partner log name mismatch on warm start**

**Cause:** The Exchange Log Names (XLN) GDS variable received from the partner LU's RRM contains an LU6.2 log name that is different from that known by the local LU's RRM.

**Action:** This can happen if the partner LU was cold started and later warm started, all between the times the local LU's RRM was last shut down and warm started. The local LU's RRM is not aware that the partner LU was cold started, and therefore assumes that the partner LU's RRM is using the wrong LU6.2 log name. Verify that this is what happened, and if so, the local LU's RRM can be forced to accept the new LU6.2 log name from the partner LU's RRM by deleting the local RRM's LU6.2 log entry for the partner LU, and then forcing the partner LU to reinitiate the connection to the local LU. For further information on recovery from this error, refer to "RRM Recovery" in Chapter 12, "2-Phase Commit".

**PGA-21216: last stored log name x"string"**

**Cause:** This message always follows message PGA-00213, and lists the last partner LU LU6.2 log name <plog> saved by the local LU's RRM.

**Action:** The log name in the message may be of use to the system administrator for the partner LU in determining the cause for the log name mismatch.

**PGA-21217: partner sent log name x"string"**

**Cause:** This message always follows message PGA-00214, and lists the LU6.2 log name <plog> sent by the partner LU's RRM in the warm start Exchange Log Names (XLN) GDS variable.

**Action:** The log name in the message may be of use to the system administrator for the partner LU in determining the cause for the log name mismatch.

**PGA-21218: cold start for partner LU *string* rejected, *number* pending transactions exist**

**Cause:** A cold start was requested by the partner LU's RRM, but the local RRM determined that there are still unresolved pending transactions for that LU in the local RRM's LU6.2 log.

**Action:** If the pending transactions have been resolved, then they must be manually deleted from the local RRM's LU6.2 log before the partner LU's cold start request will be accepted. If the pending transactions have not been resolved, then they must be resolved and then manually deleted from the local RRM's LU6.2 log before the partner LU's cold start request will be accepted.

**PGA-21219: recovery action by DBA required for local LU *string***

**Cause:** A condition has occurred which requires action by the DBA. This message is also sent to the system log as an alert message.

---

**Action:** The DBA should examine the RRM log file to determine what action to take. The messages in the log file show what event has occurred that makes DBA action necessary, and their descriptions in this appendix provide the DBA with a course of action. For further information on recovery, refer to "RRM Recovery" in Chapter 8, "Implementing Two-Phase Commit", of the Oracle Database Gateway for APPC Installation and Configuration Guide.

**PGA-21220: logging error limit (*number*) exceeded, RRM shutting down for LU *string***

**Cause:** The limit of <lim> Oracle errors while accessing the RRM's local LU6.2 log tables has exceeded. The RRM for the local LU <llu> is shutting down.

**Action:** The DBA should examine the RRM log file to determine what action to take. The messages in the log file will show what Oracle errors have occurred, and the DBA should take whatever corrective action is required.

**PGA-21221: commit failed during cold start of local LU *string***

**Cause:** The RRM was unable to commit updates to its local log during a cold start of local LU <llu>. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21222: commit failed during warm start of local LU *string***

**Cause:** The RRM was unable to commit updates to its local log during a warm start of local LU <llu>. An Oracle server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21223: commit failed during first-time processing for partner LU *string***

**Cause:** The RRM was unable to commit updates to its local log during a first-time processing for partner LU <plu>. An Oracle Server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21224: commit failed during cold start of partner LU *string***

**Cause:** The RRM was unable to commit updates to its local log during a cold start of partner LU <plu>. An Oracle Server message will follow this message, and contains information on the Oracle error.

**Action:** Ensure that the Oracle server and its TNS listener are both operational. Also ensure that the PGA\_2PC\_LUS table exists and has not been altered or updated manually. If the table has been tampered with, it may need to be reinitialized and the RRM cold started.

**PGA-21300: received no data when expecting data**

**Cause:** The RRM was expecting to receive data from a partner RRM, but received none.

---

**Action:** This error indicates that there may be a problem on the partner LU side of the connection. Corrective action must be taken by the system administrator for that LU.

**PGA-21301: invalid control received: *string***

**Cause:** The RRM received an invalid control flag <control> from a partner RRM.

**Action:** This error indicates that there may be a problem on the partner LU side of the connection. Corrective action must be taken by the system administrator for that LU.

**PGA-21400: ORACLE\_HOME environment variable not set**

**Cause:** The ORACLE\_HOME environment variable was not set before the RRM was started.

**Action:** The ORACLE\_HOME environment variable must be set to the gateway's ORACLE\_HOME directory before the RRM is started.

**PGA-21401: ORACLE\_HOME environment variable set to null string**

**Cause:** The ORACLE\_HOME environment variable was set to a null value.

**Action:** The ORACLE\_HOME environment variable must be set to the gateway's ORACLE\_HOME directory before the RRM is started.

**PGA-21402: error opening file *string*, fopen errno = *number***

**Cause:** An error occurred opening the RRM enqueue file <fn> for writing. The error number from fopen is <errno>.

**Action:** Use the <errno> value to determine the cause of the problem and correct it before restarting the RRM.

**PGA-21403: error writing to file *string*, fputs errno = *number***

**Cause:** An error occurred writing to the RRM enqueue file <fn>. The error number from fputs is <errno>.

**Action:** Use the <errno> value to determine the cause of the problem and correct it before restarting the RRM.

**PGA-21404: error closing file *string*, fclose errno = *number***

**Cause:** An error occurred closing the RRM enqueue file <fn>. The error number from fclose is <errno>.

**Action:** Use the <errno> value to determine the cause of the problem and correct it before restarting the RRM.

**PGA-21405: error deleting file *string*, remove errno = *number***

**Cause:** An error occurred deleting the RRM enqueue file <fn> during shutdown. The error number from remove is <errno>.

**Action:** Use the <errno> value to determine the cause of the problem and correct it before restarting the RRM. The file <fn> must be manually deleted before attempting to start the RRM.

**PGA-21450: communication error: "*string*" failed, errno = *number***

**Cause:** The AIX SNA function <func> failed with a system error number of <errno>.

**Action:** The AIX SNA error codes are documented in the IBM manual AIX SNA Server: Diagnosis Guide and Messages. Use this manual to determine the cause of the problem and correct it. AIX SNA system error numbers are also documented in the /usr/include/luxsna.h header file on AIX systems.

---

**PGA-21451: SNA Server is shutting down**

**Cause:** SNA Server is being shut down and sent a SIGUSR1 to the RRM.

**Action:** The RRM must terminate when this occurs. Contact the system administrator to determine the cause of the SNA Server shutdown. Restart the RRM after SNA Server has been restarted.

**PGA-22001: remote host name is null.**

**Cause:** TCP/IP protocol has returned "null" for the remote host name.

**Action:** Verify the remote host name via the pg4tcpmap tool and re-execute your PL/SQL statement. If the problem cannot be resolved, supported customers should contact Oracle Support Services.

**PGA-22002: communication error: TCP/IP string failed, rc = number**

**Cause:** The function <func> has failed with the return code of <rc>.

**Action:** If the problem cannot be resolved, the supported customers should contact Oracle Support Services for assistance.

**PGA-22003: communication error: TCP/IP string failed, rc = number, for, string**

**Cause:** An unexpected communications error occurred while executing the specified TCP/IP function <func>. The TCP/IP function return code is <rc> and the function <func> parameter is <parm>.

**Action:** If the problem cannot be resolved, the supported customers should contact Oracle Support Services for assistance.

**PGA-22004: length of the total message value (number) not within valid range (number:number)**

**Cause:** The length <len> for the value is not within the valid range <min>:<max>.

**Action:** If the problem cannot be resolved, the supported customers should contact Oracle Support Services for assistance.

**PGA-22005: invalid socket file descriptor: no active conversations were found**

**Cause:** There were no TCP/IP conversations active for the user.

**Action:** Check that the application is not calling the PL/SQL TIP routines out of sequence.

**PGA-22006: Parameter string is not specified.**

**Cause:** Parameter <parm> is missing from the gateway initialization file.

**Action:** Add the missing parameter to the gateway initialization file. Refer to the Oracle Database Gateway Installation and Configuration Guide for the required initialization parameters for gateways using TCP/IP.

**PGA-22007: user ID string length of number is invalid; maximum length is number**

**Cause:** The user id <uid> is too long <len> to be used. The maximum allowable length for the user ID is <max> characters.

**Action:** The user id must be changed to a shorter value for OCI logon to the table PGA\_TCP\_IMSC. Refer to the Oracle Database Gateway Installation and Configuration Guide for the required gateway initialization parameters for gateways using TCP/IP.

**PGA-22008: password length of number is invalid; maximum length is number**

**Cause:** The password is too long <len> to be used. The maximum allowable length for the password is <max> characters.

---

**Action:** The password must be changed to a shorter value for OCI logon to the table PGA\_TCP\_IMSC. Refer to the Oracle Database Gateway Installation and Configuration Guide for the required gateway initialization parameters for gateways using TCP/IP.

**PGA-22009: database name *string* length of *number* is invalid; maximum length is *number***

**Cause:** The database name <db name> is too long <len> to be used. The maximum allowable length for the database name is <max> characters.

**Action:** The database name must be changed to a shorter value for OCI logon to the table PGA\_TCP\_IMSC. Refer to the Oracle Database Gateway Installation and Configuration Guide for the required gateway initialization parameters for gateways using TCP/IP.

**PGA-22010: userid *string* length of *number* is invalid; maximum length is *number***

**Cause:** The userid <uid> is too long (<len>) to be used with TCP/IP RACF conversation security. This can occur only when the gateway initialization parameter PGA\_SECURITY\_TYPE is set to either SAME or PROGRAM.

**Action:** The userid must be changed to a shorter value on both the client system and the system where the remote transaction program is being executed. The maximum allowable length for the userid is <max> characters. This restriction is imposed by RACF, not by the gateway.

**PGA-22011: password length of *number* is invalid; maximum length is *number***

**Cause:** The password is too long (<len>) to be used with TCP/IP RACF conversation security. This can occur only when the gateway initialization parameter PGA\_SECURITY\_TYPE is set to PROGRAM.

**Action:** The password must be changed to a shorter value on both the client system and the system where the remote transaction program is being executed. The maximum allowable length for the password is <max> characters. This restriction is imposed by RACF, not by the gateway.

**PGA-22012: IMS Connect error: return code = *string*, reason code = *string***

**Cause:** An unexpected IMS Connect error occurred while executing the "recv" function. The return code <rc> and reason code <rsc> are provided in the message text. For more information, look at the OLTP SDSF log and IMS Connect error message which starts with HWS. The messages are documented in the IBM IMS Connect Guide and Reference manual.

**Action:** Determine the cause of the error, correct it, and rerun the transaction.

**PGA-22014: Transaction code length of *number* exceeds the maximum of *number***

**Cause:** The transaction code length <len> passed to PGAINIT or PGAINIT\_SEC was larger than the maximum allowed length <max>.

**Action:** Check that the PGDL and COBOL record descriptions used to define the transaction to PGAU are in sync with the transaction program and that the PL/SQL TIP was generated by PGAU using the correct definitions. If modifications have been made to the generated PL/SQL code, check that they are correct.

---

---

## PGU-00100 to PGU-50101

**PGU-00100: invalid SPOOL file name**

**Cause:** When using the SPOOL command, you specified the name of a file that already exists.

**Action:** Specify a valid name for a file that does not currently exist.

**PGU-00101: extraneous text at end of command**

**Cause:** There were unrecognized commands or other text on the command line.

**Action:** Check the syntax of the command, then issue the command again.

**PGU-00106: invalid ECHO switch**

**Cause:** An invalid option for the SET ECHO command was specified.

**Action:** Use either ON or OFF as an option for the SET ECHO command.

**PGU-00107: invalid TERMOUT switch**

**Cause:** An invalid option for the SET TERMOUT command was specified.

**Action:** Use either ON or OFF as an option for the SET TERMOUT command.

**PGU-00108: invalid TIMING switch**

**Cause:** An invalid option for the SET TIMING command was specified.

**Action:** Use either ON or OFF as an option for the SET TIMING command.

**PGU-00110: illegal SET option**

**Cause:** An invalid option for the SET command was specified.

**Action:** Check the syntax of the SET command and issue the command again.

**PGU-00111: illegal SHOW option**

**Cause:** An invalid option for the SHOW command was specified.

**Action:** Check the syntax of the SHOW command and issue the command again.

**PGU-00115: unexpected end of command**

**Cause:** An option was specified without the required arguments.

**Action:** Check the syntax of the command and enter the command again with the appropriate arguments for options that require values.

**PGU-00120: invalid STOPONERROR switch**

**Cause:** An invalid options switch was specified for the SET STOPONERROR command.

---

**Action:** Use either ON or OFF as an option for the SET STOPONERROR command.

**PGU-00122: invalid SET numeric parameter**

**Cause:** A character or an invalid value was specified when a number was expected as a value for a SET command option.

**Action:** Check the syntax of the command, use an appropriate number for the option, and enter the command again.

**PGU-00125: integer value overflow**

**Cause:** A numeric value was specified that was too large.

**Action:** Use a smaller number.

**PGU-00129: value out of range (1 - number)**

**Cause:** The specified value was out of range. The valid range is given by the error message.

**Action:** Use a number within the range specified by this message.

**PGU-00132: null hostname/password specified**

**Cause:** The hostname/password was not specified.

**Action:** Specify the correct hostname/password.

**PGU-00136: bad variable specification**

**Cause:** A variable was incorrectly specified using the VARIABLE command.

**Action:** Check the syntax of the command, then issue the command again.

**PGU-00137: syntax error in PL/SQL Block**

**Cause:** The PL/SQL block contains a syntax error.

**Action:** Correct the syntax error.

**PGU-00142: cannot recognize object type, owner or name**

**Cause:** The specified object type, owner, or name was not recognized.

**Action:** Specify a legal object type, owner, or name.

**PGU-00143: variable has not been defined**

**Cause:** The specified variable was not recognized.

**Action:** Specify an existing variable.

**PGU-00144: invalid object type for DESCRIBE**

**Cause:** The specified object type was not TABLE, VIEW, or PROCEDURE.

**Action:** Check that the object is a table, view, or procedure. If so, check that you specified the correct name and try again. If not, you describe the object.

**PGU-00145: invalid object name for DESCRIBE**

**Cause:** The specified table, view, stored procedure, or function was not recognized.

**Action:** Check the spelling and be sure to specify an existing table, view, stored procedure, or function.

**PGU-00149: invalid SERVEROUTPUT switch**

**Cause:** An invalid option was specified for the SET SERVEROUTPUT command.

**Action:** Check the syntax of the command, then issue the command again.

---

**PGU-00300: internal error code; arguments: [number], [string]**

**Cause:** You have encountered an internal error.

**Action:** Supported customers should contact Oracle Worldwide Support and provide the circumstances leading to the error and the complete set of messages.

**PGU-00302: not connected to a database**

**Cause:** You must be connected to the database for the requested operation.

**Action:** CONNECT to the database using a valid username and password before retrying the operation.

**PGU-00304: input file I/O error [number] - input aborted**

**Cause:** A command file used as input to PGAU is corrupt or invalid.

**Action:** Check the file before retrying the operation.

**PGU-00305: command size exceeds internal buffer size (number)**

**Cause:** The SQL statement size exceeds PGAU's buffer size.

**Action:** Shorten the SQL statement by removing extra blanks or by using intermediate statements as views, if necessary.

**PGU-00306: monitor cycle interval time out of range (1 - number)**

**Cause:** You entered an invalid number for the cycle interval.

**Action:** Enter a number between 1 and 3600 for the cycle interval. The number indicates seconds.

**PGU-00307: cannot open spool file string**

**Cause:** PGAU tried to open a spool file after you entered SPOOL filename, but could not open the file. Possible causes are not enough disk space or inadequate privileges to create a file.

**Action:** Determine why PGAU could not create a new file and retry.

**PGU-00308: no spool file opened**

**Cause:** You entered SPOOL OFF, but you were not spooling currently so there was no file to close.

**Action:** If you wish to capture session output, first use the SPOOL command to open a file, and then enter your commands before closing the file with SPOOL OFF.

**PGU-00309: cannot close spool file string**

**Cause:** SPOOL OFF could not close the currently open spool file.

**Action:** Check for an operating system reason that the spool file could not be closed.

**PGU-00310: cannot open parameter file string**

**Cause:** PGAU cannot locate or open the file specified by the PFILE option, either because the file does not exist or because PGAU has insufficient privilege to open the file.

**Action:** Make sure that the file exists in a location expected by PGAU and can be opened.

**PGU-00311: data exceeds internal buffer size**

**Cause:** The results returned by a SQL query exceed the internal PGAU buffer.

**Action:** Use the SET command to increase MAXDATA or decrease ARRAYSIZE.

---

**PGU-00314: invalid parameter given on PGAU command line**

**Cause:** An unrecognized parameter was given on the PGAU command line.

**Action:** Check the parameters given on the PGAU command line.

**PGU-00315: cannot open command file *string***

**Cause:** PGAU cannot locate the specified command file.

**Action:** Verify the file's name and PGAU's access to it before retrying.

**PGU-00317: version of tool conflicts with version [*string*] of DATA**

**Cause:** This version of the PGAU tool cannot process the DATA in the database.

**Action:** You are attempting to use a tool that might cause damage to the current database. If the version of DATA is greater than the version of the tool, then you are using the wrong version of the tool. If the version of the tool is greater than the version of the DATA, check to see if there is an ORACLE-supplied SQL script to update the DATA to the correct version level.

**PGU-00318: PGAU command line error [*number*]**

**Cause:** You made a syntax or typing error while entering a PGAU command line.

**Action:** Check the syntax and try again.

**PGU-00319: cannot locate pgau configuration file, *string***

**Cause:** File mentioned cannot be located.

**Action:** Make sure that the specified file exists before re-running PGAU.

**PGU-00320: cannot open pgau configuration file, *string***

**Cause:** File mentioned cannot be opened.

**Action:** Make sure that the specified file is available for use by PGAU.

**PGU-00322: total size of command line parameters exceeds buffer size**

**Cause:** You entered too many command line arguments and the PGAU buffer was exceeded.

**Action:** Reduce the number of command line arguments.

**PGU-00325: pfile too large**

**Cause:** The file you specified using PFILE is too large (exceeds 8K).

**Action:** Reduce the size of the parameter file before specifying it again with PFILE.

**PGU-00327: command not available in this mode**

**Cause:** You have specified a command that is not available in this mode.

**Action:** Do not specify the command.

**PGU-00328: insufficient privilege for this display**

**Cause:** You attempted to display a MONITOR display without sufficient privileges.

**Action:** Contact the DBA to obtain the required privileges.

**PGU-00331: cannot allocate enough memory for SQL Buffer**

**Cause:** There is not enough memory for the current SQL buffer.

**Action:** Use the SET command to reduce MAXDATA.

**PGU-00337: missing instance name**

---

**Cause:** The instance name was not specified in the connect statement.

**Action:** Use "connect username/password@instance" or "connect username/password".

**PGU-00341: "string" is an undefined bind variable**

**Cause:** The SQL statement refers to an undefined bind variable.

**Action:** Use the VARIABLE statement to define the bind variable and re-execute the query.

**PGU-00347: no offline tablespaces exist**

**Cause:** The list box of set tablespace online contained 0 elements.

**Action:** No action is required.

**PGU-00359: monitor already active**

**Cause:** An instantiation of this monitor is already active.

**Action:** Cycle through windows until this monitor becomes visible.

**PGU-00360: object to be described does not exist**

**Cause:** The object in a DESCRIBE FUNCTION/PROCEDURE/PACKAGE statement does not exist.

**Action:** check that the object name and owner are correct and that the object exists.

**PGU-00361: error during describe**

**Cause:** An unexpected error occurred during a describe.

**Action:** Check the following error and correct the problem.

**PGU-00362: object *string* is a package; use "DESCRIBE <package>.<procedure>"**

**Cause:** The named object is a package. DESCRIBE does not currently describe an entire package specification.

**Action:** Describe the package specification, as indicated in the message text.

**PGU-00363: procedure or function *string* not found in the package**

**Cause:** The named package does not contain the procedure or function specified.

**Action:** Specify a procedure or function within the package.

**PGU-00364: object *string* is a remote object, cannot further describe**

**Cause:** The specified object name contains a database link, or is a synonym that resolves to a name with a database link. Such objects cannot currently be described.

**Action:** Specify a local object.

**PGU-00365: object *string* is invalid, it may not be described**

**Cause:** The object must have been successfully compiled.

**Action:** Fix any errors in the object and recompile.

**PGU-00366: name *string* is malformed, it must be of form [[a.]b.]c@dblink**

**Cause:** The name may have at most 3 parts and a dblink.

**Action:** Use a well-formed object name.

**PGU-00370: mandatory field/list needs to be filled in**

**Cause:** You tried to execute the dialog before filling in all required items.

---

**Action:** Fill in all required items and retry.

**PGU-00371: cannot open/locate input help file, *string***

**Cause:** You pressed the Help Key or chose an item from the Help Menu.

**Action:** Put the help file in the location specified.

**PGU-00372: cannot open/locate input index file, *string***

**Cause:** You pressed the Help Key or chose an item from the Help Menu.

**Action:** Put the index help file in the location specified.

**PGU-00373: cannot allocate memory of size *number* from toolkit**

**Cause:** You pressed the Help Key or chose an item from the Help Menu.

**Action:** Exit PGAU and re-enter and try again.

**PGU-00374: could not set file position in *string* directly**

**Cause:** You pressed the Help Key or chose an item from the Help Menu.

**Action:** The fseek() routine failed. Alternate chosen - no action is necessary.

**PGU-00375: unexpected end of file, *string***

**Cause:** You pressed the Help Key or chose an item from the Help Menu.

**Action:** Exit PGAU and install the correct help file.

**PGU-00376: mandatory field has to be filled in before navigation is possible**

**Cause:** Attempted to navigate to the next/previous item.

**Action:** Fill in current field and then go to the next/previous item.

**PGU-00377: mandatory list item has to be selected before navigation is possible**

**Cause:** Attempted to navigate to the next/previous item.

**Action:** Select an item and then go to the next/previous item.

**PGU-00378: an item has to be selected before help can be sought for it**

**Cause:** Attempted to obtain help before selecting an item.

**Action:** Select an item first and re-execute.

**PGU-00379: variable(s) not defined**

**Cause:** Attempted SHOW VAR[IBLES] [var-name] and the variable was not defined, or no variables were specified or defined.

**Action:** Ensure the variables are correctly defined.

**PGU-00380: procedural option required for this statement**

**Cause:** Attempt to execute a statement that requires the Procedural option was made, but the Procedural option is not installed.

**Action:** This statement cannot be issued without the Procedural option. Install the Procedural option to execute this statement.

**PGU-00381: error in the SERVEROUTPUT option**

**Cause:** Most likely the package DBMS\_OUTPUT not installed. Check the accompanying messages for more information.

**Action:** Check accompanying messages and take appropriate action.

**PGU-00382: value *string* is not a recognizable file name for *string***

---

**Cause:** The value for the PGAU initialization variable (which points to the initialization file) is not a recognizable file name.

**Action:** Specify a valid file name or do not define the variable to avoid running the initialization file.

**PGU-00383: file name *string* pointed to by *string* could not be opened**

**Cause:** The file name pointed to by the PGAU initialization variable could not be opened.

**Action:** Specify an available file or do not define the variable to avoid running the initialization file.

**PGU-00384: could not open pgau resource file, *string***

**Cause:** The specified file could not be opened.

**Action:** Make the file available to PGAU.

**PGU-00385: could not locate pgau resource file, *string***

**Cause:** The specified file could not be located.

**Action:** Make sure file exists before rerunning PGAU.

**PGU-00386: could not open toolkit resource file, *string***

**Cause:** The specified file could not be opened.

**Action:** Make the file available to PGAU.

**PGU-00387: could not locate toolkit resource file, *string***

**Cause:** The specified file could not be located.

**Action:** Make sure file exists before rerunning PGAU.

**PGU-00388: cannot start PGAU in screen mode; check if values are legal:**

**Cause:** A variable was not properly set.

**Action:** Check the values listed by PGAU to see if they are correct.

**PGU-00389: toolkit resource file name is defined to *string***

**Cause:** The specified file could not be located.

**Action:** Ensure the file specified exists and can be accessed.

**PGU-00390: terminal type *string* is defined by *string***

**Cause:** Terminal type specified by <variable> may not be valid.

**Action:** Ensure the terminal specification is correct.

**PGU-00391: value *string* is defined to *string*; legal values: *string* or *string***

**Cause:** The PGAU mode has been incorrectly defined.

**Action:** Define the value of the variable as one of the legal values.

**PGU-20000: *string* of *string* statement failed for table *string*, rc=*number***

**Cause:** PGAU encountered a syntax error during parse operation <oper> of the statement <statement> for the table <table> with the indicated return code <rc>.

**Action:** Check the PGAU statement identifier names for proper spelling and punctuation, or other syntax errors.

**PGU-20001: *string* of *string* variable of *string* statement failed for table *string*, rc=*number***

---

**Cause:** The operation <oper> on the variable <varname> for the statement <statement> against the PG DD table <table> failed with return code <rc>.

**Action:** A semantic error has occurred. Check all the identifier names in the PGAU script.

**PGU-20002: unable to login to Oracle**

**Cause:** An error occurred attempting to logon to the Oracle server. Syntax checking only continues with the next statement.

**Action:** Ensure that the Oracle server containing the PG DD is operational.

**PGU-20003: unable to open the cursor**

**Cause:** Internal PGAU logic error - should not occur. An error occurred opening an SQL statement cursor. Syntax checking only continues with the next statement.

**Action:** Ensure that the Oracle server containing the PG DD is operational. Otherwise, reproduce the error with symptom documentation. Supported Customers should contact Oracle World Wide Support for assistance.

**PGU-20004: unable to close the cursor**

**Cause:** Internal PGAU logic error - should not occur. An error occurred closing an SQL statement cursor. Syntax checking only continues with the next statement.

**Action:** Ensure that the Oracle server containing the PG DD is operational. Otherwise, reproduce the error with symptom documentation. Supported Customers should contact Oracle World Wide Support for assistance.

**PGU-20005: unable to commit PG DD changes**

**Cause:** Internal PGAU logic error - should not occur. An error occurred attempting to commit changes to the PG DD. Syntax checking only continues with the next statement.

**Action:** Ensure that the Oracle server containing the PG DD is operational. Otherwise, reproduce the error with symptom documentation. Supported Customers should contact Oracle World Wide Support for assistance.

**PGU-20006: unable to logout from Oracle**

**Cause:** Internal PGAU logic error - should not occur. An error occurred during logoff from the Oracle server. Syntax checking only continues with the next statement.

**Action:** Ensure that the Oracle server containing the PG DD is operational. Otherwise, reproduce the error with symptom documentation. Supported Customers should contact Oracle World Wide Support for assistance.

**PGU-20007: unable to rollback PG DD changes**

**Cause:** Internal PGAU logic error - should not occur. An error occurred attempting to rollback changes from the PG DD. Syntax checking only continues with the next statement.

**Action:** Ensure that the Oracle server containing the PG DD is operational. Otherwise, reproduce the error with symptom documentation. Supported Customers should contact Oracle World Wide Support for assistance.

**PGU-30000: transaction *string*, version *string* specification generated to file *string***

**Cause:** PGAU successfully completed generation of the TIP specification for transaction <tranname> and version <version> into file <fileid>.

**Action:** None required. This is an informational message.

---

**PGU-30001: PGAU internal error - *string***

**Cause:** An internal PGAU operation error has occurred.

**Action:** Supported Customers should contact Oracle World Wide Support for assistance.

**PGU-30002: >>> Initialization of *string* File Header <<<**

**Cause:** This record is written to the Trace or Log file upon initialization.

**Action:** This is an informational message only.

**PGU-30003: transaction *string*, version *string* body generated to file *string***

**Cause:** PGAU successfully completed generation of the TIP body for transaction <traname> and version <version> into file <fileid>.

**Action:** None required. This is an informational message.

**PGU-30008: failure to open file *string***

**Cause:** Before complete initialization of LMS functions, PGAU tracing or logging to disks was requested, but PGAU failed to open the indicated trace or log file. <fileid>.

**Action:** Ensure that write access exists to the file and that space for file growth is available.

**PGU-30009: failure to close file *string***

**Cause:** After termination of LMS functions,PGAU tracing or or logging to disks had been requested, but PGAU failed to close the indicated trace or log file. <fileid>.

**Action:** Ensure that write access exists to the file and that space for file growth is available.

**PGU-30010: failure to obtain *string* bytes of storage for *string***

**Cause:** Before complete initialization of LMS functions, PGAU failed to obtain <bytes> of storage for <use>, commensurate with LMS initialization.

**Action:** Increase the total amount of private storage available to PGAU during operation.

**PGU-30012: invalid language environment (*string*), default used**

**Cause:** Before complete initialization of LMS functions, the environment variable LANGUAGE specified an invalid Oracle NLS language <lang>. The language environment variable SSTDLANG setting was used as the default.

**Action:** Correct the LANGUAGE environment variable to specify a valid Oracle NLS Language.

**PGU-30014: pgau message file *string* not found**

**Cause:** Before complete initialization of LMS functions, the PGAU message file <fileid> could not be located.

**Action:** Ensure that the Oracle message file resides in \$ORACLE\_HOME/pg4appc/mesg directory and is not damaged. Valid fileid"s are of the form pguxx.msb where xx is the country code.

**PGU-30024: memory allocate failure: *string* for *string* bytes**

**Cause:** Insufficient memory available. Storage failed to be allocated for the reason <purpose> of the size <len> specified.

---

**Action:** Increase the total amount of private storage available to PGAU during GENERATE operation.

**PGU-30026: open failure: file *string* in *string* mode**

**Cause:** Error during fopen processing <file> for <mode> access.

**Action:** Ensure PGAU has access to the file specified, and write access if file is used for output.

**PGU-30028: file *string* failure: *string* rc *string***

**Cause:** An error occurred during <oper> processing for the file <fileid> with return code <rc>. File operations include: "fclose" to close input or output files "remove" to erase, delete, or remove output files

**Action:** Ensure PGAU has access to the file specified, and write access if file is used for output.

**PGU-30030: read failure: *string* from *string* after offset *string***

**Cause:** Error during fgets <oper> processing for <file> at <offset> bytes into the file.

**Action:** Ensure PGAU has access to the file specified.

**PGU-30031: write failure: *string* to *string* at number for *string* bytes**

**Cause:** Error during fputs <oper> processing for <file> from buffer at <addr> for <len> bytes of data.

**Action:** Ensure PGAU has access to the file specified, and that disk space is available for file growth.

**PGU-30032: write log failure: rc %4li, message no was *string***

**Cause:** fprintf returned the error code <rc> attempting to print PGAU error message number <msgno>. The indicated event message was being written when the error occurred.

**Action:** Check to insure that PGAU has write access to the pgau.log file and that disk space is available for file growth.

**PGU-30033: write trace failure: rc %4li, message no was *string***

**Cause:** fprintf returned the error code <rc> attempting to print PGAU trace message number <msgno>. The indicated trace message was being written when the error occurred.

**Action:** Check to insure that PGAU has write access to the pgau.trc file and that disk space is available for file growth.

**PGU-30035: file control failure: *string* for *string*, rc *string***

**Cause:** Error during control function <oper> processing for <file> with error code <rc> returned.

**Action:** Ensure PGAU has access to the file specified, and that disk space is available for file growth.

**PGU-30036: no ORACLE\_HOME environment variable available**

**Cause:** The ORACLE\_HOME environment variable setting is missing or invalid.

**Action:** Correct the ORACLE\_HOME environment variable to specify the current Oracle home directory.

**PGU-30120: missing *string* attribute for parm *string*, field *string* f#*string***

---

**Cause:** The parameter <parm> specifies an aggregate data record for which field <field> with PG DD field id number <f#> was being processed, but the field had no relative level attribute <attr>. Typical relative level attributes are: nn ... COBOL-clauses for IBMVSCOBOLII "LEVEL" attribute Each attribute is stored as a separate row in the PG DD, and the missing attribute's row may have been deleted from the PG DD.

**Action:** Check the PG DD to ensure that the failing field has a level attribute assigned.

**PGU-30122: level limit: field f#=string nest level string exceeds string of string**

**Cause:** PGAU was processing nested records when the next field <f#> for nest level <lev> exceeded the product defined minimum or maximum nest level <limit>.

**Action:** Simplify the data record definition to reduce nest levels.

**PGU-30123: level limit: level string field string can't follow level string**

**Cause:** PGAU was processing nested records when the next field at level <levN>, identified by <fld#>, occurred after fields at current level <levC>. Additional fields at intermediate levels should have preceded this field. This error happens when special fields such as COBOL RENAMES (at LEVEL 66) appear next after the level 01 definition.

**Action:** Correct the data record definition to place the special fields in their proper sequence, and/or insert fields being modified ahead of the special modifying field.

**PGU-30220: allocate failure: string storage of string bytes**

**Cause:** Insufficient memory available for the specified purpose. Requestor attempted to allocate a <type> control block of <len> size specified.

**Action:** Increase the total amount of private storage available to PGAU during GENERATE operation.

**PGU-30233: control block load failure: string block from PG DD**

**Cause:** Control block of the specified <type> was being loaded with a row from the PG Data Dictionary when an error occurred. A preceding message issued specifies the cause.

**Action:** Refer to the Action for the preceding message.

**PGU-30234: attribute array for string exceeded by PG DD rows > string**

**Cause:** A control block of the specified <type> was being loaded with attribute rows from the PG Data Dictionary when the <limit> was exceeded.

**Action:** Reproduce the error with tracing enabled and attempt to determine what PG DD rows are exceeding the attribute limit and delete any possible duplicates. Supported Customers should contact Oracle World Wide Support for assistance.

**PGU-30300: work file output error writing string**

**Cause:** PGAU encountered an error writing a PL/SQL code segment to the indicated work file <fileid>.

**Action:** Ensure PGAU has access to the file specified, and that disk space is available for file growth.

**PGU-30301: TIP output error appending string to string**

**Cause:** PGAU encountered an error appending the work file <infile> to the TIP output file <outfile>.

---

**Action:** Ensure PGAU has access to both files specified, and that disk space is available for TIP output file growth.

**PGU-30302: TIP output error writing function *string* to file *string***

**Cause:** PGAU encountered an error appending the TIP function definition <func> to the work output file <file>. Error occurred during generation of the TIP Package Specification.

**Action:** Ensure PGAU has write access to the file specified, and that disk space is available for TIP output work file growth.

**PGU-30303: TIP generation error writing variable *string* to file *string***

**Cause:** PGAU encountered an error appending the TIP variable definition <var> to the work output file <file>. Error occurred during generation of the TIP Package Specification.

**Action:** Ensure PGAU has write access to the file specified, and that disk space is available for TIP output work file growth.

**PGU-30304: TIP generation warning: *string* name truncated to *string* characters**

**Cause:** This is a warning of possible non-unique PL/SQL names. PGAU encountered record field names which combined exceed the maximum PL/SQL name length, and the last field name specified <field> was truncated to the length <len>. The condition occurred during generation of the TIP Package Specification for parameter variables.

**Action:** Revise the PG DD entries for the defined parameters and either reduce the number of nested record levels or shorten the record field names.

**PGU-30305: TIP generation error defining record type *string* for *string***

**Cause:** An occurred during generation of a nested record type <type> for the indicated field name <name>. This message should be preceded by the specific error. Condition occurred during generation of the TIP Package Specification for parameter variables.

**Action:** Follow recommended action for the first error message issued.

**PGU-30306: TIP generation: invalid PL/SQL parameter mode *string* for *string***

**Cause:** The parameter call mode <mode> specified for the parameter <parm>. Valid parameter modes are IN, OUT or IN OUT. Probable PG DD content error.

**Action:** Revise the PG DD entries for the indicated parameter and correct the PL/SQL parameter call mode for the indicated parameter.

**PGU-30307: TIP generation: invalid PL/SQL variable type *string* for *string***

**Cause:** An invalid PL/SQL record type <type> was encountered while generating conversion statements for the data field <field>. The indicated <type> is neither valid PL/SQL nor a nested record type, for the indicated record field <field>. Probable PG DD content error.

**Action:** Revise the PG DD entries for the indicated parameter and either correct the PL/SQL variable type for the field, or define a corresponding nested record for the field.

**PGU-30308: TIP generation: name *string.string* exceeds max length of *string* characters**

**Cause:** The number of nested groups and lengths of their field names in the input data, when concatenated to form a fully qualified PL/SQL record field variable name <recname.varname>, exceeded the maximum length allowed by PL/SQL

---

<maxlen>. Condition occurred during generation of the TIP Package Specification for parameter variables.

**Action:** Revise the PG DD entries for the defined parameters and either reduce the number of nested record levels or shorten the record field names.

**PGU-30309: TIP generation: call *string* parm *string* exceeds PGAXFER *string* limit (*string*)**

**Cause:** The TIP function call <cname> at parm <pname> exchanges too many parameters for the <type> buffers on a PGAXFER RPC. The PGAXFER parameter limit is <limit>. The indicated <type> is either "SEND" or RECEIVE". Probable PGAU DEFINE CALL error, coding too many parameters. Note also that IN OUT mode parameters are present in both send and receive buffers and may be causing the excess.

**Action:** Revise the transaction and call to specify the excessive parameters on an additional function call and include that added call in the transaction definition.

**PGU-30314: TIP generation: failure converting record type *string* for *string***

**Cause:** An occurred during generation of PL/SQL statements for conversion of a nested record type <type> for the indicated field name <name>. This message should be preceded by the specific error. Condition occurred during generation of the TIP Package Specification for parameter variables.

**Action:** Follow recommended action for the first error message issued.

**PGU-30315: TIP generation: parameter conversion error for *string*, *string***

**Cause:** Failure to generate PL/SQL conversion statements for the indicated parameter data <dname> for function <call>. This message may be preceded by specific messages describing the error. Possible errors include disk access, invalid datatype, and/or missing nested record or field datatype definitions.

**Action:** Follow recommended action for the first error message issued, and ensure the PG DD entries for the indicated parameter are correct and that disk access is allowed to output work files.

**PGU-30316: TIP generation: PL/SQL *string* control logic for *string string***

**Cause:** Failure to generate PL/SQL statement <stmt> used to control TIP processing of the field <fname> for compiler clause <clause>. Typical IBMVSCOBOLII clauses are: OCCURS (requires FOR/LOOP logic) OCCURS DEPENDING ON (requires FOR/LOOP logic) REDEFINES (requires IF/END IF logic) This message may be preceded by specific messages describing the error. Possible errors include disk access, invalid datatype, and/or missing nested record or field datatype definitions.

**Action:** Follow recommended action for the first error message issued, and ensure the PG DD entries for the indicated parameter are correct and that disk access is allowed to output work files.

**PGU-30317: TIP generation: PL/SQL *string* statements for *string string***

**Cause:** Failure to generate PL/SQL control logic <stmt> to process TIP parameter <dataname> in function <callname>. This message may be preceded by specific messages describing the error. Possible errors include disk access, invalid datatype, and/or missing nested record or field datatype definitions.

**Action:** Follow recommended action for the first error message issued, and ensure the PG DD entries for the indicated parameter are correct and that disk access is allowed to output work files.

---

**PGU-30318: TIP generation: *string string*, PL/SQL *string* for *string***

**Cause:** Data field <d-field> <f#> was referenced by other fields which required PL/SQL statements <stmt> be generated for the value <num>, but an error occurred during the generation of the statements. This message may be preceded by specific messages describing the error. Possible errors include disk access and memory exceeded.

**Action:** Follow recommended action for the first error message issued, and ensure that disk access is allowed to output work files.

**PGU-30319: TIP generation: *string string***

**Cause:** TIP execution diagnostics for PG Data Dictionary References PKGEX(DR) was requested on the PGAU GENERATE statement, but the PG DD reference for <type> <id#> couldn't be generated. This message may be preceded by specific messages describing the error. Possible errors include disk access and memory exceeded.

**Action:** Follow recommended action for the first error message issued, and ensure that disk access is allowed to output work files.

**PGU-30600: TIP generation: *invalid COBOL syntax in string*:**

**Cause:** The COBOL data field <field> specifies conflicting or invalid PIC <mask> and USAGE <maskopts> clauses. The invalid PIC and USAGE definitions were selected from the PG DD to identify field conversion function calls. PGAU also issues messages 30601 for <mask> and 30602 for <maskopts> .

**Action:** Use the pgddsf.sql script to reproduce the selected rows and then correct the mask and maskopts columns for the stated field in the PG DD.

**PGU-30601: COBOL mask: *string***

**Cause:** Issued to identify <mask> for the preceding message.

**Action:** See preceding message.

**PGU-30602: COBOL maskopts: *string***

**Cause:** Issued to identify <maskopts> for the preceding message.

**Action:** See preceding message.

**PGU-30604: missing *string* attribute for *string***

**Cause:** A COBOL field <field> containing a clause of the form <syntax> required a missing attribute <attr> corresponding to <token>. PGAU issues messages 30603 and 30604 consecutively for <field>, <syntax>, <attr>, and <token>. Typical IBMVSCOBOLII required token attributes are: field OCCURS int-1 TIMES where "int-1" is the token for attribute "repgrpff" field OCCURS int-1 TO int-2 TIMES DEPENDING ON name-1 where "int-1" is the token for attribute "repgrpvf" "int-2" is the token for attribute "repgrpvl" "name-1" is the token for attribute "repgrpvm" field RENAMES name-1 THRU name-2 where "name-1" is the token for attribute "renamemf" "name-2" is the token for attribute "renameml" field REDEFINES name-1 WHEN name-2 = value where "name-1" is the token for attribute "remapsmf" "name-2" is the token for attribute "remapsml" "value" is the token for attribute "remapswc" or for attribute "remapswn" field LENGTH IS name-1 where "name-1" is the token for attribute "length" Each attribute is stored as a separate row in the PG DD, and the missing attribute's row may have been deleted from the PG DD.

**Action:** In the PG DD, redefine the referencing data item to restore the missing attribute row.

---

**PGU-30605: TIP generation: invalid COBOL syntax in unknown field:**

**Cause:** An unidentified COBOL field specifies conflicting or invalid PIC <mask> and USAGE <maskopts> clauses. The invalid PIC and USAGE definitions were selected from the PG DD to identify global TIP conversion variables. PGAU also issues messages 30601 for <mask> and 30602 for <maskopts> .

**Action:** Use the pgddsxf.sql script to reproduce the selected rows and then correct the mask and maskopts columns for the invalid row in the PG DD.

**PGU-30606: TIP generation: missing multi-byte NLS name for *string*:**

**Cause:** The COBOL data field <field> specifies character data in the the PIC <mask> and USAGE <maskopts> clauses which require translation with a multi-byte character set (MBCS), but no Oracle MBCS NLS name was specified. The MBCS-oriented PIC and USAGE definitions were selected from the PG DD to identify field conversion function calls. PGAU also issues messages 30601 for <mask> and 30602 for <maskopts> .

**Action:** Use the pgddsxa.sql script to reproduce the selected rows and then either correct the mask and maskopts columns for the stated field in the PG DD to not require MBCS translation, or use the PGAU REDEFINE DATA FIELD NLS\_ LANGUAGE(nlsname) parameter to specify an Oracle MBCS NLS name for the field, or specify the NLS\_MBCS(nlsname) parameter on the PGAU DEFINE TRANSACTION statement.

**PGU-30611: references missing field *string* specified for *string***

**Cause:** The data field <d-field> containing a clause of the form <syntax> references a missing field <r-field> specified by the clause word <token>. PGAU issues messages 30610 and 30611 consecutively for <d-field> <syntax> <r-field> and <token>. Typical IBMVSCOBOLII clause syntax for this error includes: d-field OCCURS int-1 TIMES d-field OCCURS int-1 TO int-2 TIMES DEPENDING ON name-1 d-field RENAMES name-1 THRU name-2 d-field REDEFINES name-1 WHEN name-2 = value d-field LENGTH IS name-1 The clause references a field <r-field> specified by the word <token>. PGAU GENERATE searched previous fields within the current parameter but failed to find the named field <r-field>. The word <token> may be misspelled in the defining clause or the referenced field whose name should match <token> may be missing from, or misspelled in the PG DD.

**Action:** In the PG DD, redefine the entry for <d-field> to change its clause <token> to specify the correct name of the intended field <r-field>, or redefine the data name of the intended field <r-field> to match the subsequent clause"s <token> reference. Also ensure the data field <d-field> containing the clause follows the intended field <r-field> in the data definition.

**PGU-30622: unable to insert *string* value for field *string***

**Cause:** During TIP generation, an attempt to insert a new attribute value for the <attr> attribute for the named field <fname> failed.

**Action:** Check for an Oracle error message preceding this message to determine the cause of the problem.

**PGU-30631: no alignment for environment *string string*, datatype *string string***

**Cause:** The data field <d-field> <f#> specified an attribute which specifies remote host boundary alignment. The PG DD environment tables were searched for alignment information for environment <ename> compiler <compno> datatype <dtype> datatype alignment group <dagno>, but no entries were found matching these characteristics. PGAU issues messages 30630 and 30631 consecutively for <d-field> <f#> and <ename> <compno> <dtype> <dagno>. PGAU requires the

---

alignment information to properly align the remote host data in the TIP transfer buffers. Supported: environment and compilers are; IBM370 for compiler IBMVSCOBOLII alignment attributes are; <d-field> ... PIC S9(n) <dtype> SYNC <d-field> ... PIC S9(n) <dtype> SYNCHRONIZE datatype values <dtype> may be; COMP COMPUTATIONAL COMP-4 COMPUTATIONAL-4 datatypes grouped under <dagno> by length/alignment: dagno = 1 for 2-byte length aligned on 2-byte boundary dagno = 2 for 4-byte length aligned on 4-byte boundary Possible causes are:

- The TRANSACTION entry in the PG DD for the TIP being generated may have specified an invalid ENVIRONMENT.
- The DATA entry in the PG DD being referenced in the TIP function call being generated may have specified an invalid LANGUAGE.
- The field datatype and/or length within the DATA entry may be invalid or unsupported.
- The PG DD may be unavailable, in which case previous error messages will indicate problems accessing the PG DD.

**Action:** In the PG DD, redefine the TRANSACTION or DATA entries to correct the specification of ENVIRONMENT, LANGUAGE or the field datatype and attributes. Ensure the Oracle server supporting the PG DD is active. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-30632: TIP generation: *string string, string ignored for string***

**Cause:** The data field <d-field> <f#> specified a modifying clause <clause> which is ignored for datatype <dtype> by the compiler in the remote host environment. For supported: environment and compilers; IBM370 for compiler IBMVSCOBOLII <clause> is ignored when <dtype> is; SYNC | SYNCHRONIZE COMP-3 | COMPUTATIONAL-3 SYNC | SYNCHRONIZE DISP | DISPLAY

**Action:** This is a warning message, PGAU execution continues. No action is necessary. The user may wish to ensure the resulting TIP data conversion is consistent with the remote host data format.

**PGU-30635: TIP generation: *string string, nested repeating group for string***

**Cause:** The data field <d-field> <f#> specified a repeating group clause <clause> while a previous repeating group is active. The repeating group in <d-field> cannot be nested within a previous repeating group. TIP's use PL/SQL tables to implement repeating groups, and PL/SQL tables are limited to a single key or subscript which cannot support nested repeating groups (a table of tables).

**Action:** Redefine the data such that the previous repeating group is ended before beginning another repeating group.

**PGU-30636: TIP generation: *string string, string attribute value (string) ignored***

**Cause:** The data field <d-field> <f#> specified an attribute <attr> whose value <attrval> is being ignored. Attribute values are ignored for supported: environment and compilers; IBM370 for compiler IBMVSCOBOLII when <attr> is the <attrval> is ignored: SYNC | SYNCHRONIZE LEFT JUST | JUSTIFY LEFT

**Action:** This is a warning message, PGAU execution continues. No action is necessary. The user may wish to ensure the resulting TIP data conversion is consistent with the remote host data format.

**PGU-30637: TIP generation: *string string, string attribute value (string) invalid***

---

**Cause:** The data field <d-field> <f#> specified an attribute <attr> whose value <attrval> is invalid or unsupported.

**Action:** In the PG DD, redefine the FIELD entry to correct the attribute clause to specify a supported value.

**PGU-35002: failure to open cursor for statement *string*: rc *string***

**Cause:** Open of an Oracle cursor for the PGAU SQL statement <stmtname> failed with Oracle error <rc>. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the Oracle server supporting the PG DD is active. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35003: failure to parse SQL statement *string* for cursor *string*: rc *string***

**Cause:** Parsing of the PGAU SQL statement <stmtname> for Oracle cursor <curno> failed with Oracleerror <rc>. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the Oracle server supporting the PG DD is active. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35004: failure to bind *string* for cursor *string* statement *string*: rc *string***

**Cause:** Binding input variable <invar> for Oracle cursor <curno> to the PGAU SQL statement <stmtname> failed with Oracle error <rc>. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the Oracle server supporting the PG DD is active. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35005: failure to define *string* for cursor *string* statement *string*: rc *string***

**Cause:** Defining output variable <outvar> for Oracle cursor <curno> to the PGAU SQL statement <stmtname> failed with Oracle error <rc>. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the Oracle server supporting the PG DD is active. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35006: failure to execute for cursor *string* statement *string*: rc *string***

**Cause:** Executing Oracle cursor <curno> PGAU SQL statement <stmtname> failed with Oracle error <rc>. Possible error in PGAU GENERATE statement transaction or version parameters, or possible missing rows or misspelled in the PG DD for the requested transaction. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Check that all call, data, and attribute definitions associated with the requested transaction and version are properly defined in the PG DD. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35007: failure to fetch for cursor *string* statement *string*: rc *string***

**Cause:** Fetch using Oracle cursor <curno> PGAU SQL statement <stmtname> failed with Oracle error <rc>. Possible error in PGAU GENERATE statement transaction or version parameters, or possible missing rows or misspelled in the

---

PG DD for the requested transaction. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the Oracle server supporting the PG DD is active. Check that all call, data, and attribute definitions associated with the requested transaction and version are properly defined in the PG DD. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35008: failure to close cursor *string* for statement *string*: rc *string***

**Cause:** Close of Oracle cursor <curno> for PGAU SQL statement <stmtname> failed with rc <rc>. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the Oracle server supporting the PG DD is active. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35009: no transaction rows for statement *string*, *string string*: rc *string***

**Cause:** No Transaction rows were fetched from the PG DD for PGAU SQL statement <stmt> with transaction name <tname> and transaction version <tver>. The Oracle error code is <rc>. Either the transaction name and version supplied on the GENERATE statement were invalid or the transaction entry is missing from the PG DD. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the requested transaction and version are properly defined in the PG DD or correct the GENERATE statement.

**PGU-35010: no *string* rows for statement *string*, id no *string*: rc *string***

**Cause:** No <type> rows were fetched from the PG DD for PGAU SQL statement <stmt> with id number <idno>. The Oracle error code is <rc>. Either the parent PG DD entry references an invalid subordinate entry or the entry is missing from the PG DD. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the requested transaction and version are properly defined in the PG DD or correct the GENERATE statement.

**PGU-35011: no environment rows for statement *string*, *string string*: rc *string***

**Cause:** No Environment rows were fetched from the PG DD for PGAU SQL statement <stmt> with environment name <ename> and compiler number <compno>. The Oracle error code is <rc>. Either the environment specified for the transaction or the compiler specified for the data entry in the transaction were invalid, or the entries are missing from the PG DD. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the requested transaction and version are properly defined in the PG DD or correct the GENERATE statement.

**PGU-35012: missing transaction entry *string string***

**Cause:** The transaction <tname> <tver> was not found in the PG DD. Either the transaction name and version requested in the GENERATE statement were invalid or the transaction specified in a previous DEFINE TRANSACTION <tname> may have been deleted from or altered in the PG DD. This message may be preceded by specific messages describing the error.

**Action:** Correct the requested transaction and version definitions in the PG DD or correct the GENERATE statement.

---

**PGU-35013: missing call entry for transaction *string string (string)***

**Cause:** A call entry under transaction definition <tname> <tver> (<tin>) was not found in the PG DD. The call entry associated with the transaction (as specified in a previous DEFINE TRANSACTION ... CALL(cname)) may have been deleted from or altered in the PG DD. This message may be preceded by specific messages describing the error.

**Action:** Correct the requested transaction and/or call definitions in the PG DD or correct the GENERATE statement to request a different transaction.

**PGU-35014: missing parm entry for transaction *string string (string) call string string (string)***

**Cause:** A parameter or data entry for transaction <tname> <tver> (<tin>), call <cname> <cver> (<cin>) was not found in the PG DD. The parm or data entry associated with the call (as specified in a previous DEFINE CALL <cname> ... PARS(dname)) may have been deleted from or altered in the PG DD. This message may be preceded by specific messages describing the error.

**Action:** Correct the requested transaction and/or call definitions in the PG DD or correct the GENERATE statement to request a different transaction.

**PGU-35015: missing field entry for transaction *string string (string) call string string (string) parm string data string string (string)***

**Cause:** A data field entry for transaction <tname> <tver> (<tin>), call <cname> <cver> (<cin>), parm <relno> data <dname> <dver> (<din>) was not found in the PG DD. The field entry associated with this data (as specified in the input file field position or FIELD(fname) of a previous DEFINE or REDEFINE DATA statement) may have been deleted from or altered in the PG DD. This message may be preceded by specific messages describing the error.

**Action:** Correct the requested transaction and/or call definitions in the PG DD or correct the GENERATE statement to request a different transaction.

**PGU-35016: missing formatted conversion entry for transaction *string string***

**Cause:** For transaction <tname> <tver>, the data field usage, mask, and maskopts entries were not found in the PG DD. PG DD field entries are selected with usage="PASS" and not null mask and maskopts columns, to identify which data fields will use UTL\_RAW MAKE\_...\_FORMAT conversions. Possible invalid entries in pga\_fields( usage,mask,maskopts ) columns. This message may be preceded by specific messages describing the error.

**Action:** Correct the data definitions for the requested transaction in the PG DD.

**PGU-35017: missing environment *string string* for t# *string* d# *string***

**Cause:** The combined environment <ename> <compno> was not found in the PG DD for transaction id# <tin> and data id# <din>. The environment name stored in the transaction entry and the compiler no stored in a call parameter data entry have no environment rows stored in the PG DD environment tables. This message may be preceded by specific messages describing the error.

**Action:** Ensure the Oracle server supporting the PG DD is active, and that the TRANSACTION ENVIRONMENT name and the DATA LANGUAGE name are defined in the PG DD with supported values. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-35018: failed select for statement *string, string string: rc string***

---

**Cause:** No information was fetched from Oracle dual for SQL statement <stmt> with date format <dfmt> and time format <tfmt>. The Oracle error code is <rc>. Either the date and time formats specified are invalid or some other Oracle server error occurred. This message is preceded by an Oracle Server message for the specific error encountered.

**Action:** Ensure the Oracle server supporting PGAU is active. If the error persists, reproduce the error with tracing enabled. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-39100: EP**

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39101: RP rc %4li**

**Cause:** Subroutine Call Tracing Active. The indicated subroutine is returning with the return code shown.

**Action:** None

**PGU-39102: EP *number, number, number, string, string, string, string, string, string, number, number***

**Cause:** Subroutine Call Tracing Active. The GPG main routine was called from PGAU.

**Action:** None

**PGU-39103: RP rc %4li, *string* exit**

**Cause:** Subroutine Call Tracing Active. The indicated subroutine is returning from its indicated exit with the non-success return code shown.

**Action:** None

**PGU-39107: EP *number***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39108: EP *string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39110: EP *stringstring***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39111: EP *f#string, number, string, string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39112: EP *string => string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39113: EP *number for string bytes***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

---

**PGU-39114: EP *stringstring, stringstring, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39116: EP *p-number, c-number***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39117: EP *p-number, c-number, LD string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39118: EP *string, string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39119: EP *string, c#string, d#string, f#string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39120: EP *c-number, p-number, f-number***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39121: EP *d#string, f#string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39122: EP *number, string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39123: EP *string, string, number***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39124: EP *string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39125: EP *string, string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39126: EP *string, string, string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39127: EP *string, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

---

**PGU-39128: EP *string, stringstring, string***

**Cause:** Subroutine Call Tracing Active. The indicated subroutine was called.

**Action:** None

**PGU-39200: Initialization rc %4li**

**Cause:** Initialization/Termination Tracing Active. Successful initialization by indicated subroutine.

**Action:** None

**PGU-39201: Initialization failure rc %4li**

**Cause:** Initialization/Termination Tracing Active. Failed initialization by indicated subroutine.

**Action:** None

**PGU-39210: Termination rc %4li**

**Cause:** Initialization/Termination Tracing Active. Successful termination by indicated subroutine.

**Action:** None

**PGU-39211: Termination failure rc %4li**

**Cause:** Initialization/Termination Tracing Active. Failed termination by indicated subroutine.

**Action:** None

**PGU-39300: QM rc %4li, *number***

**Cause:** Queue Management Tracing Active. Successful alteration of the TDT.

**Action:** None

**PGU-39301: QM failure rc %4li, *number***

**Cause:** Queue Management Tracing Active. Failed alteration of the TDT.

**Action:** None

**PGU-39302: QM p-*stringstring, c-f#string, LD string***

**Cause:** Queue Management Tracing Active. Successful alteration of the TDT.

**Action:** None

**PGU-39303: QM warning rc %4li, *number***

**Cause:** Queue Management Tracing Active. Requested structure not located.

**Action:** None

**PGU-39400: IT read %4li bytes from *string***

**Cause:** Initiation/Termination Tracing Active. Successful read of file or segment data.

**Action:** None

**PGU-39404: IO file *string string* for *string* mode**

**Cause:** I/O Tracing Active. Successful file control operation.

**Action:** None

**PGU-39405: IO *string* %4li bytes *string***

**Cause:** I/O Tracing Active. Successful read/write of file or segment data.

---

**Action:** None

**PGU-39500: DD rc %4li, number stringstring**

**Cause:** Data Dictionary Tracing Active. Successful select and load of a PG DD entry

**Action:** None

**PGU-39501: DD rc %4li - warning**

**Cause:** Data Dictionary Tracing Active. Failed select and/or load of a PG DD entry

**Action:** None

**PGU-39502: DD rc %4li, number string string string string**

**Cause:** Data Dictionary Tracing Active. Successful select and load of a format conversion block

**Action:** None

**PGU-39503: OC %3ls %5ls %2li**

**Cause:** Oracle Call Tracing Active. Successful cursor operation

**Action:** None

**PGU-39504: DD rc %4li, string, string, string**

**Cause:** Data Dictionary Tracing Active. Successful select from dual for current session attributes

**Action:** None

**PGU-39510: OC %7ls %12ls cursor %2li %3ls, rc string**

**Cause:** Oracle Call Tracing Active. Successful BIND variable operation

**Action:** None

**PGU-39512: OC %7ls %12ls cursor %2li %3ls, rc string**

**Cause:** Oracle Call Tracing Active. Successful DEFINE operation

**Action:** None

**PGU-39513: OC %7ls cursor %2li %3ls, rc string**

**Cause:** Oracle Call Tracing Active. Successful EXECUTE operation

**Action:** None

**PGU-39514: OC %7ls cursor %2li %3ls, rows string, rc string**

**Cause:** Oracle Call Tracing Active. Successful FETCH operation

**Action:** None

**PGU-39600: TG TIP string, SFD string**

**Cause:** TIP package generation tracing active. Successful generation of TIP specification function definition.

**Action:** None

**PGU-39601: TG TIP string, SVD string**

**Cause:** TIP package generation tracing active. Successful generation of TIP specification variable definition.

**Action:** None

---

**PGU-39602: TG *string* for *string=string string, string l=string o=string***

**Cause:** TIP package generation tracing active. Successful generation of TIP data conversion logic. This trace entry is written at the completion of generation for every data parameter of a TIP call and field of a data parameter. There should be one trace for every parameter exchanged by the TIP and one trace for every data field of each parameter.

**Action:** None

**PGU-39603: TG DBlink *string, rpc string***

**Cause:** TIP package generation tracing active. Successful generation of specified PGA gateway server RPC.

**Action:** None

**PGU-39604: TG edit var *string PLS string***

**Cause:** TIP package generation tracing active. Successful generation of specified PL/SQL variable conversion.

**Action:** None

**PGU-39605: TG F-chk *string string f#string fl=string stringstring pl=string***

**Cause:** TIP package generation tracing active. Successful syntax check of cobol field.

**Action:** None

**PGU-39606: TG %8ls=> *string***

**Cause:** TIP package generation tracing active. Successful syntax check of cobol field. This trace entry is supplemental to 39605.

**Action:** None

**PGU-39607: TG %8ls=> a#*string string string***

**Cause:** TIP package generation tracing active. Successful syntax check of cobol field numeric attribute This trace entry is supplemental to 39605.

**Action:** None

**PGU-39608: TG %8ls=> a#*string string string***

**Cause:** TIP package generation tracing active. Successful syntax check of cobol field numeric attribute This trace entry is supplemental to 39605.

**Action:** None

**PGU-39609: TG %8ls=> a#*string string string***

**Cause:** TIP package generation tracing active. Successful syntax check of cobol field date attribute This trace entry is supplemental to 39605.

**Action:** None

**PGU-39610: TG *string* for *string #string string, string***

**Cause:** TIP package generation tracing active. Successful generation of TIP Function. This trace entry is written at the completion of generation for every TIP public function. There should be one trace of this type for every Call defined in the Transaction.

**Action:** None

**PGU-39620: TG rc %4li, *string***

---

**Cause:** TIP package generation tracing active. Successful alignment/offset computation

**Action:** None

**PGU-41000: invalid field definition syntax**

**Cause:** An field definition is invalid. There may be invalid punctuation or an invalid keyword present.

**Action:** Delete invalid punctuation; replace invalid keyword.

**PGU-41001: unexpected end of input**

**Cause:** An unexpected end-of-file condition has occurred in the PGAU command stream.

**Action:** Check the PGAU statement for proper syntax and premature ending on the last line.

**PGU-41002: improper REPORT statement**

**Cause:** There is a syntax error in the REPORT statment.

**Action:** Check for misspelled items or unbalanced parentheses within the REPORT statement.

**PGU-41003: invalid data field definition name**

**Cause:** A DEFINE or REDEFINE DATA statement has specified an invalid field name for a field definition. The field name may be missing. A field name must begin with an alphabetic character and contain only alphanumeric characters or an underscore ("\_"). Syntax checking only continues with the next statement.

**Action:** Correct the specification of the field name or its delimiters. Supply the field name if it is missing.

**PGU-41004: invalid delimiter**

**Cause:** An invalid delmiter has been found (such as a parenthesis or comma in the wrong place).

**Action:** The delimiter may have to be deleted. Or there may be tokens missing before the delimiter.

**PGU-41005: invalid PGAU statement syntax**

**Cause:** A token has been found which is not a valid PGAU keyword, delimiter, or identifier name. Syntax checking only continues with the next statement.

**Action:** Correct the PGAU statement.

**PGU-41006: value for parameter "*string*" missing**

**Cause:** The parameter keyword <keyword> was properly specified but parameter value was not found. Syntax checking only continues with the next statement.

**Action:** Supply the missing parameter value or remove the keyword from the PGAU statement. PGAU parameter values should be enclosed in parentheses immediately following the keyword with no intervening space. statement.

**PGU-41007: parameter "*string*" was previously specified**

**Cause:** The parameter <dupparm> has been specified earlier in a PGAU statement and is only allowed once. Syntax checking only continues with the next statement.

**Action:** Remove one of the duplicated specifications from the statement.

---

**PGU-41008: invalid DATA definition dname specified**

**Cause:** An invalid token has been specified for the data name for a DEFINE DATA or REDEFINE DATA statement. A DATA identifier dname must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the DATA dname identifier in the statement.

**PGU-41012: invalid PLSDNAME parameter**

**Cause:** The parameter specified in the PLSDNAME clause of a DEFINE or REDEFINE DATA statement does not comply with PL/SQL syntax for PL/SQL variable names. Syntax checking only continues with the next statement.

**Action:** Correct the PLSDNAME parameter to use a name which complies with PL/SQL syntax for data variables.

**PGU-41013: invalid LANGUAGE parameter**

**Cause:** The LANGUAGE parameter in a DEFINE or REDEFINE DATA statement is not a valid PGA Compiler Language. Syntax checking only continues with the next statement.

**Action:** Correct the LANGUAGE parameter to specify a valid PGA Compiler language. Valid languages are: "IBMVSCOBOLI"

**PGU-41014: invalid USAGE parameter**

**Cause:** The USAGE parameter in a DEFINE or REDEFINE DATA statement is not a valid PGAU usage. Syntax checking only continues with the next statement.

**Action:** Correct the USAGE parameter to specify a valid use. Valid use choices are SKIP, ASIS, PASS, and NULL.

**PGU-41015: USAGE parameter was previously specified**

**Cause:** The USAGE parameter has already been specified in a DEFINE or REDEFINE DATA statement and is only allowed once per data definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of USAGE from the PGAU statement.

**PGU-41016: LANGUAGE parameter was previously specified**

**Cause:** The LANGUAGE parameter has already been specified in a DEFINE or REDEFINE DATA statement and is only allowed once per data definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of LANGUAGE from the PGAU statement.

**PGU-41017: PLSDNAME parameter was previously specified**

**Cause:** The PLSDNAME parameter has already been specified in a DEFINE or REDEFINE DATA statement and is only allowed once per data definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of PLSDNAME from the statement.

**PGU-41018: invalid COMPOPTS parameter**

**Cause:** The COMPOPTS parameter in a DEFINE or REDEFINE DATA statement is not a valid compiler option string recognized by PGAU. Syntax checking only continues with the next statement.

**Action:** Correct the COMPOPTS parameter to specify valid options. The only valid option is "TRUNC(BIN)".

---

**PGU-41019: COMPOPTS parameter was previously specified**

**Cause:** The COMPOPTS parameter has already been specified in a DEFINE or REDEFINE DATA statement and is only allowed once per data definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of COMPOPTS from the PGAU statement.

**PGU-41020: invalid CALL definition cname specified**

**Cause:** The token is not a valid call identifier name for a DEFINE CALL statement. A CALL identifier cname must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the CALL cname identifier in the statement.

**PGU-41021: PKGCALL parameter was previously specified**

**Cause:** The PKGCALL parameter has already been specified in a DEFINE CALL statement and is only allowed once per call definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of PKGCALL from the statement.

**PGU-41022: invalid PKGCALL parameter**

**Cause:** The function name specified in the PKGCALL parameter of a DEFINE CALL statement does not comply with PL/SQL syntax for PL/SQL function names. Syntax checking only continues with the next statement.

**Action:** Correct the PKGCALL parameter to use a name which complies with PL/SQL syntax for function calls.

**PGU-41025: invalid VERSION number specified**

**Cause:** The token is not a valid version number in a PGAU DEFINE or UNDEFINE CALL or TRANSACTION statement, or in a GENERATE statement. Valid version numbers are all numeric and must match the Oracle sequence object value reported by a previous DEFINE statement. Syntax checking only continues with the next statement.

**Action:** Correct the VERSION number in the statement.

**PGU-41026: PARMS parameter was previously specified**

**Cause:** The PARMS parameter has already been specified in a DEFINE CALL statement and is only allowed once per call definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of PARMS from the statement.

**PGU-41029: invalid TRANSACTION CALL cname specified**

**Cause:** The token is not a valid call identifier name for specifying CALLs in a DEFINE TRANSACTION statement. A CALL identifier cname must begin with an alphabetic character and contain only alphanumeric characters, and must have originated in a previous DEFINE CALL statement. Syntax checking only continues with the next statement.

**Action:** Correct the TRANSACTION CALL cname parameter in the statement.

**PGU-41030: NLS\_LANGUAGE parameter was previously specified**

**Cause:** The NLS\_LANGUAGE parameter has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

---

**Action:** Remove the second specification of NLS\_LANGUAGE from the statement.

**PGU-41031: parameter "*string*" specifies undefined Oracle NLS name "*string*"**

**Cause:** The PGAU parameter <parm> specifies an Oracle NLS language name <nlsname> which is not defined on the Oracle server to re PGAU executes. which PGAU is connected. The language <nlsname> is not defined possibly because it was not selected when Oracle was installed, or the GENERATE'd TIPs are intended to execute on another Oracle, or it is not a valid Oracle NLS Language, i.e. misspelled or unsupported. Syntax checking only continues with the next statement.

**Action:** Correct the parameter value to specify a valid Oracle NLS Language, or install the language, or ensure the TIPs execute on a server which has the NLS language installed, (in which case this message may be considered a warning). Valid languages must begin with an alphabetic character, contain only alphanumeric characters, not exceed 40 characters in length. Supported customers may contact Oracle Worldwide Support for assistance with installing or determining NLS language support for your platform.

**PGU-41032: ENVIRONMENT parameter was previously specified**

**Cause:** The ENVIRONMENT parameter has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of ENVIRONMENT from the statement.

**PGU-41033: invalid ENVIRONMENT parameter**

**Cause:** The ENVIRONMENT parameter in a DEFINE TRANSACTION statement is not a valid PGA ENVIRONMENT. Syntax checking only continues with the next statement.

**Action:** Correct the ENVIRONMENT parameter to specify a valid PGA ENVIRONMENT. Valid environments are: "IBM370"

**PGU-41034: SIDEPROFILE parameter was previously specified**

**Cause:** The SIDEPROFILE parameter as already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of SIDEPROFILE from the statement.

**PGU-41035: invalid SIDEPROFILE name specified**

**Cause:** The token is not a valid name for specifying an SNA Side Profile in a DEFINE TRANSACTION statement. A Side Profile name must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the TRANSACTION SIDEPROFILE parameter in the statement.

**PGU-41036: LUNAME parameter was previously specified**

**Cause:** The LUNAME parameter has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of LUNAME from the statement.

**PGU-41037: invalid LUNAME name specified**

---

**Cause:** The token is not a valid name for specifying an SNA LU name in a DEFINE TRANSACTION statement. An LU name must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the TRANSACTION LUNAME parameter in the statement.

**PGU-41038: TPNAME parameter was previously specified**

**Cause:** The TPNAME parameter has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of TPNAME from the statement.

**PGU-41039: invalid TPNAME name specified**

**Cause:** The token is not a valid name for specifying an SNA TP name in a DEFINE TRANSACTION statement. A TP name must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the TRANSACTION TPNAME parameter in the statement.

**PGU-41040: LOGMODE parameter was previously specified**

**Cause:** The LOGMODE parameter has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of LOGMODE from the statement.

**PGU-41041: invalid LOGMODE name specified**

**Cause:** The token is not a valid name for specifying an SNA logmode in a DEFINE TRANSACTION statement. A logmode must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the TRANSACTION LOGMODE parameter in the statement.

**PGU-41042: SYNCLEVEL parameter was previously specified**

**Cause:** The SYNCLEVEL parameter has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of SYNCLEVEL from the statement.

**PGU-41043: invalid SYNCLEVEL value specified**

**Cause:** The token is not a valid value for specifying an APPC SYNC level in a DEFINE TRANSACTION statement. The only values allowed for SYNC level are 0 and 1. Syntax checking only continues with the next statement.

**Action:** Correct the TRANSACTION SYNCLEVEL parameter in the statement.

**PGU-41044: invalid TRANSACTION name**

**Cause:** The token is not a valid transaction identifier name in a DEFINE TRANSACTION statement. A transaction name must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the TRANSACTION name parameter in the statement.

**PGU-41045: missing call name in DEFINE TRANSACTION**

---

**Cause:** PGAU DEFINE TRANSACTION syntax requires a call name which was not found. Syntax checking only continues with the next statement.

**Action:** Correct the DEFINE TRANSACTION statement to specify a call name.

**PGU-41046: SIDEPROFILE omitted: all of LUNAME, TPNAME, and LOGMODE required**

**Cause:** If the SNA SIDEPROFILE parameter is not specified, then all three of the LUNAME, TPNAME and LOGMODE parameters must be specified in a DEFINE TRANSACTION statement. Syntax checking only continues with the next statement.

**Action:** Correct the DEFINE TRANSACTION statement to specify either (1) the SIDEPROFILE parameter, (2) all three of the LUNAME, TPNAME and LOGMODE parameters, or (3) the SIDEPROFILE parameter and any combination of the LUNAME, TPNAME, and LOGMODE parameters.

**PGU-41048: CALL parameter was previously specified**

**Cause:** The CALL parameter has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of CALL parameter from the statement.

**PGU-41049: DEFINE TRANSACTION parameter *string* previously specified**

**Cause:** The parameter <parm> has already been specified in a DEFINE TRANSACTION statement and is only allowed once per transaction definition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of the parameter <parm> from the DEFINE TRANSACTION statement.

**PGU-41053: VERSION parameter was previously specified**

**Cause:** The VERSION parameter has already been specified, and is only allowed once in a GENERATE or REDEFINE statement. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of VERSION from the statement.

**PGU-41054: invalid version number in VERSION parameter**

**Cause:** The version number must follow the VERSION keyword enclosed in parenthesis in a GENERATE or REDEFINE statement. Syntax checking only continues with the next statement.

**Action:** Correct the version number specification in the VERSION parameter.

**PGU-41055: invalid FIELD or PLSFNAME name for indicated language**

**Cause:** The token is not a valid field identifier name in the specified language for specifying a FIELD or PLSFNAME parameter in a REDEFINE DATA statement. A field identifier name must obey the naming conventions of the specified language. In COBOL, only alphanumerics may be used in addition to the hyphen character and the first character must be alphabetic. Syntax checking only continues with the next statement.

**Action:** Correct the FIELD or PLSFNAME identifier name in the statement.

**PGU-41058: invalid transaction name specified**

**Cause:** The token is not a valid transaction identifier name for a GENERATE statement. A transaction identifier name must begin with an alphabetic character and contain only alphanumeric characters, and must have originated in a previous

---

DEFINE TRANSACTION statement. Syntax checking only continues with the next statement.

**Action:** Correct the transaction identifier name in the statement.

**PGU-41059: PKGNAME parameter was previously specified**

**Cause:** The PKGNAME parameter has already been specified in a GENERATE statement and is only allowed once per GENERATE request. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of PKGNAME from the statement.

**PGU-41060: invalid PKGNAME name specified**

**Cause:** The token is not a valid identifier name for specifying the PL/SQL TIP package name in a GENERATE statement. A package name identifier must begin with an alphabetic character and contain only alphanumeric characters. Syntax checking only continues with the next statement.

**Action:** Correct the GENERATE PKGNAME parameter in the statement.

**PGU-41061: OUTFILE parameter was previously specified**

**Cause:** The OUTFILE parameter has already been specified in a GENERATE statement and is only allowed once per GENERATE request. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of OUTFILE from the statement.

**PGU-41063: DIAGNOSE parameter was previously specified**

**Cause:** The DIAGNOSE parameter has already been specified in a GENERATE statement and is only allowed once per GENERATE request. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of DIAGNOSE from the statement.

**PGU-41064: PGANODE parameter was previously specified**

**Cause:** The PGANODE parameter <keyword> has already been specified in a GENERATE statement and is only allowed once per GENERATE request. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of PGANODE from the statement.

**PGU-41065: invalid PGANODE name specified**

**Cause:** The token is not a valid PGA node identifier name in a GENERATE statement. A PGA node identifier name must begin with an alphabetic character and contain only alphanumeric characters, and be a valid Oracle DB link name. Syntax checking only continues with the next statement.

**Action:** Correct the PGANODE parameter in the statement.

**PGU-41068: unable to open the input definition file**

**Cause:** An error occurred opening the input definition file specified with the INFILE parameter in a DEFINE or REDEFINE DATA statement. Syntax checking only continues with the next statement.

**Action:** Ensure that the input definition file exists and read access is allowed to the input definition file.

**PGU-41070: COBOL inline definition must start with left-paren at line end**

**Cause:** A COBOL inline definition starts with a left parenthesis. The left parenthesis must be the last character on the line preceding any COBOL data definition statements.

---

**Action:** Make sure an inline COBOL data definition starts on a line following a left parenthesis

**PGU-41071: missing LANGUAGE parameter**

**Cause:** PGAU DEFINE or REDEFINE DATA syntax requires a LANGUAGE parameter which was not found. Syntax checking only continues with the next statement.

**Action:** Correct the DEFINE or REDEFINE DATA statement to specify a LANGUAGE parameter.

**PGU-41072: OPTIONS parameter was previously specified**

**Cause:** The OPTIONS parameter has already been specified in a GENERATE statement and is only allowed once per GENERATE request. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of OPTIONS from the statement.

**PGU-41073: repeated OPTIONS subparameter**

**Cause:** The indicated subparameter was previously specified in an OPTIONS parameter. The only valid OPTIONS subparameter is UDF. It may be specified only once per GENERATE statement. Syntax checking only continues with the next statement.

**Action:** Remove the duplicate subparameter from the OPTIONS specification.

**PGU-41075: TRACE parameter was previously specified**

**Cause:** The TRACE parameter has already been specified in a GENERATE statement and is only allowed once per GENERATE request. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of TRACE from the statement.

**PGU-41076: repeated TRACE or PKGEX parameter**

**Cause:** The indicated parameter was previously specified in a DIAGNOSE TRACE or PKGEX parameter. The valid TRACE parameters are SE, IT, QM, IO, OC, DD, and TG. The valid PKGEX parameters are DC and DR. Each may be specified only once per GENERATE statement. Syntax checking only continues with the next statement.

**Action:** Remove the duplicate parameter from the TRACE/PKGEX specification.

**PGU-41077: PKGEX parameter was previously specified**

**Cause:** The PKGEX parameter has already been specified in a GENERATE statement and is only allowed once per GENERATE request.

**Action:** Remove the second specification of PKGEX from the statement.

**PGU-41079: data definition *string version number* inserted into PG DD**

**Cause:** PGAU inserted the data definition <dname> with version number <dver> as the result of processing a DEFINE DATA statement.

**Action:** Note the VERSION number of the data definition for future reference.

**PGU-41080: call definition *string version number* inserted into PG DD**

**Cause:** PGAU inserted the call definition <cname> with version number <cver> as the result of processing a DEFINE CALL statement.

**Action:** Note the VERSION number of the call definition for future reference.

**PGU-41081: transaction definition *string version number* inserted into PG DD**

---

**Cause:** PGAU inserted the transaction definition <tname> with version number <tver> as the result of processing a DEFINE TRANSACTION statement.

**Action:** Note the VERSION number of the transaction definition for future reference.

**PGU-41082: data definition *string* version number updated in PG DD**

**Cause:** PGAU updated the data definition <dname> with version number <dver> as the result of processing a REDEFINE DATA statement.

**Action:** None required. This is an informational message.

**PGU-41083: data definition *string* version number deleted from PG DD**

**Cause:** PGAU deleted the data definition <dname> with version number <dver> as the result of processing an UNDEFINE DATA statement.

**Action:** None required. This is an informational message.

**PGU-41084: call definition *string* version number deleted from PG DD**

**Cause:** PGAU deleted the call definition <cname> with version number <cver> as the result of processing an UNDEFINE CALL statement.

**Action:** None required. This is an informational message.

**PGU-41085: transaction definition *string* version number deleted from PG DD**

**Cause:** PGAU deleted the transaction definition <tname> with version number <tver> as the result of processing an UNDEFINE TRANSACTION statement.

**Action:** None required. This is an informational message.

**PGU-41086: length of *string* token exceeds maximum allowed length of *number***

**Cause:** The object name of type <var> is longer than the maximum length <len> allowed by PGAU. Only syntax checking continues with the next statement.

**Action:** Reduce the length of the indicated name.

**PGU-41087: data name *string* does not exist**

**Cause:** A DEFINE CALL references a data definition name <dname> that does not exist.

**Action:** Use only previously defined data definitions in a DEFINE CALL statement.

**PGU-41088: data name *string* or specified version (*number*) of data name *string* does not exist**

**Cause:** A DEFINE CALL references a data definition name <dname> that does not exist, or specified a non-existent version <dver> of the data definition <dname>.

**Action:** Use only previously defined data definitions in a DEFINE CALL statement.

**PGU-41089: call name *string* does not exist**

**Cause:** A DEFINE TRANSACTION references a call definition name <cname> that does not exist.

**Action:** Use only previously defined call definitions in a DEFINE TRANSACTION statement.

**PGU-41090: call name *string* or specified version (*number*) of call name *string* does not exist**

---

**Cause:** A DEFINE TRANSACTION references a call definition name <cname> that does not exist, or specified a non-existent version <cver> of the call definition <cname>.

**Action:** Use only previously defined data definitions in a DEFINE TRANSACTION statement.

**PGU-41091: data name *string* does not exist**

**Cause:** An UNDEFINE DATA references a data definition name <dname> that does not exist.

**Action:** Use only previously defined data definitions in an UNDEFINE DATA statement.

**PGU-41092: data name *string* or specified version (*number*) of data name *string* does not exist**

**Cause:** An UNDEFINE DATA references a data definition name <dname> that does not exist, or specified a non-existent version <dver> of the data definition <dname>.

**Action:** Use only previously defined data definitions in an UNDEFINE DATA statement.

**PGU-41093: call name *string* does not exist**

**Cause:** An UNDEFINE CALL references a call definition name <cname> that does not exist.

**Action:** Use only previously defined call definitions in an UNDEFINE CALL statement.

**PGU-41094: call name *string* or specified version (*number*) of call name *string* does not exist**

**Cause:** An UNDEFINE CALL references a call definition name <cname> that does not exist, or specified a non-existent version <cver> of the call definition <cname>.

**Action:** Use only previously defined call definitions in an UNDEFINE CALL statement.

**PGU-41095: transaction name *string* does not exist**

**Cause:** An UNDEFINE TRANSACTION references a transaction definition name <tname> that does not exist.

**Action:** Use only previously defined transaction definitions in an UNDEFINE TRANSACTION statement.

**PGU-41096: transaction name *string* or specified version (*number*) of transaction name *string* does not exist**

**Cause:** An UNDEFINE TRANSACTION references a transaction definition name <tname> that does not exist, or specified a non-existent version <tver> of the transaction definition <tname>.

**Action:** Use only previously defined transaction definitions in an UNDEFINE TRANSACTION statement.

**PGU-41097: language parameter given in REDEFINE DATA conflicts with DEFINE DATA**

**Cause:** The LANGUAGE parameter in a REDEFINE DATA statement for a given dataname specifies a language different than the language originally specified in the DEFINE DATA statement for the given dataname.

---

**Action:** Change the LANGUAGE parameter in the REDEFINE DATA statement to that of the original DEFINE DATA statement. The associated language-dependent field definitions must also be changed.

**PGU-41100: FIELD parameter on REDEFINE specifies unknown field name (*string*)**

**Cause:** A REDEFINE with the FIELD parameter specifies a field name <fname> that does not currently exist in the data object being REDEFINED.

**Action:** Specify the correct field name on the FIELD parameter. Use the REPORT DATA statement to list current field names.

**PGU-41101: INFILE parameter given on DEFINE DATA with inline data**

**Cause:** An INFILE parameter was found on a DEFINE DATA statement, but an inline data definition was also found. Only one of the two forms is allowed in a single DEFINE DATA statement.

**Action:** Remove the INFILE specification or the inline data definition.

**PGU-41102: data definition missing on *string* DATA**

**Cause:** Neither an inline data definition nor an INFILE parameter was found in a DEFINE DATA or REDEFINE DATA statement. One of these is required in a DEFINE DATA. One of these may be required in a REDEFINE DATA depending on other parameters given.

**Action:** Specify either an INFILE parameter or an inline data definition.

**PGU-41103: INFILE parameter was previously specified**

**Cause:** The INFILE parameter has already been specified in a DEFINE DATA or REDEFINE DATA statement and is only allowed once per data definition or redefinition. Syntax checking only continues with the next statement.

**Action:** Remove the second specification of INFILE from the statement.

**PGU-41105: memory exhausted**

**Cause:** An attempt to allocated memory failed.

**Action:** Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-41106: missing left parenthesis in a GROUP**

**Cause:** Left parenthesis must immediately follow a GROUP verb

**Action:** Examine source for missing left parenthesis.

**PGU-41107: GROUP within a GROUP not allowed**

**Cause:** A GROUP was found within a GROUP.

**Action:** There is no need to have a recursive GROUP. Delete the inner GROUP along with its enclosing parentheses.

**PGU-41108: data definition *string* does not exist**

**Cause:** A data name, <name>, was specified but does not exist.

**Action:** Check <name> for a misspelling or, if an explicit version was specified, recheck for a misnumbering. Use the REPORT verb to find out what really exists.

**PGU-41109: field name *string* does not exist in data definition *string***

**Cause:** The field name <fld> does not exist in the data definition named <dnm>.

---

**Action:** Check the data definition named <dnm> for the existence of a field named <fld>. Use the REPORT verb to find out what really exists in the data definition named <dnm>.

**PGU-41110: field name *string* appears multiple times in data definition *string***

**Cause:** A REDEFINE specifies the field name <fld>; this field name is multiply defined in the data definition <dnm>. The field name must be sufficiently qualified to remove the ambiguity so that a unique field may be referenced.

**Action:** Replace the ambiguous field name <fld> with a sufficiently qualified field name. An example of a qualified field name is SUBFIELD2 OF FIELD1 (or the generic equivalent, FIELD1.SUBFIELD2). It may be easier to just spool the output for a REPORT of the DATA definition for <dnm> into an output file, edit the output file, and DEFINE the DATA object named <dnm> anew.

**PGU-41111: missing *string* name**

**Cause:** A DEFINE or REDEFINE statement is missing the name of a transaction object, a call object, or a data object. <token> is the type of object.

**Action:** Supply the missing name (as well as any other parameters that are surely needed).

**PGU-41112: invalid name for UNDEFINE *string***

**Cause:** The identifier name in an UNDEFINE statement is invalid. An identifier name must begin with an alphabetic character and contain only alphanumeric characters. <token> is the type of object.

**Action:** Check the name for illegal characters in the identifier name.

**PGU-41113: invalid WITH operand**

**Cause:** The token is not a valid operand in a WITH phrase. Only DATA and CALLS are valid.

**Action:** WITH must be followed by DATA or CALLS.

**PGU-41114: duplicate WITH operand**

**Cause:** An identical WITH phrase has been previously found in this statement.

**Action:** Delete one of the identical phrases.

**PGU-41115: invalid WITH operand in this context**

**Cause:** A WITH phrase has been found in an invalid context. The phrase WITH CALLS can appear only in an UNDEFINE TRANSACTION; the phrase WITH DATA cannot appear in an UNDEFINE DATA.

**Action:** Delete the offending WITH phrase

**PGU-41119: expecting one of DATA, CALL, or TRANSACTION in a DEFINE**

**Cause:** One of DATA, CALL, or TRANSACTION must be given to specify what type of object is to be defined.

**Action:** Insert one of DATA, CALL, or TRANSACTION into the command.

**PGU-41120: VERSION parameter conflicts with UNDEFINE ALL**

**Cause:** A VERSION parameter was found in an UNDEFINE ALL.

**Action:** Either delete the ALL (in UNDEFINE ALL) or delete the VERSION parameter.

**PGU-41121: invalid DIAGNOSE parameter**

**Cause:** An invalid sub-parameter was found within a DIAGNOSE parameter.

---

**Action:** Check the sub-parameter for misspelling.

**PGU-41122: no transaction name given in a GENERATE statement**

**Cause:** The transaction name is missing.

**Action:** Provide a transaction name.

**PGU-41123: expecting DATA (type of object)**

**Cause:** DATA was expected to be found at this point in the REDEFINE.

**Action:** Examine the REDEFINE statement for the missing DATA token and insert if necessary.

**PGU-41124: expecting one of DATA, CALL, or TRANSACTION in an UNDEFINE**

**Cause:** One of DATA, CALL, or TRANSACTION must be given to specify what type of object is to be deleted.

**Action:** Insert one of DATA, CALL, or TRANSACTION into the command.

**PGU-41125: expecting the name of a *string* object**

**Cause:** The type of object (DATA, CALL, or TRANSACTION) must be followed by a name for the object.

**Action:** Insert the name of a DATA, CALL, or TRANSACTION object.

**PGU-41126: WITH token immediately followed by another WITH token**

**Cause:** There are two successive WITH tokens in the command input stream.

**Action:** Insert DATA or CALLS after the WITH token depending on which type of referenced objects should also be UNDEFINED or REPORTed.

**PGU-41127: a DATA or CALLS token was found but not preceded by a WITH token**

**Cause:** There is a missing WITH token before DATA or CALLS

**Action:** Insert the WITH token in the proper place.

**PGU-41128: a WITH token ends *string***

**Cause:** A WITH token was found as the last token in an UNDEFINE or REPORT command.

**Action:** The WITH token must be followed either by DATA or CALLS to delete or REPORT all referenced DATA or CALLS.

**PGU-41129: parameter *string* invalid without FIELD parameter**

**Cause:** The FIELD parameter is a pre-requisite to specify the <parm> parameter because <parm> applies to FIELDS within a DATA redefinition. PGAU REDEFINE parameters which require FIELD are:

- PLSFNAME

- CODEPAGE

**Action:** Include the FIELD parameter in the REDEFINE statement to indicate to which FIELD the redefinition of <parm> applies, or remove the <parm> specification.

**PGU-41131: FIELD specified, but USAGE, PLSFNAME, or language input absent**

**Cause:** The FIELD keyword must be accompanied by at least one of the following keywords: USAGE, PLSFNAME, INFILE.

**Action:** Make sure at least one of the above keywords is specified.

---

**PGU-41132: language input defines more than one field**

**Cause:** A REDEFINE DATA with the FIELD option indicates that a single field is being redefined. The language input contained definitions for more than one field.

**Action:** Delete the extra field definitions.

**PGU-41133: language input defines no data field for REDEFINE ... FIELD(...)**

**Cause:** A REDEFINE DATA with the FIELD option indicates that a single field is being redefined. However, the language input contained no field definitions.

**Action:** Supply the (single) field definition in the language input.

**PGU-41134: no *string* PGAU objects satisfied the REPORT request**

**Cause:** A REPORT command requested information about a group of unnamed PGAU data objects with a type specified by <token>. But there were no objects of that type.

**Action:** This is an informational message.

**PGU-41135: no PGAU *string* objects named *string* satisfied the REPORT request**

**Cause:** A REPORT command requested information about a PGAU data object with a type specified by <type> and a name of <name>. But there were no objects of that <type> with the given <name>.

**Action:** This is an informational message.

**PGU-41136: no *string* PGAU object named *string* at version *number* satisfied the REPORT request**

**Cause:** A REPORT command requested information about a specific PGAU data object with a type specified by <type>, a name of <name>, and a version of <vsn>. But there is no object with that name and version.

**Action:** This is an informational message.

**PGU-41137: too many version requests; maximum of *number* allowed**

**Cause:** The VERSION parameter of a REPORT request has too many sub-parameters; the <maximum> is specified in the message.

**Action:** split the request into multiple REPORTs.

**PGU-41138: missing *string* name**

**Cause:** The <object> name is missing in a REPORT statement.

**Action:** supply the missing name.

**PGU-41139: use of VERSION parameter conflicts with ALL parameter**

**Cause:** A VERSION parameter has been found. But an ALL parameter has also been found (denoting all versions)

**Action:** Delete the ALL parameter or the VERSION parameter.

**PGU-41140: version number expected**

**Cause:** A version number was expected at this point.

**Action:** supply a version number or delete the entire VERSION parameter.

**PGU-41141: an invalid version number was found**

**Cause:** A non-numeric string was found when scanning for a version number.

**Action:** Inspect statement for missing delimiters.

**PGU-41142: version parameter has already been specified**

---

**Cause:** The VERSION parameter has already been found.

**Action:** Delete a VERSION parameter so there is only one left.

**PGU-41143: this type of WITH operand invalid with a *string* object**

**Cause:** The WITH phrase is invalid with respect to an object of type <type>. For example, REPORT DATA ... WITH DATA is invalid,

**Action:** Delete the offending WITH phrase.

**PGU-41144: default PKGCALL parameter truncated to *string***

**Cause:** The PKGCALL parameter was defaulted in a DEFINE CALL statement and normally takes the value of the CALL object name. However, the length of the CALL object name is greater than the maximum length allowed for the PKGCALL parameter (which is 30). The default value actually used is <value>.

**Action:** None. This is an informational message.

**PGU-41145: default PLSDDNAME parameter truncated to *string***

**Cause:** The PLSDDNAME parameter was defaulted in a DEFINE DATA statement and normally takes the value of the DATA object name. However, the length of the DATA object name is greater than the maximum length allowed for the PLSDDNAME parameter (which is 30). The default value actually used is <value>.

**Action:** None. This is an informational message.

**PGU-41146: invalid INFILE parameter**

**Cause:** The INFILE parameter in a DEFINE or REDEFINE DATA statement does not designate a valid filename. Syntax checking only continues with the next statement.

**Action:** Correct the INFILE parameter to specify a valid filename.

**PGU-42001: ALL not valid in VALUE(S) clause at level 88**

**Cause:** ALL cannot be specified in a level 88 (condition-names) entry

**Action:** Delete the reserved word ALL

**PGU-42002: COPY statement: ended prematurely**

**Cause:** There are missing operands in the COPY clause

**Action:** Supply missing operands

**PGU-42003: COPY reserved word found within a COPY clause**

**Cause:** COPY clause found embedded within another COPY clause

**Action:** Examine COPY clauses. Statement terminator may be missing.

**PGU-42004: COPY not allowed as operand-1 or operand-2 in COPY REPLACING**

**Cause:** COPY reserved word not allowed as operand-1 or operand-2 in the REPLACING clause of a COPY statement.

**Action:** If operand-1 replace COPY by some other word here and in the copied source file. If operand-2, examine offending COPY clause for missing terminator or reserved words.

**PGU-42005: COPY statement: nothing to copy**

**Cause:** No filename operand given in COPY clause

**Action:** Supply filename operand in COPY clause

**PGU-42006: invalid token *string***

---

**Cause:** An unrecognized token <token> was found when checking for a COBOL reserved word

**Action:** Check source around the unrecognized token for other missing reserved words or for a missing statement terminator.

**PGU-42007: invalid EJECT statement**

**Cause:** An EJECT statement cannot be given with operands

**Action:** Delete the extraneous text after EJECT up to the statement terminator

**PGU-42008: invalid SKIPn statement**

**Cause:** A SKIP1, SKIP2, or SKIP3 statement cannot have operands

**Action:** Delete the extraneous text after the SKIPn up to the statement terminator.

**PGU-42009: string**

**Cause:** This is an echo of the offending source line, <sourceline>.

**Action:** Peruse this line with respect to a previous error message

**PGU-42010: level-number with *number* digits exceeds maximum of two**

**Cause:** A level-number was found with <number> digits. Level-numbers are restricted to a maximum of two digits

**Action:** Make sure level number is in range 01-49, 66, 77, or 88

**PGU-42011: invalid level number of *number* found**

**Cause:** Level numbers are restricted to 01-49, 66, 77, or 88; <number> was found.

**Action:** Change level number.

**PGU-42012: level 01 or 77 has yet to be found**

**Cause:** Record definition must start at level 01 or 77; a level other than 01 or 77 has been found.

**Action:** Examine source for missing level 01 or 77 definition; if offending definition is a top-level for a record, then renumber it to level 01 or 77.

**PGU-42013: level 01 or 77 not yet found or begun between columns *number* and *number***

**Cause:** Missing level 01 or 77 in source file or the 01 or 77 did not start within the column limits specified by <margin-A> and <margin-B>.

**Action:** If level 01 or 77 appears, make sure it starts before <margin-B> and after <margin-A>. If level 01 or 77 does not appear, a renumbering of levels may be appropriate.

**PGU-42014: RENAME clause must be at level 66**

**Cause:** The RENAME reserved word may be used ONLY at level 66.

**Action:** Renumber the level to 66.

**PGU-42015: multiple *string* clauses found**

**Cause:** Multiple instances of a clause of type <type> were found.

**Action:** Make sure there is only one instance of the type of clause given.

**PGU-42016: invalid figurative\_type value passed**

**Cause:** This is an internal error.

**Action:** Supported customers should contact Oracle Worldwide Support.

---

**PGU-42017: VALUES can be used only at level 88**

**Cause:** The VALUES keyword can only be specified in a data definition describing a condition and only at level 88.

**Action:** If the definition describes a condition, make sure it is at level 88; if the definition does not describe a condition, then use VALUE IS rather than VALUES ARE.

**PGU-42018: could not open input file *string***

**Cause:** The specified input file <file> could not be opened for reading.

**Action:** Make sure the file exists and allows read access.

**PGU-42019: REDEFINES clause should be first clause**

**Cause:** A REDEFINES clause must appear before any other clause in a data definition.

**Action:** Move the REDEFINES clause to the beginning of the data definition immediately after the data definition name.

**PGU-42020: RENAMES dn-1 (THROUGH) dn-2 must stand alone**

**Cause:** If a RENAMES clause appears in a data definition, it must be the ONLY clause.

**Action:** Delete other clauses.

**PGU-42021: unterminated record definition found**

**Cause:** An end-of-file was found before the ending statement terminator. This also results from COBOL definitions which extend beyond column 72.

**Action:** Check last records in input file for a missing statement terminator. Also check to ensure that the data definitions reside within their proper starting and ending columns.

**PGU-42022: VALUES clause must be the only clause at level 88**

**Cause:** The only clause allowed at level 88 is a VALUE or VALUES clause.

**Action:** Delete any clauses other than a VALUE or VALUES clause at level 88.

**PGU-42024: missing period-separator in TITLE statement**

**Cause:** A TITLE statement is not ended by a period separator.

**Action:** Check for missing period separator.

**PGU-42025: invalid TITLE statement**

**Cause:** Invalid format for TITLE statement.

**Action:** Check format of TITLE statement.

**PGU-42026: COPY copies a COPY REPLACING or vice versa**

**Cause:** The source file copied by a COPY statement cannot contain a COPY ... REPLACING statement; or the source file copied by a COPY ... REPLACING statement cannot have a COPY statement.

**Action:** Correct the file in error.

**PGU-42027: in line *number* of file *string* as follows**

**Cause:** This message follows another message that describes the actual error. The line following this message echoes the input COBOL source line. The source line was found in line <line> of file <filename>.

**Action:** Peruse messages immediately before and after this message.

---

**PGU-42028: invalid USAGE token: *string***

**Cause:** An invalid word, <token> follows USAGE in a USAGE clause. <token> may be valid in some COBOL dialects.

**Action:** Replace <token> in the USAGE clause with a valid USAGE operand for the IBMVSCOBOLII COBOL dialect.

**PGU-42029: reserved word *string* is invalid as a PICTURE**

**Cause:** A reserved word, <token>, was used as a PICTURE operand.

**Action:** Check PICTURE clause for missing PICTURE operand.

**PGU-42030: a *string* clause has been prematurely terminated**

**Cause:** A clause of type <type> has ended but there are missing operands.

**Action:** Check the clause for missing operands.

**PGU-42031: *string* phrase is misplaced after *string* phrase**

**Cause:** A phrase introduced by <key-word-1> cannot come after a phrase introduced by <key-word-2>. Certain phrases must precede other phrases in a data definition. For instance, an ASCENDING [KEY] phrase must appear before an INDEXED phrase.

**Action:** Reverse the placement of the phrases.

**PGU-42032: state value *string* is *string***

**Cause:** An internal error has occurred in the PGAU COBOL parser. State <state> is either valid or invalid according to <validity>.

**Action:** Reproduce the error with full diagnostics enabled and save all related input and output files and listings. Supported customers should contact Oracle Worldwide Support for assistance.

**PGU-42033: extraneous text at column *string***

**Cause:** Extraneous text has been found at the end of a record definition. It starts in column <column> of the source input record.

**Action:** The only source text that can follow the terminating "." of a record definition is a COPY, EJECT, or SKIPn statement. Check to see if the terminating "." has been misplaced.

**PGU-42034: COPY for file *string* is recursive**

**Cause:** A COPY statement for file <filename> has been found while processing a previous occurrence of a COPY specifying the same file.

**Action:** Check the COBOL source for recursive COPY. A single COPY file may need to be replaced with multiple, uniquely-named COPY files to achieve the desired results.

**PGU-42035: invalid null operand in pseudo-text in a COPY REPLACING clause**

**Cause:** The first operand in a REPLACING clause of a COPY statement is pseudo-text but the pseudo-text is null.

**Action:** Replace the null pseudo-text string with a non-null string.

**PGU-42036: invalid input in *string* clause or paragraph**

**Cause:** Invalid syntax in a <special> clause or paragraph.

**Action:** Check the indicated source line(s) for syntactical errors.

**PGU-42037: missing END-EXEC token**

---

**Cause:** An END-EXEC was not found while processing an EXEC clause.

**Action:** Insert an END-EXEC where appropriate. If the COBOL source input was generated by another product, regenerate the source using that product.

**PGU-42038: invalid use of reserved word *string***

**Cause:** A reserved word, <reserved>, was found in an illegal context.

**Action:** Check to see if a reserved word is perhaps being used where a user dataname would normally appear.

**PGU-42039: in line as follows**

**Cause:** This message follows another message that describes the actual error. The line following this message echos the input COBOL source line.

**Action:** Refer to messages immediately before and after this message.

**PGU-42040: DEPENDING ON phrase missing in OCCURS clause**

**Cause:** An OCCURS clause describes a variable length table. One needs a DEPENDING ON phrase to tell how large is the current instance of the table. The DEPENDING ON clause is missing. DEPENDING ON phrase that tells how large the current instance

**Action:** Supply the DEPENDING ON clause or make the table a fixed length table.

**PGU-42041: missing or invalid USAGE clause for DBCS PIC clause**

**Cause:** A PICTURE clause specifies a DBCS datatype, but the required USAGE IS DISPLAY-1 clause is missing or invalid.

**Action:** Supply the USAGE clause or revise the PIC datatype to noth required DBCS.

**PGU-42042: LENGTH IS clause not allowed for numeric or edited data**

**Cause:** A LENGTH IS clause was specified for a data item that is not non-edited character data.

**Action:** Remove the LENGTH IS clause or change the PICTURE clause for the data item to specify a non-edited, character data mask.

**PGU-50001: error reading the log file.**

**Cause:** An error occured reading the log file.

**Action:** Determine the cause of the problem and correct it before restarting PG4TCPMAP.

**PGU-50002: no data found.**

**Cause:** The predicate that was chosen to delete the row from the PGA\_TCP\_IMSC table is not found.

**Action:** Determine the cause of the problem and correct it before restarting PG4TCPMAP.

**PGU-50003: *string* length of *number* exceeds the maximum of *number*.**

**Cause:** The parameter, <parm> length, <len>, passed to PG4TCPMAP tool was larger than the maximum allowed, <max>.

**Action:** Correct the parameter in error and recall PG4TCPMAP tool. For more information, refer to Oracle Database Gateway for APPC, User's Guide.

**PGU-50004: PG4TCPMAP has ended with a failure.**

---

**Cause:** An error occurred processing pg4tcpmap tool. This message is preceded by additional messages providing more information about the error.

**Action:** Refer to the messages preceding this one to determine the course of action.

**PGU-50101: You have entered an invalid value.**

**Cause:** This is a warning that you have entered an invalid value.

**Action:** The question will be asked again. Enter a valid value.

---

---

# Index

## **B**

---

BACKGROUND\_DUMP\_DEST initialization  
parameter, 1-4

## **I**

---

initialization parameters  
BACKGROUND\_DUMP\_DEST, 1-4  
USER\_DUMP\_DEST, 1-4

## **M**

---

message stacks, 1-2

## **U**

---

USER\_DUMP\_DEST initialization parameter, 1-4

## **V**

---

variable text in messages, 1-2

