

Oracle9i

Administrator's Reference

Release 1 (9.0.1) for UNIX Systems: AIX-Based Systems, Compaq Tru64 UNIX, HP 9000 Series HP-UX, Linux Intel and Sun SPARC Solaris

May 2001

Part No. A90347-02

ORACLE®

Oracle9i Administrator's Reference Release 1 (9.0.1) for UNIX Systems: AIX-Based Systems, Compaq Tru64 UNIX, HP 9000 Series HP-UX, Linux Intel and Sun SPARC Solaris

Part No. A90347-02

Copyright © 1996, 2001, Oracle Corporation. All rights reserved.

Primary Author: Emily Murphy. Editor: Kevin Flood.

Contributors: Oanh Duong, Kevin Flood, Caroline Johnston, Leslie Marder, Tom Leah-Martin, Dara O'Murchu, Doug Williams, Joycelyn Wee, and Paul Wright.

Technical Contributors: Corinne Arne, Harish Akali, Tanya Bagerman, Walter Battistella, Kevin Benson, Jamie Brown, Jack Cai, Dimas Chbane, Chelsea Christenson, Toby Close, Caragh Cooney, Jonathan Creighton, Dan Damon, Saheli Dey, Mark Fallon, Nicole Haba, Jackie Gosselin, Richard Gullede, Bryan Higgs, Amit Khare, Sana Karam, Ravi Kuntamukkala, Terri Landry, Stephen Lee, Bennet Leve, Allen Lui, Miranda Nash, Anu Natarajan, Michele Resta, Sanhita Sarkar, Brandie Smith, Ajay Srivastava, Deborah Steiner, Binoy Sukumaran, Karen Thrift, Sandy Vella, Petros Xides, and Huiping Wang.

The Programs are not intended for use in any nuclear, aviation, mass transit, medical, or other inherently dangerous applications. It shall be the licensee's responsibility to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of such applications if the Programs are used for such purposes, and Oracle Corporation disclaims liability for any damages caused by such use of the Programs.

The Programs (which include both the software and documentation) contain proprietary information of Oracle Corporation; they are provided under a license agreement containing restrictions on use and disclosure and are also protected by copyright, patent, and other intellectual and industrial property laws. Reverse engineering, disassembly, or decompilation of the Programs is prohibited.

The information contained in this document is subject to change without notice. If you find any problems in the documentation, please report them to us in writing. Oracle Corporation does not warrant that this document is error free. Except as may be expressly permitted in your license agreement for these Programs, no part of these Programs may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Oracle Corporation.

If the Programs are delivered to the U.S. Government or anyone licensing or using the Programs on behalf of the U.S. Government, the following notice is applicable:

Restricted Rights Notice Programs delivered subject to the DOD FAR Supplement are "commercial computer software" and use, duplication, and disclosure of the Programs, including documentation, shall be subject to the licensing restrictions set forth in the applicable Oracle license agreement. Otherwise, programs delivered subject to the Federal Acquisition Regulations are "restricted computer software" and use, duplication, and disclosure of the programs shall be subject to the restrictions in FAR 52.227-19, Commercial Computer Software - Restricted Rights (June, 1987). Oracle Corporation, 500 Oracle Parkway, Redwood City, CA 94065.

Oracle is a registered trademark, and ConText, Oracle7, Oracle8, Oracle8i, Oracle9i, Oracle Applications Interconnect, Oracle Call Interface, Oracle Data Migration Assistant, Oracle Database Configuration Assistant, Oracle Dynamic Services, Oracle Enterprise Manager, Oracle Intelligent Agent, Oracle *interMedia*, Oracle Internet File System, OracleJSP, Oracle Label Security, Oracle Locale Builder, Oracle *Metalink*, Oracle Names, Oracle Net, Oracle Objects, Oracle OLAP Services, Oracle Personalization, Oracle Programmer, Oracle Real Application Clusters, Oracle Spatial, Oracle Text, Oracle Wallet Manager, Oracle Workflow, PL/SQL, Pro*C/C++, Pro*COBOL, Pro*FORTRAN, and SQL*Plus are trademarks or registered trademarks of Oracle Corporation. Other names may be trademarks of their respective owners.

Contents

| | |
|--|-------------|
| Send Us Your Comments | xi |
| Preface..... | xiii |
| 1 Administering Oracle9i | |
| Overview | 1-2 |
| Environment Variables | 1-2 |
| Oracle9i Environment Variables | 1-3 |
| UNIX Environment Variables..... | 1-5 |
| Setting a Common Environment..... | 1-8 |
| Setting and Exporting the Value of a Variable in a Current Session | 1-9 |
| Setting the System Time | 1-9 |
| Relinking Executables | 1-9 |
| System Global Area..... | 1-11 |
| Determining the Size of the SGA | 1-12 |
| Intimate Shared Memory (Solaris Only) | 1-12 |
| Oracle9i Memory Requirements..... | 1-14 |
| Database Limits..... | 1-15 |
| Operating System Accounts and Groups..... | 1-16 |
| Oracle Software Owner Account..... | 1-16 |
| OSDBA, OSOPER, and ORAINVENTORY Groups..... | 1-16 |
| Groups and Security..... | 1-18 |
| Security for Database Files | 1-18 |
| External Authentication..... | 1-18 |

| | |
|---|-------------|
| Running the orapwd Utility | 1-19 |
| Password Management..... | 1-19 |
| Customizing the Initialization File | 1-20 |
| Embedded PL/SQL Gateway | 1-22 |
| Overview..... | 1-22 |
| Installing the Embedded PL/SQL Gateway..... | 1-23 |
| Oracle HTTP Server <i>powered by Apache</i>..... | 1-24 |
| Oracle HTTP Server Status..... | 1-25 |
| Oracle HTTP Server Log Files..... | 1-25 |
| Demonstration Files | 1-26 |
| SQL*Loader Demonstrations | 1-26 |
| Administering SQL*Loader..... | 1-27 |
| PL/SQL Demonstrations..... | 1-29 |

2 Tuning for Oracle9i on UNIX

| | |
|---|-------------|
| Importance of Tuning..... | 2-2 |
| Types of Performance Bottlenecks | 2-2 |
| Operating System Tools | 2-3 |
| Common Tools..... | 2-3 |
| vmstat | 2-3 |
| sar | 2-4 |
| iostat | 2-5 |
| swap, swapinfo, swapon, and lps | 2-6 |
| Linux Tools..... | 2-6 |
| Solaris Tools..... | 2-7 |
| AIX Tools | 2-7 |
| HP Tools..... | 2-10 |
| Oracle SQL Tuning Tools | 2-11 |
| Tuning Memory Management | 2-11 |
| Allocate Sufficient Swap Space | 2-12 |
| Control Paging | 2-13 |
| Adjust Oracle Block Size..... | 2-14 |
| Tuning Disk I/O | 2-14 |
| Choose the Appropriate File System Type | 2-14 |

| | |
|---|------|
| Monitoring Disk Performance | 2-15 |
| Tuning CPU Usage | 2-16 |
| Keep All Oracle Users/Processes at the Same Priority..... | 2-16 |
| Tuning Oracle Resource Contention and UNIX Kernel Parameters | 2-16 |
| Tuning the Operating System Buffer Cache | 2-17 |
| Using Raw Devices/Volumes | 2-17 |
| Guidelines for Using Raw Devices/Volumes | 2-18 |
| Raw Device Setup..... | 2-19 |
| Using Trace and Alert Files | 2-20 |
| Trace Files | 2-20 |
| Alert Files..... | 2-20 |

3 Administering SQL*Plus

| | |
|--|-----|
| Administering SQL*Plus | 3-2 |
| Using Setup Files | 3-2 |
| Using the PRODUCT_USER_PROFILE Table..... | 3-3 |
| Using Demonstration Tables | 3-3 |
| SQL*Plus Online Help | 3-4 |
| Installing the SQL*Plus Online Help | 3-4 |
| Removing the SQL*Plus Online Help | 3-5 |
| Using SQL*Plus | 3-6 |
| Using a System Editor from SQL*Plus | 3-6 |
| Running Operating System Commands from SQL*Plus..... | 3-6 |
| Interrupting SQL*Plus | 3-7 |
| Using the SPOOL Command..... | 3-7 |
| SQL*Plus Restrictions | 3-7 |
| Resizing Windows..... | 3-7 |
| Return Codes..... | 3-7 |

4 Using Oracle Precompilers and the Oracle Call Interface

| | |
|--|-----|
| Overview of Oracle Precompilers | 4-2 |
| Precompiler Configuration Files | 4-2 |
| Relinking Precompiler Executables | 4-2 |
| Precompiler README Files..... | 4-3 |
| Issues Common to All Precompilers | 4-4 |

| | |
|--|------|
| Static and Dynamic Linking..... | 4-4 |
| Client Shared Library..... | 4-5 |
| Pro*C/C++ Precompiler | 4-8 |
| Pro*C/C++ Demonstration Programs..... | 4-8 |
| Pro*C/C++ User Program..... | 4-9 |
| Pro*COBOL Precompiler | 4-10 |
| Pro*COBOL Environment Variables..... | 4-11 |
| Pro*COBOL Oracle Runtime System | 4-13 |
| Pro*COBOL Demonstration Programs..... | 4-13 |
| Pro*COBOL User Programs..... | 4-14 |
| FORMAT Precompiler Option..... | 4-15 |
| Pro*FORTRAN Precompiler | 4-16 |
| Pro*FORTRAN Demonstration Programs..... | 4-16 |
| Pro*FORTRAN User Programs | 4-17 |
| SQL*Module for Ada (Solaris and AIX Only) | 4-18 |
| SQL*Module for Ada Demonstration Programs..... | 4-18 |
| SQL*Module for Ada User Programs..... | 4-19 |
| Oracle Call Interface | 4-20 |
| OCI Demonstration Programs | 4-20 |
| OCI User Programs | 4-21 |
| Custom Make Files | 4-22 |
| Correcting Undefined Symbols (Solaris Only) | 4-23 |
| Multi-threaded Applications | 4-24 |
| Using Signal Handlers | 4-24 |
| XA Functionality | 4-26 |

5 Configuring Oracle Net Services

| | |
|---|-----|
| Core Oracle Net Services Products and Features | 5-2 |
| Oracle Net Services and Utilities..... | 5-2 |
| Oracle Net Services Protocol Support | 5-4 |
| ADDRESS Specification..... | 5-4 |
| Bequeath (BEQ) Protocol Support | 5-5 |
| IPC Protocol Support | 5-6 |
| Specifying an IPC ADDRESS..... | 5-6 |

| | |
|---|------|
| RAW Protocol Support | 5-7 |
| TCP/IP Protocol Support | 5-7 |
| Specifying a TCP/IP ADDRESS..... | 5-8 |
| Oracle Enterprise Manager | 5-9 |
| Configuring Oracle Intelligent Agent for Oracle SNMP | 5-9 |
| Oracle Advanced Security | 5-11 |

A Tuning for Oracle9i on AIX

| | |
|--|------|
| Memory and Paging | A-2 |
| Controlling Buffer-Cache Paging Activity..... | A-2 |
| Tuning the AIX File Buffer Cache..... | A-3 |
| Allocating Sufficient Paging Space..... | A-5 |
| Controlling Paging..... | A-5 |
| Setting the Database Block Size..... | A-6 |
| Tuning the Log Archive Buffers..... | A-6 |
| Tuning the SGA Size..... | A-7 |
| I/O Buffers and SQL*Loader..... | A-7 |
| Disk I/O Issues | A-8 |
| AIX Logical Volume Manager..... | A-8 |
| Using Journaled File Systems Compared to Using Raw Partitions..... | A-9 |
| Using Asynchronous I/O..... | A-11 |
| I/O Slaves..... | A-13 |
| Using the DB_FILE_MULTIBLOCK_READ_COUNT Parameter..... | A-13 |
| Using RAID Capabilities..... | A-14 |
| Using Write Behind..... | A-14 |
| Tuning Sequential Read Ahead..... | A-15 |
| Tuning Disk I/O Pacing..... | A-15 |
| Disk Geometry Considerations..... | A-16 |
| Minimizing Remote I/O Operations..... | A-16 |
| Do Not Use VSD Cache Buffers..... | A-17 |
| CPU Scheduling and Process Priorities | A-17 |
| Changing Process Running Time Slice..... | A-18 |
| Using Processor Binding on SMP Systems..... | A-18 |
| UDP Tuning..... | A-21 |
| Backing Up Raw Devices..... | A-22 |

B Tuning for Oracle9i on HP

| | |
|---|-----|
| HP SCHED_NOAGE Scheduling Policy | B-2 |
| Enabling SCHED_NOAGE for Oracle9i..... | B-2 |
| Lightweight Timer Implementation | B-3 |
| Asynchronous I/O | B-3 |
| MLOCK Privilege | B-4 |
| Implementing Asynchronous I/O | B-4 |
| Verifying Asynchronous I/O..... | B-6 |
| Asynchronous Flag in SGA | B-7 |
| Disabling Data Prefetch on the HP Superdome for Oracle | B-7 |

C Tuning for Oracle9i on Tru64

| | |
|--|------|
| Gathering Database Statistics on Tru64 | C-2 |
| Oracle9i Real Application Clusters on Tru64 | C-3 |
| Reliable Data Gram..... | C-3 |
| TRU64_IPC_NET Initialization Parameter | C-5 |
| Tuning Asynchronous I/O | C-5 |
| Operating System Parameters..... | C-6 |
| Direct I/O Support and Concurrent Direct I/O Support Enabled in Oracle9i for Tru64.. | C-7 |
| Enabling Access to the Real Time Clock | C-9 |
| Setting Up Raw Devices | C-10 |
| Spike Optimization Tool | C-12 |
| Using Spike | C-13 |
| Enabling Oracle9i Directed Placement Optimizations | C-18 |
| Requirements to Run the Directed Placement Optimizations | C-19 |
| Enabling Oracle Directed Placement Optimizations..... | C-19 |
| Disabling Oracle Directed Placement Optimizations..... | C-20 |
| Using Oracle Directed Placement Optimizations | C-20 |
| Oracle Initialization Parameters | C-20 |
| Tru64 UNIX System Parameters..... | C-21 |
| Process Affinity to RADs..... | C-21 |

D Running Oracle interMedia, Oracle Text, and Oracle Spatial Demonstrations

| | |
|----------------------------------|-----|
| Oracle9i interMedia | D-2 |
| interMedia Annotator | D-3 |
| Locator..... | D-3 |
| Clipboard | D-3 |
| Oracle Text | D-4 |
| Oracle9i Spatial | D-4 |

E Oracle Cluster Management Software for Linux

| | |
|---|------|
| Overview | E-2 |
| Watchdog Daemon | E-3 |
| Node Monitor | E-4 |
| Cluster Manager | E-5 |
| Starting OCMS | E-6 |
| Starting the Watchdog Daemon | E-6 |
| Configuring the Node Monitor | E-8 |
| Starting the Node Monitor | E-10 |
| Starting the Cluster Manager..... | E-12 |
| Configuring Timing for Cluster Reconfiguration..... | E-13 |
| Watchdog Daemon and Cluster Manager Starting Options | E-15 |
| Known Issues and Restrictions | E-15 |

F Optimal Flexible Architecture

| | |
|--|-----|
| Optimal Flexible Architecture | F-2 |
| Characteristics of an OFA-Compliant Database | F-2 |
| Optimal Flexible Architecture Implemented on UNIX | F-4 |
| Mount Points | F-4 |
| Naming Directories | F-5 |
| Naming Database Files | F-8 |
| Separate Segments With Different Requirements | F-9 |

| | |
|---|------|
| Naming Tablespaces | F-10 |
| Exploiting the OFA Structure for Oracle Files..... | F-10 |
| OFA File Mapping..... | F-11 |
| File Mapping for a Multiple-Instance OFA Database | F-12 |
| Directory Structure | F-14 |

Index

Send Us Your Comments

Oracle9i Administrator's Reference Release 1 (9.0.1) for UNIX Systems: AIX-Based Systems, Compaq Tru64 UNIX, HP 9000 Series HP-UX, Linux Intel and Sun SPARC Solaris

Part No. A90347-02

Oracle Corporation welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, please indicate the chapter, section, and page number (if available). You can send comments to us in the following ways:

- E-mail - osdwrite_us@oracle.com
- FAX - 650.413.0176 Attn: Corinne Arne
- Postal service:
UNIX Documentation Manager
Oracle Corporation
500 Oracle Parkway, Mailstop 501ip4
Redwood Shores, CA 94065
USA

If you would like a reply, please provide your name, address, and telephone number.

If you have problems with the software, please contact your local Oracle Support Services Center.

Preface

Purpose

This guide and the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* provide instructions for administering and configuring Oracle9i release 1 (9.0.1) on UNIX systems. Documentation for products included with the software is in the *Oracle9i Generic Documentation Set*.

Audience

This document is intended for anyone responsible for administering and configuring Oracle9i release 1 (9.0.1) on UNIX systems.

Oracle9i Standard Edition and Oracle9i Enterprise Edition

Unless noted otherwise, features and functionality described in this document are common to both Oracle9i Standard Edition and Oracle9i Enterprise Edition.

Terminology

The names for the UNIX operating systems have been shortened for this guide and the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems*. The names are as follows:

| Operating System | Abbreviated Name |
|-------------------------|-------------------------|
| AIX-Based Systems | AIX |
| HP 9000 Series HP-UX | HP |
| Linux Intel | Linux |
| Sun SPARC Solaris | Solaris |
| Compaq Tru64 UNIX | Tru64 |

Typographic Conventions

The following typographic conventions are used in this guide:

| | |
|------------------------|--|
| <code>monospace</code> | Monospace type indicates UNIX commands, directory names, usernames, pathnames, and filenames. |
| <i>italics</i> | Italic type indicates a variable, including variable portions of filenames. It is also used for emphasis and for book titles. |
| UPPERCASE | Uppercase letters indicate Structured Query Language (SQL) reserved words, initialization parameters, and environment variables. |
| <cr> | This string indicates a newline character. |

Command Syntax

UNIX command syntax appears in monospace font and assumes the use of the Bourne shell. The "\$" character at the beginning of UNIX command examples should not be entered at the prompt. Because UNIX is case-sensitive, conventions in this document may differ from those used in other Oracle documentation

| | |
|----------------|--|
| backslash \ | A backslash indicates a command that is too long to fit on a single line. Enter the line as displayed (with a backslash) or enter it on a single line without a backslash: <pre>dd if=/dev/rdskc0t1d0s6 of=/dev/rst0 bs=10b \ count=10000</pre> |
| braces { } | Braces indicate required items: <code>.DEFINE {macro1}</code> |
| brackets [] | Brackets indicate optional items: <code>cvtrct termname [outfile]</code> |
| ellipses ... | Ellipses indicate an arbitrary number of similar items: <code>CHKVAL fieldname value1 value2 ... valueN</code> |
| <i>italics</i> | Italic type indicates a variable. Substitute a value for the variable: <code>library_name</code> |
| vertical line | A vertical line indicates a choice within braces or brackets: <code>SIZE filesize [K M]</code> |

Accessing Installed Documentation

Oracle9i release 1 (9.0.1) for UNIX systems documentation includes this guide and the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems*. You can install documentation in HTML and PDF (Adobe Portable Document Format, which requires Acrobat Reader) formats. UNIX-specific documentation files are located on the Oracle9i CD-ROM. Generic documentation files are located on the Online Generic Documentation CD-ROM. The exact location of the documentation files is determined according to the following rules:

- If the ORACLE_DOC environment variable is defined in the environment, then the files are installed in the directory defined by the environment variable.
- If the ORACLE_DOC environment variable is not defined but the ORACLE_BASE environment variable is defined, then the files are installed in the `ORACLE_BASE/doc` directory.

- If neither the ORACLE_DOC environment variable nor the ORACLE_BASE environment variable are defined in the environment, then the files are installed in the \$ORACLE_HOME/doc directory.

To access the documentation, navigate to the documentation directory. If you want to access the HTML documentation, use a browser to open the `index.htm` file. If you prefer paper documentation, open and print the PDF files.

Oracle Product Documentation

Oracle9i product documentation is on the Oracle9i Generic Documentation CD-ROM. Instructions for accessing and installing the documents on the CD-ROM are found in the README file in the top-level directory of the CD-ROM.

Documentation Library

The documentation library on the Generic Documentation CD-ROM includes a web-based search tool that enables you to search through the complete library of Oracle9i documents. You may search for information on a particular product, parameter, filename, procedure, error message, or other area of interest. The tool also makes it possible to construct a “virtual book” that consists of topics and procedures relevant for your needs drawn from the complete documentation library. The library also includes a comprehensive Master Index, as well as lists of SQL and PL/SQL keywords, initialization parameters, catalog views, and data dictionary views.

Related Documentation

If you are unfamiliar with the concepts or terminology associated with relational database management systems, then refer to *Oracle9i Database Concepts* before beginning your installation. Read the *Quick Installation Procedure* for an overview of the installation process. Use the *Installation Checklist* to ensure that you have the required information and that you have completed the necessary pre-installation steps for a successful installation.

Information on system administration and tuning for a production database system is provided in these documents:

- *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems*
- *Oracle9i Database Administrator's Guide*
- *Oracle9i Net Services Administrator's Guide*
- *Oracle9i Database Performance Guide and Reference*

Information about migrating from a previous version of the Oracle Server is provided in *Oracle9i Database Migration*.

Oracle Services and Support

The Oracle corporate web page is located at:

<http://www.oracle.com>

Oracle Corporation offers a wide range of services to help facilitate corporate system solutions, including Oracle Education courses, Oracle Consulting services, and Oracle Worldwide Customer Support from the website. In addition, Oracle Corporation provides free trial software, updates on Oracle products and service, and technical brochures and data sheets.

Oracle Support Services

Technical Support registration and contact information worldwide is available at:

<http://www.oracle.com/support>

At the Oracle support site, templates are available to help you prepare information about your problem before you call so that you may be helped more quickly. You must also provide your CSI number (if applicable) or complete contact details, including any special project information.

Oracle MetaLink

Oracle MetaLink is Oracle Corporation's web service for technical information. Members of Oracle MetaLink can search for updates, alerts, patches, and other information about products, releases, and operating systems, or set preferences to be notified automatically of new information. MetaLink offers a variety of services to assist in setting up and administrating Oracle products, including procedures, scripts, commentary, and tuning and configuration best-practices bulletins. In addition, it offers forums for information sharing among Oracle customers, and direct communication with Oracle Support. Oracle MetaLink is available to Product Support Customers at no extra cost. Sign up for free membership for this service at:

<http://www.oracle.com/support/metalink>

Use your Support Access Code (SAC) number to register. Products and Documentation

Products and Documentation

For U.S.A. customers, Oracle Store is at:

<http://oraclestore.oracle.com>

Links to Stores in other countries are provided at this site.

Product documentation can be found at:

<http://docs.oracle.com>

Customer Service

Global Customer Service contacts are listed at:

<http://www.oracle.com/support/>

Education and Training

Training information and worldwide schedules are available at:

<http://www.oracle.com/education/>

Oracle Technology Network

Register with the Oracle Technology Network (OTN) at:

<http://otn.oracle.com/index.html>

OTN delivers technical papers, code samples, product documentation, an Oracle on-line community and self-service developer support. It also offers the Oracle key developer products to enable rapid development and deployment of applications built on Oracle technology.

Documentation Accessibility

Oracle Corporation strives to make Oracle products, services, and supporting documentation accessible to the disabled community with good usability. To that end, our documentation includes features that make information available to users of assistive technology. This documentation is available in HTML format, and contains markup to facilitate access by the disabled community. Standards will continue to evolve over time, and Oracle is actively engaged with other market-leading technology vendors to address technical obstacles so that our documentation can be accessible to all of our customers.

JAWS, a Windows screen reader, may not always correctly read the Java code examples in this document. The conventions for writing Java code require that closing braces should appear on an otherwise empty line; however, JAWS may not always read a line of text that consists solely of a bracket or brace.

For additional information, visit the Oracle Accessibility Program web site at:

<http://www.oracle.com/accessibility/>

Support for Hearing and Speech Impaired Customers

Oracle Corporation provides dedicated Text Telephone (TTY) access to Oracle Support Services within the United States of America 24 hours a day, seven days a week.

- For technical questions, call:
1.800.446.2398
- For non-technical questions, call:
1.800.464.2330

Administering Oracle9i

This chapter provides information on administering Oracle9i on AIX, HP, Linux, Solaris, and Tru64. It contains the following sections:

- [Overview](#)
- [Environment Variables](#)
- [Relinking Executables](#)
- [System Global Area](#)
- [Oracle9i Memory Requirements](#)
- [Database Limits](#)
- [Operating System Accounts and Groups](#)
- [Customizing the Initialization File](#)
- [Embedded PL/SQL Gateway](#)
- [Oracle HTTP Server powered by Apache](#)
- [Demonstration Files](#)

Overview

You must set Oracle9i environment variables, parameters, and user settings for Oracle9i to work. This chapter describes the various settings for Oracle9i on AIX, HP, Linux, Solaris, and Tru64.

In Oracle9i files and programs, a question mark (?) represents the value of the ORACLE_HOME environment variable. For example, Oracle9i expands the question mark in the following SQL statement to the full pathname of the Oracle home directory:

```
SQL> ALTER TABLESPACE TEMP ADD DATAFILE '?/dbs/dbs2.dbf' SIZE 2M
```

The @ sign represents the ORACLE_SID environment variable. For example, to indicate a file belonging to the current instance, enter:

```
SQL> ALTER TABLESPACE tablespace_name ADD DATAFILE dbfile@.dbf
```

Environment Variables

This section describes the most commonly-used Oracle9i and UNIX environment variables. You must define some environment variables before installing Oracle9i. These environment variables are listed in the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems*.

To display the current value of an environment variable, use the `echo` command. For example, to display the value of the ORACLE_SID environment variable, enter:

```
$ echo $ORACLE_SID
```

Oracle9i Environment Variables

Table 1-1 provides the syntax for, and examples of, environment variables used by Oracle9i.

Table 1-1 Oracle9i Environment Variables on UNIX

| Variable | Detail | Definition |
|--------------|----------|--|
| EPC_DISABLED | Function | Disables Oracle Trace. |
| | Syntax | TRUE FALSE |
| NLS_LANG | Function | Specifies the language, territory, and character set of the client environment. The character set specified by NLS_LANG must match the character set of the terminal or terminal emulator. The character set specified by NLS_LANG can be different from the database character set, in which case Oracle automatically converts the character set. See the <i>Oracle9i Globalization Support Guide</i> for a list of values. |
| | Syntax | <i>language_territory.characterset</i> |
| | Example | <i>french_france.we8dec</i> |
| ORA_NLS33 | Function | Specifies the directory where language, territory, character set, and linguistic definition files are stored. |
| | Syntax | <i>directory_path</i> |
| | Example | <i>\$ORACLE_HOME/ocommon/nls/admin/data</i> |
| ORA_TZFILE | Function | Specifies the full pathname to the time zone file. You must set this environment variable if you want to use a time zone from the large time zone file (<i>\$ORACLE_HOME/oracore/zoneinfo/timezlg.dat</i>) for data in the database. The large time zone file contains information on more time zones than the default time zone file (<i>\$ORACLE_HOME/oracore/zoneinfo/timezone.dat</i>). All databases that share information must use the same time zone file. You must stop and restart the database when you change the value of this environment variable. |
| | Syntax | <i>directory_path</i> |
| | Example | <i>\$ORACLE_HOME/oracore/zoneinfo/timezlg.dat</i> |
| ORACLE_BASE | Function | Specifies the base of the Oracle directory structure for Optimal Flexible Architecture (OFA) compliant databases. |
| | Syntax | <i>directory_path</i> |
| | Example | <i>/u01/app/oracle</i> |

Table 1–1 Oracle9i Environment Variables on UNIX (Cont.)

| Variable | Detail | Definition |
|--------------|----------|---|
| ORACLE_HOME | Function | Specifies the directory containing the Oracle software. |
| | Syntax | <i>directory_path</i> |
| | Example | \$ORACLE_BASE/product/9.0.1 |
| ORACLE_PATH | Function | Specifies the search path for files used by Oracle applications, such as SQL*Plus (*.sql), Oracle Forms (*.frm), and Oracle Reports (*.rpt). If the full path to the file is not specified, or if the file is not in the current directory, the Oracle application uses ORACLE_PATH to locate the file. |
| | Syntax | Colon-separated list of directories: <i>directory1:directory2:directory3</i> |
| | Example | /u01/app/oracle/product/9.0.1/bin:. Note: The period adds the current working directory to the search path. |
| ORACLE_SID | Function | Specifies the Oracle system identifier. |
| | Syntax | A string of numbers and letters that must begin with a letter. Oracle Corporation recommends a maximum of eight characters for system identifiers. For more information on this environment variable, see the <i>Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems</i> . |
| | Example | SAL1 |
| ORACLE_TRACE | Function | Enables the tracing of shell scripts during an installation. If this environment variable is set to T, many Oracle shell scripts use the <code>set -x</code> command, which prints commands and their arguments as they are run. |
| | Syntax | T or not T. |
| ORAENV_ASK | Function | Controls whether the <code>coraenv</code> or <code>oraenv</code> script prompts for ORACLE_SID or ORACLE_HOME. If the value is NO, the scripts do not prompt; otherwise they do. |
| | Syntax | string |
| | Example | NO or not NO. |
| SQLPATH | Function | Specifies the directory or list of directories that SQL*Plus searches for a <code>login.sql</code> file. |
| | Syntax | Colon-separated list of directories: <i>directory1:directory2:directory3</i> |
| | Example | /home:/home/oracle:/u01/oracle |

Table 1–1 Oracle9i Environment Variables on UNIX (Cont.)

| Variable | Detail | Definition |
|-----------|-----------------|--|
| TNS_ADMIN | Function | Specifies the directory containing the Oracle Net configuration files. |
| | Syntax | <i>directory_path</i> |
| | Range of Values | Any directory; for more information, see the <i>Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems</i> . |
| | Example | <code>\$ORACLE_HOME/network/admin</code> |
| TWO_TASK | Function | Specifies the default Oracle Net connect string descriptor alias defined in the <code>tnsnames.ora</code> file. |
| | Syntax | Any available network alias. |
| | Range of Values | Any valid Oracle Net alias defined in the <code>tnsnames.ora</code> file. |
| | Example | <code>PRODDB_TCP</code> |

Note: To prevent conflicts, do not define environment variables with names that are identical to the names of Oracle Server processes, for example: ARCH, PMON, and DBWR.

UNIX Environment Variables

Table 1–2 provides the syntax for, and examples of, UNIX environment variables used with Oracle9i.

Table 1–2 UNIX Environment Variables Used with Oracle9i

| Variable | Detail | Definition |
|-----------|----------|--|
| ADA_PATH | Function | Specifies the directory containing the Ada compiler (Solaris and AIX only). |
| | Syntax | <i>directory_path</i> |
| | Example | <code>/usr/lpp/powerada</code> |
| CLASSPATH | Function | Used with Java applications. The setting for this variable differs with each Java application. See the product documentation for your Java application for more information. |
| | Syntax | Colon-separated list of directories: <i>directory1:directory2:directory3</i> |

Table 1–2 UNIX Environment Variables Used with Oracle9i (Cont.)

| Variable | Detail | Definition |
|------------------|----------|---|
| | Example | There is no default setting. CLASSPATH must include the following directories: <code>\$ORACLE_HOME/JRE/lib:\$ORACLE_HOME/product/jlib</code> |
| DISPLAY | Function | Used by X-based tools. Specifies the display device used for input and output. See the X Windows documentation of the vendor for details. |
| | Syntax | <code>hostname:display</code> where the <i>hostname</i> is the computer name (either IP address or alias) and <i>display</i> is the monitor number. If you have a single monitor, the number is 0. |
| | Example | <code>135.287.222.12:0</code> <code>bambi:0</code> |
| HOME | Function | The user's home directory. |
| | Syntax | <code>directory_path</code> |
| | Example | <code>/home/oracle</code> |
| LANG or LANGUAGE | Function | Specifies the language and character set used by the operating system for messages and other output. See the operating system documentation and the <i>Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems</i> for more information. |
| LD_OPTIONS | Function | Specifies the default linker options. See the <code>ld</code> man pages for more information. |
| LPDEST | Function | Specifies the name of the default printer (Solaris only). |
| | Syntax | <code>string</code> |
| | Example | <code>docprinter</code> |
| LDPATH | Function | Default directories used by the linker to find shared object libraries. See the <code>ld</code> man pages for more information on this environment variable (Solaris only). |
| LD_LIBRARY_PATH | Function | List of directories that the shared library loader searches to locate shared object libraries at runtime. See the <code>ld</code> man page for information on this environment variable. |
| | Syntax | Colon-separated list of directories: <code>directory1:directory2:directory3</code> |
| | Example | <code>/usr/dt/lib:\$ORACLE_HOME/lib</code> |
| LIBPATH | Function | List of directories that the shared library loader searches to locate shared object libraries at runtime. See the <code>ld</code> man page for information on this environment variable (AIX only). |

Table 1–2 UNIX Environment Variables Used with Oracle9i (Cont.)

| Variable | Detail | Definition |
|----------------|-----------------|--|
| PATH | Syntax | Colon-separated list of directories: <i>directory1:directory2:directory3</i> |
| | Example | <i>/usr/dt/lib:\$ORACLE_HOME/lib</i> |
| | Function | Used by the shell to locate executable programs; must include the \$ORACLE_HOME/bin directory. |
| | Syntax | Colon-separated list of directories: <i>directory1:directory2:directory3</i> |
| PRINTER | Example | <i>/bin:/usr/bin:/usr/local/bin: /usr/bin/X11:\$ORACLE_HOME/bin:\$HOME/bin.</i> |
| | Function | Note: The period adds the current working directory to the search path. |
| | Function | Defines the name of the default printer. |
| | Syntax | <i>string</i> |
| SHELL | Example | <i>docprinter</i> |
| | Function | Specifies the command interpreter used during a host command. |
| | Syntax | <i>shell_path</i> |
| | Range of Values | <i>/bin/sh, /bin/csh, /bin/ksh, or any other command interpreter supplied with UNIX.</i> |
| SHLIB_PATH | Example | <i>/bin/sh</i> |
| | Function | List of directories that the shared library loader searches to locate shared object libraries at runtime. See the <code>ld</code> man page for information on this environment variable (HP only). |
| | Syntax | Colon-separated list of directories: <i>directory1:directory2:directory3</i> |
| TMP and TMPDIR | Example | <i>/usr/dt/lib:\$ORACLE_HOME/lib</i> |
| | Function | Specifies the default directory for temporary files; if set, tools that create temporary files create them in this directory. |
| | Syntax | <i>directory_path</i> |
| | Example | <i>/u02/oracle/tmp</i> |
| XENVIRONMENT | Function | Specifies a file containing X-Windows system resource definitions. See your X-Windows documentation for more information. |

Setting a Common Environment

This section describes how to use the `oraenv` (`coraenv` for the C shell) command to set a common UNIX environment.

The `oraenv` Command File

The `oraenv` (or `coraenv`) script is created during installation. It contains values for Oracle environment variables and provides:

- A central means of updating all user accounts with database changes
- A mechanism for switching between Oracle9i databases

You may find yourself frequently adding and removing databases from your development system or your users may be switching between several different Oracle databases installed on the same system. Each user shell startup file calls the `oraenv` command file.

See Also: For more information on setting a common environment, see the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems*.

Local bin Directory

Place the `oraenv` (or `coraenv`) and `dbhome` scripts in a local `bin` directory, separate from the Oracle software home directory, to ensure that these files are accessible to all users. Doing this also ensures that the `oraenv` script continues to work even if you change the path to specify a different Oracle home directory. The local `bin` directory is specified by the `root.sh` script, which you run after you install Oracle9i. The default location for the local `bin` directory on UNIX is `/usr/local/bin`.

Switching Between Databases

To switch from one database or database instance to another, call the `oraenv` routine. Reply to the prompt with the value of the `ORACLE_SID` environment variable of the database to which you are switching. Always provide the full path of the `oraenv` command file. For example:

```
$ . /usr/local/bin/oraenv
ORACLE_SID= [default]? sid
```

Setting and Exporting the Value of a Variable in a Current Session

Use the `env` command to show the environment variable values that have been exported to the environment. The Bourne shell and Korn shell can set values without exporting them.

For the Bourne or Korn shell, enter:

```
$ ORACLE_SID=test
$ export ORACLE_SID
```

For the C shell, enter:

```
% setenv ORACLE_SID test
```

In the preceding example, *test* is the value of the `ORACLE_SID` environment variable.

Setting the System Time

The `TZ` environment variable sets the time zone. It enables you to adjust the clock for daylight saving time changes or different time zones. The adjusted time is used to time-stamp files, produce the output of the `date` command, and obtain the current `SYSDATE`.

Oracle Corporation recommends that you do not change your personal `TZ` value. Using different values of `TZ` such as `GMT+24` might change the date a transaction is recorded. This changed date affects Oracle applications that use `SYSDATE`, such as Oracle Financials. To avoid this problem, use sequence numbers to order a table instead of date columns.

Relinking Executables

You can manually relink your product executables using a relink shell script located in the `$ORACLE_HOME/bin` directory. Relinking is necessary after applying any operating system patches or after an operating system upgrade.

Note: Shut down Oracle Intelligent Agent, and other Oracle programs in this Oracle home directory before relinking executables.

The relink script manually relinks Oracle product executables, depending on the products that have been installed in the Oracle home directory.

To relink product executables, enter the following command, where *parameter* is one of the values listed in [Table 1-3](#):

```
$ relink parameter
```

Table 1-3 Relink Script Parameters

| Value | Description |
|--------------|--|
| all | Every product executable that has been installed |
| oracle | Oracle server executable only |
| network | net_client, net_server, nau, cman, cnames |
| client | net_client, otrace, plsql, client_sharedlib |
| interMedia | ctx, ordimg, ordaud, ordvir, md |
| precomp | All precompilers that have been installed |
| utilities | All utilities that have been installed |
| oemagent | oemagent, odg |

System Global Area

The System Global Area (SGA) is the Oracle structure that is located in shared memory. It contains static data structures, locks, and data buffers. Sufficient shared memory must be available to each Oracle process to address the entire SGA.

The maximum size of a single shared memory segment is specified by the SHMMAX kernel parameter (SHM_MAX on Tru64). The following table shows the recommended value for this parameter, depending on your platform:

| Platform | Recommended Value |
|-------------------|---|
| AIX | 2,000,000,000 bytes (regardless of the physical memory installed on the system) |
| HP | The size of the physical memory |
| Solaris and Tru64 | 4,294,967,296 bytes (regardless of the physical memory installed on the system) |
| Linux | Half the size of the physical memory installed on the system |

If the size of the SGA exceeds the maximum size of a shared memory segment (SHMMAX or SHM_MAX), Oracle9i attempts to attach more contiguous segments to fulfill the requested SGA size. The SHMSEG kernel parameter (SHM_SEG on Tru64) specifies the maximum number of segments that can be attached by any process.

Note: On Solaris, Intimate Shared Memory (ISM) can cause problems when the value of the SHMMAX parameter is smaller than the database SGA size. If the SGA is defined over more than one segment, ISM performance is affected. To fix this problem, make sure that the value of the SHMMAX parameter is larger than the database SGA size.

Set the following initialization file parameters to control the size of the SGA:

- `DB_BLOCK_BUFFERS`
- `DB_BLOCK_SIZE`
- `SHARED_POOL_SIZE`
- `JAVA_POOL_SIZE`

Use caution when setting values for these parameters. When values are set too high, too much of the computer's physical memory is devoted to shared memory, resulting in poor performance.

Note: Set the value of the `DB_BLOCK_BUFFERS` parameter to at least 1024.

Determining the Size of the SGA

You can determine the SGA size in one of the following ways:

- Enter the following SQL*Plus command to display the size of the SGA for a running database:

```
SQL> SHOW SGA
```

The result is shown in bytes.

- Determine the size of the SGA when you start your database instance. The SGA size is displayed next to the heading Total System Global Area.

Intimate Shared Memory (Solaris Only)

On Solaris systems, Oracle9i uses Intimate Shared Memory (ISM) for shared memory segments because it shares virtual memory resources among Oracle processes. On Solaris 2.6 and Solaris 7, Oracle9i uses ISM by default. If you use ISM on Solaris, the physical memory for the entire shared memory segment is automatically locked.

On Solaris 8, dynamic/pageable ISM (DISM) is available. This enables Oracle9i to share virtual memory resources among processes sharing the segment, and at the same time enables memory paging. The operating system does not have to lock down physical memory for the entire shared memory segment. Using DISM causes a small loss in performance compared to using ISM.

Oracle9i automatically decides at startup whether to use ISM or DISM, based on the following criteria:

- Oracle9i uses DISM if it is available on the system, and if the value of the `SGA_MAX_SIZE` initialization parameter is larger than the size required for all SGA components combined. This allows Oracle9i to lock only the amount of physical memory that is used.
- Oracle9i uses ISM if the entire memory segment is in use at startup or if the value of the `SGA_MAX_SIZE` parameter is smaller than the size required for all SGA components combined.

Regardless of whether Oracle9i uses ISM or DISM, it can resize the dynamic SGA components after it starts an instance. Oracle9i can relinquish memory from one dynamic SGA component and allocate it to another component.

Because shared memory segments are not implicitly locked in memory, when using DISM, Oracle9i explicitly locks shared memory that is currently in use at startup. When a dynamic SGA operation uses more shared memory, Oracle9i explicitly performs a lock operation on the memory that comes in use. When a dynamic SGA operation releases shared memory, Oracle9i explicitly performs an unlock operation on the memory that is freed, so that it becomes available to other applications. Oracle9i uses a new command, `oradism`, to lock and unlock shared memory.

You must log in as the `root` user to lock or unlock memory. The Solaris 8 `user_attr` and `exec_attr` databases grant appropriate attributes to the user for this purpose. If these attributes are not set correctly, the `oradism` command fails to perform the lock and unlock operations. If this happens, Oracle9i continues to run, but performance might be degraded because the SGA memory is not locked.

See Also: See the Solaris 8 man pages for more information on the `user_attr` and `exec_attr` databases.

Oracle9i Memory Requirements

Calculate the Oracle9i memory requirements to determine the number of users that the system can support. This calculation also helps to determine the physical memory and swap space requirements. To calculate the memory requirements, follow these steps:

Note: Use the `size` command to determine the size of the text section, data section, and uninitialized data section (or bss) for the `oracle` executable. The text section size is included only once, because the `oracle` executable text section is shared.

1. Use the following formula to calculate the total memory requirement of the Oracle9i background processes:

$$text + SGA + (n * (data + uninitialized_data + 8192 + 2048))$$

The following table describes the variables and values in this formula:

| Variable or Value | Description |
|---------------------------|---|
| <i>text</i> | Size in bytes of the text section of the <code>oracle</code> executable |
| <i>SGA</i> | Size in bytes of the SGA |
| <i>n</i> | Number of Oracle background processes |
| <i>data</i> | Size in bytes of the data section of the <code>oracle</code> executable |
| <i>uninitialized_data</i> | Size in bytes of the uninitialized data section (bss) of the <code>oracle</code> executable |
| 8192 | Size in bytes of the stack for the process |
| 2048 | Size in bytes of the user area for the process |

Background process names have the format `ora_process_sid`, where *process* is the process name and *sid* is the value of the `ORACLE_SID` environment variable. For example, the log writer (LGWR) process for the SAL1 instance is named `ora_lgwr_SAL1`.

2. Use the following formula to calculate the additional memory requirement of each Oracle9i shadow process:

$$data + uninitialized_data + 8192 + 2048 + cursor_area$$

In this formula, *cursor_area* is the size in bytes of the application cursor area. The other variables and values have the same meaning as in step 1.

Shadow process names have the format *oraclesid*, where *sid* is the value of the ORACLE_SID environment variable.

3. To estimate the maximum possible memory requirement, multiply the value from step 2 by the maximum number of concurrent shadow processes you expect, then add the value from step 1.

Database Limits

[Table 1–4](#) lists the default and maximum values for parameters in a CREATE DATABASE or CREATE CONTROLFILE statement.

Note: Interdependencies among these parameters may affect allowable values.

Table 1–4 CREATE CONTROLFILE and CREATE DATABASE Parameters

| Parameter | Default | Maximum Value |
|---------------|---------|---------------|
| MAXLOGFILES | 16 | 255 |
| MAXLOGMEMBERS | 2 | 5 |
| MAXLOGHISTORY | 100 | 65534 |
| MAXDATAFILES | 30 | 65534 |
| MAXINSTANCES | 1 | 63 |

[Table 1–5](#) lists the Oracle9i file size limits specific to UNIX.

Table 1–5 File Size Limits

| File Type | Maximum Size |
|--------------------|--|
| Datafiles | 4,194,303 multiplied by the value of the DB_BLOCK_SIZE parameter |
| Import/Export file | 2,147,483,647 |
| SQL*Loader file | 2,147,483,647 |

Operating System Accounts and Groups

Special operating system accounts and groups are required by Oracle9i, as follows:

- Oracle software owner account
- OSDBA, OSOPER, and ORAINVENTORY groups

Oracle Software Owner Account

The Oracle software owner account, usually named `oracle`, is the account that you use to install the Oracle software. You can use different Oracle software owner accounts for separate installations of the software. However, you must use the same account that installed the software for all subsequent maintenance tasks on that installation.

Oracle Corporation recommends that the Oracle software owner has the ORAINVENTORY group as its primary group and the OSDBA group as its secondary group.

OSDBA, OSOPER, and ORAINVENTORY Groups

[Table 1-6](#) describes the special UNIX groups required by Oracle9i.

Table 1-6 UNIX Groups

| Group | Typical Name | Description |
|-------|--------------|--|
| OSDBA | dba | <p>Operating system accounts that are members of the OSDBA group have special database privileges. Members of this group can connect to the database using the SYSDBA privilege. The Oracle software owner is the only required member of this group. You can add other accounts as required.</p> <p>For more information on the OSDBA group and the SYSDBA privilege, see the <i>Oracle9i Database Administrator's Guide</i> and the <i>Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems</i>.</p> |

Table 1–6 UNIX Groups (Cont.)

| Group | Typical Name | Description |
|--------------|--------------|--|
| OSOPER | oper | <p>The OSOPER group is an optional group. Operating system accounts that are members of the OSOPER group have special database privileges. Members of this group can connect to the database using the SYSOPER privilege.</p> <p>For more information on the OSOPER group and the SYSOPER privilege, see the <i>Oracle9i Database Administrator's Guide</i> and the <i>Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems</i>.</p> |
| ORAINVENTORY | oinstall | <p>All users installing Oracle software on a UNIX system must belong to the same UNIX group, called the ORAINVENTORY group. This group must be the primary group of the Oracle software owner during installations. After the installation, this group owns all of the Oracle files installed on the system.</p> |

Oracle9i uses several features of the UNIX operating system to provide a secure environment for users. These features include file ownership, group accounts, and the ability of a program to change its user ID upon execution.

The two-task architecture of Oracle9i improves security by dividing work (and address space) between the user program and the `oracle` program. All database access is achieved through the shadow process and special authorizations in the `oracle` program.

See Also: For more information on security issues, see the *Oracle9i Database Administrator's Guide*.

Groups and Security

Oracle programs are divided into two sets for security purposes: those executable by all (other, in UNIX terms), and those executable by DBAs only. Oracle Corporation recommends the following approach to security:

- The primary group for the `oracle` account should be the `oinstall` group.
- The `oracle` account must have the `dba` group as a secondary group.
- Although any user account which requires `dba` privileges can belong to the `dba` group, the only user account which should belong to the `oinstall` group is the `oracle` account.

Security for Database Files

See the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for information on the appropriate permissions for database files.

External Authentication

If you choose to use external authentication, you must use the value of the `OS_AUTHENT_PREFIX` initialization parameter as a prefix for Oracle usernames. If you do not explicitly set this parameter, the default value on UNIX is `ops$`, which is case sensitive.

To use the same usernames for both operating system and Oracle authentication, set this initialization parameter to a null string, as follows:

```
OS_AUTHENT_PREFIX=""
```

See Also: See the *Oracle9i Database Administrator's Guide* for more information on external authentication.

Running the orapwd Utility

You can use a password file to identify users that can use the SYSDBA and SYSOPER privileges when connecting to the database. To create the password file:

1. Log in as the Oracle software owner.
2. Use the `$ORACLE_HOME/bin/orapwd` utility, which has the following syntax:

```
$ orapwd file=filename password=password entries=max_users
```

Table 1-7 describes this syntax:

Table 1-7 Syntax for Executing orapwd

| Variable | Description |
|------------------|--|
| <i>filename</i> | Name of the file where password information is written. The name of the file must be <i>orapwsid</i> , and you must supply the full pathname. Its contents are encrypted and not user-readable. This parameter is mandatory. The password file is typically created in the <code>\$ORACLE_HOME/dbs</code> directory. |
| <i>password</i> | This parameter sets the password for the SYS user. If you use an ALTER USER statement to change the password for the SYS user after you connect to the database, both the password stored in the data dictionary and the password stored in the password file are updated. This parameter is mandatory. |
| <i>max_users</i> | Maximum number of entries that you require the password file to accept. |

See Also: See the *Oracle9i Database Administrator's Guide* for more information on using the `orapwd` utility.

Password Management

For security reasons, the Oracle Database Configuration Assistant locks most Oracle user accounts after it creates the database. It does not lock the SYS, SYSTEM, or SCOTT accounts. You must unlock these accounts and change their passwords before logging in to them. To change the passwords, click the Password Management button in the Oracle Database Configuration Assistant Summary window. Alternatively, use SQL*Plus to connect to the database as SYSDBA and enter the following command:

```
SQL> ALTER USER username IDENTIFIED BY passwd ACCOUNT UNLOCK;
```

Customizing the Initialization File

The default initialization file (`init sid .ora`) is provided with the Oracle9i software. The Oracle Universal Installer creates it in the `$ORACLE_BASE/admin/ sid /pfile` directory. A sample initialization file is located in the `$ORACLE_HOME/dbs` directory.

[Table 1–8](#) lists default initialization parameter values on UNIX. All Oracle9i instances assume these values if you do not specify different values for them in the `init sid .ora` file. Oracle Corporation recommends that you include in the `init sid .ora` file only those parameters that differ from the default initialization parameter values.

Use the `SHOW PARAMETERS` command in SQL*Plus to display the current values of these parameters on the system.

See Also: For Tru64, see "[TRU64_IPC_NET Initialization Parameter](#)" on page C-5. For more information on initialization parameters see the *Oracle9i Database Reference*, *Oracle9i Database Administrator's Guide*, and the *Oracle9i Performance Guide and Reference*.

Table 1–8 Initialization Parameters

| Parameter | Default Value | Range of Values |
|-------------------------|-------------------------------|--|
| BACKGROUND_DUMP_DEST | ?/rd bs /log | Valid directory name |
| BITMAP_MERGE_AREA_SIZE | 1048576 | 65536 to unlimited |
| COMMIT_POINT_STRENGTH | 1 | 0 to 255 |
| CONTROL_FILES | ?/d bs /cntr l sid .dbf | Valid filenames |
| CREATE_BITMAP_AREA_SIZE | 8388608 | 65536 to unlimited |
| DB_BLOCK_SIZE | 2048 | 2048 to 16384 (Linux, Solaris) 2048 to 32768 (AIX, HP, Tru64) |
| DB_CACHE_SIZE | 8 MB | 8 MB to unlimited |
| DB_FILES | 200 | 1 to 2000000 |
| DB_FILE_DIRECT_IO_COUNT | 64 | 0 to 1048576/block size |

Table 1–8 Initialization Parameters (Cont.)

| Parameter | Default Value | Range of Values |
|-------------------------------|---|---|
| DB_FILE_MULTIBLOCK_READ_COUNT | 8 | 1 to the smaller of the following values: <ul style="list-style-type: none"> ▪ The value of DB_BLOCK_BUFFERS divided by 4 ▪ 1048576 divided by the value of DB_BLOCK_SIZE |
| DISTRIBUTED_TRANSACTIONS | The value of TRANSACTIONS divided by 4 | 0 to unlimited |
| HASH_AREA_SIZE | The value of SORT_AREA_SIZE multiplied by 2 | 0 to unlimited |
| HASH_MULTIBLOCK_IO_COUNT | 0 (self-tuned) | 0 to the smallest of the following values: <ul style="list-style-type: none"> ▪ 127 ▪ The value of DB_BLOCK_BUFFERS divided by 4 ▪ 1048576 divided by the value of DB_BLOCK_SIZE |
| JAVA_POOL_SIZE | 24 MB | 1000000 to 1000000000 |
| LOCK_SGA | FALSE | TRUE, FALSE |
| LOG_ARCHIVE_DEST | NULL | Valid directory names |
| LOG_ARCHIVE_FORMAT | "%t_%s.dbf" | Valid filenames |
| LOG_BUFFER | 512 KB or (128 KB multiplied by the value of CPU_COUNT, which ever is higher) | 66560 to unlimited |
| LOG_CHECKPOINT_INTERVAL | 0 | 0 to unlimited |
| MAX_DISPATCHERS | 5 | 1 to maximum number of processes that can be opened by your operating system. |
| MAX_SHARED_SERVERS | 2 multiplied by the value of SHARED_SERVER, if the value of SHARED_SERVERS is greater than 20, otherwise 20 | Between the value of SHARED_SERVERS and the value of PROCESSES |
| SHARED_SERVERS | 1, if DISPATCHERS is specified, else 0 | Between 1 and PROCESSES |
| NLS_LANGUAGE | AMERICAN | Valid language names |
| NLS_TERRITORY | AMERICA | Valid territory names |

Table 1–8 Initialization Parameters (Cont.)

| Parameter | Default Value | Range of Values |
|-------------------------------|--|----------------------|
| OBJECT_CACHE_MAX_SIZE_PERCENT | 10 | 0 to unlimited |
| OBJECT_CACHE_OPTIMAL_SIZE | 100 KB | 10 KB to unlimited |
| OPEN_CURSORS | 50 | 1 to unlimited |
| OS_AUTHENT_PREFIX | ops\$ | Arbitrary string |
| PROCESSES | 30, if not PARALLEL_AUTOMATIC_TUNING | 6 to unlimited |
| SHARED_POOL_SIZE | 64 MB on 64-bit systems, 8 MB on 32-bit systems | 4194304 to unlimited |
| SORT_AREA_SIZE | 65536 | 0 to unlimited |

Embedded PL/SQL Gateway

The embedded PL/SQL gateway is a gateway embedded in the Oracle9i server to provide native support for deploying PL/SQL-based database applications on the web. The embedded PL/SQL gateway is implemented as an Oracle Servlet Engine (OSE) servlet, and relies upon the existence and configuration of both the OSE and `mod_ose`, the Apache module which supports the OSE. The following instructions provide information on how to install and configure the gateway.

Overview

Two Apache modules, `mod_ose` and `mod_plsql`, support web applications developed using PL/SQL.

The `mod_ose` module acts as a request router for an OSE running within an Oracle9i instance. Due to its routing abilities, `mod_ose` enables stateful OSE applications by routing stateful requests through the middle tier and back to a specified OSE and Oracle9i instance. Because the embedded PL/SQL gateway is implemented as an OSE servlet running in the Oracle9i server, it is able to host stateful, as well as stateless, PL/SQL web applications. A stateful PL/SQL web application is one in which all database session states (for example, package and transaction) are preserved between requests.

The `mod_plsql` module is a PL/SQL gateway running within an Apache module in the middle tier server. It executes PL/SQL procedures in a backend Oracle server using OCI. The `mod_plsql` module currently supports only stateless PL/SQL web applications.

See Also: For information on developing web applications using PL/SQL, refer to *Using the PL/SQL Gateway* which is the generic PL/SQL gateway documentation.

Installing the Embedded PL/SQL Gateway

As with all OSE servlets, the embedded PL/SQL gateway must be loaded and published. To load and publish the embedded PL/SQL gateway servlet:

1. To load the servlet, connect to SQL*Plus as SYS, and run the following script:

```
SQL> @$ORACLE_HOME/rdbms/admin/initplgs.sql
```

2. The name of the embedded PL/SQL gateway servlet is `oracle.plsql.web.PLSQLGatewayServlet`. To publish the servlet, enter the following command:

```
$ $ORACLE_HOME/bin/sess_sh -s http://OSE_host_name:port -u SYS/SYS_passwd \  
-c "publishservlet -virtualpath pls/* /webdomains/contexts/default \  
plsGateway SYS:oracle.plsql.web.PLSQLGatewayServlet"
```

In the preceding example, `SYS_passwd` is the password of the Oracle user SYS. The default password is `CHANGE_ON_INSTALL`.

This command publishes the gateway servlet as `plsGateway` with a default context. The servlet can be accessed using the virtual path `/pls`. The following example shows a URL that might access a gateway servlet:

```
http://hostname/pls/dadname/hello_world
```

See Also: For more information on using and publishing servlets, see the *Oracle9i Servlet Engine Developer's Guide*.

Oracle HTTP Server *powered by Apache*

The Oracle HTTP Server is based on the Apache HTTP Server. Administration tasks for the server require access to the local system on which the server is running, and in some cases, requires `root` access.

The Oracle HTTP Server starts automatically on the default port `7777` after installation. To verify that the server is running, enter the following command:

```
$ ps -elf | grep httpd
```

Starting and Stopping the Oracle HTTP Server

If you modify the configuration, you must restart the server. You must be logged in as the `root` user to start the server with SSL enabled.

To stop the server, enter the following commands:

```
$ cd $ORACLE_HOME/Apache/Apache/bin
$ su root
# ./apachectl stop
```

To restart the server, enter the following commands:

```
$ cd $ORACLE_HOME/Apache/Apache/bin
$ su root
# ./apachectl {start|startssl}
```

Use the `start` flag to start a non-SSL enabled server or use the `startssl` flag to start an SSL enabled server. If you start an SSL enabled server, the default ports are `80` and `443`.

Accessing the Default Initial Static Page

The default initial static page contains links to online documentation for Apache as well as demonstrations for each of the components. To access the initial static page, use an internet browser to view one of the following URLs:

- For servers without SSL enabled:

```
http://ServerName:7777/
```

- For servers with SSL enabled:

```
http://ServerName/
```

In the preceding example, *ServerName* is configured in the Apache server configuration file `httpd.conf`. To locate the appropriate value in the configuration file, enter:

```
$ grep ServerName $ORACLE_HOME/Apache/Apache/conf/httpd.conf
```

Oracle HTTP Server Status

The Oracle HTTP Server provides the following status pages:

```
http://ServerName/server-status
```

```
http://ServerName/server-info
```

```
http://ServerName/perl-status
```

For security reasons, server status is disabled in the default server configuration files. To enable server status, edit the

`$ORACLE_HOME/Apache/Apache/conf/httpd.conf` configuration file.

The Oracle HTTP Server also provides the following Jserv status page, that you can enable by editing the `$ORACLE_HOME/Apache/Jserv/etc/conf/jserv.conf` configuration file:

```
http://ServerName/jserv
```

Oracle HTTP Server Log Files

A number of log files are generated by the server. It is important to check them periodically to make sure that the server is working correctly. By default, the error log level is set to `warn` in the configuration files. You can change the default error level by editing the appropriate configuration file and restarting the server.

The following log files are generated by the server:

```
$ORACLE_HOME/Apache/Apache/logs/access_log
```

```
$ORACLE_HOME/Apache/Apache/logs/error_log
```

```
$ORACLE_HOME/Apache/Apache/logs/ssl_engine_log
```

```
$ORACLE_HOME/Apache/Jserv/logs/jserv.log
```

```
$ORACLE_HOME/Apache/Jserv/logs/mod_jserv.log
```

Demonstration Files

This section describes how to build and run the SQL*Loader and PL/SQL demonstration programs installed with Oracle9i.

SQL*Loader Demonstrations

The following SQL*Loader demonstration files are included with Oracle9i in the `$ORACLE_HOME/rdbms/demo` directory. Run the demonstrations in numerical order:

| | | | |
|----------------------|----------------------|----------------------|----------------------|
| <code>ulcase1</code> | <code>ulcase3</code> | <code>ulcase5</code> | <code>ulcase7</code> |
| <code>ulcase2</code> | <code>ulcase4</code> | <code>ulcase6</code> | |

To Create and Run a Demonstration

Run demonstrations while logged in as the user SCOTT/TIGER. Ensure that:

- The user SCOTT/TIGER has CONNECT and RESOURCE privileges
- The EMP and DEPT tables exist

In the following steps, *n* represents the demonstration number, listed in the previous section. To create and run a demonstration:

1. Run the `ulcasen.sql` script corresponding to the demonstration you want to run:

```
$ sqlplus SCOTT/TIGER @ulcasen.sql
```

2. Load the demonstration data into the objects:

```
$ sqlldr SCOTT/TIGER ulcasen.ctl
```

The following list provides additional information on the `ulcase2`, `ulcase6`, and `ulcase7` demonstrations:

- For the `ulcase2` demonstration, you do not have to run the `ulcase2.sql` script.
- For the `ulcase6` demonstration, run the `ulcase6.sql` script, then enter the following command:

```
$ sqlldr SCOTT/TIGER ulcase6 DIRECT=true
```

- For the `ulcase7` demonstration, run the `ulcase7s.sql` script, then enter the following command:

```
$ sqlldr SCOTT/TIGER ulcase7
```

After running the demonstration, run the `ulcase7e.sql` script to drop the trigger and package used by this demonstration.

Administering SQL*Loader

SQL*Loader is used by both database administrators and Oracle9i users. It loads data from standard operating system files into Oracle database tables.

The SQL*Loader control file includes the following additional file processing option, the default being `str`, which takes no argument:

```
[ "str" | "fix n" | "var n" ]
```

The following table describes these processing options:

| String | Description |
|---------|--|
| "str" | Specifies a stream of records, each terminated by a newline character, which are read in one record at a time. This option is the default. |
| "fix n" | Indicates that the file consists of fixed-length records, each of which is <i>n</i> bytes long, where <i>n</i> is an integer value. |
| "var n" | Indicates that the file consists of variable-length records, with the length of each record specified in the first <i>n</i> characters. If you do not specify a value of <i>n</i> , SQL*Loader assumes a value of 5. |

If you do not select the file processing option, the information is processed by default as a stream of records ("str"). You might find that the "fix" option yields faster performance than the default "str" option because it does not scan for record terminators.

Newline Characters in Fixed Length Records

When using the "fix" option to read a file containing fixed-length records, where each record is terminated by a newline character, include the length of the newline character (one character) when specifying the record length to SQL *Loader.

For example, to read the following file, specify "fix 4" instead of "fix 3" to include the additional newline character:

```
AAA<cr>
BBB<cr>
CCC<cr>
```

If you do not terminate the last record in a file of fixed-length records with a newline character, do not terminate the other records with a newline character either. Similarly, if you terminate the last record with a newline character, terminate all records with a newline character.

Caution: Certain text editors, such as vi, automatically terminate the last record of a file with a newline character. This leads to inconsistencies if the other records in the file are not terminated with newline characters.

Removing Newline Characters

Use the position(x:y) function in the control file to discard the newline characters from fixed length records rather than loading them. For example, enter the following lines in your control file to discard newline characters from the fourth position:

```
load data
infile xyz.dat "fix 4"
into table abc
( dept position(01:03) char )
```

Using these lines, SQL*Loader discards newline characters because they are in the fourth position in each fixed-length record.

PL/SQL Demonstrations

PL/SQL includes a number of demonstration programs that you can load. The Oracle9i database must be open and mounted to work with the demonstration programs.

You must build database objects and load sample data before using these programs. To build the objects and load the sample data:

1. Change directory to the PL/SQL demonstrations directory:

```
$ cd $ORACLE_HOME/plsql/demo
```

2. Start SQL*Plus and connect as SCOTT/TIGER:

```
$ sqlplus SCOTT/TIGER
```

3. Enter the following commands to build the objects and load the sample data:

```
SQL> @exampbld.sql
```

```
SQL> @exemplod.sql
```

Note: Build the demonstrations as any Oracle user with sufficient privileges. Run the demonstrations as the same Oracle user.

PL/SQL Kernel Demonstrations

The following PL/SQL kernel demonstrations are available:

| | | | |
|-------------|------------|-------------|-------------|
| examp1.sql | examp5.sql | examp11.sql | sample1.sql |
| examp2.sql | examp6.sql | examp12.sql | sample2.sql |
| examp3.sql | examp7.sql | examp13.sql | sample3.sql |
| examp4.sql | examp8.sql | examp14.sql | sample4.sql |
| extproc.sql | | | |

To compile and run the `exampn.sql` or `samp1en.sql` PL/SQL kernel demonstrations:

1. Start SQL*Plus and connect as SCOTT/TIGER:

```
$ cd $ORACLE_HOME/plsql/demo
$ sqlplus SCOTT/TIGER
```

2. Enter a command similar to the following to run a demonstration, where `demoname.sql` is the name of the demonstration:

```
SQL> @demoname
```

To run the `extproc.sql` demonstration:

1. If necessary, add an entry for external procedures to the `tnsnames.ora` file, similar to the following:

```
EXTPROC_CONNECTION_DATA.domain =
  (DESCRIPTION =
    (ADDRESS_LIST =
      (ADDRESS=(PROTOCOL = IPC)( KEY = EXTPROC))
    )
    (CONNECT_DATA =
      (SID = PLSExtProc)
    )
  )
```

2. If necessary, add an entry for external procedures to the `listener.ora` file, similar to the following:

```
SID_LIST_LISTENER =
  (SID_LIST =
    (SID_DESC=
      (SID_NAME=PLSExtProc)
      (ORACLE_HOME=/u01/app/oracle/product/9.0.1)
      (PROGRAM=extproc)
    )
  )
```

Note: The value that you specify for `SID_NAME` in the `listener.ora` file must match the value that you specify for `SID` in the `tnsnames.ora` file.

3. Enter the following command to create the `extproc.so` shared object, build the required database objects, and load the sample data:

```
$ make -f demo_plsql.mk extproc.so exampbld examplod
```

Alternatively, if you have already built the database objects and loaded the sample data, enter the following command:

```
$ make -f demo_plsql.mk extproc.so
```

4. From SQL*Plus, enter the following commands:

```
SQL> CONNECT SYSTEM/MANAGER
SQL> GRANT CREATE LIBRARY TO SCOTT;
SQL> CONNECT SCOTT/TIGER
SQL> CREATE OR REPLACE LIBRARY demolib IS
  2  '$ORACLE_HOME/plsql/demo/extproc.so' ;
  3  /
```

5. To run the demonstration, enter the following command:

```
SQL> @extproc
```

PL/SQL Precompiler Demonstrations

Note: The make commands shown in this section build the required database objects and load the sample data in the SCOTT schema.

The following precompiler demonstrations are available:

```
examp9.pc          examp10.pc         sample5.pc         sample6.pc
```

To build all of the PL/SQL precompiler demonstrations, enter the following commands:

```
$ cd $ORACLE_HOME/plsql/demo
$ make -f demo_plsql.mk demos
```

To build a single demonstration, enter its name as the argument in the `make` command. For example, to build the `examp9` demonstration, enter:

```
$ make -f demo_plsql.mk examp9
```

To run the `examp9` demonstration, enter the following command:

```
$ ./examp9
```

Tuning for Oracle9i on UNIX

The more your Oracle9i applications increase in complexity, the more you must tune the system to optimize performance and prevent data bottlenecks. This chapter describes how to configure your Oracle9i installation to optimize its performance. It contains the following sections:

- [Importance of Tuning](#)
- [Operating System Tools](#)
- [Oracle SQL Tuning Tools](#)
- [Tuning Memory Management](#)
- [Tuning Disk I/O](#)
- [Monitoring Disk Performance](#)
- [Tuning CPU Usage](#)
- [Tuning Oracle Resource Contention and UNIX Kernel Parameters](#)
- [Tuning the Operating System Buffer Cache](#)
- [Using Raw Devices/Volumes](#)
- [Using Trace and Alert Files](#)

See Also: For more information on system tuning, see the *Oracle9i Database Performance Guide and Reference*. For additional tuning information see the following appendices:

- For AIX systems, see [Appendix A](#)
- For HP systems, see [Appendix B](#)
- For Tru64 systems, see [Appendix C](#)

Importance of Tuning

Oracle9i is a highly-optimizable software product. Frequent tuning optimizes system performance and prevents data bottlenecks. Although this chapter is written from the perspective of single-node computer systems, most of the performance tuning tips provided here are also valid when using Oracle9i Real Application Clusters and features available with Oracle9i.

Before tuning the system, observe its normal behavior using the tools described in "[Operating System Tools](#)" on page 2-3.

See Also: For more information on tuning, see the *Oracle9i Real Application Clusters Concepts*, *Oracle9i Real Application Clusters Administration*, and *Oracle9i Database Performance Guide and Reference* guides.

Types of Performance Bottlenecks

Performance bottlenecks are often caused by the following:

- Memory contention

Memory contention occurs when processes require more memory than is available. When this occurs, the system pages and swaps processes between memory and disk.

- Disk I/O contention

Disk I/O contention is caused by poor memory management, poor distribution of tablespaces and files across disks, or a combination of both.

- CPU contention

Although the UNIX kernel usually allocates CPU resources effectively, many processes compete for CPU cycles and this can cause contention. If you installed Oracle9i in a multiprocessor environment, there might be a different level of contention on each CPU.

- Oracle resources contention

Contention is also common for Oracle resources such as locks and latches.

Operating System Tools

Several operating system tools are available to help you assess database performance and determine database requirements. In addition to providing statistics for Oracle processes, these tools provide statistics for CPU usage, interrupts, swapping, paging, context switching, and I/O for the entire system.

Common Tools

The following sections provide information on common tools:

- [vmstat](#)
- [sar](#)
- [iostat](#)
- [swap, swapinfo, swapon, and lspd](#)

See Also: For more information on these tools, see the operating system documentation and UNIX man pages.

vmstat

Use the `vmstat` command to view process, virtual memory, disk, trap, and CPU activity, depending on the switches you supply with the command. Enter one of the following commands to display a summary of CPU activity eight times, at five-second intervals:

- HP and Solaris:

```
$ vmstat -S 5 8
```

- AIX, Linux, and Tru64:

```
$ vmstat 5 8
```

The following example shows sample output from the command on Solaris:

| procs | | | memory | | page | | | | disk | | | | faults | | cpu | | | | | | |
|-------|---|---|--------|------|------|----|----|----|------|----|----|----|--------|----|-----|----|----|----|----|----|-----|
| r | b | w | swap | free | si | so | pi | po | fr | de | sr | f0 | s0 | s1 | s3 | in | sy | cs | us | sy | id |
| 0 | 0 | 0 | 1892 | 5864 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 90 | 74 | 24 | 0 | 0 | 99 |
| 0 | 0 | 0 | 85356 | 8372 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 46 | 25 | 21 | 0 | 0 | 100 |
| 0 | 0 | 0 | 85356 | 8372 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 47 | 20 | 18 | 0 | 0 | 100 |
| 0 | 0 | 0 | 85356 | 8372 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 53 | 22 | 20 | 0 | 0 | 100 |
| 0 | 0 | 0 | 85356 | 8372 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 87 | 23 | 21 | 0 | 0 | 100 |
| 0 | 0 | 0 | 85356 | 8372 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 | 41 | 23 | 0 | 0 | 100 |
| 0 | 0 | 0 | 85356 | 8372 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 44 | 20 | 18 | 0 | 0 | 100 |
| 0 | 0 | 0 | 85356 | 8372 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 51 | 71 | 24 | 0 | 0 | 100 |

The `w` column, under the `procs` column, shows the number of potential processes that have been swapped out and written to disk. If the value is not zero, swapping is occurring and your system is short of memory. The `si` and `so` columns indicate the number of swap-ins and swap-outs per second, respectively. Swap-ins and swap-outs should always be zero.

Note: The output from the `vmstat` command differs between platforms. See the man page on your platform for information on interpreting the output.

sar

Use the `sar` command to display cumulative activity counters in the operating system, depending on the switches that you supply with the command. The following commands display a summary of I/O activity ten times, at ten-second intervals:

```
$ sar -b 10 10
```


The following example shows sample output from the command on Solaris:

```

13:32:45 bread/s lread/s %rcache bwrit/s lwrit/s %wcache pread/s pwrit/s
13:32:55      0     14     100      3     10     69      0      0
13:33:05      0     12     100      4      4      5      0      0
13:33:15      0      1     100      0      0      0      0      0
13:33:25      0      1     100      0      0      0      0      0
13:33:35      0     17     100      5      6      7      0      0
13:33:45      0      1     100      0      0      0      0      0
13:33:55      0      9     100      2      8     80      0      0
13:34:05      0     10     100      4      4      5      0      0
13:34:15      0      7     100      2      2      0      0      0
13:34:25      0      0     100      0      0     100      0      0
Average      0      7     100      2      4     41      0      0

```

Note: On Tru64 systems, the `sar` command is available in the UNIX SVID2 compatibility subset, OSFSVID2400.

iostat

Use the `iostat` command to report terminal and disk activity, depending on the switches you supply with the command. The output from the `iostat` command does not include disk request queues, but it shows which disks are busy. This information is valuable when you must balance I/O loads.

The following command displays terminal and disk activity five times, at five-second intervals:

```
$ iostat 5 5
```

The following example shows sample output from the command on Solaris:

```

tty          fd0          sd0          sd1          sd3          cpu
tin tout Kps tps serv  Kps tps serv  Kps tps serv  Kps tps serv  us sy wt id
  0   1   0  0  0    0  0  31   0  0  18   3  0  42  0  0  0 99
  0  16   0  0  0    0  0  0    0  0  0   1  0  14  0  0  0 100
  0  16   0  0  0    0  0  0    0  0  0   0  0  0  0  0  0 100
  0  16   0  0  0    0  0  0    0  0  0   0  0  0  0  0  0 100
  0  16   0  0  0    0  0  0    2  0  14  12  2  47  0  0  1 98

```

Use the `iostat` command to look for large disk request queues. A request queue shows how long the I/O requests on a particular disk device must wait to be serviced. Request queues are caused by a high volume of I/O requests to that disk or by I/O with long average seek times. Ideally, disk request queues should be at or near zero.

swap, swapinfo, swapon, and lssps

Use the `swap`, `swapinfo`, `swapon` or `lssps` command to report information on swap space usage. A shortage of swap space can cause slow response times or even cause the system to stop responding. The following table lists the appropriate command to use for your platform:

| Platform | Command |
|----------|--------------------------|
| AIX | <code>lssps -a</code> |
| HP | <code>swapinfo -m</code> |
| Linux | <code>swapon -s</code> |
| Solaris | <code>swap -l</code> |
| Tru64 | <code>swapon -s</code> |

The following example shows sample output from the `swap -l` command on Solaris:

```
swapfile      dev  swaplo blocks  free
/dev/dsk/c0t3d0s1  32,25      8 197592 162136
```

Linux Tools

On Linux systems, use the `free` command to view information on swap space, memory, and buffer usage. A shortage of swap space can result in the system hanging and slow response time.

Solaris Tools

On Solaris systems, use the `mpstat` command to view statistics for each processor in a multiprocessor system. Each row of the table represents the activity of one processor. The first row summarizes all activity since the last system reboot; each subsequent row summarizes activity for the preceding interval. All values are events per second unless otherwise noted. The arguments are for time intervals between statistics and number of iterations. The following example shows sample output from the `mpstat` command:

```
CPU minf mjf xcal  intr  ithr  csw  icsw  migr  smtx  srw  syscl  usr  sys  wt  idl
  0   0   0   1    71   21   23   0    0    0    0   55   0   0   0  99
  2   0   0   1    71   21   22   0    0    0    0   54   0   0   0  99
CPU minf mjf xcal  intr  ithr  csw  icsw  migr  smtx  srw  syscl  usr  sys  wt  idl
  0   0   0   0    61   16   25   0    0    0    0   57   0   0   0 100
  2   1   0   0    72   16   24   0    0    0    0   59   0   0   0 100
```

AIX Tools

The following sections list tools available on AIX systems.

See Also: For more information on these tools, see the AIX operating system documentation and man pages.

AIX System Management Interface Tool

The AIX System Management Interface Tool (SMIT) provides a menu-driven interface to various system administrative and performance tools. Using SMIT, you can navigate through large numbers of tools and focus on the jobs you want to execute.

Base Operation System Tools

The AIX Base Operation System (BOS) contains performance tools that are historically part of UNIX systems or are required to manage the implementation-specific features of AIX. The following table lists the most important BOS tools:

| Tool | Description |
|---------|--|
| lsattr | Displays the attributes of devices |
| lslv | Displays information about a logical volume or the logical volume allocations of a physical volume |
| netstat | Displays the contents of network-related data structures |
| nfsstat | Displays statistics about Network File System (NFS) and Remote Procedure Call (RPC) activity |
| nice | Changes the initial priority of a process |
| no | Displays or sets network options |
| ps | Displays the status of one or more processes |
| reorgvg | Reorganizes the physical-partition allocation within a volume group |
| time | Prints the elapsed execution, user CPU processing, and system CPU processing time |
| trace | Records and reports selected system events |

AIX Performance Toolbox

The AIX Performance Toolbox (PTX) contains tools for monitoring and tuning system activity locally and remotely. PTX consists of two main components, the PTX Manager and the PTX Agent. The PTX Manager collects and displays data from various systems in the configuration by using the `xmperf` utility. The PTX Agent collects and transmits data to the PTX Manager by using the `xmserd` utility. The PTX Agent is also available as a separate product called Performance Aide for AIX.

Both PTX and Performance Aide include the following separate monitoring and tuning tools:

| Tool | Description |
|-------------|--|
| fdpr | Optimizes an executable program for a particular workload |
| filemon | Uses the trace facility to monitor and report the activity of the file system |
| fileplace | Displays the placement of a file's blocks within logical or physical volumes |
| lockstat | Displays statistics about contention for kernel locks |
| lvedit | Facilitates interactive placement of logical volumes within a volume group |
| netpmon | Uses the trace facility to report on network I/O and network-related CPU usage |
| rmss | Simulates systems with various sizes of memory for performance testing |
| svmon | Captures and analyzes information about virtual-memory usage |
| syscalls | Records and counts system calls |
| tprof | Uses the trace facility to report CPU usage at module and source-code-statement levels |
| BigFoot | Reports the memory access patterns of processes |
| stem | Permits subroutine-level entry and exit instrumentation of existing executables |

See Also: For more information on PTX, refer to the *AIX Performance Toolbox for AIX; Guide and Reference 1.2 and 2*.

The syntax of some tool commands is also described in the *AIX Performance Tuning Guide Version 3.2 and 4*.

HP Tools

The following sections list tools available on HP systems.

Performance Tuning Tools

The following table lists the tools that you can use for additional performance tuning on HP 9000 Series HP-UX systems:

See Also: For more information on these tools, see the HP-UX operating system documentation and man pages.

| Tools | Description |
|----------------------|--|
| <code>gprof</code> | Creates an execution profile for programs |
| <code>monitor</code> | Monitors the program counter and calls to certain functions |
| <code>netfmt</code> | Monitors the network |
| <code>netstat</code> | Reports statistics on network performance |
| <code>nfsstat</code> | Reports statistics for each processor |
| <code>nettl</code> | Captures network events or packets by logging and tracing |
| <code>prof</code> | Creates an execution profile of C programs and displays performance statistics for your program, showing where your program is spending most of its execution time |
| <code>profil</code> | Copies program counter information into a buffer |
| <code>top</code> | Displays the top processes on the system and periodically updates the information |

HP Performance Analysis Tools

The following HP-UX performance analysis tools are available:

- [GlancePlus/UX](#)
- [HP PAK](#)

GlancePlus/UX

This HP-UX utility is an online diagnostic tool that measures the system's activities. GlancePlus displays how system resources are being used. It displays dynamic information about the system's I/O, CPU, and memory usage in a series of screens. You can also use the utility to monitor how individual processes are using resources.

HP PAK

HP Programmer's Analysis Kit (HP PAK) currently consists of two tools, Puma and Thread Trace Visualizer (TTV):

- Puma collects performance statistics during a program run. It provides several graphical displays for viewing and analyzing the collected statistics.
- TTV displays trace files produced by the instrumented thread library, `libpthread_tr.sl`, in a graphical format. It allows you to view how threads are interacting and to find where threads are blocked waiting for resources.

HP PAK is bundled with the HP FORTRAN 77, HP Fortran90, HP C, HP C++, HP ANSI C++, and HP Pascal compilers.

Oracle SQL Tuning Tools

Oracle provides a variety of tools for tuning SQL, including the V\$ performance views, the EXPLAIN PLAN command, the SQL TRACE facility, the TKPROF facility, and the Autotrace report.

See Also: For information on how to use the SQL tuning tools, see the *Oracle9i Database Performance Guide and Reference*.

Tuning Memory Management

Start the memory tuning process by measuring paging and swapping space to determine how much memory is available. After you have determined your system's memory usage, tune the Oracle buffer cache.

The Oracle buffer manager ensures that the more frequently accessed data is cached longer. If you monitor the buffer manager and tune the buffer cache, you can have a significant influence on Oracle9i performance. The optimal Oracle9i buffer size for your system depends on the overall system load and the relative priority of Oracle over other applications.

Allocate Sufficient Swap Space

Try to minimize swapping because it causes significant UNIX overhead. To check for swapping, enter one of the following commands:

- On AIX, Linux, Solaris, and Tru64, use the `sar` or `vmstat` commands. See the man pages for information on the appropriate options to use with these commands.
- On HP, use the `swapinfo -m` command.

If your system is swapping and you must conserve memory:

- Avoid running unnecessary system daemon processes or application processes.
- Decrease the number of database buffers to free some memory.
- Decrease the number of UNIX file buffers, especially if you are using raw devices.

To determine how much swap space is in use, enter one of the following commands:

| Platform | Command |
|----------|--------------------------|
| AIX | <code>lsps -a</code> |
| HP | <code>swapinfo -m</code> |
| Linux | <code>swapon -s</code> |
| Solaris | <code>swap -l</code> |
| Tru64 | <code>swapon -s</code> |

To add swap space to your system, enter one of the following commands:

| Platform | Command |
|----------|--|
| AIX | <code>chps</code> or <code>mkps</code> |
| HP | <code>swapon</code> |
| Linux | <code>swapon -a</code> |
| Solaris | <code>swap -a</code> |
| Tru64 | <code>swapon -a</code> |

Set the swap space to between two and four times the system's physical memory. Monitor the use of swap space and increase it as required.

See Also: See the operating system documentation for more information on these commands.

Control Paging

Paging might not present as serious a problem as swapping, because an entire program does not have to be stored in memory to run. A small number of page-outs might not noticeably affect the performance of your system.

To detect excessive paging, run measurements during periods of fast response or idle time to compare against measurements from periods of slow response.

Use the `vmstat` or `sar` command to monitor paging. See the man pages or your operating system documentation for information on interpreting the results for your platform. The following columns from the output of this command are important on Solaris:

| Column | Description |
|---------------------|---|
| <code>vflt/s</code> | Indicates the number of address translation page faults. Address translation faults occur when a process references a valid page not in memory. |
| <code>rclm/s</code> | Indicates the number of valid pages that have been reclaimed and added to the free list by page-out activity. This value should be zero. |

If your system consistently has excessive page-out activity, consider the following solutions:

- Install more memory.
- Move some of the work to another system.
- Configure your kernel to use less memory.

Adjust Oracle Block Size

A UNIX system reads entire operating system blocks from the disk. If the database block size is smaller than the UNIX file system buffer size, I/O bandwidth is inefficient. If you adjust the Oracle database block size to be a multiple of the operating system block size, you can increase performance by up to five percent.

The `DB_BLOCK_SIZE` initialization parameter sets the database block size. You can change the block size by recreating the database.

To see the current value of the `DB_BLOCK_SIZE` parameter, enter the `SHOW PARAMETERS` command in SQL*Plus.

Tuning Disk I/O

Balance I/O evenly across all available disks to reduce disk access times. For smaller databases and those not using RAID, ensure that different datafiles and tablespaces are distributed across the available disks.

Choose the Appropriate File System Type

Depending on the operating system that you use, you can choose from a range of file systems. File systems have different characteristics, and the techniques they use to access data can have a substantial impact on database performance. The following table lists typical file system choices and the platforms on which they are available:

| File System | Platform | Description |
|-------------|--------------------------------|--|
| S5 | AIX, HP, Solaris | UNIX System V file system |
| UFS | AIX, HP, Solaris, Tru64 | Unified file system, derived from BSD UNIX |
| VXFS | AIX, Solaris | Veritas file system |
| Raw | AIX, HP, Linux, Solaris, Tru64 | Raw devices/volumes (No file system) |
| EXT2 | Linux | Extended file system for Linux |
| AdvFS | Tru64 | Polycenter advanced file system |
| CFS | Tru64 | Cluster file system |
| JFS | AIX | Journalled file system |

The suitability of a file system to an application is usually undocumented. For example, even different implementations of the Unified file system are hard to compare. Performance differences may vary from 0 to 20 percent, depending on the file system you choose.

If you choose to use a file system:

- Make a new file system to ensure that the hard disk is clean and unfragmented.
- Perform a file system check on the partition before using it for database files.
- Distribute disk I/O as evenly as possible.
- Separate log files from database files.

Monitoring Disk Performance

To monitor disk performance, use the `sar -b` and `sar -u` commands.

[Table 2-1](#) describes the columns of the `sar -b` command output that are significant for analyzing disk performance.

Table 2-1 *sar -b Output Columns*

| Columns | Description |
|-------------------------------|--|
| <code>bread/s, bwrit/s</code> | Blocks read and blocks written per second (important for file system databases) |
| <code>pread/s, pwrit/s</code> | Partitions read and partitions written per second (important for raw partition database systems) |

An important `sar -u` column for analyzing disk performance is `%wio`, the percentage of CPU time waiting on blocked I/O.

Note: Not all Linux distributions display the `%wio` column in the output of the `sar -u` command.

Key indicators are:

- The sum of the `bread`, `bwrit`, `pread`, and `pwrit` columns indicates the level of activity of the disk I/O subsystem. The higher the sum, the busier the I/O subsystem. The larger the number of physical drives, the higher the sum threshold number can be. A good default value is no more than 40 for two drives and no more than 60 for four to eight drives.

- The `%rcache` column value should be greater than 90 and the `%wcache` column value should be greater than 60. Otherwise, the system may be disk I/O bound.
- If the `%wio` column value is consistently greater than 20, the system is I/O bound.

Tuning CPU Usage

This section provides information on tuning CPU usage.

Keep All Oracle Users/Processes at the Same Priority

Oracle is designed to operate with all users and background processes operating at the same priority level. Changing priority levels causes unexpected effects on contention and response times.

For example, if the log writer process (LGWR) gets a low priority, it is not executed frequently enough and LGWR becomes a bottleneck. On the other hand, if LGWR has a high priority, user processes may suffer poor response time.

Tuning Oracle Resource Contention and UNIX Kernel Parameters

You can improve performance by keeping the UNIX kernel as small as possible. The UNIX kernel typically pre-allocates physical memory, leaving less memory available for other processes such as the Oracle processes.

Traditionally, kernel parameters such as NBUF, NFILE, and NOFILES were used to adjust kernel size. However, most UNIX implementations dynamically adjust those parameters at run time, even though they are present in the UNIX configuration file.

Look for memory-mapped video drivers, networking drivers, and disk drivers that can be removed, freeing more memory for use by other processes.

Note: Remember to make a backup copy of your UNIX kernel. See your operating system documentation for additional information.

Tuning the Operating System Buffer Cache

To take full advantage of raw devices, adjust the size of the Oracle9i buffer cache and, if memory is limited, the operating system buffer cache.

The operating system buffer cache holds blocks of data in memory while they are being transferred from memory to disk, or from disk to memory.

The Oracle9i buffer cache is the area in memory that stores the Oracle database buffers. Because Oracle9i can use raw devices, it does not need to use the operating system buffer cache.

If you use raw devices, increase the size of the Oracle9i buffer cache. If the amount of memory on the system is limited, make a corresponding decrease in the operating system buffer cache size.

Use the `sar` command to determine which buffer caches you must increase or decrease.

See Also: See the UNIX man pages for more information on the `sar` command.

Using Raw Devices/Volumes

The following sections provide information on using raw devices/volumes.

Note: For additional raw device/volume tuning information, see the following appendices:

- For AIX systems, see [Appendix A](#)
 - For Tru64 systems, see [Appendix C](#)
-
-

Guidelines for Using Raw Devices/Volumes

Raw devices/volumes have the following disadvantages when used on UNIX:

- Raw devices/volumes may not solve problems with file size writing limits.

Note: To display current file size limits, enter the following command:

```
$ ulimit -a
```

- Small client systems might not be able to use sufficiently large raw device/volume partitions.
- If a particular disk drive has intense I/O activity and performance would benefit from movement of an Oracle datafile to another drive, it is likely that no acceptably sized section exists on a drive with less I/O activity. It might not be possible to move files to other disk drives if you are using raw devices/volumes.
- Raw devices/volumes may be more difficult to administer than datafiles stored on a file system.

In addition to the factors described in this section, consider the following issues when deciding whether to use raw devices/volumes:

- **Oracle9i Real Application Clusters installation**
Each instance of Oracle9i Real Application Clusters has its own log files. Therefore, in addition to the partitions required for the tablespaces and control files, each instance requires a minimum of three partitions for the log files. All the files must be on disks that can be shared by all nodes of a cluster.
- **Raw disk partition availability**
Use raw devices/volumes for Oracle files only if your site has at least as many raw disk partitions as Oracle datafiles. If disk space is a consideration and the raw disk partitions are already formatted, match datafile size to partition size as closely as possible to avoid wasting space.

You must also consider the performance implications of using all of the disk space on a few disks as opposed to using less space on more disks.

- Logical volume manager

The logical volume manager manages disk space at a logical level. With logical volumes, you can create logical disks based on raw partition availability. The logical volume manager controls fixed-disk resources by:

- Mapping data between logical and physical storage
- Allowing data to span multiple disks and to be discontinuous, replicated, and dynamically expanded

- Dynamic performance tuning

You can optimize disk performance when the database is online by moving files from disk drives with high activity to disk drives with less activity. Most hardware vendors who provide the logical disk facility also provide a graphical user interface you can use for tuning.

- Mirroring and online disk replacement

You can mirror logical volumes to protect against loss of data. If one copy of a mirror fails, dynamic resynchronization is possible. Some vendors also provide the ability to replace drives online in conjunction with the mirroring facility.

For Oracle9i Real Application Clusters, you can use logical volumes for drives associated with a single UNIX system, as well as those that can be shared with more than one computer of a UNIX cluster. Shared drives allow for all files associated with the Oracle9i Real Application Clusters to be placed on these shared logical volumes.

Raw Device Setup

Keep the following items in mind when creating raw devices:

- When creating the volumes, ensure that the owner is `oracle` and the group is `oinstall`.
- The size of an Oracle datafile created in a raw partition must be at least two Oracle block sizes smaller than the size of the raw partition.

See Also: Refer to your operating system documentation for more information on creating raw devices. See "[Setting Up Raw Devices](#)" on page C-10 for more information on creating raw devices on Tru64 systems.

Using Trace and Alert Files

This section describes the trace (or dump) and alert files that Oracle9i creates to diagnose and resolve operating problems.

Trace Files

Each server and background process can write to an associated trace file. When a process detects an internal error, it writes information on the error to its trace file. The filename format of a trace file is *processname_unixpid_sid.trc*, where:

| | |
|--------------------|--|
| <i>processname</i> | Is a three or four-character abbreviated process name identifying the Oracle9i process that generated the file (for example, pmon, dbwr, ora, or reco) |
| <i>sid</i> | Is the instance system identifier |
| <i>unixpid</i> | Is the UNIX process ID number |

A sample trace filename is `$ORACLE_BASE/admin/TEST/bdump/lgwr_1237_TEST.trc`.

All trace files for background processes are written to the destination directory specified by the `BACKGROUND_DUMP_DEST` initialization parameter. All trace files for server processes are written to the destination directory specified by the `USER_DUMP_DEST` initialization parameter.

Set the `MAX_DUMP_FILE` initialization parameter to at least 5000 to ensure that the trace file is large enough to store error information.

Alert Files

The `alert_sid.log` file stores significant database events and messages. Anything that affects the database instance or global database is recorded in this file. This file is associated with a database and is located in the directory specified by the `BACKGROUND_DUMP_DEST` initialization parameter. If you do not set this initialization parameter, the default directory is `$ORACLE_HOME/rdbms/log`.

Administering SQL*Plus

This chapter describes how to use and administer SQL*Plus on Oracle9i. It contains the following sections:

- [Administering SQL*Plus](#)
- [Using SQL*Plus](#)
- [SQL*Plus Restrictions](#)

Administering SQL*Plus

This section describes how to administer SQL*Plus.

Using Setup Files

When you start SQL*Plus, it executes the `glogin.sql` site profile set-up file and then executes the `login.sql` user profile set-up file.

Using the Site Profile File

The global site profile file is `$ORACLE_HOME/sqlplus/admin/glogin.sql`. If a site profile already exists at this location, it is overwritten when you install SQL*Plus. If SQL*Plus is removed, the site profile file is deleted.

Using the User Profile File

The user profile file is `login.sql`. SQL*Plus looks for this file in the current directory, and then in the directories you specify using the `SQLPATH` environment variable. Set this environment variable to a colon-separated list of directories. SQL*Plus searches these directories for the `login.sql` file in the order they are listed.

The options set in the `login.sql` file override those set in the `glogin.sql` file.

See Also: For more information on profile files, see the *SQL*Plus User's Guide and Reference*.

Using the PRODUCT_USER_PROFILE Table

During a Typical installation, the PRODUCT_USER_PROFILE table is created automatically. This table is used to disable the SQL and SQL*Plus commands you specify. To recreate this table, run the \$ORACLE_HOME/sqlplus/admin/pupbld.sql script in the SYSTEM schema.

For example, enter:

```
$ sqlplus SYSTEM/MANAGER
SQL> @?/sqlplus/admin/pupbld.sql
```

SQL*Plus uses the value of the ORACLE_HOME environment variable wherever a question mark (?) appears.

Using Demonstration Tables

SQL*Plus is shipped with demonstration tables that you can use for testing.

Performing a Typical Installation

During a Typical installation, the user SCOTT and the demonstration tables are created automatically.

Creating Demonstration Tables Manually

Use the \$ORACLE_HOME/sqlplus/demo/demobld.sql SQL script to create the demonstration tables. In SQL*Plus, you can use any username to run the demobld.sql file to create the demonstration tables in a schema. For example, enter:

```
$ sqlplus SCOTT/TIGER
SQL> @?/sqlplus/demo/demobld.sql
```

You can also use the \$ORACLE_HOME/bin/demobld shell script to run the demobld.sql script by entering the following command:

```
$ demobld scott tiger
```

Deleting Demonstration Tables

Use the `$ORACLE_HOME/sqlplus/demo/demodrop.sql` script to drop the demonstration tables. In SQL*Plus, you can use any username to drop the demonstration tables from the user's schema. For example, enter:

```
$ sqlplus SCOTT/TIGER
SQL> @?/sqlplus/demo/demodrop.sql
```

You can also use the `$ORACLE_HOME/bin/demodrop` shell script to run the `demodrop.sql` script by entering the following:

```
$ demodrop SCOTT TIGER
```

Note: Both the `demobld.sql` and `demodrop.sql` scripts drop the EMP, DEPT, BONUS, SALGRADE, and DUMMY tables. Before you run these scripts, make sure that these tables do not exist or are not in use for other purposes.

SQL*Plus Online Help

This section describes how to install and remove the SQL*Plus online help.

See Also: For more information on the SQL*Plus online help, see the *SQL*Plus User's Guide and Reference*.

Installing the SQL*Plus Online Help

There are four ways to install the SQL*Plus online help:

- Perform a Typical installation
When you copy a starter database with pre-built datafiles as part of the Typical installation, SQL*Plus automatically installs the SQL*Plus online help.
- Use the Database Configuration Assistant
You can use the Oracle Database Configuration Assistant to create help tables when creating a database.

- Install the online help manually using the `helpins` shell script

You can use the `$ORACLE_HOME/bin/helpins` shell script to manually install the online help. Before you run the script, set the `SYSTEM_PASS` environment variable to the `SYSTEM` username and password. For example, enter:

```
$ SYSTEM_PASS=SYSTEM/MANAGER; export SYSTEM_PASS
```

- Install the online help manually using the `helpbld.sql` SQL script

You can use the `$ORACLE_HOME/sqlplus/admin/help/helpbld.sql` script with the `helpus.sql` script to manually install the online help. For example, enter:

```
$ cd $ORACLE_HOME/sqlplus/admin/help
$ sqlplus SYSTEM/MANAGER
SQL> @helpbld.sql helpus.sql
```

Note: Both the `helpins` shell script and the `helpbld.sql` SQL*Plus script drop existing online help tables before creating new tables.

Removing the SQL*Plus Online Help

You can also run the `$ORACLE_HOME/sqlplus/admin/help/helpdrop.sql` in SQL*Plus to manually drop the online help tables from a schema. For example, enter:

```
$ sqlplus SYSTEM/MANAGER
SQL> @?/sqlplus/admin/help/helpdrop.sql
```

Using SQL*Plus

This section describes how to use SQL*Plus on UNIX systems.

Using a System Editor from SQL*Plus

If you enter an ED or EDIT command at the SQL*Plus prompt, the system starts an operating system editor, such as `ed`, `emacs`, `ned`, or `vi`. The `PATH` variable must include the directory where the editor executable is located.

When you start the editor, the current SQL buffer is placed in the editor. When you exit the editor, the changed SQL buffer is returned to SQL*Plus.

You can specify which editor starts by defining the SQL*Plus `_EDITOR` variable. You can define this variable in the `glogin.sql` site profile, the `login.sql` user profile, or define it during the SQL*Plus session. For example, to set the default editor to `vi`, enter:

```
SQL> DEFINE _EDITOR=vi
```

If you do not set the `_EDITOR` variable, the value of either the `EDITOR` or the `VISUAL` environment variable is used. If both environment variables are set, the value of the `EDITOR` variable is used. When `_EDITOR`, `EDITOR`, and `VISUAL` are not specified, the default editor is `ed`.

If you start the editor, SQL*Plus uses the `afiedt.buf` temporary file to pass text to the editor. You can use the `SET EDITFILE` command to specify a different filename. For example, enter:

```
SQL> SET EDITFILE /tmp/myfile.sql
```

SQL*Plus does not delete the temporary file.

Running Operating System Commands from SQL*Plus

Using the `HOST` command or an exclamation mark (!) as the first character after the SQL*Plus prompt causes subsequent characters to be passed to a sub-shell. The `SHELL` environment variable sets the shell used to execute operating system commands. The default shell is the Bourne shell (`/bin/sh`). If the shell cannot be executed, an error message is displayed.

To return to SQL*Plus, enter `EXIT` or press `Ctrl+d`.

For example, to execute one command, enter:

```
SQL>! command
```

In the preceding example, *command* represents the operating system command you want to execute.

To execute multiple operating system commands from SQL*Plus, enter the HOST or ! command then press Return. SQL*Plus returns you to the operating system prompt.

Interrupting SQL*Plus

While running SQL*Plus, you can stop the scrolling record display and terminate a SQL statement by pressing Ctrl+c.

Using the SPOOL Command

The default file extension of files generated by the SPOOL command is .lst. To change this extension, specify a spool file containing a period (.). For example, enter:

```
SQL> SPOOL query.txt
```

SQL*Plus Restrictions

This section describes SQL*Plus restrictions.

Resizing Windows

The default values for SQL*Plus LINESIZE and PAGESIZE do not automatically adjust for window size.

Return Codes

UNIX return codes use only one byte, which is not enough space to return an Oracle error code. The range for a return code is 0 to 255.

Using Oracle Precompilers and the Oracle Call Interface

This chapter describes Oracle Precompilers and the Oracle Call Interface. It contains the following sections:

- [Overview of Oracle Precompilers](#)
- [Pro*C/C++ Precompiler](#)
- [Pro*COBOL Precompiler](#)
- [Pro*FORTRAN Precompiler](#)
- [SQL*Module for Ada \(Solaris and AIX Only\)](#)
- [Oracle Call Interface](#)
- [Custom Make Files](#)
- [Correcting Undefined Symbols \(Solaris Only\)](#)
- [Multi-threaded Applications](#)
- [Using Signal Handlers](#)
- [XA Functionality](#)

Overview of Oracle Precompilers

Oracle precompilers are application-development tools used to combine SQL statements for an Oracle database with programs written in a high-level language. Oracle precompilers are compatible with ANSI SQL and are used to develop open, customized applications that run with Oracle9i or any other ANSI SQL database management system.

Precompiler Configuration Files

System configuration files for the Oracle Precompilers are located in the `$ORACLE_HOME/precomp/admin` directory. [Table 4-1](#) lists the names of the system configuration files for each precompiler.

Table 4-1 System Configuration Files for Oracle Precompilers

| Product | Configuration File |
|--|-------------------------|
| Pro*C/C++ release 9.0.1 | <code>pcscfg.cfg</code> |
| Pro*COBOL release 9.0.1 (AIX, HP, Solaris, and Tru64) | <code>pcbcfg.cfg</code> |
| Pro*COBOL release 1.8.75 (AIX, HP, Solaris, and Tru64) | <code>pcccob.cfg</code> |
| Pro*FORTRAN release 1.8.75 | <code>pccfor.cfg</code> |
| Object Type Translator release 9.0.1 | <code>ottcfg.cfg</code> |
| Oracle SQL*Module for Ada release 9.0.1 (Solaris and AIX only) | <code>pmscfg.cfg</code> |

Relinking Precompiler Executables

Use the `$ORACLE_HOME/precomp/lib/ins_precomp.mk` make file to relink all precompiler executables. To manually relink a particular precompiler executable, enter the following command:

```
$ make -f ins_precomp.mk relink EXENAME=executable
```

This command creates the new executable in the `$ORACLE_HOME/precomp/lib` directory, and then moves it to the `$ORACLE_HOME/bin` directory. To create the new executable without moving it to the `$ORACLE_HOME/bin` directory, enter the following command:

```
$ make -f ins_precomp.mk executable
```

In the preceding examples, *executable* is a product executable listed in [Table 4-2](#).

Table 4-2 Products and Their Corresponding Executable Names

| | |
|---|--------------------|
| Pro*C/C++ release 9.0.1 | proc |
| Pro*COBOL release 1.8.75 | procobl8 or rtsora |
| Pro*COBOL release 9.0.1 | procob or rtsora |
| Pro*FORTRAN release 1.8.75 | profor |
| Oracle SQL*Module for Ada release 9.0.1 | modada |
| Object Type Translator release 9.0.1 | ott |

Precompiler README Files

[Table 4-3](#) lists the location of the precompiler README files. The README files describe changes made to the precompiler since the last release.

Table 4-3 Location of README Files for Oracle Products

| Product | README File |
|--|---|
| Pro*C/C++ release 9.0.1 | <code>\$ORACLE_HOME/precomp/doc/proc2/readme.doc</code> |
| Pro*COBOL release 9.0.1 | <code>\$ORACLE_HOME/precomp/doc/procob2/readme.doc</code> |
| Pro*COBOL release 1.8.75 Pro*FORTRAN release 1.8.75 | <code>\$ORACLE_HOME/precomp/doc/prolx/readme.txt</code> |

Issues Common to All Precompilers

The following issues are common to all precompilers.

Note: To run Oracle Precompiler demonstrations, Oracle9i must already be installed.

Uppercase to Lowercase Conversion

In languages other than C, the compiler converts an uppercase function or subprogram name to lowercase. This can cause a “No such user exists” error message. If you receive this error message, verify that the function or subprogram name in your option file matches the case used in the IAPXTB table.

Vendor Debugger Programs

Precompilers and vendor-supplied debuggers can be incompatible. Oracle Corporation does not guarantee that a program run using a debugger will perform the same way when it is run without the debugger.

Value of IRECLLEN and ORECLLEN

The IRECLLEN and ORECLLEN parameters do not have maximum values.

Static and Dynamic Linking

You can statically or dynamically link Oracle libraries with precompiler and OCI applications. With static linking, the libraries and objects of the whole application are linked together into a single executable program. As a result, application executables can become very large.

With dynamic linking, the executing code is partly stored in the executable program and partly stored in libraries that are linked dynamically by the application at runtime. Libraries that are linked at runtime are called dynamic or shared libraries. The benefits of dynamic linking are:

- Smaller disk requirements—More than one application or invocation of the same application can use the same dynamic library.
- Smaller main memory requirements—The same dynamic library image is loaded into main memory only once and it can be shared by more than one application.

Client Shared Library

The client shared library is located in the `$ORACLE_HOME/lib` directory. If you use the Oracle provided `demo_product.mk` make file to link an application, the client shared library is used by default.

For Solaris and Linux Systems Only

You might receive the following error message when starting an executable:

```
$ sample1
ld.so.1: sample1: fatal: libclntsh.so.1.0: can't open file: errno=2
Killed
```

If you receive this error message, set the `LD_LIBRARY_PATH` environment variable as follows:

```
$ LD_LIBRARY_PATH=$ORACLE_HOME/lib:${LD_LIBRARY_PATH}
$ export LD_LIBRARY_PATH
```

The client shared library is created automatically during installation. If you must recreate the client shared library:

1. Exit all client applications using the client shared library, including all Oracle client applications such as SQL*Plus and Recovery Manager.
2. Log in as the `oracle` user and enter:

```
$ genclntsh
```

For AIX Systems Only

You might receive the following error message when starting an executable:

```
$ sample1
exec(): 0509-036 Cannot load program ./sample1 because of the following
errors:
0509-022 Cannot load library libclntsh.sl [shr.0]
0509-026 System error: A file or directory in the pathname does not exist.
```

If you receive this error message, set the LIBPATH environment variable as follows:

```
$ LIBPATH=$ORACLE_HOME/lib:${LIBPATH}
$ export LIBPATH
```

The client shared library is created automatically during installation. If you must recreate the client shared library:

1. Exit all client applications using the client shared library, including all Oracle client applications such as SQL*Plus and Recovery Manager.
2. Log in as the `oracle` user and enter:

```
$ genclntsh
```

For Tru64 Systems Only

You might receive the following error message when starting an executable:

```
$ sample1
/sbin/loader: Fatal Error: Cannot map libclntsh.so
Killed
```

If you receive this error message, set the LD_LIBRARY_PATH environment variable as follows:

```
$ LD_LIBRARY_PATH=$ORACLE_HOME/lib:${LD_LIBRARY_PATH}
$ export LD_LIBRARY_PATH
```

The client shared library is created automatically during installation. If you must recreate the client shared library:

1. Exit all client applications using the client shared library, including all Oracle client applications such as SQL*Plus and Recovery Manager.
2. Log in as the `oracle` user and enter:

```
$ genclntsh
```

For HP Systems Only

You might receive the following error message when starting an executable:

```
$ sample1
/usr/lib/dld.sl: Can't open shared library:
/u01/app/oracle/product/9.0.1/lib/libclntsh.sl.8.0
/usr/lib/dld.sl: No such file or directory
Abort (core dumped)
```

If you receive this error message, set the `SHLIB_PATH` environment variable as follows:

```
$ SHLIB_PATH=$ORACLE_HOME/lib:${SHLIB_PATH}
$ export SHLIB_PATH
```

The client shared library is created automatically during installation. If you must recreate the client shared library:

1. Exit all client applications using the client shared library, including all Oracle client applications such as SQL*Plus and Recovery Manager.
2. Log in as the `oracle` user and enter:

```
$ cd $ORACLE_HOME/rdbms/lib
$ make -f ins_rdbms.mk libclntsh.sl
```

Pro*C/C++ Precompiler

Before you use the Pro*C/C++ precompiler, verify that the correct version of the operating system compiler is properly installed.

See Also: See the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for operating system requirements.

For additional information on the Pro*C/C++ precompiler and interface features, see the *Pro*C/C++ Precompiler Programmer's Guide*.

Pro*C/C++ Demonstration Programs

Demonstration programs are provided to show the features of the Pro*C/C++ precompiler. There are three types of demonstration programs: C, C++, and Object programs. Object programs demonstrate the new Oracle9i Object features. All of the demonstration programs are located in the `$ORACLE_HOME/precomp/demo/proc` directory. By default, all programs are dynamically linked with the client shared library.

The programs assume that the demonstration tables created by the `$ORACLE_HOME/sqlplus/demo/demobld.sql` script exist in the SCOTT schema with the password TIGER.

Use the `demo_proc.mk` make file, located in the `$ORACLE_HOME/precomp/demo/proc/` directory, to create the demonstration programs. For example, to precompile, compile, and link the `sample1` demonstration program, enter the following command:

```
$ make -f demo_proc.mk sample1
```

To create all of the C demonstration programs for Pro*C/C++, enter:

```
$ make -f demo_proc.mk samples
```

To create all of the C++ demonstration programs for Pro*C/C++, enter:

```
$ make -f demo_proc.mk cppsamples
```

To create all of the Object demonstration programs for Pro*C/C++, enter:

```
$ make -f demo_proc.mk object_samples
```


Some demonstration programs require you to run a SQL script, located in the `$ORACLE_HOME/precomp/demo/sql` directory. If you do not run the script, a message displays requesting you to run it. To build a demonstration program and run the corresponding SQL script, include the make macro argument `RUNSQL=run` on the command line. For example, to create the `calldemo` demonstration program and run the required `$ORACLE_HOME/precomp/demo/sql/calldemo.sql` script, enter:

```
$ make -f demo_proc.mk calldemo RUNSQL=run
```

To create all of the Object demonstration programs and run all corresponding required SQL scripts, enter:

```
$ make -f demo_proc.mk object_samples RUNSQL=run
```

See Also: For information on using SQL*Plus to create the demonstration tables, see "[Using Demonstration Tables](#)" on page 3-3.

Pro*C/C++ User Program

You can use the `$ORACLE_HOME/precomp/demo/proc/demo_proc.mk` make file to create user programs. The syntax for linking a program with the `demo_proc.mk` make file is:

```
$ make -f demo_proc.mk target OBJS="objfile1 objfile2 ..." EXE=exename
```

In the preceding example:

- *target* is the make file target that you want to use (for example, `build`)
- *objfilen* is the object file to link the program
- *exename* is the executable program

For example, to create the program `myprog` from the Pro*C/C++ source file `myprog.pc`, enter one of the following commands, depending on the source and the type of executable you want to create.

- For C source, dynamically linked with the client shared library, enter:

```
$ make -f demo_proc.mk build OBJS=myprog.o EXE=myprog
```

- For C source, statically linked, enter:

```
$ make -f demo_proc.mk build_static OBJS=myprog.o EXE=myprog
```

- For C++ source, dynamically linked with the client shared library, enter:

```
$ make -f demo_proc.mk cppbuild OBJS=myprog.o EXE=myprog
```

- For C++ source, statically linked, enter:

```
$ make -f demo_proc.mk cppbuild_static OBJS=myprog.o EXE=myprog
```

Note: On AIX and HP, the `demo_proc.mk` make file builds 64 bit user programs by default. You can also use this make file to build 32 bit user programs. See the make file for more information on creating 32 bit user programs.

Pro*COBOL Precompiler

There are two versions of Pro*COBOL included with this release. [Table 4-4](#) shows the naming conventions for each version.

Table 4-4 Pro*COBOL Naming Differences

| Item | Pro*COBOL Release 9.0.1 | Pro*COBOL Release 1.8.75 |
|---|-------------------------|--------------------------|
| Executable | procob | procob18 |
| Demonstration Directory | procob2 | procob |
| Make file for Merant Server Express COBOL | demo_procob.mk | demo_procob18.mk |
| Make file for Sun Nihongo COBOL | demo_procob.mk.nsun | demo_procob18.mk.nsun |

Pro*COBOL supports statically linked, dynamically linked, or dynamically loadable programs. Dynamically linked programs use the client shared library. Dynamically loadable programs use the `rtsora` executable located in the `$ORACLE_HOME/bin` directory.

Pro*COBOL Environment Variables

This section describes the environment variables required by Pro*COBOL.

Merant Server Express COBOL Compiler

For the Merant Server Express COBOL compiler, you must set the `COBDIR` and `LD_LIBRARY_PATH` environment variables.

COBDIR Set the `COBDIR` environment variable to the directory where the compiler is installed. For example, if the compiler is installed in the `/opt/cobol` directory, enter:

```
$ COBDIR=${COBDIR}:/opt/cobol
$ export COBDIR
```

LD_LIBRARY_PATH The `LD_LIBRARY_PATH` environment variable must include the `$COBDIR/coblib` directory. To add this directory to the `LD_LIBRARY_PATH` environment variable, enter:

```
$ LD_LIBRARY_PATH=${LD_LIBRARY_PATH}:/opt/cobol/coblib
$ export LD_LIBRARY_PATH
```

If the `LD_LIBRARY_PATH` environment variable setting does not include the `$COBDIR/coblib` directory, one of the following error messages appears when you compile a program:

- On Tru64:


```
14783 rtspra: /sbin/loader: Fatal Error: cannot map libwtc8.so
```
- On AIX, HP, and Solaris:


```
ld.so.1: rts32: fatal: libfhutil.so.2.0: can't open file: errno=2
```

Sun Nihongo COBOL Compiler

For the Sun Nihongo COBOL compiler, you must set the `PATH` and `LD_LIBRARY_PATH` environment variables.

PATH Set the `PATH` environment variable to include the `/opt/SUNWnsun/bin` directory, as follows:

```
$ PATH ${PATH}:/opt/SUNWnsun/bin
$ export PATH
```

LD_LIBRARY_PATH The `LD_LIBRARY_PATH` environment variable must include the `/opt/SUNWnsun/bin` directory. To add this directory to the `LD_LIBRARY_PATH` environment variable, enter:

```
$ LD_LIBRARY_PATH=${LD_LIBRARY_PATH}:/opt/SUNWnsun/bin
$ export LD_LIBRARY_PATH
```

If the `LD_LIBRARY_PATH` environment variable setting does not include the `/opt/SUNWnsun/bin` directory, the following error message appears when you compile a program:

```
ld.so.1: cobol: fatal: liblicense.so: can't open file: errno=2
```

Sun Nihongo COBOL Make Filenames

If you are using Sun Nihongo COBOL, you might want to rename the make files to match the examples and create a backup copy of the files, as follows:

- For Pro*COBOL release 9.0.1, enter:

```
$ cd $ORACLE_HOME/precomp/demo/procob2
$ mv demo_procob.mk demo_procob.mk.mf
$ cp demo_procob.mk.nsun demo_procob.mk
```

- For Pro*COBOL release 1.8.75, enter:

```
$ cd $ORACLE_HOME/precomp/demo/procob
$ mv demo_procob18.mk demo_procob18.mk.mf
$ cp demo_procob18.mk.nsun demo_procob18.mk
```

Pro*COBOL Oracle Runtime System

Oracle provides its own complete runtime system, called `rtsora`, to run dynamically loadable Pro*COBOL programs. Use the `rtsora` runtime system in place of the `cobrun` runtime system provided by Merant to run dynamically loadable Pro*COBOL programs. If you attempt to run a Pro*COBOL program with `cobrun`, you receive the following error:

```
$ cobrun sample1.gnt
Load error : file 'SQLADR'
error code: 173, pc=0, call=1, seg=0
173      Called program file not found in drive/directory
```

Pro*COBOL Demonstration Programs

Demonstration programs are provided to show the features of the Pro*COBOL precompiler. The demonstration programs are located in either the `$ORACLE_HOME/precomp/demo/procob` directory or the `$ORACLE_HOME/precomp/demo/procob2` directory, depending on the Pro*COBOL version. By default, all programs are dynamically linked with the client shared library.

The programs assume that the demonstration tables created by the `$ORACLE_HOME/sqlplus/demo/demobld.sql` script exist in the SCOTT schema with the password TIGER.

Use the appropriate make file to create the demonstration programs:

- For Pro*COBOL release 9.0.1, use:
`$ORACLE_HOME/precomp/demo/procob/demo_procob.mk`
- For Pro*COBOL release 1.8.75, use:
`$ORACLE_HOME/precomp/demo/procob/demo_procob18.mk`

Note: The following examples assume that you are using the make file for Pro*COBOL release 9.0.1.

To precompile, compile, and link the `sample1` demonstration program for ProCOBOL, enter:

```
$ make -f demo_procob.mk sample1
```

To create all of the Pro*COBOL demonstration programs, enter:

```
$ make -f demo_procob.mk samples
```

To create and run a dynamically loadable `sample1.gnt` program to be used with the `rtsora` runtime system, enter:

```
$ make -f demo_procob.mk sample1.gnt  
$ rtsora sample1.gnt
```

Some demonstration programs require you to run a SQL script, located in the `$ORACLE_HOME/precomp/demo/sql` directory. If you do not run the script, a message displays requesting you to run it. To build a demonstration program and run the corresponding SQL script, include the `make` macro argument `RUNSQL=run` on the command line. For example, to create the `sample9` demonstration program and run the required `$ORACLE_HOME/precomp/demo/sql/sample9.sql` script, enter:

```
$ make -f demo_procob.mk sample9 RUNSQL=run
```

To create all of the Pro*COBOL demonstration programs and run all corresponding required SQL scripts, enter:

```
$ make -f demo_procob.mk samples RUNSQL=run
```

Pro*COBOL User Programs

You can use the appropriate demonstration make file to create user programs, depending on the version of Pro*COBOL you are using. The syntax for linking a program with the demonstration make file is:

- For Pro*COBOL release 9.0.1, enter:

```
$ make -f demo_procob.mk target COBS="cobfile1 cobfile2 ..." EXE=exename
```

- For Pro*COBOL release 1.8.75, enter:

```
$ make -f demo_procob18.mk target COBS="cobfile1 cobfile2 ..." EXE=
```

In the preceding examples:

- *target* is the make file target that you want to use (for example, *build*)
- *cobfilen* is the COBOL source file for the program
- *exename* is the executable program

For example, to create the program `myprog`, enter one of the following commands, depending on the source and type of executable you want to create:

- For COBOL source, dynamically linked with the client shared library, enter:

```
$ make -f demo_procob.mk build COBS=myprog.cob EXE=myprog
```

- For COBOL source, statically linked, enter:

```
$ make -f demo_procob.mk build_static COBS=myprog.cob EXE=myprog
```

- For COBOL source, dynamically loadable for use with `rtsora`, enter:

```
$ make -f demo_procob.mk myprog.gnt
```

FORMAT Precompiler Option

The `FORMAT` precompiler option specifies the format of input lines for COBOL. If you specify the default `FORMAT=ANSI`, columns 1 to 6 contain an optional sequence number, column 7 indicates comments or continuation lines, paragraph names begin in columns 8 to 11, and statements begin in columns 12 to 72.

If you specify `FORMAT=TERMINAL`, columns 1 to 6 are dropped, making column 7 the left-most column.

Pro*FORTRAN Precompiler

Before you use the Pro*FORTRAN precompiler, verify that the correct version of the compiler is installed.

See Also: See the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for operating system requirements.

For additional information on the Pro*FORTRAN precompiler and interface features, see the *Pro*FORTRAN Precompiler Programmer's Guide*.

Pro*FORTRAN Demonstration Programs

Demonstration programs are provided to show the features of the Pro*FORTRAN precompiler. All of the demonstration programs are located in the `$ORACLE_HOME/precomp/demo/profor` directory. By default, all programs are dynamically linked with the client shared library.

The programs assume that the demonstration tables created by the `$ORACLE_HOME/sqlplus/demo/demobld.sql` script exist in the SCOTT schema with the password TIGER.

Use the `demo_profor.mk` make file, located in the `$ORACLE_HOME/precomp/demo/profor` directory, to create the demonstration programs. For example, to precompile, compile, and link the `sample1` demonstration program, enter:

```
$ make -f demo_profor.mk sample1
```

To create all of the Pro*FORTRAN demonstration programs, enter:

```
$ make -f demo_profor.mk samples
```

Some demonstration programs require you to run a SQL script, located in the `$ORACLE_HOME/precomp/demo/sql` directory. If you do not run the script, a message displays requesting you to run it. To build a demonstration program and run the corresponding SQL script, include the make macro argument `RUNSQL=run` on the command line. For example, to create the `sample11` demonstration program and run the required `$ORACLE_HOME/precomp/demo/sql/sample11.sql` script, enter:

```
$ make -f demo_profor.mk sample11 RUNSQL=run
```


To create all of the Pro*FORTRAN demonstration programs and run all corresponding required SQL scripts, enter:

```
$ make -f demo_profor.mk samples RUNSQL=run
```

Pro*FORTRAN User Programs

You can use the `$ORACLE_HOME/precomp/demo/profor/demo_profor.mk` make file to create user programs. The syntax for linking a program with the `demo_proc.mk` make file is:

```
$ make -f demo_profor.mk target FORS="forfile1 forfile2 ..." EXE=exename
```

In the preceding example:

- *target* is the make file target that you want to use (for example, `build`)
- *forfilen* is the FORTRAN source for the program
- *exename* is the executable program

For example, to create the program `myprog`, from the Pro*FORTRAN source file `myprog.pfo`, enter one of the following commands, depending on the type of executable that you want to create:

- For an executable dynamically linked with the client shared library, enter:

```
$ make -f demo_profor.mk build FORS=myprog.f EXE=myprog
```

- For an executable statically linked, enter:

```
$ make -f demo_profor.mk build_static FORS=myprog.f EXE=myprog
```

SQL*Module for Ada (Solaris and AIX Only)

Before using SQL*Module for Ada, verify that the correct version of the compiler is installed.

See Also: See the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for operating system requirements. For additional information on the SQL*Module for Ada, see the *SQL*Module for Ada Programmer's Guide*.

SQL*Module for Ada Demonstration Programs

Demonstration programs are provided to show the features of SQL*Module for Ada. All of the demonstration programs are located in the `$ORACLE_HOME/precomp/demo/modada` directory. By default, all programs are dynamically linked with the client shared library.

The `chl_drv` demonstration program assumes that the demonstration tables created by the `$ORACLE_HOME/sqlplus/demo/demobld.sql` script exist in the SCOTT schema with the password TIGER.

The `demcalsp` and `demohost` demonstration programs require that the sample college database exists in the MODTEST schema. You can use the appropriate `make` command to create the MODTEST schema and load the sample college database.

To create all of the SQL*Module for Ada demonstration programs, run the necessary SQL scripts to create the MODTEST user, and create the sample college database, enter:

```
$ make -f demo_modada.mk all RUNSQL=run
```

To create a single demonstration program (`demohost`), and run the necessary SQL scripts to create the MODTEST user, and create the sample college database, enter:

```
$ make -f demo_modada.mk makeuser loaddb demohost RUNSQL=run
```

To create all of the SQL*Module for Ada demonstration programs, without recreating the sample college database, enter:

```
$ make -f demo_modada.mk samples
```

To create a single demonstration program (`demohost`), without recreating the sample college database, enter:

```
$ make -f demo_modada.mk demohost
```

All programs assume that an Oracle Net connect string or alias named `INST1_ALIAS` is defined and is capable of connecting to the database where the appropriate tables exist.

SQL*Module for Ada User Programs

Use the `$ORACLE_HOME/precomp/demo/modada/demo_modada.mk` make file to create user programs. The syntax for linking a user program with the `demo_modada.mk` make file is:

```
$ make -f demo_modada.mk ada OBJS="module1 module2 ..." \  
EXE=exename MODARGS=SQL*Module_arguments
```

In the preceding example:

- `modulen` is a compiled Ada object
- `exename` is the executable program
- `SQL*Module_arguments` are the command line arguments to be passed to the SQL*Module

See Also: For more information on SQL*Module for Ada user programs, see the *SQL*Module for Ada Programmers Guide*.

Oracle Call Interface

Before you use the Oracle Call Interface (OCI), verify that the correct version of Pro*C/C++ is installed.

See Also: See the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for the required version of Pro*C/C++ for your operating system.

For additional information on the Oracle Call Interface, see the *Oracle Call Interface Programmer's Guide*.

OCI Demonstration Programs

Demonstration programs are provided that show the features of the OCI. There are two types of demonstration programs: C and C++. All of the demonstration programs are located in the `$ORACLE_HOME/rdbms/demo` directory. By default, all programs are dynamically linked with the client shared library.

Many of the demonstration programs assume that the demonstration tables created by `$ORACLE_HOME/sqlplus/demo/demobld.sql` script exist in the SCOTT schema with the password TIGER.

Use the `demo_rdbms.mk` make file, located in the `$ORACLE_HOME/rdbms/demo` directory, to create the demonstration programs. For example, to compile and link the `cdemo1` demonstration program, enter the following command:

```
$ make -f demo_rdbms.mk cdemo1
```

To create all of the C demonstration programs for OCI, enter:

```
$ make -f demo_rdbms.mk demos
```

To create all of the C++ demonstration programs for OCI, enter:

```
$ make -f demo_rdbms.mk c++demos
```

OCI User Programs

You can use the `$ORACLE_HOME/rdbms/demo/demo_rdbms.mk` make file to create programs. The syntax for linking a user program with `demo_rdbms.mk` is:

```
$ make -f demo_rdbms.mk target OBJS="objfile1 objfile2 ..." EXE=exename
```

In the preceding example:

- *target* is the make file target that you want to use (for example, `build`)
- *objfilen* is the object file to link the program
- *exename* is the executable program

For example, to create the `myprog` program from the C/C++ source `myprog.c`, enter one of the following commands, depending on the type of executable you want to create:

- For C source, dynamically linked with the client shared library, enter:

```
$ make -f demo_rdbms.mk build OBJS=myprog.o EXE=myprog
```

- For C source, statically linked, enter:

```
$ make -f demo_rdbms.mk build_static OBJS=myprog.o EXE=myprog
```

- For C++ source, dynamically linked with the client shared library, enter:

```
$ make -f demo_rdbms.mk buildc++ OBJS=myprog.o EXE=myprog
```

- For C++ source, statically linked, enter:

```
$ make -f demo_rdbms.mk buildc++_static OBJS=myprog.o EXE=myprog
```

Note: In the preceding examples, the file `myprog.o` is the object file generated by the compiler.

Custom Make Files

Oracle Corporation recommends that you use the provided `demo_product.mk` make files to link user programs as described in the specific product sections of this chapter. If you modify the provided make file, or if you choose to use a custom-written make file, the following restrictions apply:

- Do not modify the order of the Oracle libraries. Oracle libraries are included on the link line more than once so that all of the symbols are resolved during linking. This information does not apply to AIX-based systems.

The order of the Oracle libraries is essential for the following reasons:

- Oracle libraries are mutually referential. Functions in library A call functions in library B, and functions in library B call functions in library A.
 - The HP and Tru64 linkers are one-pass linkers. The AIX, Linux, and Solaris linkers are two-pass linkers.
- If you add your own library to the link line, add it to the beginning or to the end of the link line. Do not place user libraries between the Oracle libraries.
 - If you choose to use a make utility such as `nmake` or `GNU make`, be aware of how macro and suffix processing differs from the make utility provided with the platform. Oracle make files are tested and are supported with the `make` utility for your platform.
 - Oracle library names and the contents of Oracle libraries are subject to change between releases. Always use the `demo_product.mk` make file that ships with the current release as a guide to determine the required libraries.

Correcting Undefined Symbols (Solaris Only)

Oracle provides the `symfind` utility to assist you in locating a library or object file where a symbol is defined. When linking a program, undefined symbols are a common error that produce an error message similar to the following:

```
$ make -f demo_proc.mk sample1
Undefined                          first referenced
   symbol                          in file
sqlcex                              sample1.o
sqlglm                              sample1.o
ld: fatal: Symbol referencing errors. No output written to sample1
```

The error occurs when the linker cannot find a definition for a referenced symbol. If this error message occurs, ensure that the library or object file containing the definition exists on the link line and that the linker is searching the correct directories for the file.

The following example shows the output from the `symfind` utility, used to locate the `sqlcex` symbol:

```
$ symfind sqlcex

SymFind - Find Symbol <sqlcex> in <*> .a, .o, .so
-----
Command:          /u01/app/oracle/product/9.0.1/bin/symfind sqlcex
Local Directory:  /u01/app/oracle/product/9.0.1
Output File:      (none)
Note:             I do not traverse symbolic links
                  Use '-v' option to show any symbolic links

Locating Archive and Object files ...
[11645] |    467572 |    44|FUNC |GLOB |0   |8   |sqlcex
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^ .lib/libclntsh.sl
[35]   |         0 |    44|FUNC |GLOB |0   |5   |sqlcex
^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^^ .lib/libsql.a
```

Multi-threaded Applications

The Oracle libraries provided with this release are thread safe, allowing support for multi-threaded applications.

Using Signal Handlers

Oracle9i uses signals for two-task communication. Signals are installed in a user process when you connect to the database and are removed when you disconnect.

[Table 4-5](#) describes the signals that Oracle9i uses for two-task communication.

Table 4-5 *Signals for Two-Task Communication*

| Signal | Description |
|---------|---|
| SIGCLD | The pipe driver uses SIGCLD, also referred to as SIGCHLD, when an Oracle process dies. The UNIX kernel sends a SIGCLD signal to the user process. The signal handler uses the wait() routine to determine whether a server process died. The Oracle process does not catch SIGCLD; the user process catches it. |
| SIGCONT | The pipe two-task driver uses SIGCONT to send out-of-band breaks from the user process to the Oracle process. |
| SIGINT | Two-task drivers use SIGINT to detect user interrupt requests. The Oracle process does not catch SIGINT; the user process catches it. |
| SIGIO | Oracle Net protocols use SIGIO to indicate incoming networking events. |
| SIGPIPE | The pipe driver uses SIGPIPE to detect end-of-file on the communications channel. When writing to the pipe, if no reading process exists, a SIGPIPE signal is sent to the writing process. Both the Oracle process and the user process catch SIGPIPE. SIGCLD is similar to SIGPIPE, but only applies to user processes, not to Oracle processes. |
| SIGTERM | The pipe driver uses SIGTERM to signal interrupts from the user to the Oracle process. This occurs when the user presses the interrupt key, Ctrl+c. The user process does not catch SIGTERM; the Oracle process catches it. |
| SIGURG | Oracle Net TCP/IP drivers use SIGURG to send out-of-band breaks from the user process to the Oracle process. |

The listed signals affect Pro*C and all other precompiler applications. You can install one signal handler for SIGCLD (or SIGCHLD) and SIGPIPE when connected to the Oracle process. If you call the osnsui() routine to set it up, you can have more than one signal handle for SIGINT. For SIGINT, use osnsui() and osncui() to register and delete signal-catching routines.

You can also install as many signal handlers as you want for other signals. If you are not connected to the Oracle process, you can have multiple signal handlers.

[Example 4-1](#) shows how to set up a signal routine and a catching routine.

Example 4-1 Signal Routine and Catching Routine

```
/* user side interrupt set */
word osnsui( /*_ word *handlp, void (*astp), char * ctx, _*/)
/*
** osnsui: Operating System dependent Network Set User-side Interrupt. Add an
** interrupt handling procedure astp. Whenever a user interrupt(such as a ^C)
** occurs, call astp with argument ctx. Put in *handlp handle for this
** handler so that it may be cleared with osncui. Note that there may be many
** handlers; each should be cleared using osncui. An error code is returned if
** an error occurs.
*/

/* user side interrupt clear */
word osncui( /*_ word handle _*/ );
/*
** osncui: Operating System dependent Clear User-side Interrupt. Clear the
** specified handler. The argument is the handle obtained from osnsui. An error
** code is returned if an error occurs.
*/
```

[Example 4-2](#) shows how to use the osnsui() and the osncui() routines in an application program.

Example 4-2 osnsui() and osncui() Routine Template

```
/*
** User interrupt handler template.
*/
void sig_handler()
{
...
}

main(argc, argv)
int arc;
char **argv;
{

    int handle, err;
```

```
...

/* set up my user interrupt handler */

if (err = osnsui(&handle, sig_handler, (char *) 0))
{
    /* if the return value is non-zero, an error has occurred
       Take appropriate action for the error. */
    ...
}

...

/* clear my interrupt handler */

if (err = osncui(handle))
{
    /* if the return value is non-zero, an error has occurred
       Take appropriate action for the error. */
    ...
}

...
}
```

XA Functionality

Oracle XA is the Oracle implementation of the X/Open Distributed Transaction Processing (DTP) XA interface. The XA standard specifies a bi-directional interface between resource managers (for example, Oracle) that provide access to shared resources within transactions, and between a transaction service that monitors and resolves transactions.

Oracle Call Interface has XA functionality. When building a TP-monitor XA application, ensure that the TP-monitor libraries (that define the symbols `ax_reg` and `ax_unreg`) are placed in the link line before the Oracle client shared library. This link restriction is required only when using the XA dynamic registration (Oracle XA switch `xaoswd`).

Oracle9i does not support Oracle7 release 7.1.6 XA calls (although it does support Oracle7 release 7.3 XA calls). Therefore, TP-monitor XA applications using Oracle7 release 7.1.6 XA calls must be relinked with the Oracle9i XA library. The Oracle9i XA calls are defined in both the `$ORACLE_HOME/lib/libclntsh.sl` shared library and the `$ORACLE_HOME/lib/libclient9.a` static library.

Configuring Oracle Net Services

This chapter describes how to configure Oracle Net Services on AIX, HP, Linux, Solaris, and Tru64 systems. It contains the following sections:

- [Core Oracle Net Services Products and Features](#)
- [Oracle Net Services Protocol Support](#)
- [Bequeath \(BEQ\) Protocol Support](#)
- [IPC Protocol Support](#)
- [RAW Protocol Support](#)
- [TCP/IP Protocol Support](#)
- [Oracle Enterprise Manager](#)
- [Configuring Oracle Intelligent Agent for Oracle SNMP](#)
- [Oracle Advanced Security](#)

See Also: For more information on Oracle networking, refer to the *Oracle9i Net Services Administrator's Guide*.

Core Oracle Net Services Products and Features

This section describes core Oracle Net Services products and features.

Oracle Net Services and Utilities

This section describes the files and utilities that you can use to configure Oracle Net Services products.

Location of Oracle Net Services Configuration Files

Oracle Net Services searches the following locations for configuration files, in the following order:

1. For the `sqlnet.ora` file, the current working directory from where an application is run.
2. The directory specified by the `TNS_ADMIN` environment variable, if set.
3. One of the following directories:
 - For HP, Linux, Solaris, and Tru64 systems, the `/var/opt/oracle` directory
 - For AIX, the `/etc` directory
4. The `$ORACLE_HOME/network/admin` directory

To set the `TNS_ADMIN` environment variable in the startup files of all network users, add the following lines to the appropriate startup file:

- For the Bourne or Korn shell, add the following lines to the `.profile` file:

```
$ TNS_ADMIN=directory_name  
$ export TNS_ADMIN
```

- For the C shell, add the following lines to the `.login` file:

```
% setenv TNS_ADMIN directory_name
```

For each system-level configuration file, users may have a corresponding local private configuration file (stored in the user's home directory). The settings in the local file override the settings in the system-level file. The following table lists the system-level configuration files and the corresponding local configuration files:

| System-Level Configuration File | Local Configuration File |
|---------------------------------|--------------------------|
| sqlnet.ora | \$HOME/.sqlnet.ora |
| tnsnames.ora | \$HOME/.tnsnames.ora |

Sample Configuration Files

The `$ORACLE_HOME/network/admin/samples` directory contains samples of the `cman.ora`, `listner.ora`, `names.ora`, `sqlnet.ora`, and `tnsnames.ora` configuration files.

Adapters Utility

Oracle Net Services provides support for various network protocol and naming methods. These protocol supports and naming methods are linked to particular executables and provide the interface between network protocols and Oracle Net Services. To display the installed Oracle Net Services protocol supports, enter:

```
$ adapters
```

To display protocol supports linked with a specific executable, enter:

```
$ adapters executable
```

For example, to display the Oracle Net Services protocol supports linked with the `oracle` executable, enter:

```
$ adapters oracle
```

The `adapters` utility displays output similar to the following:

Oracle Net Services Protocol Adapters linked with oracle are:

```
BEQ Protocol Adapter
IPC Protocol Adapter
TCP/IP Protocol Adapter
RAW Protocol Adapter
```

Oracle Net Services Naming Adapters linked with oracle are:

```
Oracle TNS Naming Adapter
Oracle Naming Adapter
```

Oracle Advanced Security/Networking Security products linked with oracle are:

Oracle Net Services Protocol Support

Oracle Net Services release 9.0.1 on UNIX supports the following protocols:

- Bequeath (BEQ)
- IPC
- RAW
- TCP/IP

Before installing the TCP/IP protocol support, you must install and configure the appropriate operating system software. The BEQ, IPC, and RAW protocol supports do not have any specific operating system requirements.

See Also: Refer to the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for more information on Oracle Net Services protocol support.

ADDRESS Specification

The IPC and TCP/IP protocol supports each have a protocol-specific ADDRESS specification that is used for Oracle Net Services configuration files and for the DISPATCHERS initialization parameter in the `initsid.ora` file. See the ADDRESS specification heading under each protocol section in this chapter for more information on protocol-specific ADDRESS specification.

Table 5–1 shows a summary of the ADDRESS specifications for each protocol.

Table 5–1 ADDRESS Specification Summary

| Supported Protocol | ADDRESS Specification |
|--------------------|---|
| IPC | (ADDRESS = (PROTOCOL=IPC) (KEY= <i>key</i>)) |
| TCP/IP | (ADDRESS = (PROTOCOL=TCP) (HOST= <i>hostname</i>) (PORT= <i>port</i>)) |

Bequeath (BEQ) Protocol Support

The BEQ protocol support is both a communications mechanism and a process-spawning mechanism. To use the BEQ protocol support, the client and server must be on the same system. If a network service name is not specified, either directly by the user on the command line or Login screen or indirectly by an environment variable such as TWO_TASK, then the BEQ protocol support is used. In this case, the BEQ protocol support always uses a dedicated server and the shared server model is never used. This dedicated server is started automatically by the BEQ protocol, which waits for the server process to start and attach to an existing System Global Area (SGA). If the startup of the server process is successful, the BEQ protocol support then provides interprocess communication through UNIX pipes.

An important feature of the BEQ protocol support is that it does not require a listener for its operation. The protocol support is linked into the client tools and directly starts its own server process without outside interaction. However, you can only use the BEQ protocol support when the client program and Oracle9i are installed on the same system. The BEQ protocol support is always installed and always linked to all client tools and to the Oracle9i server.

IPC Protocol Support

The IPC protocol support is similar to the BEQ protocol support in that it can only be used when the client program and the Oracle9i server are installed on the same system. The IPC protocol support differs from the BEQ protocol support in that it can be used both with dedicated server and shared server configurations. The IPC protocol support requires a listener for its operation. The IPC protocol support is always installed and always linked to all client tools and to Oracle9i.

Specifying an IPC ADDRESS

The IPC protocol support connection parameters are part of the ADDRESS keyword-value pair. The ADDRESS is commonly part of a larger construct such as a connect descriptor or configuration file. You can enter the following parameters in any order:

```
(ADDRESS=  
  (PROTOCOL=IPC)  
  (KEY=key)  
)
```

[Table 5–2](#) describes the syntax for IPC protocol connections parameters.

Table 5–2 *Syntax for IPC Protocol Connection Parameters*

| Parameter | Description |
|-----------|--|
| PROTOCOL | The protocol support to be used. The value is IPC. It is not case sensitive. |
| KEY | The service name of the database or the system identifier (SID). |

[Example 5–1](#) shows a sample IPC ADDRESS.

Example 5–1 *IPC ADDRESS Specifying a Client*

```
(ADDRESS=  
  (PROTOCOL=IPC)  
  (KEY=PROD)  
)
```


RAW Protocol Support

When data is transferred between a client and a server, Oracle Net Services adds its own header information to every network packet. Using the Raw Transport feature, Oracle Net Services can now minimize header information on each packet going over the network.

After a connection is established, two types of information flow over the network: data and break handling. The connection packets require the Oracle Net Services header information to establish the connection correctly. However, after the connection is established, all data packets are stripped of their Oracle Net Services header information and are passed directly to the operating system, bypassing the Oracle Net Services network and protocol layers. The performance of the connection is increased because of fewer protocol stack layers for the data to flow through and fewer bytes that are transmitted over the network.

This feature is transparently enabled when it is required. If no existing features require that header information be transmitted, the headers are stripped off. For example, Raw Transport would not be enabled when you use encryption and authentication, which requires certain information to be sent with each packet of information.

This feature requires no configuration. Oracle Net Services determines whether the conditions are met and then transparently switches to Raw Transport mode.

TCP/IP Protocol Support

Oracle Corporation recommends that you reserve a port for your listener in the `/etc/services` file of each Oracle Net Services node on the network. The default port is 1521. The entry lists the listener name and the port number, for example:

```
listener 1521/tcp
```

In this example *listener* is the name of the listener, as defined in the `listener.ora` file. Reserve more than one port if you intend to start more than one listener.

If you use Oracle Advanced Security SSL support, you should define a port for SSL in the `/etc/services` file. The port is commonly 2484. For example:

```
listenerssl 2484/tcp
```

Specifying a TCP/IP ADDRESS

The TCP/IP protocol connection parameters are part of the ADDRESS keyword-value pair. The ADDRESS is commonly part of a larger construct such as a connect descriptor or configuration file. You can enter the parameters in any order:

```
(ADDRESS=  
  (PROTOCOL=TCP)  
  (HOST=hostname)  
  (PORT=port)  
)
```

[Table 5–3](#) describes the syntax for the TCP/IP protocol connection parameters.

Table 5–3 *Syntax for TCP/IP Protocol Connection Parameters*

| Parameter | Description |
|-----------|---|
| PROTOCOL | The protocol support to be used. The value is TCP. It is not case sensitive. |
| HOST | The host name or the host IP address. |
| PORT | The TCP/IP port. Either a number or the name specified in the <code>/etc/services</code> file. Oracle Corporation recommends a value of 1521. |

[Example 5–2](#) shows a sample TCP/IP ADDRESS.

Example 5–2 *TCP/IP ADDRESS Specifying a Client*

```
(ADDRESS=  
  (PROTOCOL=TCP)  
  (HOST=MADRID)  
  (PORT=1521)  
)
```

You can specify the last field by name, for example, (PORT=listener).

Oracle Enterprise Manager

Use the `oratclsh` executable to debug your Tcl scripts. Before executing `oratclsh`, set the `TCL_LIBRARY` environment variable to specify the `$ORACLE_HOME/network/agent/tcl` directory.

See Also: See the *Intelligent Agent User's Guide* for more information on debugging Tcl scripts.

Configuring Oracle Intelligent Agent for Oracle SNMP

Although Oracle Intelligent Agent does not require Simple Network Management Protocol (SNMP) to work, you can configure Oracle SNMP support before starting the Intelligent Agent. Note that all of the configuration files for the following steps are located in the `$ORACLE_HOME/network/snmp/peer` directory.

Configure the Master Agent

In the `CONFIG.master` file, make the following change:

1. Search for the line beginning with `MANAGER`.
2. Change the value specified to the IP address or hostname of the system where you want SNMP trap messages sent.

You can also make other changes to the `CONFIG.master` file as documented within the file.

3. On AIX systems only, add the following line to the `/etc/snmpd.conf` file where `ip_address` is the IP address of the Oracle subagent:

```
smux 0.0 " " ip_address
```

Configure the Encapsulator

To configure the encapsulator, perform the following steps:

1. Add the following line to the `snmpd.conf` file, where `hostname_or_IP_address` represents the local system IP address or host name:

```
trap hostname_or_IP_address
```

2. On AIX only, modify the port numbers specified for the `NEW_SNMPD_PORT` and `NEW_TRAPD_PORT` variables in the `start_peer` script, if necessary. The port number specified for the `NEW_SNMPD_PORT` variable must be different to the port number specified for the `NEW_TRAPD_PORT` variable.
3. On all platforms except AIX, complete the following steps:
 - a. If necessary, modify the port number specified in the `CONFIG.encap` file. The default port number is 1161.
 - b. If you modified the port number in step a, change the value specified for the `NEW_SNMPD_PORT` variable in the `start_peer` script to this port number.
 - c. If necessary, modify the value specified for the `NEW_TRAPD_PORT` variable. This variable specifies the PEER encapsulator port to which the `snmpd` agent sends traps. This port number must be different to the port number specified for the `NEW_SNMPD_PORT` variable

Verify the Location of the SNMP Daemon in the `start_peer` Script

The `start_peer` script contains a line similar to the following, where `snmpd_executable_path` is the path of the `snmpd` executable:

```
SNMPD=snmpd_executable_path
```

Make sure that `snmpd_executable_path` is the location of the `snmpd` executable on your system.

Start the SNMP Components

To start the SNMP components, perform the following steps:

1. Enter the following commands to verify that the SNMP components (`master_peer`, `encap_peer`, and `snmpd`) are *not* running:

```
$ ps -aef | grep peer
$ ps -aef | grep snmp
```

If any of the components are running, log in as the `root` user and use the `kill` command to terminate the processes before proceeding.

2. On AIX only, enter the following command as the `root` user to start the native AIX SNMP agent:

```
# startsrc -s snmpd "-f /tmp/snmpd.log"
```

This command starts the SNMP daemon and logs information in the `/tmp/snmpd.log` file.

3. On all platforms except AIX, complete the following steps:
 - a. As the root user, run the `start_peer` script to start the PEER master agent, PEER encapsulator, and native UNIX SNMP agent:

```
# cd $ORACLE_HOME/network/snmp/peer
# ./start_peer -a
```

Note: If you do not have the native UNIX SNMP agent on your system, you must *not* use the PEER encapsulator. To start the master agent only, enter `start_peer -m`.

- b. Enter the following commands to verify that the SNMP components are running:

```
# ps -aef | grep peer
# ps -aef | grep snmp
```

Configure and Start the Database Subagent

For information on configuring and starting up the database subagent (the Oracle Intelligent Agent), see the *Oracle Enterprise Manager Configuration Guide*.

Oracle Advanced Security

When you install Oracle Advanced Security, three `.bak` files are created: `naeet.o.bak`, `naect.o.bak`, and `naedhs.o.bak`. These files are located in the `$ORACLE_HOME/lib` directory. They are required for relinking during deinstallation of Oracle Advanced Security. Do not delete them.

A

Tuning for Oracle9*i* on AIX

This appendix contains the following tuning information for Oracle9*i* on AIX:

- [Memory and Paging](#)
- [Disk I/O Issues](#)
- [CPU Scheduling and Process Priorities](#)

Memory and Paging

Memory contention occurs when processes require more memory than is available. To cope with the shortage, the system pages programs and data between memory and disks.

Controlling Buffer-Cache Paging Activity

Excessive paging activity decreases performance substantially. This can become a problem with database files created on the Journaled File System (JFS). In this situation, a large number of SGA data buffers might also have analogous JFS buffers containing the most frequently referenced data. The behavior of the AIX file buffer cache manager can have a significant impact on performance. It can cause an I/O bottleneck, resulting in lower overall system throughput.

On AIX, tuning buffer-cache paging activity is possible but it must be done carefully and infrequently. Use the `vmstat` command to tune the following AIX system parameters:

| Parameter | Description |
|-----------|--|
| MINFREE | The minimum free-list size. If the free-list space in the buffer falls below this size, the system uses page stealing to replenish the free list. |
| MAXFREE | The maximum free-list size. If the free-list space in the buffer exceeds this size, the system stops using page stealing to replenish the free list. |
| MINPERM | The minimum number of permanent buffer pages for file I/O. |
| MAXPERM | The maximum number of permanent buffer pages for file I/O. |

See Also: For more information on AIX system parameters, see the *AIX Performance Tuning Guide, Version 3.2 and 4*.

Log on as the `root` user and use the `vmtune` command to change these limits. The AIX `vmtune` command is operating-system version specific. If you run the `vmtune` command from one release on a different AIX release, the operating system might fail.

Tuning the MINFREE and MAXFREE Parameters

You can base the size of the MINFREE parameter on the working set size of the programs that require a quick response. You must have enough pages in the free list so that the loaded program does not need to replenish the free list. You can determine the size of the working set for a program by using the `svmon -p` command. The value of the MAXFREE parameter should be greater than the value of the MINFREE parameter by the value of the MAXPGAHEAD parameter, or 8 pages, whichever is higher. For instance, if you determine that the MINFREE parameter value should be 128 pages and the MAXPGAHEAD parameter value is 16 pages, enter the following command to set the value of the MINFREE parameter to 128 pages and the value of the MAXFREE parameter to 144 pages:

```
$ /usr/lpp/bos/samples/vmtune -f 128 -F 144
```

Tuning the AIX File Buffer Cache

The purpose of the AIX file buffer cache is to reduce disk access frequency when the JFS file system is used. If this cache is too small, disk usage increases and potentially saturates one or more disks. If the cache is too large, memory is wasted.

See Also: For the implications of increasing the AIX file buffer cache, see "[Controlling Buffer-Cache Paging Activity](#)" on page A-2.

You can configure the AIX file buffer cache by adjusting the MINPERM and MAXPERM parameters. In general, if the buffer hit ratio is low (less than 90 percent), as determined by the `sar -b` command, increasing the MINPERM parameter value might help. If maintaining a high buffer hit ratio is not critical, decreasing the MINPERM parameter value increases the physical memory available. Refer to your AIX documentation for more information on increasing the size of the AIX file buffer cache.

The performance gain cannot be quantified easily, because it depends on the degree of multiprogramming and the I/O characteristics of the workload.

Tuning the MINPERM and MAXPERM Parameters

AIX provides a mechanism for you to loosely control the ratio of page frames used for files versus those used for computational (working or program text) segments by adjusting the MINPERM and MAXPERM values according to the following guidelines:

- If the percentage of real memory occupied by file pages falls below the MINPERM value, the page-replacement algorithm steals both file and computational pages, regardless of repage rates.
- If the percentage of real memory occupied by file pages rises above the MAXPERM value, the page-replacement algorithm steals both file and computational pages.
- If the percentage of real memory occupied by file pages is between the MINPERM and MAXPERM parameter values, the virtual memory manager (VMM) normally steals only file pages, but if the repaging rate for file pages is higher than the repaging rate for computational pages, the computational pages are stolen as well.

Use the following algorithm to calculate the default values:

- $\text{MINPERM (in pages)} = ((\text{number of page frames}) - 1024) * 0.2$
- $\text{MAXPERM (in pages)} = ((\text{number of page frames}) - 1024) * 0.8$

Use the following command to change the value of the MINPERM parameter to 5 percent of the total number of page frames, and the value of the MAXPERM parameter to 20 percent of the total number of page frames:

```
# vmtune -p 5 -P 20
```

The default values are 20 percent and 80 percent, respectively.

If the database files are on raw devices, you can set the MINPERM and MAXPERM parameters to low values, for example 5 percent and 20 percent, respectively. This is because the AIX file buffer cache is not used for raw devices. The memory might be better used for other purposes, such as the Oracle System Global Area.

Allocating Sufficient Paging Space

Inadequate paging space usually causes the system to hang or suffer abnormally slow response times. On AIX, you can dynamically add paging space on raw disk partitions. The amount of paging space you should configure depends on the amount of physical memory present and the paging space requirements of your applications. Use the `lspgs` command to monitor paging space use and the `vmstat` command to monitor system paging activities.

You should configure the amount of paging space to be two or three times the amount of physical memory required for most workloads. Use a higher value if you plan to use Oracle development tools or Oracle Applications. Monitor the use of paging space and increase it as necessary. To increase the paging space, use the `smit pgspace` command. For systems with very large physical memory (more than 1 GB), one and a half times the physical memory might be enough paging space.

Controlling Paging

Constant and excessive paging indicates that the real memory is over-committed. In general, you should:

- Avoid constant paging unless the system is equipped with very fast expanded storage that makes paging between memory and expanded storage much faster than Oracle can read and write data between the SGA and disks.
- Allocate limited memory resources to where it is most beneficial to the system's performance. It is sometimes a recursive process of balancing the memory resource requirements and trade-offs.
- If memory is not adequate, build a prioritized list of memory-requiring processes and elements of the system. Assign memory to where the performance gains are the greatest. A prioritized list might look like:
 1. OS and RDBMS kernels
 2. User and application processes
 3. Redo log buffer
 4. PGAs and shared pool
 5. Database block buffer caches

For instance, if you query Oracle dynamic performance tables and views and find that both the shared pool and database buffer cache require more memory, assigning the limited spare memory to the shared pool might be more beneficial than assigning it to the database block buffer cache.

The following AIX commands provide paging status and statistics:

- `vmstat -s`
- `vmstat interval [repeats]`
- `sar -r interval [repeats]`

Setting the Database Block Size

You can configure the Oracle database block size for better I/O throughput. On AIX, you can set the value of the `DB_BLOCK_SIZE` initialization parameter to between 2 KB to 16 KB, with a default of 4 KB. If the Oracle database is JFS-based, then the block size should be a multiple of the JFS blocksize (4 KB on AIX). For databases on raw partitions, the Oracle database block size is a multiple of the operating system physical block size (512 bytes on AIX).

Oracle Corporation recommends smaller Oracle database block sizes (2 KB or 4 KB) for online transaction processing (OLTP) or mixed workload environments and larger block sizes (8 KB or 16 KB) for decision support system (DSS) workload environments.

Tuning the Log Archive Buffers

You can improve the speed of archiving the database by dedicating larger buffers. However, over-configuring can degrade overall system performance. You can increase the `LOG_ARCHIVE_BUFFER_SIZE` initialization parameter to 128 KB. The default value for the `LOG_ARCHIVE_BUFFER_SIZE` parameter is 4 KB.

Tune this parameter carefully so that overall performance of normal database activity does not degrade drastically. Performance improvements in the archiving process of 0 to 20 percent are possible. Some users report even larger improvements.

Tuning the SGA Size

The constraining factor in using multiple shared memory segments for the SGA is the amount of physical memory that current hardware architectures can support. You do not want the Oracle SGA paged out because of inadequate main memory. For a large number of simultaneous database users, larger SGAs are recommended.

The initialization parameters that have the greatest effect on the SGA size are `DB_BLOCK_BUFFERS` and `SHARED_POOL_SIZE`. How much you increase these parameters depends on the amount of memory you can allocate for the SGA. There is a performance overhead with large values for the `DB_BLOCK_BUFFERS` and `SHARED_POOL_SIZE` parameters, so lowering these values can result in decreased CPU usage. It is possible to increase or decrease the Oracle9i buffer cache by modifying the `SHARED_POOL_SIZE` initialization parameter and restarting the instance.

I/O Buffers and SQL*Loader

For high-speed data loading, such as using the SQL*Loader direct path option in addition to loading data in parallel, the CPU spends most of its time waiting for I/O to complete. By increasing the number of buffers, you can usually push the CPU usage harder, thereby increasing overall throughput.

The number of buffers (set by the SQL*Loader `BUFFERS` parameter) you choose depends on the amount of available memory and how hard you want to push CPU usage. Refer to *Oracle9i Database Utilities* for information on adjusting the file processing options string for the `BUFFERS` parameter.

The performance gains depend on CPU usage and the degree of parallelism that you use when loading data.

See Also: Refer to *Oracle9i Database Utilities* for more generic information on the SQL*Loader utility.

BUFFER Parameter for the Import Utility

The `BUFFER` parameter for the Import utility should be set to a large value to optimize the performance of high-speed networks when they are used. For instance, if you use the IBM RS/6000 Scalable POWERparallel Systems (SP) switch, you should use a value of at least 1 MB.

Disk I/O Issues

Disk I/O contention can result from poor memory management (with subsequent paging and swapping), or poor distribution of tablespaces and files across disks. Spread the I/O load evenly across all disks.

AIX Logical Volume Manager

The AIX Logical Volume Manager (LVM) can stripe data across multiple disks to reduce disk contention. The primary objective of striping is to achieve high performance when reading and writing large sequential files. Effective use of the striping features in the LVM allows you to spread I/O more evenly across disks, resulting in greater overall performance.

Design a Striped Logical Volume

When you define a striped logical volume, you must specify the following items:

| Item | Specification |
|------------------|--|
| Drives | At least two physical drives. The drives should have minimal activity when performance-critical sequential I/O is executed. Sometimes you might need to stripe the logical volume between two or more adapters. |
| Stripe unit size | Although the stripe unit size can be any power of two from 2 KB to 128 KB, stripe sizes of 32 KB and 64 KB are good values for most workloads. For Oracle database files, the stripe size must be a multiple of the database block size. |
| Size | The number of physical partitions allocated to the logical volume must be a multiple of the number of disk drives used. |
| Attributes | Cannot be mirrored. Set the <code>copies</code> attribute to a value of 1. |

Suggested Striped Logical Volume Parameters

Use the `vm tune` command to adjust the `MINPGAHEAD`, `MAXPGAHEAD`, and `MAXFREE` parameters to achieve the highest sequential I/O throughput. See the *AIX Performance Tuning Guide, Version 3.2 and 4* for the recommended settings.

Make sure that the I/O activity is evenly distributed across multiple disk drives by using AIX utilities such as `filemon`, `sar`, `iostat`, and other performance tools to identify any disks with high I/O activity.

Other Considerations

Performance gains from effective use of the LVM can vary greatly, depending on the LVM you use and the characteristics of the workload. For DSS workloads, you can see substantial improvement. For OLTP-type or mixed workloads, you can still expect significant performance gains.

Using Journaled File Systems Compared to Using Raw Partitions

Note the following considerations when you are deciding whether to use the JFS file system or raw partitions:

- File systems are continually being improved, as are various file system implementations. In some cases, file systems provide better I/O performance than raw devices.
- Different vendors implement the file system layer in different ways to exploit the strengths of different disks. This makes it difficult to compare file systems across platforms.
- The introduction of more powerful LVM interfaces substantially reduces the tasks of configuring and backing up logical disks based on raw partitions.

The degree of performance improvement largely depends on the I/O characteristics of the workload.

If you use the JFS file system, it is easier to manage and maintain database files than it is if you use raw devices. However, because JFS supports only buffered read and write at present, every time data is transferred to or from the I/O subsystem (other than the Oracle buffer cache or SGA) extra AIX file buffer caches are created. This is the main drawback to using the JFS file system, and this penalty becomes even greater when the I/O subsystem is more heavily exercised.

Also, on heavily loaded systems, the contention for the AIX file buffer cache becomes the main bottleneck. Some side-effects include:

- Increased work for the `pagedaemon` command, which flushes data from the AIX file buffer cache to disk
- More memory sacrificed to the AIX file buffer cache

Use raw devices/volumes for Oracle files only if your site has at least as many raw disk partitions as Oracle datafiles. If the raw disk partitions are already formatted, match datafile size to the partition size as closely as possible to avoid wasting space. In a heavily-used database configuration, use raw devices.

Note: Oracle9i Real Application Clusters requires the use of raw devices instead of the JFS file system for database files.

Moving from the JFS File System to Raw Devices

To move from the JFS file system to raw devices without the need to manually reload all of the data, enter the following command as the `root` user:

```
# dd if=old_JFS_file of=new_raw_device seek=1 bs=4k
```

Ensure that you follow these guidelines:

- Skip the first 4 KB block of the raw device because the AIX Logical Volume Manager uses it.

Note: The first 4 KB block should not be skipped if the raw device is a Hashed Shared Disk (HSD).

- Size the raw device to prevent wasting space. The raw device should be a few blocks larger than the existing JFS file.
- Rename the datafile.
- Set the permissions on the raw partition.

You might experience a slight degradation in sequential read performance. If the application is performing many full table scans, you might experience a server performance degradation on these full table scans, because the AIX file buffer cache is no longer used to cache these tables.

In configurations where memory is scarce, you might need to resize the AIX file buffer cache.

In the AIX environment, Oracle Corporation encourages the use of symbolic links whenever possible, because the name of the raw device can change. For example, this change can occur when reconfiguring disk peripherals or moving the database to a new hardware configuration. Refer to the IBM documentation for more information.

See Also: Refer to the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for more information on the operational issues involved in using raw devices.

Taking Advantage of Both JFS and Raw Devices

On AIX, you can choose the JFS file system for some datafiles and raw partitions for other datafiles. Asynchronous I/O works with both raw partitions and the JFS file system. If you know the nature of I/O activity on database objects beforehand, you can place the datafiles corresponding to specific objects on either the JFS file system or raw partitions, together with a LVM, if available.

The improvement of performance varies greatly depending on the nature of your workload and the disk or file system configuration.

Using Asynchronous I/O

Oracle9i takes full advantage of asynchronous I/O (AIO) provided by AIX, resulting in faster database access. AIO interweaves multiple I/O to improve I/O subsystem throughput. The advantage of AIO is realized only when data is well distributed among different disks.

Using the LVM and striping enhances the effectiveness of AIO. The LVM reduces disk contention by striping data across multiple disk spindles. Using AIO with LVM significantly improves RDBMS performance.

All version of AIX 4 support AIO for database files created both on file system partitions and on raw devices. After issuing AIO requests, the application processes can continue running. For AIO requests on file systems (or virtual shared disks (VSDs) or HSDs with AIX 4.2.1), the kernel server process (`kproc`) is in charge of each request from the time it is taken off the queue until it completes. The number of servers limits the number of AIO requests that can be executed in the system concurrently. On AIX 4.2.1, AIO on raw devices is kernelized, which means that AIX servers are not required to service the AIO requests. On AIX 4.3, AIO on all raw devices, including VSDs and HSDs (with APAR IX79690), is kernelized. The kernelized AIO provides better performance than AIO with the kernel process.

Note: If you are using kernelized AIO with VSDs and HSDs, the maximum buddy buffer size must be greater than or equal to 128 KB. Otherwise, you receive errors.

Use one of the following commands to set the number of servers:

- `smit aio`
- `chdev -l aio0 -a maxservers='m' -a minservers='n'`

See Also: See the SMIT online help for information on SMIT. See the man pages for information on the `smit aio` and `chdev` commands.

Set the minimum value to the number of servers to be started at system boot. Set the maximum value to the number of servers that can be started in response to large number of concurrent requests.

The default value for the minimum number of servers is 1. The default value for the maximum number of servers is 10. These values are usually too low to run the Oracle server if you are not using kernelized AIO. Oracle Corporation recommends that you set the following values:

| Parameter | Value |
|------------|---|
| MAXSERVERS | At least ten times the number of disks that AIO accesses simultaneously |
| MINSERVERS | The value of MAXSERVERS multiplied by 2 |

I/O Slaves

I/O Slaves are specialized processes that perform only I/O. They can operate whether or not asynchronous I/O is available. They are allocated from shared memory buffers. I/O Slaves use a set of initialization parameters, listed in [Table A-1](#), that allow a degree of control over the way they operate.

Table A-1 Initialization Parameters for I/O Slaves

| Parameter | Range of Values | Default Value |
|-----------------------|-----------------|---------------|
| DISK_ASYNCH_IO | TRUE/FALSE | TRUE |
| TAPE_ASYNCH_IO | TRUE/FALSE | TRUE |
| BACKUP_TAPE_IO_SLAVES | TRUE/FALSE | FALSE |
| DBWR_IO_SLAVES | 0 - 999 | 0 |
| DB_WRITER_PROCESSES | 1-10 | 1 |

There are times when the use of asynchronous I/O is not desirable or not possible. The first two parameters in [Table A-1](#), DISK_ASYNCH_IO and TAPE_ASYNCH_IO, allow asynchronous I/O to be switched off respectively for disk or tape devices. Because the number of I/O slaves for each process type defaults to zero, by default no I/O Slaves are deployed.

The DBWR_IO_SLAVES parameter should be set to greater than 0 only if the DISK_ASYNCH_IO, or the TAPE_ASYNCH_IO parameter has been set to FALSE, otherwise the database writer process (DBWR) becomes a bottleneck. In this case, the optimal value on AIX for the DBWR_IO_SLAVES parameter is 4.

The DB_WRITER_PROCESSES parameter specifies the initial number of database writer processes for an instance. If you use the DBWR_IO_SLAVES parameter, only one database writer process is used, regardless of the setting of the DB_WRITER_PROCESSES parameter.

Using the DB_FILE_MULTIBLOCK_READ_COUNT Parameter

A large value for the DB_FILE_MULTIBLOCK_READ_COUNT initialization parameter usually yields better I/O throughput. On AIX, this parameter ranges from 1 to 512, but using a value higher than 16 usually does not provide additional performance gain.

Set this parameter so that its value when multiplied by the value of the DB_BLOCK_SIZE parameter produces a number that is larger than the LVM stripe size. Such a setting causes more disks to be used.

Using RAID Capabilities

RAID 5 enhances sequential read performance, but decreases overall write performance. Oracle Corporation recommends using RAID 5 only for workloads that are not write-intensive. Intensive writes on RAID 5 might result in a performance degradation compared to a non-RAID environment.

RAID 0 and 1 generally result in better performance, as they introduce striping and mirroring at the hardware level, which is more efficient than at the AIX or Oracle level. RAID 7 is capable of providing better small and large read and write performance than RAID 0 to 6.

Using Write Behind

The write behind feature enables the operating system to group write I/Os together up to the size of a partition. Doing this increases performance because the number of I/O operations is reduced. The file system divides each file into 16 KB partitions to increase write performance, limit the number of dirty pages in memory, and minimize disk fragmentation. The pages of a particular partition are not written to disk until the program writes the first byte of the next 16 KB partition. To set the size of the buffer for write behind to eight 16 KB partitions, enter the following command:

```
# vmtune -c 8
```

To disable write behind, enter the following command:

```
# vmtune -c 0
```

Tuning Sequential Read Ahead

The VMM anticipates the need for pages of a sequential file. It observes the pattern in which a process accesses a file. When the process accesses two successive pages of the file, the VMM assumes that the program will continue to access the file sequentially, and schedules additional sequential reads of the file. These reads overlap the program processing and make data available to the program sooner. Two VMM thresholds, implemented as kernel parameters, determine the number of pages it reads ahead:

- **MINPGAHEAD**

The number of pages read ahead when the VMM first detects the sequential access pattern

- **MAXPGAHEAD**

The maximum number of pages that VMM reads ahead in a sequential file

Set the MINPGAHEAD and MAXPGAHEAD parameters to appropriate values for your application. The default values are 2 and 8 respectively. Use the `vmtune` command to change these values. You can use higher values for the MAXPGAHEAD parameter in systems where the sequential performance of striped logical volumes is of paramount importance. To set the MINPGAHEAD parameter to 32 pages and the MAXPGAHEAD parameter to 64 pages, enter the following command:

```
# vmtune -r 32 -R 64
```

Set both the MINPGAHEAD and MAXPGAHEAD parameters to a power of two. For example, 2, 4, 8, 16, 32, 64, 128, 256, 512, 1042, and so on.

Tuning Disk I/O Pacing

Disk I/O pacing is an AIX mechanism that allows the system administrator to limit the number of pending I/O requests to a file. This prevents disk I/O intensive processes from saturating the CPU. Therefore, the response time of interactive and CPU-intensive processes does not deteriorate.

You can achieve disk I/O pacing by adjusting two system parameters: the high-water mark and the low-water mark parameters. When a process writes to a file that already has a pending high-water mark I/O request, the process is put to sleep. The process wakes up when the number of outstanding I/O requests falls below or equals the low-water mark.

You can use the `smit` command to change the high and low-water marks. Determine the water marks through trial-and-error. Use caution when setting the water marks because they affect performance. Tuning the high and low-water marks has less effect on disk I/O larger than 4 KB.

On AIX, you can, to some extent, control the placement of a logical volume on a disk. Placing logical volumes with high disk activity close to each other can reduce disk seek time, resulting in better overall performance.

Disk Geometry Considerations

On AIX, you can, to some extent, control the placement of a logical volume on a disk. Placing logical volumes with high disk activity close to each other can reduce disk seek time, resulting in better overall performance.

Minimizing Remote I/O Operations

Oracle9i Real Application Clusters running on the SP architecture uses VSDs or HSDs as the common storage that is accessible from all instances on different nodes. If an I/O request is to a VSD where the logical volume is local to the node, local I/O is performed. The I/O traffic to VSDs that are not local goes through network communication layers.

For better performance, it is important to minimize remote I/O as much as possible. Redo logs of each instance should be placed on the VSDs that are on local logical volumes. Each instance should have its own private rollback segments that are on VSDs mapped to local logical volumes if updates and insertions are intensive.

In each session, each user is allowed only one temporary tablespace. The temporary tablespaces should each contain at least one datafile local to each of the nodes.

Carefully design applications and databases (by partitioning applications and databases, for instance) to minimize remote I/O.

Do Not Use VSD Cache Buffers

IBM Corporation recommends that you do not use VSD cache buffers (nocache) under normal situations for the following reasons:

- VSD LRU cache buffers use pinned kernel memory, which can be put to more effective use.
- When the cache buffer is enabled, every physical read incurs the overhead of searching the cache blocks for overlapping pages and copying data in and out of the cache buffers.

Use the `statvsd` command to check the performance of the VSD. If the `statvsd` command consistently shows requests queued waiting for buddy buffers, do not add more buddy buffers. Instead, increase the size of the switch send pool:

```
# /usr/lpp/ssp/css/chgcss -l css0 -a spoolsize=new_size_in_bytes
```

If the send pool size increases, you should also increase the `mbuf` parameter `top ceiling mark`:

```
# /etc/no -o thewall=new_size_in_kbytes
```

Note: The maximum value that you can specify is 64 MB.

The `mbuf` parameter `top ceiling mark` specifies the maximum amount of memory that can be used for network buffers. To check the current sizes of the send and receive pools, enter the following command:

```
$ /usr/sbin/lstat -El css0
```

See Also: For more information on tuning the SP and VSDs, see the following Web sites:

- <http://www.rs6000.ibm.com/support/sp/perf/>
- <http://www.rs6000.ibm.com/resource/technology/#sp>

CPU Scheduling and Process Priorities

The CPU is another system component for which processes might contend. Although the AIX kernel allocates CPU effectively most of the time, many processes compete for CPU cycles. If your system has more than one CPU (SMP), there might be different levels of contention on each CPU.

Changing Process Running Time Slice

The default value for the runtime slice of the AIX RR dispatcher is ten milliseconds. Use the `schedtune` command to change the time slice. However, be careful when using this command. A longer time slice causes a lower context switch rate if the applications' average voluntary switch rate is lower. As a result, fewer CPU cycles are spent on context-switching for a process and the system throughput should improve.

However, a longer runtime slice can deteriorate response time, especially on a uniprocessor system. The default runtime slice is usually acceptable for most applications. When the run queue is high and most of the applications and Oracle shadow processes are capable of running a much longer duration, you might want to increase the time slice by entering the following command:

```
# /usr/samples/kernel/schedtune -t n
```

In the previous example, choosing a value for *n* of 0 results in a slice of 10 ms, choosing a value of 1 results in a slice of 20 ms, choosing a value of 2 results in a slice of 30 ms, and so on.

Using Processor Binding on SMP Systems

Binding certain processes to a processor can improve performance substantially on an SMP system. Processor binding is available and fully functional with AIX 4.x and higher.

Processor binding offers the following benefits:

- Provides higher-priority applications with a relatively larger share of CPU time
- Maintains the process context for a longer period

Processor binding on AIX is not automatic. On a multiprocessor system, you must explicitly bind a process to a processor by using the `bindprocessor` command. Only the `root` user or the Oracle software owner can bind an Oracle process to a processor. The child processes inherit the processor binding.

Oracle Corporation recommends binding the various Oracle background processes (except the database writer process) to different processors and leaving one processor free to service the database writer process. This guarantees the database writer a processor on which to execute and at the same time allows the database writer process to migrate freely to the other processors if it becomes CPU bound.

Note: Processor binding is a complicated issue and it should be handled with care. Processes bound to a processor cannot migrate to different processors even if these processors are free. This might degrade application performance. An environment of homogenous applications with a balanced load is more suitable for processor binding.

The binding of a process to a processor is not exclusive. The processor is free to execute other processes.

Processor Binding in a Networked Client and Server Environment

When an Oracle client process connects to an Oracle server process using an Oracle Net Services listener, the server process can be easily bound to a processor by binding the listener process. All Oracle server processes that the listener subsequently spawns are bound to the same processor.

One way to do this is to start multiple listeners, each listening on its own port. You must customize the `$ORACLE_HOME/network/admin/listener.ora` file to have one set of lines for each listener. You launch multiple listeners on the server side. On the client side, you might want to customize the `tnsnames.ora` file so that clients or even applications connect to different ports that are listened on by different listeners. For example, you can modify the `listener.ora` file and have two listeners, L1 and L2, that listen on ports 1521 and 1522, respectively, as follows:

1. Modify the `listener.ora` file as follows:

```
L1 =
  (ADDRESS_LIST =
    (ADDRESS= (PROTOCOL= TCP)(Host= nowhere)(Port= 1521))
  )
SID_LIST_L1 =
  (SID_LIST =
    (SID_DESC =
      (ORACLE_HOME= /oracle)
      (SID_NAME = ordb)
    )
  )
```

```
)
L2 =
  (ADDRESS_LIST =
    (ADDRESS= (PROTOCOL= TCP)(Host= nowhere)(Port= 1522))
  )
SID_LIST_L2 =
  (SID_LIST =
    (SID_DESC =
      (ORACLE_HOME= /oracle)
      (SID_NAME = ordb)
    )
  )
)
```

2. Start these two listeners:

```
$ lsnrctl start L1
$ lsnrctl start L2
```

3. Determine the process ids for the two listeners:

```
$ ps -ef | grep tnslnsr
```

4. Bind the listener processes to particular processors:

```
$ bindprocessor process_id_for_L1 processor_id
$ bindprocessor process_id_for_L2 processor_id
```

In the preceding example, the first processor has the ID 0, the second processor has the ID 1, and so on.

If you want to restrict the number of CPUs used by certain client applications, you can use this method to bind the listener so that the applications run only on that processor when it is available.

Processor Binding in a Local Environment

Processor binding is more difficult when the clients and the Oracle servers run on the same computer using the two-task pipe driver. You must determine the process ID for each server process and manually bind it to a processor. The administrative overhead is excessive and probably not worth the effort unless the servers have long process lives.

Processor binding of Oracle processes can have negative effects on the performance of other applications running on the same system. Careful tuning and monitoring is strongly recommended.

UDP Tuning

Oracle9i Real Application Clusters uses UDP for interprocess communications. You can tune UDP kernel settings to improve Oracle performance. You can modify kernel UDP buffering on AIX by changing the `udp_sendspace` and `udp_recvspace` parameters.

- Set the value of the `udp_sendspace` parameter to a maximum of 65536.
- Set the value of the `udp_recvspace` parameter to less than the value of the `sb_max` parameter.

The value of the `udp_recvspace` parameter should be at least ten times the value of the `udp_sendspace` parameter because UDP might not be able to send a packet to an application before another packet arrives.

To determine the suitability of the `udp_recvspace` parameter settings, enter the following command:

```
$ netstat -s | grep "socket buffer overflows"
```

If the number of overflows is not zero, increase the value of the `udp_recvspace` parameter.

See Also: For more information on AIX tuning parameters, see the *AIX Performance Tuning Guide, Version 3.2 and 4*.

Backing Up Raw Devices

Use the `dd` command to back up raw devices. Do not overwrite the first 4 KB block of a raw device, which is used by the AIX Logical Volume Manager. It is faster to back up the device using a blocksize of larger than 4K. A good blocksize for backing up to tape is 256K.

To back up the raw device to tape, enter a command similar to the following:

```
$ dd if=/dev/raw_device of=/dev/rmt0.1 bs=256k
```

To restore the raw device from tape, enter commands similar to the following:

```
$ dd if=/dev/rmt0.1 of=/dev/raw_device count=63 seek=1 skip=1 bs=4k
$ mt -f /dev/rmt0.1 bsf 1
$ dd if=/dev/rmt0.1 of=/dev/raw_device seek=1 skip=1 bs=256k
```

Note: For HSDs, do not skip the first 4 KB. Use the following command to restore the raw device, instead of the three preceding commands:

```
$ dd if=/dev/remt0.1 of=/dev/raw_device bs=256K
```

Tuning for Oracle9*i* on HP

This appendix contains the following tuning information for Oracle9*i* on HP:

- [HP SCHED_NOAGE Scheduling Policy](#)
- [Lightweight Timer Implementation](#)
- [Asynchronous I/O](#)
- [Disabling Data Prefetch on the HP Superdome for Oracle](#)

HP SCHED_NOAGE Scheduling Policy

On HP, most processes run under a time sharing scheduling policy. Time sharing can have detrimental effects on Oracle performance by descheduling an Oracle process during critical operations, for example holding a latch. HP has a modified scheduling policy, referred to as SCHED_NOAGE, that specifically addresses this issue. Unlike the normal time sharing policy, a process scheduled using SCHED_NOAGE does not increase or decrease in priority, nor is it preempted.

This feature is suited to online transaction processing (OLTP) environments because OLTP environments can cause competition for critical resources. In laboratory tests, Oracle9i performance increased by up to 10 percent in OLTP environments using the SCHED_NOAGE policy.

The SCHED_NOAGE policy creates little or no gains in decision support (DSS) environments because there is little resource competition in these environments. Because each application and server environment is different, you should test and verify whether your environment benefits from the SCHED_NOAGE policy.

Enabling SCHED_NOAGE for Oracle9i

To allow Oracle9i to use the SCHED_NOAGE scheduling policy, the group that the Oracle software owner belongs to (dba), must have the RTSCHED and RTPRIO privileges to change the scheduling policy and set the priority level for Oracle processes. To give the dba group these privileges:

1. As the root user, enter the following command:

```
# setprivgrp dba RTSCHED RTPRIO
```

2. To retain these privileges after rebooting, create the /etc/privgroup file, if it does not exist on your system, and add the following line to it:

```
dba RTSCHED RTPRIO
```

3. Add the `HPUX_SCHED_NOAGE` parameter to the initialization file for each instance, setting the parameter to an integer value to specify process priority levels. On HP-UX 11.0, the range is 154 to 255.

See Also: For more information on priority policies and priority ranges, see the `rtsched (1)` and `rtsched (2)` man pages and the HP documentation.

Lightweight Timer Implementation

Oracle9i release 1 (9.0.1) on HP-UX uses a new system library call to calculate elapsed time when the `TIMED_STATISTICS` initialization parameter is set to `TRUE`. Laboratory tests show that the new library call provides a performance improvement of up to 10 percent over the previous implementation.

Before running Oracle9i, ensure that the required operating system patches are installed on your system. If you run Oracle9i on unpatched versions of the HP kernel, you will receive undefined and unresolved references to the `gethrtime()` library call.

See Also: See the *Oracle9i Quick Installation Procedure Release 1 (9.0.1) for HP 9000 Series HP-UX* for information on HP patches required for Oracle9i.

Asynchronous I/O

The asynchronous I/O pseudo-driver on HP allows the Oracle server to perform I/O to raw disk partitions using an asynchronous method, resulting in less I/O overhead and higher throughput. You can use the asynchronous I/O pseudo-driver on both HP-UX 9000 servers and workstations.

MLOCK Privilege

To allow Oracle9i to execute asynchronous I/O operations, the group that the Oracle software owner belongs to (dba) must have the MLOCK privilege. To give the dba group the MLOCK privilege:

1. As the root user, enter the following command:

```
# setprivgrp dba MLOCK
```

2. To retain the MLOCK privilege after rebooting, create the /etc/privgroup file, if it does not exist on your system, and add the following line to it:

```
dba MLOCK
```

Note: If the Oracle software owner does not have the MLOCK privilege, Oracle9i on HP-UX generates trace files that include the following error:

```
Ioctl ASYNC_CONFIG error, errno = 1
```

Implementing Asynchronous I/O

If you want to use asynchronous I/O on HP, you must use raw partitions for database files. Use the System Administrator Management (SAM) utility to configure the asynchronous disk driver into the HP kernel.

To add the asynchronous disk driver and configure the kernel using the SAM utility:

1. Enter the following command as the root user:

```
# sam
```

2. Choose the Kernel Configuration area.
3. Choose the Drivers area.
4. Choose the asynchronous disk driver (asyncdsk).
5. Select Actions>Add Driver to Kernel.
6. Select List>Configurable Parameters.
7. Choose the MAX_ASYNC_PORTS parameter.
8. Select Action>Modify Configurable Parameter.

9. Specify a new value for the parameter, then choose OK.

The `MAX_ASYNC_PORTS` parameter is a configurable HP kernel parameter that controls the maximum number of processes that can open the `/dev/async` file simultaneously.

The system displays an error when a process tries to open the `/dev/async` file after the maximum number of processes have opened the file. This error can reduce performance on computers with a large number of shadow processes or many parallel query slaves performing asynchronous I/O. This error is not recorded. To avoid this error, estimate the highest likely number of processes that can access the `/dev/async` file and set the `MAX_ASYNC_PORTS` parameter to this value.

10. Choose Actions>Process a New Kernel.
11. Select one of the following options, then choose OK:

- Move Kernel Into Place and Shutdown System/Reboot Now
- Do Not Move Kernel Into Place: Do Not Shutdown/Reboot Now

If you choose the second option, the new kernel, `vmunix_test`, and the system `.SAM` configuration file used to create it, are both created in the `/stand/build` directory.

To use the new kernel:

1. Enter the following command to move the new kernel into place:

```
# /usr/sbin/kmupdate
```

2. Reboot the system by entering the following command:

```
# shutdown -r
```

To enable asynchronous I/O operations using the HP asynchronous device driver:

1. Log in as the `root` user.
2. Enter the following command to create a new device file:

```
# /sbin/mknod /dev/async c 101 0x0
```

3. Enter the following command to verify that the `/dev/async` device file exists and has the major number 101:

```
# ls -l /dev/async
```

The output of this command should look similar to the following:

```
crw----- 1 oracle  oracle    101 0x000000 Oct 28 10:32 /dev/async
```

4. If necessary, give the device file the UNIX owner and permissions consistent with those of the Oracle software owner.

If the Oracle software owner is `oracle`, enter the following commands:

```
# /usr/bin/chown oracle:dba /dev/async
# /usr/bin/chmod 660 /dev/async
```

Verifying Asynchronous I/O

To verify that asynchronous I/O is working:

1. Set the `DISK_ASYNCCH_IO` initialization parameter to `TRUE`.
2. Start the Oracle database.
3. Enter the following command to start the GlancePlus/UX utility:

```
$ gpm
```

4. In the main window, choose `Reports>Process List`.
5. In the `Process List` window, select the database writer process and choose `Reports>Process Open Files`.

The list of files currently opened by the database writer process appears.

6. Look for the `/dev/async` file or the mode `101 0x000000` in the list of open files.

If either the `/dev/async` file or the mode `101 0x000000` is in the list, the `/dev/async` file has been opened by the database writer process. This means that the database writer process is executing I/O through the HP asynchronous device driver and is working properly.

Asynchronous Flag in SGA

Oracle9i release 1 (9.0.1) on HP uses a non-blocking polling facility provided by the HP asynchronous driver to check the status of I/O operations. This polling is performed by checking a flag that is updated by the asynchronous driver based on the status of the I/O operations submitted. HP requires that this flag be in shared memory.

Oracle9i configures an asynchronous flag in the SGA for each oracle process. Oracle9i on HP has a true asynchronous I/O mechanism where I/O requests can be issued even though some previously issued I/O operations are not complete. This helps to enhance performance and ensures good scalability of parallel I/O processes.

Before Oracle8i release 8.1.7, the Oracle server was only able to execute I/O operations from shared memory using the HP asynchronous driver. Oracle8i release 8.1.7 executes I/O operations from both shared memory and process-private regions using the new HP asynchronous driver. However, I/O operations through the asynchronous driver are not asynchronous in nature. This is because Oracle8i must perform a blocking wait to check the status of I/O operations submitted to the asynchronous driver. Doing this causes some Oracle processes, for example the database writer process, to essentially execute synchronous I/O.

Disabling Data Prefetch on the HP Superdome for Oracle

HP Superdome systems have a data prefetch feature that might impair Oracle performance in update or insert intensive applications. Oracle Corporation and Hewlett-Packard Corporation recommend that you disable this feature for these types of applications.

Prefetching data usually improves application performance. However, the Oracle server is developed to run well on all HP systems, including those that do not include the prefetch feature. In update and insert intensive applications, enabling the data prefetch feature unintentionally creates contention on redo allocation and redo copy latches. This contention is increased as the number of processors is increased. Disabling the data prefetch feature helps to reduce redo latch contention.

HP Superdome systems can run multiple instances of the HP-UX 11i operating system on a single server by defining multiple partitions within a Superdome server. Each partition on a HP Superdome system acts as a logical server running a single instance of HP-UX. Each system can boot, reboot, and operate independently of other partitions and hardware within the Superdome system. Each partition has its own console.

To disable data prefetch on a HP Superdome system, you must disable the prefetch option in each partition on which the Oracle server is running. To disable the prefetch option for each partition:

1. Telnet to the Superdome system:

```
$ telnet superdome_hostname
```

The Guardian Server Processor (GSP) prompt appears.

2. At the prompts, enter your GSP username and password.
3. At the GSP prompt, enter the following command to access the Consoles menu:

```
GSP> CO
```

4. At the prompt, enter the number of the partition running the Oracle server.

The partition console appears.

5. Respond to the prompts that appear.
6. Log in to UNIX as the `root` user.
7. Enter the following command to determine the partition hostname:

```
# hostname
```

8. Enter the following command to reboot the partition:

```
# shutdown -r
```

The following message appears:

```
To discontinue boot, hit space bar within 10 secs...
```

9. Press the space bar within ten seconds to display the Boot Console Handler (BCH) menu.

Note: If you do not press the space bar within ten seconds, the partition reboots and you cannot access the BCH menu. If this happens, you must repeat steps 6 through 8.

10. At the BCH menu prompt, enter `CO` to display the BCH Configuration menu.

11. At the Configuration Menu prompt, enter the following command:

```
DataPrefetch DISABLE
```

12. In UNIX, enter the following command to reboot the partition:

```
# shutdown -r
```

The following message appears:

```
To discontinue boot, hit space bar within 10 secs...
```

13. Ignore this message and allow the partition to reboot completely.
14. After the partition reboots, enter `exit` to exit the partition.

To disable data prefetch on another partition where the Oracle server is running, perform steps 4 through 14.

Tuning for Oracle9i on Tru64

This appendix contains the following tuning information for Oracle9i on Tru64:

- [Gathering Database Statistics on Tru64](#)
- [Oracle9i Real Application Clusters on Tru64](#)
- [Tuning Asynchronous I/O](#)
- [Enabling Access to the Real Time Clock](#)
- [Setting Up Raw Devices](#)
- [Spike Optimization Tool](#)
- [Enabling Oracle9i Directed Placement Optimizations](#)

Gathering Database Statistics on Tru64

Oracle9i release 1 (9.0.1) runs only on Tru64 UNIX V5.0A or higher. This is because Compaq changed the size of the long double data type from 64 bits on Tru64 UNIX V4.0x to 128 bits on Tru64 UNIX V5.x. This change causes certain Oracle operations to perform with increased precision. One of these operations stores statistics in the data dictionary after a table or index is analyzed.

The query optimizer within the Oracle server uses the statistics stored in the data dictionary to determine how best to execute a query. If the stored statistics do not match the statistic calculated by the query optimizer while it searches for the best plan, the query optimizer might use the wrong plan to execute the query. This can cause the query to perform poorly or fail.

For this reason, each schema should have all object statistics analyzed after the upgrade. The `ANALYZE_SCHEMA` package analyzes the entire schema using either estimate or calculate statistics. The `ANALYZE_SCHEMA` package estimates statistics reasonably quickly depending on the number of rows or percentage of rows sampled but it only produces statistics as accurate as the amount of data sampled. The `ANALYZE_SCHEMA` package takes longer to calculate statistics but it analyzes every block in the table or index to produce extremely accurate statistics.

The `GATHER_SCHEMA_STATS` package performs the same functions as the `ANALYZE_SCHEMA` package but offers more flexibility. One of its features is the ability to save the current table or index statistics in a table in case the new statistics cause problems.

Oracle Corporation recommends that you use the same analysis and sampling method when gathering the new statistics as you used in the previous Oracle version.

See Also: For more information on gathering database statistics on Tru64, see the *Oracle9i Supplied PL/SQL Packages and Types Reference*.

Oracle9i Real Application Clusters on Tru64

This section describes Oracle9i Real Application Clusters on Tru64.

Reliable Data Gram

Reliable Data Gram (RDG) is an IPC infrastructure for the Tru64 TruCluster platform. It is the default IPC method on Tru64 in Oracle9i and is optimized for Oracle9i Real Application Clusters environments.

Requirements

RDG requires that the node be a member of the cluster and connected through the memory channel. Oracle Corporation recommends that you set the node-wide operating system parameters listed in [Table C-1](#) when using RDG.

Table C-1 RDG Subsystem Operating System Parameter Settings

| Parameter | Setting |
|------------------------|--|
| max_objs | At least 5 times the number of Oracle processes per node and up to the larger of 10240 or the number of Oracle processes multiplied by 70. |
| msg_size | Equal to or greater than the maximum value of the DB_BLOCK_SIZE parameter for the database. Oracle Corporation recommends a value of 32768 because Oracle9i supports different block sizes for each tablespace. |
| max_async_req | At least 100. Note: A value of 256 might provide better performance. |
| max_sessions | At least the number of Oracle processes plus 2. |
| rdg_max_auto_msg_wires | Must be set to 0. |

Enabling UDP IPC

In Oracle9i, RDG is the default IPC method on Tru64. When the Oracle9i Real Application Clusters option is enabled, the Global Cache Service (GCS), Global Enqueue Service (GES), Interprocessor Parallel Query (IPQ), and Cache Fusion use RDG. The User Datagram Protocol (UDP) IPC implementation is still available but you must enable it explicitly.

You must enable the Oracle9i Real Application Clusters option before enabling UDP IPC. To enable the Oracle9i Real Application Clusters option, use the Oracle Universal Installer or enter the following commands:

```
$ cd $ORACLE_HOME/rdbms/lib
$ make -f ins_rdbms.mk rac_on
$ make -f ins_rdbms.mk ioracle
```

For the Oracle IPC routines to use the UDP protocol, you must relink the `oracle` executable. Before performing the following steps, shut down all instances in the cluster.

To enable the UDP IPC, enter the following commands:

```
$ cd $ORACLE_HOME/rdbms/lib
$ make -f ins_rdbms.mk ipc_udp
$ make -f ins_rdbms.mk ioracle
```

To disable UDP IPC and revert to the default implementation for Oracle9i Real Application Clusters, enter the following commands:

```
$ cd $ORACLE_HOME/rdbms/lib
$ make -f ins_rdbms.mk rac_on
$ make -f ins_rdbms.mk ioracle
```

TRU64_IPC_NET Initialization Parameter

The TRU64_IPC_NET initialization parameter is useful only if the Oracle9i Real Application Clusters and UDP IPC options are enabled. These options enable users to specify an interconnect for all IPC traffic that includes Oracle GCS, GES, and IPQ. Use the TRU64_IPC_NET parameter when the Memory Channel interconnect is overloaded. Overall cluster stability and performance might improve when you force Oracle GCS, GES, and IPQ traffic over a different interconnect by setting the TRU64_IPC_NET parameter. For example, to use the first fiber distributed data interface (FDDI) network controller for all GCS, GES, and IPQ IPC traffic, enter the following:

```
TRU64_IPC_NET="fta0"
```

You can set this parameter to any interconnect that can be configured on a Tru64 UNIX system. If the specified interconnect device cannot be configured or does not exist, Oracle9i uses the default network device for the system.

To determine the default network device for a system, enter the following command:

```
$ grep NETDEV= /etc/rc.config | grep -v #
```

If the default network device for this system is ee0, the command displays the following line:

```
NETDEV_0="ee0"
```

Tuning Asynchronous I/O

Oracle9i for Tru64 systems can perform either synchronous or asynchronous I/O. To improve performance, Oracle Corporation recommends that you use asynchronous I/O. Set the DISK_ASYNC_IO parameter to TRUE to enable asynchronous I/O.

Oracle9i can use asynchronous I/O on any datafiles that are stored on AdvFS file systems, cluster file systems (CFS), or raw devices. You must tune some operating system parameters for optimal asynchronous I/O performance.

Operating System Parameters

Use the following formulas to determine the asynchronous I/O parameter requirements for a single instance. Note that the recommended setting of the parameters must be adjusted to accommodate any other applications that use asynchronous I/O, including multiple Oracle9i instances on a single node. The actual setting of each parameter is the sum of the requirements of all the Oracle9i instances plus the requirements of any other applications. The following tables lists the required real-time (rt) subsystem parameters on Tru64 systems:

| Tru64 Version | Parameter | Setting |
|---------------|---------------------------------|---|
| 5.1 and later | aio_task_max_num | Greater than the maximum of either the DBWR I/O operations or the value of the DB_FILE_MULTIBLOCK_READ_COUNT initialization parameter, whichever is higher. The maximum number of DBWR I/O operations defaults to 8192 unless the _DB_WRITER_MAX_WRITES initialization parameter is specified. |
| V5.0A | aio_task_max_num aio_max_num | Greater than the maximum of either the DBWR I/O operations or the value of the DB_FILE_MULTIBLOCK_READ_COUNT initialization parameter, whichever is higher. The maximum number of DBWR I/O operations defaults to 8192 unless the _DB_WRITER_MAX_WRITES initialization parameter is specified. |

If you do not set these operating system parameters, the performance of Oracle9i is reduced and spurious I/O errors might occur. These errors are stored in the alert log and trace files.

Direct I/O Support and Concurrent Direct I/O Support Enabled in Oracle9i for Tru64

This section includes the following topics:

- [Single Instance Requirements](#)
- [Clustered Systems](#)
- [Tru64 UNIX V5.1 Clustered Systems](#)

Single Instance Requirements

Oracle9i has the following requirement on single instance installations:

- Tru64 UNIX 5.0A or later with the appropriate patchkits.

See Also: For information on Tru64 patchkits, see the *Oracle9i Quick Installation Procedure Release 1 (9.0.1) for Compaq Tru64 UNIX*.

- Oracle datafiles stored on a Tru64 UNIX AdvFS file system.
- The disks that use the AdvFS file system must be physically connected to the computer running the Oracle9i instance. This includes disks attached by fiber channel. This specifically excludes cases where I/O must be served by another node because of a lack of physical connectivity.

On Tru64 UNIX V5.0A systems and higher in a non-clustered system environment, the AdvFS file system and direct I/O give almost all of the performance of raw devices because the file system cache is not used. In addition to this, the file system allows you to more easily manage the database files.

Clustered Systems

On V5.1 systems and higher, Tru64 supports CFS. CFS provides a single namespace file system for all nodes in a cluster. All file systems mounted in a cluster are automatically seen by all nodes in the cluster. Because it is layered on top of the AdvFS file system, the CFS file system inherits much of the characteristics of non-clustered systems.

Note: Oracle9i Real Application Clusters is not supported on Tru64 UNIX 5.0A.

Tru64 UNIX V5.1 Clustered Systems

Oracle Corporation supports CFS only on Tru64 UNIX 5.1 or later because this file system now supports a concurrent direct I/O model. Any node that has physical connectivity to a drive can issue data I/O to its file systems without consulting with the owning node.

All metadata changes to a file, for example extending, closing, changing the access or modification date, are still served by the owner node and can still cause cluster interconnect saturation. Therefore, it is possible for the CREATE TABLESPACE, ALTER TABLESPACE, ADD DATAFILE, ALTER DATABASE DATAFILE, or RESIZE commands to perform poorly on a CFS file system when compared to raw devices.

Multiple Instance (Oracle9i Real Application Clusters) Requirements

Oracle9i Real Application Clusters requires that you store Oracle datafiles on the Tru64 AdvFS file system. The disks that use the AdvFS file system must be physically connected to all computers running the Oracle instances. This includes disks attached by fiber channel. It excludes cases where I/O must be served by another node because of physical connectivity.

If the database is running in archive mode and the archive logs are being written to disk, the destination AdvFS domain should be served by the node of the instance that is archiving the redo log. For example, if you have a three-node cluster with one instance on each node (nodea, nodeb, and nodec), you must also have three archive destination AdvFS domains (arcnodea, arcnodeb, and arcnodec). The domains should be served by nodea, nodeb, and nodec respectively and the LOG_ARCHIVE_DEST initialization parameter for each instance should specify their respective locations.

Enabling Access to the Real Time Clock

Many Oracle processes are timed, especially if the `TIMED_STATISTICS` initialization parameter is set to `TRUE`. These timing functions call the Tru64 kernel and can affect Oracle9i performance. There is a feature in Tru64 that gives a process direct access to the real time clock. Using this feature improves performance more on a heavily loaded system than on a lightly loaded system.

To enable this feature:

1. Log in as `root`.
2. Enter the following commands:

```
# mknod /dev/timedev c 15 0
# chmod +r /dev/timedev
```

If your system is a cluster running Tru64 UNIX V5.1 or higher, enter these commands once on each cluster. If your system is a cluster running an earlier version of Tru64, enter the commands on each node.

Note: The special file `/dev/timedev` remains on the system after rebooting.

3. Restart the Oracle9i instance.

The existence of the `/dev/timedev` file is checked only on instance startup.

Oracle Corporation recommends that you enable this feature on all instances in a cluster, and therefore on all nodes.

Setting Up Raw Devices

Caution: Do not attempt to set up raw devices without the help of an experienced system administrator and specific knowledge about the system you are using.

To set up raw devices/volumes on Tru64 systems:

1. If you are using Oracle9i Real Application Clusters, make sure that the partitions you are adding are on a shared disk. However, if your platform supports a cluster file system certified by Oracle Corporation, you can store the files that Oracle9i Real Application Clusters requires directly on the cluster file system.
2. Determine the names of the free disk partitions.

A free partition is one that is not used for a Tru64 file system and complies with these restrictions:

- It is not listed when you execute the `/usr/sbin/mount` command.
- It is not in use as a swap device.
- It does not overlap a swap partition.
- It is not in use by other Tru64 applications (for example, other instances of the Oracle9i server).
- It does not overlap the Tru64 file system.
- It does not use a space already used by the file system.

To determine whether a partition is free, obtain a complete map of the starting locations and sizes of the partitions on the device and check for free space. Some partitions may contain file systems that are currently not mounted and are not listed in the `/usr/sbin/mount` output.

Note: Make sure that the partition does *not* start at cylinder 0.

3. Set up the raw device for use by the Oracle9i Server.

Begin by verifying that the disk is partitioned. If it is not, use the `disklabel` command to partition it.

4. Enter the `ls` command to view the owner and permissions of the device file. For example:
5. Make sure that the partition is owned by the Oracle software owner. If necessary, use the `chown` command to change the ownership on the block and character files for the device. For example:

```
$ ls -la
```

```
# chown oracle /dev/rdisk/dsk10c
```

6. Make sure that the partition has the correct permissions. If necessary, use the `chmod` command to make the partition accessible to only the Oracle software owner. For example:

```
# chmod 600 /dev/rdisk/dsk10c
```

7. Create a symbolic link to the raw devices you require. For example:

```
$ ln -s /dev/rdisk/dsk10c /oracle_data/datafile.dbf
```

To verify that you have created the symbolic link, use the character special device (not the block special device) and enter the following command:

```
$ ls -lL datafile
```

The following message should appear:

```
crwxrwxrwx oracle dba datafile
```

Caution: This symbolic link must be set up on each node of the cluster. Check that no two symbolic links specify the same raw device.

8. Create or add the new partition to a new database.

From SQL*Plus, enter the following SQL command:

Note: The size of an Oracle datafile created in a raw partition must be at least 64 KB plus one Oracle block size smaller than the size of the raw partition.

```
SQL> CREATE DATABASE sid
  2 LOGFILE '/oracle_data/log1.dbf' SIZE 100K
  3 '/oracle_data/log2.dbf' SIZE 100K
  3 DATAFILE '/oracle_data/datafile.dbf' SIZE 10000K REUSE;
```

To add the partition to a tablespace in an existing Oracle database instead, enter:

```
SQL> ALTER TABLESPACE tablespace_name
  2 ADD DATAFILE '/dev/rdisk/dsk10c' SIZE 10000K REUSE;
```

You can use the same procedure to set up a raw device for the redo log files.

Spike Optimization Tool

The Spike optimization tool (Spike) is a performance optimization tool that increases the performance of a Tru64 binary. In a testing environment, Spike, with feedback, increased the performance of the Oracle9i server by up to 23 percent on an OLTP workload.

For information on Spike, see the Tru64 documentation or enter one of the following commands:

- `man spike`
- `spike`

Oracle9i requires Spike version V5.1 (1.2.2.31.2.4 ADK) Feb 22 2001 or later.

Note: If you have a version of Spike earlier than V5.1 (1.2.2.31.2.4 ADK) Feb 22 2001, contact Compaq for a patchkit.

Enter the following command to check the version of Spike:

```
$ spike -V
```

You can download the latest version of Spike from the following URL:

<http://www.tru64unix.compaq.com/spike/>

Note: Oracle Corporation does not support versions of the Oracle executable optimized using the `spike` command. If you encounter a problem in an Oracle9i binary that has been optimized using Spike, reproduce the problem with the original un-optimized binary. If the problem persists, see the "[Preface](#)" for information on Oracle services and support.

Using Spike

This section describes the system resource required by Spike, how and why to use Spike optimization flags, and the various ways to run Spike.

Setting System Resources

[Table C-2](#) shows the system resources required to run Spike.

Table C-2 System Resource Requirements for Spike

| Resource | Minimum Value |
|--|---------------|
| Physical memory | 1024 MB |
| max-per-proc-address-space parameter in the <code>sysconfigtab</code> file | 1024 MB |
| max-per-proc-data-space parameter in the <code>sysconfigtab</code> file | 1024 MB |
| vm-maxvas parameter in the <code>sysconfigtab</code> file | 1024 MB |

To set the value of these parameters in the `/etc/sysconfigtab` file, edit the following lines:

```
proc:
    max-per-proc-address-space = 0x40000000
    max-per-proc-data-size = 0x40000000
vm:
    vm-maxvas = 0x40000000
```

Set the limits in your shell environment to the highest values. For the C shell, enter:

```
% limit datasize unlimited
% limit memoryuse unlimited
% limit vmemoryuse unlimited
```

Spike can run out of virtual memory if the stacksize limit is set too high. To avoid this problem, enter the following C shell command:

```
% limit stacksize 8192
```

Checking Optimization Flags

Spike provides a large number of optimization flags. However, you cannot use all `spike` command optimizations with Oracle9i. The following Spike optimization flags are certified to run with Oracle9i:

```
-arch          -map          -noaggressiveAlign  -symbols_live
-controlOpt    -nosplit      -o                  -tune
-fb            -nochain     -optThresh         -v
-feedback      -noporder    -splitThresh       -V
```

When you run Spike, it places a copy of the optimization flags in the image header comment section of the binary that you are optimizing. Oracle9i checks Spike optimizations used on itself at the beginning of instance startup. If Oracle9i detects an optimization not known to work for the Oracle9i binary, or if the binary had been previously optimized with OM (the predecessor to Spike from Compaq), the instance startup fails with an ORA-4940 error message. If the instance startup fails, check the alert log file for more information.

Note: Oracle9i release 1 (9.0.1) requires that you use the Spike `-symbols_live` optimization flag.

Running Spike

Use one of the following methods to optimize an executable using Spike:

- Static spiking
- Running Spike with feedback

Static spiking requires only a few set-up steps and yields approximately half the performance benefit possible compared to running Spike with feedback.

Running Spike with feedback includes all of the optimizations of static spiking plus additional optimizations that are workload-related. Running spike with feedback provides the best possible performance benefit, however, it requires considerably more effort than static spiking.

For both running Spike with feedback and static spiking, Oracle Corporation recommends running the spiked Oracle binary in a test environment before moving it to a production environment.

Static Spiking

Static spiking performs optimizations that are not specific to your workload, such as manipulating the gp register and taking advantage of the CPU architecture. In a test environment, roughly half of the performance optimization gain possible from Spike was through static spiking. Furthermore, static spiking is relatively straight-forward and simple. The combination of simplicity and performance gain makes static spiking worth the effort.

Perform the following steps to use static spiking:

1. Shut down the database.
2. Spike the `oracle` image by entering the following command:

```
$ spike oracle -o oracle.spike -symbols_live
```

3. Save the original image and create a symbolic link to the spiked image by entering the following commands:

```
$ mv oracle oracle.orig  
$ ln -s oracle.spike oracle
```

4. Start up the database.

Note: Before contacting Oracle for support, you must use the original image to reproduce any problems.

Running Spike with Feedback

Running Spike with feedback performs all of the same optimizations as static spiking plus optimizations that are workload-related such as hot and cold basic block movement. In a test environment, approximately half of the performance optimizations gained from Spike was due to the optimizations that depend on feedback information. Running Spike with feedback requires multiple steps and considerably more effort than static spiking. However, performance sensitive customers may find the extra effort worthwhile.

Perform the followings steps to run Spike with feedback:

1. Instrument the Oracle binary by entering the following command:

```
$ pixie -output oracle.pixie -dirname dir -pids oracle_image
```

In the preceding example, *oracle_image* is your original image.

Note: The `-dirname` option saves the `oracle.Counts.pid` files in the `dir` directory. Because these files are large and may be numerous, depending on the workload, make sure that the directory has enough disk space.

This step also creates an `oracle.Addr`s file that is required later.

The output of the `pixie` command might contain errors. You can safely ignore these errors.

2. Shut down the database.

3. Save the original image and create a symbolic link to the pixie image by entering the following commands:

```
$ mv oracle oracle.orig  
$ ln -s oracle.pixie oracle
```

4. Start up the database and run your workload.

You cannot run as many users as you could with the standard executable because the `pixie` executable is larger and slower. As you use the Oracle9i server, several `oracle.Counts.pid` files are created, where `pid` is the process ID for the corresponding Oracle process. Keep track of the process id of each Oracle process for which the optimization is aimed. These could be the shadow Oracle processes of the clients.

5. Shut down the database.
6. Create a symbolic link to replace the original executable by entering the following command:

```
$ ln -s oracle.orig oracle
```

7. If you can identify one `oracle.Counts.pid` file as representative of your workload, perform step a. If you must merge several counts files together to better represent your workload, perform step b.

- a. Make sure that the `oracle.Addrs` file created by the `pixie` command, the `oracle.Counts.pid` files, and the original Oracle executable are available.

Use the process id (`pid`) to pick a representative `oracle.Counts.pid` file and then copy it by entering the following command:

```
$ cp oracle.Counts.pid oracle.Counts
```

- b. Use the `prof` utility to merge several `oracle.Counts.pid` files.

See Also: See the `prof` man pages for more information on this utility.

If you are using the parallel query option, merge the `oracle.Counts.pid` files generated by the query slaves and the query coordinator, which is the shadow oracle process of the query-initiating client.

If you are not using the parallel query option, merge the `oracle.Counts.pid` files from the Oracle foreground processes that use the most memory.

To merge the `oracle.Counts.pid` files, enter the following command:

```
$ prof -pixie -merge oracle.Counts $ORACLE_HOME/bin/oracle \  
oracle.Addr oracle.Counts.pid1 oracle.Counts.pid2
```

8. Make sure that the `oracle.Addr`s and `oracle.Counts` files are available in the current directory, then run Spike using the feedback information by entering the following command:

```
$ spike oracle -fb oracle -o oracle.spike_fb -symbols_live
```

The output of the `spike` command might contain errors. You can safely ignore these errors.

9. Create a symbolic link to the new `oracle` image by entering the following command:

```
$ ln -s oracle.spike_fb oracle
```

10. Start up the database.

Enabling Oracle9i Directed Placement Optimizations

Compaq GS80, GS160, and GS320 systems consist of smaller building blocks called Resource Affinity Domains (RADs). A RAD is a collection of tightly coupled CPUs, memory modules, and an I/O controller coupled through a fast interconnect. A second-level interconnect connects each of the RADs together to form a larger configuration.

Unlike previous generation servers which have only one common shared interconnect between CPUs, memory, and I/O controller, GS80, GS160, and GS320 servers can offer superior performance and memory access times when a particular CPU accesses memory within its own RAD or uses its local I/O controller. Because of the switched interconnect, all I/O activity and memory accesses within one RAD do not interfere with those within another RAD. However, because memory accesses between a CPU and memory module located across RAD boundaries must traverse two levels of interconnect hierarchy, these memory references take longer relative to memory references that are within a RAD.

Directed memory and process placement support (available on Tru64 UNIX V5.1 and higher) allows sophisticated applications to communicate their specific needs for process and memory layout to the operating system. This communication results in greater performance through increased localization of memory references within a RAD.

Oracle9i includes enhanced support for the special capabilities of high performance servers such as the GS80, GS160, and GS320. Directed placement optimizations specifically take advantage of hierarchical interconnects available in GS80, GS160, and GS320 class servers. All previous generation servers have a single shared interconnect, so these servers neither directly benefit from directed placement optimizations nor is there any loss of performance on these servers. Therefore, these optimizations are disabled in Oracle9i.

Requirements to Run the Directed Placement Optimizations

The system must meet the following requirements for Oracle9i directed placement optimizations to work:

- The system must be a Compaq GS80, GS160, or GS320 AlphaServer or similar locality sensitive Compaq system. The Oracle9i optimizations only affect systems that are locality sensitive.
- The operating system must be Compaq Tru64 UNIX V5.1 or higher. Previous operating system versions do not include the required operating system support for Oracle9i to perform directed process and memory placement.

Enabling Oracle Directed Placement Optimizations

To enable Oracle directed placement optimizations, follow these steps:

1. Shut down the Oracle instance.
2. Relink the Oracle server by entering the following commands:

```
$ cd $ORACLE_HOME/rdbms/lib
$ make -f ins_rdbms.mk numa_on
$ make -f ins_rdbms.mk ioracle
```

If you are not using a compatible version of Tru64 UNIX, the following message is displayed:

```
Operating System Version Does not Support NUMA.  
Disabling NUMA!
```

If you enable Oracle directed placement optimizations, and later change Tru64 to an incompatible version, disable Oracle directed placement optimizations as described in the following section.

Disabling Oracle Directed Placement Optimizations

To disable Oracle directed placement optimizations, follow these steps:

1. Shut down the Oracle instance.
2. Relink the Oracle server using the `numa_off` option:

```
$ cd $ORACLE_HOME/rdbms/lib  
$ make -f ins_rdbms.mk numa_off  
$ make -f ins_rdbms.mk ioracle
```

Using Oracle Directed Placement Optimizations

The Oracle directed placement optimizations assume an equi-partitioned configuration. This means that all RADs are configured with the same number of CPUs and the same amount of memory. The Oracle server is assumed to run across all RADs on the system.

Oracle Initialization Parameters

To make the most efficient use of the local environment, Oracle9i adjusts some initialization parameters automatically depending on the server configuration as reported by the operating system. This practice eliminates common errors in correctly computing subtle dependencies in these parameters.

Tru64 UNIX System Parameters

You must set the system parameters in the following table to realize the full benefits of a NUMA system:

| Subsystem | Parameters | Setting |
|-----------|--|---|
| ipc | ssm_threshold | 0 |
| ipc | shm_allocate_striped | 1 (default) |
| vm | rad_gh_regions[0] rad_gh_regions[1]... and so on | Size of the Shared Global Area in MBs divided by the number of RADs on the system |

There are 63 `rad_gh_regions` parameters in the `vm` subsystem in Tru64 V5.1. Set only the parameters for the total number of RADs on the system. For example, if there are 4 RADs on the system (a GS160) and the SGA size is 10 GB, then set `rad_gh_regions[0]`, `rad_gh_regions[1]`, `rad_gh_regions[2]`, and `rad_gh_regions[3]` to 2500. Note that you might have to raise this value slightly to 2501 or 2502 to successfully start the instance.

If CPUs and memory are taken off-line, Oracle9i continues to function, but loses performance. If you anticipate frequent off-lining of RADs or equi-partitioning is not feasible, Oracle Corporation recommends running Oracle9i Real Application Clusters, using one instance per RAD. Using Oracle9i Real Application Clusters, you can configure individual instances with different sets of initialization parameters to match the actual RAD configuration. You can also start up or shut down specific instances without affecting overall application availability.

Process Affinity to RADs

You can improve performance by directing the operating system to run the processes on specific RADs. If connections to the database are made through the Oracle Listener process, and there is a corresponding network interconnect adapter on the RAD, you can run a listener on each RAD. To run the listener on a particular RAD, enter the following command:

```
$ runon -r lsnrctl start [listener_name]
```

All Oracle shadow processes are automatically created on the same RAD as the Oracle listener.

Running Oracle *interMedia*, Oracle Text, and Oracle Spatial Demonstrations

This chapter contains information on running the Oracle9i *interMedia*, Oracle Text, and Oracle9i Spatial demonstrations. It contains the following sections:

- [Oracle9i *interMedia*](#)
- [Oracle Text](#)
- [Oracle9i Spatial](#)

Oracle9i *interMedia*

Oracle9i *interMedia* is an integrated suite of utilities of that extends Oracle9i by offering services to store, manage, and retrieve image, audio, and video data. It also provides location services, and annotation services for multimedia data. Oracle9i *interMedia* includes the following components:

- [interMedia Annotator](#)
- [Locator](#)
- [Clipboard](#)

Oracle9i *interMedia* includes a number of scripts and sample programs. See the README files in the directories listed in [Table D-1](#) for more information on each script or sample program.

Table D-1 *interMedia* Demonstration Programs

| Oracle <i>intermedia</i> Demonstration | Directory |
|--|---|
| ORDAudio SQL | <code>\$ORACLE_HOME/ord/aud/demo/</code> |
| ORDAudio Java | <code>\$ORACLE_HOME/ord/aud/demo/java/</code> |
| ORDDoc SQL | <code>\$ORACLE_HOME/ord/doc/demo/</code> |
| ORDDoc Java | <code>\$ORACLE_HOME/ord/doc/demo/java/</code> |
| ORDImage OCI | <code>\$ORACLE_HOME/ord/img/demo/</code> |
| ORDImage Java | <code>\$ORACLE_HOME/ord/img/demo/java/</code> |
| ORDVideo SQL | <code>\$ORACLE_HOME/ord/vid/demo/</code> |
| ORDVideo Java | <code>\$ORACLE_HOME/ord/vid/demo/java/</code> |
| Java Servlet Photo Album | <code>\$ORACLE_HOME/ord/javahttp/demo/servlet/</code> |
| Java Server Pages Photo Album | <code>\$ORACLE_HOME/ord/javahttp/demo/jsp/</code> |
| Relational Interface | <code>\$ORACLE_HOME/ord/im/demo/relintfc</code> |

interMedia Annotator

Oracle9i *interMedia* Annotator includes a media finder demonstration that shows you how to use Annotator in a content-management scenario. This demonstration is located in the `$ORACLE_HOME/ord/Annotator/demo` directory.

See Also: For more information on *interMedia* Annotator, see *Oracle interMedia Annotator User's Guide*.

Locator

Oracle9i Locator includes demonstrations that you can modify and run. These demonstrations are located in the `$ORACLE_HOME/md/demo` directory.

Clipboard

Oracle Clipboard, a component of Oracle9i *interMedia*, is not available on the Oracle9i CD. To download the Oracle Clipboard from the Oracle Technology Network (OTN) web site:

Note: You must have an OTN account to download software from this Web site. Click the Membership button on the OTN index page to register for an OTN account

1. Enter the following URL in a browser:
<http://otn.oracle.com>
2. Click the Products button.
3. Click the *interMedia* link under the Related Features and Products heading.
4. Click the Software tab on the *interMedia* page.
The login dialog box appears.
5. Enter your OTN username and password and click the OK button.

See Also: For information on using Clipboard, see the `README` files and the *Using Oracle interMedia on the Web* guide, included in the download.

Oracle Text

See the `$ORACLE_HOME/ctx/sample/api/index.html` file for information on the Oracle Text code samples.

See Also: See the *Oracle Text Reference* for more information on Oracle Text.

Oracle9i Spatial

See the `$ORACLE_HOME/md/demo/readme.txt` file for information on the Oracle9i Spatial demonstration. See the *Oracle Spatial User's Guide and Reference* for information on Oracle9i Spatial.

Oracle Cluster Management Software for Linux

Oracle Cluster Management Software (OCMS) is available with Oracle9i on Linux systems. This appendix contains the following sections:

- [Overview](#)
- [Watchdog Daemon](#)
- [Node Monitor](#)
- [Cluster Manager](#)
- [Starting OCMS](#)
- [Watchdog Daemon and Cluster Manager Starting Options](#)
- [Known Issues and Restrictions](#)


Overview

OCMS is included with the Oracle9i Enterprise Edition for Linux. It provides cluster membership services, a global view of clusters, node monitoring, and cluster reconfiguration. It is included as a part of Oracle9i Real Application Clusters on Linux and is installed automatically when you choose Oracle9i Real Application Clusters. OCMS consists of the following components:

- Watchdog Daemon
- Node Monitor
- Cluster Manager

[Figure E-1](#) shows how the Watchdog daemon provides services to the Cluster Manager and to the Node Monitor. The Node Monitor passes node-level cluster information to the Cluster Manager. The Cluster Manager passes instance-level cluster information to the Oracle instance.

Figure E-1 Oracle Instance and the Components of OCMS



Watchdog Daemon

The Watchdog daemon (`watchdogd`) uses the standard Linux Watchdog timer to monitor selected system resources to prevent database corruption.

The Watchdog daemon monitors the Node Monitor and the Cluster Manager and passes notifications to the Watchdog timer at defined intervals. The behavior of the Watchdog timer is partially controlled by the `CONFIG_WATCHDOG_NOWAYOUT` kernel configuration parameter.

Oracle9i Real Application Clusters requires that you set the value of the `CONFIG_WATCHDOG_NOWAYOUT` configuration parameter to Y (disable watchdog shutdown on close). When the Watchdog timer detects an Oracle instance or service failure, it resets the server to avoid possible corruption of the database. If the value of the `CONFIG_WATCHDOG_NOWAYOUT` parameter is N and a failure is detected, the Watchdog timer does not reset the server.

Oracle9i Real Application Clusters uses the software implementation of the Watchdog timer provided by the Linux kernel.

See Also: For information on how to set the `CONFIG_WATCHDOG_NOWAYOUT` parameter, see the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* and the `/usr/src/linux/Documentation/configure.help` file in the Linux kernel source code.

For more information on Watchdog devices, see the `/usr/src/linux/Documentation/watchdog.txt` file in the Linux kernel source code.

Node Monitor

The Node Monitor (`oranm`) maintains a consistent view of the cluster, and reports the status of the nodes in the cluster to the Cluster Manager. The Node Monitor uses a heartbeat mechanism. During normal operations, if the heartbeat mechanism fails the Node Monitor uses a quorum partition on the shared disk to distinguish between a node failure and a network failure.

The Node Monitors on all nodes in a cluster send heartbeat messages to each other. Each node maintains a database containing status information on the other nodes. The Node Monitors in a cluster mark a node inactive if the node fails to send a heartbeat message within a defined time interval.

The heartbeat message from the Node Monitor on a remote server can fail for the following reasons:

- The termination of the Node Monitor on the remote server
- A network failure
- Abnormally heavy load on the remote server

From each cluster node, the Node Monitor periodically updates the designated block on the quorum partition. Other nodes check the timestamp for each updated block. If the heartbeat is dead and the block timestamp is current, the network has failed.

If a node in a cluster stops sending heartbeat messages but continues writing to the shared raw partition, the Node Monitors on other nodes recognize that a network failure occurred. The Node Monitor reconfigures the cluster to terminate the isolated nodes, ensuring that the remaining nodes in the reconfigured cluster continue to function properly.

Abnormally heavy I/O loads can slow down the transmission of heartbeat messages and might indicate a node failure. The Node Monitor works with the Watchdog daemon to stop the node with the abnormally heavy load.

Cluster Manager

The Cluster Manager (`oracm`) maintains the process-level cluster status. The Cluster Manager accepts registration of Oracle instances to the cluster and provides a consistent view of Oracle instances. The Cluster Manager also propagates status information to all the Oracle instances, enabling communication among instances.

If the LMON process or another Oracle process that can write to the shared disk quits abnormally, the Cluster Manager daemon on the node detects it and requests the Watchdog daemon to stop the node completely. This stops the node from issuing physical I/O to the shared disk before Cluster Manager daemons on the other nodes report the cluster reconfiguration to Oracle instances on the nodes. This action prevents database corruption.

Starting OCMS

The following sections describe how to start OCMS:

- [Starting the Watchdog Daemon](#)
- [Configuring the Node Monitor](#)
- [Starting the Node Monitor](#)
- [Starting the Cluster Manager](#)
- [Configuring Timing for Cluster Reconfiguration](#)

Note: Oracle Corporation supplies the `$ORACLE_HOME/oracm/bin/ocmstart.sh` sample startup script. Run the script as the `root` user using the `ORACLE_HOME` and `PATH` environment variables as defined in the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems*. After you are familiar with starting the Watchdog daemon, the Node Monitor, and the Cluster Manager, you can use the script to automate the startup process.

Starting the Watchdog Daemon

To start the Watchdog daemon, enter the following commands:

```
$ su root
# cd $ORACLE_HOME/oracm/bin
# watchdogd -g dba
```

The default location of the Watchdog log file is `$ORACLE_HOME/oracm/log/wdd.log`.

The Watchdog daemon does not have configuration files. [Table E-1](#) describes the arguments that you can use when starting the Watchdog daemon.

Table E-1 Watchdogd Daemon Arguments

| Argument | Valid Values | Default Value | Description |
|------------------------|--------------------------|--|---|
| <code>-l number</code> | 0 or 1 | 1 | <p>If the value is 0, no resources are registered for monitoring. This argument is used for debugging system configuration problems.</p> <p>If the value is 1, the Cluster Manager and the Node Monitor are registered for monitoring. Oracle Corporation recommends using this option for normal operations.</p> |
| <code>-m number</code> | 0 to 180000 milliseconds | 0 | <p>Extends the margin time of the Watchdog daemon.</p> <p>For more information on Watchdog devices, see the <code>/usr/src/linux/Documentation/watchdog.txt</code> file in the Linux kernel source code.</p> |
| <code>-t number</code> | 10 to 3000 milliseconds | 1000 | <p>The time interval at which the Watchdog daemon checks the heartbeat messages from its clients.</p> <p>Note: <i>number</i> must be less than the value of the <code>soft_margin</code> parameter.</p> |
| <code>-d string</code> | | <code>/dev/watchdog</code> | Path of the Watchdog timer file. |
| <code>-e string</code> | | <code>\$ORACLE_HOME/oracm/log/wdd.log</code> | Filename of the Watchdog daemon trace file. |
| <code>-g string</code> | | <p>"" (empty string)</p> <p>No group is allowed to connect to the Watchdog daemon.</p> | Makes the Watchdog daemon service available for the processes owned by the group defined by the <code>-g string</code> argument. |

Configuring the Node Monitor

To configure the Node Monitor, create the `nmcfg.ora` file in the `$ORACLE_HOME/oracm/admin` directory on each node and set the following parameters:

1. Specify the `DefinedNodes` parameter. This parameter lists all nodes belonging to the cluster. You must define the host names in the `/etc/hosts` file before installing Oracle9i. For example, enter the following where `node1`, `node2`, `node3`, and `node4` are the host names of the nodes in the cluster:

```
DefinedNodes=node1 node2 node3 node4
```

2. Specify the quorum partition location in the `CmDiskFile` parameter. For example, if your quorum partition is `/dev/raw1`, enter the following:

```
CmDiskFile=/dev/raw1
```

3. Specify the `CmHostName` parameter. This parameter stores the local host name for private networking. You must define the local host name in the `/etc/hosts` file before installing Oracle9i. For example, enter the following where `node1` is the host name used for internode communication:

```
CmHostName=node1
```

4. Save the configured file to the `$ORACLE_HOME/oracm/admin` directory.

See also: For more information on defining the `/etc/hosts` file, see the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems*.

[Table E-2](#) lists all of the configurable Node Monitor parameters in the `nmcfg.ora` file.

Table E-2 Node Monitor Parameters of the `nmcfg.ora` File

| Parameter | Valid Values | Default Value | Description |
|--------------------|--|--|---|
| AutoJoin | 0 or 1 | 0 | If this parameter is set to 1, the Node Monitor joins the cluster when the Node Monitor starts. The default action is that the Node Monitor joins the cluster when the Cluster Manager requests to join the cluster. |
| CmDiskFile | Up to 256 characters | No default value. You must set the value explicitly. | Pathname of the quorum partition. |
| CmHostName | Up to 256 characters | Host name of the local node. | Store the local host name for private networking. Define the name in the <code>/etc/hosts</code> file. |
| CmServiceName | Up to 256 characters | CmSrvr | Service name to be used for communication among the Node Monitors. If the Node Monitor cannot find the service name in the <code>/etc/services</code> file, it uses the port designated by the CmServicePort parameter. |
| CmServicePort | 1 to 65535 | 60001 | Port number to be used for communication among Node Monitors when the CmServiceName parameter cannot designate the port number. |
| DefinedNodes | Up to 4096 characters | No default value. You must set the value explicitly. | List of host names, separated by spaces, of all the nodes in the cluster. |
| MissCount | 2 to 1000 | 3 | When the Node Monitor finds that a node failed to send a heartbeat message within the time specified by adding the value of the MissCount parameter and the value of the PollInterval parameter, the Node Monitor defines the node as dead. |
| PollInterval | 10 to 180000 milliseconds | 1000 | Sends heartbeat messages at this interval. |
| WatchdogMarginWait | See " Configuring Timing for Cluster Reconfiguration " on page E-13. | 70000 | Specifies the delay between a node failure and the commencement of Oracle9i Real Application Clusters cluster reconfiguration. |

Starting the Node Monitor

To start the Node Monitor:

1. Confirm that the Watchdog daemon is running by entering the following command:

```
$ ps -elf | grep watchdogd
```

2. As the `root` user, start the Node Monitor as a background process. Redirect the output to a log file (although output is not normally expected).

The following example shows how to start a Node Monitor service:

```
$ su root
# cd $ORACLE_HOME/oracm/bin
# oranm </dev/null >$ORACLE_HOME/oracm/log/nm.out 2>&1 &
```

In the preceding example, all of the output messages and error messages are written to the `$ORACLE_HOME/oracm/log/nm.out` file.

The `oranm` process spawns multiple threads. You can list all the threads by entering the `ps -elf` command.

Table E-3 describes the arguments of the `oranm` executable.

Table E-3 *oranm* Argument

| Argument | Description |
|----------------------------|---|
| <code>/c</code> | Indicates verbose mode. It prints messages sent from the Cluster Manager to the Node Monitor. |
| <code>/e:file</code> | The name of the trace file for the Node Monitor. The maximum filename length is 192 characters. The default value is <code>\$ORACLE_HOME/oracm/log/nm.log</code> . |
| <code>/r</code> | Shows brief help for the Node Monitor parameters. The Node Monitor does not start if you specify this argument. |
| <code>/s</code> | Indicates verbose mode. It prints detailed information about Node Monitor network traffic. |
| <code>/v</code> | Indicates verbose mode. It prints detailed information about every activity of the Node Monitor. |
| <code>/x:MaxLogSize</code> | This arguments specifies the maximum size of the trace file. When the size of the trace file reaches this maximum value and it is the first trace file, the Node Monitor renames the trace file to <code>file.startup</code> and creates a new trace file. When the size of a trace file reaches this maximum value and it is not the first trace file, the Node Monitor renames the trace file to <code>file.bak</code> and creates a new trace file. The minimum value of <code>MaxLogSize</code> is 4096 and its maximum value is 2147483647. (A value of -1 = indicates an unlimited maximum size.) The default value is 1000000. |
| <code>/?</code> | Shows help for the arguments of the Node Monitor. The Node Monitor does not start if you specify this argument. |

Starting the Cluster Manager

Perform the following steps to start the Cluster Manager:

1. Confirm that the Watchdog daemon and Node Monitor are running.
2. Confirm that the host name specified by the CmHostName parameter in the `nmcg.ora` file is listed in the `/etc/hosts` file.
3. As the `root` user, start the `oracm` process as a background process. Redirect any output to a log file. For example, enter the following:

```
$ su root
# cd $ORACLE_HOME/oracm/bin
# oracm </dev/null >$ORACLE_HOME/oracm/log/cm.out 2>&1 &
```

In the preceding example, all of the output messages and error messages are written to the `$ORACLE_HOME/oracm/log/cm.out` file.

The `oracm` process spawns multiple threads. To list all the threads, enter the `ps -elf` command.

[Table E-4](#) describes the arguments of the `oracm` executable.

Table E-4 Cluster Manager Arguments

| Argument | Description |
|------------------------|--|
| <code>/a:action</code> | Defines the action taken when the LMON process or another Oracle process that can write to the shared disk terminates abnormally. If <code>action</code> is 0, no action is taken. If <code>action</code> is 1 (the default), the Cluster Manager requests the Watchdog daemon to stop the node completely. |
| <code>/d</code> | Enables debug mode. If you set this argument, the Cluster Manager prints trace information that is useful for investigating problems. |
| <code>/e:file</code> | The name of the trace file for the Cluster Monitor. The maximum filename length is 192 characters. The default value is <code>\$ORACLE_HOME/oracm/log/nm.log</code> . |
| <code>/v</code> | Indicates verbose mode. It prints detailed information on every activity of the Cluster Manager. |

Table E-4 Cluster Manager Arguments (Cont.)

| Argument | Description |
|----------------------------|---|
| <code>/x:MaxLogSize</code> | This arguments specifies the maximum size of the trace file. When the size of the trace file reaches this maximum value and it is the first trace file, the Cluster Manager renames the trace file to <code>file.startup</code> and creates a new trace file. When the size of a trace file reaches this maximum value and it is not the first trace file, the Cluster Manager renames the trace file to <code>file.bak</code> and creates a new trace file. The minimum value of <code>MaxLogSize</code> is 4096 and its maximum value is 2147483647. (A value of -1 indicates an unlimited maximum size.) The default value is 1000000. |
| <code>/?</code> | Shows help for the arguments of the Cluster Manager. The Cluster Manager does not start if you specify this argument. |

Configuring Timing for Cluster Reconfiguration

To avoid database corruption when a node fails, there is a delay before the Oracle9i Real Application Clusters reconfiguration commences. Without this delay, simultaneous access of the same data block by the failed node and the node performing the recovery can cause database corruption. The length of the delay is defined by `WatchdogMarginWait` parameter. By default, the time between when the failure is detected and the start of the cluster reconfiguration is 70 seconds.

The value off the `WatchdogMarginWait` parameter must be greater than the value of the `Watchdog daemon -m` argument plus the value of the `soft_margin` parameter.

See Also: See "[Starting the Watchdog Daemon](#)" on page E-6 for information on the `Watchdog daemon -m` argument. See the *Oracle9i Installation Guide Release 1 (9.0.1) for UNIX Systems* for information on setting the `soft_margin` parameter.

If you decrease the value of the `WatchdogMarginWait` parameter, you must ensure that the sum of the value of the `Watchdog daemon -m` argument value and the value of the `soft_margin` parameter are less than the value of the `WatchdogMarginWait` parameter.

For example, if you decrease the value of the `WatchdogMarginWait` parameter to 65000 ms, set the value of the `soft_margin` parameter to 50000 ms and the value of the `Watchdog daemon -m` argument to 10000 ms.

To avoid database corruptions, reduce the value of the `soft_margin` parameter before you reduce the value of the `WatchdogMarginWait` parameter:

1. Stop the Oracle instance.
2. If you load the `softdog` module from a system startup file, reduce the value of the `soft_margin` parameter as follows:

- a. Edit the script to reduce the value of the `soft_margin` parameter. For example, enter:

```
/sbin/inmod softdog soft_margin=50
```

- b. Reboot the server.

```
# shutdown -r now
```

3. If you do not load the `softdog` module from a system startup file, reduce the value of the `soft_margin` parameter as follows:

- a. If the `softdog` module is already loaded, reboot the server.

```
# shutdown -r now
```

- b. Load the `softdog` module with a smaller value for the `soft_margin` parameter. For example:

```
# /sbin/inmod softdog soft_margin=50
```

4. Change the value of the `WatchdogMarginWait` parameter in the `$ORACLE_HOME/oracm/admin/nmcfgr.ora` file. For example, enter the following line:

```
WatchdogMarginWait=64000
```

5. Restart `watchdogd`, `oranm`, and `oracm`, and the Oracle instance.

Watchdog Daemon and Cluster Manager Starting Options

This section describes how to disable a system reset caused by a node failure. You can also use this procedure for testing or debugging.

By default, the Watchdog daemon starts with an option of `-l 1` and the `oracm` process starts with an option of `/a:1`. With these default values, the unexpected termination of the LMON process, `oranm`, `oracm`, and `watchdogd` causes a system reset. Also, in the current version, when the `watchdogd` daemon is running with an option of `-l 1`, the only way to stop `oracm`, `oranm`, and `watchdogd` is to reboot the system. Therefore, if you run OCMS to perform testing or debugging, Oracle Corporation recommends using the `-l 0` and `-d /dev/null` options of the `watchdogd` daemon and the `/a:0` option of the `oracm` command.

Known Issues and Restrictions

This sections describes restrictions that apply when you use the following Oracle9i Real Application Clusters features with OCMS:

- [Lampport System Change Number Generation](#)
- [ARCHIVELOG Mode and Recovery](#)
- [Shared Server](#)

Lampport System Change Number Generation

Lampport System Change Number (SCN) generation improves the performance of transactions. You can enable or disable the Lampport SCN generation. A delay occurs between the time that the Oracle instance commits an update on a node and the time the instance reflects upon a query on other nodes.

To enable or disable the Lampport SCN generation, set the `MAX_COMMIT_PROPAGATION_DELAY` initialization parameter, using [Table E-5](#) to determine the appropriate value. The default value is 90000.

Table E-5 Values of the MAX_COMMIT_PROPAGATION_DELAY Parameter

| Value | Delay (seconds) | Lampport Clock |
|------------------|----------------------|----------------|
| 0 | 0 | No |
| 1 to 299 | Value divided by 100 | No |
| 300 to 700 | 3 | No |
| Greater than 700 | 6 | Yes (default) |

In the preceding table, the Value column lists values of the `MAX_COMMIT_PROPAGATION_DELAY` initialization parameter. The Delay column lists the maximum delay between a commit occurrence on an instance and the time a commit becomes valid on all other instances. The Lamport Clock column indicates whether the Lamport SCN generation is enabled.

ARCHIVELOG Mode and Recovery

To enable database recovery, set the `THREAD` initialization parameter to a value other than 0 when you use the database in ARCHIVELOG mode. Otherwise, database recovery is not possible.

Shared Server

If you use Shared Server with Oracle9i Real Application Clusters, the value of the `MAX_SERVERS` initialization parameter must be equal to or greater than the value of the `TRANSACTIONS` parameter or the Oracle instance deadlocks.

Optimal Flexible Architecture

This appendix contains information on the Optimal Flexible Architecture (OFA) standard. The OFA standard is a set of configuration guidelines created to ensure fast, reliable Oracle databases that require little maintenance. This appendix contains the following sections:

- [Optimal Flexible Architecture](#)
- [Optimal Flexible Architecture Implemented on UNIX](#)

Optimal Flexible Architecture

Oracle Corporation recommends that you implement the OFA standard when you install and configure Oracle9i.

OFA is designed to:

- Organize large amounts of complicated software and data on disk, to avoid device bottlenecks and poor performance
- Facilitate routine administrative tasks such as software and data backup, which are often vulnerable to data corruption
- Facilitate switching between multiple Oracle databases
- Adequately manage and administer database growth
- Help eliminate fragmentation of free space in the data dictionary, isolate other fragmentation, and minimize resource contention

Characteristics of an OFA-Compliant Database

This section describes characteristics of a database that complies with the OFA standard.

File System Organization

The file system is organized to enable easy administration for issues such as:

- Adding data into existing databases
- Adding users
- Creating databases
- Adding hardware

Distributed I/O Loads

I/O loads are distributed across enough disk drives to prevent performance bottlenecks.

Hardware Support

In most cases, investment in new hardware is not required to take advantage of the OFA standard.

Safeguards Against Drive Failures

By distributing applications across more than one drive, drive failures affect as few applications as possible.

Distribution of Home Directories

The following items can be distributed across more than one disk drive:

- The collection of home directories
- The contents of an individual home directory

Integrity of Login Home Directories

You can add, move, or delete login home directories without having to revise programs that refer to them.

Independence of UNIX Directory Subtrees

Categories of files are separated into independent UNIX directory subtrees so that files in one category are minimally affected by operations on files in other categories.

Supports Concurrent Execution of Application Software

You can execute multiple versions of application software simultaneously, enabling you to test and use a new release of an application before abandoning the previous version. Transferring to a new version after an upgrade is simple for the administrator and transparent for the user.

Separates Administrative Information for Each Database

The ability to separate administrative information on one database from that of another ensures a reasonable structure for the organization and storage of administrative data.

Uses Consistent Database File Naming

Database files are named so that:

- Database files are easily distinguishable from all other files
- Files of one database are easily distinguishable from files of another database
- Control files, redo log files, and datafiles are identifiable as such
- The association of datafile to tablespace is clearly indicated

Separation of Tablespace Contents

Tablespace contents are separated to:

- Minimize tablespace free space fragmentation
- Minimize I/O request contention
- Maximize administrative flexibility

I/O Loads Tuned Across All Drives

I/O loads are tuned across all drives, including drives storing Oracle data in raw devices.

Additional Benefits of OFA for Oracle9i Real Application Clusters

For Oracle9i Real Application Clusters Installations:

- Administrative data is stored in a central place, accessible to all database administrators
- Administrative data for a particular instance can be identified by filename

Optimal Flexible Architecture Implemented on UNIX

This section describes the naming strategy recommended by the OFA standard.

Mount Points

This section describes the naming conventions for mount points.

Create Mount Points

An installation of Oracle9i requires at least two mount points: one for the software and at least one for the database files. To implement the OFA recommendations fully, Oracle9i requires at least four mount points: one for the software and at least three for database files.

Mount Point Syntax

Name all mount points using the syntax `/pm`, where `p` is a string constant and `m` is a unique fixed-length key (typically a two-digit number) used to distinguish each mount point. For example: `/u01` and `/u02`, or `/disk01` and `/disk02`.

Naming Mount Points for Very Large Databases (VLDBs)

If each disk drive contains database files from one application and there are enough drives for each database to prevent I/O bottlenecks, use the syntax `/pm/q/dm` for naming mount points. [Table F-1](#) describes the variables used in this syntax.

Table F-1 Syntax for Naming Mount Points

| Variable | Description |
|-----------|---|
| <i>pm</i> | A mount point name |
| <i>q</i> | A string denoting that Oracle data is stored in this directory |
| <i>dm</i> | The value of the initialization parameter DB_NAME (synonymous with the instance <i>sid</i> for single-instance databases) |

For example, mount points named `/u01/oradata/test` and `/u02/oradata/test` allocate two drives for the Oracle test database.

Naming Directories

This section describes the naming conventions for OFA compliant directories.

Home Directory Syntax

Name home directories using the syntax `/pm/h/u`. [Table F-2](#) describes the variables used in this syntax.

Table F-2 Syntax for Naming Home Directories

| Variable | Description |
|-----------|--|
| <i>pm</i> | A mount point name |
| <i>h</i> | A standard directory name |
| <i>u</i> | The name of the owner of the directory |

For example, `/u01/app/oracle` is the Oracle software owner home directory (also referred to as the Oracle base directory, the default directory used by the installer) and `/u01/app/applmgr` is an Oracle applications software owner home directory.

Placing home directories at the same level in the UNIX file system is advantageous because it allows the collection of applications owner login home directories on different mount points to be referred to using the single pattern matching string, `/*/app/*`.

Referring to Pathnames

Refer to explicit pathnames only in files designed specifically to store them, such as the password file, `/etc/passwd`, and the Oracle `oratab` file. Refer to group memberships only in the `/etc/group` file.

Software Directories

To help fulfill the OFA feature of simultaneously executing multiple versions of application software, store each version of the Oracle9i Server software in a directory matching the pattern `/pm/h/u/product/v`.

[Table F-3](#) describes the variables used in this syntax.

Table F-3 *Syntax for Naming Oracle9i Server Software Directories*

| Variable | Description |
|-----------|--|
| <i>pm</i> | A mount point name |
| <i>h</i> | A standard directory name |
| <i>u</i> | The name of the owner of the directory |
| <i>v</i> | The version of the software |

For example, `/u01/app/oracle/product/9.0.1` indicates the Oracle9i parent directory. Set the `ORACLE_HOME` environment variable to this directory.

Naming Subdirectories

To facilitate the organization of administrative data, Oracle Corporation recommends that you store database-specific administration files in subdirectories matching the pattern `/h/admin/d/a/`, where *h* is the Oracle software owner's home directory, *d* is the database name (DB_NAME), and *a* is a subdirectory for each of the database administration files. Table F-4 describes the database administration file subdirectories.

Table F-4 Subdirectories for Database Administration Files

| Subdirectory | Description |
|--------------|---|
| adhoc | Ad hoc SQL scripts for a particular database |
| arch | Archived redo log files |
| adump | Audit files (Set the AUDIT_FILE_DEST initialization parameter to the adump directory. Clean out this subdirectory periodically.) |
| bdump | Background process trace files |
| cdump | Core dump files |
| create | Programs used to create the database |
| exp | Database export files |
| logbook | Files recording the status and history of the database |
| pfile | Instance parameter files |
| udump | User SQL trace files |

For example, the `adhoc` subdirectory has the pathname `/u01/app/oracle/admin/sab/adhoc/` if the `adhoc` subdirectory is part of the database named `sab`.

Naming Database Files

The following naming convention for database files ensures that they are easily identifiable:

| File Type | File Naming Convention |
|----------------|----------------------------------|
| Control files | <code>/pm/q/d/control.ctl</code> |
| Redo log files | <code>/pm/q/d/redo.log</code> |
| Datafiles | <code>/pm/q/d/tn.dbf</code> |

The following table describes this syntax:

| Variable | Description |
|-----------|---|
| <i>pm</i> | A mount point name described previously in this chapter |
| <i>q</i> | A string distinguishing Oracle data from all other files (usually named ORACLE or oradata) |
| <i>d</i> | The value of the initialization parameter DB_NAME (synonymous with the instance <i>sid</i> for single-instance databases) |
| <i>t</i> | An Oracle tablespace name |
| <i>n</i> | A two-digit string |

Note: Do not store files other than control files, redo log files, or datafiles associated with database *d* in the path `/pm/q/d`.

Following this convention, you could produce, for example, a datafile with the name `/u03/oradata/sab/system01.dbf`, making it easy to see the database to which the file belongs.

Separate Segments With Different Requirements

Separate groups of segments with different lifespans, I/O request demands, and backup frequencies across different tablespaces.

[Table F-5](#) describes the special tablespaces that the Database Configuration Assistant (DBCA) creates for each Oracle database. If you manually create a database, you must create the required tablespaces. These tablespaces are in addition to those required for application segments.

See Also: For Information on creating tablespaces manually, see the *Oracle9i Database Administrator's Guide*.

Table F-5 Special Tablespaces

| Tablespace | Required | Description |
|----------------|----------|--|
| SYSTEM | Yes | Data dictionary segments |
| TEMP | Yes | Temporary segments |
| RBS | Yes | Rollback segments |
| USERS | Yes | Miscellaneous user segments |
| INDX | No | Index associated with data in the USERS tablespace |
| OEM_REPOSITORY | No | Repository for Oracle Enterprise Manager |
| DRSYS | No | Oracle <i>interMedia</i> segment |

Creating these special tablespaces is effective because data dictionary segments are never dropped, and no other segments that can be dropped are allowed in the SYSTEM tablespace. Doing this ensures that the SYSTEM tablespace does not require a rebuild due to tablespace free-space fragmentation.

Because rollback segments are not stored in tablespaces holding applications data, the administrator is not blocked from taking an application's tablespace offline for maintenance. The segments are partitioned physically by type, and the administrator can record and predict data growth rates without using complicated tools.

Naming Tablespaces

Name tablespaces descriptively using a maximum of eight characters. Although Oracle9i tablespace names can be 30 characters long, portable UNIX filenames are restricted to 14 characters. The recommended standard for a datafile basename is *tn.dbf*, where *t* is a descriptive tablespace name and *n* is a two-digit string. Because the extension plus the two-digit string occupy a total of six characters, only eight characters remain for the tablespace name.

Descriptive names enable the datafile to be associated with the tablespace that uses it. For example, the names GLD and GLX might be used for the tablespaces storing General Ledger data and indices, respectively.

Note: Do not embed reminders of the word "tablespace" in your tablespace names. Tablespaces are distinguishable by context, and names do not need to convey information on type.

Exploiting the OFA Structure for Oracle Files

[Table F-6](#) describes the syntax used for identifying classes of files.

Table F-6 *Directory Structure Syntax for Identifying Classes of Files*

| Directory Structure Syntax | Description |
|-------------------------------|--|
| /u[0-9][0-9] | User data directories |
| */home/* | User home directories |
| */app/* | User application software directories |
| */app/applmgr | Oracle applications software subtrees |
| */app/oracle/product | Oracle software subtrees |
| */app/oracle/product/9.0.1 | Oracle Server release 9.0.1 distribution files |
| */app/oracle/admin/sab | sab database administrative subtrees |
| */app/oracle/admin/sab/arch/* | sab database archived log files |
| */oradata | Oracle data directories |
| */oradata/sab/* | sab database files |
| */oradata/sab/*.log | sab database redo log files |

OFA File Mapping

Table F-7 shows a hierarchical file mapping of a sample OFA-compliant database, including each file mount point, application, database, and tablespace. The filenames indicate the file type (control, log, or data).

Table F-7 Hierarchical File Mapping for OFA Installation

| Directory | Description |
|---------------------------------|---|
| / | Root mount point |
| /u01/ | User data mount point 1 |
| /u01/app/ | Subtree for application software |
| /u01/app/oracle/ | Home for oracle software user |
| /u01/app/oracle/admin/ | Subtree for database administration files |
| /u01/app/oracle/admin/TAR | Subtree for support log files |
| /u01/app/oracle/admin/db_name1/ | admin subtree for db_name1 database |
| /u01/app/oracle/admin/db_name2/ | admin subtree for db_name2 database |
| /u01/app/oracle/doc/ | Online documentation |
| /u01/app/oracle/product/ | Distribution files |
| /u01/app/oracle/product/8.1.6/ | Oracle home directory for release 8.1.6 instances |
| /u01/app/oracle/product/8.1.7/ | Oracle home directory for release 8.1.7 instances |
| /u01/app/oracle/product/9.0.1/ | Oracle home directory for release 9.0.1 instances |
| /u01/app/ltb/ | Home directory for a user |
| /u01/app/sbm/ | Home directory for a user |
| /u01/oradata/ | Subtree for Oracle data |
| /u01/oradata/db_name1/ | Subtree for db_name1 database files |
| /u01/oradata/db_name2/ | Subtree for db_name2 database files |
| /u02/ | User data mount point 2 |
| /u02/home/ | Subtree for login home directories |
| /u02/home/cvm/ | Home directory for a user |
| /u02/home/vrm/ | Home directory for a user |
| /u02/oradata/ | Subtree for Oracle data |
| /u02/oradata/db_name1/ | Subtree for db_name1 database files |
| /u02/oradata/db_name2/ | Subtree for db_name2 database files |

Table F-7 Hierarchical File Mapping for OFA Installation (Cont.)

| Directory | Description |
|------------------------|--|
| /u03/ | User data mount point 3 |
| /u03/oradata/ | Subtree for Oracle data |
| /u03/oradata/db_name1/ | Subtree for <i>db_name1</i> database files |
| /u03/oradata/db_name2/ | Subtree for <i>db_name2</i> database files |

File Mapping for a Multiple-Instance OFA Database

When using the Oracle9i Real Application Clusters, select one node to act as the Oracle administrative home for the cluster. The administrative home contains the administrative subtree. Create subdirectories for each instance accessing the database within the `bdump`, `cdump`, `logbook`, `pfile`, and `udump` directories of the `~/admin/d/` directory. Mount the `admin` directory for the administrative home as the `admin` directory for every instance. Table F-10 shows a sample directory structure.

Table F-8 Administrative Directory Structure for Dual-Instance Oracle9i Real Application Clusters

| Directory Path | Description |
|----------------------------|---|
| /u01/app/oracle/admin/sab/ | Administrative directory for <i>sab</i> database |
| /u01/adhoc/ | Directory for miscellaneous scripts |
| /u01/arch/ | Log archive destination for all instances |
| /u01/arch/redo001.arc | Archived redo log file |
| /u01/bdump/ | Directory for background dump files |
| /u01/bdump/inst1/ | Background dump destination for <i>inst1</i> instance |
| /u01/bdump/inst2/ | Background dump destination for <i>inst2</i> instance |
| /u01/cdump/ | Directory for core dump files |
| /u01/cdump/inst1/ | Core dump destination for <i>inst1</i> instance |
| /u01/cdump/inst2/ | Core dump destination for <i>inst2</i> instance |
| /u01/create/ | Directory for creation scripts |
| /u01/create/1-rdbms.sql | SQL script to create <i>inst</i> database |
| /u01/exp/ | Directory for exports |
| /u01/exp/20000120full.dmp | January 20, 2000 full export dump file |

Table F–8 Administrative Directory Structure for Dual-Instance Oracle9i Real Application Clusters (Cont.)

| Directory Path | Description |
|--------------------------------|---|
| /u01/exp/export/ | Directory for export parfiles |
| /u01/exp/import/ | Directory for import parfiles |
| /u01/logbook/ | Directory for logbook entries |
| /u01/logbook/inst1/ | Directory for <i>inst1</i> instance reports |
| /u01/logbook/inst1/params.lst | VSPARAMETER report for <i>inst1</i> instances |
| /u01/logbook/inst2/ | Directory for <i>inst2</i> instances reports |
| /u01/logbook/inst2/params.lst | VSPARAMETER report for <i>inst2</i> instances |
| /u01/logbook/user.lst | DBA_USERS report |
| /u01/pfile/ | Directory for instance parameter files |
| /u01/pfile/inst1/ | Directory for <i>inst1</i> instance parameters |
| /u01/pfile/inst1/initinst1.ora | Instance parameters for <i>inst1</i> instance |
| /u01/pfile/inst2/ | Directory for <i>inst2</i> instance parameters |
| /u01/pfile/inst2/initinst2.ora | Instance parameters for <i>inst2</i> instance |
| /u01/udump/ | Directory for user dump files |
| /u01/udump/inst1/ | User dump destination for <i>inst1</i> instance |
| /u01/udump/inst2/ | User dump destination for <i>inst2</i> instance |

Directory Structure

The following sections describe the directory structure for OFA compliant installations.

ORACLE Base Directory

The Oracle base directory is the root of the Oracle directory structure. When installing an OFA-compliant database using the Oracle Universal Installer, the default Oracle base directory is set to `/pm/app/oracle`. [Table F-9](#) describes an Oracle base directory structure and content.

Table F-9 Oracle Base Directory Structure and Content

| Directory | Description |
|-----------|-----------------------------------|
| admin | Administrative files |
| doc | Online documentation |
| local | Subtree for local Oracle software |
| product | Oracle software |

Oracle Home Directory

If you install an OFA-compliant Oracle Server, the Oracle home directory is `/pm/app/oracle/product/release_number`. [Table F-10](#) describes the Oracle home directory structure and content. Under UNIX, the Oracle home directory contains the subdirectories described in [Table F-10](#), as well as a subdirectory for each Oracle product installed.

Table F-10 Oracle Home Directory Structure and Content

| Directory | Description |
|------------|--------------------------------|
| assistants | Configuration Assistants |
| bin | Binaries for all products |
| ctx | <i>interMedia</i> Text options |
| db | Initialization files |
| install | Installation-related files |
| lib | Oracle product libraries |
| jlib | Java classes |
| md | Spatial options |

Table F–10 Oracle Home Directory Structure and Content (Cont.)

| Directory | Description |
|-----------|--|
| mlx | Xerox Stemmer (for <i>interMedia</i> Text options) |
| network | Oracle Net Services files |
| ocommon | Common files for all products |
| odg | Data gatherer files |
| oracore | Core libraries |
| ord | Data options |
| otrace | Oracle TRACE files |
| plssql | PL/SQL files |
| precomp | Precompiler files |
| rdbms | Server files and libraries required for the database |
| slax | SLAX parser files |
| sqlplus | SQL*Plus files |

Examples of Product Subdirectories

[Table F–11](#) shows examples of product subdirectories and their contents.

Table F–11 Examples of Product Subdirectories

| Directory | Description |
|-----------|--------------------------------------|
| rdbms | admin, doc, install, lib, log, mesg |
| sqlplus | admin, demo, doc, install, lib, mesg |

Contents of Product Subdirectories

[Table F-12](#) describes the subdirectories contained in the `rdbms` and `sqlplus` product subdirectories.

Table F-12 *Contents of Product Subdirectories*

| Directory | Description |
|-----------------------------|---|
| <code>admin</code> | Administrative SQL and shell scripts (for example, <code>catalog.sql</code> , <code>catexp.sql</code> , and <code>demo.sql</code>) |
| <code>admin/*</code> | Special directories for other products |
| <code>admin/resource</code> | Resource files |
| <code>admin/terminal</code> | Runtime terminal files |
| <code>demo</code> | Demonstration scripts and datafiles |
| <code>doc</code> | README files (for example, <code>readmeunix.doc</code>) |
| <code>install</code> | Product installation scripts |
| <code>jlib</code> | Product Java classes |
| <code>lib</code> | Product libraries and distributed make files |
| <code>log</code> | Trace files and log files (for example, <code>orasrv.log</code> and <code>*.trc</code> files) |
| <code>msg</code> | U.S. message files and Multilingual Option (formerly National Language Support) message text and binary files (for example, <code>oraus.msg</code> and <code>oraus.msb</code>) |

File Naming Conventions in the admin Directory

Table F-13 shows the SQL scripts located in the `rdbms/admin` directory.

Table F-13 *admin Directory, File Naming Conventions*

| File | Description |
|------------------------|--|
| <code>cat*.sql</code> | Creates catalog and data dictionary tables and views. The following files are run automatically during installation: <ul style="list-style-type: none"> ■ <code>catalog.sql</code> (for all installations) ■ <code>catproc.sql</code> (for all installations) ■ <code>catclust.sql</code> (for Oracle9i Real Application Clusters option installations) ■ <code>catrep.sql</code> (for all installations) The <code>catproc.sql</code> file in turn runs the scripts for creating the standard PL/SQL packages, such as <code>DBMS_SQL</code> and <code>DBMS_OUTPUT</code> . |
| <code>d*.sql</code> | Downgrade scripts |
| <code>dbms*.sql</code> | Additional database packages |
| <code>u*.sql</code> | Upgrade scripts |
| <code>util*.sql</code> | Creates tables and views for database utilities |

Filename Extensions

Table F-14 describes filename extensions.

Table F-14 *Filename Extensions*

| Extension | Description |
|-------------------|---|
| <code>.a</code> | Object file libraries; Ada runtime libraries |
| <code>.aud</code> | Oracle audit file |
| <code>.bdf</code> | X11 font description file |
| <code>.bmp</code> | X11 bitmap file |
| <code>.c</code> | C source file |
| <code>.ctl</code> | SQL*Loader control file; Oracle Server control file |
| <code>.dat</code> | SQL*Loader datafile |
| <code>.dbf</code> | Oracle Server tablespace file |
| <code>.dmp</code> | Export file |
| <code>.doc</code> | ASCII text file |

Table F-14 *Filename Extensions (Cont.)*

| Extension | Description |
|------------------|---|
| .env | Shell script file for setting environment |
| .h | C header file; also, <code>sr.h</code> is a SQL*Report Writer help file |
| .jar | Java class archive |
| .l | UNIX manual page |
| .lis | Output of SQL*Plus scrip |
| .log | Installation log files; Oracle Server redo log file |
| .mk | Make file |
| .msb | Multilingual Option message file (binary) |
| .msg | Multilingual Option message file (text) |
| .o | Object module |
| .ora | Oracle configuration file |
| .orc | Installation prototype file |
| .pc | Pro*C source file |
| .pco | Pro*COBOL source file |
| .ppd | Printer driver file |
| .sh | Bourne shell script file |
| .sql | SQL script file |
| .sys | Bourne shell script file |
| .tab | SQL script file |
| .trc | Trace file |
| .tut | Bourne shell script file |
| .utd | Uniform Terminal Definition file |
| .zip | Zip file |

Index

Symbols

@ abbreviation, 1-2

A

accounts

SCOTT, 1-19

SYS, 1-19

SYSTEM, 1-19

ADA_PATH environment variable, 1-5

adapters utility, 5-3

ADDRESS specification protocols, 5-5

administering SQL, 3-2

aio_max_num parameter, C-6

aio_task_max_num parameter, C-6

AIX tools

PTX Agent, 2-8

PTX Manager, 2-8

ANALYZE_SCHEMA, C-2

ARCHIVELOG, E-16

asynchronous flag for HP, B-7

B

BEQ protocol, 5-5

block size, A-6

tuning, 2-14

BUFFER

parameter for imp, A-7

buffer cache size, 2-17

tuning, 2-17

buffer manager, 2-11

buffer-cache

tuning, A-2

C

C

Pro*C/C++, 4-8

cache size, 2-17

catching routine, 4-25

example, 4-25

CATPROC.SQL, F-17

changing databases, 1-8

CLASS_PATH environment variable, 1-5

Cluster file system, 2-14

Cluster Manager

argument reference, E-12

starting, E-12

starting options, E-15

threads of, E-3

command interpreter, 1-7

common environment

setting, 1-8

CONFIG_WATCHDOG_NOWAYOUT

parameter, E-3

configuration

encapsulator, 5-9

master agent, 5-9

configuration files

Oracle Net, 5-2

Oracle Net Services, 5-2

precompiler, 4-2

- coraenv, 1-4
- CPU usage
 - priority level of processes, 2-16
 - tuning, 2-16
- CREATE CONTROLFILE parameter, 1-15
- CREATE DATABASE parameter, 1-15

D

- Data prefetch, B-7
- database
 - block size, A-6
- database files, 1-18
- DB_BLOCK_BUFFERS initialization
 - parameter, 1-12
- DB_BLOCK_SIZE initialization parameter, 1-12
- dba group, 1-16
- dbhome file, 1-8
- debugger programs, 4-4
- demonstration programs
 - oracle call interface, 4-20
 - Pro*C/C++, 4-8
 - Pro*COBOL, 4-13
 - Pro*FORTRAN, 4-16
 - SQL*Module for Ada, 4-18
- demonstration tables
 - creating manually, 3-3
 - deleting, 3-4
 - SQL*Plus, 3-3
- demonstrations
 - PL/SQL, 1-29
 - precompiler, 1-31
 - SQL*Loader, 1-25
 - the procedural option, PL/SQL, 1-29
- Direct I/O support on Tru64, C-7
- directed placement optimizations, C-18
- disk
 - monitoring performance, 2-15
- disk I/O
 - file system type, 2-14
 - I/O slaves, A-13
 - tuning, 2-14
- DISM, 1-13
- DISPLAY environment variable, 1-6

- documentation
 - accessing, xv
 - navigation files, xv
 - on administration and tuning, xvi
 - on migrating and upgrading from previous release, xvi
 - related, xvi
 - where installed, xv
- dynamic and static linking
 - Oracle libraries, 4-4

E

- encapsulator configuration, 5-9
- environment variables, 4-11, 4-12
 - MicroFocus COBOL compiler, 4-11
 - ORACLE_DOC, xv
 - TNS_ADMIN, 5-2
- EPC_DISABLED environment variable, 1-3
- expst command, C-16
- Extended file system, 2-14

F

- file systems, 2-14
- files
 - dbhome, 1-8
 - root.sh, 1-8
 - trace files, 2-20
- FORMAT precompiler, 4-14
 - Pro*COBOL, 4-15
- free command, 2-6

G

- Glance/UX, 2-10
- glogin.sql file, 3-2

H

- help facility, 3-4
- HOME environment variable, 1-6
- HP Superdome, B-7
- HP-UX tools, 2-10, 2-11
- HTTP server log files, 1-25

I

imp

BUFFER parameter for, A-7

impst command, C-16

initialization parameters

BACKGROUND_DUMP_DEST, 1-20, 2-20
BITMAP_MERGE_AREA_SIZE, 1-20
COMMIT_POINT_STRENGTH, 1-20
CONTROL_FILES, 1-20
CREATE_BITMAP_AREA_SIZE, 1-20
DB_BLOCK_BUFFERS, 1-12
DB_BLOCK_SIZE, 1-12, 1-20
DB_FILE_DIRECT_IO_COUNT, 1-20
DB_FILE_MULTIBLOCK_READ_COUNT, 1-21
DISTRIBUTED_TRANSACTIONS, 1-21
HASH_AREA_SIZE, 1-21
HASH_MULTIBLOCK_IO_COUNT, 1-21
JAVA_POOL_SIZE, 1-12, 1-21
LOCK_SGA, 1-21
LOG_ARCHIVE_DEST, 1-21
LOG_ARCHIVE_FORMAT, 1-21
LOG_BUFFER, 1-21
LOG_CHECKPOINT_INTERVAL, 1-21
MAX_DISPATCHERS, 1-21
MAX_DUMP_FILE, 2-20
MAX_SERVERS, 1-21
NLS_LANGUAGE, 1-21
NLS_TERRITORY, 1-21
OBJECT_CACHE_MAX_SIZE_PERCENT, 1-22
OBJECT_CACHE_OPTIMAL_SIZE, 1-22
OPEN_CURSORS, 1-22
OS_AUTHENT_PREFIX, 1-22
PROCESSES, 1-22
SHARED_POOL_SIZE, 1-12, 1-22
SHARED_SERVERS, 1-21
SORT_AREA_SIZE, 1-22
USER_DUMP_DEST, 2-20

initsid.ora file, 1-20

installation

Oracle Internet Directory, xvi

Oracle Workflow, xvi

instances

commit occurrence on, E-16

Intelligent Agent

configuration on SNMP, 5-9

interMedia

Annotator, D-3

Java Servlet Photo Album Demonstration, D-2

JavaServer Pages Photo Album
Demonstration, D-2

ORD Image OCI Demonstration, D-2

ORDAudio Java Demonstration, D-2

ORDAudio SQL Demonstration, D-2

ORDDoc Java Demonstration, D-2

ORDDoc SQL Demonstration, D-2

ORDImage Java Demonstration, D-2

ORDVideo Java Demonstration, D-2

ORDVideo SQL Demonstration, D-2

Web Agent and Clipboard, D-3

interrupting SQL*Plus, 3-7

Intimate Shared Memory, 1-11, 1-12

I/O

asynchronous on AIX, A-11

asynchronous on HP, B-3

asynchronous on Tru64, C-5

tuning, 2-14

I/O slaves, A-13

iostat command, 2-5

IPC protocol, 5-6

ireclen, 4-4

ISM, 1-13

J

JAVA_POOL_SIZE initialization parameters, 1-12

Journalized file system, 2-14

L

lamport clock

restrictions, E-16

LANG environment variable, 1-6

language, 1-3

LANGUAGE environment variable, 1-6

LD_LIBRARY_PATH environment variable, 1-6

LDPATH environment variable, 1-6

LIBPATH environment variable, 1-6

Lightweight Timer, B-3

Locator, D-3
log writer process (LGWR), 2-16
login.sql file, 3-2
LP_DEST environment variable, 1-6
LPDEST environment variable, 1-6
lsps command, 2-6

M

master agent configuration, 5-9
max_async_req parameter, C-3
MAX_COMMIT_PROPAGATION_DELAY
parameter, E-15
max_objs parameter, C-3
max_sessions parameter, C-3
MAXDATAFILES parameter, 1-15
maxfree parameter, A-2
MAXINSTANCES parameter, 1-15
MAXLOGFILES parameter, 1-15
MAXLOGHISTORY parameter, 1-15
MAXLOGMEMBERS parameter, 1-15
maxperm parameter, A-2, A-4
memory
contention, A-2
estimating usage, 1-14
tuning, 2-11
virtual, 1-14
memory management, 2-11
control paging, 2-13
swap space, 2-12
MicroFocus COBOL compiler, 4-11
minfree parameter, A-2
minperm parameter, A-2, A-4
MLOCK privilege, B-4
mpstat command, 2-7
msg_size parameter, C-3
multiple signal handlers, 4-25

N

National Language Support (NLS) environment
variable, 1-3
NLS_LANG environment variable, 1-3

NM. See Node Monitor
Node Monitor
configuring, E-8
starting, E-10
threads of, E-3
NUMA
See directed placement optimizations

O

OCMS
Watchdog daemon, E-3
oinstall group, 1-17
oper group, 1-17
Optimal Flexible Architecture
characteristics of OFA, F-2
file mapping, F-2, F-11
ORA_NLS environment variable, 1-3
ORA_TZFILE environment variable, 1-3
oracle account, 1-18
oracle advanced security, 5-11
oracle call interface, 4-20
demonstration programs, 4-20
oracle enterprise manager intelligent agent, 5-9
Oracle environment variables
EPC_DISABLED, 1-3
NLS_LANG, 1-3
ORA_NLS, 1-3
ORA_NLS33, 1-3
ORA_TZFILE, 1-3
ORACLE_BASE, 1-3
ORACLE_HOME, 1-4
ORACLE_PATH, 1-4
ORACLE_SID, 1-4
ORACLE_TRACE, 1-4
Oracle9i variables, 1-3
ORAENV_ASK, 1-4
SQLPATH, 1-4
TNS_ADMIN, 1-5
TWO_TASK, 1-5
Oracle HTTP Server, 1-24
Oracle libraries
static and dynamic linking, 4-4
Oracle Net
products and features, 5-2

- Oracle Net configuration files, 5-2
- Oracle Net Services
 - adapters utility, 5-3
 - ADDRESS specification, 5-4
 - BEQ protocol, 5-5
 - files and utilities, 5-2
 - IPC protocol, 5-6
 - oracle advanced security, 5-11
 - oracle enterprise manager intelligent agent, 5-9
 - protocol support, 5-4
 - protocols, 5-4
 - RAW protocol, 5-7
 - TCP/IP protocol, 5-7
- Oracle Net Services configuration files, 5-2
- oracle precompiler and OCI linking and makefiles
 - custom makefiles, 4-22
 - undefined symbols, 4-23
- oracle run time system
 - Pro*COBOL, 4-13
- oracle software owner, 1-16
 - special accounts, 1-16
- Oracle System Identifier, 1-4
- Oracle TCP/IP protocol, 5-7
- Oracle Text, D-4
- ORACLE_BASE environment variable, 1-3
- ORACLE_DOC environment variable, xv
- ORACLE_HOME environment variable, 1-4
- ORACLE_PATH environment variable, 1-4
- ORACLE_SID environment variable, 1-2, 1-4
- Oracle9i Spatial, D-4
- oracm, E-12
- oradism command, 1-13
- oraenv file
 - description, 1-8
 - moving between databases, 1-8
- ORAENV_ASK, 1-4
- ORAINVENTORY, 1-17
- orapwd command, 1-19
- orapwd utility, 1-19
- oreclen, 4-4
- OS_AUTHENT_PREFIX parameter, 1-18
- OSDBA, 1-16
- OSOPER, 1-17

P

- page-out activity, 2-13
- paging, 2-13
 - excessive, A-2, A-5
 - inadequate, A-5
- paging space, 2-11
 - tuning, 2-11, 2-13
- parameters
 - aio_max_num, C-6
 - aio_task_max_num, C-6
 - CONFIG_WATCHDOG_NOWAYOUT, E-3
 - CREATE CONTROLFILE, 1-15
 - CREATE DATABASE, 1-15
 - max_async_req, C-3
 - MAX_COMMIT_PROPAGATION_
 - DELAY, E-15
 - max_objs, C-3
 - max_sessions, C-3
 - MAXDATAFILES, 1-15
 - maxfree, A-2
 - MAXLOGFILES, 1-15
 - MAXLOGHISTORY, 1-15
 - MAXLOGMEMBERS, 1-15
 - maxperm, A-2, A-4
 - minfree, A-2
 - minperm, A-2, A-4
 - msg_size, C-3
 - OS_AUTHENT_PREFIX, 1-18
 - rad_gh_regions, C-21
 - rdg_max_auto_msg_wires, C-3
 - SCHED_NOAGE, B-2
 - SGA_MAX_SIZE, 1-13
 - shm_allocate_striped, C-21
 - SHM_MAX, 1-11
 - SHM_SEG, 1-11
 - SHMMAX, 1-11
 - SHMSEG, 1-11
 - THREAD, E-16
 - TIMED_STATISTICS, B-3, C-9
 - TRU64_IPC_NET, C-5
- PATH environment variable, 1-7
- PL/SQL demonstrations, 1-29
 - loading, 1-29
- Polycenter advanced file system, 2-14

- precompiler configuration files, 4-2
- precompilers
 - overview, 4-2
 - running demonstrations, 1-31
 - signals, 4-25
 - uppercase to lowercase conversion, 4-4
 - value of ireclen and oreclen, 4-4
 - values, 4-4
 - vendor debugger programs, 4-4
- PRINTER environment variable, 1-7

Pro*C/C++

- demonstration programs, 4-8
- make files, 4-8
- signals, 4-25
- using, 4-8

Pro*COBOL, 4-10

- demonstration programs, 4-13
- FORMAT precompiler, 4-14, 4-15
- naming differences, 4-10
- oracle run time system, 4-13
- user programs, 4-14
- using, 4-12

PRODUCT_USER_PROFILE Table, 3-3

Programmer's Analysis Kit (HP PAK), 2-11

protocols, 5-4

- ADDRESS specification, 5-5

PTX Agent, 2-8

R

rad_gh_regions parameter, C-21

raw device setup, 2-19

raw devices, 2-17

- buffer cache size, 2-17

- guidelines for using, 2-18

- Oracle9i Real Application Clusters

- installation, 2-18

- raw disk partition availability, 2-18

- setting up, 2-18

- Tru64, C-10

RAW protocol, 5-7

rdg_max_auto_msg_wires parameter, C-3

Real Time Clock, C-9

related documentation, xvi

Reliable Data Gram, C-3

relinking, 1-9

remote connections parameters

- OS_AUTHENT_PREFIX, 1-19

resource contention

- tuning, 2-16

restrictions (SQL*Plus), 3-7

- resizing windows, 3-7

- return codes, 3-7

root.sh script, 1-8

running operating system commands, 3-6

S

sar command, 2-4, 2-13

SCHED_NOAGE parameter, B-2

SCOTT account, 1-19

scripts

- start_peer, 5-10

security, 1-17, 1-18

- features of UNIX, 1-17

- file ownership, 1-17

- group accounts, 1-17

- two-task architecture, 1-17

setup files

- SQL*Plus, 3-2

SGA, 1-11, A-7

- determining, 1-12

SGA_MAX_SIZE parameter, 1-13

shadow process, 1-17

SHARED_POOL_SIZE initialization

- parameters, 1-12

SHELL environment variable, 1-7

SHLIB_PATH environment variable, 1-7

shm_allocate_striped parameter, C-21

SHM_MAX parameter, 1-11

SHM_SEG parameter, 1-11

SHMMAX parameter, 1-11

SHMSEG parameter, 1-11

SIGCLD two-task signal, 4-24

SIGINT two-task signal, 4-24

SIGIO two-task signal, 4-24

signal handlers

- using, 4-24

signal routine, 4-25

- example, 4-25

- SIGPIPE two-task signal, 4-24
- SIGTERM two-task signal, 4-24
- SIGURG two-task signal, 4-24
- Simple Network Management Protocol (SNMP), 5-9
- smit
 - See System Management Interface Tool
- SNMP
 - and Intelligent Agent, 5-9
 - SNMP and Intelligent Agent, 5-9
- snmpd executable, 5-10
- software distribution, 1-4
- Spatial demonstrations, D-4
- special accounts, 1-16
- Spike optimization tool, C-12
- SPOOL command
 - SQL*Plus, 3-7
 - using, 3-7
- SQL scripts, 2-11
- SQL*Loader, A-7
- SQL*Module for Ada
 - user programs, 4-19
 - using, 4-18
- SQL*Plus
 - default editor, 3-6
 - demonstration tables, 3-3
 - editor, 3-6
 - help, 3-4
 - help facility, 3-4
 - interrupting, 3-7
 - PRODUCT_USER_PROFILE Table, 3-3
 - restrictions, 3-7
 - running operating system commands, 3-6
 - setup files, 3-2
 - site profile, 3-2
 - SPOOL command, 3-7
 - system editor, 3-6
 - user profile, 3-2
 - using, 3-6
- SQLPATH environment variable, 1-4
- SSL, 1-24
- ssm_threshold parameter, C-21
- start_peer script, 5-10
- static and dynamic linking
 - oracle libraries, 4-4

- Sun Nihongo COBOL, 4-12
 - compiler environment variables, 4-12
- swap command, 2-6
- swap space, 2-11
 - tuning, 2-11
- swapinfo command, 2-6
- swapon command, 2-6
- SYS account, 1-19
- SYSDATE, 1-9
- SYSTEM, 1-19
- system editor
 - SQL*Plus, 3-6
- system time, 1-9

T

- TCP/IP protocol, 5-7
 - ADDRESS, 5-6, 5-8
- THREAD initialization parameter, E-16
- thread support, 4-24
- TIMED_STATISTICS parameter, B-3, C-9
- TMPDIR environment variable, 1-7
- TNS listener, 5-7
 - configuring for Oracle TCP/IP protocol, 5-7
- TNS_ADMIN environment variable, 1-5
- tools, 2-3
- trace and alert files
 - alert files, 2-20
 - trace file names, 2-20
 - using, 2-17, 2-20
- tracing Bourne shell scripts, 1-4
- TRU64_IPC_NET parameter, C-5
- tuning, 2-11
 - archiver buffers, A-6
 - CPU usage, 2-16
 - disk I/O, 2-14
 - I/O bottlenecks, 2-14
 - memory management, 2-11
 - resource contention, 2-16
 - SGA on AIX, A-7
 - trace and alert files, 2-17, 2-20
 - UDP, A-21
- tuning tools
 - AIX System Management Interface Tool, 2-7
 - free, 2-6

- Glance/UX, 2-10
- iostat, 2-5
- lsps, 2-6
- mpstat, 2-7
- Programmer's Analysis Kit (HP PAK), 2-11
- PTX Agent, 2-8
- PTX Manager, 2-8
- sar, 2-4
- swap, 2-6
- swapinfo, 2-6
- swapon, 2-6
- vmstat, 2-3

TWO_TASK environment variable, 1-5

U

- UDP IPC, C-4
- UDP tuning, A-21
- unified file system, 2-14
- UNIX environment variables
 - ADA_PATH, 1-5
 - CLASSPATH, 1-5
 - DISPLAY, 1-6
 - HOME, 1-6
 - LANG, 1-6
 - LANGUAGE, 1-6
 - LD_LIBRARY_PATH, 1-6
 - LD_OPTIONS, 1-6
 - LDPATH, 1-6
 - LIBPATH, 1-6
 - LPDEST, 1-6
 - PATH, 1-5, 1-7
 - PRINTER, 1-7
 - SHELL, 1-7
 - SHLIB_PATH, 1-7
 - TMPDIR, 1-7
 - XENVIRONMENT, 1-7
- UNIX groups
 - dba, 1-16
 - oinstall, 1-17
 - oper, 1-17
- UNIX System V file system, 2-14
- user interrupt handler, 4-25

- user profile
 - SQL*Plus, 3-2
- user programs
 - Pro*COBOL, 4-14
 - SQL*Module for Ada, 4-19
- using SQL*Plus, 3-6

V

- Veritas file system, 2-14
- vmstat command, 2-3, 2-13
- vmtune command, A-2

W

- Watchdog daemon
 - description, E-3
 - polling, E-7
 - starting, E-6
 - starting options, E-15

X

- XA functionality, 4-26
- XENVIRONMENT environment variable, 1-7